

1 Introduction of a Team Based Approach to
2 Radiation Dose Reduction in the enhancement of
3 the overall Radiation Safety Profile of FEVAR

4

5 Alexander E. Rolls¹, Sarah Rosen¹, Jason Constantinou¹, Meryl Davis¹, Jonathan Cole³,
6 Mital Desai¹, Danail Stoyanov², Tara M. Mastracci¹

7

8 1. *Aortic Team, Department of Vascular Surgery, Royal Free London Foundation Trust, Pond Street,*
9 *London NW3 2QG*

10 2. *Centre for Medical Image Computing and Department of Computer Science University College*
11 *London, Malet Place, London WC1E 6BT*

12 3. *Radiological Physics and Radiation Safety, Royal Free London NHS Foundation Trust, Pond Street,*
13 *London NW3 2QG*

14

15

16

17 **Corresponding Author:** Tara Mastracci, Aortic Team, Royal Free London NHS
18 Foundation Trust, NW3 2QG

19 Email: tara.mastracci@nhs.net

20

21

22 **Key words:** Fusion, complex aneurysms, radiation, performance

23

24 **Category:** original article

25

26 **Short Title:** The Role of Fusion CT in FEVAR

27

28

29 **Word Count:** 3353 including abstract, text and references.

30

31

32 **Conflict of Interest**

33 **Tara Mastracci does consultation and proctoring for Cook Medical Inc.**

34

1 **ABSTRACT**

2
3 **Objectives**

4 Fenestrated endovascular aneurysm repair (FEVAR) exposes operators and patients
5 to considerable amounts of radiation. Introduction of fusion of three-dimensional
6 (3D) computed tomography (CT) with intraoperative fluoroscopy puts new focus on
7 advanced imaging techniques in the operating environment and has been found to
8 reduce radiation and facilitate faster repair. The aim of this study is to evaluate the
9 radiation dose effect of introducing a team-based approach to complex aortic repair.

10
11 **Methods**

12 Procedural details for a cohort of 21 patients undergoing FEVAR after fusion-guided
13 (Modern Group) imaging was introduced are compared with 21 patients treated in
14 the immediate 12 months prior to implementation (Historic Group) at a centre with
15 expertise in FEVAR. Non-parametric tests were used to compare procedure time
16 (PT), air kerma, dose-area product (DAP), fluoroscopy time (FT), estimated blood loss
17 (EBL) and pre- and post-operative estimated glomerular filtration rate (eGFR)
18 between the groups.

19
20 **Results**

21 Change in operative approach resulted in a significant reduction in PT for the
22 Modern group (median 285 mins; interquartile range 268-322) compared with the
23 Historic group (450 mins; IQR 360-540 $p<0.001$). There were reductions in skin dose
24 for the Modern group (1.6 Gy; IQR 1.09-2.1) compared with the Historic group (4.4
25 Gy; 3.2-7.05 $p<0.001$), and DAP (Modern 159 Gy.cm²; IQR 123-226 vs 264.93
26 Gy.cm²; 173.3-366.8 for Historic ($p=0.006$). Estimated blood loss was significantly
27 reduced for Modern (350 mls; 250-580) compared with Historic (1000 mls; 420-2300
28 $p=0.009$). There were no significant differences in FT, and pre- and post-operative
29 eGFR between the two groups. Weight and height were distributed equally across
30 both groups.

31
32
33 **Conclusions**

34 Implementation of a team-based approach to radiation reduction significantly
35 reduces radiation dose. These findings suggest that the radiation safety awareness
36 that accompanies the introduction of fusion imaging may improve the overall
37 radiation safety profile of FEVAR for patients and providers.

38
39 **Key words:** Fusion, complex aneurysms, radiation, performance
40

1 **What this paper adds:**

2 This paper investigates the implementation of a team-based approach to radiation
3 safety in complex aneurysm repairs. The importance of a systematic approach to
4 radiation safety and the procedure itself, with improvement in the safety-profile of
5 FEVAR must not only rely on specific imaging modalities but also on a systematic and
6 integrated approach to all cases.

7
8
9

1 **INTRODUCTION**

2

3 Imaging technology has evolved since the introduction of endovascular aneurysm
4 repair (EVAR).¹ Modern hybrid rooms have the capacity to combine pre-operative
5 computed tomography (CT) with cone-beam computed tomography (CBCT) to assist
6 intra-operative navigation and graft deployment (Fusion).^{2,3} Fusion usually employs
7 rigid co-registration of consistent bony landmarks,^{4,5} but could employ orthogonal
8 2D acquisitions⁶ and computational algorithms in real time.⁷ Fenestrated
9 endovascular aneurysm repair (FEVAR) has increased the complexity of endovascular
10 repair^{12,13}, exposing the patient and surgeon to more radiation.^{8-10, 11}

11

12 Existing data supports fusion imaging in complex aneurysm repair to reduce contrast
13 volume and radiation dose.^{4-6,14} We believe the effect is augmented by an
14 emphasis on dose reduction that introduction of a new technology can provide. We
15 review our experience with a new systematic and team-based approach to the
16 routine use of advanced technologies like fusion, and hypothesize that this
17 awareness is responsible for dose reduction.

18

19 **METHODS**

20

21 All patients who underwent complex endograft between January 2014 and May
22 2015 were included in this before and after comparison study. This study documents
23 a period of clinical change at our institution during which time Fusion Imaging
24 techniques were introduced as standard of care, and there was a change in clinical
25 leadership. Guidance from HRA advised that this study did not fall under the remit

1 of the NHS Research Ethics Committee, thus it is registered with the Royal Free NHS
2 Foundation Trust as an audit in line with clinical guidelines.

3

4 At our centre, all patients who are deemed clinically suitable for complex
5 endovascular repair of aortic aneurysm undergo pre-operative high-resolution
6 computed angiography (CTA) and selective pre-operative assessment including
7 stress-echocardiography, pulmonary function testing, and CPEX testing, according to
8 our care pathway. Following multi-disciplinary team discussion, custom fenestrated
9 or branched devices are designed and ordered.

10

11 For this study, the Historic Group was a consecutive retrospective cohort of patients
12 who received fenestrated grafts from January 2014 to October 2014, prior to the
13 implementation of routine fusion imaging. These were identified from one surgeon's
14 personal log, and verified against data in the national vascular registry for our centre
15 to ensure consecutive patients were captured. Patients were operated on by a
16 senior experienced operator. Procedural data, including measures of radiation
17 output, and short-term outcome data were gathered from the PACS system and
18 from the patients' medical records.

19

20 After a change in clinical leadership, fusion imaging was implemented at our centre,
21 and with it, a systematic approach to radiation safety that involved surgeons, nurses
22 and radiographers. Consecutive patients who received fenestrated stent grafts after
23 fusion was introduced were included in the Modern Group. For these patients,
24 procedural and perioperative data was collected by the investigators [AER, SR, MD,

1 MD] as part of routine clinical auditing practice. Reporting of consecutive cases was
2 ensured by comparing against the national vascular registry.

3

4 **Fusion Protocol and Fluoroscopic Settings**

5 All patients were treated in the same hybrid suite, using the same fixed imaging
6 equipment (Siemens Artis Zeego, Siemens Healthcare, Erlangen, Germany). All
7 procedures were performed by an experienced surgeon, following ALARA principles,
8 with a radiographer present in every case. In all cases, the senior surgeon/radiologist
9 was operating the radiation pedal.

10

11 In the Modern cohort, prior to the procedure, the surgical team imported the pre-
12 operative CTA onto the workstation and marked the target vessels using Syngo™
13 (Siemens Healthcare, Erlangen, Germany) software (fig.1a). All fluoroscopy used
14 standardized low-dose settings of 32 nGy per pulse (which was changed to 18 nGy as
15 of March 2015 in an effort to continually refine the technique and decrease dose), at
16 3 pulses per second, unless modified at the surgeon's discretion based on
17 intraoperative judgement. The patients were fully prepared and draped to prevent
18 patient movement after registration has been performed, and an additional
19 temporary drape covered the entire operative field prior to rotational CBCT in order
20 to maintain sterility. All staff retreated to a shielded area prior to CBCT. A 5sDR (5
21 seconds, 133 frames at 30 f/s) was used (fig. 1b). The bony landmarks of the pre-
22 operative CTA were fused to the CBCT (fig. 1c). The rings identifying the target
23 vessels were superimposed on the fluoroscopy screen and were not adjusted after
24 index registration (fig. 1d). One surgeon with experience using the system provided

1 technical support to radiographers. During the procedure, senior level radiographers
2 worked with the surgeon to ensure tight collimation, filtering and lowest-possible
3 dose settings (fig. 2). In the Historic Group similar anticoagulation and draping
4 methods were employed, but the radiographic protocols did not include fusion, and
5 they were not standardized, recorded or consistent between cases.

6

7 **Procedure**

8 All patients underwent repair with Zenith Fenestrated devices (Cook Medical, IN,
9 USA). Major differences in operative techniques between cohorts did exist: before
10 device deployment, some target-vessels were pre-marked with catheters in the
11 Modern cohort, and an axillo-bi-femoral bypass was performed in the Historic
12 cohort. In Modern cases, an initial digital-subtraction angiogram (DSA) was omitted.
13 The 3D overlay image was used selectively to guide catheterization of the target
14 vessels, and the use of selective DSA and hand-injections was kept to an absolute
15 minimum. Contrast (Visipaque 320) for hand-injections was diluted to 50% strength.
16 The power injector was not used until the completion angiogram. There was no
17 systematic approach to radiation reduction in the Historic cohort.

18

19 **Procedural Data, Outcomes and Statistics**

20 Radiation exposure was reported as air kerma at the interventional reference point
21 of 15 cm towards the tube from the radiological isocentre (Gy) and dose-area
22 product [DAP] (Gy.cm²). Contrast volumes were recorded for all patients in the
23 Modern Group, but not for the Historic Group. Therefore, the total number of
24 angiograms was obtained for each case as a surrogate marker to provide a

1 descriptive comparator, although the differences in technique does not make this a
2 reliable method of comparison. Rapidity of cannulation was not available and thus
3 was not an outcome measure.

4
5 Recorded secondary outcome measures included 30-day mortality, permanent
6 spinal cord injury and non-surgical complications. Peri-operative renal function was
7 recorded as estimated glomerular filtration rate (eGFR) on pre-procedure, post-
8 operative day 1, and on the day of discharge.

9
10 Data analysis was performed using SPSS statistics version 22.0 (IBM corporation,
11 Chicago, Ill) and reported as per guidelines.¹⁶ Procedural data were not-normally
12 distributed and non-parametric tests were used: results expressed as median and
13 inter-quartile range. Differences in the distribution of continuous variables between
14 the Modern Group and Historic group were tested using the Mann-Whitney U test.
15 The Kruskal-Wallis test was used to identify any difference in renal function across
16 the three different time-points for each group. Categorical variables were analyzed
17 using the Fisher exact test. P values less than 0.05 were considered significant.

18

19 **RESULTS**

20 A total of 42 patients who underwent FEVAR were reviewed in this study, 21 in each
21 cohort. Demographic data are given in Table 1Table 2. Fusion of pre-operative CTA
22 with the bony volume acquired during rotational CBCT was successful at first
23 attempt in 19 of the 21 cases in the Fusion Imaging Group, the remaining two cases,

1 the CBCT was not possible due to technical failure attributed to the learning curve of
2 performing CBCT.

3

4 **Procedural Data and Radiation Dose Outcomes**

5 Median procedure time for the Modern Group was 285 mins (inter-quartile range;
6 268-322) versus 450 mins (IQR; 360-540) for the Historic Group ($p<0.001$) (fig.3). In
7 terms of radiation parameters, median air kerma was 1.59 Gy (IQR; 1.09-2.11) for
8 the Modern Group and 4.4 Gy (IQR; 3.2-7) for the Historic Group ($p<0.001$), whilst
9 median dose-area product for the Modern group was 158 Gy.cm² (IQR; 123-226)
10 compared to 264 Gy.cm² (IQR; 173.3-366.8) for the Historic Group ($p=0.006$) (fig.4).
11 Breakdowns based on CBCT and the remainder of the procedure are included in
12 Table 4, and depicted in a per-patient illustration in Figure 5. Significantly fewer
13 angiograms were used in the Modern Group (10.5, IQR; 7-14.5) compared with the
14 Historic Group (24, IQR; 21.5-32.5) ($p<0.001$). There was no significant difference in
15 fluoroscopy time ($p=0.372$). Median length of stay for the Modern group was 5 days
16 (IQR; 4-7.5) compared with 9 days (7-17) for the Historic group ($p=0.001$). The
17 imaging quality did not differ (fig.2).

18

19 **Secondary outcomes**

20 There were no aneurysm-related deaths within 30 days of the procedure in either
21 group. There were no differences in eGFR across the three time-points for either the
22 Modern Group or the Historic group: pre-op 67 (IQR; 44-90), day 1 post-op 60 (47-
23 86.5), discharge 66 (38-87) ($p=0.91$), and pre-op 68 (49.2-84.7), day 1 post-op 67
24 (43.5-85), discharge 71 (52.5-84) ($p=0.87$), respectively. Renal complications

1 described in Table 5. There was no permanent spinal cord ischaemia in either group.
2 In the Historic group, 2 patients required laparotomies on the same admission: in the
3 first instance for small bowel obstruction, and in the second case for infected
4 haematoma. The former patient had a prolonged stay on the intensive care unit and
5 received haemofiltration, also suffered a posterior circulation cerebral infarct and
6 severe chest sepsis. One patient in the Historic group suffered a cardiac arrest,
7 however was revived successfully. There were no conversions to open repair. The
8 frequency of complications is given in table 3.

9 **Technical Success**

10 In the Modern group, a total of 63 vessels were catheterized. One patient sustained
11 a left renal artery dissection that was recognized intra-operatively and treated with a
12 self-expanding stent (Zilver, Cook Medical, IN, USA). There were nine type II
13 endoleaks identified on the final angiogram in the Modern group. In the Historic
14 group, one renal artery was partially covered by a misaligned fenestration,
15 preventing branch stent deployment, however was found to be patent on
16 completion angiogram. A further attempt was made six weeks later to catheterize
17 this target but was abandoned. Another patient sustained a left external iliac artery
18 dissection requiring patch angioplasty of the common femoral artery and re-lining of
19 the external iliac with a self-expanding stent (Zilver, Cook Medical, IN, USA). Four
20 type II endoleaks were observed intra-operatively.

21

22 **DISCUSSION**

23 The results of this study demonstrate that introduction of advanced imaging
24 techniques like fusion and a team based approach is technically feasible, and may

1 provide an element of radiation safety awareness that improves the overall safety of
2 complex aortic procedures. We observed significant reductions in radiation
3 parameters, procedure-time and estimated blood loss in the Modern group,
4 compared with the Historic cohort. We also reflect an ongoing dedication to refining
5 our technique by decreasing our pulse rate through the Modern cohort. Other
6 immediate and short term benefits are more likely attributable to a change in the
7 approach to the Aortic practice at our centre.

8

9 A first report comparing fusion assistance to standard fluoroscopic imaging in
10 complex aortic endografting was published in 2011.¹⁷ An Artis Zeego (Siemens
11 Healthcare, Erlangen, Germany) and an 8sDR protocol, consisting of 397 frames
12 taken at 60 f/s, in the majority of cases (80%). Although there was a significant
13 difference in the radiation output using CBCT, the overall amount of radiation
14 emitted did not differ from the historic control, which led the authors to postulate
15 that this technique may aid in dose reduction. A different technique was adopted by
16 Hertault et al to fuse pre-operative CTA with intra-operative imaging and were able
17 to effect a significant reduction in radiation dose compared with historic controls,
18 and report the lowest radiation output across a range of contemporary studies (table
19 1).⁶ By contrast, McNally et al document higher radiation doses in their study, but
20 again emphasize its utility.⁵ The finding in this study that fluoroscopy time is not
21 significantly reduced despite reductions in radiation dose is in keeping with two of
22 the studies described above,^{5, 1517} and suggests that radiation dose can be affected
23 by radiation settings more than simply “time on the pedal”. Furthermore, radiation
24 output differed significantly across studies using the same fusion imaging system

1 (Siemens Zeego) implies that reductions in radiation are multifactorial and not
2 dependent on fusion alone.

3

4 Given the complexity of modern imaging systems and hybrid rooms, close
5 collaboration between specialist radiographers and vascular surgeons is crucial to
6 ensure optimal outcomes.¹⁸ For our new approach, radiographers received two-day
7 training sessions and were closely supported by a surgeon with extensive prior
8 experience with the Artis Zeego system. Radiographers worked closely with the
9 surgeon to ensure tight collimation, filtering and the use of low-dose radiation
10 settings.

11

12 A major limitation to current fusion techniques used by most modern systems is
13 that CBCT exposes the patient to considerable radiation.¹⁹ Carrell et al⁷ have
14 developed a registration system that utilizes pre-operative CTA to create a series of
15 digitally reconstructed radiographs (DRR) at progressive degrees of virtual C-arm
16 rotation, precluding the need for CBCT. The system used by Hertault and colleagues
17 in their paper of the same conclusion (Discovery IGS 730), GE, Chalfont, UK) was able
18 to reliably fuse pre-operative CTA with intra-operative fluoroscopy using orthogonal
19 antero-posterior and lateral single acquisitions only.⁶ There is clearly scope for
20 further development of novel registration techniques.

21

22 Although this study is an accurate clinical audit of our change in practice, there are
23 some issues that may limit its generalizability. We acknowledge that comparing new
24 practice with historic controls is a weak study design and introduces bias: there is a

1 different in style and technique between different practitioners that will bias the
2 results. We recognize that these weaknesses may introduce bias into the
3 conclusions, but we also feel that the significant change in radiation dose is worthy
4 of report. The use of retrospective data is always a challenge: recording of contrast
5 volumes was not routine in the historic cohort, making a valuable comparison
6 between the two study groups impossible for this important outcome variable. Total
7 number of angiograms was collected as a surrogate marker, although we
8 acknowledge that this data is not as robust as contrast volume, since contrast type
9 and concentrations are not accounted for in such a comparison. The concept of the
10 'Aortic Team' did vary across the two cohorts and there was more standardization of
11 operators in the modern experience. This makes a strict comparison of imaging
12 modalities difficult, since it was not possible to control for variation in operative
13 strategy and imaging protocols in the historic group. Most specifically, the lack of
14 consistency in frame rate in the historic cohort compared with the modern cohort
15 could alone contribute to a large portion of radiation dose reduction. We feel that
16 the significant reductions in radiation dose strongly supports the practice of using a
17 standardized and integrated approach to these procedures.

18

19 **CONCLUSION**

20

21 The introduction of fusion imaging by a team of surgeons and radiographers is
22 feasible, and may contribute to an overall improved awareness of radiation safety
23 practices that lead to significant reduction in radiation overall.

24

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

1

2 **REFERENCES**

- 3 1. Eagleton MJ. Intraprocedural imaging: flat panel detectors, rotational
4 angiography, FluoroCT, IVUS, or still the portable C-arm? *J. Vasc. Surg.* 2010; 52:
5 50–9.
- 6 2. Kaladji A, Dumenil A, Castro M, Haigron P, Heautot J-F, Haulon S. Endovascular
7 aortic repair of a postdissecting thoracoabdominal aneurysm using intraoperative
8 fusion imaging. *J. Vasc. Surg.* 2013; **57**: 1109–1112.
- 9 3. Kobeiter H, Nahum J, Becquemin J-P. Zero-contrast thoracic endovascular aortic
10 repair using image fusion. *Circulation* 2011; 124: 280–282.
- 11 4. Sailer AM, De Haan M, Peppelenbosch AG, Jacobs MJ, Wildberger JE, Schurink
12 GWH. CTA with fluoroscopy image fusion guidance in endovascular complex aortic
13 aneurysm repair. *Eur. J. Vasc. Endovasc. Surg.* 2014; 47: 349–356.
- 14 5. McNally MM, Scali S, Feezor RJ, Neal D, Huber TS, Beck AW. Three-dimensional
15 fusion computed tomography decreases radiation exposure, procedure time, and
16 contrast use during fenestrated endovascular aortic repair. *J. Vasc. Surg.* 2014; 61:
17 309-16
- 18 6. Hertault A, Maurel B, Sobocinski J, Martin-Gonzalez T, Le Roux M, Azzaoui R, et al.
19 Impact of hybrid rooms with image fusion on radiation exposure during
20 endovascular aortic repair. *Eur. J. Vasc. Endovasc. Surg.* 2014; 48: 382–390
- 21 7. Carrell TWG, Modarai B, Brown JRI, Penney GP. Feasibility and limitations of an
22 automated 2D-3D rigid image registration system for complex endovascular aortic
23 procedures. *J. Endovasc. Ther.* 2010; 17: 527–533

- 1 8. Mastracci TM, Eagleton MJ, Kuramochi Y, Bathurst S, Wolski K. Twelve-year results
2 of fenestrated endografts for juxtarenal and group IV thoracoabdominal
3 aneurysms. *J. Vasc. Surg.* 2015; 61: 355–364
- 4 9. Haulon S, De'Elia P, O'Brien N, Sobocinski J, Perrot C, Lerussi G, et al. Endovascular
5 repair of thoracoabdominal aortic aneurysms. *Eur. J. Vasc. Endovasc. Surg.* 2010;
6 39: 171–178
- 7 10. Bicknell CD, Cheshire NJ, Riga CV, Bourke P, Wolfe JHN, Gibbs RGJ, et al.
8 Treatment of complex aneurysmal disease with fenestrated and branched stent
9 grafts. *Eur. J. Vasc. Endovasc. Surg.* 2010; 37: 175–181
- 10 11. Kirkwood ML, Abique GM, Guild JB, Timaran C, Chung J, Anderson JA, et al.
11 Surgeon education decreases radiation dose in complex endovascular procedures
12 and improves patient safety. *J. Vasc. Surg.* 2013; 58: 715–721
- 13 12. Kristmundsson T, Sonesson B, Dias N, Tornqvist P, Malina M, Resch T. Outcomes
14 of fenestrated endovascular repair of juxtarenal aortic aneurysm. *J. Vasc. Surg.*
15 2014; 59: 115–120
- 16 13. Martin-Gonzalez T, Pincon C, Maurel B, Hertault A, Sobocinski J, Spear R, et al.
17 Renal Outcomes Following Fenestrated and Branched Endografting. *Eur. J. Vasc.*
18 *Endovasc. Surg.* 2015; 50: 420-30
- 19 14. Varu VN, Greenberg JI, Lee JT, Improved efficiency and safety for EVAR with
20 utilization of a hybrid room. *Eur. J. Vasc. Endovasc.* 2013; 46: 675–679
- 21 15. Panuccio G, Greenberg RK, Wunderle K, Mastracci TM, Eagleton MG, Davros W.
22 Comparison of indirect radiation dose estimates with directly measured radiation
23 dose for patients and operators during complex endovascular procedures. *J. Vasc.*
24 *Surg.* 2011; 53: 885–894

- 1 16.Fillinger MF, Greenberg RK, McKinsey JF, Chaikof EL, & Society for Vascular
2 Surgery Ad Hoc Committee on TEVAR Reporting Standards. Reporting standards
3 for thoracic endovascular aortic repair (TEVAR). *J. Vasc. Surg.* 2010; 52: 1022–
4 1033
- 5 17.Dijkstra ML, Eagleton MJ, Greenberg RK, Mastracci T, Hernandez A. Intraoperative
6 C-arm cone-beam computed tomography in fenestrated/branched aortic
7 endografting. *J. Vasc. Surg.* 2011; 53: 583–590
- 8 18.Mullenix PS, Starnes BW, Ronsivalle JA, Andersen CA. The impact of an
9 interventional vascular specialty team on institutional endovascular aneurysm
10 repair outcomes. *Am. J. Surg.* 2005; 189: 577–580
- 11 19.Kwok YM, Irani FG, Tay KH, Yang CC, Padre CG, Tan BS. Effective dose estimates
12 for cone beam computed tomography in interventional radiology. *Eur. Radiol.*
13 2013; 23: 3197–3204
- 14
15
16

1

2 **Table 1: Studies to-date of fusion-assisted complex aortic complex aortic endografting.**

Study	<i>n</i>	Procedure	Imaging System	DAP (Gy.cm²)	Air Kerma (Gy)
Dijkstra, 2011	8 (5sDR)	FEVAR	Siemens Zeego	-	7 (4-12)
Hertault, 2014	18 (2D fusion)	FEVAR	GE Inspiron	43.7 (24.7-57.5)	
McNally, 2014	12	FEVAR-2 fen	Siemens	-	1.38 (+/- 0.52)
	19	FEVAR-3,4 fen	Zeego	-	2.7 (+/- 1.4)
Sailer, 2014	31	FEVAR/BEVAR	Phillips Allura Xper	143 (120-166)	-

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

1
2
3

Table 2: Demographics, co-morbidities and aneurysm morphology. COPD- Chronic obstructive pulmonary disease, IHD- Ischaemic heart disease, CRF- Chronic renal failure, ESRF- End stage renal failure, CCF- Congestive cardiac failure

	Modern group	Historic Group	P value
Total	21	21	
Demographics			
Male:Female	17:4	18:3	-
Age [mean (SD)]	72.9 (8.02) yrs	74 (7.4) yrs	0.64
Height [mean (SD)]	171 (6.5) cm	170 (8.2) cm	0.72
Weight [mean (SD)]	82 (10.8) kg	79 (10.3) kg	0.38
BMI	27.9 (IQR 25.5-30.5)	27.6 (IQR 24.2-30.3)	0.56
Comorbidities			
Hypertension	19 (90%)	18 (85%)	1
Dyslipidaemia	19 (90%)	20 (95%)	1
Smoking (current)	6 (28%)	8 (38%)	0.74
COPD	7 (33%)	12 (57%)	0.21
IHD	9 (42%)	15 (71%)	0.11
Diabetes Mellitus	4 (19%)	4 (19%)	1
CRF	6 (28%)	5 (23%)	1
ESRF	0 (0%)	0 (0%)	-
CCF	3 (14%)	3 (14%)	1
Arrhythmia	1 (.04%)	2 (.09%)	1
Aneurysm Morphology			
Sac Size [median (IQR)]	6.2 cm (5.8-7.7)	6.5 cm (5.8-7.9)	0.9
Juxtarenal	17 (81%)	20 (95%)	-
Thoracoabdominal	4 (19%)	1 (5%)	-
Number of Fenestrations (not including scallops)			
4x	5	5	-
3x	12	11	-
2x	3	4	-
1x	1	1	-

4
5
6
7

1

2

3 **Table 3: Rate of complications**

Complication	Modern group	Historic Group	P value
Cardiac	0 (0%)	3 (14%)	0.23
Pulmonary	0 (0%)	4 (19%)	0.1
Renal	4 (19%)	3 (14%)	1
Bleeding	0 (0%)	2 (9%)	0.48
Gastrointestinal	0 (0%)	2 (9%)	0.48
Stroke	0 (0%)	1 (5%)	1

4

5

6 **Table 4: Median Dose and DAP for the CBCT and Procedure**

	CBCT	Fluoroscopy	Acquisition (DSA)	Total
Median Radiation Dose (Gy)	0.13	1.07	0.50	1.59
Median DAP (Gy.cm²)	36.9	86.7	44.9	159

7

**Spin doses calculated using a local conversion for kV and mGy. Assuming uncollimated beam and 0 mm Cu. FI doses calculated using a local conversion for DAP. Assuming a mix of PA and lateral at ~100 kV and 0.9 mm Cu. Acq doses calculated using a local conversion for DAP. Assuming a mix of PA and lateral at ~85 kV and 0 to 0.1 mm Cu.

8

9

10

11

12

13 **Table 5: Renal Complications, online only**

Historic Group

Post-op AKI, treated with IV hydration
 Right renal artery fenestration misaligned, acute deterioration in renal function, but responded to aggressive hydration
 Acute occlusion of right renal stent with deterioration in renal function, managed conservatively

Modern Group

Background of CKD II. Post-op AKI creat 223, managed medically, no haemofiltration
 Post-op AKI, resolved with hydration
 Background CKD stage III with known bilateral hydronephrosis in inflammatory aneurysm. Treated bilateral JJ stents, Creat 298 at peak
 LRA dissection, treated intraop with additional Zilver Stent, but still poor flow. On follow up, EGFR 39 and creat 157 with atrophy of left kidney

14

