

Urban Health Indicator Tools of the Physical Environment: a Systematic Review

Helen Pineo  · Ketevan Glonti · Harry Rutter ·
Nici Zimmermann · Paul Wilkinson · Michael Davies

© The Author(s) 2018

Abstract Urban health indicator (UHI) tools provide evidence about the health impacts of the physical urban environment which can be used in built environment policy and decision-making. Where UHI tools provide data at the neighborhood (and lower) scale they can provide valuable information about health inequalities and environmental deprivation. This review performs a census of UHI tools and explores their nature and characteristics (including how they represent, simplify or address complex systems) to increase understanding of their potential use by municipal built environment policy and decision-makers. We searched seven bibliographic databases, four key journals and six practitioner websites and conducted Google searches between January 27, 2016 and February 24, 2016 for UHI tools. We

extracted data from primary studies and online indicator systems. We included 198 documents which identified 145 UHI tools comprising 8006 indicators, from which we developed a taxonomy. Our taxonomy classifies the significant diversity of UHI tools with respect to topic, spatial scale, format, scope and purpose. The proportions of UHI tools which measure data at the neighborhood and lower scale, and present data via interactive maps, have both increased over time. This is particularly relevant to built environment policy and decision-makers, reflects growing analytical capability and offers the potential for improved understanding of the complexity of influences on urban health (an aspect noted as a particular challenge by some indicator producers). The relation between urban health indicators and health

Electronic supplementary material The online version of this article (<https://doi.org/10.1007/s11524-018-0228-8>) contains supplementary material, which is available to authorized users.

H. Pineo (✉) · N. Zimmermann · M. Davies
Institute of Environmental Design and Engineering, Bartlett
School of Environment, Energy and Resources, University
College London, Central House, 14 Upper Woburn Place,
London WC1H 0NN, UK
e-mail: helen.pineo.15@ucl.ac.uk

H. Pineo
Building Research Establishment, Bucknalls Lane, Garston,
Hertfordshire WD25 9XX, UK

K. Glonti
School of Humanities and Social Sciences, University of Split,
Split, Croatia

K. Glonti
Paris Descartes University, 12 Rue de l'École de Médecine,
75006 Paris, France

H. Rutter
Centre for Global Chronic Conditions, London School of Hygiene
and Tropical Medicine, 15-17 Tavistock Place, London WC1H
9SH, UK

P. Wilkinson
Department of Social and Environmental Health Research,
London School of Hygiene and Tropical Medicine, Keppel Street,
London WC1E 7HT, UK

impacts attributable to modifiable environmental characteristics is often indirect. Furthermore, the use of UHI tools in policy and decision-making appears to be limited, thus raising questions about the continued development of such tools by multiple organisations duplicating scarce resources. Further research is needed to understand the requirements of built environment policy and decision-makers, public health professionals and local communities regarding the form and presentation of indicators which support their varied objectives.

Keywords Urban metrics · Built environment · Indicator · Indices · Policy · Urban health · Evidence · Urban planning · Healthy cities · Social determinants of health

Introduction

Both the global increase in non-communicable diseases and improved understanding of the social determinants of health have contributed to an increased awareness of the influence of built environment policies on health and wellbeing [1–3]. Estimates vary, but recent research attributes 23% of global deaths to the environments in which people live [4]. The urban environment, including air pollution, noise, housing and transport, plays a significant role in people's health, and improvements should involve collaboration between health and built environment professionals [2, 5]. Other social determinants, such as employment and education, are also influenced by urban planners, increasing the importance of their work for population health [6]. Municipal built environment practitioners can improve health through policies and decisions which identify the need for and design of new infrastructure, development and regeneration programmes.

Urban health indicator (UHI) tools seek to provide built environment policy and decision-makers with information to develop policies, make decisions and monitor impacts. These metrics can demonstrate the impact of the built environment on health and expose health inequalities within cities. Urban health is a complex system with many interconnected parts [7–10] which UHI tools attempt to simplify for policy-makers [11]. The range of potential uses of indicators by municipal government is vast. Further to the above-mentioned uses, indicators are also employed to [12–18]:

- Benchmark progress at local, regional, national or international levels

- Set targets for improvement
- Demonstrate performance to residents
- Prioritise funding allocation/bid for funding
- Act as an 'early warning' of potential problems
- Involve the public in prioritisation and definition of policy goals
- Identify strengths and weaknesses in a community

The intended use of indicator tools is likely to inform their composition and characteristics, elements which are often represented in a taxonomy [19]. Taxonomies have been developed for mental health and ecological indicators by identifying and classifying user requirements such as spatial scale and decision-making context [20, 21]. Yet, research addressing how indicators are used and how they can be standardised is missing, providing two main reasons why an improved understanding of UHI tool characteristics and an associated taxonomy may help indicator producers and users.

First, indicator researchers have tended to focus on the development and validation of indicator tools, rather than investigating how such tools are used by policy- and decision-makers [15]. The production of new indicator tools is often a duplication of previous research efforts. However, there is recognition that locally developed tools may increase acceptability and allow for tailoring of indicators to local needs [19, 22, 23]. In fact, some have argued that the process of indicator development is at least as important in achieving change as the eventual use of indicators [16, 22]. Increased understanding of the characteristics of UHI tools which meet the needs of policy and decision-makers could reduce wasted efforts by indicator producers and increase usability for indicator users.

Second, despite the large amount of research on indicator development, there is still a lack of consensus on how to measure the urban environment's impact on health and related concepts. Standardising the development of urban health indicators is a topic of ongoing debate [23, 24]. Despite the large number of UHI tools already available, researchers continue to contribute new international indicator sets whilst implicitly supporting greater standardisation (see [25, 26]). Salvador-Carulla and colleagues argued that there is a lack of international consensus on indicators and that indicator tools 'lack adequate semantic interoperability' [20]. A taxonomy which describes the general characteristics of UHI tools would provide a useful step toward

standardisation, resulting in reduction of duplicated efforts and easier identification of appropriate UHI tools.

To our knowledge, there exist three reviews of relevant indicators. The Prasad et al. systematic review of urban health metrics highlighted the lack of available data for metrics in low and middle income countries and questioned the translation of evidence gained through using such metrics into policy and decision-making [27]. Rothenberg et al. conducted a non-systematic review of urban health indicators and metrics which found that indicator sets focus on large-area comparisons (nations, states) and that small-area comparisons (cities, neighborhoods) are relatively underdeveloped [19]. They also observed similarity in the domains measured across compilations. The Badland et al. review of urban liveability indicators for the Australian urban planning policy context found inconsistency in how domains were measured, a relative lack of validated indicators and a lack of information on how to apply indicators to inform urban policy and practice [9].

This systematic review examines a specific type of indicator compilation which could inform municipal built environment policy and decision-makers about the social determinants of health, defined as ‘urban health indicator tools’. The review has two distinct parts, as outlined in a previously published protocol [28, 29]. Part A seeks to conduct a census of UHI tools to describe their characteristics and develop a taxonomy of such tools. Part B seeks to explore the perceptions and use of UHI tools by built environment policy and decision-makers. Both parts examine how UHI tools address the complexity of urban health and how this complexity affects policy and decision-making. This paper reports the findings of Part A.

Methods

The protocol for this review was published in *Systematic Reviews* including a completed PRISMA-P checklist [28]. From January 27, 2016 to February 24, 2016, we searched seven bibliographic databases using search terms and MeSH subject headings related to (1) the urban environment, (2) health and related concepts and (3) indicators. We conducted Google Advanced searches on six practitioner websites and the internet using specified search terms in line with the search strategy for databases. There was no date restriction on database searches. We hand-searched four key journals

with date restrictions of 3 to 5 years depending on the relevance of articles found and the number of volumes per year. Table 1 shows the sources searched for the review.

Eligibility Criteria

A UHI tool was defined as ‘a collection of summary measures about the physical urban environment’s contribution to human health and wellbeing’ [28]. A combination of indicators can be referred to as a set, compilation, collection or tool [19, 30, 31]. We selected the term ‘tool’ because it reflects a utility or intention to support policy and decision-making. Tools which sought to measure the related concepts of quality of life (QOL), wellbeing and liveability were also included. During the screening stage, we decided to include tools which measured the impact of the physical urban environment on walkability/physical activity (PA) as this is an important contribution of the built environment toward promoting good health [32, 33]. Any UHI tool which met the definition was referred to in peer-reviewed or grey literature documents (including websites) and was published in English was included in the review. UHI tools needed to measure at least two different aspects of the physical urban environment to be included (e.g. housing and air quality).

All documents were screened by the principal investigator (HP) and a random sample of 10% of documents were screened by a second reviewer (KG) at the title and abstract and full paper screening stages. Differences were resolved through discussion. Eppl-Reviewer software was used to manage all documents and screening.

Data Extraction and Analysis

The name of each UHI tool was entered as a search term in Google to find additional information and sources. Data were extracted from the original source wherever possible. Characteristics of UHI tools were extracted and analysed in Excel. The characteristics extracted were informed by a scoping review (reported in the protocol) and included four additional points that were not listed in the protocol:

- Topic: concept that the UHI tool measured (e.g. health or liveability)

Table 1 Databases, websites and journals searched for the review, including years hand-searched for journals

Source type	Source
Bibliographic databases	Applied Social Sciences Index and Abstracts (ASSIA)
	Campbell Library
	Embase
	Medline
	Scopus
	Social Policy and Practice
	Web of Science Core Collection (includes the Social Sciences Citation Index)
Websites	Town and Country Planning Association (UK)
	Royal Town Planning Institute (UK)
	Planning Institute of Australia
	American Planning Association
	Built Environment and Public Health Clearinghouse (USA)
Hand-searched journals	World Health Organization Europe, Urban Health, Healthy Cities
	Annual Review of Public Health (5 years)
	Social Science and Medicine (3 years)
	BMC Public Health (1 year)
	Social Indicators Research (3 years)

- Main source of data (e.g. municipal datasets or resident surveys)
- Indicator type: subjective or objective (as defined in Lowe et al. [36 p. 136])
- Whether the tool had been used beyond research

The last point was informed by the Google search of each indicator tool. If this search produced evidence of case studies, policy documents or other uses beyond the original research paper, this was marked as ‘used beyond research’. The others were marked as ‘unknown’.

We modified approaches used by Salvador-Carulla et al. [20] and Wardrop et al. [21] to develop our taxonomy. Salvador-Carulla and colleagues developed key topics for their taxonomy by reviewing published literature and indicator lists. Then they discussed these topics with expert groups. Wardrop and colleagues developed their taxonomy on the basis of characteristics of environmental indicators which would be useful for environmental managers using a survey of government officials. We combined and modified these approaches. We used relevant literature [9, 19, 27] and the data gathered in the review to identify five key characteristics of UHI tools for built environment professionals: spatial scale, purpose, topic, scope and format. These became the highest level category within the taxonomy, denoted

as ‘class’. Data were extracted on each of the five classes. The second order in the taxonomy, ‘sub-class’, was developed during the analysis of data extracted in the review, noting differences within each class and categorising these in an iterative process. UHI tools may have characteristics from multiple sub-classes (they are not mutually exclusive). Indicator domains (listed as sub-classes under ‘scope’) were selected using a set of domains identified from previous reviews [9, 19]. For analysis purposes, all 8006 indicators were standardised to this list of domains. It is possible to divide these domains into smaller groups (e.g. chronic diseases and injuries could be sub-domains under the domain of health outcomes).

During data analysis the term neighborhood was grouped with other sub-city spatial scales including ward and district. Lower than neighborhood scales were also grouped together, representing street or household scale for example. Given variation in the meaning of terms like ‘district’ or ‘post-code’, scales were assigned on the basis of authors’ descriptions.

UHI tools report data, and are available for use, at different spatial scales. These were reported using three terms: spatial scale, general geography and specific geography. Spatial scale referred to the level of data aggregation for which the tool reported indicator data.

General geography referred to the geographical scales in which a particular UHI tool could be accessed (such as a city, county or state). Specific geography added a place name to that general term. For example, the U.S. Centers for Disease Control and Prevention's 'Environmental Public Health Tracking Network' covered the whole country and allowed users to select indicator data at the county and zip code scales (with comparison of state averages as well) [34]. The data for this UHI tool was thus extracted as:

- Spatial scale: multiple (county, zip code)
- General geography: country
- Specific geography: USA

Results

The flow of documents through the review is shown in the PRISMA diagram (Fig 1). There were

9097 records identified in the database, internet and journal searches. After duplicates were removed, 6510 titles and abstracts were screened. Of these, 370 were included in a full-text review. Finally, 198 documents were included in the Part A census of UHI Tools. These documents referred to 145 separate urban health indicator tools (Appendix 1) which comprised 8006 indicators.

Taxonomy of UHI Tools

Figure 2 shows our taxonomy with five classes: spatial scale, purpose, topic, scope and format. In this section, we present the taxonomy and review each class and its sub-classes.

Spatial Scale

Of the UHI tools included in this review, 59.3% (86/145) measured data at the neighborhood




Fig. 1 Flow of documents through the review, following PRISMA reporting style [35]




Fig. 2 Taxonomy of urban health indicator tools. H&W, health and wellbeing; PA, physical activity

scale or lower. Over time, the proportion and number of UHI tools which present data at the neighborhood scale and lower has increased (Figs. 3 and 4).

Purpose

Of UHI tools, 82.8% (120/145) stated that part of their purpose was to inform policy and decision-




Fig. 3 Change over time of proportion of UHI tools by spatial scale compared with cumulative growth of UHI tools. N.B. Missing data for 9/145 UHI tools: 7 did not report a date of publication and 2 did not report spatial scale




Fig. 4 Number of new UHI tools by spatial scale. N.B. Missing data for 9/145 UHI tools: 7 did not report a date of publication and 2 did not report spatial scale

making (Fig. 5). Monitoring and evaluation (45.5%, 66/145), research (41.4%, 60/145), local

comparison/benchmarking (40.0%, 58/145) and communicating with non-specialists (35.9%, 52/




Fig. 5 Number of UHI tools in each stated purpose categorised by those which were used beyond research and 'unknown'

145) were also commonly stated goals of UHI tools. The majority of tools (54.5%, 79/145) were found to be used beyond research.

Topic

The concepts of QOL, wellbeing and liveability are closely related to human health and their definitions overlap significantly. Table 2 lists a selection of definitions or explanations of these concepts which were identified in the systematic review (or citations found therein) and demonstrates overlaps between the ways in which these concepts were defined.

Analysis of the indicator domains showed that there is some homogeneity of scope across tools which measure different health-related concepts, with the exception of walkability/PA tools (Fig. 6). Each topic area (excluding walkability/PA) measured a similar proportion of environmental (18.2– 44.1%), social (23.2– 41.8%), health (7.6– 27.7%) and economic indicators (7.9– 13.5%). Given the significant difference of scope in the walkability/PA tools (75.1% environmental indicators), this topic area was noted as a separate subclass in the taxonomy to the more similar health-related concepts.

Health and wellbeing (H&W) (45.5%, 66/145) and QOL (22.1%, 32/145) were the most common topic areas across the tools. Walkability/PA tools

(13.8%, 20/145) are a relatively recent addition in urban health metrics (Fig. 7). Bradshaw's Walkability Index from 1993 was the first example, with the remainder produced from 2002 [41]. There were only four UHI tools found between 1972 and 1991, with the number of new tools increasing 14 times by the end of 2006. The rate of growth was between 100 and 200% between 1972 and 2006 (Fig. 7). In the last decade, the growth rate has slowed to between 46.8 and 56.7%.

Table 3 shows a breakdown of domains across topic areas. Between four to seven of the top ten domains for health and wellbeing appear in the top ten for the other topic areas, illustrating the overlap of domains across each topic. The least similar topic is walkability/PA which only shares four domains with the H&W topic.

Scope

Indicators under the scope of environment made up the largest portion (41.9%, 3351/8006). Table 4 shows the four scopes with each of their composite domains and the number of indicators in each.

UHI tools measured between 3 and 286 individual indicators (average 56). Across the 145 UHI tools, 3 did not report the full list of indicators.

Table 2 Definitions and explanations of quality of life, liveability and wellbeing concepts from selected papers included in the systematic review or citations found therein

Concept	Definition
Quality of life	<p>'The wellbeing of individuals within the context of their environment' [36]</p> <p>'An individual's happiness or satisfaction with life and environment including needs and desires and other tangible and intangible factors which determine overall wellbeing' [37, 38]</p>
Liveability	<p>'Closely aligned with the social determinants of health' [9]</p> <p>'The human requirement for social amenity, health and wellbeing and it includes both individual and community wellbeing' [39]</p>
Wellbeing	<p>"Associated with concepts such as happiness, life satisfaction and social capital, all of which fall under the rubric of a 'social quality of life'" [40]</p>
Community wellbeing	<p>'Reflect a community's health status and its basic quality of life' [40]</p>




Fig. 6 Scope of indicators across UHI tool topics. PA, physical activity; H&W, health and wellbeing




Fig. 7 Date of publication of UHI tools by topic area and rate of growth. N.B. Missing data for 7/145 UHI tools which did not report a date of publication

Table 3 Number of indicators in each domain across UHI tool topic areas, sorted by H&W

Domains	Topics						Total
	H&W	Liveability	Multiple	Quality of Life	Walkability /PA	Wellbeing	
health outcomes	862	15	33	139	11	60	1120
transport	394	81	18	163	293	35	984
employment and income	254	60	11	159	7	63	554
behaviours	229	29	41	43	15	28	385
water quality	211	6	1	20	1	1	240
housing	197	52	21	147	19	33	469
air quality	195	11	1	39	1	10	257
education	178	69	16	158	8	43	472
health and social services	177	41	17	69	3	19	326
crime and safety	155	54	30	157	53	58	507
land use	146	6	4	27	55	1	239
pollutants	105	5	4	6		3	123
food environment	103	7	37	11	38	3	199
demographics	100	22	7	71	19	19	238
services & utilities	93	29	7	83	2	7	221
leisure and culture	72	62	18	97	35	34	318
natural environment	65	21	13	38	13	6	156
public open space	62	30	6	46	13	10	167
social networks	62	12	6	37	2	37	156
economy	42	39	7	76		22	186
other	42	26	4	121	14	45	252
urban design	37	9	8	37	71	7	169
waste management	33	5	4	38		7	87
local democracy	29	29	2	44	1	20	125
noise	14	11	1	11	1	2	40
disasters	4	5	3	4			16
Grand Total	3861	736	320	1841	675	573	8006

Top 10 domains are highlighted in green for each UHI topic area

H&W health and wellbeing, PA physical activity

Format

Of UHI tools, 44.1% (64/145) displayed data on static or interactive maps, and from 1997, the number and proportion of these tools has grown (Fig. 8). Interactive maps allowed users to select indicators and/or locations to be mapped through an online dashboard. Nearly all (96.0%, 24/25) of the UHI tools which had an interactive mapping function intended to inform policy and decision-making. Examples include ‘Peg Wellbeing Indicators’ and the health profiles on the ‘Plan for a Healthy Los Angeles’ website [42, 43]. Three-quarters of these interactive UHI tools (76.0%, 19/25) displayed data at the neighborhood scale. Most of these tools

(92.0%, 23/25) also allowed local comparison and benchmarking across other neighborhoods and counties.

Other Characteristics of UHI Tools

This portion of the results section presents additional characteristics of UHI tools which were not used to form the taxonomy. See the protocol for the full list of items extracted and the [Supplementary Material](#) section for additional details and results.

Of the tools, 37.9% (55/145) were available at the city-scale with national systems following closely behind (31.0%, 45/145). Many tools were available

Table 4 Indicator domains grouped by scope across all UHI tools (total of 8006 indicators)

Category	Domains	Number of indicators
Environment	Transport	984
	Housing	469
	Air quality	257
	Water quality	240
	Land use	239
	Services and utilities	221
	Food environment	199
	Urban design	169
	Public open space	167
	Natural environment	156
	Pollutants	123
	Waste management	87
	Noise	40
	Category total	3351
Social	Crime and safety	507
	Education	472
	Behaviours	385
	Leisure and culture	318
	Other	252
	Demographics	238
	Social networks	156
	Local democracy	125
	Disasters	16
	Category total	2469
Health	Health outcomes	1120
	Health and social services	326
	Category total	1446
Economic	Employment and income	554
	Economy	186
	Category total	740

internationally (19.3%, 28/145). Tools were found for 28 individual countries (Fig. 9). In addition, there were 28 international tools (i.e. could be used in any country) and 4 European tools.

Research institutions were the largest producer of UHI tools (54.5%, 79/145). Many of the tools produced by research institutions were not found to have been used beyond research (62.7%, 37/59). The funding source was often not stated (46%, 67/145). Where reported, the largest funder of UHI tools was government (17.9%, 26/145). Of the UHI tools, 86.9% (126/145) reported some information about the methodology. Evidence which informed the methodology or indicator selection was reported in 99/145 cases (68.3%). Peer-reviewed literature was the largest primary source of evidence used in 52.4% (76/145) of tools. The majority of tools (57.9%, 84/145) used existing datasets from multiple organisations to measure the indicators.

A significant number of tools referred to complexity in the methodology (43%, 63/145). The word complexity was mentioned in 128 instances covering multiple topics, including:

- Indicators/indices can simplify or mask the complexity of the concepts being measured
- The urban environment impact on health and behaviour is complex
- Measuring the urban environment's impact on health is complex
- The process of policy and decision-making is complex

Eleven UHI tools stated that indicators or composite indices can simplify the complexity of the concepts being measured. In relation to the City of Winnipeg Quality of Life Indicators, Hardi and Pintér explained: '[i]ndicators are used to simplify information about complex phenomena, such as sustainable development or, in this case, QOL, in order to make communication easier and quantification possible' [11]. This was contrasted by the opposing view that indicators/indices can mask complexity (two instances). The authors of the London Quality of Life Indicators stated: '[a]lthough the Commission have sought to identify and report on 20 headline indicators, to constitute a popular 'barometer' for London's quality of life, it is clear that single figure measures can mask a much more complex situation' [44].




Fig. 8 Proportion of UHI tools which display data on static and interactive maps over time, compared with the cumulative growth of all UHI tools. N.B. Missing data for 7/145 UHI tools which did not report a date of publication

Three UHI tools referred to the complex process of policy and decision-making, sometimes in

recognition that indicators may not inform policy due to this complexity. For example, Hunt and




Fig. 9 Location of UHI tools internationally. N.B. Tools which apply in more than one country are not shaded

Lewin commented that ‘policy action may not easily follow the identification of environmental health problems [through indicators], which is due both to the large numbers of other factors that also affect health and to the complexity of the policy process’ [45].

UHI tools rarely explained strategies used to help account for complexity. Feneri et al. used Multi-criteria Decision Analysis to ‘conceptualize the complex issue of evaluating quality of life’ [46]. They specified the use of Analytical Hierarchy Process to prioritise indicators. The AARP Livability Index used a high number of indicators to address complexity, stating: ‘[s]imple questions about livability [sic] can have complex answers. This is why the index includes a large number of metrics’ [47].

Discussion

This review identified great diversity in the purpose and characteristics of urban health indicator tools making it difficult to draw simple conclusions. However, the review generated novel findings about UHI tools as they relate to the needs of built environment policy and decision-makers. Our taxonomy demonstrates the importance of considering users’ needs when developing indicator tools to ensure they can be used to support built environment practitioners. Our main findings are summarised here with implications discussed below. First, we found that the proportion of tools with data aggregation/measurement at the neighborhood and lower scale and presentation of data via digital interactive maps have both increased over time. Second, we highlighted that the majority of UHI tools *intend* to inform policy and decision-making, yet it is unclear whether a significant number achieve this aim. Third, we found that the majority of UHI tools are evidence-based and therefore provide a potential route from research through to policy. Fourth, we have explored the nature of how UHI tool methodologies address complexity, identifying specific strategies. Finally, we have shown that there is a degree of similarity in the domains measured across UHI tool topics.

In comparison to existing reviews of indicators which measure the urban environment’s impact on health, this review casts a wider net by including measures of health, QOL, liveability, wellbeing, and walkability/physical activity. This has enabled a detailed analysis of a large number of indicator tools and their respective characteristics, including 8006 individual indicators. The review was limited to English language publications, potentially excluding many UHI tools from non-English language countries. The method used to classify whether a tool had been used beyond research was simplistic and may have underestimated those tools which were indeed used beyond research.

The increasing number of UHI tools with data aggregation at neighborhood or lower scale is of significance for built environment policy and decision-makers. In 2002, Talen questioned the usefulness of indicators to inform urban planning because the majority were comparing cities (inter-city) rather than neighborhoods (intra-city) [48]. Neighborhood and lower scale of measurement or data aggregation is more appropriate for identifying health inequalities and environmental deprivation which may contribute to poor health [49]. Indicators at this scale can be used to inform neighborhood development/regeneration policies and monitor the impact of these over time. Data visualisation is also frequently noted as a helpful feature of UHI tools for built environment policy and decision-makers, particularly in relation to displaying data on maps [19, 27]. The growing numbers of UHI tools which present data on interactive maps at the neighborhood or lower scale are likely to be a powerful source of information for built environment policy and decision-makers.

A number of tools (31.7%, 46/145) did not explain the evidence used for indicator selection, creating questions over the suitability of their use in policy and decision-making. Although the validity of individual indicators (association between exposure and outcome) was not assessed by this review, the range of methods for selecting indicators demonstrated that this process was not always informed by evidence about environmental exposures and health effects. Badland et al. called for further research about the validity of indicators

within UHI tools (specifically in relation to liveability indicators) [9]. However, we would suggest that there is a large selection of validated indicators in the published literature and research efforts may be better directed toward understanding how existing indicators are used to guide the policy and decision-making process.

The distinction of whether UHI tools are used beyond research is of interest when considering transfer of research knowledge to practitioners. We were unable to confirm whether 45/120 tools (37.5%) which intended to inform policy/decision-making achieved this aim. There could be a delay between research and use or this may also point to other knowledge translation issues. UHI tool producers should consider the needs of their audience and may benefit from wider strategies to increase research use by policy and decision-makers (see [50]). The apparent low use of many UHI tools leads us to consider whether greater standardisation of indicators is required rather than development of new indicator tools.

Standardisation of UHI tools may be aided by our finding that there is significant overlap across domains measuring health-related topics such as QOL, liveability and wellbeing. Rothenberg et al. also found similarities in indicator domains across urban health indicator compilations [19]. Guidance on developing indicators of health and the determinants of health is supported by specific frameworks (e.g. DPSEEA) that emphasise the requirement for an evidence-based, often causal relationship between environmental exposures and specific health outcomes [24, 51]. This formality may increase the acceptability of a standardised set of indicators. However, lack of consensus over how to define and measure related topics like QOL, wellbeing and liveability (despite similarity in existing UHI tools) may mean that standardisation for these topics is harder to achieve.

A standardised set of global indicators would mean that rather than developing new UHI tools, researchers and practitioners could choose from an internationally published set of evidence-based indicators. Local selection of indicators would likely be based on data availability, health priorities and community opinion. The WHO's Urban Health

Index provides methods for local public health data analysts to produce local indices (including instructions for mapping the results) [52, 53]. Such a tool is valuable to avoid duplicated effort when selecting appropriate indicator aggregation methods. However, we suggest that a set of global evidence-based indicators, which the WHO's Urban Health Index currently lacks, would be of great value to local indicator projects. Given that many global UHI tools are already available, a standardised set would need to be widely promoted and supported to achieve impact and avoid further duplication of effort. Further research is needed to determine whether a standardised set of urban health indicators could be promoted globally and accepted locally (such as the Sustainable Development Goals).

Whilst some indicator producers recognised that indicators could help explain complex phenomena, other authors noted that they may not be effective at influencing a complex policy and decision-making process. This topic will be explored further in a subsequent paper related to this systematic review which will synthesise qualitative data from studies exploring the use of UHI tools in the built environment policy and decision-making process.

Observing the similarity across indicator measures, there is a question about whether some data are included simply because they are easy to measure (or commonly measured as a part of routine statistics), whilst other more difficult topics are excluded. For example, although noise is known to impact multiple health outcomes [54], it is less frequently measured in UHI tools, reflecting the difficulty of measuring this exposure. This is an area for further investigation. The growth of city datasets emerging from open data initiatives may increase the need for indicators to help interpret and make sense of data. This may also support increased small-scale spatial comparisons, improving usability by built environment policy and decision-makers. New data from smartphones, social media and other sources are also likely to increase available datasets for UHI tools and may be a useful way to increase citizen participation in generating and evaluating indicator data.

Appendix 1

Table 5 All UHI tools identified in the review with their characteristics relating to the five classes in the taxonomy

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)			
				Interactive map	Static map	Economic	Environment	Health	Social
2011 Livable City Index [55] Abbreviated Neighborhood Environment Walkability Scale (ANEWS) [56] Active Neighborhood Checklist [57] Active Transportation and Health Indicators [58] Activity-Friendly Index [59] American Fitness Index [60] ANQoLHP Neighborhood Health Index [61] ANQoLHP Neighborhood Quality of Life Index [36] Baltimore Neighborhood Indicators Alliance, Vital Signs [62] Border Observatory Project [63] Bristol Quality of Life Indicators [64] British Colombia Atlas of Wellness [65] Buffalo City QOL Survey [66] Built Environment Assessment Tool [67] Built Environment Site Survey Checklist, BESSC [68] CANVAS (Computer-Assisted Neighborhood Visual Assessment System) [69] Caya Hueso Urban Ecosystem Health Indicators [70] Child Opportunity Index [71] Childhood wellbeing indicators [72] Children's Environmental Health Indicators [73]	H&W Walkability/PA	City Neighborhood	China International			8 0	73 33	5 0	33 21
	Walkability/PA	<Neighborhood	USA			0	43	0	7
	H&W	City and neighborhood	Peterborough, Canada		Y	3	79	12	9
	Walkability/PA	City and neighborhood	Toronto, Canada		Y	0	4	0	1
	Walkability/PA H&W	City City and neighborhood	USA Atlanta, GA, USA		Y	3 0	9 2	9 6	22 0
	Quality of life	City and neighborhood	Atlanta, GA, USA		Y	1	7	1	2
	Quality of life	City and neighborhood	Baltimore, MD, USA		Y	27	46	15	74
	Quality of life Quality of life	City City and neighborhood	USA and Mexico Bristol, UK		Y	5 4	16 42	5 12	18 89
	Multiple	Multiple	British Columbia, Canada		Y	7	22	33	64
	Quality of life	City and neighborhood <Neighborhood	Buffalo City, South Africa International			6 0	27 71	3 0	21 6
H&W	H&W	<Neighborhood	England			0	18	0	9
H&W	H&W	<Neighborhood	International			0	134	1	27
H&W	H&W	Neighborhood	Habana, Cuba			5	17	11	16
H&W Wellbeing	H&W	Neighborhood Neighborhood	USA International		Y	5 3	6 5	1 5	7 18
H&W	H&W	Not specified	International			5	18	25	6

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)			
				Interactive map	Static map	Economic	Environment	Health	Social
Christchurch City Health and Wellbeing Profile [74]	H&W	City	Christchurch, New Zealand		Y	4	13	13	18
City Ecosystem Health Index [75]	H&W	City	Chongqing, China			4	11	2	2
City Livability Index [76]	Livability	City	China			5	4	3	2
City of Melbourne Urban Health Profile metrics [77]	H&W	City and neighborhood	Melbourne, Australia			1	4	11	16
City of Winnipeg Quality-of-Life Indicators [11]	Quality of life	City	Winnipeg, Canada			14	25	6	15
Coalitions Linking Action and Science for Prevention (CLASP) Tool [78]	Walkability/PA	Neighborhood	Canada	Y	Y	4	31	2	19
Colorado Health Indicators [79]	H&W	County	Colorado, USA	Y	Y	13	23	91	60
Combined Environmental Stressor's Exposure (CENSE) Tool [80]	H&W	Neighborhood	International			0	7	0	0
Communities Count [81]	H&W	County	King County, WA, USA		Y	49	25	66	113
Community Health and Equity Index [82]	H&W	Neighborhood	Los Angeles, CA, USA		Y	3	16	7	3
Community Health Environment Scan Survey (CHES) [83]	H&W	Neighborhood	International			0	28	0	24
Community Health Status Indicators [84]	H&W	County	USA	Y		2	6	28	7
Community Healthy Living Index [85]	H&W	Neighborhood	USA			0	23	1	12
Community Indicators Victoria [86]	H&W	≥ City	Victoria, Australia	Y		13	80	14	83
Community Well-Being Index (A) [87]	Wellbeing	City	Korea			14	11	12	47
Community Well-Being Index (B) [88]	Wellbeing	City	Flint, MI, USA			11	25	4	64
Community Wellbeing Questionnaire [13]	Wellbeing	Neighborhood	International			3	11	2	29
Core Environmental Health Indicators in Lucknow and Calcutta [45]	H&W	Neighborhood	India			0	9	0	1
County Health Rankings [89]	H&W	County	USA	Y		3	7	19	8
DECAMB Programme Indicators for the Urban Environment [90]	Quality of life	Not specified	Italy			0	6	1	4
Edmonton LIFE: Local Indicators For Excellence [91]	Quality of life	City	Edmonton, Canada			12	11	10	21
Environmental Index [92]	H&W	City	Netherlands		Y	0	4	0	0
	H&W	City	USA			3	55	9	4

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)			
				Interactive map	Static map	Economic	Environment	Health	Social
Environment Health Sustainability (EHS) Index [93] Exposure Survey [94] Environmental Health Indicators New Zealand (EHINZ) [95] Environmental Profile of a Community's Health (EPOCH 1) [96] Environmental Public Health Tracking Network Indicators [34] Environmental Quality Index [97] Environmental Quality Index, EPA [98] Environmental Supports for Physical Activity Questionnaire [99] EPOCH Photo Neighborhood Evaluation Tool (EP-NET) [100] European Livable Cities Index [39] EURO-PREVOB Community Questionnaire [101] EURO-URHIS Urban Health Indicators [102] FireStar Neighborhood Stability Framework [103] Flemish City Monitor [104] Glasgow Indicators Project [105] Global City Indicators Facility - Your Health in the City Indicators [106] Global Liveable Cities Index [107] Global Liveability Ranking [108] Happy City Index [109] Health and Environmental Sustainability Indicators [110] Health Determinants Indicators [111] Health Indicators Dashboard [112] Healthy Chicago 2.0 [113]	H&W	Neighborhood	Baltimore, MD, USA		Y	0	12	9	1
	H&W	City and neighborhood	New Zealand	Y		1	32	16	7
	Walkability/PA	Neighborhood	International			0	26	3	9
	H&W	≥ County	USA	Y		6	132	119	15
	Multiple H&W	Neighborhood County	Argentina USA		Y Y	1 10	15 203	0 1	7 5
	Walkability/PA	Neighborhood	USA			0	5	0	12
	Walkability/PA	Neighborhood	International			0	51	0	9
	Liveability Multiple	City Neighborhood	Europe International			3 0	11 28	3 1	6 2
	H&W	City	Europe			2	6	24	13
	Multiple	Neighborhood	Maryvale Village, Phoenix, AZ, USA			2	4	4	8
	Liveability H&W H&W	City City City	Flanders, Belgium Glasgow, Scotland International			49 15 Y	97 16 Y	9 9 Y	131 41 Y
	Liveability	City	International			26	22	7	30
	Liveability Wellbeing	City	International England			0 6	8 18	6 15	16 22
	H&W	Neighborhood	Vietnam			0	11	4	1
	H&W	City	Japan			20	23	20	9
H&W H&W	≥ City City and neighborhood	Racine, WI, USA Chicago, IL, USA		Y	3 3	14 4	31 38	9 30	

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)		
				Interactive map	Static map	Economic	Environment	Health
Healthy City Noise-Air Index [114]	H&W	City	International			0	5	0
Healthy Communities Index [115]	H&W	City	USA			2	4	0
Healthy Community Council Assessment [116]	Multiple	≥ City	Harrisonburg and Rockingham, VA, USA			3	9	11
Healthy Resources Index [59]	H&W	City and neighborhood	Toronto, Canada		Y	0	3	0
Housing and Environmental Quality Indicators [117]	Multiple	Neighborhood	Benin, Nigeria			1	21	1
Indicators of Urban Ecosystem Health [118]	H&W	City and neighborhood	Canada			3	28	3
Intra-city Social Well-Being Indicators [119]	Wellbeing	Neighborhood	Tampa, FL, USA		Y	11	15	8
Irvine-Minnesota Inventory [120]	Walkability/PA	<Neighborhood	USA			0	60	0
ISO 37120 [121]	Quality of life	City	International			12	56	9
Kansas Health Matters [122]	H&W	County	Kansas, USA	Y		15	24	76
Liveability Index [47]	Liveability	Multiple	USA	Y		6	36	6
Liveable Index System [123]	Liveability	Neighborhood	Tiexi District, Shenyang, China			0	18	1
Liveability Assessment Tool [124]	Liveability	Neighborhood	Hunter New England, Australia			4	62	20
Local Climate Change Environmental Public Health Indicators (EPHI) [125]	H&W	≥ Neighborhood	International	Y		U	U	U
Local Health [126]	H&W	≥ Neighborhood	England	Y		8	2	50
London Quality of Life Indicators [44]	Quality of life	City	London, UK			8	13	1
London Ward Well-Being Scores [127]	Wellbeing	Neighborhood	London, UK	Y		2	3	2
London's Health Strategy High Level Indicators [128]	H&W	City	London, UK			2	2	4
Maryland Inventory of Urban Design Quality (MIUDQ) [129]	Walkability/PA	<Neighborhood	USA			0	26	0
Multiple Environmental Deprivation Index (MEDIX) [130]	H&W	Neighborhood	UK		Y	0	8	0
Neighborhood Environment Walkability Scale (NEWS) [131]	Walkability/PA	Neighborhood	International			0	38	0
Neighborhood Health Profile Reports [132]	H&W	City and neighborhood	Baltimore, MD, USA		Y	2	11	6
	H&W	Neighborhood	England			0	22	0

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)			
				Interactive map	Static map	Economic	Environment	Health	Social
Neighborhood Design Characteristics Checklist (NeDeCC) [133] Neighborhood Environment Indices [134] Neighborhood Quality Index [135] New Zealand Quality of Life Project [136] New Zealand Systematic Pedestrian and Cycling Environmental Scan (NZ SPACES) [137] Objective and Subjective Quality of Life Indicators for Taiwan [138] Ottawa Neighborhood Study Indicators [139] Pasadena Quality of Life Index [140] Pedestrian Environment Data Scan (PEDS) [141] Peg Well-being Indicators [42] Physical Activity Neighborhood Environment Scale (PANES) [142] Pilot Environmental Public Health Indicators [143] Places Rated Almanac [144] Plan for a Healthy LA Health Atlas/Health Profiles [43] Proposed indicators linking health and sustainability [26] Proxy Environmental Health Indicators for Accra [14] Quality of Life Counts (Local) [10] Quality of Life in South East Queensland [145] Quality of Life in the City of Florence [146] Quality of Life Index for Urban Transitional Neighborhood [147]	Walkability/PA	Neighborhood	Putrajaya, Malaysia			0	4	0	0
	H&W	Neighborhood	Taiwan			0	1	0	15
	Quality of life	City	New Zealand			41	58	27	87
	Walkability/PA	<Neighborhood	New Zealand			0	47	0	7
	Quality of life	≥ City	Taiwan			9	5	5	7
	H&W	Neighborhood	Ottawa, Canada	Y	Y	Y	Y	Y	Y
	Quality of life	City	Pasadena/Altadena, CA, USA		Y	7	20	26	18
	Walkability/PA	<Neighborhood	USA		Y	0	36	0	1
	Wellbeing	City and neighborhood	Winnipeg, Canada	Y		20	23	17	28
	Walkability/PA	Neighborhood	International			0	14	0	3
	H&W	County	USA			0	2	2	0
	Quality of life	City	USA			1	15	7	21
	H&W	City and neighborhood	Los Angeles, CA, USA	Y	Y	21	44	21	26
	H&W	City	International			0	15	5	4
	H&W	Neighborhood	Accra, Ghana			1	69	22	13
	Quality of life	City	UK			5	17	1	7
	Quality of life	≥ City	South East Queensland, Australia			0	10	2	8
Quality of life	City and neighborhood	Florence, Italy			2	9	0	8	
Quality of life	Neighborhood	Darvazeshmiran, Tehran, Iran			7	22	4	21	

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)			
				Interactive map	Static map	Economic	Environment	Health	Social
Quality of Life Index in Delhi [148]	Quality of life	City and neighborhood	Delhi, India		Y	2	24	1	5
Quality of Life Indicator Program for San Diego-Tijuana Metropolitan Region [149]	Quality of life	City	San Diego-Tijuana, USA and Mexico			2	17	9	8
Quality of Life Indicators for Galway [37]	Quality of life	City and neighborhood	Galway, Ireland			4	9	0	7
Quality of Life Indicators for Thessaloniki [46]	Quality of life	City	Thessaloniki, Greece			10	21	6	19
Quality of Life Reporting System [150]	Quality of life	≥ City	Canada			20	24	10	33
Quality of Life Survey in Istanbul [151]	Quality of life	Neighborhood	Istanbul, Turkey			2	9	1	6
Quality of Living Index [152]	Quality of life	City	International			2	13	2	13
Quality of Pedestrian Level of Service [153]	Walkability/PA	City	International		Y	0	4	0	1
Quality of Urban Life Assessment Tool [154]	Quality of life	Neighborhood	Doha, Qatar			0	83	0	28
Quality of Urban Life Index [36]	Quality of life	City	Atlanta, GA, USA		Y	5	7	3	5
Residential Environment Assessment Tool [155]	Multiple	<Neighborhood	Wales			2	9	0	17
Richmond Health and Wellness Element Indicators [156]	H&W	City and neighborhood	Richmond, CA, USA			6	21	26	22
Richmond Health Equity Indicators [157]	H&W	City	Richmond, CA, USA			6	17	23	26
San Francisco Indicator Project [158]	H&W	City and neighborhood	San Francisco, CA, USA	Y	Y	18	46	8	35
Scientific Assessment Standards of Livable Cities [159]	Liveability	City	China			6	13	1	13
Seattle Healthy Living Assessment [160]	H&W	Neighborhood	Seattle, WA, USA			0	15	0	2
South Lanarkshire Index of Multiple Environmental Deprivation (SLIMED) [161]	H&W	Neighborhood	South Lanarkshire, Scotland		Y	0	7	1	1
SPOTLIGHT Virtual Audit Tool [162]	Walkability/PA	Neighborhood	Europe			0	34	0	6
Subjective Community Well-Being Indicator [163]	Wellbeing	City	Emilia-Romagna, Italy		Y	4	4	1	14
Systematic Pedestrian and Cycling Environmental Scan (SPACES) [164]	Walkability/PA	<Neighborhood	Australia			0	33	0	6

Table 5 (continued)

Tool/index	Topic	Spatial Scale (of data aggregation)	Place (of tool availability)	Format		Scope (no. of indicators)		
				Interactive map	Static map	Economic	Environment	Health
Think Health LA Indicators [165]	H&W	Multiple	Los Angeles, CA, USA	Y	Y	14	30	150
Truckee Meadows Tomorrow [166]	Quality of life	City	Truckee Meadows, NV, USA			15	27	19
Urban Health Equity Assessment and Response Tool (Urban HEART) [167]	H&W	City and neighborhood	International			4	8	23
Urban Health Equity Indicators for Mathare Informal Settlement [16]	H&W	Neighborhood	Nairobi, Kenya			3	9	2
Urban Health Indicators for London [168]	H&W	<Neighborhood	London, UK		Y	1	2	0
Urban Quality of Life in Switzerland [169]	Quality of life	City and neighborhood	Switzerland	Y		0	7	0
Vulnerability Indices [170]	H&W	Neighborhood	Worcester, MA, USA		Y	1	12	1
Walk Score [171]	H&W	Multiple	International	Y	Y	0	3	0
Walkability Index [172]	Walkability/PA	City and neighborhood	USA		Y	0	3	0
Walkability Index (Bradshaw) [41]	Walkability/PA	Neighborhood	USA			0	6	0
Wellbeing Index [173]	Wellbeing	City	Santa Monica, CA, USA			11	10	13
West County Indicators Project [174]	H&W	Neighborhood	Richmond, CA, USA		Y	2	7	0
WHO Environmental Health Indicators [175]	H&W	≥ City	Europe			2	34	7
WHO Healthy City Indicators [176]	H&W	City	International			3	14	11
Wholeness Index [177]	Quality of life	City and neighborhood	Dallas, TX, USA		Y	4	3	1
Wisconsin Assessment of the Built Environment (WASABE) [178]	Multiple	Neighborhood	USA			2	17	0
World Health Organization Quality of Life (WHOQOL-100) [179]	Quality of life	<Neighborhood	International			8	12	16
World Health Organization Quality of Life (WHOQOL-BREF) [180]	Quality of life	<Neighborhood	International			1	3	4
								18

Table 5 (continued)

Tool/index	Purpose							
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation	Research
2011 Livable City Index [55]	Y				Y			
Abbreviated Neighborhood Environment Walkability Scale (ANEWS) [56]								
Active Neighborhood Checklist [57]					Y	Y		Y
Active Transportation and Health Indicators [58]				Y	Y	Y	Y	
Activity-Friendly Index [59]				Y	Y			
American Fitness Index [60]	Y		Y		Y	Y	Y	
ANQoLHP Neighborhood Health Index [61]				Y	Y	Y	Y	
ANQoLHP Neighborhood Quality of Life Index [36]				Y	Y	Y	Y	
Baltimore Neighborhood Indicators Alliance, Vital Signs [62]				Y	Y	Y	Y	Y
Border Observatory Project [63]	Y				Y		Y	
Bristol Quality of Life Indicators [64]		Y		Y	Y			
British Colombia Atlas of Wellness [65]		Y		Y	Y	Y		
Buffalo City QOL Survey [66]				Y	Y		Y	
Built Environment Assessment Tool [67]					Y	Y	Y	
Built Environment Site Survey Checklist, BESSC [68]								Y
CANVAS (Computer-Assisted Neighborhood Visual Assessment System) [69]								Y
Caya Hueso Urban Ecosystem Health Indicators [70]					Y	Y	Y	
Child Opportunity Index [71]	Y		Y	Y	Y	Y	Y	Y
Childhood wellbeing indicators [72]				Y				
Children's Environmental Health Indicators [73]					Y	Y	Y	Y
Christchurch City Health and Wellbeing Profile [74]					Y	Y		
City Ecosystem Health Index [75]					Y			
City Livability Index [76]	Y				Y			

Table 5 (continued)

Tool/index	Purpose						
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation Research
City of Melbourne Urban Health Profile metrics [77]				Y	Y		Y
City of Winnipeg Quality-of-Life Indicators [11]					Y		Y
Coalitions Linking Action and Science for Prevention (CLASP) Tool [78]				Y	Y		
Colorado Health Indicators [79]			Y	Y	Y	Y	Y
Combined Environmental Stressor's Exposure (CENSE) Tool [80]					Y		
Communities Count [81]			Y	Y	Y	Y	Y
Community Health and Equity Index [82]				Y	Y		
Community Health Environment Scan Survey (CHESS) [83]					Y		Y
Community Health Status Indicators [84]		Y			Y	Y	
Community Healthy Living Index [85]			Y	Y	Y		
Community Indicators Victoria [86]					Y	Y	Y
Community Well-Being Index (A) [87]		Y		Y	Y	Y	
Community Well-Being Index (B) [88]					Y		
Community Wellbeing Questionnaire [13]					Y		Y
Core Environmental Health Indicators in Lucknow and Calcutta [45]					Y	Y	
County Health Rankings [89]				Y	Y	Y	Y
DECAMB Programme Indicators for the Urban Environment [90]					Y		
Edmonton LIFE: Local Indicators For Excellence [91]		Y			Y	Y	
Environmental Index [92]					Y		
Environment Health Sustainability (EHS) Index [93]					Y	Y	Y
Environmental Health Basic Exposure Survey [94]					Y		

Table 5 (continued)

Tool/index	Purpose						
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation Research
Environmental Health Indicators New Zealand (EHINZ) [95]							
Environmental Profile of a Community's Health (EPOCH 1) [96]	Y	Y			Y		Y
Environmental Public Health Tracking Network Indicators [34]	Y	Y	Y	Y			Y
Environmental Quality Index [97]	Y			Y	Y		Y
Environmental Quality Index, EPA [98]	Y				Y		Y
Environmental Supports for Physical Activity Questionnaire [99]							Y
EPOCH Photo Neighborhood Evaluation Tool (EP-NET) [100]							Y
European Livable Cities Index [39]	Y				Y		
EURO-PREVOB Community Questionnaire [101]		Y		Y	Y		Y
EURO-URHIS Urban Health Indicators [102]	Y				Y		
FireStar Neighborhood Stability Framework [103]					Y		
Flemish City Monitor [104]	Y				Y		Y
Glasgow Indicators Project [105]					Y	Y	
Global City Indicators Facility - Your Health in the City Indicators [106]	Y	Y		Y	Y	Y	
Global Liveable Cities Index [107]	Y				Y		
Global Liveability Ranking [108]	Y				Y		
Happy City Index [109]		Y			Y		
Health and Environmental Sustainability Indicators [110]				Y		Y	
Health Determinants Indicators [111]							Y
Health Indicators Dashboard [112]				Y			
Healthy Chicago 2.0 [113]				Y			
Healthy City Noise-Air Index [114]				Y	Y		Y

Table 5 (continued)

Tool/index	Purpose						
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation Research
Healthy Communities Index [115]					Y		Y
Healthy Community Council Assessment [116]					Y		Y
Healthy Resources Index [59]				Y	Y		
Housing and Environmental Quality Indicators [117]				Y	Y		Y
Indicators of Urban Ecosystem Health [118]							
Intra-city Social Well-Being Indicators [119]				Y	Y		
Irvine-Minnesota Inventory [120]							Y
ISO 37120 [121]					Y		
Kansas Health Matters [122]			Y	Y	Y	Y	Y
Livability Index [47]			Y	Y	Y	Y	
Livable Index System [123]		Y			Y		
Liveability Assessment Tool [124]				Y	Y		Y
Local Climate Change Environmental Public Health Indicators (EPHI) [125]				Y	Y		
Local Health [126]				Y	Y		
London Quality of Life Indicators [44]			Y	Y	Y	Y	Y
London Ward Well-Being Scores [127]			Y	Y	Y		
London's Health Strategy High Level Indicators [128]						Y	
Maryland Inventory of Urban Design Quality (MIUDQ) [129]							Y
Multiple Environmental Deprivation Index (MEDIX) [130]		Y		Y	Y		Y
Neighborhood Environment Walkability Scale (NEWS) [131]							Y
Neighborhood Health Profile Reports [132]				Y	Y	Y	
Neighborhood Design Characteristics Checklist (NeDeCC) [133]							Y

Table 5 (continued)

Tool/index	Purpose							
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation	Research
Neighborhood Environment Indices [134]				Y				Y
Neighborhood Quality Index [135]				Y	Y			Y
New Zealand Quality of Life Project [136]		Y			Y		Y	
New Zealand Systematic Pedestrian and Cycling Environmental Scan (NZ SPACES) [137]								Y
Objective and Subjective Quality of Life Indicators for Taiwan [138]	Y			Y	Y	Y		Y
Ottawa Neighborhood Study Indicators [139]					Y	Y	Y	Y
Pasadena Quality of Life Index [140]	Y		Y		Y			Y
Pedestrian Environment Data Scan (PEDS) [141]					Y			
Peg Well-being Indicators [42]				Y	Y	Y	Y	Y
Physical Activity Neighborhood Environment Scale (PANES) [142]					Y			
Pilot Environmental Public Health Indicators [143]							Y	Y
Places Rated Almanac [144]	Y					Y		
Plan for a Healthy LA Health Atlas/Health Profiles [43]				Y	Y	Y	Y	
Proposed indicators linking health and sustainability [26]					Y	Y		
Proxy Environmental Health Indicators for Accra [14]				Y	Y	Y		
Quality of Life Counts (Local) [10]	Y		Y		Y	Y	Y	Y
Quality of Life in South East Queensland [145]								Y
Quality of Life in the City of Florence [146]				Y	Y		Y	
Quality of Life Index for Urban Transitional Neighborhood [147]					Y			Y
Quality of Life Index in Delhi [148]				Y	Y			

Table 5 (continued)

Tool/index	Purpose		City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation	Research
	International benchmarking	Y							
Quality of Life Indicator Program for San Diego-Tijuana Metropolitan Region [149]	Y				Y	Y	Y	Y	
Quality of Life Indicators for Galway [37]					Y		Y		
Quality of Life Indicators for Thessaloniki [46]					Y		Y		
Quality of Life Reporting System [150]		Y		Y		Y		Y	
Quality of Life Survey in Istanbul [151]									Y
Quality of Living Index [152]	Y		Y			Y			
Quality of Pedestrian Level of Service [153]						Y			
Quality of Urban Life Assessment Tool [154]						Y			Y
Quality of Urban Life Index [36]		Y				Y			Y
Residential Environment Assessment Tool [155]						Y		Y	
Richmond Health and Wellness Element Indicators [156]			Y		Y		Y	Y	
Richmond Health Equity Indicators [157]			Y			Y		Y	
San Francisco Indicator Project [158]					Y		Y		Y
Scientific Assessment Standards of Livable Cities [159]		Y				Y			
Seattle Healthy Living Assessment [160]						Y	Y	Y	
South Lanarkshire Index of Multiple Environmental Deprivation (SLIMED) [161]					Y				Y
SPOTLIGHT Virtual Audit Tool [162]									
Subjective Community Well-Being Indicator [163]		Y				Y			Y
Systematic Pedestrian and Cycling Environmental Scan (SPACES) [164]									Y
Think Health LA Indicators [165]				Y	Y	Y	Y		

Table 5 (continued)

Tool/index	Purpose						
	International benchmarking	City (or in country) benchmarking	National with local benchmarking	Local benchmarking	Inform policy and decision-making	Communicate with Non-specialists	Monitoring /evaluation Research
Truckee Meadows Tomorrow [166]					Y	Y	Y
Urban Health Equity Assessment and Response Tool (Urban HEART) [167]		Y		Y	Y		Y
Urban Health Equity Indicators for Mathare Informal Settlement [16]					Y	Y	
Urban Health Indicators for London [168]				Y	Y		Y
Urban Quality of Life in Switzerland [169]					Y	Y	Y
Vulnerability Indices [170]				Y	Y	Y	Y
Walk Score [171]		Y		Y	Y	Y	Y
Walkability Index [172]					Y		
Walkability Index (Bradshaw) [41]					Y	Y	
Wellbeing Index [173]					Y	Y	Y
West County Indicators Project [174]					Y	Y	
WHO Environmental Health Indicators [175]	Y				Y		Y
WHO Healthy City Indicators [176]	Y	Y		Y	Y		
Wholeness Index [177]				Y	Y	Y	Y
Wisconsin Assessment of the Built Environment (WASABE) [178]				Y	Y		
World Health Organization Quality of Life (WHOQOL-100) [179]				Y	Y	Y	Y
World Health Organization Quality of Life (WHOQOL-BREF) [180]				Y	Y	Y	Y

Y yes, U unknown, H&W health and wellbeing, PA physical activity

Acknowledgments: HP is an industry-sponsored PhD student funded by the Building Research Establishment Ltd and the BRE Trust. In her paid work for BRE she was responsible for creating an index of urban health indicators which was not published at the time of submission. HR was supported by the National Institute for Health Research (NIHR) Collaboration for Leadership in Applied Health Research and Care (CLAHRC) North Thames at Bart's Health NHS Trust.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

- Barton H, Grant M. A health map for the local human habitat. *J R Soc Promot Heal*. 2006;126:252–3.
- WHO Commission on Social Determinants of Health. *Addressing the social determinants of health: the urban dimension and the role of local government*. Copenhagen: World Health Organization Regional Office for Europe; 2012.
- Wang H, Naghavi M, Allen C, et al. Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet*. 2016;388:1459–544.
- Prüss-Üstün A, Wolf J, Corvalan C, Bos R, Neira M. *Preventing disease through healthy environments: a global assessment of the burden of disease from environmental risks*. Geneva, Switzerland: World Health Organization; 2016.
- Kickbusch I, Gleicher D. *Governance for health in the 21st century*. Copenhagen: World Health Organization, Regional Office for Europe; 2013.
- Barton H. A health map for urban planners: towards a conceptual model for healthy sustainable settlements. *Built Environment*. 2005;31:339–55.
- Rydin Y, Bleahu A, Davies M, et al. Shaping cities for health: complexity and the planning of urban environments in the 21st century. *Lancet*. 2012;379:2079–108.
- Verbeek T, Boelens L. Environmental health in the complex city: a co-evolutionary approach. *J Environ Plan Manag*. 2016;59:1–20.
- Badland H, Whitzman C, Lowe M, et al. Urban liveability: emerging lessons from Australia for exploring the potential for indicators to measure the social determinants of health. *Soc Sci Med*. 2014;111:64–73.
- Lawrence RJ. Urban environmental health indicators: appraisal and policy directives. *Rev Environ Health*. 2008;23: 299–325.
- Hardi P, Pintér L. City of Winnipeg Quality-of-Life Indicators. In: Sirgy P of MMJ, Rahtz P of MD, Swain PSD, editors. *Community quality-of-life indicators*. Springer Netherlands; 2006. p. 127–76.
- Kingsley GT, Pettit KLS. Quality of life at a finer grain: the national neighborhood indicators partnership. In: Sirgy MJ, Phillips R, Rahtz D, editors. *Community quality-of-life indicators: best cases V*. Dordrecht: Springer Netherlands; 2011. p. 67–96.
- Christakopoulou S, Dawson J, Gari A. The community well-being questionnaire: theoretical context and initial assessment of its reliability and validity. *Soc Indic Res*. 2001;56:319–49.
- Songsore J, Nabila JS, Amuzu AT, et al. Proxy indicators for rapid assessment of environmental health status in residential areas: the case of the Greater Accra Metropolitan Area (GAMA). *Ghana Environment and Urbanization*. 1998;10:252–3.
- Wong C. *Indicators for urban and regional planning: the interplay of policy and methods*. Abingdon: Routledge; 2006.
- Corburn J, Cohen AK. Why we need urban health equity indicators: integrating science, policy, and community. *PLoS Med*. 2012;9:e1001285.
- Gahin R, Paterson C. Community indicators: past, present, and future. *Nat Civic Rev*. 2001;90:347–61.
- Lowe M, Whitzman C, Badland H, et al. Planning healthy, liveable and sustainable cities: how can indicators inform policy? *Urban Policy Res*. 2015;33:131–44.
- Rothenberg R, Stauber C, Weaver S, Dai D, Prasad A, Kano M. Urban health indicators and indices—current status. *BMC Public Health*. 2015;15:494.
- Salvador-Carulla L, Salinas-Pérez JA, Martín M, et al. A preliminary taxonomy and a standard knowledge base for mental-health system indicators in Spain. *Int J Ment Health Syst*. 2010;4:29.
- Wardrop DH, Hershner C, Havens K, Thornton K, Bilkovic DM. Developing and communicating a taxonomy of ecological indicators: a case study from the mid-Atlantic. *EcoHealth*. 2007;4:179–86.
- Innes JE, Booher DE. Indicators for sustainable communities: a strategy building on complexity theory and distributed intelligence. *Plan Theory & Practice*. 2000;1:173–86.
- World Health Organization. *Report on consultation meeting on urban health metrics research*. Kobe: WHO Centre for Health Development; 2011.
- von Schirnding YE. Health-and-environment indicators in the context of sustainable development. *Can J Public Health / Revue Canadienne de Santé e Publique*. 2002;93:S9–15.
- Giles-Corti B, Vemeze-Moudon A, Reis R, et al. City planning and population health: a global challenge. *Lancet*. 2016;388:2912–24.
- Dora C, Haines A, Balbus J, et al. Indicators linking health and sustainability in the post-2015 development agenda. *Lancet*. 2015;385:380–91.
- Prasad A, Gray CB, Ross A, Kano M. Metrics in urban health: current developments and future prospects. *Annu Rev Public Health*. 2016;37.
- Pineo H, Glonti K, Rutter H, Zimmermann N, Wilkinson P, Davies M. Characteristics and use of urban health indicator tools by municipal built environment policy and decision-

- makers: a systematic review protocol. *Systematic Reviews*. 2017;6:2.
29. Pineo H, Glonti K, Rutter H, Zimmermann N, Wilkinson P, Davies M. Census, characteristics and taxonomy of urban health indicator tools: a systematic review. Public Health Science Conference. London: *The Lancet*; **In Press**.
 30. The Pastille Consortium. *Indicators into action: local sustainability indicator sets in their context*. London: European Union FP5; 2005. Final Report. Deliverable 19.
 31. Science for Environment Policy, Science Communication Unit. *Indicators for sustainable cities*. Bristol: European Commission DG Environment; 2015.
 32. Lee I-M, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzyk PT. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet*. 2012;380: 219–29.
 33. Sallis JF, Cerin E, Conway TL, et al. Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. *Lancet*. 2016;387:2207–17.
 34. U.S. Centers for Disease Control and Prevention. Environmental Public Health Tracking Network. <https://ephrtracking.cdc.gov/>. Accessed 15 Feb 2017.
 35. Moher D. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Ann Intern Med*. 2009;151:264.
 36. Lee S, Guhathakurta S. Bridging environmental sustainability and quality of life in metropolitan Atlanta's urban communities. In: Sirgy MJ, Phillips R, Rahtz D, editors. *Community quality-of-life indicators: best cases VI*. Springer Netherlands; 2013. p. 207–31.
 37. Fahy F, Ó Cinnéide M. *Community-based quality of life indicators for urban areas as derived in Galway City, Ireland. The sustainable city IV: urban regeneration and sustainability*. Tallin; Estonia: WIT Transactions on Ecology and the Environment; 2006. p. 691–702.
 38. Cutter SL. *Rating places: a geographer's view on quality of life*. Washington, D.C.: Association of American Geographers; 1985.
 39. Zanella A, Camanho AS, Dias TG. The assessment of cities' livability integrating human wellbeing and environmental impact. *Ann Oper Res*. 2014;226:695–726.
 40. Miles RL, Greer L, Kraatz D, Kinnear S. Measuring community wellbeing: a Central Queensland case study. *Australas J Region Stud Wollongong*. 2008;14:73–93.
 41. Bradshaw C. Creating—and using—a rating system for neighborhood walkability: towards an agenda for “local heroes.” Boulder, Colorado: Paper presented at the 14th International Pedestrian Conference; 1993.
 42. United Way Winnipeg, International Institute for Sustainable Development. Peg: tracking progress, inspiring action. <http://www.mypeg.ca/>. Accessed 28 Mar 2017.
 43. City of Los Angeles, Los Angeles Department of City Planning, County of Los Angeles Public Health, The California Endowment, Raimi Associates. PLAN for a Healthy Los Angeles. <http://healthyplan.la/>. Accessed 22 Mar 2017.
 44. London Sustainable Development Commission. Monitoring: quality of life reports. London Sustainable Development Commission http://www.londonsdc.org/sustainable_development/monitoring.aspx. Accessed 28 Mar 2017.
 45. Hunt C, Lewin S. Exploring decision-making for environmental health services: perspectives from four cities. *Rev Environ Health*. 2011;15:187–206.
 46. Feneri A-M, Vagiona D, Karanikolas N. Multi-criteria decision making to measure quality of life: an integrated approach for implementation in the urban area of Thessaloniki, Greece. *Appl Res Qual Life*. 2014;10:573–87.
 47. AARP. AARP livability index: web-based tool to measure community livability. AARP. <https://livabilityindex.aarp.org/>. Accessed 15 Feb 2016.
 48. Talen E. Pedestrian access as a measure of urban quality. *Plan Practice Res*. 2002;17:257–78.
 49. Prasad A, Armada F, Kimura Y, Radnaabazar Y, Byambajav K. Communicating for action: tackling health inequity in urban areas. In: Okigbo CC, editor. *Strategic urban health communication*. New York: Springer; 2014. p. 115–29.
 50. Giles-corti B, Sallis JF, Sugiyama T, Frank LD, Lowe M, Owen N. Translating active living research into policy and practice: one important pathway to chronic disease prevention. *Journal of Public Health Policy*; Basingstoke. 2015;36:231–43.
 51. Briggs DJ. *Environmental health indicators: framework and methodologies*. Geneva: World Health Organisation; 1999.
 52. Rothenberg R, Weaver SR, Dai D, Stauber C, Prasad A, Kano M. A flexible urban health index for small area disparities. *Journal of Urban Health*. 2014;91:823–35.
 53. Weaver S, Dai D, Sauber C, Luo R, Rothenberg R, others. *The urban health index: a handbook for its calculation and use*. Geneva: World Health Organization; 2014.
 54. World Health Organization. *Burden of disease from environmental noise: quantification of healthy life years lost in Europe*. Copenhagen: World Health Organization, Regional Office for Europe; 2011.
 55. Gu C, Dongping Y. The environmental risks of rapid urbanization: indicators for livable cities. Chinese Research Perspectives on The Environment, Vol 1: *Urban Challenges, Public Participation, And Natural Disasters*. PA LEIDEN: BRILL; 2013. p. 159–73.
 56. Cerin E, Saelens BE, Sallis JF, Frank LD. Neighborhood environment walkability scale: validity and development of a short form. *Med Sci Sports Exerc*. 2006;38:1682–91.
 57. Hoehner CM, Ivy A, Brennan Ramirez LK, Handy S, Brownson RC. Active neighborhood checklist: a user-friendly and reliable tool for assessing activity friendliness. *Am J Health Promot*. 2007;21:534–7.
 58. Peterborough County-City Health Unit; GreenUP; City of Peterborough. Active transport and health: indicators report. Peterborough County-City Health Unit; GreenUP; City of Peterborough; 2014. Available from: <http://www.peterborough.ca/Assets/City+Assets/TDM/Documents/indicators+report.pdf>. Accessed 20 Nov 2015.
 59. Glazier RH, Booth GL, Gozdyra P, Creatore MI, Tynan A-M, editors. *Neighborhood environments and resources for healthy living: a focus on diabetes in Toronto: ICES atlas*. Toronto: Institute for Clinical Evaluative Sciences; 2007. Available from: <http://www.ices.on>.

- ca/Publications/Atlases-and-Reports/2007/Neighborhood-environments-and-resources.aspx. Accessed 2 Dec 2015.
60. Chamness B, Zollinger T, Coffing J, Thompson W, Ainsworth B, Lewis M. *ACSM American Fitness Index: health and community fitness status of the 50 largest metropolitan areas*. American College of Sports Medicine; 2015. Available from: <http://www.americanfitnessindex.org/docs/reports/2010AFIReport-Final.pdf>. Accessed 19 Feb 2016
61. Georgia Institute of Technology Center for Geographic Information Systems. Neighborhood health index data and methods. Atlanta neighborhood quality of life & health project. https://cgis.gatech.edu/NQOLH/NH_Index/. Accessed 16 Nov 2016.
62. Baltimore Neighborhood Indicators Alliance, The Jacob France Institute, University of Baltimore. Vital signs 15, Baltimore Neighborhood Indicators Alliance. http://bniajfi.org/vital_signs/. Accessed 25 Oct 2016.
63. Arizona State University. Border Observatory Project. 2005. <http://bop.clas.asu.edu/>. Accessed 17 February 2017.
64. Bristol City Council. The quality of life in Bristol. bristol.gov.uk. <https://www.bristol.gov.uk/statistics-census-information/the-quality-of-life-in-bristol>. Accessed 30 Oct 2016.
65. Foster LT, Boomer J, Keller CP. *The British Columbia atlas of wellness*. Second Edition. Western Geographical Press; 2011. <http://geog.uvic.ca/wellness/wellness2011/index.html>. Accessed 12 February 2015.
66. Richards R, Kamman E. Living in a post-apartheid city: a baseline survey of quality of life in Buffalo City. In: Sirgy MJ, Rahtz D, Swain D, editors. *Community quality-of-life indicators: best cases II*. Springer; 2006. p. 229–47.
67. ICF International. *The built environment: an assessment tool and manual*. Atlanta, GA: U.S. Centers for Disease Control and Prevention; 2015.
68. Weich S, Burton E, Blanchard M, Prince M, Sproston K, Erens B. Measuring the built environment: validity of a site survey instrument for use in urban settings. *Health & Place*. 2001;7:283–92.
69. Bader MDM, Mooney SJ, Lee YJ, Sheehan D, Neckerman KM, Rundle AG, et al. Development and deployment of the Computer Assisted Neighborhood Visual Assessment System (CANVAS) to measure health-related neighborhood conditions. *Health & Place*. 2015;31:163–72.
70. Spiegel JM, Bonet M, Yassi A, Molina E, Concepcion M, Mast P. Developing ecosystem health indicators in Centro Habana: a community-based approach. *Ecosyst Health*. 2001;7:15–26.
71. Acevedo-Garcia D, McArdle N, Hardy EF, Crisan UI, Romano B, Norris D, et al. The child opportunity index: improving collaboration between community development and public health. *Health Aff*. 2014;33:1948–57.
72. Coulton CJ, Korbin JE. Indicators of child well-being through a neighborhood lens. *Soc Indic Res*. 2007;84:349–61.
73. World Health Organization. *From theory to action: implementing the WSSD Global Initiative on Children's Environmental Health Indicators*. Geneva: World Health Organization; 2004.
74. Christchurch City Health and Wellbeing Profile. Healthy Christchurch; 2012. Available from: <http://healthychristchurch.org.nz/city-health-profile.aspx>. Accessed 20 April 2017.
75. Guo Y, Gao K. Assessment of urban ecosystem health in Chongqing based on the entropy and gray correlation method. In: Li S, editor. *Proceedings of the 2009 International Symposium on Environmental Science and Technology*. Beijing: Science Press.
76. Yin L, Yin Y. *Research on assessment of city livability based on principle component analysis—taking Shandong Province for example*. International Conference on Management and Service Science, 2009. MASS '09. 2009. p. 1–4.
77. City of Melbourne urban health profile 2012. City of Melbourne; 2012. Available from: <https://www.melbourne.vic.gov.au/SiteCollectionDocuments/urban-health-profile-2012.doc>. Accessed 18 Feb 2016.
78. Ulmer JM, Chapman JE, Kershaw SE, Campbell M, Frank LD. Application of an evidence-based tool to evaluate health impacts of changes to the built environment. *Canadian Journal of Public Health*. 2015;106:ES26–32.
79. Colorado Health and Environmental Data, Colorado department of public health. Colorado Health Indicators <http://www.chd.dphe.state.co.us/HealthIndicators/home/index>. Accessed 11 Feb 2016.
80. Vlachokostas C, Baniyas G, Athanasiadis A, Achillas C, Akylas V, Moussiopoulos N. Cense: a tool to assess combined exposure to environmental health stressors in urban areas. *Environ Int*. 2014;63:1–10.
81. Communities Count. Communities count: social & health indicators across King County. 2012. <http://www.communitiescount.org/>. Accessed 25 Oct 2016.
82. Los Angeles Department of Planning. *Plan for a Healthy Los Angeles: a health and wellness element of the general plan*. Los Angeles, CA: Los Angeles Department of Planning; 2015.
83. Wong F, Stevens D, O'Connor-Duffany K, Siegel K, Gao Y. Community health environment scan survey (CHESS): a novel tool that captures the impact of the built environment on lifestyle factors. *Glob Health Action*. 2011; 4:5276. <https://doi.org/10.3402/gha.v4i0.5276>.
84. U.S. Centers for Disease Control and Prevention. Community health status indicators (CHSI 2015). <https://www.cdc.gov/communityhealth>. Accessed 20 Apr 2017.
85. Kim S, Adamson KC, Balfanz DR, et al. Development of the Community Healthy Living Index: a tool to foster healthy environments for the prevention of obesity and chronic disease. *Preventive Medicine*. 2010;50, Supplement:S80–5.
86. McCaughey Centre, VicHealth Centre for the Promotion of Mental Health and Community Wellbeing, University of Melbourne. Community indicators Victoria: data framework. Community Indicators Victoria http://www.communityindicators.net.au/metadata_items. Accessed 17 Feb 2016.
87. Kim Y, Lee SJ. The development and application of a community wellbeing index in Korean metropolitan cities. *Soc Indic Res*. 2013;119:533–58.
88. Sirgy MJ, Widgerly RN, Lee D-J, Yu GB. Developing a measure of community well-being based on perceptions of

- impact in various life domains. *Soc Indic Res.* 2010;96: 295–311.
89. University of Wisconsin Population Health Institute. County health rankings & roadmaps. <http://www.countyhealthrankings.org/>. Accessed 20 Apr 2017.
 90. Cicerchia A. Indicators for the measurement of the quality of urban life. *Soc Indic Res.* 1996;39:321–58.
 91. Edmonton LIFE: *Local indicators for excellence*. Alberta: Edmonton Social Planning Council; 2002.
 92. Sol VM, Lammers PEM, Aiking H, de Boer J, Feenstra JF. Integrated environmental index for application in land-use zoning. *Environ Manag.* 1995;19:457–67.
 93. Gallagher JE, Hubal EC, Jackson L, Inmon J, Hudgens E, Williams AH, et al. Sustainability, health and environmental metrics: impact on ranking and associations with socio-economic measures for 50 U.S. cities. *Sustainability.* 2013;5:789–804.
 94. Choi M, Afzal B, Sattler B. Geographic information systems: a new tool for environmental health assessments. *Public Health Nurs.* 2006;23:381–91.
 95. Centre for Public Health Research, Massey University. Monitoring New Zealand's Environmental Health. Environmental Health Indicators New Zealand. <http://www.ehinz.ac.nz/>. Accessed 17 Feb 2017.
 96. Chow CK, Lock K, Madhavan M, Corsi DJ, Gilmore AB, Subramanian SV, et al. Environmental Profile of a Community's Health (EPOCH): an instrument to measure environmental determinants of cardiovascular health in five countries. Ross JS, editor. *PLoS ONE.* 2010;5:e14294.
 97. Celemin JP, Velazquez GA. Proposal and application of an environmental quality index for the metropolitan area of Buenos Aires, Argentina. *Geografisk Tidsskrift-Danish Journal of Geography.* 2012;112:15–26.
 98. Lobdell DT, Jagai JS, Rappazzo K, Messer LC. Data sources for an environmental quality index: availability, quality, and utility. *Am J Public Health.* 2011;101:S277–85.
 99. SIP 4-99 Research Group, Prevention Research Center, Norman J. Arnold School of Public Health, University of South Carolina. Environmental Supports for Physical Activity Questionnaire. Active Living Research; 2002. <http://activelivingresearch.org/environmental-supports-physical-activity-questionnaire>. Accessed 23 Mar 2017.
 100. Chow CK, Corsi DJ, Lock K, Madhavan M, Mackie P, Li W, et al. A novel method to evaluate the community built environment using photographs—Environmental Profile of a Community Health (EPOCH) photo neighborhood evaluation tool. *PLoS One.* 2014;9:e110042.
 101. Pomerleau J, Knai C, Foster C, Rutter H, Darmon N, Derflerova Brazdova Z, et al. Measuring the food and built environments in urban centres: reliability and validity of the EURO-PREVOB Community Questionnaire. *Public Health.* 2013;127:259–67.
 102. The Euro-URHIS Project. Euro-URHIS: Final Report. 2008. Available from: <http://www.urhis.eu/media/mhs/internationalconferenceonurbanhealth/FINAL-REPORT.pdf>. Accessed 21 Apr 2017.
 103. Burk J, Knopf RC. Improving the quality of life in a city of Phoenix, Arizona neighborhood through collaborative investment. In: Sirgy PMJ, Phillips DR, Rahtz PDR, editors. *Community quality-of-life indicators: best cases IV*. Netherlands: Springer; 2009. p. 1–24.
 104. van Assche JV, Block T, Reynaert H. Can community indicators live up to their expectations? The case of the Flemish City monitor for livable and sustainable urban development. *Appl Res Qual Life.* 2010;5:341–52.
 105. Glasgow Centre for Population Health. About the Glasgow Indicators Project. Understanding Glasgow. http://www.understandingglasgow.com/about_the_project/about_the_project. Accessed 11 Feb 2016.
 106. McCarney PL, McGahan, AM. The case for comprehensive, integrated, and standardized measures of health in cities. In: Ahn R, Burke TF, McGahan AM, editors. *Innovating for healthy urbanization*. Springer US; 2015. p. 307–20.
 107. Giap TK, Thye WW, Aw G. A new approach to measuring the liveability of cities: the Global Liveable Cities Index. *World Rev Sci Technol Sustain Dev.* 2014;11:176–96.
 108. The Economist Intelligence Unit. Global liveability ranking 2015. https://www.eiu.com/public/topical_report.aspx?campaignid=Liveability2015. Accessed 24 Nov 2016.
 109. Happy City Index. Happy city. <http://www.happycity.org.uk/measurement-policy/happy-city-index/>. Accessed 30 Mar 2017.
 110. Hai LT, Hai PH, TV Y, Hens L. Health and environmental sustainability indicators in Quang Tri Province, Vietnam. *Int J Sustain Dev World Ecol.* 2009;16:77–86.
 111. Takano T, Nakamura K. An analysis of health levels and various indicators of urban environments for Healthy Cities projects. *J Epidemiol Community Health.* 2001;55:263–70.
 112. Health Indicators Dashboard. City of Racine. <http://www.cityofracine.org/Health/Dashboard/>. Accessed 13 Feb 2017.
 113. Chicago Department of Public Health, Partnership for Healthy Chicago. Healthy Chicago 2.0. Chicago Health Atlas. <http://www.chicagohealthatlas.org/healthy-chicago>. Accessed 16 Nov 2016.
 114. Silva LT. Environmental quality health index for cities. *Habitat International.* 2015;45, Part 1:29–35.
 115. Alper J, Roundtable on population health improvement, board on population health and public health practice, Institute of Medicine, National Academies of Sciences, Engineering, and Medicine. Metrics That Matter for Population Health Action: Workshop Summary. Washington, D.C.: National Academies Press; 2016. Available from: <https://www.nap.edu/catalog/21899>. Accessed 22 Mar 2017.
 116. 2016 Assessment. Healthy Community Council. <http://blog.healthycommunitycouncil.org/2016-assessment/>. Accessed 21 Feb 2017.
 117. Muoghalu LN. Measuring housing and environmental quality as indicator of quality of urban life: a case of traditional city of Benin. Nigeria. *Soc Indic Res.* 25:63–98.
 118. Hancock T. Indicators of environmental health in the urban setting. *Can J Public Health / Revue Canadienne de Sante'e Publique.* 2002;93:S45–51.
 119. Smith DM. *The geography of social well-being in the United States: an introduction to territorial social indicators*. New York, NY: McGraw-Hill; 1973.

120. Day K, Boarnet M, Alfonzo M, Forsyth A. The Irvine–Minnesota inventory to measure built environments: development. *Am J Prev Med*. 2006;30:144–52.
121. ISO. ISO 37120:2014 *Sustainable development of communities—indicators for city services and quality of life*. 1st ed. Geneva, Switzerland: ISO; 2014.
122. Kansas Partnership for Improving Community Health. Kansas Health Matters. <http://www.kansashealthmatters.org/index.php>. Accessed 11 Feb 2016.
123. Li ML, Meng X. Livable index system’s establishment and analysis of old community renovation. *Adv Mater Res*. 2013;671–674:2214–8.
124. Hunter New England Population Health. Liveability Assessment Tool. Hunter New England Population Health; 2012.
125. Houghton A, English P. An approach to developing local climate change environmental public health indicators, vulnerability assessments, and projections of future impacts, an approach to developing local climate change environmental public health indicators, vulnerability assessments, and projections of future impacts. *J Environ Public Health*. 2014;2014:e132057.
126. Public Health England. Local health. <http://www.localhealth.org.uk/#v=map4;l=en>. Accessed 31 Mar 2017.
127. Greater London Authority. London Ward Well-Being Scores. London Datastore. <https://data.london.gov.uk/dataset/london-ward-well-being-scores>. Accessed 31 Mar 2017.
128. Bardsley M, Cave B, Jacobson B. *Monitoring regeneration: a health indicators toolbox for practitioners*. London: King’s Fund; 2001.
129. Ewing R, Handy S, Brownson RC, Clemente O, Winston E. Identifying and measuring urban design qualities related to walkability. *J Phys Act Health*. 2006;3:S223–40.
130. Richardson EA, Mitchell R, Shortt NK, Pearce J, Dawson TP. Developing summary measures of health-related multiple physical environmental deprivation for epidemiological research. *Environ Plan A*. 2010;42:1650–68.
131. Saelens BE, Sallis JF, Black JB, Chen D. Neighborhood-based differences in physical activity: an environment scale evaluation. *American Journal of Public Health*; Washington. 2003;93:1552–8.
132. Baltimore City Health Department. Neighborhood health profile reports. Baltimore City Health Department 2014. <http://health.baltimorecity.gov/neighborhoods/neighborhood-health-profile-reports>. Accessed 11 Feb 2016.
133. Burton EJ, Mitchell L, Stride CB. Good places for ageing in place: development of objective built environment measures for investigating links with older people’s wellbeing. *BMC Public Health*. 2011;11:839.
134. Azmi DI, Ahmad P. A GIS approach: determinant of neighborhood environment indices in influencing walkability between two precincts in Putrajaya. AcE-Bs 2014 Seoul. Chung-Ang University, Seoul, S. Korea, 25–27 August 2014: Procedia—Social and Behavioral Sciences; 2015. p. 557–66.
135. Yang M-J, Yang M-S, Shih C-H, Kawachi I. Development and validation of an instrument to measure perceived neighborhood quality in Taiwan. *J Epidemiol Community Health*. 2002;56:492–6.
136. The Quality of Life Survey. The Quality of Life Project: quality of life in New Zealand’s cities. <http://www.qualityoflifeproject.govt.nz/index.htm>. Accessed 29 Mar 2017.
137. Pikora TJ, Giles-Corti B, Knuiaman MW, Bull FC, Jamrozik K, Donovan RJ. Neighborhood environmental factors correlated with walking near home: using SPACES. *Med Sci Sports Exerc*. 2006;38:708–14.
138. Liao P. Parallels between objective indicators and subjective perceptions of quality of life: a study of metropolitan and county areas in Taiwan. *Soc Indic Res*. 2008;91:99–114.
139. Parenteau M-P, Sawada M, Kristjansson EA, et al. Development of neighborhoods to measure spatial indicators of health. *URISA Journal*. 2008;20:43–55.
140. City of Pasadena. Records and Reports: Greater Pasadena Community Health Needs Assessment. City of Pasadena Department of Public Health. http://www.cityofpasadena.net/PublicHealth/Records_Reports/. Accessed 29 Mar 2017.
141. Clifton KJ, Livi Smith AD, Rodriguez D. The development and testing of an audit for the pedestrian environment. *Landsc Urban Plan*. 2007;80:95–110.
142. Sallis JF, Kerr J, Carlson JA, et al. Evaluating a brief self-report measure of neighborhood environments for physical activity research and surveillance: Physical Activity Neighborhood Environment Scale (PANES). *J Phys Act Health*. 2010;7:533–40.
143. Dreyling E, Dederick EJ, Chari R, et al. Tracking health and the environment: a pilot test of environmental public health indicators. *J Environ Health*. 2007;70:9–16.
144. Boyer R, Savageau D. *Places rated almanac*. Chicago: Rand McNally; 1981.
145. McCrea R, Shyy T-K, Stimson R. What is the strength of the link between objective and subjective indicators of urban quality of life? *Applied Research Quality Life*. 2006;1:79–96.
146. Maggino F. Perception and evaluation of the quality of life in Florence, Italy. In: Sirgy P of MMJ, Rahtz P of MD, Swain PSD, editors. *Community quality-of-life indicators*. Springer Netherlands; 2006. p. 75–125.
147. Soleimani M, Tavallaei S, Mansourian H, Barati Z. The assessment of quality of life in transitional neighborhoods. *Soc Indic Res*. 2014;119:1589–602.
148. Kapuria P. Quality of life in the city of Delhi: an assessment based on access to basic services. *Soc Indic Res*. 2013;117: 459–87.
149. Murphy-Greene C, Blair J. Binational vital signs: a quality of life indicator program for the San Diego–Tijuana Metropolitan Region 1. *Review of Policy Research*. 2004;21:681–98.
150. Federation of Canadian Municipalities. Municipal data (Données Municipales). 2011. <http://www.municipaldata-donneesmunicipales.ca/index.php?lang=en>. Accessed 27 Oct 2016.
151. Türksever ANE, Atalik G. Possibilities and limitations for the measurement of the quality of life in urban areas. *Social Indic Res*. 53:163–87.
152. Mercer. Mercer 2017 Quality of living rankings. Mercer. <https://www.imercer.com/content/mobility/quality-of-living-city-rankings.html>. Accessed 24 Apr 2017.
153. Talavera-Garcia R, Soria-Lara JA. Q-PLOS, developing an alternative walking index. A method based on urban design quality. *Cities*. 2015;45:7–17.

154. Qawasmeh R. Identification of the quality of urban life assessment aspects in residential neighborhoods in Doha. In: Marchettini N, Brebbia CA, Pulselli RM, Bastianoni S, editors. *The sustainable city IX: urban regeneration and sustainability*. Southampton: WIT Press; 2014.
155. Dunstan F, Fone DL, Glickman M, Palmer S. Objectively measured residential environment and self-reported health: a multilevel analysis of UK census data. *PLoS One*. 2013;8: e69045.
156. McLean J, Wilson L, Kent M. *Data, indicators, and tracking strategies for implementation of the City of Richmond's health and wellness element: an assessment and recommendations*. Richmond, CA: City of Richmond, Policy Link, Contra Costa Health Services; 2011.
157. City of Richmond City of Richmond Health in All Policies Strategy 2013-2014. Richmond, CA: City of Richmond; 2013.
158. About the SF Indicator Project. The San Francisco Indicators Project. <http://www.sfindicatorproject.org/about>. Accessed 29 Mar 2016.
159. Yang Y, Zheng Z. *Changing dimensions of a Livable City: a case study of Wuhan*. The Hague, Netherlands: International Society of City and Regional Planners (ISOCARP); 2011.
160. Lerman S. *Seattle healthy living assessment: pilot implementation report*. Seattle, WA: City of Seattle Department of Planning and Development; 2011.
161. Richardson EA, Pearce J, Mitchell R, Shortt NK. A regional measure of neighborhood multiple environmental deprivation: relationships with health and health inequalities. *Prof Geogr*. 2013;65:153–70.
162. Bethlehem JR, Mackenbach JD, Ben-Rebah M, Compennolle S, Glonti K, Bárdos H, et al. The SPOTLIGHT virtual audit tool: a valid and reliable tool to assess obesogenic characteristics of the built environment. *Int J Health Geogr* 2014;13.
163. Bernini C, Guizzardi A, Angelini G. DEA-like model and common weights approach for the construction of a subjective community well-being indicator. *Soc Indic Res*. 2013;114:405–24.
164. Pikora TJ, Bull FC, Jamrozik K, Knuiam M, Giles-Corti B, Donovan RJ. Developing a reliable audit instrument to measure the physical environment for physical activity. *Am J Prev Med*. 2002;23:187–94.
165. California Hospital Medical Center, Los Angeles County Department of Public Health. Think Health LA. <http://www.thinkhealthla.org/index.php>. Accessed 21 Mar 2017.
166. Truckee Meadows Tomorrow. <https://www.truckeemeadowstomorrow.org/>. Accessed 17 Feb 2017.
167. World Health Organization. *Urban heart: urban health equity assessment and response tool: user manual*. Kobe: World Health Organization, The WHO Centre for Health Development; 2010.
168. Landon M. Intra-urban health differentials in London—urban health indicators and policy implications. *Environ Urban*. 1996;8:119–28.
169. von Wirth T, Grêt-Regamey A, Stauffacher M. Mediating effects between objective and subjective indicators of urban quality of life: testing specific models for safety and access. *Soc Indic Res*. 2014;122:189–210.
170. Downs TJ, Ross L, Goble R, Subedi R, Greenberg S, Taylor O. Vulnerability, risk perception, and health profile of marginalized people exposed to multiple built-environment stressors in Worcester, Massachusetts: a pilot project. *Risk Analysis: An International Journal*. 2011;31: 609–28.
171. Redfin. Walk Score. <https://www.walkscore.com/>. Accessed 23 Jul 2016.
172. Frank LD, Sallis JF, Saelens BE, Leary L, Cain K, Conway TL, et al. The development of a walkability index: application to the Neighborhood Quality of Life Study. *Br J Sports Med*. 2010;44:924–33.
173. City of Santa Monica. The Wellbeing Index. The Wellbeing Project. <https://wellbeing.smgov.net/about/wellbeing-index>. Accessed 31 Mar 2017.
174. Moore E, Prakash S. Measuring what matters: neighborhood research for economic and environmental health and justice in Richmond, North Richmond, and San Pablo. Oakland: Pacific Institute; 2009.
175. WHO-European Centre for Environment and Health. Environmental Health Indicators: Development of a Methodology for the WHO European Region. Joint ECE/Eurostat Work Session on Methodological Issues of Environment Statistics. Ottawa: Statistical Commission and Economic Commission for Europe; 2001.
176. Webster P, McCarthy M. WHO healthy cities indicators. WHO Healthy Cities Technical Working Group on Health and Indicators. <http://cms.unige.ch/isdd/IMG/pdf/ehcquest.pdf>. Accessed 24 April 2017.
177. Is Dallas a Whole City? 2006 Wholeness City index report. Dallas, Texas: The J McDonald Williams Institute; 2006.
178. Malecki KC, Engelman CD, Peppard PE, et al. The Wisconsin Assessment of the Social and Built Environment (WASABE): a multi-dimensional objective audit instrument for examining neighborhood effects on health. *BMC Public Health* 2014;14(1). <https://doi.org/10.1186/1471-2458-14-1165>
179. World Health Organization Division of Mental Health. *Field trial WHOQOL-100: the 100 questions with response scales*. Geneva: World Health Organization; 1995.
180. World Health Organization. *The World Health Organization Quality of Life (WHOQOL)-BREF*. Geneva, Switzerland: World Health Organization; 2004.