AROUND THE ANCIENT TRACK

Archaeological Excavations for the Brighton and Hove
Waste Water Treatment Works and adjacent housing at
Peacehaven, East Sussex

Diccon Hart

AROUND THE ANCIENT TRACK

**ARCHAEOLOGICAL EXCAVATIONS FOR THE BRIGHTON &
HOVE WASTE WATER TREATMENT WORKS AND ADJACENT
HOUSING AT PEACEHAVEN, EAST SUSSEX**

Spoilheap Monograph Series

- 1 A Neolithic ring ditch and later features
at Staines Road Farm
Phil Jones
ISBN 978-0-9558846-0-3
- 2 Roman and Medieval Staines: the development
of the town
Phil Jones with Rob Poulton
ISBN 978-0-9558846-1-0
- 3 Excavations at Oatlands Palace
Rob Poulton with Alan Cook and Simon Thurley
ISBN 978-0-9558846-2-7
- 4 Settlement sites and sacred offerings: prehistoric and
later archaeology in the Thames Valley, near Chertsey
Graham Hayman, Phil Jones and Rob Poulton
ISBN 978-0-9558846-4-1
- 5 Upper Palaeolithic sites in the lower courses of the rivers
Colne and Wey: excavations at Church Lammas
and Wey Manor Farm
Phil Jones
ISBN 978-0-9558846-7-2
- 6 Living by the sword: the archaeology of Brisley Farm,
Ashford, Kent
Jim Stevenson
ISBN 978-0-9558846-8-9
- 7 Alien cities: consumption and the origins of
urbanism in Roman Britain
Dominic Perring and Martin Pitts
ISBN 978-0-9558846-9-6
- 8 A Mesolithic 'Persistent Place' at North Park Farm,
Bletchingley, Surrey
Phil Jones
ISBN 978-0-9576509-0-9
- 9 Flavian and later buildings at Snodland Roman villa:
excavations at Cantium Way, Snodland, Kent
Giles Dawkes
ISBN 978-0-9576509-3-0
- 10 Around the ancient track: archaeological excavations
for the Brighton & Hove Waste Water Treatment
Works and adjacent housing at Peacehaven, East Sussex
Diccon Hart
ISBN 978-0-9576509-4-7

AROUND THE ANCIENT TRACK

Archaeological excavations for the Brighton & Hove Waste Water Treatment Works and adjacent housing at Peacehaven, East Sussex

by

Diccon Hart

with contributions from

Hugo Anderson-Whymark, Gemma Ayton, Luke Barber, Anna Doherty, Chris Green,
Karine Le Hégarat, Peter Marshall, Matthew Pope, Robert Masefield, Dawn Mooney,
Elke Raemen, Lucy Sibun, Tom White and Dan Young

Illustrations by Fiona Griffin, Justin Russell and Antonio Reis

Monograph 10

SPOILHEAP PUBLICATIONS

A joint venture of Archaeology South-East (UCL Institute of Archaeology)
and Surrey County Archaeological Unit (Surrey County Council)

2015

Produced by SPOILHEAP PUBLICATIONS

a joint venture of Archaeology South-East (UCL) and Surrey County Archaeological Unit (Surrey County Council)
intended to provide a publication outlet for the results of archaeological investigation
and research from across south-east England

First published in 2015 by
Archaeology South-East, UCL Institute of Archaeology
2 Chapel Place, Portslade, East Sussex, BN41 1DR

Available to download free: <https://www.ucl.ac.uk/archaeology-south-east/publications>

Text © Archaeology South-East, UCL Institute of Archaeology and the authors, 2015

Images © Archaeology South-East, UCL Institute of Archaeology and authors, 2015

Modern map bases, historic maps and outlines used in this volume are reproduced based on Ordnance Survey data © crown copyright and
database right 2015.

Fig 1.3 contains British Geological Survey materials © UKRI 2015

This book is published under a Creative Common 4.0 International license (CC BY-NC-ND 4.0). This license allows you to share, copy and
distribute the material in any medium or format in unadapted form only, for non-commercial purposes only, providing attribution is given to
the authors.

Attribution should include the following information: Diccon Hart, Around the ancient track: archaeological excavations for the Brighton and
Hove Waste Water Treatment Works and adjacent housing at Peacehaven, East Sussex. Portslade, SpoilHeap Publications, 2015. [https://doi.
org/10.14324/000.bk.10135938](https://doi.org/10.14324/000.bk.10135938)

Further details about CC BY-NC-ND 4.0 licenses are available at <https://creativecommons.org/about/cclicenses/>

ISBN: 978-0-9576509-4-7 (Pbk)

ISBN: 978-1-912331-24-6 (PDF)

DOI: <https://doi.org/10.14324/000.bk.10135938>

Edited by Louise Rayner

Copy editing by Anne Marriott

Designed and typeset by Fiona Griffin

Front cover: Excavation underway at Lower Hoddern Farm, looking north-east towards the Upper Piddinghoe Valley

Back cover: (Clockwise from top left) Later Neolithic/Early Bronze Age round barrow S6 looking west, excavated at Lower
Hoddern Farm; Middle Bronze Age/Early Iron Age roundhouse B6 at Lower Hoddren Farm; Late Bronze Age biconical ceramic
spindle whorl with fingernail-impressed decorations. Excavated from a pit at Lower Hoddern Farm.

CONTENTS

LIST OF FIGURES.....	vii
LIST OF TABLES	xii
CONTRIBUTORS.....	xiv
SUMMARY.....	xv
RÉSUMÉ	xvi
ZUSAMMENFASSUNG.....	xvii
ACKNOWLEDGEMENTS	xviii
 1 INTRODUCTION	 1
1.1 Study area and associated sites	1
1.2 Geology and topography	1
1.3 Project background	3
1.4 Archaeological background.....	7
1.5 Structure of the analysis and report	12
1.6 Chronological framework.....	13
 2 THE GEOARCHAEOLOGICAL & PALAEOLANDSCAPE CONTEXT OF THE STUDY AREA.....	 15
2.1 Background.....	15
2.2 The wider downland landscape east of Brighton: observations of dry valley sections from the infrastructure sites	18
2.3 Observations at Lower Hodder Farm: the Upper Piddinghoe valley	19
2.4 Analysis and interpretation of molluscan fauna.....	26
2.5 Synthesis	30
 3 NEOLITHIC AND EARLY BRONZE AGE	 33
3.1 Residual Mesolithic material.....	33
3.2 Period 1: Early Neolithic, c 3700–3300 BC	33
3.3 Periods 2 and 3: Later Neolithic, c 3500–2250 BC, and Early Bronze Age, c 2250–1500 BC	39
3.4 Discussion.....	57
 4 MIDDLE BRONZE AGE–EARLY IRON AGE.....	 89
4.1 Period 4: Middle Bronze Age, c 1500–1150 BC.....	89
4.2 Period 5: Late Bronze Age, c 1150–800 BC.....	106
4.3 Period 6: transitional Late Bronze Age and Early Iron Age, c 800–400 BC.....	114
4.4 Discussion.....	117
 5 MIDDLE IRON AGE–EARLY ROMAN	 145
5.1 Period 7: Middle Iron Age, c 400–100/50 BC.....	145
5.2 Period 8: Latest Iron Age/Early Roman, c AD 10–150	166
5.3 Discussion.....	171
5.4 Post-Roman activity	192

6 SPECIALIST REPORTS	195
6.1 Struck flint	195
6.2 Stone	213
6.3 Prehistoric and Roman pottery	213
6.4 Post-Roman pottery	236
6.5 Fired clay	236
6.6 Registered finds	240
6.7 Charred plant remains	246
6.8 Charcoal	262
6.9 Cremated human bone	272
6.10 Animal bone	274
6.11 Radiocarbon dating	275
 7 CONCLUSIONS.....	 285
7.1 Introduction.....	285
7.2 Landscape and environment	285
7.3 Ceremony and ritual	285
7.4 Settlement and subsistence	287
7.5 Production and industry.....	289
7.6 Future research	289
7.7 Final thoughts	290
 BIBLIOGRAPHY	 293

LIST OF FIGURES

Fig 1.1 Location of excavation areas	2
Fig 1.2 Location of associated sites	3
Fig 1.3 Map of Peacehaven's local geology	4
Fig 1.4 Map of excavation areas showing local topography	5
Fig 1.5 Map of excavation areas showing location of colluvium	6
Fig 1.6 Map of geology of the wider landscape	7
Fig 1.7 Plan of previous work in the study area: geophysical survey	8
Fig 1.8 Plan of previous work in the study area: evaluation trenches	9
Fig 1.9 Photograph of excavation in progress at Lower Hoddern Farm, looking south.....	10
Fig 1.10 Photograph of excavation in progress at Lower Hoddern Farm, looking south-west.....	10
Fig 1.11 Photograph of excavation in progress at Keymer Avenue, looking north-west.....	10
Fig 1.12 Photograph of excavation in progress at Seaview Avenue, looking north-east	10
Fig 1.13 Probability distributions of radiocarbon dates from Lower Hoddern Farm	13
Fig 2.1 Landscape topography of the East Sussex Downs between Brighton and Newhaven	16
Fig 2.2 Detailed site location plan for Lower Hoddern Farm	20
Fig 2.3 North-east-facing section through dry valley trench.....	22
Fig 2.4 Ecological change through the upper part of the Portobello Pumping Station sequence.....	29
Fig 2.5 Coastal landforms and dry valley development between Brighton Marina (Black Rock) and Peacehaven	31
Fig 3.1 Plan of Early Neolithic features across the study area (period 1).....	34
Fig 3.2 Detailed plan of Early Neolithic features in Open Area 43 (period 1)	37
Fig 3.3 Early Neolithic pit sections A:G245	38
Fig 3.4 Early Neolithic pit sections A:G246	38
Fig 3.5 Early Neolithic pit sections A:G247	39
Fig 3.6 Early Neolithic tree throw section A[724].....	39
Fig 3.7 Plan of Early Neolithic pits in Open Area 43: pits with refitting flint and pottery	40
Fig 3.8 Probability distributions of radiocarbon dates from the Neolithic activity in the study area	41
Fig 3.9 Probability distribution showing the number of calendar years during which Neolithic activity occurred in the study area.....	41
Fig 3.10 Plan of Later Neolithic and Early Bronze Age features across the study area (periods 2 and 3)	42
Fig 3.11 Plan and selected sections of Later Neolithic pits and tree-clearance features at Lower Hoddern Farm (period 2)	43
Fig 3.12 Plan of period 2 pits at Keymer Avenue.....	44
Fig 3.13 Plan of period 2 pits at Seaview Avenue.....	45
Fig 3.14 Plan of period 2/3 monuments at Lower Hoddern Farm	46
Fig 3.15 Detailed plan and sections of Neolithic round barrow Structure 5 (period 2/3)	47
Fig 3.16 Plan of Neolithic round barrow Structure 5 (period 2/3) in relation to the Early Neolithic pits in Open Area 43 (period 1)	48
Fig 3.17 Detailed plan and sections of Later Neolithic/Early Bronze Age round barrow Structure 6 (period 2/3)	49
Fig 3.18 Photograph of excavated Later Neolithic/Early Bronze Age round barrow Structure 6 looking west, showing its ovoid shape.....	48
Fig 3.19 Photograph of pits A[1870] and A[1890]	50
Fig 3.20 Detailed plan of Later Neolithic/Early Bronze Age ring-ditch Structure 7 (period 2/3).....	50
Fig 3.21 Photograph of Later Neolithic/Early Bronze Age ring-ditch Structure 7 looking west (period 2/3)	50
Fig 3.22 Plan of proposed construction sequence for ring-ditch Structure 7 (period 2/3)	51

Fig 3.23 Detailed plan and section of Later Neolithic/Early Bronze Age ring-ditch Structure 16 and associated activity (period 2/3)	52
Fig 3.24 Detailed plan and section of possible pond barrow Structure 9 (period 3)	53
Fig 3.25 Photograph of possible pond barrow Structure 9 under excavation	53
Fig 3.26 Photograph of small pits A[1011] and A[1013] cut into possible pond barrow Structure 9.....	53
Fig 3.27 Early Bronze Age land division at Lower Hoddern Farm: plan of Trackway 1 and detailed plan and section of pit A[910].....	55
Fig 3.28 Photograph of pit A[910] under excavation.....	55
Fig 3.29 Photograph of placed cattle carcass in pit A[910].....	55
Fig 3.30 Photograph of discarded antler pick in base of pit A[910]	56
Fig 3.31 Plan of other Early Bronze Age pits at Lower Hoddern Farm (period 3)	56
Fig 3.32 Photograph of pit A[1195]	56
Fig 3.33 Detailed plan of pit A[715], showing its relationship with round barrow Structure 5 and the period 4 Trackway 5	57
Fig 3.34 Plan and selected section of Early Bronze Age features at Seaview Avenue (period 3)	59
Fig 3.35 Probability distributions of radiocarbon dates with diagnostically Early Neolithic association.....	60
Fig 3.36 Probability distributions of radiocarbon dates associated with Plain Bowl pottery from southern Britain.....	61
Fig 3.37 Probability distributions of radiocarbon dates associated with Peterborough Ware from England and Wales.....	71
Fig 3.38 Probability distributions of radiocarbon dates associated with Beakers from England	73
Fig 3.39 The alignment and organisation of the landscape in the Later Neolithic and Early Bronze Age.....	83
Fig 3.40 The Later Neolithic and Early Bronze Age monument alignments as an 'avenue' or 'path'.....	85
Fig 3.41 Elements of Early Bronze Age land division in relation to monument alignments of the pre-existing Later Neolithic/Early Bronze Age organised landscape.....	87
Fig 4.1 Plan of Middle Bronze Age features across the study area (period 4)	89
Fig 4.2 Plan of Middle Bronze Age (period 4) Field System 4 and related features on the north side of the valley.....	91
Fig 4.3 Plan of features at the western end of Trackway 1 and Field System 4 (period 4)	92
Fig 4.4 Plan of Field System 3 (period 4) on the south side of the valley.....	93
Fig 4.5 Plan of Field System 1 (period 4) at Seaview Avenue	94
Fig 4.6 Plan of Building 5, a possible raised granary, and associated Open Area 58.....	95
Fig 4.7 Plan of Building 1, a possible raised granary, and associated features.....	96
Fig 4.8 Photograph of pottery vessel associated with possible granary structure Building 1	96
Fig 4.9 Plan and selected sections of agro-industrial complex Open Area 57 and associated windbreak Structure 10	96
Fig 4.10 Photograph of agro-industrial complex Open Area 57 under excavation.....	97
Fig 4.11 Plan of Building 4 and Open Area 73 (period 4)	98
Fig 4.12 Plan of settlement 1 (period 4)	98
Fig 4.13 Detailed plan and selected sections of roundhouse Building 6	99
Fig 4.14 Photograph of roundhouse Building 6 after excavation.....	100
Fig 4.15 Detailed plan and selected sections of roundhouse Building 7	100
Fig 4.16 Photograph of roundhouse Building 7 after excavation.....	101
Fig 4.17 Detailed plan and selected sections of roundhouse Building 2	101
Fig 4.18 Photograph of settlement 1, showing ring-ditch monument Structure 7.....	102
Fig 4.19 Detailed plan and selected sections of probable Building 16	103
Fig 4.20 Photograph of pit A[521] with an inverted saddle quern and crushed semi-complete pottery vessel forming part of a probable structured deposit.....	105
Fig 4.21 Photograph of pit A[521] under excavation.....	105
Fig 4.22 Photograph of pit A[508], showing unmodified chalk breccia and associated semi-complete pottery vessel	105
Fig 4.23 Detailed plan and section of probable roundhouse Building 8	105

Fig 4.24 Plan of cremation cemetery OA66.....	106
Fig 4.25 Photograph of cremation burial A[629]	106
Fig 4.26 Plan of Late Bronze Age features across the study area (period 5).....	107
Fig 4.27 Photograph of metalling over part of Trackway 1	108
Fig 4.28 Photograph of placed post-Deverel-Rimbury vessel associated with the infilled hut platform of roundhouse Building 8.....	108
Fig 4.29 Plan of settlement 2 (period 5)	109
Fig 4.30 Detailed plan of D-shaped Building 15 within Open Area 61	109
Fig 4.31 Photograph of clay-lined pit A[2015] under excavation	110
Fig 4.32 Photograph of placed pottery vessel A[2179]	110
Fig 4.33 Photograph of dump of pottery in pit A[1576]	111
Fig 4.34 Photograph of briquetage pedestal RF<13> in pit A[2024]	111
Fig 4.35 Plan of pit A[1606]	111
Fig 4.36 Photograph of pottery vessel in pit A[1630] during excavation	112
Fig 4.37 Photograph of pottery vessel in pit A[2009]	112
Fig 4.38 Photograph of pottery vessel in pit A[1606]	112
Fig 4.39 Detailed plan of possible working hollow in Open Area 60	113
Fig 4.40 Photograph of pottery vessel in pit A[1084]	113
Fig 4.41 Detailed plan of Building 9 and pits in Open Area 36.....	114
Fig 4.42 Plan of Late Bronze Age features at Seaview Avenue in Open Area 4 (period 5).....	114
Fig 4.43 Plan of Late Bronze Age/Early Iron Age features across the study area (period 6)	115
Fig 4.44 Detailed plan and section of possible grain-drying kiln Structure 12.....	116
Fig 4.45 Detailed plan and section of pit B[443] within Open Area 12 (period 6)	116
Fig 4.46 Detailed plan and section of pit C[117] within Open Area 5 (period 6)	117
Fig 4.47 Probability distributions of radiocarbon dates from the Middle Bronze Age activity in the study area.....	119
Fig 4.48 Probability distribution showing the number of calendar years during which Middle Bronze Age activity occurred in the study area	119
Fig 4.49 Interpretative plan of possible stock-sorting race, Trackway 2	124
Fig 4.50 Interpretative plan of possible stock-sorting race between Trackways 15 and 16.....	124
Fig 4.51 Plans of Bronze Age buildings excavated from the study area, with comparative examples	133
Fig 5.1 Plan of Middle Iron Age features across the study area (period 7)	146
Fig 5.2 Plan of period 7, phase 1 features across study area.....	147
Fig 5.3 Plan of settlement 3 features at Keymer Avenue (period 7, phase 1).....	148
Fig 5.4 Detailed plan of Building 12 and related sections	149
Fig 5.5 Detailed plan of Building 14 and related sections	150
Fig 5.6 Detailed plan of Buildings 10 and 11 within Open Area 16, and related sections	151
Fig 5.7 Detailed plan and selected sections of Open Area 14 working hollow	151
Fig 5.8 Photograph of Open Area 14 under excavation	152
Fig 5.9 Photograph of midden deposit Open Area 15 under excavation	152
Fig 5.10 Detailed plan and selected sections of fence Structure 1 and associated pitting Open Area 13	152
Fig 5.11 Plan of period 7, phase 2 features across the study area.....	153
Fig 5.12 Plan of Enclosure 1 and Open Area 18 (period 7, phase 2a) at Keymer Avenue and Lower Hodder Farm	154
Fig 5.13 Detailed plan and selected sections of Enclosure 1	155
Fig 5.14 Photograph of pit B[1331] under excavation showing the quantity of flint contained within the feature	156
Fig 5.15 Plan of period 7, phase 2b features at Keymer Avenue and Lower Hodder Farm.....	157

Fig 5.16 Plan of Enclosure 2 and associated open areas (period 7, phase 2b) at Keymer Avenue	159
Fig 5.17 Detailed plan and selected sections of Building 13 shown in relation to footprint of earlier Building 12.....	160
Fig 5.18 Plan of period 7, phase 2c features at Keymer Avenue and Lower Hoddern Farm.....	161
Fig 5.19 Plan of period 7, phase 2c features at Keymer Avenue.....	162
Fig 5.20 Detailed plan and sections of Enclosure 6.....	163
Fig 5.21 Plan and selected sections of settlement-related activity associated with Building 3 and Open Area 40	164
Fig 5.22 Detailed plan and selected sections of Building 3.....	165
Fig 5.23 Photograph of Building 3 under excavation.....	165
Fig 5.24 Plan and sections of features in Open Area 11	166
Fig 5.25 Plan and section of Open Area 6 with probable watering hole C[249].....	166
Fig 5.26 Plan of Latest Iron Age/Early Roman features across the study area (period 8).....	167
Fig 5.27 Plan and sections of Enclosures 4 and 5 at Lower Hoddern Farm (period 8)	169
Fig 5.28 Photograph of Early Roman cremations under excavation	170
Fig 5.29 Plan of cremation vessels shown in relation to pit A[2087]	170
Fig 5.30 Plans of Middle Iron Age buildings excavated from the study area, with comparative examples	176
Fig 5.31 Interpretative plan of Building 3.....	178
Fig 5.32 Distribution of finds in Building 12 features	179
Fig 5.33 Interpretative plan of Building 12 showing possible functional arrangement	179
Fig 5.34 Interpretative plan of suggested livestock management strategies associated with Enclosures 1 and 3.....	183
Fig 5.35 Interpretative plan showing possible organisation of the unenclosed settlement (period 7, phase 1)	185
Fig 5.36 Interpretative plan showing possible layout of the enclosed settlement (period 7, phase 2)	187
Fig 5.37 Distribution of calcined flint within midden Open Area 15	189
Fig 5.38 Plan of post-medieval features across study area (period 9)	193
Fig 6.1 Struck flint nos 1–4.....	200
Fig 6.2 Struck flint nos 5–10.....	201
Fig 6.3 Distribution of flints in Early Neolithic pits	202
Fig 6.4 Struck flint nos 11–21.....	205
Fig 6.5 Struck flint nos 22–23.....	209
Fig 6.6 Struck flint nos 24–28.....	210
Fig 6.7 Struck flint nos 29–34.....	212
Fig 6.8 Pottery vessels nos 1–6, 12–13, 17–18, 20–23, 25–33, 35, 37–39, 41–44, 51.....	217
Fig 6.9 Distribution of vessel rim diameter in period 1, Lower Hoddern Farm.....	218
Fig 6.10 Pottery vessels nos 54–56, 58–59.....	221
Fig 6.11 Pottery vessels nos 125–134.....	222
Fig 6.12 Pottery vessels nos 60–63.....	223
Fig 6.13 Pottery vessels nos 64–77.....	225
Fig 6.14 Pottery vessels nos 78–106.....	229
Fig 6.15 Pottery vessels nos 107–110, 135.....	230
Fig 6.16 Pottery vessels nos 136–153.....	232
Fig 6.17 Pottery vessels nos 111–124.....	234
Fig 6.18 Briquetage fragments nos 1–13.....	238
Fig 6.19 Registered finds nos 2–7.....	241
Fig 6.20 Quernstone fragments nos 8–9.....	243

Fig 6.21 Quartzite pebbles nos 10–12	245
Fig 6.22 Photograph of antler pick	245
Fig 6.23 Miscellaneous objects nos 14–15	246
Fig 6.24 Probability distributions of radiocarbon dates from the study area	278
Fig 6.25 Probability distributions of radiocarbon dates from the Early Neolithic activity in the study area	279
Fig 6.26 Probability distribution showing the number of calendar years during which Early Neolithic activity occurred in the study area	279
Fig 6.27 Probability distributions of radiocarbon dates from the Middle Bronze Age activity in the study area	280
Fig 6.28 Probability distribution showing the number of calendar years during which Middle Bronze Age activity occurred in the study area	280
Fig 6.29 Probability distributions of radiocarbon dates with diagnostically Early Neolithic association	281
Fig 6.30 Probability distributions of radiocarbon dates associated with Plain Bowl pottery from southern Britain	282
Fig 6.31 Probability distributions of radiocarbon dates associated with Peterborough Ware from England and Wales	282
Fig 6.32 Probability distributions of radiocarbon dates associated with Beakers from England	283
Fig 6.33 Probability distributions of radiocarbon dates associated with Deverel-Rimbury ceramics from central southern England	283
Fig 6.34 Probability distributions of radiocarbon dates associated with post Deverel-Rimbury plain ware ceramics from central southern England	283

LIST OF TABLES

Table 1.1 Summary of the excavations carried out at Peacehaven by site prefix	12
Table 1.2 Chronological framework	14
Table 2.1 Lithostratigraphic description of exposure at Marine Drive	18
Table 2.2 Lithostratigraphic description of exposure in ancillary trench at Ovingdean.....	18
Table 2.3 Lithostratigraphic description of exposure in ancillary trench at Rottingdean.....	19
Table 2.4 Lithostratigraphic description of exposure in road cut section at Portobello.	19
Table 2.5 Lithostratigraphic description of dry valley trench, sequence 1	23
Table 2.6 Lithostratigraphic description of dry valley trench, sequence 2.....	23
Table 2.7 Lithostratigraphic description of dry valley trench, sequence 3.....	24
Table 2.8 Lithostratigraphic description of dry valley trench, sequence 4.....	24
Table 2.9 Lithostratigraphic description of dry valley trench, sequence 5.....	25
Table 2.10 Lithostratigraphic description of dry valley trench, sequence 6.....	25
Table 2.11 Lithostratigraphic description of dry valley trench, sequence 7.....	25
Table 2.12 Lithostratigraphic description of Trench C1, Lower Hoddern Farm.....	26
Table 2.13 Results of the Mollusca analysis of sequences from the Lower Hoddern Farm and Portobello Pumping Station sites.....	28-29
Table 2.14 Ecological groupings of the Mollusca assemblages from the Wastewater Treatment Works and Portobello Pumping Station sites, modified from Puisségur (1976).....	29
Table 3.1 Summary of Early Neolithic pits in the study area.....	36
Table 3.2 Summary of Later Neolithic pits in the study area.....	44
Table 3.3 Summary of Early Bronze Age pits in the study area	58
Table 4.1 Quantification of pottery associated with Later Bronze Age structures	132
Table 6.1 The flint assemblage by excavation/fieldwork.....	196
Table 6.2 The flint assemblage from all sites by phase.....	197-198
Table 6.3 Condition of the flint assemblage by site.....	198
Table 6.4 Condition of the flint assemblage by phase	198
Table 6.5 Surface condition of the flint assemblage by site.....	198
Table 6.6 The flint assemblage from Early Neolithic features at Lower Hoddern Farm by group and feature	203
Table 6.7 The flint assemblage from Later Neolithic pits by group and feature	207
Table 6.8 The flint assemblage from Later Neolithic and Early Bronze Age features at Lower Hoddern Farm by group and feature.....	208
Table 6.9 The flint assemblage from Early Bronze Age features by group and feature.....	208
Table 6.10 Overview of assemblage size and principle periods/pottery traditions represented	214
Table 6.11 Quantification of fabrics in period 1 deposits at Lower Hoddern Farm.....	215
Table 6.12 Overview of vessel profiles in period 1 at Lower Hoddern Farm.....	216
Table 6.13 Summary of period 1 decoration, surface treatment and other features at Lower Hoddern Farm.....	218
Table 6.14 Quantification of fabrics in period 4 deposits at Lower Hoddern Farm.....	224
Table 6.15 Quantification of fabrics in period 5 deposits at Lower Hoddern Farm.....	227
Table 6.16 Quantification of fabrics in layer A[1056].....	230
Table 6.17 Quantification of fabrics in period 7	231

Table 6.18 Quantification of fabric types from period 8 deposits at Lower Hoddern Farm.....	233
Table 6.19 Quantification of fired clay by general class and by site	236
Table 6.20 Overview of number of pieces of fired clay by period and by broad fabric group.....	237
Table 6.21 Quantification of structural clay pieces by number, form, site and period	237
Table 6.22 Quantification of briquetage by number, form and period.	238
Table 6.23 Summary of the registered finds.....	240
Table 6.24 Antler pick measurements	245
Table 6.25 Samples selected for analysis of charred macroplant remains	246
Table 6.26 Summary of the charred macroplant remains by period	248
Table 6.27 Abundance of macroplant remains from Lower Hoddern Farm, Keymer Avenue and Seaview Avenue, periods 1–5.....	260
Table 6.28 Abundance of macroplant remains from Lower Hoddern Farm, Keymer Avenue and Seaview Avenue, periods 6–8.....	261
Table 6.29 Fragment frequencies of each taxon observed in the assemblage per sample.....	264-266
Table 6.30 Presence of woody taxa by period.....	267
Table 6.31 Summary of results from analysis of Middle Bronze Age cremation burials.	272
Table 6.32 Summary of results from analysis of Romano-British cremation burial.....	273
Table 6.33 NISP count for all periods	275
Table 6.34 Radiocarbon results from the study area.....	277

CONTRIBUTORS

Principal author	Diccon Hart
Struck flint	Hugo Anderson-Whymark
Prehistoric and Roman pottery	Anna Doherty
Post-Roman pottery	Luke Barber
Registered finds	Elke Raemen
Fired clay	Elke Raemen
Stone	Luke Barber
Cremated bone	Lucy Sibun
Animal bone	Gemma Ayton
Charred plant remains	Karine Le Hégarat
Charcoal	Dawn Elise Mooney
Radiocarbon dating	Peter Marshall
Molluscs	Tom White
Geoarchaeology	Matthew Pope, Daniel Young, Chris Green
Illustrations	Fiona Griffin, Justin Russell, Antonio Reis
Editor	Louise Rayner

SUMMARY

This report details the results of a series of archaeological excavations undertaken on chalk downland to the north-east of the coastal town of Peacehaven, East Sussex, between 2006 and 2010. Also included are the results of geoarchaeological observations undertaken on a series of related sites along the south coast between Brighton and Peacehaven. The archaeological excavations at Peacehaven amounted to some 36.2ha and constituted a rare opportunity to examine past land use on an unprecedented landscape scale in the context of the South Downs.

A small quantity of residual Mesolithic struck flint attests to at least some activity of this date in the vicinity of the excavations. However, it is not until the Early Neolithic (*c* 3700–3300 BC) period that the first definite evidence for human activity appears in the archaeological record, in the form of a number of pits containing highly distinctive structured deposits of pottery, struck flint, burnt grain and cereal-processing equipment.

While the Later Neolithic was, by contrast, only very poorly represented, by the time of the Early Bronze Age an organised monumental landscape of ring-ditches, round barrows and a probable pond barrow had been established across the landscape. Evidence for permanent land division begins to appear in the archaeological record towards the end of the Early Bronze Age and by the advent of the Middle Bronze Age, around 1500 BC, extensive field systems had been established across the landscape, interspersed with small settlements of roundhouses and a small cremation cemetery. The Late Bronze Age, from around 1150 BC onwards, saw the abandonment of the small settlements of the preceding period, although at least one new settlement, including a rare D-shaped building, was established at this time.

There was little evidence for occupation during the ensuing Early Iron Age, between around 950 and 400 BC, and it is likely that the landscape was only minimally occupied at this time. However, with the beginning of the Middle Iron Age, from around 400 BC onwards, there was a dramatic increase in activity in the landscape. Initially, this seems to have taken the form of a small, unenclosed and possibly seasonal settlement, consisting of a number of rectangular buildings with associated activity areas, which may have been related to the upland pasturing of livestock. However, this soon expanded into an extensive complex of enclosures, linked with a new network of trackways and given over primarily to the corralling and management of livestock. Many of the rectangular buildings of the early, unenclosed phase of settlement appeared to have been retained throughout subsequent phases of enclosure, so that by the end of the period the settlement not only included several of these rectangular buildings (which may have functioned as workshops or similar structures by this time) but also a roundhouse and a well-defined area of pits, which may represent grain storage facilities for the settlement.

There appears to have been a hiatus in occupation during much of the Late Iron Age although in the centuries leading up to the Roman Conquest a small farmstead seems to have been established in part of the Middle Iron Age enclosure complex. This in turn was apparently abandoned by the early 2nd century AD, and there was virtually no evidence for occupation from this time onwards until the creation of new field boundaries in the post-medieval period, probably during the 17th–19th centuries AD.

RÉSUMÉ

Ce rapport détaille les résultats d'une série de fouilles archéologiques, effectuées sur les collines de craie au nord-est de la ville côtière de Peacehaven dans l'East Sussex, entre 2006 et 2010. Il inclut aussi les résultats des observations géoarchéologiques entreprises sur une série de sites reliés les uns aux autres le long de la côte sud entre Brighton et Peacehaven. Les fouilles archéologiques de Peacehaven s'étendent sur 36.2 hectares et constituent une rare opportunité d'examiner l'exploitation agricole dans le passé à une échelle sans précédent dans le paysage des South Downs.

Une infime quantité de silex résiduels taillés atteste au minimum de quelques activités au Mésolithique aux environs des zones fouillées. Cependant, ce n'est pas avant le début du Néolithique (3700-3300 avant J.C), que les premières évidences d'une occupation humaine apparaissent dans les données archéologiques, sous la forme d'un nombre de fosses contenant des dépôts distinctifs de céramique, silex taillés, grains carbonisés et d'équipements pour le traitement des céréales.

Tandis qu'au Néolithique tardif, l'activité est pauvrement représentée; au contraire, à la période de l'Age du Bronze Ancien s'opère un remaniement important du paysage avec la création de fossés et tumuli circulaires et d'un monument de type rituel. L'évidence d'une division permanente des terres commence à apparaître dans les zones fouillées à la fin de l'Age du Bronze Ancien. Au début de l'Age du Bronze Moyen aux environs de 1500 avant J.C, un système étendu de champs a été établi à travers le paysage, entrecoupé d'habitats modestes de maisons circulaires avec un champ funéraire de crémation. L'Age du Bronze Tardif, débutant aux alentours de 1150 avant J.C, montre l'abandon des petites occupations de la phase précédente, mais seulement la création d'un nouveau lieu de vie incluant un bâtiment rare en forme de D.

Il y a un faisceau d'évidences d'une occupation à l'Age du Fer Récent (entre 950-400 avant J.C), le paysage semble occupé de façon minimaliste à cette période. Cependant avec le commencement de l'Age du Fer Moyen, aux alentours de 400 avant J.C, il y a une augmentation spectaculaire de l'activité. A l'origine, il semblerait que cette présence, probablement saisonnière, ait pris la forme d'un petit établissement non clôturé consistant à des bâtiments rectangulaires avec des zones d'artisanats associées, qui ont pu être liées à un système de transhumance. Cependant, cette fonction évolue rapidement en un vaste et complexe système d'enclos, lié à un nouveau réseau de voies de circulation et axé plus principalement sur le parcage et la gestion du bétail. De nombreuses constructions rectangulaires de la première phase d'habitat sans clôture apparaissent avoir été maintenues tout au long des périodes ultérieures de clôture ; donc à la fin de cet âge, l'aménagement inclut non seulement les bâtiments rectangulaires (qui peuvent avoir fonctionné en tant qu'ateliers ou des structures similaires de cette période), mais aussi d'une maison circulaire et des zones bien définies représentant des installations de fosses de stockage de céréales pour l'habitat.

Il apparaît un hiatus dans l'occupation durant une grande majorité de l'Age du Fer Tardif, bien que dans les siècles qui ont précédé la conquête romaine une petite ferme semble avoir été établie dans le cadre du complexe de l'enclos de l'Age du Fer Moyen. Elle a apparemment été abandonnée au début du second siècle de notre ère. Les fouilles n'ont révélé aucune autre implantation, jusqu'à la mise en place du nouveau parcellaire, à la période Moderne entre le XVIIème et le XIXème siècle.

ZUSAMMENFASSUNG

Der hier vorliegende Bericht beschreibt eine Reihe von archäologischen Untersuchungen, die zwischen 2006-2010 auf den vegetationsarmen Kreidehügeln nord-östlich des südenglischen Küstenortes Peacehaven (East Sussex) stattfanden.

Die Auswertung beinhaltet außer den rein archäologischen Untersuchungen auch eine Sammlung von geoarchäologischen Beobachtungen, die auf benachbarten Fundorten zwischen Brighton und Peacehaven gemacht wurden. Die Grabung bei Peacehaven fand auf ca. 36.2ha statt und bot die seltene Gelegenheit, die prähistorische Nutzung (vor allem in Viehhaltung und Landwirtschaft) einer Landschaft in den englischen South Downs näher zu untersuchen.

Eine kleine Anzahl mittelsteinzeitlicher Silexartefakte im Befund läßt auf eine schon sehr frühe, jedoch aber beschränkte Nutzung der Landschaft schließen. Die ersten deutlicheren Hinweise auf menschliche Aktivität finden sich in einigen frühneolithischen Gruben, in denen Keramik, Silexartefakte, verbranntes Getreide und Gegenstände zur Getreideverarbeitung gefunden wurden. Diese datieren zwischen ca. 3700-3300 v. Chr.

Das Spätneolithikum ist nur spärlich im Befund und im vorliegenden Fundmaterial vertreten, während es reichlich Anzeichen auf eine intensive frühbronzezeitliche Nutzung der Landschaft gibt; in Teilen des Untersuchungsgebietes finden sich Ringgräben, Hügelgräber und ein vermutlicher Rundwall („pond barrow“). Weitere direkte Hinweise auf eine permanente Aufteilung der Landschaft erscheinen auch in späteren frühbronzezeitlichen Befunden. Bevor Beginn der Mittelbronzezeit (c. 1500 v. Chr.) waren Feldabgrenzungen und Feldbegrenzungen etabliert und kleine Siedlungen von Rundhäusern und kleineren Brandbestattungsplätzen zwischen den Feldern angelegt. Jene Siedlungsplätze und Gräberfelder wurden jedoch während der Spätbronzezeit wieder verlassen und unsere Befunde zeigen, dass zu der Zeit nur eine einzige spätbronzezeitliche Siedlung hier ihren Ursprung fand. Zu dieser spätbronzezeitlichen Siedlung gehörte auch ein seltenes Gebäude mit D-förmigem Grundriß.

Im Gegensatz zum bronzezeitlichen Befund gab es nur wenige Anzeichen für eine früheisenzeitliche Besiedlung (c. 950-400BC), was vermuten läßt, daß die Landschaft um Peacehaven zu jener Zeit nur spärlich oder gar nicht genutzt wurde. Dies änderte sich jedoch abrupt zu Beginn der mittleren Eisenzeit, von c. 400 v. Chr. an: zu dieser Zeit entstand eine Anzahl kleinerer, unbefriedeter und wahrscheinlich jahreszeitlich begrenzter Siedlungen, die vor allem aus rechteckigen Gehöften bestanden. An jene Gehöfte waren häufig kleine offene Areale angeschlossen, die vermutlich mit der Hochlandviehhaltung zu tun hatten.

Aus dieser Ansammlung von kleineren mitteleisenzeitlichen Gehöften wurde relativ schnell eine grössere Gruppe von Höfen und Anlagen, welche von einem weitreichenden Netzwerk aus Pfaden verbunden waren. Es ist denkbar, daß diese Pfade dazu benutzt wurden Vieh zusammenzutreiben und von Weide zu Weide zu bewegen. Viele dieser rechteckigen Gebäude der frühen mitteleisenzeitlichen Siedlung wurden in Stand gehalten und später vermutlich als Werkstätten genutzt. Am Ende der mittleren Eisenzeit bestand die Siedlung dann nicht nur aus diesen rechteckigen Gebäuden, sondern umschloß außerdem auch ein Rundhaus und ein klar definiertes Areal von kleineren Gruben, die wahrscheinlich als Getreidespeicher genutzt wurden.

In der späten Eisenzeit gibt es eine weitere Lücke im Befund: es gibt keinerlei Hinweise darauf, dass die intensive mitteleisenzeitliche Besiedlung bis in die Späteisenzeit Bestand hatte. Nur ein einzelnes kleineres neues Gehöft wurde vor der römischen Invasion an der Stelle jener mitteleisenzeitlichen Siedlung errichtet. Dieses Gehöft wurde jedoch zu Beginn des 2. Jh. n. Chr. wieder aufgegeben und es gibt keine weiteren archäologischen Befunde, die chronologisch zwischen jenem letzten Gehöft und der Erschaffung neuer Feldbegrenzungen im 17.-19. Jahrhunderts liegen.

ACKNOWLEDGEMENTS

Archaeology South-East would like to thank Brighton & Hove 4Delivery Ltd for commissioning the project and for funding the fieldwork and post-excavation analyses on behalf of their client Southern Water Services Ltd in advance of development for the Brighton & Hove Wastewater Treatment Works, and Bovis Homes Ltd for commissioning and funding the fieldwork and post-excavation analyses of the Keymer Avenue and Seaview Avenue sites. The fieldwork was monitored by Greg Chuter and Casper Johnson of East Sussex County Council Archaeology Section, whose advice and guidance throughout the fieldwork and initial stages of post-excavation analysis is gratefully acknowledged. In addition, archaeological consultancy was provided by Robert Masfield of RPS Planning and Environment Ltd on behalf of Southern Water Services Ltd during fieldwork and post-excavation analysis at the Brighton & Hove Wastewater Treatment Works sites.

The excavations at Keymer Avenue and Seaview Avenue undertaken in 2007 were directed by Paul Riccoboni, with assistance from Andrew Margetts. The excavations carried out in 2009 and 2010 at Lower Hoddern Farm and Seaview Avenue were directed by Diccon Hart, assisted principally by Andrew Margetts, Simon Stevens and Sarah Porteus. Post-excavation assessments of the fieldwork results were prepared by Diccon Hart (Lower Hoddern Farm and the Seaview Avenue 2010 excavations) and Paul Riccoboni (Keymer Avenue and the Seaview Avenue 2007 excavations). Specialist assessment was carried out by Lucy Allott, Gemma Ayton, Luke Barber, Chris Butler, Anna Doherty, Hugo Lamdin-Whymark, Peter Marshall, Sarah Porteus, Elke Raemen and Lucy Sibun. Justin Russell prepared the figures for all post-excavation assessments. The archaeological fieldwork was managed by Darryl Palmer and Neil Griffin. Post-excavation assessments were managed by Louise Rayner and Dan Swift, while Louise Rayner also managed the subsequent analysis and publication stages of work.

Archaeology South-East and the author would like to thank Dr Paul Garwood and Dr Ann Woodward for invaluable advice as academic referees during the production of this publication. The author would also like to extend particular thanks to Robert Masfield of RPS Planning and Environment Ltd for numerous highly stimulating and productive discussions and debates on the archaeology revealed at the Lower Hoddern Farm site, throughout both the fieldwork and the subsequent post-excavation analysis; undoubtedly, this final publication owes much to those early discussions. Any errors or omissions are, of course, entirely the fault of the author.

Last, but by no means least, deep gratitude is extended to the fieldwork personnel on the various excavations who often worked very long hours, in virtually all weather conditions, to ensure that archaeological fieldwork was completed ahead of programme. These are as follows: David Atkin, Gemma Ayton, Jim Ball, Tony Baxter, Nicola Bettley, Robert Cole, John Cook, Lesley Davidson, Giles Dawkes, Anna Doherty, David Fallon, Claire Gannon, Jonathan Gardner, Nick Garland, Hayley Goacher, Kathy Grant, David Honess, Dylan Hopkinson, Paula Howell, Karine Le Hégarat, Andi Margetts, Roddy Mattinson, Sally Mortimore, Louise Munns, Nina Olofsson, Liane Peyre, Vincenzo Poppiti, Sarah Porteus, Greg Priestley-Bell, Tomos Proffitt, Cameron Ross, Chris Russel, Caroline Russell, Ben Sharp, Michelle Statton, Simon Stevens, Alice Thorne, Mark Tibble, Rob Wallace, Gary Webster, Jim Webster, Deon Whittaker and David Yates.

CHAPTER 1 INTRODUCTION

1.1 STUDY AREA AND ASSOCIATED SITES

This volume presents the results of a series of excavations undertaken by Archaeology South-East between 2006 and 2010 on chalk downland to the north-east of the coastal town of Peacehaven, East Sussex (Fig 1.1). Together, the excavations amounted to approximately 36.2ha and provided a rare opportunity to examine some four millennia of downland land use over an area of unprecedented scale in the context of Sussex and the South Downs.

The largest of the excavations, which totalled some 32.3ha and constituted the largest excavation undertaken to date in Sussex and the South Downs, was carried out on the site of the proposed Brighton & Hove Wastewater Treatment Works at Lower Hoddern Farm (site code BHT09). This major project was conducted for 4Delivery Ltd and Southern Water Ltd with overall archaeological project management by RPS Planning and Environment Ltd. The other excavations were located immediately to the south of the Lower Hoddern Farm site and included an excavation area measuring *c* 2.67ha to the west at Keymer Avenue (site code SKP06) and a series of smaller excavation areas adding up to some 1.25ha to the east at Seaview Avenue (site codes SKP06 and SVP10). These excavations were undertaken by Archaeology South-East on behalf of Bovis Homes Ltd. The three sites were bounded to the south and south-east by residential development and to the west, north and east by farmland. The unexcavated area between the Keymer Avenue and Seaview Avenue sites was occupied by playing fields. Prior to the commencement of the fieldwork, all three sites consisted of arable farmland.

This volume also documents the results of geoarchaeological investigations that took place along the route of the transfer infrastructure scheme associated with the construction of the Brighton & Hove Wastewater Treatment Works site at Lower Hoddern Farm. Five sites along the route of this scheme were subject to geoarchaeological investigations: Black Rock, Marine Drive/Roedean, Ovingdean, Rottingdean and Portobello (Fig 1.2). Analysis of the results of this work has provided a wider palaeolandscape context for the sites of the study area.

1.2 GEOLOGY AND TOPOGRAPHY

Despite the location of the excavations on chalk downland, the underlying geology of the study area proved to be highly variable across all three sites (Fig 1.3). Solid geology includes the White (Upper) Chalk and deposits of the overlying Lambeth Group, as mapped by the British Geological Survey (BGS 2012), as well as a number of superficial deposits not mapped by the British Geological Survey, including areas of Clay-with-Flints, loess and undifferentiated head deposits. In addition, stratified colluvial deposits survive in the various dry valley systems that exist in the study area.

Topographically, the excavations were dominated by the Upper Piddinghoe valley, a dry valley formation that runs in a broadly east–west alignment through the Lower Hoddern Farm site (Fig 1.4). In the down-valley direction, to the east, this formation becomes increasingly deeply incised and asymmetrical in profile and eventually, beyond the limits of the site, turns to the north to form the valley of a minor tributary of the River Ouse. To the west, within the limits of the Lower Hoddern Farm site, several smaller rudimentary valleys feed into the main valley formation around its margins, forming the uppermost elements of the valley system and also retaining deposits of colluvium (Fig 1.5). At least four such tributaries exist on the northern flank of the valley, but only one can be discerned on the south side.

Effectively, this valley system bisected the study area, creating two fairly distinct upland zones to the north and south, and this topography can be seen to influence land use throughout much of the history of the site. Maximum elevations vary between *c* 44m and 45m OD to the north of the valley and 37m and 38m OD to the south. On the floor of the valley, elevations vary from *c* 32m OD at the western end to 23m OD to the east, giving the valley a maximum relief of *c* 20–22m, although this was much deeper prior to colluviation. This landform pattern of dry valleys with associated colluvial sequences, cut into underlying chalk, is a recurrent feature of the wider landscape in which the associated sites of the Brighton & Hove Wastewater Treatment Works transfer infrastructure were situated (Fig 1.6). The geology and topography of the study area and its wider context are discussed in further detail in Chapter 2.

Fig 1.1 Location of excavation areas

Fig 1.2 Location of associated sites

1.3 PROJECT BACKGROUND

Several phases of archaeological investigation have been carried out over the years at the various sites making up the study area. These, and the relevant planning histories of each of the projects, are summarised below.

EXCAVATIONS AT LOWER HODDERN FARM AND ASSOCIATED TRANSFER INFRASTRUCTURE SITES (SITE CODE BHT09)

Several phases of fieldwork were carried out at Lower Hoddern Farm before the excavation of the site in 2009. The earliest phase of work was a programme of fieldwalking carried out on the western half of the site during the months of January and February 2003 and 2004 by the Brighton and Hove Archaeological Society (Funnel 2004; Angel 2007). A subsequent programme of evaluation works, in support of a planning application for the proposed Wastewater Treatment Works, including borehole survey, field walking, geophysical survey (Fig 1.7) and trial trenching (Fig 1.8), was conducted on the site between March and May 2004 (Archaeoscape 2004; Worrall 2004a; 2004b; Stratascan 2004a).

The results of the two fieldwalking exercises showed a slight concentration of Neolithic flint artefacts in the western half of the site, including five axes, and a concentration of burnt flint on the south side of the valley, which may correspond with a complex of enclosures identified during the geophysical survey (see below). The remainder of the site was characterised by a

general scatter of later prehistoric struck flint and occasional finds of Roman and later pottery.

A borehole survey of the site consisted of a geoarchaeological auger survey centred on the dry valley. This was followed by detailed investigation of the valley sediments by means of a 100m-long trench situated across the valley (discussed further in Chapter 2). The results show that colluviation within the valley is of Holocene date, with the upper colluvial sequence dating to the Bronze/Iron Age and later (Archaeoscape 2004; 2005). Before colluviation the valley contained a small but undated stream.

Geophysical survey of the site succeeded in identifying two enclosures, both rectilinear in plan and both located on the high ground to the south of the site (Stratascan 2004a). Both enclosures possessed internal subdivisions and discrete features, presumably representing pits and postholes. Subsequent trial trenching confirmed an Early to Middle Iron Age date for the easternmost of the enclosures identified by the geophysical survey and a Late Iron Age/Early Roman date for the larger western enclosure. Archaeological features encountered beyond the enclosures were few but included a probable droveway and occasional ditches and lynchets indicative of an essentially pastoral and agricultural landscape.

In October 2008 planning permission was granted for the construction of the new Wastewater Treatment Works (WTW) and Sludge Recycling Centre (SRC) on the site, with associated landscaping and transfer infrastructure (Planning Reference LW/537/CM(EIA)). The known archaeological

Fig 1.3 Map of Peacehaven's local geology

and heritage issues relating to the site were provided within a 'Cultural Heritage' chapter prepared by RPS as part of an overall Environmental Impact Statement and associated Environmental Statement commissioned by Southern Water Services Ltd (RPS 2008a). This outlined the archaeological potential of the site, the likely effects of the proposed works and the suggested mitigation measures, which were subsequently approved by the East Sussex County Council (ESCC) Archaeology Section.

A Written Scheme of Investigation detailing the requirements of the suggested mitigation works was duly prepared by RPS Planning and Development Ltd and approved by the ESCC Archaeology Section (RPS 2008b). The subsequent excavation of the site was carried out between July and December of 2009 (Hart 2010). The total worksite required for the construction of the WTW/SRC site extended to approximately 39ha, of which 32.3ha required archaeological investigation by means of a Strip, Map and

Fig 1.4 Map of excavation areas showing local topography

Sample excavation (Figs 1.9 and 1.10). The principal areas excluded from the Strip, Map and Sample programme includes the two regionally important enclosure sites identified during geophysical survey, where proposed landscaping for sports pitches enabled their partial preservation *in situ*.

As with the Brighton & Hove Wastewater Treatment Works development at Lower Hoddern Farm, several phases of archaeological investigation were undertaken at various locations along the route of the associated transfer infrastructure scheme. The earliest phase of work consisted of evaluation works, including geophysical survey and trial trenching, carried out in 2004 (Worrall 2004c; 2004d; Stratascan 2004b;

2004c), in support of the planning application for the scheme. Subsequent watching briefs carried out at these sites during initial groundworks in 2009, in accordance with an approved Written Scheme of Investigation prepared by RPS Planning and Development Ltd, did not identify any significant archaeological remains. However, five sites were selected for further geoarchaeological investigations: Black Rock, Marine Drive/Roedean, Ovingdean, Rottingdean and Portobello. This work was undertaken during 2009 and 2010.

Fig 1.5 Map of excavation areas showing location of colluvium

EXCAVATIONS AT KEYMER AND SEAVIEW AVENUES (SITE CODE SKP06)

Planning permission for residential development of land at Keymer and Seaview Avenues was granted in 2006 (Planning Reference: LW/04/1718). Following consultation with the ESCC Archaeology Section a condition was attached to the permission requiring a programme of archaeological work at the site prior to the commencement of development. The first stage of this archaeological work, carried out in September 2006, consisted of a geophysical survey of the site. This succeeded in identifying probable enclosure and trackway

ditches across the Keymer Avenue site, as well as a number of discrete anomalies that probably represented pits and postholes. A subsequent targeted trial trench evaluation of the Keymer Avenue site confirmed the results of the geophysical survey and established a Middle Iron Age date for the enclosure system and associated features. Trial trenching undertaken on the Seaview Avenue site identified a number of large post-medieval quarry pits, as well as a handful of smaller undated pits. On the basis of these results, the ESCC Archaeology Section required further work in the form of open-area archaeological excavation

Fig 1.6 Map of geology of the wider landscape

of both the Keymer and Seaview Avenue sites; this work was duly carried out between January and April 2007 (Fig 1.11).

EXCAVATIONS AT SEAVIEW AVENUE (SITE CODE SVP10)

Outline planning permission for further residential development at Seaview Avenue was granted in 2010 (Planning Reference: LW/09/1135). On the basis of the results of the above excavations, a condition requiring a programme of archaeological works was attached to the permission. Geophysical survey of the site had demonstrated the existence of probable archaeological remains on the site (Cole 2007) and as a consequence a targeted trial trench evaluation of the site was undertaken in February 2010 (Grant 2010). This confirmed the presence of a probable trackway, as well as other ditches, pits and postholes. The subsequent excavation consisted of a number of discrete open-area excavations targeted on the results of the geophysical survey and evaluation and was carried out between March and May 2010 (Fig 1.12; Hart 2011).

1.4 ARCHAEOLOGICAL BACKGROUND

NEOLITHIC

Current research places the beginning of the British Neolithic in south-east England sometime during the 41st century BC, rapidly spreading out across southern Britain over the

following two centuries (Bayliss et al 2011, 800–801). This initial, or ‘formative’ Neolithic (Garwood 2011, 55) is marked by the appearance of domesticates and cultivars, Carinated Bowl pottery, large timber buildings such as those excavated at White Horse Stone (ibid) and Yarnton (Hey & Robinson 2011), non-monumental burials such as that found at Yabsley Street, Blackwall (Coles et al 2008), and a few early funerary monuments. In Sussex, sites belonging to this early phase of the Neolithic are rare but include a series of flint mines on the South Downs, which constitute some of the earliest dated monuments in the British Neolithic, while further afield Carinated Bowl pottery has been found within pit deposits at Thanet Earth in Kent (Rady et al in prep).

The 38th century BC is characterised by a ‘veritable surge of change’ (Bayliss et al 2011, 800–801), with the construction of causewayed enclosures, the majority of chambered tombs and long mounds. Sussex is home to the majority of known causewayed enclosures in the south-east, with some eight enclosure sites clustered in two loose groupings on the South Downs: one to the east of the River Adur, including Whitehawk, Offham and Combe Hill, and a second to the west of the River Arun, including The Trundle, Court Hill, Barkhale, Bury Hill and Halnaker Hill. A variety of long mounds and oval barrows are also known in Sussex, again in two loose clusters and broadly corresponding to the distribution of causewayed enclosures. However, with the exception of sites such as North Marden, Alfriston and Bevis’ Thumb, few have been subject to controlled archaeological excavation. Other Early Neolithic sites, particularly pit sites,

Fig 1.7 Plan of previous work in the study area: geophysical survey

are poorly represented in Sussex; a review of the evidence in 2003 listed just seven Early Neolithic pit sites (Drewett 2003, 43) and although a more recent reappraisal of the evidence (Munnery 2013) has nearly doubled this number, such sites remain rare across the region. Again, the evidence suggests a clustering of the majority of such sites to the west of the Arun, with only a handful of pit sites in eastern Sussex.

Sussex and the south-east in general are strikingly lacking in the cursus and henge monuments which elsewhere in Britain are such well-documented features of the Middle and Late Neolithic periods respectively. Much of the evidence in the

region for the Later Neolithic period comes from occasional pits, tree throws and flint scatters. There are certainly no cursus monuments in the wider region and definite henge monuments are currently limited to just two examples, at Lavant in West Sussex (Kenny 1993) and Ringlemere in Kent (Parfitt 2006); the identification of several other small hengiform monuments in Sussex has now been thrown into doubt (cf Russell 1996a; Garwood 2003).

Fig 1.8 Plan of previous work in the study area: evaluation trenches

LATE NEOLITHIC/EARLY BRONZE AGE

The period *c* 2500–1500 BC is marked by a series of profound social and technological innovations, which manifest themselves archaeologically by the appearance of metalworking and Beaker grave burials, often within barrow monuments. Sussex is remarkably rich in the barrow monuments that are such a conspicuous feature of the period, with over 1000 such monuments recorded across the county, the overwhelming majority of them on the South Downs (Grinsell 1934). In

contrast to the ubiquity of burial monuments of this period, settlement evidence remains exceptionally rare nationally. At least one settlement of this period is known at Belle Tout in East Sussex (Bradley 1970; 1982), while detailed work on dry valley sequences in the wider region suggests that the rarity of such settlements might be a function, in part, of their location within dry valleys, masked by subsequent colluvial sequences (eg Bell 1983; Allen 2005a). In Sussex, significant assemblages of Beaker pottery, which may indicate the presence of such settlement sites,

Fig 1.9 Photograph of excavation in progress at Lower Hoddern Farm, looking south

Fig 1.10 Photograph of excavation in progress at Lower Hoddern Farm, looking south-west

have been found within dry valley colluvial sequences at a number of sites, including Ranscombe Hill, Southerham Grey Pit, Kiln Combe, Ashcombe Bottom and Cuckoo Bottom (Allen 2005a).

MIDDLE BRONZE AGE

With the advent of the Middle Bronze Age, settlement sites become archaeologically visible for the first time in Sussex as the monumental landscapes of the Neolithic and Early Bronze Age begin to give way to landscapes dominated by fields and farmsteads. Of the 20 or so Middle Bronze Age settlements now known in Sussex, the majority are situated in the South Downs, although this is likely to reflect the importance of these

uplands in the history of archaeological research in Sussex as much as a genuine differentiation in settlement patterns at the time. The settlements usually consist of small groups of roundhouses, often made up of a principal residential unit with one or two ancillary buildings, set within wider field systems and often associated with a nearby cremation cemetery. The important type site of Itford Hill is located just 4km from the study area (Burstow & Holleyman 1957a). Other key settlement sites for the period are, to name but a few, Black Patch (Drewett 1982a), Amberley Mount, Cock Hill (Ratcliffe-Densham & Ratcliffe-Densham 1961; 1966) and New Barn Down (Curwen 1934a). Recent additions to this corpus of Middle Bronze Age settlements include a string of sites excavated along the route of the Brighton bypass, among them Mile Oak, Patcham Fawcett, Downsview and Varley Halls (Greig 1997; Greatorex 2002; Rudling 2002b; Russell 2002), as well as the important site of Highdown (Hamilton 2003).

LATE BRONZE AGE AND EARLY IRON AGE

Late Bronze Age and Early Iron Age settlements are, by comparison to those of the preceding period, relatively uncommon in East Sussex, although a number of the Middle Bronze Age sites

mentioned demonstrate evidence for continued occupation into the Late Bronze Age, including Mile Oak, Downsview and Patcham Fawcett. Elsewhere, there is a marked increase in settlement of the Sussex coastal plain, including sites such as Yapton, Ford Airfield, Knapp Farm and Selsey (Rudling 1987; Gardiner & Hamilton 1997; Place 2004; Seager Thomas 1998; 2001; Hart 2008), while in East Sussex the exceptional platform site of Shinewater in the Willingdon Levels (Greatorex 2003) attests to the importance of wetlands to Late Bronze Age communities.

Fig 1.11 Photograph of excavation in progress at Keymer Avenue, looking north-west

Fig 1.12 Photograph of excavation in progress at Seaview Avenue, looking north-east

Roundhouses are also relatively uncommon during the Late Bronze Age and Early Iron Age, although some examples are known from sites such as Lavant Quarry or Hollingbury hillfort (Holmes 1984; Kenny 1993). There is, however, evidence for rectangular buildings at a number of sites, including Park Brow, Heathy Brow and Charleston Brow, suggesting that new and diverse building traditions began to emerge during this period. This broad period also sees the establishment of a large number of early hillforts, including Chanctonbury, Harrow Hill, Highdown, Hollingbury, Wolstonbury and Thundersbarrow Hill (Hamilton & Manley 2001).

MIDDLE AND LATE IRON AGE

The Middle Iron Age is marked by a substantial reduction in the number of active hillforts in Sussex, in favour of fewer but significantly larger and more centrally placed examples, including Cissbury, Torberry, The Trundle and The Caburn (Hamilton & Manley 2001). The concentration of settlement in the West Sussex coastal plain that was initiated in the preceding period continued throughout the Middle Iron Age. However, there is a marked reduction in settlement evidence for the Middle Iron Age in East Sussex that is more suggestive of depopulation. Major sites of the period in East Sussex include Slonk Hill and Bishopstone (Bell 1977; Hartridge 1978; Hamilton 2003), although the discovery of Middle Iron Age activity sealed beneath colluvial deposits at Norton suggests the presence of additional settlement sites in valley situations (Seager Thomas 2005). There is, additionally, increasing evidence for small-scale occupation by the Middle and Late Iron Age of the river and stream corridors within the Low Weald of West Sussex around Horsham and Horley (Swift 2009; Margetts 2013; Swift in prep a).

By the Late Iron Age, the occupation of the Sussex coastal plain had reached its most developed form, characterised by an extensive and

highly integrated agricultural landscape, interspersed with small farmsteads such as those excavated at Copse Farm Oving, Ford Airfield or North Bersted (Bedwin & Pitts 1978; Bedwin & Holgate 1985; Davenport 2003; Place 2004; Hamilton 2007). New ritual practices are attested by such sites as the Late Iron Age shrines at Lancing Down or the Late Iron Age cemetery at Westhampnett (Bedwin 1980; Fitzpatrick 1997), and the development of a series of major linear boundaries around Chichester – the so-called Chichester Dykes may or may not suggest the emergence of a territorial oppidum here in the 1st century BC. In the South Downs, there is evidence for continued occupation into the Late Iron Age at a number

of sites including Park Brow, Charleston Brow, Bishopstone, Norton, The Caburn, Kingston Buci and Findon Park (Curwen & Curwen 1927; Hawley 1927; Smith 1927; Fox & Wolseley 1928; Curwen et al 1931; Parsons & Curwen 1933; Bell 1977; Drewett & Hamilton 1999; Seager Thomas 2005).

ROMAN

Parts of West Sussex fell within the client kingdom of Togidubnus, established after the Roman invasion of AD 43. Recent work suggests Togidubnus died or retired before AD78, possibly before AD 68 (Rudling 2003b, 112), after which Sussex was incorporated into the rest of the province of Britannia. Togidubnus was instrumental in the romanisation of Sussex, as evinced by Fishbourne Palace, the early development of Chichester and perhaps in a number of early villas in the rural hinterlands (ibid). Generally speaking, there is an abundance of rural farmsteads across Sussex, both on the coastal plain and on the downs. Many of these sites appear to have origins in the Late Iron Age and bear witness to a significant degree of continuity between the two periods (Cunliffe 1973), a pattern mirrored to some extent in the evidence for continuity in land management into the Roman period from sites such as Eastwick Barn (Barber et al 2002). A number of religious sites are also known in Sussex, including Chantonbury Ring, Slonk Hill and Lancing (Rudling 2001; 2003b).

1.5 STRUCTURE OF THE ANALYSIS AND REPORT

The stratigraphic analysis of the excavated sequences of all three sites is based on the hierarchical system of interpretation formulated by the Museum of London (eg Westman & Shepherd 1992), with some modification to allow for the obvious differences between the deeply stratified urban sites for which the system was developed and the rural sites on which it was employed here, where little stratification is present. This is summarised below.

CONTEXTS

The uniquely numbered context (shown in square brackets: [0]) is the basic unit of archaeological recording. The most common types of context are cuts and deposits (including both fills and layers) and, indeed, these are the only types of context present in the current excavations.

SUBGROUPS

Subgrouping is the first of several stages of aggregation and reduction of the stratigraphic data set. Subgroups (SG) represent the combination of stratigraphically related contexts into larger interpretative units that aim to identify separate phases of activity such as construction, use or disuse. Unlike groups and land uses, subgroups are defined on a strictly stratigraphic basis and any associated dating evidence should be internally consistent (issues of residuality aside). Therefore, a ditch and primary silting might be placed within one subgroup, while later fills containing later dating evidence would form a separate subgroup. Other typical subgroups might include a posthole and its fill or a floor and associated make-up.

GROUPS

Groups (G) are formed of one or more similarly dated subgroups into larger interpretative units that represent broadly contemporary and related activity. Unlike subgroups, which are defined stratigraphically, grouping of the stratigraphic sequence is a largely interpretative process that considers not only stratigraphic but also chronological and spatial relationships. Therefore the entire length of a ditch, incorporating several different excavated sections or interventions and consequently several subgroups, would form a single group, as would a series of postholes forming a fence line, or a cluster of similarly dated pits of similar function.

LAND USE

Land-use entities form the final stage of aggregation and reduction of the stratigraphic data set and aim to define areas of a site of specific or multipurpose function, as indicated by any associated features or lack thereof. An important property of land-use entities is that they might describe a negative space which does not contain any features and therefore no contexts, subgroups or groups. The following land-use classifications are used in this report:

- B Building
- D Ditch
- EN Enclosure
- FS Field System
- OA Open Area
- R Road or routeway/trackway

Although a single land-use structure has been imposed on all three excavations, it should be noted that context, subgroup and group sequences are site specific. For ease of reference and

in the interests of clarity, therefore, context, subgroup and group numbers are expressed with a site-specific prefix letter: eg A[910] (context, site A), A:SG263 (subgroup, site A), A:G120 (group, site A), B[1365] (context, site B). Site prefixes, names and codes are given in Table 1.1.

Site prefix	Site name	Site code
A	Lower Hoddern Farm (WTW site)	BHT09; PWT04
B	Keymer Avenue	SKP06
C	Seaview Avenue	SKP06; SVP10

Table 1.1 Summary of the excavations at Peacehaven by site prefix

Other abbreviations used are: L (length), W (width), H (height), T (thickness), Di (diameter); Wt (weight); ENV (estimated vessel number).

The following chapters aim to provide a broad narrative of human activity within the study area through time, rather than providing detailed description of every feature. To this end, the text seeks to avoid repetitive and extraneous description of specific contexts, unless pertinent. The chronological narrative is set out in four principal chapters: Chapter 2 details the geoarchaeological and palaeolandscape context of the excavations; Chapter 3 examines the evidence for Neolithic and Early Bronze Age activity in the study area; Chapter 4 looks at the Middle Bronze Age–Early Iron Age periods; and Chapter 5 discusses the Middle Iron Age–Early Roman periods. Each chapter includes a brief introduction and overview of the evidence for the relevant periods, a broad narrative of associated land use and a discussion of the findings. As far as possible, information derived from specialist artefact and environmental analysis is incorporated within the narrative, although each of the specialist reports can be found in Chapter 6. Chapter 7 considers the wider implications of the evidence and aims to set out some priorities for future work.

1.6 CHRONOLOGICAL FRAMEWORK

Diccon Hart and Peter Marshall

A unified chronological framework has been defined for all three sites considered in this report. Nine major archaeological periods have been defined, which range from Early Neolithic to Early Roman, with only very scant evidence for medieval and post-medieval activity (Table 1.2). Earlier activity in the vicinity of the site is suggested by worked flint of Mesolithic date, although this material occurred solely as a residual component within

later features and no features could be confidently assigned to these periods. This framework is based principally on analysis of associated artefactual sequences, although it has proved possible through an associated radiocarbon-dating programme to provide some fixed chronological points around which the sequence of periods can be constructed

Period	Period name	Date range	Phase
1	Early Neolithic	c 3700–3300 BC	
2	Later Neolithic	c 3500–2250 BC	
3	Early Bronze Age	c 2250–1500 BC	
4	Middle Bronze Age	c 1500–1150 BC	
5	Late Bronze Age	c 1150–800 BC	
6	transitional Late Bronze Age and Early Iron Age	c 800–400 BC	
7	Middle Iron Age	c 400–100/50BC	7, ph 1
			7, ph 2a
			7, ph 2b
			7, ph 2c
8	Latest Iron Age/Early Roman	c AD 10–150	
9	post-medieval	AD 1539–1900	

Table 1.2 Chronological framework

In addition to dating evidence provided by pottery and other artefacts, 26 radiocarbon dates have been obtained from 22 contexts (Fig 1.13; see also Chapter 6). These dates provide fixed chronological points around which the rest of the chronological framework has been constructed. Radiocarbon dates are quoted in accordance with the international standard known as the Trondheim convention (Stuiver & Kra 1986) and calibrated using the calibration curve of Reimer et al (2009) and the computer program OxCal v4.1.7 (Bronk Ramsey 1995; 1998; 2001; 2009). The calibrated date ranges cited in the text are those for 95% confidence. They are quoted in the form recommended by Mook (1986), with the end points rounded outwards to ten years. Where possible, a Bayesian approach has been adopted for the interpretation of the chronology at Peacehaven (Buck et al 1996) and date ranges quoted in *italics* are posterior density estimates derived from such modelling of archaeological problems. The ranges in plain type have been calculated according to the maximum intercept method (Stuiver & Reimer 1986). All other ranges are derived from the probability method (Stuiver & Reimer 1993). It should be emphasised that the posterior density estimates produced by this modelling are not absolute. They are interpretative estimates, which can and will change as further data become available and as other researchers choose to model the existing data from different perspectives.

Fig I.13 Probability distributions of radiocarbon dates from Lower Hoddern Farm

CHAPTER 2 THE GEOARCHAEOLOGICAL AND PALAEOLANDSCAPE CONTEXT OF THE STUDY AREA

Matthew Pope, Daniel Young, Chris Green, Tom White

2.1 BACKGROUND

Associated with the development of the Brighton & Hove Wastewater Treatment Works site at Lower Hoddern Farm was the construction of an 11km-long tunnel and ancillary pumping stations designed to take waste water and sludge from the city of Brighton & Hove eastwards to the treatment installation. The 2.4m-wide tunnel, which provided a conduit for the effluent, was excavated at depths of up to 46m below ground surface. The pumping stations were sited at Telscombe and Marine Drive and were designed to elevate the load and maintain flow. In the course of this large subterranean construction project, up to eight separate interventions, including shafts and pumping stations, formed an integral part of the Brighton & Hove Wastewater Treatment Works development at Lower Hoddern Farm, albeit across a large landscape area. In archaeological terms they were considered as part of the same programme of development as that at the Lower Hoddern Farm site and assessed through watching brief and inspection for geoarchaeological potential as part of the same project.

Considering the significant and ambitious scale of the tunnel as an engineering project, the actual impact on the surface was relatively limited in extent. Once those sites where watching briefs had determined that only sterile chalk lay beneath the topsoil had been excluded, only five localities (Black Rock, Marine Drive/Roedean, Ovingdean, Rottingdean and Portobello) were identified as requiring a geoarchaeological watching brief and investigation. The brief in these cases was first to determine the presence of Holocene colluvium, Pleistocene fine-grained sediments (loess) or other contexts for preserving palaeoenvironmental or archaeological evidence at depth, then, where safe and practical, to obtain more detailed records and, if potential was considered reasonable, samples for mollusc analysis. The results of this monitoring exercise, presented below, showed that in all cases the developments did not impact on deep colluvial sequences or other significant archaeology. The exercise did, however, provide to some degree a record of stratigraphic variability and landscape development for almost every major dry valley between Brighton and Newhaven, consequently offering an extensive downland block for inspection on a valley-by-valley basis. One locality,

Portobello, yielded enough of a colluvial sequence to offer a record that can be compared with the geoarchaeological investigations carried out at Lower Hoddern Farm. The interpretation of the main site colluvial sequence is therefore also presented here. In addition, the exercise provided an opportunity to consider the landscape development of an entire block of coastal downland, stretching from the dry valley of the Wellesbourne in central Brighton across to the river valley of the Ouse. This landscape-scale approach has shown that the Peacehaven area in general, and the study area in particular, sits in a landscape which differs in terms of geology, soils and topography in ways that might have implications for either past landscape use or prehistoric landscape preservation.

LANDSCAPE CONTEXT: THE COASTAL DRY VALLEYS OF EAST BRIGHTON & HOVE AND LEWES DISTRICT

The landscape under consideration here can be defined as that extending east from Whitehawk Hill, east Brighton, eastwards along the Sussex coast to the River Ouse at Newhaven, a distance of around 21km (Fig 2.1). This is a downland landscape defined by two geographical features: firstly it is this coastline immediately to the east of Whitehawk Bottom which sees the start of the coastal landform presented by the chalk cliffs and associated chalk wave-cut platform or reef. Conversely, to the west of Whitehawk Bottom, sea erosion during the Holocene has cut a low cliff into the geliflucted head sediments and raised beach deposits forming the start of the Sussex coastal plain. Most of these, with the exception of the Black Rock raised beach section (Ullyot et al 1998) behind Brighton Marina, are almost wholly obscured by concrete sea walls and esplanade structures. The distinctive white chalk cliffs of the East Sussex coast which begin at this point are an iconic coastal landform, intermittently protected behind sea walls at their base, and they continue (interrupted only by the Ouse and Cuckmere rivers) eastwards to Eastbourne.

DISPOSITION AND ORIGINS OF THE EAST SUSSEX COASTAL DRY VALLEYS

The profile of the cliffs along this coast, when viewed from the sea, is not horizontal but rises and falls at broadly regular

Fig 2.1 Landscape topography of the East Sussex downs between Brighton and Newhaven

intervals and to varying degrees of amplitude. The most distinct of these sequences of cliff lines is the Seven Sisters between Cuckmere and Eastbourne. This landform rhythm is entirely controlled by the presence of a series of dry valleys, truncated heavily by sea erosion and so now effectively ‘hanging’, incised into the chalk. It is these valleys which in many ways define the topography of the entire chalkland landscape: a subaerially dissected escarpment of soft sedimentary rock.

The origin of these chalkland dry valleys was first considered in detail by Clement Reid (1887), who interpreted the paradox of deeply incised valleys in permeable free-draining rock as being a relic of erosive processes occurring under periglacial conditions. Reid suggested that frozen ground could support active, free-flowing water deriving both from snowmelt and surface run-off during short periods of spring or summer thaw within global cold stages (glacials). This combination was envisaged as leading to significant erosion during these periods. Current interpretations of the formation of the dry valleys are today largely unchanged but they place greater emphasis on the role of slope processes, also occurring under periglacial conditions, leading to the movement of chalk and flint rubble, along with finer sediments, down hillsides as part of both gradual flow (solifluction) and, under waterlogged conditions, more rapid mass movement (gelifluction) of material.

COMPOSITION OF DRY VALLEY SEDIMENT FILLS

Viewed from the sea, the truncated dry valleys clearly reveal profiles indicating their total depth below the valley bottoms. Up to 5.0m of bedded gravels, sands and silt sand clays can be observed in these exposures. Below the base of these valley fills, the surface of the chalk can clearly be seen to be weathered and contorted through the effects of groundwater freeze–thaw on the underlying parent bedrock. The surfaces of these periglacial deposits, where still preserved, often show regular involutions of finer material into pockets within the chalky gelifluction gravels and have been shown to preserve flint artefacts from the last glacial period (Pope & Maxted 2008). The cliff lines provide vertical sections through regular bands of periglacially sorted material forming linear solifluction stripes orientated downslope across the deposits and sometimes extending into shallow head deposits on the surface of the chalk valley sides (Bell 1976; Pope & Maxted 2008). The fine-grained constituents of these stripes are wind-blown Pleistocene silts and fine sand (loess), which appear frequently to have mantled the South Downs during cold stages but which were rapidly subject to subaerial erosion and incorporation in valley deposits during wetter stages of the Pleistocene, early Holocene and other interglacials (Catt 1978).

PALEOGEOGRAPHIC CONTEXT OF THE EAST SUSSEX COASTAL DRY VALLEYS

The dry valleys are perhaps most usefully considered as being the upper reaches of tributaries of the English Channel River (ECR)/Fleuve Manche, which forms the main fluvial system in times of lower sea level during cold stages of the Pleistocene. Where uninterrupted by coastal erosion, as in West Sussex, chalkland dry valleys extend southwards broadly parallel with the strike of dip of the South Downs escarpment (Pope 2001) and can be mapped extending across Tertiary deposits filling the flanking synclines. Here, where they cross impermeable London Clays or reach the level of the water table, the valleys change from dry features to fully fluvial streams or ‘rifes’. Many of these rifes, where not choked by sediments, become increasingly intertidal and open into larger flooded inlets or ‘harbours’ at the coast line. Consequently, despite the fact that the dry valleys are devoid of water and that their fills are predominantly related to slope and not fluvial process, it is perhaps most useful to consider them as constituent parts of a single fluvial system ultimately draining into the ECR and hence to the Atlantic Ocean, under all but relatively short-lived interglacial conditions such as those to which the planet is subject today.

Seen from this perspective, the landscape of the coastal hinterland behind the cliffs to the east of Brighton & Hove and Lewes District begins to make sense as incised and dissected escarpment. To the immediate west of our study area is the deeply incised and extensive Wellesbourne valley, which runs through the centre of Brighton (Garland et al 2008; Pope in prep a) and which until the 19th century gave rise to a seasonal ‘Winterbourne’ stream during periods of a high water table. Thence eastwards, the variable but generally smaller valleys of Whitehawk Bottom, Roedean, Ovingdean and Rottingdean cut back into the chalk for about 3km, ending in relatively steep coombes (steeply inclined valley heads formed by spring-sapping) against the back of the ancillary scarp slope that runs from Brighton Racecourse to Woodingdean. The recurring placename ‘Dean’ is Saxon in origin, deriving from the word ‘Denu’, pertaining to small valleys (Watts 2004). In Sussex it seems to be particularly applied to describing the dry valley landform as a recognisable and recurrent landscape feature.

At Saltdean a larger valley system, connecting through to Balsdean valley, meets the coastal cliff line. This valley has a larger catchment, which terminates against the back of the main north-facing scarp slopes of the Lewes anticline, but eastwards from here, through the rest of the area under consideration, the scale of valley incision and regularity

diminishes. Only the relatively small Portobello valley makes an impression on the cliff line, the top profile of which, when viewed from the sea, runs relatively horizontal through Peacehaven. The dry valley at Lower Hoddern Farm (the Upper Piddinghoe valley) is actually a tributary of the Ouse valley system, running east then north-east and not meeting the cliff line at all.

The change in the apparent character of landscape development through Peacehaven is potentially central to interpreting the geoarchaeological record, and its significance forms the interpretative background to the consideration of the infrastructure sites. In geological terms there is a clear coincidence between the absence of well-developed south-orientated dry valleys through the Peacehaven area and the presence of increasingly widespread Tertiary deposits capping the chalk in this region. Tertiary deposits of the Lambeth Group and the London Clay, formerly capped the chalk of the South Downs far more extensively. The formation of chalk effectively ended at the close of the Cretaceous era 65 million years ago, and within the region the chalk was subject to uplift at around the same time, with the beginning of the Alpine Orogeny, a process of folding caused by the collision of the African, Cimmerian and European plates (Gallois 1965). It is at this time we see the development of the entire Weald–Artois anticlinal structure, with chalk being lifted and truncated through exposure to marine erosion in the Tertiary and subject to the deposition of clay, silt and sands of the Lambeth Group of sediment formations.

Through West Sussex these Tertiary sediments are well preserved within the major down-fold structures of the Chichester and Patching synclines, but they extend to a certain extent up on to the southern limb of the anticline of the chalk downlands, where they are replaced by Clay-with-Flints deposits. These are interpreted as partial remnants of Tertiary deposits, as well as being the products of decalcified and dissolved chalk (Gallois 1965). Through Hove, Tertiary deposits can be found filling an unnamed synclinal structure and as patches of weathered remnants on the southern limb of the escarpment north of the Pleistocene Brighton–Norton raised beach line. In Brighton, however, and to the north and east of the city, only three locales preserve remnants of Tertiary sediment. These are the minor syncline at Seven Dials, the syncline at Falmer and the synclinal structure that runs through Peacehaven, Newhaven and on to Seaford, on the other side of the Ouse estuary.

The presence of formerly more extensive Tertiary deposits in the Brighton & Hove area is well attested by the widespread

presence and local abundance of sarsen stones. These silicified sandstones and pebble conglomerates are the remnants of Tertiary beds which have been incorporated into dry valleys deposits or, more rarely, remained in position on the chalk hills and hillsides (Clarke 1882; Toms 1927; 1932; Ulliyott et al 1998; 2004). The only presence of Tertiary sarsens within the present study area is recorded in the MIS 6 Pleistocene deposits (c 220–130 thousand years ago (kya)) at Black Rock. Their presence here but not within the younger, probable MIS 5–2 (105–12 kya) dry valley deposits cutting through these sediments and filling the valleys in the west of the study area might attest to the fact that Tertiary deposits had been largely stripped from the surface of the chalk by this date.

What is therefore significant is that the Lower Hodder Farm site sits in an area of landscape which is broadly atypical of the East Sussex chalklands as a whole. The topography here, aside from the Upper Piddinghoe valley at the core of the site, is relatively unbroken and the hill tops are both comparatively flat and capped by extensive clays and sand Tertiary deposits. In the 20th century it was the view of acres of even, unbroken terrain which led the entrepreneur Charles Neville, while on a car journey from Eastbourne, to conceive of buying the land and developing the planned, grid-patterned town of Peacehaven from scratch. In the entire county there is not a comparable, elevated area of extensive flat downland and in this sense it represents a unique landscape. The starting point for this investigation, therefore, is to consider how this landscape may also have shaped the rich and in some ways exceptional prehistoric downland archaeology encountered in the study area. With this background in mind and with a view to understanding the Pleistocene and Holocene development of the landscape, observations made within the study area are presented below.

2.2 THE WIDER DOWNLAND LANDSCAPE EAST OF BRIGHTON: OBSERVATIONS OF DRY VALLEY SECTIONS FROM THE INFRASTRUCTURE SITES

BLACK ROCK AND MARINE GATE (BRIGHTON MARINA)

Watching briefs mounted on infrastructure works at these two locations were negative. At the Black Rock site, immediately adjacent to the Brighton–Norton Raised Beach Site of Special

Scientific Interest (SSSI) section, the excavated shaft went through the undercliff walk into solid chalk. At Marine Gate the works revealed only weathered chalk under topsoil.

MARINE DRIVE

Marine Drive was the site of a large pumping station shaft set into a big working area defined by concrete piles placed at close intervals. The piling occasionally offered up to 100mm-interval windows in which sediment was exposed on both the north and south sides of the road. The north-facing south section provided enough in the way of exposure to determine the original presence of a shallow dry valley sequence. The sequence that was observed under made ground relating to the former course of the road which had truncated and disturbed the upper deposits is detailed in Table 2.1.

Depth (m)	Composition
0.0–1.5	made ground comprising tarmac over flint gravel and masonry and hard core; truncates deposit below
1.5–2.7	10YR 3/4 dark yellowish-brown disturbed colluvium with further building debris to depth
2.7–3.1	10YR 3/4 dark yellowish-brown; clayey silt with flint gravel 10–20mm; colluvium; contorted by piling; no artefactual material or charcoal
3.1–4.3	10YR 5/6 yellowish-brown; silt with 80% chalk pellet gravel; gelifluction deposit
4.3–6.0	weathered chalk grading to solid chalk; Upper Chalk bedrock proven

Table 2.1 Lithostratigraphic description of exposure at Marine Drive (colour codes refer to Munsell 1992)

OVINGDEAN

There were two opportunities for the inspection of sediment sequences at depth at the Ovingdean construction site. The main shaft was founded into the disturbed remnants of gelifluction deposits which quickly graded into weathered Upper Chalk by 1.0m depth. A more useful exposure was made in the adjacent ancillary service trench where a sequence could be observed between the concrete shoring slats (Table 2.2).

Depth (m)	Composition
0.00–0.72	made ground comprising topsoil and building debris
0.72–1.32	10YR 3/4 dark yellowish-brown silt with clay; 45% subangular flint; truncated and disturbed colluvium; single sherd of post-medieval pottery
1.32–2.00	10YR 5/4 yellowish-brown silt with clay; 60% subangular flint 15–65mm; 30% chalk pellet gravel 2–5mm; gelifluction gravel

Table 2.2 Lithostratigraphic description of exposure in ancillary trench at Ovingdean (colour codes refer to Munsell 1992)

ROTTINGDEAN

An opportunity was made to study arisings from the excavation of a shaft at Rottingdean, sited within the village centre car park (Table 2.3). The site had undergone significant development, which had truncated any colluvium but led to the exposure of a relatively deep development of solifluction gravel.

Depth (m)	Composition
0.00–0.72	made ground comprising topsoil and building debris
0.72–1.32	10YR 3/4 dark yellowish-brown silt with clay; 45% subangular flint; truncated and disturbed colluvium
1.32–2.00	10YR 5/4 yellowish-brown silt with clay; 60% subangular flint 15–65mm; 30% chalk pellet gravel 2–5mm; gelifluction gravel
2.00–3.50	10YR 5/4 yellowish-brown silt with clay; 20% subangular flint 15–65mm; 40% chalk fragments 10–25mm; gelifluction gravel
3.50	weathered Upper Chalk

Table 2.3 Lithostratigraphic description of exposure in ancillary trench at Rottingdean (colour codes refer to Munsell 1992)

PORTOBELLO

The most useful exposure investigated during the infrastructure works was that undertaken at Portobello (Table 2.4). This was not, however, the excavation of the pumping station itself, which was founded in undisturbed Upper Chalk, but during the widening of the access roads as part of the enabling works. Here a 5.0m-long exposure through apparent colluvium and gelifluction gravel was made by mechanical excavation and was available to record safely and to sample. Consequently, detailed sampling for mollusc analysis was undertaken, the results of which are presented in Chapter 2.4.

Depth (m)	Composition
0.0–0–0.30	10YR 5/6 yellow-brown silty clay; upper colluvium
0.30–0.35	as above with angular flint clasts 10–40mm; upper colluvium
0.35–0.65	10YR 5/6 yellow-brown silt with clay; fine compact silt with rare, white patinated subangular flint clasts 10–50mm; lower colluvium
0.65–0.75	as above but 40% subangular flint clasts 10–40mm; lower colluvium
0.75–1.10	as above but flint at 10%; lower colluvium
1.10–2.20	pale brown silt clay with 70% angular flint 10–150mm and 10% subangular chalk 10–30mm; gelifluction gravel
2.20	weathered chalk; Upper Chalk solid proven

Table 2.4: Lithostratigraphic description of exposure in road cut section at Portobello (colour codes refer to Munsell 1992)

2.3 OBSERVATIONS AT LOWER HODDERN FARM: THE UPPER PIDDINGHOE VALLEY

INTRODUCTION

Focused geoarchaeological assessment and molluscan analysis was undertaken by Quaternary Scientific (QUEST) at the Lower Hodder Farm site (Fig 1.1). Previous geoarchaeological investigations (Swindle et al 2003; Swindle et al 2004; Green et al 2005) revealed that the landscape of the site is dominated by a single main axial dry valley system, the Upper Piddinghoe valley, which flows east to form the right bank tributary of the River Ouse (Fig 2.1). This axial dry valley is aligned west-north-west to east-south-east, approximately parallel to the coast and about 1km from it. Just outside the eastern edge of the site the alignment of the dry valley swings through nearly 90° to south-south-west to north-north-east, away from the coast, to reach the valley of the Ouse from the south. The axial dry valley is relatively shallow, having a maximum relief of *c* 20m. To the south the valley side rises over a distance of *c* 500m, with a gradient of about 1 in 50, to a low watershed, at a level of *c* 40m OD. The watershed separates the northward-directed dry valley system from drainage southward, directly to the coast. In this respect the axial valley of the main site is different from those dry valleys which were investigated as part of the infrastructure works, since the latter form part of a southward-orientated drainage system aligned with the main anticlinal dip of the chalk.

GEOARCHAEOLOGICAL OBSERVATIONS

The dry valley at Lower Hodder Farm was recorded through machine trenching and borehole investigation at the locations shown in Fig 2.2. While the borehole survey allowed variation over the entire valley to be characterised, the main trenches in the dry valley allowed for a detailed examination of the main depths of sediment. Both data sets are discussed in turn.

THE BOREHOLE SURVEY

Fifty-five of the boreholes, on the margins of the survey area, lay outside the area of valley-floor sedimentation and penetrated shallow sequences on the lower valley-side slopes (see Fig 2.2). Most of these sequences (42 in number) were less than 1.0m in thickness and none exceeded 2.0m in depth. They were remarkably uniform in character, consisting of shallow, greyish-brown, stony soils developed either directly on weathered chalk (eg Borehole 11) or, much more commonly, on a light orangey-brown silty clay parent material in which clasts of both

Fig 2.2 Detailed site location plan for Lower Hoddern Farm showing the location of previous geoarchaeological borehole investigations carried out by Green et al (2005) and of the archaeological and geoarchaeological trenches. Trench C8 was not investigated but is shown here for illustrative purposes

chalk and flint were very common and in which charcoal was invariably present in small amounts (eg Borehole 1).

In the main axial dry valley the boreholes demonstrated the presence of waterlaid and colluvial deposits occupying a valley floor *c* 70m in width. The valley sediments consisted of between 3.5m and 4.0m of slope and fluvial deposits overlying the chalk solid geology of the valley bottom. These deposits were shown to infill a relatively narrow, sinuous channel cut in the valley floor. Upstream from the tributary confluence the deeper channel broadly occupied the middle of the valley floor

but downstream, after its confluence with the tributary, it lay closer to the valley's southern side.

From Borehole 80, however, a thickness of nearly 6.0m of sediment was recorded and the underlying chalk was not reached. In the lower part of the sequence in this borehole and in several neighbouring boreholes (48, 49, 50, 63, 81, 93, 106) there were unusual thicknesses of stoneless sand and it was considered possible that Borehole 80 penetrated a solution pipe in the chalk within which Tertiary sediments are preserved. Borehole 90 may have been a similar anomaly. It passed through 4.8m of sediment before reaching the chalk, but it lay close to

the edge of the valley floor, on the north side of the valley at a point where the axial channel appeared to run close to the south side of the valley floor. Most of the sediment encountered in Borehole 90 was stoneless or pebbly sand or silt and appeared to include a substantial amount of Tertiary material.

In many of the sampled locations of the main valley floor (27 boreholes in all) a reddish-brown almost stoneless clay was present, generally between 0.1m and 0.25m in thickness. In most cases (23 boreholes) this deposit rested directly on the surface of the chalk, but in a few boreholes it overlay sandy or silty deposits. In the deepest sections it was often absent, suggesting the possibility that it represented a weathering or pedogenic horizon that had been removed by erosion where the axial channel was slightly entrenched. In these deeper parts of the sequences, the sediments were very variable in colour and texture, but sandy and even gravelly sediments were relatively common (eg in Boreholes 108–113). Where the axial channel was close to the southern side of the valley floor, there was a persistent horizon of dark yellowish- or orangey-brown, coarse to very coarse sandy gravel at the junction with the underlying chalk.

In the upper parts of the deeper sequences and forming the bulk of the thinner valley-floor sequences (1.0–3.0m in depth), and including all the sequences in the axis of the tributary dry valley, silty sediments were present, ranging in colour from dark brown to light orangey-brown and almost always including angular and subangular flint clasts. Stoneless silt horizons were uncommon and thin (<100mm). Chalk clasts were present in some of these silt horizons and, where they occurred, tended to be in the upper part of the sequence. Charcoal was usually present in these silty horizons and in a few places (eg Boreholes 32 and 63) was very common. In Borehole 63 the charcoal was associated with a distinctive bed of flints. In Boreholes 32 and 97 possible pieces of ancient pottery were recovered in the dark brown silt horizons, along with one piece of burnt flint and three fragments of possible struck flint in Borehole 32. Borehole 47 also contained one fragment of struck flint in this dark brown silt horizon. Individual struck flint pieces were also recovered in Boreholes 1, 17 and 134 from the light orangey-brown silty clay unit.

In almost every section on the valley floor the uppermost horizon, forming the parent material of the soil, was a light orangey-brown silty clay incorporating large amounts of flint and chalk and closely resembling soil material from the neighbouring valley side. In a similar way to dry valley sediment sequences elsewhere on the chalk of southern England discrete, highly localised, beds of either flint of

chalk were encountered. These were thought to represent the products of localised gullying on the valley sides, deposited on the valley floor in the form of low-angle fans.

Borehole 55 appeared to be somewhat anomalous. The site lay upslope from the valley floor and c 5.75m above it. Boreholes intervening between Borehole 55 and the valley floor all had shallow sequences overlying the chalk, but Borehole 55 penetrated to a depth of 3.48m before encountering it. The lower part of the borehole passed through nearly 1.0m of clayey, coarse, angular flint gravel into a thin (70mm) layer of dark brown organic clay, which rested directly on the chalk. The possibility that this borehole penetrated an artificial feature needs to be considered. It may be significant that in two nearby boreholes (66 and 68), the sequence, although shallow (<1.0m), is not the characteristic soil/parent material sequence seen elsewhere on the lower valley-side slopes, but a clayey sequence containing possible pottery in an olive-brown clay that rests directly on the chalk. In addition, waterlogged seeds (probably modern) together with charcoal were present in light orange clay in Borehole 66.

THE MAIN DRY VALLEY TRENCH

The dry valley trench, approximately 100m long, was excavated close to the upstream end of the borehole survey area between Boreholes 9 and 59; it extended across the valley floor at an angle slightly oblique to a line normal to the valley axis. The trench was opened to a depth of 1.0m across a width of 10m and extended downward to a depth of 2.0m across a 2.0m width along its centre line. Four sets of column samples (1–4) were taken from the sides of the trench and five borehole samples (3–7) were recovered from the floor of the trench. These samples (sequences 1–7) are described in Tables 2.5–2.11 and illustrated in Fig 2.3.

At the northern end of the trench a shallow soil c 300mm deep rested directly on chalk bedrock. Within a couple of metres from the end of the trench the chalk surface stepped down fairly steeply and the chalk was overlain by c 0.75m of dull yellowish-brown, sandy silt (A[52]) containing many small (<20mm) clasts of chalk and mainly small (<70mm) clasts of flint, and including mainly broken nodular fragments but also a few well-rolled pebbles (Fig 2.3, sequence 1; Table 2.5). The whole thickness of the colluvium was penetrated by numerous worm burrows. Towards the northern end of the trench several complete shells of *Cornu aspersum* (formerly *Helix aspersa*) were noted at various levels in the colluvium and a few specimens of other molluscan species.

Depth (m OD)	Context no	Composition
29.37–29.30	A[52]	10YR 4/4 dark yellowish-brown; poorly sorted gravelly and sandy clayey silt with clasts up to 25mm of angular and subangular flint and rounded and sub-round chalk; blocky structure with common unlined root channels containing many live roots; a few pieces of broken snail shell; strong acid reaction
29.30–28.62	A[52]	10YR 5/6 yellowish-brown; poorly sorted gravelly and sandy clayey silt with clasts up to 50mm of angular and subangular flint and rounded and sub-round chalk; blocky and crumbly structure, very porous and friable; many unlined root channels and faunal burrows with live roots common; worm granules; whole and broken gastropod shells; strong acid reaction

Table 2.5 Lithostratigraphic description of dry valley trench, sequence 1 (colour codes refer to Munsell 1992)

The chalk surface, overlain by the colluvium, sloped gently towards the valley floor over a distance of several tens of metres. In some places the chalk appeared to be fairly coherent and essentially *in situ*, but in other places it was reduced to an incoherent bed of small clasts in a matrix of fine-grained chalk debris, referred to here as ‘cryoturbated chalk’. As the transect progressed south the chalk surface stepped down again fairly steeply. On the floor of the trench, a roughly circular, sediment-filled, hollow was present in the surface of the chalk.

Where the chalk surface fell away at the top of the step, it was overlain by a strong orange-brown, relatively stoneless silty clay (A[15]). The colluvium extended downslope across this silty clay and appeared to truncate it. The silty clay thickened downslope to form a bed c 0.2m in thickness resting directly on the chalk. From the foot of the step, the chalk bedrock surface sloped gently towards the valley axis over a distance of a few tens of metres before passing below the floor of the trench. It was immediately overlain by the orange-brown sandy clay and above that by an almost stoneless bed of sandy silt, dull yellowish-red below passing up gradually to rather variable light olive-grey (A[84]). This sand was overlain by the colluvium (Fig 2.3, sequence 2; Table 2.6). The contact between the sand and the colluvium was approximately parallel with the chalk bedrock surface and accordingly sloped gently towards the valley axis over a distance of a few tens of metres before passing below the floor of the trench.

Near the foot of the step, a mass of cryoturbated chalk was present within the sediments overlying the chalk surface. This somewhat resembled a periglacial involution but as it appeared to occur in isolation, it is perhaps more likely that it was a

Depth (m OD)	Context no	Composition
28.25–27.25	A[52]	10YR 5/6 yellowish-brown; poorly sorted gravelly and sandy silt with clasts up to 30mm of angular and subangular flint and rounded and sub-round chalk; blocky and crumbly structure, very porous and friable becoming slightly more coherent towards base; many unlined root channels and faunal burrows with live roots common down to 700mm; worm granules; broken and whole gastropod shells; traces of re-precipitated CaCO ₃ in lower 500mm; strong acid reaction
27.25–27.09	A[52]	10YR 5/6 yellowish-brown; moderately sorted sandy silt with small clasts of chalk and flint (up to 10mm); unstructured, more compact than upper part of profile; common root channels, many with lining of re-precipitated CaCO ₃ ; occasional root fibre; worm burrows; charcoal; strong acid reaction
27.09–26.77	A[16]	7.5YR 5/6 strong brown; moderately sorted stoneless sandy silt; unstructured; fewer root channels than overlying unit, linings of re-precipitated CaCO ₃ becoming less common downward; occasional root fibres
26.77–26.45	A[84]	7.5YR 5/4 brown; moderately sorted sandy silt with clasts of flint (up to 80mm) at base; unstructured; common unlined root channels; very weak acid reaction
26.46–26.45	A[15]	7.5YR 5/6 strong orange-brown; silty clay
26.45–26.40	A[6]	chalk

Table 2.6 Lithostratigraphic description of dry valley trench, sequence 2 (colour codes refer to Munsell 1992)

product of ground conditions associated with the adjacent bedrock step.

The colluvium thickened towards the valley axis and in the centre of the valley floor it occupied the whole of the section exposed in the trench, ie a thickness of more than 2.0m (Fig 2.3, sequence 3; Table 2.7). Within this thick layer of colluvium there were subtle variations. These were more obvious in this northern half of the trench, especially when the section was viewed from a distance at an oblique angle.

The colluvium was penetrated to a depth of between 1.5m and 2.0m by worm burrows. Charcoal was present throughout the colluvium, and a few flint flakes were recovered from it.

Depth (m OD)	Context no	Composition
28.00–27.30	A[52]	10YR 5/6 yellowish-brown; poorly sorted sandy silt with clasts up to 100mm of angular and subangular flint and up to 20mm of rounded and sub-round chalk; blocky and crumbly structure, very porous and friable; many root channels, a few with re-precipitated CaCO ₃ lining; live roots common; worm burrows; worm granules; a few whole and broken
27.30–26.30	A[16]/[77]/[78]	10YR 5/6 yellowish-brown; moderately sorted sandy silt with clasts up to 50mm of angular and subangular flint and chalk mainly <15mm; blocky and crumbly structure, very porous and friable; many root channels, many lined with re-precipitated CaCO ₃ ; a few roots; whole and broken snail shell; charcoal, small and uncommon; strong acid reaction
26.30–26.07	n/a	10YR 4/4 dark yellowish-brown; well-sorted sandy silt with scattered chalk particles (<3mm) and angular and subangular flint clasts up to 20mm at base; unstructured; occasional root channels with CaCO ₃ lining; worm granules; whole and broken snail shell; charcoal; moderate acid reaction
26.07–25.30	A[6]	10YR 7/6 yellow grading downward to 10YR 7/3 very pale brown; poorly sorted sandy chalk paste with sand content decreasing downward; clasts of flint and chalk up to 25mm; strong acid reaction

Table 2.7 Lithostratigraphic description of dry valley trench, sequence 3 (colour codes refer to Munsell 1992)

From the southern end of the trench over a distance of several tens of metres the sediments overlying the chalk were generally thin (<1.0m) but at several points in the section small depressions, probably solution pipes (0.5–2.0m wide), penetrated downward into the bedrock chalk, some passing below the floor of the trench.

Immediately beneath the soil 'A' horizon and forming the soil parent material was a layer of dull reddish-brown stony and sandy, silty clay (A[52]). This resembled, but was not identical to, the colluvium present on the lower valley-side slope on the north side of the valley. It appeared less chalky and sandier. Above the solution hollows, this layer truncated darker more clayey, reddish-brown sediment that occupied the solution features. Shortly before the gently inclined bedrock chalk surface reached the level of the floor of the trench, it dipped steeply downward and disappeared beneath the overlying sediment.

In immediate contact with the chalk was a thin (*c* 0.3m) bed of well-rounded flint pebbles and cobbles mixed with broken nodular flint in a clay-rich matrix (A[81]). This was succeeded by more or less clayey sands (A[76]), varying in colour from bright orangey-yellow to greenish-grey, possibly *c* 0.5–1.0m in thickness and containing manganese-rich concretions and patches of iron-rich sediment. These clayey sands were succeeded by a dull yellowish-brown almost stoneless silty sand, *c* 0.2m thick, in which large (up to 30mm) pieces of charcoal and a few pieces of coarse pottery were present (A[83]) (Fig 2.3, sequences 4, 5 and 6; Tables 2.8–2.11). This bed dipped toward the valley axis and passed in that direction beneath the floor of the trench. In vertical section in the side of the trench it was overlain by stony colluvium, generally similar to that overlying the chalk in an upslope (southerly) direction (sequence 4, Table 2.8). The zonation of the colluvium, noted in the northern part of the trench could not be recognised in the southern part, where it seemed more uniformly flinty. However, variations of texture were in fact present.

Depth (m OD)	Context no	Composition
27.38–26.53	A[52]	10YR 5/6 yellowish-brown; poorly sorted sandy clayey silt with flint clasts (angular and subangular) up to 40mm and small chalk granules (<5mm); blocky and crumbly structure, very porous and friable; common root channels with CaCO ₃ lining patchily present near bottom; common root fibre; whole and broken snail shell; strong acid reaction
26.53–26.03	A[16]	10YR 5/6 yellowish-brown; moderately sorted sandy silt with angular and subangular flint clasts up to 60mm and small (<10mm) chalk clasts; blocky and crumbly structure, porous and friable; unlined root channels common near top decreasing downward; common roots, decreasing downward; worm granules; broken snail shell; strong acid reaction
26.03–25.53	A[77]/[83]/[78]	10YR 5/8 yellowish-brown; moderately sorted silty sand with angular and subangular flint clasts up to 35mm and small (<10mm) chalk clasts; blocky and crumbly structure, porous and friable; a few unlined root channels and occasional roots; broken snail shell; charcoal, strong acid reaction; gradual transition upward
25.53–25.13	n/a	10YR 5/6 yellowish-brown; silty sand with angular and subangular flint clasts up to 30mm; unstructured; a few unlined pores; ?charcoal; no acid reaction
25.13–24.96	n/a	10YR 5/6 yellowish-brown; moderately sorted sandy clay with flint clasts up to 15mm; no acid reaction; gradual transition upward
24.96–24.53	A[6]	chalk with flints

Table 2.8 Lithostratigraphic description of dry valley trench, sequence 4 (colour codes refer to Munsell 1992)

Depth (m OD)	Context no	Composition
25.74–25.34	n/a	10YR 4/4 dark yellowish-brown; moderately sorted silty sand with flint clasts up to 15mm; unstructured; root channels occupied by loosely packed grains of CaCO ₃ and occasional roots; charcoal; no acid reaction
25.34–24.74	n/a	poorly sorted sandy gravel with flint clasts up to 100mm, broken nodules, well-rounded flint pebbles and very lightly abraded broken flint; unstructured; no acid reaction; well-marked transition upward
24.74–23.92	n/a	10YR 6/6 brownish-yellow; poorly sorted sandy gravel up to 30mm (gouge diameter), mainly flint but a few small (<5mm) pieces of chalk; unstructured
23.92–23.74	A[6]	chalk with flints

Table 2.9 Lithostratigraphic description of dry valley trench, sequence 5 (colour codes refer to Munsell 1992)

Depth (m OD)	Context no	Composition
25.87–25.47	n/a	10YR 4/4 dark yellowish-brown; moderately sorted silty sand with flint clasts up to 35mm; unstructured; broken snail shell; charcoal; possible waste flake at 60mm; no acid reaction
25.47–24.87	A[6]	poorly sorted sandy chalk paste with clasts of flint and chalk; sharp contact with upper unit

Table 2.10 Lithostratigraphic description of dry valley trench, sequence 6 (colour codes refer to Munsell 1992)

Depth (m OD)	Context no	Composition
25.48–25.39	n/a	10YR 4/4 dark yellowish-brown; moderately sorted silty sand with flint clasts up to 50mm; unstructured; root channels, a few with CaCO ₃ lining; no acid reaction
25.39–25.22	n/a	10YR 5/8 yellowish-brown; poorly sorted silty sand with flint clasts up to 60mm; numerous coarse sand and granule-size smoothly rounded voids; unstructured; manganese staining; no acid reaction; well-marked transition with upper unit
25.22–24.95	n/a	7.5YR5/6 strong brown; clayey sand, similar to overlying unit
24.95–24.81	n/a	10YR 5/6 yellowish-brown; moderately sorted clayey glauconitic sand with flint clasts up to 40mm; unstructured; no acid reaction; well-marked transition with upper unit
24.81–24.48	A[6]	chalk; sharp contact

Table 2.11 Lithostratigraphic description of dry valley trench, sequence 7 (colour codes refer to Munsell 1992)

The sediments recorded in the trench appeared to consist of the following succession, from the top down:

1. Compacted soil 'A' horizon (A[1]).
2. Colluvium – present as a shallow (<1.0m) layer on the lower valley-side slopes and thickening towards the valley axis, where it was more than 2.0m in thickness. It consisted of sandy silty clay supporting variable amounts of flint and chalk clasts that varied locally in size. In places a subtle vertical 1 zonation of the colluvium could be made out, perhaps reflecting episodic accumulation. There was also lateral variation, possibly reflecting spatial variations in the availability of sediment sources. On the valley floor in the southern half of the trench the lowest part of the colluvium was sand-rich, probably as a result of derivation from underlying Palaeocene sediments, and contained charcoal and fragments of coarse pottery (A[52], A[16], A[80], A[77], A[78], A[79], A[83]).
3. Stoneless or sparsely stony clayey sands – these seem most likely to have been sands representing the local Palaeocene beds and were probably preserved in or close to substantial solution pipes (A[76], A[81] and A[84]).
4. Reddish-brown slightly sandy clay – patchily preserved in immediate contact with the chalk and probably related to long-term weathering of the chalk beneath a thin covering of *in situ* redistributed Palaeocene sediment (A[15]).
5. Pebble bed – local feature at the base of the Palaeocene sequence.
6. Cryoturbated chalk – patchily preserved and possibly of periglacial origin (A[6]).
7. *In situ* weathered chalk (A[6]).

Trench C1 (across the axis of the main west-north west–east-south-east dry valley)

The trench (measuring *c* 6.0 × 7.0m) was aligned north-east to south-west in a position chosen on the basis of the previous geoarchaeological borehole investigations (Green et al 2005; also see above), in order to provide a section across the sediment sequence infilling the dry valley and including the sand and gravel forming the lower part of the sequence. The top of the trench at the location of the recorded section (Table 2.12) lay at approximately 23.80m OD.

Seemingly undisturbed chalk was visible at the bottom of the trench (3.60m). The trench sections confirmed the sequence recorded in the previous borehole investigations (Swindle et al 2004) and comprised flinty colluvium overlying sand and gravel which rested on a surface of weathered and

Depth (m OD)	Composition
23.80–23.00	10YR 4/6 dark yellowish-brown sandy clay with gravel, subangular to sub-rounded, 40–60mm; diffuse contact in to:
23.00–21.70	10YR 3/4 dark yellowish-brown coarse clay with gravel, clasts 3–5mm and some 30–60mm; chalk flecks; clasts subangular to sub-rounded; diffuse contact in to:
21.70–21.45	10YR 3/4 dark yellowish-brown; clayey sand with gravel; some large flint clasts up to 100mm. Mostly 50–60mm subangular to sub-rounded, some rounded; sharp contact in to:
21.45–21.10	10YR 5/6 yellowish-brown; sand and gravel with well-rounded clasts and some subangular to sub-rounded; clasts 60–100mm; sharp contact in to:
21.10–20.20	disturbed chalk bedrock with possible frost wedge and incorporation of andy clay and gravel from unit above; flint cobbles 20–60mm

Table 2.12 Lithostratigraphic description of Trench C1, Lower Hoddern Farm

disturbed chalk. No visible organic remains were recorded. A sequence of samples was collected from the sand and gravel horizon for Mollusca analysis.

Trench C7 (across the main west–east dry valley; top at approximately 30–31m OD)

A 2.0m-deep trench aligned roughly north–south was excavated through the western extent of the main west–east dry valley, to provide a section across the sediment sequence infilling the dry valley. Its top was at approximately 30–31m OD. The interior of the trench was inaccessible for health and safety reasons; sediment descriptions are therefore based on observations from outside the trench.

The trench appeared to consist of two distinct units of colluvium, the uppermost of which (1) was grey/brown in colour and contained broken and unabraded flint clasts in a sandy clay matrix. This unit appeared to have a diffuse contact in to (2) a yellowish-brown, more sandy clay with scattered flint pebbles. This unit was probably derived from the remnants of the Reading Beds that formerly overlay the chalk in this area.

Towards the southern end of the trench a yellowish-brown, clast-supported, sandy gravel unit (3) appeared to cut the colluvium. Clasts in this unit appeared to be sub-rounded to subangular (predominantly flint), and between 60mm and 100mm diameter. This unit was probably waterlaid, deposited within a narrow palaeochannel along the main east–west valley.

Both the colluvium (units 1 and 2) and sand and gravel (unit 3) rested on disturbed chalk bedrock. This trench was largely consistent in form with Trench C1 in the eastern extent of the same west–east main dry valley. None of the units observed in this trench appeared to contain organic material.

SUMMARY

The dry valley trench and Trenches C1 and C7 contained similar sequences of colluvium overlying sand and gravel resting on disturbed chalk bedrock. The waterlaid sand and gravel in these trenches indicates that a narrow channel was present at the bottom of the main valley across the site.

2.4 ANALYSIS AND INTERPRETATION OF MOLLUSCAN FAUNA

Twelve samples from Trench C1 in the main dry valley were processed for molluscs, as were a further three samples from a sequence originally studied by the late Professor David Keen, from the main dry valley trench investigated in 2004 (Swindle et al 2004). A further six samples were analysed from the Portabello Pumping Station sequence as an example of a southward-orientated dry valley away from the site. The resulting counts are presented in Table 2.13. Totals for each sample do not include the burrowing species *Cecilioides acicula*.

METHODOLOGY

Mollusca analysis samples measuring between 4.0 and 8.0 litres in volume were wet-sieved through a 300µm mesh, air-dried and sorted for Mollusca remains. Any samples containing Mollusca remains were submitted for Mollusca analysis, resulting in a total of nine samples (three from Trench C1 and six from the Portobello Pumping Station). An additional three samples from the dry valley trench at the Lower Hoddern Farm site (originally studied by Swindle et al (2004)) were also analysed. The picked shells were sorted, identified and quantified using a Wild ZL72 binocular microscope. The resulting counts are presented in Table 2.13. Totals for each sample do not include the burrowing species *Cecilioides acicula*. Some samples contained low frequencies of small marine shells.

RESULTS FROM TRENCH C1

The three samples obtained from the sand and gravel horizon in Trench C1 contained rather small molluscan assemblages. The uppermost sample (21.55–21.60m OD) was the richest, containing eight species, all of which are common in dry, calcareous, grassland environments. Below this, the sample from 21.50–21.55m OD contained still fewer shells, the majority of which were similar to the uppermost sample. However, it also contained *Nesovitrea hammonis* and *Aegopinella nitidula*, which hint at slightly more moist conditions. The basal sample (21.20–21.25m OD) contained only a single identifiable shell of *Helicella itala*. Based on these low

counts, it is difficult to reconstruct the local environment with confidence, but a general impression of dry, calcareous grassland is given. Neither of the ‘modern’ indicator species (*Candidula intersecta* and *Cornu aspersum*) was present in these samples, suggesting an earlier age than the Portobello Pumping Station sequence.

RESULTS FROM THE MAIN DRY VALLEY TRENCH

Three samples from the archive of Professor David Keen were examined. These were obtained from the dry valley trench investigated by Swindle et al (2004). The basal sample (0.95–1.20m below ground surface (bgs)) was not particularly rich but contained a suite of grassland species dominated by *Vallonia costata*, *Pupilla muscorum* and *Vertigo pygmaea*. Notable occurrences were a single shell of the xerophile species *Cochlicopa lubricella*, which is characteristic of very dry habitats, and an apertural fragment of *Abida secale*, also typical of open grasslands. The upper two samples (0.00–0.25m bgs and 0.70–0.95m bgs) were extremely rich and yielded assemblages rather similar to those from the Portobello Pumping Station sequence, albeit lacking species indicative of a modern date. These were dominated by *Vallonia costata* and *V. excentrica*, together with large numbers of *Trochulus hispidus*, *Helicella itala* and *Pupilla muscorum*, all of which are characteristic of open, calcareous grassland habitats. The presence in very low numbers of species that require more moist, vegetated habitats, such as *Aegopinella pura* and *A. nitidula*, suggests that areas of more lush vegetation grew nearby.

Sample 0.95–1.20m bgs contained two distinctly fresh-looking shells of *Vallonia costata* and *Oxychilus cellarius*, which are presumed to be modern contaminants. Despite this, as with the sequence from Trench C1, neither of the ‘modern’ indicator species (*Candidula intersecta* and *Cornu aspersum*) was present in the David Keen samples, suggesting an earlier age than the Portobello Pumping Station sequence.

RESULTS FROM THE PORTOBELLO PUMPING STATION

A series of six samples was examined from this section. The basal two samples, 0.50–0.60m bgs and 0.60–0.70m bgs, from the lower colluvium contained only a few shells, of which only specimens of *Cochlicopa lubrica*, *Candidula intersecta* and *Trochulus hispidus* were identifiable. Numerous fragments of *T. hispidus*, identified on the basis of the distinctive hair-pits on the shell surface at higher magnification, were found in the sample 0.50–0.60m bgs. A slightly larger assemblage was obtained from the sample 0.30–0.40m bgs; it included several

specimens of *Vallonia costata* together with *Nesovitrea hammonis* and *Aegopinella pura*.

The upper three samples (0.00–0.10m bgs, 0.10–0.20m bgs and 0.20–0.30m bgs) from the upper colluvium contained much richer assemblages, again dominated by species typical of dry, calcareous grassland such as *Vallonia costata*, *Candidula intersecta* and *Cernuella virgata*. Also well represented were catholic species found in a variety of habitats, but also common in grassland environments, such as *Trochulus hispidus* and *Cochlicopa lubrica*. There was also a significant component representing more moist, vegetated habitats, including species such as *Aegopinella nitidula* and *A. pura*. The presence of both *Candidula intersecta* and *Cornu aspersum* indicated a modern (post-Roman) age for these assemblages, neither of these species being known in Britain before this time.

ECOLOGICAL RECONSTRUCTIONS AND COMMUNITY STRUCTURE

In order to assess any changes in the local environment represented by the molluscan faunas from the Lower Hodder Farm and Portobello Pumping Station sites, species were assigned to broad ecological groups following the scheme proposed in Table 2.14. This is intended to provide only a very coarse impression of ecological change, since no scheme can capture the complexity of the ecological requirements of land snails. No species from Group 1 (F1), were recorded, with the exception of a single fragment of clausiliid (door snail) in the dry valley trench sequence. Those represented in Group 1 (F2), which are described as ‘woodland’ species, are often found in a variety of vegetated habitats and do not necessarily imply the presence of trees. Groups 4, 5 and 6 can be combined as different elements of generally open, grassland environments with different degrees of shelter provided by rocks or plants. Group 7 includes catholic species that are tolerant of a wide range of habitats, whilst the final three groups were largely unrepresented in these samples.

The Wastewater Treatment Works and Portobello Pumping Station assemblages uniformly indicate a largely dry, calcareous, grassland environment, with areas of rocky scrub and somewhat wetter places (probably well-vegetated hollows) suggested by some species. The samples from the Trench C1 palaeochannel sequence were too small to attempt any statistically meaningful analysis, but were dominated by open terrain (Group 5) and catholic species (Group 7).

The three uppermost samples in the Portobello Pumping Station colluvial sequence provided more interesting data, demonstrating increasingly dry conditions, with a clear

	Sample	Palaeochannel sequence (Trench C1) (depths m OD)			Portobello Pumping Station colluvial sequence (depths cm bgs)						Dry valley trench (depths cm bgs)		
		8	2	1	7	6	4	3	2	1	95-120	70-95	0-25
		21.20– 21.25	21.50– 21.55	21.55– 21.60	60–70	50–60	30–40	20–30	10–20	0–10			
Ecological group	Terrestrial taxa												
f(m)	<i>Pomatias elegans</i> (Müller)	-	1	-	-	-	-	-	-	1	-	-	-
H	<i>Carychium tridentatum</i> (Risso)	-	-	-	-	-	-	-	-	-	1	-	-
M(h)	<i>Cochlicopa lubrica</i> (Müller)	-	-	1	-	1	1	5	9	3	2	7	1
X	<i>Cochlicopa lubricella</i> (Porro)	-	-	-	-	-	-	-	1	-	1	-	-
D	<i>Vertigo pygmaea</i> (Draparnaud)	-	-	-	-	-	-	1	1	-	4	4	1
D	<i>Abida secale</i> (Draparnaud)	-	-	-	-	-	-	-	-	-	-	1	-
D	<i>Pupilla muscorum</i> (L)	-	-	1	-	-	-	2	2	-	6	24	9
M(h)	<i>Lauria cylindracea</i> (da Costa)	-	-	1	-	-	-	11	-	1	-	-	-
D	<i>Vallonia costata</i> (Müller)	-	4	14	-	-	5	71	113	19	10	146	172
D	<i>Vallonia pulchella</i> (Müller)	-	1	2	-	-	-	-	-	-	-	10	14
D	<i>Vallonia excentrica</i> (Sterki)	-	-	-	-	-	-	3	5	1	4	159	201
F2	<i>Merdigera obscura</i> (Müller)	-	-	-	-	-	-	-	1	1	-	-	-
M	<i>Punctum pygmaeum</i> (Draparnaud)	-	-	-	-	-	-	1	3	-	-	1	1
M	<i>Vitrea contracta</i> (Westerlund)	-	1	3	-	-	2	17	25	-	-	2	1
M(h)	<i>Nesovitrea hammonis</i> (Ström)	-	1	-	-	-	2	8	15	1	2	2	-
F2	<i>Aegopinella pura</i> (Alder)	-	-	-	-	-	1	74	61	4	2	2	-
F2	<i>Aegopinella nitidula</i> (Draparnaud)	-	1	-	-	-	-	25	23	5	1	1	-
M	<i>Oxychilus cellarius</i> (Müller)	-	-	-	-	-	-	-	-	-	1	-	-
-	<i>Milax</i> sp	-	-	-	-	-	-	-	-	-	1	-	-
-	<i>Deroceras/Limax</i>	-	-	-	-	-	-	-	1	-	1	19	22
-	<i>Cecilioides acicula</i> (Müller)	-	-	-	-	-	(1)	-	-	-	(1)	(3)	(88)
FI	Clausiliidae	-	-	-	-	-	-	-	-	-	-	1	-
S	<i>Candidula intersecta</i> (Poiret)	-	-	-	1	1	2	26	77	9	-	-	-
D	<i>Cernuella virgata</i> (da Costa)	-	-	-	-	-	6	13	28	10	-	-	-
D	<i>Helicella itala</i> (L)	1	2	3	-	-	-	-	-	-	4	53	50
M	<i>Trochulus hispidus</i> (L)	-	2	5	+	1	6	50	69	39	3	292	301
f(m)	<i>Cepaea nemoralis</i> (L)	-	-	-	-	-	-	2	1	-	-	-	-
f(m)	<i>Cepaea</i> sp	-	1	-	-	-	-	-	6 (f)	3	-	1	1
D	<i>Cornu aspersum</i> (Müller)	-	-	-	-	-	-	1 (f)	8 (f)	1 (f)	-	-	-
	Marine taxa												
-	<i>Littorina littorea</i> (L)	-	-	-	-	-	-	5	11	-	-	-	-
-	<i>Rissoa</i> sp	-	-	-	-	-	-	1	2	-	-	-	-
-	<i>Balanus</i> sp (barnacle plates)	-	1	-	-	-	-	-	-	-	-	-	-
-	indet marine fragment	-	-	-	-	-	-	-	-	-	-	-	1
	Total non-marine shells	1	14	30	1	3	25	310	449	98	43	725	774
	Total marine shells	0	1	0	0	0	0	6	13	0	0	0	1

The [f] marker simply denotes that the count is based on fragments, as opposed to apices - if there is only a single specimen identified, then it was probably a nondescript fragment, but if there are several counted then they would have been apertural fragments that allowed a minimum number of individuals to be counted.

Table 2.13 Results of the Mollusca analysis of sequences from the Lower Hoddern Farm and Portobello Pumping Station sites, by fragment count and percentage (for codes see Table 2.14). Totals for each sample do not include the burrowing species *Cecilioides acicula*

	Sample	Palaeochannel sequence (Trench C1) (depths m OD)			Portobello Pumping Station colluvial sequence (depths cm bgs)						Dry valley trench (depths cm bgs)		
		8	2	1	7	6	4	3	2	1	95-120	70-95	0-25
		21.20– 21.25	21.50– 21.55	21.55– 21.60	60–70	50–60	30–40	20–30	10–20	0–10			
Ecological group	Terrestrial taxa												
Habitat		%	%	%	%	%	%	%	%	%	%	%	%
F1	obligate woodland species	-	-	-	-	-	-	-	-	-	-	0.1	-
F2	woodland species, higher humidity	-	7.1	-	-	-	-	31.9	19.0	10.2	-	0.4	-
f(m)	semi-woodland species	-	14.3	-	-	-	-	0.6	1.6	4.1	-	0.1	0.1
S	steppic species	-	-	-	-	-	-	8.4	17.2	9.2	-	-	-
D	open terrain	-	50.0	66.7	-	-	-	29.4	35.0	31.6	-	56.2	59.4
X	xerophiles	-	-	-	-	-	-	-	0.2	-	-	-	-
M	catholic mesophiles	-	21.4	26.7	-	-	-	21.9	21.7	39.8	-	41.8	40.3
M(h)	catholic, more humid conditions	-	7.1	6.7	-	-	-	7.7	5.4	5.1	-	1.3	0.1
Total		1	14	30	1	3	25	310	448	98	41	706	752

Table 2.13 continued

expansion in the number of species with a preference for dry, calcareous grassland and a corresponding decline in those which require more moist, well-vegetated habitats (Fig 2.4).

Group 1	F1	obligate woodland species	
	F2		species requiring vegetated habitats with higher humidity and warmth
Group 2	f(m)		semi-woodland species (often, but not always, found in such habitats)
	f(s)	semi-woodland steppic species (often associated with rocky habitats)	
Group 3	FH	woodland species requiring damp conditions	
Group 4	S	steppic species typical of dry, sunny areas, often calciphile	
	Sr	preference for rocky habitats	
	Sf	preference for some plant cover	
Group 5	D	species of open terrain	
Group 6	X	xerophilous species	
Group 7	M	very catholic, mesophile species	
	M(h)	preference for more humid conditions	
Group 8	H	hygrophilous species	
Group 9	P	marsh species typical of swamp habitats	
Group 10	A	aquatic species	

Table 2.14 Ecological groupings of the Mollusca assemblages from the Wastewater Treatment Works and Portobello Pumping Station sites, modified from Puisségur (1976)

Fig 2.4 Ecological change through the upper part of the Portobello Pumping Station sequence, showing an expansion of species characteristic of dry, open habitats (Groups 4 and 5) and catholic species that are also common in open grassland environments (Group 7), with a corresponding decline in species that require vegetated, more moist habitats (Groups 1 and 2). Y-axis indicates cm below ground level (bgl)

The dry valley trench samples indicate more stable conditions, although it should be noted that a limited number of samples were analysed in this sequence. The basal sample was too small for direct comparison with the upper part of the sequence, but conformed to an overall impression of only minor variations in the proportions of ecological groups, which were again dominated by species of open terrain and catholic mesophiles (Table 2.13).

INTERPRETATION OF THE MOLLUSC EVIDENCE

The *Vallonia*-dominated assemblages from the palaeochannel (Trench C1) sequence and the dry valley trench samples are characteristic of Zone e, the 'open ground fauna' of Michael Kerney's zonation scheme for lateglacial and postglacial

molluscan faunas (Kerney 1977). This Zone owes its character to anthropogenic effects, with a decline in the woodland species characteristic of earlier parts of the Holocene as a result of human clearance, allowing a re-expansion of species such as *Vallonia*. The onset of this stage is difficult to establish accurately, since there are significant regional differences. However, it has been suggested that the base of Zone e lies at around 5000 BP. The ages of the palaeochannel and dry valley trench samples therefore probably lie between this date and the Roman period, since they lack *Cornu aspersum*, which was introduced at this time. It should be noted, however, that associated finds recovered from the upper colluvial deposits in the dry valley trench suggest that at least some of the later episodes of colluviation may date to the Bronze and Iron Ages.

Two species found throughout the Portobello Pumping Station sequence attest to a more recent age. *Cornu aspersum* is a Mediterranean species that was probably introduced during the Romano-British period and is now widespread in southern Britain (Kerney 1977). Similarly, *Candidula intersecta* is known to be one of the most recent immigrant helicelids in the south of England, with a post-Roman introduction from central Europe (Ellis 1983). The presence of these species places the Portobello Pumping Station sequence within Zone f of the Kerney scheme (1977), suggesting that these samples are younger than the palaeochannel (Trench C1) and dry valley trench material.

Drawing these observations together enables some differences to be determined between the dry valley sequence at the main site and that of the other dry valleys, including the nearby Portobello Pumping Station. Differences of course exist between the two sites in terms of size of valley profile, catchment extent and depth of valley sediment fill, making direct comparison unhelpful except in general and contextualised terms. The Portobello valley stands in for all the north–south dry valleys between Whitehawk Bottom and Peacehaven, distinct only in that the important Holocene colluvium has not been disturbed or removed.

The sequence of colluvium recorded at the Portobello Pumping Station site was similar in nature to that recorded at the Wastewater Treatment Works site. The Mollusca analysis demonstrated increasingly dry conditions, with a clear expansion in the number of species with a preference for dry, calcareous grassland and a corresponding decline in those requiring more moist, well-vegetated habitats. Towards the top of the sequence (0.10–0.30m bgs) several marine shells were recorded, indicative of possible seabird activity. As might be expected, the Mollusca assemblages in the colluvium at

the Portobello Pumping Station site were indicative of a more recent, post-Romano-British age than that recorded in the palaeochannel sequence at the Lower Hoddern Farm site.

The Mollusca assemblages from the Trench C1 and dry valley trench sequences were characteristic of Zone e, the ‘open ground fauna’ of Michael Kerney’s zonation scheme for lateglacial and postglacial molluscan faunas (Kerney 1977). As stated above, the onset of this stage is difficult to establish accurately, but indicates that the sequences date to between 5000 BP and the Roman period.

2.5 SYNTHESIS

The coastal dry valleys sampled during ancillary works all provided clear evidence for significant periglacial erosion and infill during the Late Pleistocene, building on drainage patterns probably set down much earlier in the Middle Pleistocene. The apparent absence in these valleys of any surviving Tertiary material, in comparison with that of the Upper Piddinghoe valley and other locales in the Brighton area with surviving Tertiary deposits such as Falmer Stadium (Garland & Anderson-Whymark in prep) or Woollards Field (Pope in prep b), suggests that the last remnants of Tertiary deposits were stripped from much of the landscape before the start of the Devensian, exposing chalk bedrock to erosion.

The situation at the Lower Hoddern Farm site has been shown to be different. The dry valley which runs through the site does not connect with the coast to the south, but forms a tributary of the Ouse. It is proposed that the distinctive orientation of this channel reflects a more recent dissection through Tertiary deposits and out of the synclinal fold, to connect with wider drainage. This contrasts with the north–south-aligned dry valleys to the west, which are part of much longer-term, established, drainage patterns along the axis of the main dip slope of the chalk.

The sediment fills of the Upper Piddinghoe valley clearly attest to intermittent fluvial activity in the Holocene and during the last glacial period. The sediment fills also contain abundant derived Tertiary material, which is unsurprising given the immediate solid geology of its catchment. The combination of Tertiary material in the valley fill at Lower Hoddern Farm and mapped coverage of Tertiary geology on the Peacehaven site requires explanation. It is suggested here that what controls the survival of Tertiary material at the site, compared to other parts of the local downland, is the synclinal fold structure which underlies it, giving rise to a fairly flat, stable and unbroken landscape with relatively free-draining

sandy soils which are ultimately more resistant to erosion in the Quaternary (Fig 2.5).

The effects of this landscape on past human behaviour need to be considered. Flat ground, free-draining soils and the resulting localised ecological conditions might be expected to provide unique landscape characteristics compared to those offered by the surrounding chalkland landscape. This opens the possibility that the landscape of the Tertiary infilled syncline might have been of greater economic value to both hunter-gatherer and later prehistoric agricultural communities. Certainly this explanation has been considered before in relation to the Mesolithic archaeology of the locale (Calkin 1924; Mellars & Reinhardt 1978). These special ground conditions, which might match those seen in the syncline at Falmer (Pope in prep), may also explain the focus of Early Neolithic and later farming at the site, and this would include the rare Middle Iron Age enclosure complex at the Keymer Avenue site.

Local habitat preference, controlled by the relationship between landscape structure and geomorphological history, is offered here as an explanation to be tested through future fieldwork and assessment of the wider record. It is a hypothesis explaining a relationship, but other mechanisms should be considered. For example, what we might be seeing is the effect of differential preservation of land surfaces within the Holocene itself. Consideration must be given to the degree to which the survival of the Tertiary geology at this location has led to better preservation of the archaeological landscape in general. Those areas of the chalk downland which lack any Tertiary cover might be considered fragile in their ability to retain traces of prehistoric activity. Exploring the complex relationship between local geology, geomorphology, landscape use and site preservation has consequently emerged as a key issue in our interpretation of the Lower Hodder valley site. Building on the detailed work of others on this subject (eg Bell 1983; Allen 1988; 2005b; 2005c; Wilkinson et al 2003), testing the competing hypothesis of preferred habitat versus preservation bias presented here offers a systematic framework to bring the prehistoric settlement record of the South Downs into clearer focus.

Fig 2.5 Coastal landforms and dry valley development between Brighton Marina (Black Rock) and Peacehaven

CHAPTER 3 NEOLITHIC AND EARLY BRONZE AGE

3.1 RESIDUAL MESOLITHIC MATERIAL

Hugo Anderson-Whymark and Diccon Hart

A small quantity of residual Mesolithic flint hints at some activity at this period in the vicinity of the excavations. Because of significant mixing with Neolithic and Bronze Age artefacts it is not possible to accurately quantify the Mesolithic component of the assemblage, but a small number of diagnostic artefacts were recovered (eg microliths, microburins, tranchet axes and tranchet axe-sharpening flakes) along with cores and blades that are productions of a blade-orientated industry. Approximately 100 artefacts have been identified as Mesolithic, but this total must be considered as a minimum figure as it was not possible to confidently distinguish less diagnostic debitage, such as flakes, from later flintwork. Mesolithic artefacts are, however, unlikely to account for more than 2–5% of the total assemblage of 5909 flints (ie fewer than 300 flints). These limitations mean it is possible to ascribe only a broad Mesolithic date to the assemblage as a whole.

The Mesolithic flintwork was unevenly distributed across the excavation areas and the vast majority of diagnostic artefacts (*c* 85 pieces) were recovered from the Keymer Avenue site, with approximately half these flints coming from a Middle Iron Age midden (OA15). It is likely that the Mesolithic flints were deposited on an extant land surface that was subsequently reworked and truncated by various features, such as pits and ditches, resulting in the incorporation of Mesolithic flintwork in later archaeological contexts. The Mesolithic artefacts have, therefore, invariably been subject to some post-depositional movement, as reflected in the poor condition of the assemblage, but at a landscape level the artefact distribution pattern indicates the presence of an artefact scatter on the Keymer Avenue site, surrounded by a very low density spread across the Lower Hodder Farm and Seaview Avenue sites. However, despite extensive hand-sieving of the Middle Iron Age midden deposit at Keymer Avenue, which yielded the majority of artefacts, the density of the scatter is comparatively low. This perhaps indicates that the flint assemblage results from one or more episodes of short-term occupation, rather than from anything more prolonged.

Flint knapping was clearly an important activity, as demonstrated by the presence of numerous exhausted cores, microburins, unfinished core tools and tranchet axe-sharpening flakes that indicate the production of flakes, blades, core tools and microliths. The presence of various finished tools, though, indicates that this production probably represented the ongoing maintenance of toolkits within an occupation context rather than a specialist production site. The range of retouched tools is comparatively limited, although the identified assemblage is possibly unrepresentative since certain Mesolithic tools, for example edge-retouched flakes and scrapers, are not readily distinguishable from those of later periods unless they are manufactured on flake blanks that can be dated on technological grounds. The presence of burins and core tools is significant and may indicate the exploitation of woodland and plant resources.

3.2 PERIOD 1: EARLY NEOLITHIC, *c* 3700–3300 BC

INTRODUCTION

While the small assemblage of residual Mesolithic material certainly demonstrates some activity of Mesolithic date in the study area, it is not until the Early Neolithic that we see the first definite evidence for activity within the study area. This consisted of a scatter of pits and possible postholes in the far north-eastern corner of the Lower Hodder Farm site, on the high ground overlooking the Upper Piddinghoe valley (Fig 3.1). Many of these features are characterised by highly distinctive fills rich in Early Neolithic pottery, struck flint, cereal-processing equipment and even charred cereals themselves (Table 3.1). The pottery from these features belongs exclusively to the Plain and Decorated Bowl traditions, generally considered to date to *c* 3650–3350 BC, and this is corroborated by a series of radiocarbon dates obtained from both carbonised pottery residues and charred grain, which suggest that Early Neolithic activity on the site dates broadly to between the 37th and 34th centuries BC.

Fig 3.1 Plan of Early Neolithic features across the study area (period I)

EARLY NEOLITHIC ACTIVITY AT LOWER HODDERN FARM: OPEN AREA 43 (OA43)

Twenty-six features in Open Area 43 (OA43), in three loosely defined clusters, were dated to the Early Neolithic (Fig 3.2). Considerable variation in size, shape and contents was evident among them, though almost all were typified by rounded profiles and a lack of primary silting or weathering of their edges, which, along with the relatively homogeneous fills of the majority of them, suggests fairly rapid and deliberate backfilling after excavation. At one end of the spectrum were large, deep circular and subcircular pits measuring up to 2.5m in diameter and up to 0.9m in depth, with primary fills

rich in burnt material, including cereals (A:G245; Fig 3.3). These include pits A[635], A[786] and A[1202], all of which appear to be peripheral to the main area of demonstrable Early Neolithic activity. All three features yielded assemblages of Early Neolithic Plain and Decorated Bowl pottery and struck flint, with significant quantities recovered from pits A[635] (81 sherds, 53 flints) and A[1202] (256 sherds, 50 flints). Pit A[635] also yielded two sarsen sandstone quern fragments, including one upper stone, or rubber, and one indeterminate upper/lower stone (RF<3>).

A further group of much smaller subcircular pits in OA43, measuring up to c 1.4m diameter and c 0.7m depth, which

might be considered more typical of the scale of Early Neolithic pits in the south-east, also contained primary fills of burnt material (A:G246; Fig 3.4). The group included pits A[648], A[774], A[777] and A[783]. Further significant quantities of Early Neolithic Plain and Decorated Bowl pottery were recovered from these features, including 138 sherds from pit A[783], 21 sherds from pit A[774] and 26 sherds from pit A[648]. The quantities of struck flint yielded by these pits were somewhat smaller than those retrieved from the larger pits, with a maximum of 17 flints recovered from A[783]. This latter feature also produced a small quartzite polishing stone.

The majority of the remaining excavated pits consisted of fairly small subcircular and circular features, measuring up to c 1.15m diameter and c 0.6m in depth. They were scattered across OA43 and included a cluster of intercutting pits – A[644], A[720], A[729] and A[766] (A:G247; Fig 3.5) – as well as an outlying pit – A[297] (A:G254) – situated at some distance from the rest. As with the other pits, significant quantities of Early Neolithic pottery and struck flint were recovered from some of these features, particularly pits A[21] (187 sherds, 150 flints) and A[766] (118 sherds, 71 flints). Other finds from these features include a sarsen quern fragment (RF<1>) from pit A[720] and an unmodified quartzite pebble from pit A[644].

The remaining features assigned to this period comprised two highly irregular intercutting features, A[724] (Fig 3.6) and A[743], which probably represented tree throws or pits created by the grubbing out of tree stumps/roots, and a scatter of five very small pits or possible postholes, distributed across the entirety of the open area with no discernible patterning. In contrast to the other pits, these latter features yielded very little in the way of finds, with a maximum of just four sherds and 26 flints recovered from probable tree throw A[724].

PATTERNS OF DEPOSITION IN EARLY NEOLITHIC PITS: THE EVIDENCE OF REFITTING POTTERY AND LITHICS FROM OPEN AREA 43 (OA43)

Anna Doherty and Hugo Anderson-Whymark with contributions by Diccon Hart

Some 938 sherds of Plain and Decorated Bowl pottery and 458 flints were recovered from features in Open Area 43 (OA43). Overall, the condition of this material was exceptionally good and the large sherd sizes, minimal edge damage and often significant quantities by context are all suggestive of relatively rapid – and potentially deliberate – deposition after use. More

importantly, however, initial assessment of the assemblages indicated the presence of refits and cross-joins in the lithic and pottery assemblages from OA43, both within and between features. This, and the sometimes specific character of assemblages from individual features, had the potential to provide information on particular aspects of the character, duration and temporality – or the differing temporal rhythms and timescales – of occupation in the study area during the Early Neolithic. As a consequence, detailed refitting analysis was carried out on both assemblages the better to quantify the extent and nature of any such cross-fits present. The results of this work are summarised below (Fig 3.7).

In terms of the pottery from OA43, the refitting analysis has shown that directly cross-joining pottery sherds are present only in the large pits (A:G245), with several cross-joining sherds present within individual contexts or the fills of individual pits in this group. In most cases these are probably post-depositional breaks, although in pit A[635] cross-fitting pieces of one vessel were found in non-adjacent fills A[639] and A[641]. In contrast to the large pits, no directly cross-joining pottery sherds were noted amongst the other pit features, although there were many more instances where sherds probably or possibly of the same vessel were located in different pits. The majority of these possible joins were between the small cluster of intercutting pits (A[644], A[766], A[729] and A[648]) and it is particularly notable that many of the possible sherd links were with pit A[766]. Some of the A[766] links were with features a long distance away, such as pits A[21] and A[783]. Although it is impossible to say that any of these sherds are certainly from the same vessels, some did feature fairly distinctive profiles, fabric types or decoration. Whilst the possible sherd links demonstrate some continuity in land use, with midden material very occasionally being recirculated, there was no clear evidence that any of them were filled contemporaneously. Indeed, in some cases where there were possible sherds links between different pits, a larger part of the profile was found in one pit and only a small sherd was located in the other, and in such cases it may be reasonable to assume that the larger parts of profiles were deposited more directly, whereas small individual sherds are much more likely to have been redeposited.

Analysis of the struck flint, on the other hand, identified refits within just two of the 18 pits examined and no refits were identified between pits, suggesting only limited primary knapping debris in the features. In pit A[21] a flake was refitted to an expedient flake core and two flakes of a similar raw material were also refitted. In addition, two flakes from the

Group no	Feature no	Context no	Plain/Decorated Bowl pottery			Lithics	Other	¹⁴ C date
			No of sherds	Wt (g)	ENV			
A:G245	A[635]	A[636]	12	46	2	5	charred plant remains (cereals)	
		A[639]	8	28	2	12	charred plant remains (cereals; pulses, wild plants)	
		A[640]	58	364	49	35	charred plant remains (cereals); quern fragment (RF<3>; fire-cracked flint	carbonised pot residue: 3710–3530 cal BC; charred grain: 3660–3520 cal BC
		A[641]	3	50	1	5	charcoal; charred plant remains (cereals, hazelnuts, wild plants)	
	A[786]	A[787]	6	84	2	4	charcoal; charred plant remains (cereals)	
	A[1202]	A[1203]	43	276	36	10		
		A[1204]	179	1960	60	42	shell; fire-cracked flint	carbonised pot residue: 3640–3370 cal BC
		A[1205]	34	230	22		charcoal; charred plant remains (cereals)	
A:G246	A[648]	A[649]	11	100	6	1	charred plant remains (wild plants)	
		A[650]	10	56	8	4	charcoal; charred plant remains (cereals, hazelnuts)	
	A[774]	A[772]	23	260	3	15	charcoal; charred plant remains (cereals, pulses, wild plants)	
		A[773]	3	40	2		charred plant remains (cereals; pulses)	
	A[777]	A[775]				1	charred plant remains (cereals; pulses; wild plants)	charred grain: 3650–3520 cal BC; charred grain: 3660–3530 cal BC
		A[776]				7		
	A[783]	A[782]	138	3036	46	17	charcoal; charred plant remains (cereals, oleiferous plants, pulses, wild plants); polishing stone; fire-cracked flint	
A:G247	A[21]	A[22]	187	1012	115	150	charred plant remains (cereals, pulses); fire-cracked flint	
	A[25]	A[26]				9		
	A[644]	A[645]	31	262	25	42	fire-cracked flint	
		A[656]	18	276	16		polishing stone	
	A[720]	A[721]	15	116	12	16	quern fragment (RF<1>)	
	A[729]	A[730]	12	82	11		fire-cracked flint	
	A[766]	A[767]				71	pestle/grinder (RF<2>); fire-cracked flint	
	A[768]	A[769]	18	282	6	2		
	A[778]	A[779]	1	4	1			
	A[780]	A[781]	2	<2	1			
A:G248	A[633]	A[634]				2		
	A[724]	A[722]	4	36	4	14		
		A[723]				12		
	A[743]	A[742]				4		
A:G249	A[23]	A[24]	1	<2	1	1		
	A[27]	A[28]				7		
	A[637]	A[638]				1		
	A[736]	A[737]				6		
	A[738]	A[739]				1		
	A[784]	A[785]				1		
A:G254	A[297]	A[298]	3	18	1	1		

Table 3.1 Summary of Early Neolithic pits in the study area

reduction of a polished implement were refitted. In pit A[766] three flakes were refitted. Significantly, use wear was observed on a large number of the flints within the pits indicating that many of the artefacts were used before deposition. It was also observed that many of the pits had distinctive individual characteristics.

For example, pit A[1202] contained a large flake core and hammerstone as well as numerous non-cortical flakes and blades of notably narrow proportions, including four serrated examples. Pit A[724], on the other hand, contained large, broad, partly cortical flakes and little else, while the flints in pit

Fig 3.2 Detailed plan of Early Neolithic features in Open Area 43 (period I)

A[783] were in particularly fresh condition. These individual characteristics and the lack of refits between features indicate that these features probably represented separate deposition events that occurred over a period of time. Each event would appear to have incorporated material from a range of activities and, while the composition of each feature was quite distinctive,

certain themes reoccur, such as the use of serrated flakes (pits A[635], A[644], A[766], A[21] and A[1202]); the use of scrapers (pits A[644], A[766], A[724] and A[21]); the presence of flakes from reduced polished implements (pits A[21] and A[635]); and the presence of small numbers of opaque grey axe-thinning flakes (pits A[21], A[635] and A[1202]).

Fig 3.3 Early Neolithic pit sections A:G245

THE ENVIRONMENTAL EVIDENCE FROM OPEN AREA 43 (OA43)

Karine Le Hégarat

In addition to the artefacts, a significant corpus of environmental evidence was garnered from the Early Neolithic features, based on the analysis of 16 samples from the fills of nine pits. Samples from the pit groups contained varying quantities of charred macrobotanical remains. These were more frequent in the samples from the large pits (A:G245) and even more numerous in the samples from pit group (A:G246), with abundant assemblages from pits A[774] and A[783] and a very rich assemblage from pit A[777], amounting to some 14,500 items of charred macrofossils, of which 99.5% comprised charred grain. In fact, charred grains dominated all the studied samples (99.1% of the total macroplant remains), and chaff and weed seeds were very uncommon. Preservation was variable and a third of the grains were poorly preserved, preventing identifications to genus or species levels. The overall figure indicates that wheat grains (*Triticum* sp) were the best represented amongst the identified grains, but the figures

Fig 3.4 Early Neolithic pit sections A:G246

vary between samples. In fact, in almost all samples, barley (*Hordeum vulgare*) made up the vast majority of the identified grains with glume wheat, either emmer or spelt (*Triticum dicoccum/spelta*) and free-threshing bread-type wheat (*T. aestivum*) also present. The exception was grain-rich pit A[777], where glume wheat appeared to be the most common cereal occurring amongst the identified grains.

While several grains of barley displayed the fine transverse wrinkling on the dorsal surface characteristic of naked barley, others exhibited a more or less angular shape typical of hulled barley. Amongst the assemblage, several grains were shorter, and rounded in cross-section, and a few twisted asymmetrical lateral grains provided evidence for the six-row form of this cereal. Based on the morphology of the grains, many of the wheat caryopses were more characteristic of glume wheat species, either emmer or spelt wheat, although distinguishing these on the evidence of the grains alone is unreliable. Nonetheless, the majority of the chaff fragments, which were evident only in samples from pit group A:G246, were tentatively identified as emmer wheat. They lacked the classic strong veins visible on chaff of spelt and exhibited a slight angular appearance with a strong primary keel and a slight secondary keel. This suggests

Fig 3.5 Early Neolithic pit sections A:G247

Fig 3.6 Early Neolithic tree throw section A[724]

that emmer was almost certainly represented amongst the assemblage of charred hulled wheat grains.

Several samples provided limited evidence for pulses such as Celtic/broad beans (*Vicia faba*) and occasional vetch/bean/pea (*Vicia sp/Pisum sp*). Seeds of flax (*Linum usitatissimum*) were also evident. They are uncommon and were recorded in only one sample (<119>, pit A[783]). The ovate seeds with apexes displaying hooked tips were consistent with the cultivated species. Although the quantity of seeds was insufficient to demonstrate the cultivation of flax at the site,

their presence is interesting because it reveals the use of this oiliferous/fibre crop.

Fragments of hazel nutshell (*Corylus avellana*) present in pits A[635] and A[648] almost certainly related to the use of this species for food. A possible cherry/plum/blackthorn (*Prunus sp*) seed fragment was also present, suggesting that fruits were gathered from the wild. The samples contained relatively few weed seeds, including goosefoot (*Chenopodium sp*), knotgrass/dock (*Polygonum sp/Rumex sp*), vetch/vetchling/tare (*Vicia sp/Lathyrus sp*) and sedge (*Carex sp*). They also produced limited evidence for seeds of grass (*Poaceae*), including potential sweet-grass (*Glyceria sp*) and oat (*Avena sp*), which is almost certainly wild oat.

RADIOCARBON DATES

Peter Marshall

Five measurements were obtained from four contexts (SUERC-30726–7, SUERC-30735 and SUERC-43285–6). The five measurements are statistically consistent ($T'=8.1$; $v=4$; $T'(5\%)=9.5$; Ward & Wilson 1978) and could therefore all be of the same actual age.

The model shown (Fig 3.8) shows good agreement ($A_{\text{model}}=116$) between the radiocarbon dates and the prior information – in this case pottery dating – suggesting that the results come from a single phase of activity (Buck et al 1992). It provides an estimate for the start of Neolithic activity of 3770–3630 cal BC (91% probability; Fig 3.8, *Boundary start_Neolithic*) and probably 3690–3640 cal BC (68% probability). This activity ended in 3645–3470 cal BC (95% probability; Fig 3.8, *Boundary end_Neolithic*) and probably in 3640–3595 cal BC (50% probability). The overall span of Neolithic activity may have been as much as 1–260 years (95% probability; Fig 3.9, *Span Neolithic*), but given the low number of results this is probably an overestimate (Steier & Rom 2000) and the actual span may lie closer to 1–150 years (68% probability).

3.3 PERIODS 2 AND 3: LATER NEOLITHIC, c 3500–2250 BC, AND EARLY BRONZE AGE, c 2250–1500 BC

INTRODUCTION

The Middle Neolithic and Late Neolithic periods are traditionally very well defined in terms of distinctive repertoires of material culture and monuments, such as Peterborough Ware or Grooved Ware and cursus or henge monuments. In

Fig 3.8 Probability distributions of dates from the Neolithic activity in the study area. Each distribution represents the relative probability that an event occurs at a particular time. For each of the radiocarbon dates two distributions have been plotted, one in outline, which is the result of simple calibration, and a solid one, which is based on the chronological model used. Distributions other than those relating to particular samples correspond to aspects of the model. For example, the distribution Boundary start_Neolithic is the estimated date when that activity began at the site. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 3.9 Probability distribution showing the number of calendar years during which Neolithic activity occurred in the study area. The distribution is derived from the model shown in Fig 3.8

the context of the study area, however, these distinctive cultural signatures are largely lacking and as a consequence the periods are considered together within the framework of a broader Later Neolithic period (period 2). Issues of cultural and chronological resolution aside, however, the Later Neolithic appears to have been quite different in character to the preceding Early Neolithic. The large diagnostic pottery groups and structured depositional practices that characterised Early Neolithic activity are notable by their absence from Later Neolithic contexts, where sherd counts are generally very low, with even the largest of assemblages quite abraded when compared to the Early Neolithic material (see Table 3.2). Consequently, few features could be confidently assigned to the period and those that were consisted of little more than a handful of pits and tree throws scattered fairly widely across the study area (Fig 3.10). At least one monument, however, a small round barrow in the north-east corner of the Lower Hodder Farm site, was positively assigned to the Middle Neolithic on the basis of a small associated group of Peterborough Ware pottery. This small barrow appeared to form just one component in a wider monumental landscape of broad Later Neolithic/Early

Bronze Age date which also included additional round barrows and ring-ditches as well as a possible pond barrow.

Well-dated Early Bronze Age features in the study area were no more numerous than those of the preceding period, consisting of a handful of scattered pits. In contrast to Later Neolithic pits, though, many of the Early Bronze Age pits were characterised by highly structured deposits. The close association of one such pit with a major trackway suggests that land division in the study area was a process initiated in the latter centuries of the Early Bronze Age.

LATER NEOLITHIC PITS AND TREE CLEARANCE AT LOWER HODDERN FARM: OPEN AREAS 50–52 (OA50–52)

To the south of the Upper Piddinghoe valley, Middle Neolithic activity included three small pits, including pit A[674] (OA51) to the east and pits A[1638] and A[1907] to the west (OA52) (Fig 3.11; Table 3.2). An assemblage of eight small sherds from a single Peterborough Ware vessel was recovered from pit A[1638] while pit A[1907] yielded an assemblage of 11 flakes, two flake cores and a serrated flake that are likely to have been contemporary with the feature (see Table 2.2). These artefacts

Fig 3.10 Plan of Later Neolithic and Early Bronze Age features across the study area (periods 2 and 3)

provide a broad Neolithic to Early Bronze Age date for the features, while the serrated flake indicates plant working.

Limited evidence for tree clearance during the Late Neolithic period was evidenced by probable tree throw A[711] in the far north-east of the Lower Hodder Farm site, on the high ground to the north of the Upper Piddinghoe valley (OA50). The feature was significant as it produced the only assemblage of Grooved Ware from the excavations, alongside a single sherd of Peterborough Ware.

LATER NEOLITHIC PITS ON THE KEYMER AVENUE AND SEAVIEW AVENUE SITES: OPEN AREA 8 (OA8) AND OPEN AREA 10 (OA10)

Further isolated pits dated to the Later Neolithic period were excavated on the Keymer and Seaview Avenue sites (see Table 3.2). To the west, at Keymer Avenue, a small assemblage of struck flint (c 13 pieces) was recovered from pit B[764] (OA8) (Fig 3.12), while to the east, at Seaview Avenue, a large ovoid pit C[2019] (OA10) (Fig 3.13) produced an assemblage of 34 sherds of pottery, dominated by Mortlake-style Peterborough Ware, as well as 31 pieces of struck flint. In general the

Fig 3.11 Plan and selected sections of Later Neolithic pits and tree-clearance features at Lower Hodder Farm (period 2)

flintwork from these features was in fresh or slightly edge-damaged condition, but the flintwork from pit C[2019] was in noticeably poorer condition than that recovered from other period 2 features, suggesting that the flints deposited in this pit were probably exposed on the ground surface for a period of time prior to deposition. A radiocarbon measurement on a carbonised residue from a Mortlake-style Peterborough Ware sherd from the fill of pit C[2019] gave a date of 3490–3120 cal BC (SUERC-26247, 4565±30BP).

LATER NEOLITHIC/EARLY BRONZE AGE (PERIOD 2/3) MONUMENTS AT LOWER HODDERN FARM: RING-DITCHES, ROUND BARROWS AND A POSSIBLE POND BARROW

A series of four ring-ditches were excavated on the Lower Hoddern Farm site (Fig 3.14). These monuments fell into two broad categories: round barrows, defined here as consisting of ring-ditches with associated central pits, such as Structures 5 and 6 (S5 and S6), and segmented and/or penannular ring-ditches with no trace of any central pit, such as S7 and S16. In addition, a shallow hollow with associated internal metal surface (S9) was considered to represent the surviving elements of a pond barrow. None of these monuments preserved any trace of any associated mounds or banks (if once present

Fig 3.12 Plan of period 2 pits at Keymer Avenue

Land use	Group no	Feature no	Context no	Pottery				Lithics (no)	Other	¹⁴ C date
				Type	No of sherds	Wt (g)	ENV			
OA10	C:G129	C[2019]	C[2020]	Mortlake-style Peterborough Ware	15	124	8	20		carbonised pot residue: 3490–3120 cal BC
				undecorated body sherds possibly of Plain Bowl type	13	88	11			
			C[2021]	Mortlake-style Peterborough Ware	6	16	5	14	fire-cracked flint	
OA50	A:G279	A[711]	A[658]							
				Mortlake-style Peterborough Ware	1	6	1	10		
				Grooved Ware	32	136	2			
OA51	A:G172	A[674]	A[675]							
			A[676]							
			A[677]	Peterborough Ware (substyle unclear)	1	2	1	1		
OA52	A:G156	A[1638]	A[1639]	Peterborough Ware, possibly Ebbsfleet	8	22	1	17		
		A[1907]	A[1906]					14	fire-cracked flint	
OA8	B:G110	B[764]	B[765]					11		
			B[772]					2		

Table 3.2 Summary of Later Neolithic pits in the study area

Fig 3.13 Plan and section of period 2 pits at Seaview Avenue

these have been long since truncated by ploughing), nor did they produce any trace of associated human remains. Given the acidic nature of much of the geology on the site and consequent scarcity of bone preservation generally, it is quite conceivable that any such burials simply did not survive. Nevertheless, there is increasing recognition that some round barrows and related monuments might never have contained any associated burials and were essentially non-funerary in function (eg Drewett et al 1988, 84; Garwood 2011, 128).

The dating evidence for this group of monuments was very limited and permitted the formulation of only a very broad chronology for monument construction and use on the site spanning the Later Neolithic and Early Bronze Age periods (termed period 2/3), though there was, as outlined

below, some evidence to suggest the continued use of certain monuments into the Middle Bronze Age. A small assemblage of Peterborough Ware pottery recovered from round barrow S5, for instance, suggests a Middle Neolithic date for this particular monument, while round barrow S6 is more broadly dated to the Later Neolithic/Early Bronze Age on the basis of a small assemblage of struck flint recovered from its ring-ditch. The segmented ring-ditches S7 and S16, on the other hand, remain essentially undated – finds recovered from ring-ditch S7 were limited to a flint blade and denticulate, which at best indicate a pre-Iron Age date (H Anderson-Whymark, pers comm), while ring-ditch S16 proved entirely devoid of finds. Similarly, radiocarbon dating of a carbonised pottery residue on Deverel-Rimbury pottery recovered from the infilling of the possible pond barrow S9 indicates an early Middle Bronze Age date for the abandonment or infilling of this monument but its construction and use remain essentially undated. Ring-ditch S7 also appeared to have remained a visible landscape monument in the Middle Bronze Age, when it was apparently respected by a series of roundhouses built around it. It is important to draw a distinction between phases of construction and use of these monuments; the available dating evidence certainly is not of sufficient resolution to demonstrate contemporaneity in the construction of all these monuments but there was some evidence in the organisation of the monumental landscape to suggest a degree of contemporaneity in usage. In all likelihood, the development of the monumental landscape in the study area was both an organic and dynamic affair, involving the creation, curation and modification of individual monuments at different times over the course of several hundred years within the wider context of an articulated and organised monumental landscape.

ROUND BARROW STRUCTURE 5 (S5)

Round barrow S5 was located in the far north-eastern corner of Lower Hoddern Farm, on the high ground overlooking the Upper Piddinghoe valley. The barrow itself (Fig 3.15) consisted of a small, heavily ploughed-out, ring-ditch measuring 0.85m in width, with a projected external diameter of around 9.10m. A small subcircular pit, A[733], lay at the centre of the area enclosed by the ring-ditch but, as stated above, it produced no evidence of buried human remains. Dating evidence for this monument includes five sherds of relatively unabraded Peterborough Ware pottery recovered from the ring-ditch and central pit, as well as six undiagnostic flint flakes, suggesting it was constructed and in use perhaps as early as the later fourth–early third millennium BC. The close proximity of this monument to the Early Neolithic pits in Open Area 43

Fig 3.14 Plan of period 2/3 monuments at Lower Hoddern Farm

suggests an element of continuity from the preceding period (Fig 3.16). Indeed, the placement of this barrow so close to some of the Early Neolithic features, while not directly intersecting or overlying them, suggests that Early Neolithic features remained visible in some form and were referenced and respected by the subsequent construction of this monument.

ROUND BARROW STRUCTURE 6 (S6)

Round barrow S6 was situated in the far south-west of the Lower Hoddern Farm site, near the head of the Upper Piddinghoe valley (Fig 3.17). The ring-ditch of this monument, which measured up to 1.20m wide and just 0.25m deep, was slightly ovoid in plan, with a maximum diameter of 17.50m along its long axis, and appeared to describe a circle round a slight knoll in the landscape (Figs 3.17 and 3.18). As with the Middle Neolithic round barrow S5, the small ovoid pit, A[390], at the centre of the monument proved to be entirely devoid of surviving human remains or

artefacts. Nevertheless, the associated ring-ditch yielded a small assemblage of nine flakes, a blade, an awl and a core on a flake. The majority of these flints exhibit slight edge damage and may have been broadly contemporary with the filling of the ditch, but three flakes exhibit moderate edge damage and are likely to have been exposed for a considerable period before burial.

A large subcircular pit, A[1890], truncated the ring-ditch at its easternmost extremity (Figs 3.17 and 3.19). The pit contained a complex sequence of interleaving fills that probably reflected deliberate backfilling rather than gradual silting, and there was evidence of at least one recut, A[1870]. Finds recovered from the feature include a small but diagnostic assemblage of Late Neolithic/Early Bronze Age struck flint as well as a single body sherd of pottery in a probable Late Neolithic/Early Bronze Age fabric. The original function of these pits is difficult to ascertain although the size and shape, sequence of fills and evidence for recutting are all reminiscent of

Fig 3.15 Detailed plan and sections of Neolithic round barrow Structure 5 (period 2/3)

some Bronze Age watering holes (cf Leivers 2010, fig 3.13). At any rate, the positioning of the pits directly over the ring-ditch of round barrow S6 on its long axis is unlikely to have been accidental and it may be the case, therefore, that the pits represented a deliberate attempt to modify the monument through the slighting of its ring-ditch.

RING-DITCH STRUCTURE 7 (S7)

This curious ring-ditch monument was sited towards the centre of the Lower Hoddern Farm site, on a slight promontory on the northern flank of the Upper Piddinghoe valley (Figs 3.20 and 3.21). The monument appeared to have undergone several phases of modification and/or reconstruction over the course of its lifetime, with at least two phases of ditches evident, including both segmented and continuous ditch circuits as well as some later pit and/or posthole insertions. Unfortunately, few stratigraphic relationships could be defined in the field, partly because of the shallow nature of the respective ditch sections but also because of the partial truncation of the monument by a modern service. The precise sequential relationship between the segmented and continuous ditch circuits of this monument remains therefore largely conjectural. However, by analogy with similar monuments excavated elsewhere, where earlier segmented or penannular monuments are demonstrated to have been subsequently ‘closed off’ either through joining up individual segments or by the addition of a continuous circuit (eg Hey & Barclay 2011, 273, 281), a similar constructional sequence is proposed here (Fig 3.22).

PHASE 1: SEGMENTED C- OR U-SHAPED ENCLOSURE

It is possible, therefore, that the earliest constructional phase of this monument was a C- or U-shaped enclosure formed of three ditch segments (A:G83) laid out to create a semi-enclosed space measuring approximately 14.80m across its north–south axis, with an opening some 14.10m wide on its eastern side. Overall, the form of the monument in this phase was broadly symmetrical. There were two longer ditch segments to the north and south, measuring 9.25m and 10.90m in length respectively, and a further, shorter ditch segment to the west, which measured a little over half this length, *c* 5.80m. The two causeways formed by these ditch segments measured approximately 3.30m and 2.0m in width respectively. The ditches themselves were fairly narrow and shallow with rounded profiles, measuring up to 0.56m wide and just 0.20m deep, with no clear evidence in the infilling for any associated bank or mound.

Fig 3.16 Plan of Neolithic round barrow Structure 5 (period 2/3) in relation to the Early Neolithic pits in Open Area 43 (period 1)

Fig 3.18 Photograph of excavated Later Neolithic/Early Bronze Age round barrow Structure 6 looking west, showing its ovoid shape (2.0m scale)

Fig 3.17 Detailed plan and sections of Later Neolithic/Early Bronze Age round barrow Structure 6 (period 2/3)

Fig 3.19 Photograph of pits A[1870] and A[1890] (1.0m scale)

Fig 3.21 Photograph of Later Neolithic/Early Bronze Age ring-ditch Structure 7 looking west (period 2/3) (2.0m scale)

Fig 3.20 Detailed plan of Later Neolithic/Early Bronze Age ring-ditch Structure 7 (period 2/3)

PHASE 2: CONTINUOUS RING-DITCH

The continuous ring-ditch which presumably supplanted the earlier segmented enclosure consisted of a shallow, narrow ditch with a U-shaped profile (A:G84). Although partial truncation made it difficult to discern the precise form of this monument, it appeared to be a slight oval in plan, measuring approximately 15.20m along its longest axis by $\approx$ 13.85m across the shorter axis. Again, the ring-ditch was quite narrow, up to 0.60m wide and 0.22m deep, with no clear evidence for any associated bank or mound. A single flint denticulate was recovered from the ring-ditch fill but, at best, indicates a pre-Iron Age date (H Anderson-Whymark, pers comm).

PHASE 3: LATER INSERTIONS

A group of three small pits or postholes (A:G85) that truncated the partially silted continuous ring-ditch presumably represented later insertions around the periphery of the monument. Two intercutting pits were located on the eastern side of the A:G84 ring-ditch, including pits A[1164] and A[1158], and there was a further pit, A[1002], on the western side of the A:G84 ring-ditch. The location of this latter feature in the causeway between the termini of two of the phase 1 segmented ditches may not have been coincidental and might suggest that the earlier causewayed ditches were still visible landscape features at the time this pit was dug.

RING-DITCH STRUCTURE 16 (S16) AND ASSOCIATED OPEN AREAS 49 AND 54 (OA49, OA54)

The small, segmented, penannular monument S16 occupied a similar topographic position to the probable round barrow S6, towards the head of the Upper Piddinghoe valley (Fig 3.23). It consisted of four ditch segments of unequal length (A:G46), arranged so as to form a small ovoid enclosure measuring ≈ 8.55

$\times 8.90\text{m}$, with an entranceway to the south-east measuring some 4.40m wide. Elsewhere around the circumference of the monument, the causeways created by the segmented ditches measured between 0.46m and 1.23m wide. Several small pits or postholes were found within and around the ditches of this monument, representing later additions or insertions around its periphery. In addition, two clusters of pits (OA49), which seemed to respect the causewayed entrance to the monument,

Fig 3.22 Plan of proposed construction sequence for ring-ditch Structure 7 (period 2/3)

perhaps represented associated activity, though none yielded any finds that helped shed light on what such activity might have been. It is possible that a nearby tree throw, A[1734] (OA54), was also associated with activity in the wider environs of S16. The feature contained a small assemblage of 37 flakes, 4 blades and 3 flake cores in very fresh condition, including a refit between one of the cores and a flake. These appear technologically to be of a broad Neolithic–Early Bronze Age date, and seem to represent an *in situ* assemblage resulting from deliberate deposition.

POSSIBLE POND BARROW STRUCTURE 9 (S9)

This monument consisted of a shallow ovoid depression, A[794], measuring *c* 6.60m × 5.0m across and up to 0.40m deep, with a

metalled surface of rammed flint cobbles and pebbles in its base, A[968] (Figs 3.24 and 3.25). Two small pits with charcoal-rich fills, including A[1011] and A[1013], were cut through this metalled surface and probably represented later insertions in the feature (Fig 3.26). The charcoal assemblages from these pits included a range of fuel woods, including hazel, *Maloideae* and ash (*Fraxinus excelsior*), as well as alder (*Alnus*). Unfortunately, the only dating evidence recovered from S9 was from the Middle Bronze Age, consisting of a large group of transitional Middle–Late Bronze Age pottery recovered from the infill of the monument. A sherd with carbonised residue yielded a radiocarbon date of 1610–1430 cal BC (SUERC-43292, 3240±29BP), as well as a single sherd of Middle Bronze Age pottery recovered from pit A[1011]. Interestingly, the size of the assemblage recovered from the infill

Fig 3.23 Detailed plan and section of Later Neolithic/Early Bronze Age ring-ditch Structure 16 and associated activity (period 2/3)

of the pond barrow – amounting to some 92 sherds – suggests the possibility that the monument was deliberately infilled, which may conceivably be related to wider process changes in land use connected to the emergence of land division in the study area (see below). At any rate, the available dating evidence relates purely to the later use and infilling of the monument, not to its construction and primary use, which could quite feasibly date to the Early Bronze Age.

EARLY BRONZE AGE LAND DIVISION AT LOWER HODDERN FARM: TRACKWAY 1 (R1) AND STRUCTURED PIT DEPOSIT A[910] (PERIOD 3)

The latter centuries of the Early Bronze Age are marked by a profound change in the organisation of the landscape within the study area, for it was during this period that the first clear indication of land division appeared in the form of east–west-aligned Trackway 1 (R1). The evidence for an Early Bronze Age date for the establishment of this trackway came from a structured deposit of cattle bone interred in a pit beneath one of the trackway ditches, which is interpreted as a foundation deposit or similar marking the creation of the trackway. This feature consisted of a deep, rectangular pit, A[910], measuring $c. 2.60 \times 1.15\text{m}$ and 1.75m deep (Figs 3.27 and 3.28; see also Table 3.3). Though a thin layer of primary silting in the base

Fig 3.25 Photograph of possible pond barrow Structure 9 under excavation, looking west (1.0m scale)

Fig 3.26 Photograph of small pits A[1011] and A[1013] cut into possible pond barrow Structure 9, looking east (0.15m scale)

Fig 3.24 Detailed plan and section of possible pond barrow Structure 9 (period 3)

of the feature showed that the pit lay open for a short time, the feature was soon rapidly backfilled with redeposited chalk (presumably derived from the initial excavation of the pit), in which the remains of a partial cattle carcass, including its cranium, vertebrae and ribs, as well as a right femur and part of a right tibia, appeared to have been carefully arranged (Fig 3.29). In addition, a much-worn, long-handled antler pick recovered from the base of the pit may have represented the further deliberate deposition or abandonment of one of the tools used in its excavation (Fig 3.30). A radiocarbon date of 1890–1690 cal BC (SUERC-30716, 3465 ± 35 BP) obtained from a sample of cattle bone places this structured deposit in the latter centuries of the Early Bronze Age, sometime during the 19th–17th centuries BC, while the very precise alignment of the southern ditch of trackway R1 with the edge of pit A[910] (Fig 3.27) leaves little doubt that the two are closely associated.

The extent to which the date of this structured pit deposit can be directly equated with the date of the overlying trackway is, of course, open to interpretation. It is possible, for instance (albeit rather unlikely), that the apparent spatial relationship between pit and trackway is entirely coincidental. Alternatively, it is possible that the pit was an older landscape feature still visible and deliberately referenced by the newly created trackway. There is certainly evidence elsewhere in the landscape of the study area for the retention and reference of pre-existing features, including the Early Neolithic pits in OA43, as discussed below. On balance, however, the evidence suggests a close chronological as well as spatial relationship between trackway R1 and pit A[910]. In particular, the very accurate correspondence between the respective edges of the trackway ditch and of the pit implies that pit A[910] must not only have been a visible landscape feature but one still clearly defined in order for the creators of trackway R1 to align the two features so accurately. This in turn suggests that only a short time elapsed between the digging and filling of the pit and the cutting of the subsequent trackway ditch. The sum of the evidence, therefore, is considered here strongly to suggest a direct link between the deposition of the cattle carcass in pit A[910] and the creation of trackway R1: a link reinforced by the obvious juxtaposition between the deliberately deposited remains of a stock animal and the stock route that overlay it.

Trackway R1 was itself one of the most conspicuous features on the site. Though it survived only in a fragmentary form as a result of later plough truncation, it could be traced for over 500m as it traversed the site from east to west, forming a transhumant link between the lowlands of the Piddinghoe valley and the uplands at the valley margins (Fig 3.27). The

route took the form of a double-ditched track for much of its length, though in places it survived as a shallow hollow-way only. Generally, it measured between c 4.70m and 3.70m wide, though in places it appeared to narrow to less than 2.0m. The reasons for this are unclear, though in this respect it is worth noting that the southern trackway ditch in particular included several ‘kinks’ and doglegs in its course, which may suggest attempts to avoid obstructions such as trees.

EARLY BRONZE AGE ACTIVITY TO THE NORTH OF TRACKWAY 1 (R1): OPEN AREA 53 (OA53)

The remaining features dated to the Early Bronze Age on the Lower Hoddern Farm site consisted of three pits fairly widely scattered across the high ground to the north of trackway R1 (Fig 3.31; Table 3.3). Of particular note was a deep rectangular pit, A[1195] (Fig 3.32), which, at around 2.0×0.80 m and 1.85m deep, was closely comparable in size and shape to pit A[910], discussed above. Pit A[1195] also appeared to contain structured deposits of animal bone, though both the sequence of fills and the range of animal species present in it contrasted markedly with those of pit A[910]. Here, a primary fill of sterile chalk was overlain by two fills rich in charcoal, ash and animal bone, capped in turn by a further deposit of sterile chalk. The animal bone assemblage from the secondary and tertiary fills of this feature is dominated by the remains of a single neonatal sheep/goat, while cattle and pig are represented almost exclusively by mandibles and teeth, with a single femur from a greylag goose also present. A charcoal assemblage recovered from environmental samples from this feature included a typical range of fuel wood taxa for the period, dominated by oak (*Quercus*) but also including small quantities of ash, *Maloideae*, wild cherry/blackthorn, alder and birch (*Betula*). Together, the range of meat-bearing species present in the feature, coupled with the presence of ash and fuel wood charcoal, might be best interpreted as the detritus from small-scale feasting. Other finds recovered from the feature include an unfinished, broken and discarded barbed and tanged arrowhead and a small assemblage of Beaker pottery.

Radiocarbon dating of material from this feature produced two statistically inconsistent dates of 2281–2039 cal BC (SUERC-43290, 3751 ± 29 BP) and 2015–1776 cal BC (SUERC-43291, 3561 ± 28 BP). The earlier of these is from an undecorated body sherd of probable Beaker pottery and the later from a large fragment of pig mandible. The individual sherd was therefore clearly not contemporary with the filling of the feature and, despite the apparently structured nature of this deposit, it seems likely that it contained material of

Fig 3.27 Early Bronze Age land division at Lower Hoddern Farm: plan of Trackway I and detailed plan and section of pit A[910]

Fig 3.28 Photograph of pit A[910] under excavation, looking west (1.0m scale)

Fig 3.29 Photograph of placed cattle carcass in pit A[910], looking west (0.4m scale)

Fig 3.30 Photograph of discarded antler pick in base of pit A[910], looking north (0.4m scale)

variable age, though whether because of deliberate curation or recycling of old midden material is uncertain.

A further feature of particular interest in this land use was a large rectangular pit, A[715], located in close proximity to the pre-existing round barrow S5 (Fig 3.33). This pit was identical in shape to pits A[910] and A[1195] but around twice the size, measuring $c 4.10 \times 1.70\text{m}$, albeit much shallower at just 0.50m deep. In contrast to pits A[910] and A[1195], however, there was no evidence of any deliberate or structured deposition in this feature, which yielded little more than a handful of small sherds of Late Neolithic/Early Bronze Age pottery. Its function remains unclear, although the similarity in alignment and position to the later trackway R5 is rather reminiscent of the relationship between pit A[190] and trackway R1. It is also possible that its placement so close to barrow S5 may have been deliberate, reflecting attempts to reference and respect a pre-existing monument.

Finally, a small subcircular pit, A[323], located in the far north of the Lower Hodder Farm site is dated to this period on the basis of the small assemblage of Beaker pottery recovered (Fig 3.31). The feature yielded little else in terms of artefacts and there was no evidence of the structured deposition which typified other contemporary features in the vicinity.

EARLY BRONZE AGE ACTIVITY AT SEAVIEW AVENUE: OPEN AREA 2 (OA2)

Early Bronze Age activity elsewhere in the study area was limited to two features excavated at Seaview Avenue (Fig 3.34; Table 3.3). These included a large subcircular pit, C[240], measuring $c 3.85 \times 2.35\text{m}$ across and some 1.30m deep, with a complex sequence of interleaving fills that probably reflected its deliberate backfilling, rather than gradual silting. A small assemblage of Beaker pottery representing at least three vessels was recovered from the feature, as well as a small assemblage of

Fig 3.31 Plan of other Early Bronze Age pits at Lower Hodder Farm (period 3)

Fig 3.32 Photograph of pit A[1195], looking north-east (0.3m scale)

Fig 3.33 Detailed plan of pit A[715], showing its relationship with round barrow Structure 5 and the period 4 Trackway 5

undiagnostic struck flint. The pit was striking in its similarity in size, shape and fills to pits A[1890] and A[1860] at the Lower Hodder Farm site, a possible indication of a similarity in function. Certainly, the finds assemblages recovered from both pit groups are broadly comparable, consisting of little more than small quantities of flint debitage and pottery that might be best described as refuse from everyday domestic activities, with no evidence of the structured deposition found in other pits in the study area. A small, deep pit, C[267], in close proximity to pit C[240] is also included in this land use, though it produced no finds.

3.4 DISCUSSION

MESOLITHIC

The occurrence of Mesolithic struck flint in the area has long been attested but little considered since Calkin's study of so-called 'pygmy flints' from Peacehaven (Calkin 1924). Nevertheless, the results of these most recent excavations correspond well with the observations made some 90 years earlier. On the basis of his fieldwork Calkin identified two principal areas of Mesolithic occupation at Peacehaven, the smaller of which, consisting of a flint scatter measuring around 10 acres (*c* 4.04ha), was situated less than 300m to the south-west of the Keymer Avenue site. Furthermore, Calkin noted that the distribution of Mesolithic flint in Peacehaven was limited almost exclusively to the sandier soils of the Woolwich Beds, between 130 and 250 feet above sea level (39.6–76.2m OD) (*ibid*, 226). The same would appear to have been the case in respect of the predominance of Mesolithic flint at Keymer Avenue, which lies between 39m and 45m OD on a continuation of the same Woolwich Beds on which Calkin found his occupation sites. On this basis, it seems probable that the concentration of Mesolithic flint at Keymer Avenue represented either an extension to the smaller of the two occupation sites defined by Calkin or, perhaps more likely, an additional smaller zone of occupation on a nearby area of high ground.

There can be little doubt that the Keymer Avenue material is peripheral to the zone of Mesolithic activity defined by Calkin. For one thing, the Keymer Avenue site lies on the easternmost extremity of the Woolwich Beds on which Mesolithic occupation appears to be focused. Furthermore, the quantity and quality of the Keymer Avenue material contrasts sharply with some of the material recorded by Calkin, who described a working site (some 1.45km to the north-west of Keymer Avenue) consisting of some 8000–10,000 pieces of very fresh struck flint within an area measuring *c* 2.0m across (*ibid*). Nevertheless, irrespective of the precise nature of the relationship between the Keymer Avenue material and that found by Calkin, the preference for high ground and light, sandy soils during the Mesolithic is clear from the available evidence.

PERIOD 1: EARLY NEOLITHIC, *c* 3700–3300 BC INTRODUCTION

Neolithic research has undergone something of a sea change since the 1990s. Traditional explanations, which tended to view the Neolithic in overly simplistic terms, as a largely technological or economic phenomenon (eg Lubbock 1865; Childe 1931), have given way to far more

Land use	Group no	Feature no	Context no	Pottery				Lithics (no)	Animal bone (no)	Other	¹⁴ C date
				Type	No of sherds	Wt (g)	ENV				
OA2	C:G13	C[240]	C[237]	Beaker	5	10	3				
			C[238]					6			
			C[239]					12			
			C[251]								
			C[252]					4		fire-cracked flint	
			C[253]								
		C[267]	C[266]					1			
OA53	A:G253	A[323]	[324]	Beaker	2	2	1	6		charcoal	
	A:G238	A[1195]	A[1194]					32	63	charcoal; charred plant remains (cereals, wild plants); fire-cracked flint	
			A[1199]	Beaker	14	292	4	24	99	charcoal; charred plant remains (cereals, wild plants); shell, stone	carbonised pot residue: 2280–2040 cal BC; pig mandible: 2020–1780 cal BC
			A[2293]								
			A[2294]								
OA54	A:G250	A[1734]	A[1733]					41		fire-cracked flint	
			A[1763]					1			
RI	A:G223	A[910]	A[911]					3	77	antler pick (RF<18>)	cattle bone: 1890–1680 cal BC
			A[912]					3	27	charcoal; charred plant remains (cereals, wild plants); shell	
			A[1088]	Plain Bowl	1	6	1	1	4		
				Mortlake-style Peterborough Ware	1	20	1				
				undecorated body sherds	2	10	2				
S6	A:G6	A[1870]	A[1887]								
		A[1890]	A[1891]					1		fire-cracked flint	
		A[1870]	A[1888]								
		A[1870]	A[1889]								

Table 3.3 Summary of Early Bronze Age pits in the study area

nuanced models emphasising the cultural and ideological factors behind the profound changes evident in subsistence, settlement and material culture from the beginning of the fourth millennium onwards (eg Thomas 1999; 2003). More recently, the application of Bayesian modelling to large data sets of radiocarbon determinations from Early Neolithic contexts has provided some much-needed resolution to the dating framework for the period, allowing the rate and extent of cultural, social and economic change during the first half of the fourth millennium BC to be modelled in much finer detail than previously possible

(Whittle et al 2011). The growth of developer-funded archaeology has also played its part in driving change in Neolithic research, with an exponential increase in excavated Neolithic sites that has done much to correct earlier biases towards visible monuments, which have for so long attracted the attentions of antiquarians and archaeologists alike.

Despite the manifold advances that have been made in Neolithic research in recent years, much of what defines the British Neolithic – the so-called Neolithic ‘package’, which includes the classic Neolithic indicators such as farming, monument building, sedentism and pottery – remains the

Fig 3.34 Plan and selected section of Early Bronze Age features at Seaview Avenue (period 3)

subject of ongoing and often polarised debate. This is due in no small part to the fact that there has never been any clear consensus as to what ‘the Neolithic’ actually comprised (Thomas 1999, 13; Robb & Miracle 2007, 99), but the fragmentary nature of the evidence often allows considerable latitude in interpretation. Thus the relative importance of population movements and migration versus the acculturation of indigenes remains an oft-contended issue in many models of Neolithisation (cf Case 1969; Thomas 1991; 1999; Sheridan 2000; 2003; 2007; Collard et al 2010; Garrow & Sturt 2011). Similarly, the role of farming in Early Neolithic subsistence economies has received a great deal of attention in recent years, with some arguing for a rapid and wholesale shift towards large-scale agriculture (eg Richards & Hedges 1999; Rowley-Conwy 2004) but others for much slower rates of transition, with agriculture forming just part of diversified

subsistence strategies (Entwistle & Grant 1989; Thomas 1999; Fairbairn 2000b; Robinson 2000). Settlement evidence in the British Neolithic is also much debated: some put the case for a significant degree of sedentism, explaining the dearth of evidence for houses as a product of poor preservation and/or visibility, while others see the lack of evidence for Neolithic houses as indicative of a high degree of residential mobility (cf Darvill 1996; Thomas 1996; Pollard 1999; Rowley-Conwy 2003). Diversity seems to be a recurrent theme in many aspects of the British Neolithic and several authors have argued convincingly for a complex mosaic of different adaptations in subsistence and settlement (eg Richards 2000; Thomas 2003; Milner 2010), with a commensurate move away from the notion of a Neolithic ‘package’, imported and adopted wholesale, to a Neolithic ‘repertoire’, from which different communities took what they needed and rejected what they did not (Thomas 2003).

The study of pits and pit deposition has an important role to play in this debate about the nature of the British Neolithic. In the absence of good evidence for settlements and structures for the period, Neolithic pit sites have become increasingly prominent in discussions of Neolithic occupation (eg Whittle 1997; 1999; Thomas 1999; Pollard 2002). The potential of such sites to contribute to discussions of the character, chronology and temporality of Neolithic occupation has been ably demonstrated through the meticulous work carried out at sites such as Kilverstone (Garrow et al 2005; 2006), and the growth of developer-led fieldwork has furnished us with an ever-burgeoning corpus of pit sites, allowing more general discussions of the phenomenon and meaning of Neolithic pit digging and deposition at regional and inter-regional levels (eg Garrow 2007; Anderson-Whymark & Thomas 2012; Munnery 2013). As a consequence of this work, both the ubiquity and the regional diversity of the phenomenon is now apparent, although much remains to be done, particularly in Sussex and the south-east – a region sadly not included in Anderson-Whymark and Thomas’s excellent treatment of the subject. This has, in part, since been rectified by a detailed consideration of the evidence from the south-east (Munnery 2013), as a result of which it is now possible to place the evidence from the current study area at Peacehaven within a much more meaningful regional and wider context.

CHRONOLOGY

Anna Doherty and Peter Marshall

A model for the chronology of Early Neolithic activity in Sussex suggests that new practices began here in 3950–3710 cal BC (95% probability; Fig 3.35, *start_Sussex_Neolithic*). The activity in

the study area would therefore seem to have been contemporary with the main phase of causewayed enclosure activity across southern Britain, which took place in the 37th century BC (Bayliss et al 2011), and not with the initial spread, which occurred from the 41st century BC. This is supported by an absence from the study area of Carinated Bowl ceramics, which are generally considered an indicator of the initial or formative Neolithic, currently dated to c 4050–3750 (Garwood 2011, 55).

The estimated dates for pottery residues from the Early Neolithic pit groups are in line with the expected range for Plain and Decorated Bowl assemblages, generally thought to have developed contemporaneously at around 3650 BC and to have continued until c 3350 BC (Fig 3.36; Whittle et al 2011, 14). Interestingly, one of the dates (SUERC-30726, 4855 ± 35 BP), on a residue from a sherd in fabric FL5 in pit fill A[640], appears to be quite early. There is an 86% chance that it falls within the range 3710–3620 cal BC, although at 95% confidence the date could be as late as 3530 cal BC. It was also directly associated with a wheat grain dated to 3660–3520 cal BC (SUERC-36727, 4815 ± 35 BP). Although the other direct date on a ceramic residue has a broader range of 3640–3370 cal BC (SUERC-30735, 4730 ± 35 BP), the radiocarbon dates from the pit cluster as a whole suggest that most of this activity probably dates to the first half of the currency of the Plain and Decorated Bowl tradition.

This is perhaps unsurprising, considering some of the typological evidence in the pottery assemblage. The presence of a few carinated forms needs to be noted (see Fig 6.8, nos 18, 20, 31 and 33). Although carinations are clearly an element of Plain Bowl assemblages and have been recorded in small quantities at most of the causewayed enclosure sites in the region, it may be assumed that they are a typological development from the earlier Carinated Bowl style. The total absence of Peterborough Ware traits from the period

1 pit cluster is also probably of some significance. Current understanding of the chronology of Peterborough Ware now suggests that the Ebbsfleet substyle initially developed during the 36th century BC, when Plain and Decorated Bowl pottery was still current (Barclay 2008, 4–5). We might then expect a few examples in this substantial assemblage if this phase of activity continued much beyond the mid fourth millennium BC. Ebbsfleet Ware did occur, for example, in the later fills of causewayed enclosure ditches at Whitehawk and Combe Hill (Drewett et al 1988, 66).

The dating evidence from the current study area tallies quite well with the recent dating review of causewayed enclosures, which suggests that the Whitehawk monument was probably occupied over a period of 75–260 years, from a construction date in the mid 37th to 36th centuries BC (Healy et al 2011, 226), although there are some notable differences in assemblage composition between the two sites. Whilst this may be a result of chronological differences, at a resolution not detectable with current dating techniques, it seems likely that there are other factors effecting the apparent variations between the assemblages from Whitehawk and the study area.

EARLY NEOLITHIC PITS AND PIT DEPOSITION *Diccon Hart, Anna Doherty and Hugo Anderson-Whymark*

The style and regional context of the Plain Bowl pottery

Anna Doherty

The process of describing and categorising Early Neolithic assemblages has unfortunately led to the layering of complicated terminologies. In the 1970s, building on the earlier schemes of classification by Piggott (1931) and Smith (1956), three different systems of classification were proposed, each putting forward a slightly different scheme of regional style groupings for lowland Britain (Wainwright 1972; Smith

Fig 3.35 Probability distributions of radiocarbon dates with diagnostically Early Neolithic association. The format is the same as for Fig 3.8. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 3.36 Probability distributions of radiocarbon dates associated with Plain Bowl pottery from southern Britain. The format is the same as for Fig 3.8. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

1974; Whittle 1977). However, the stylistic associations of Sussex pottery, chiefly represented by the large assemblage from Whitehawk Camp, remained under dispute (see Drewett 1980, 23–4 and Cleal 1992, 286–8 for summaries).

The fact that Neolithic pottery from the Sussex Downs has some typical characteristics which can also be detected in assemblages from adjacent regions is still recognised. For example, it was noted on the High Speed 1 (HS1) project in Kent that the assemblage from Saltwood tunnel near the south-east coast had Whitehawk-style features, whilst that from White Horse Stone nearer the Thames estuary fitted better into the East Anglian Mildenhall group (Barclay & Edwards 2006, 13). It has been argued, however, that regional labels are not always meaningful as we are more likely to look for parallels in local assemblages than distant ones and we may be biased in how as we decide what are important attributes to classify – decoration, for example, has almost always been emphasised over vessel size or shape (Cleal 1992, 289–90). A simpler way of expressing the broad changes in pottery style suggests that

Plain and Decorated Bowl assemblages (encompassing the local Whitehawk style) developed seemingly in tandem with the emergence of causewayed enclosure sites (Barclay 2008, 5).

Setting the Plain and Decorated Bowl assemblage from the study area into its regional context is problematic since most of the key Early Neolithic assemblages from Sussex were published prior to the advent of modern standards of recording and publication. Most of these assemblages come from the causewayed enclosures at Whitehawk (Williamson 1930; Curwen 1934b; Piggott 1936), The Trundle (Curwen 1929; 1931) and Combe Hill (Musson 1950), but one is from a pit group at New Barn Down (Curwen 1934a). Significant assemblages published in the 1970s include that from the causewayed enclosure at Offham Hill and a small group derived mostly from a single pit at Bishopstone (Drewett 1977; Bell 1977). Among more recent finds are very small assemblages from the western extent of the Sussex coastal plain, mainly from isolated pits (Bedwin & Holgate 1985; Chadwick 2006; Allen & Fitzpatrick 2008, 91). Consequently there are very

little comparative data in terms of quantification or detailed description of fabrics, and often scant information about the stratigraphic associations between different illustrated pieces.

Most diagnostic elements in the current assemblage can be paralleled by at least one illustrated vessel in the large published assemblages from Whitehawk Camp (Williamson 1930; Curwen 1934b; Piggott 1936). but it is clear that, as a whole, the current assemblage is quite distinct from the local type-site. Even allowing for selective illustration, Decorated wares are clearly a fairly major component at Whitehawk. Although we have no specific figure, Whittle (1977, 85) suggests that around 30% of vessels in such assemblages are typically decorated. In the current assemblage, however, even if features such as lugs and perforations are included, the figure is only around 5%, and only one vessel (Fig 6.8, no 6) features particularly complex, highly visible decoration (see Chapter 6.3, 'Prehistoric and Roman pottery'). It has been noted that Decorated wares are strongly associated with causewayed enclosures and are much rarer on Early Neolithic pit sites, perhaps suggesting that the function of pottery on the two types of site was fundamentally different (Barclay 2002, 85). Many causewayed enclosures, however, including The Trundle, Offham Hill and Staines, apparently feature similarly low levels of decoration (Curwen 1929, 51; Drewett 1977; Robertson-Mackay 1987, 88).

Early Neolithic pits and pit deposition in Britain

Neolithic pit deposits have been the subject of considerable research in recent years and the prevailing view is that these features contain deposits that are structured to a greater or lesser degree, commonly using a selection of artefacts that result from occupation (Thomas 1991; 1999; Garrow et al 2005; 2006; Garrow 2006; 2007; Lamdin-Whymark 2008; Anderson-Whymark & Thomas 2012). Such features do therefore provide evidence of occupation and the material within them can, to some degree, indicate the range of activities carried out at that location. Neolithic pit sites can vary greatly in size and composition, from very extensive complexes such as those at Kilverstone (Garrow et al 2005; 2006) or Hurst Fen (Clark et al 1960), which often incorporate discrete and sometimes quite highly ordered clusters of pits, to individual isolated features or, quite commonly, pairs of pits (Lamdin-Whymark 2008, 143). Nevertheless, despite this considerable variation, Neolithic pits as a class of feature have been repeatedly shown to share certain recognisable traits. In location, for instance, it has been observed that many Early Neolithic pit sites are concentrated close to river valleys or other watery areas (eg Garrow 2007, 4;

Lamdin-Whymark 2008, fig 37). Moreover, most pits of the period are characterised by relatively shallow rounded profiles and a conspicuous lack of weathering of their sides – attributes which, in conjunction with the often homogeneous fills present in the pits, are often taken to indicate rapid infilling of the features after excavation (Thomas 1999, 64–5).

The material used to infill these pits is also often highly distinctive, with significant quantities of pottery and struck flint, often incorporated within a matrix of burnt material, including charcoal and ash, perhaps representative of hearth material and simply poured or dumped into pits. Examples of querns or rubbing stones are also often present in Early Neolithic pits (Stevens 2007). The specific character of much of this material has led many to surmise that it was first accumulated in a 'pre-pit context' such as a midden before being deposited within pits (Pollard 1999, 89; Garrow 2007, 12; Thomas 2012, 4). It is rare for complete vessels to be present and differing levels of abrasion are often noted between directly cross-joining sherds, which suggests varying amounts of time within such surface contexts before deposition in a pit. Struck flint, on the other hand, is often recovered in pristine or near-pristine condition, while refits are rare, perhaps suggestive of differing modes of treatment and deposition to those at work in extant pottery assemblages (Munnery 2013, 21). A predominance of tools over debitage is also a common factor in lithic assemblages recovered from Neolithic pits (Cleal 1984, 148; Thomas 2012, 2), although in certain regions, such as East Anglia, the opposite appears to be the case, hinting at degrees of regional variation in deposition (Garrow 2007, 12).

In summary, therefore, the overall impression that can be garnered from the available evidence is one in which the detritus of occupation, strewn about the surface of (probably impermanent) settlements was periodically gathered up and dumped into pits, either at the beginning or end of periods of occupation (Evans & Knight 1997, 23; Pollard 1999, 89; 2001, 323), or even during the course of a single period of occupation (Garrow et al 2005, 152). Despite a widely accepted link with settlement, however, the exact function and significance of Neolithic pits and pit deposits remain a contentious issue. An important aspect of this ongoing debate is whether Neolithic pits were dug specifically for depositional purposes or whether they were initially used for other purposes such as storage, as hearths, or for expedient refuse disposal (cf Clark et al 1960; Field et al 1964; Darvill et al 1986; Thomas 1999). The influential work of Thomas (1999) in particular has done much to dispel earlier notions that Neolithic pits represent former storage pits, a hypothesis

which he has shown to be based in many respects on a rather uncritical comparison with later, Iron Age, storage pits. Certainly, experimentation has shown that the shallow, bowl-like profile of the majority of Neolithic pits would be entirely unsuitable for grain storage (Reynolds 1974; Thomas 1999, 66), while other traits, such as the rapid backfilling of pits outlined above, are often considered to indicate that the pits were excavated purely for purposes of deposition (eg Thomas 1999, 65; Garrow et al 2005, 151). It is worth noting that not all the Neolithic pits within the study area conformed to this general pattern. Some, such as pits A[635], A[648] or A[644], were seen to have had relatively vertical sides not inconsistent with the profile required for successful grain storage. Furthermore, there was evidence in several features, including pits A[635] and A[1202], for multiple fills and in certain other pits, most notably pit A[777], for some primary silting. However, the extent to which these differences can be deemed to have represented a specific primary function prior to infilling, rather than simply variation within a clearly highly diverse depositional tradition, remains undetermined. That is not to say, however, that there is no evidence elsewhere for the use of Neolithic pits prior to their infilling, although such evidence is exceptionally rare. At Broome Heath, for instance, there was evidence for possible timber linings within some pits (Wainwright 1972), while there was evidence for *in situ* burning within Neolithic pits at Stansted (Essex) and at Hurst Fen (Norfolk) (Clark et al 1960; Brown et al 2002, 25). The balance of the evidence, however, suggests that these examples may be the exception, rather than the rule. In view of this, it is possible that some of the more atypical Neolithic pits in the study area were originally excavated for purposes other than deposition, perhaps including grain storage (R Masefield, pers comm) but this cannot be satisfactorily proven on the basis of the available evidence.

Early Neolithic pit sites in Sussex and the south-east *Diccon Hart and Anna Doherty*

A number of Early Neolithic pit sites are now known in Sussex, the majority of them apparently clustered to the west of the River Arun, including North Marden (Down & Welch 1990), St Richard's Hospital Chichester (King & King 2010), Drayton sand and gravel pit (Stevens 2003), Copse Farm Oving (Bedwin & Holgate 1985), Lavant Quarry (Kenny 1993) and Westhampnett (Chadwick 2006), as well as at Offham and The Trundle causewayed enclosures (Drewett 2003, 43). By comparison, Early Neolithic pit sites in East Sussex are rare; they include New Barn Down (Curwen 1934a), Bishopstone (Bell

1977), Whitehawk causewayed enclosure (Curwen 1936) and perhaps Selmeston (Drewett 1975a). Further afield, similarly dated pit sites are known from several places in Surrey, among them Ashford Prison (Carew et al 2006), Hengrove Farm, Staines (Munnery 2013), Matthew Arnold School, Staines (Munnery 2010) and Compton noise abatement site (Clarke 2010), while in Kent, there are three sites on the Isle of Thanet, at the Queen Elizabeth and Queen Mother Hospital site, at Westwood and at Thanet Earth (Oxford Archaeology 2005; Gardner & Moody 2006; Rady 2010; Rady et al in prep) as well as four sites along the route of the HS1 rail route, including White Horse Stone, Beechbrook Wood, Waterbrook Farm and the Saltwood tunnel site (Garwood 2011; Munnery 2013). In terms of deposition, most of these sites are comparable to those found elsewhere in Britain, often characterised by significant quantities of Early Neolithic pottery and struck flint (with occasional refitting pieces), as well as animal bone, charred grain, charcoal and stone, including occasional finds of cereal-processing equipment. Furthermore, the evidence from the study area is consistent with that found from elsewhere in the region and beyond. At North Marden, for example, some 408 sherds of pottery were recovered from the five excavated pits, including 210 sherds from a single pit, while some 138 sherds of pottery were recovered from a single pit at Compton noise abatement site. Similarly, a single pit at Beechbrook Wood produced an assemblage of some 671 pieces of struck flint, including cores, blades and bladelets and a serrated flake with sickle-sheen (Garwood 2011, 56). Fragments of querns, associated with Early Neolithic pottery and struck flint, as well as charred cereals have been recovered from other sites, such as New Barn Down and Bishopstone (Curwen 1934a, 156; Bell 1977, 9). In size and shape, too, the pits at the study area were comparable with those found elsewhere in the region, with the majority of excavated Early Neolithic features consisting of circular or oval pits ranging in size from less than 0.3m to over 2.0m, with generally rounded profiles and a lack of weathering indicative of rapid backfilling (Munnery 2013). Interestingly, while some sites – the study area included – incorporate a wide range of pit sizes, others, such as those at North Marden, Compton noise abatement site or St Richard's Hospital are characterised by a very restricted range of pit sizes (ibid). The absence of complete pottery vessels and the often differing levels of abrasion noted in Early Neolithic pottery assemblages is also a feature of the assemblage from the study area, where almost all sherds are slightly to moderately abraded and many individual pits appeared to contain broken sherds from a large number of vessels. There was apparently nothing inherently special about

the pottery chosen for deposition; highly decorated sherds do not seem to have been preferentially selected, for instance. Many see such deposits, drawn from everyday domestic objects, as highly symbolic although recent interpretation has warned against dividing up ritual and utilitarian actions according to modern sensibilities, instead noting that cultural and spiritual beliefs are likely to have provided the guiding rationale behind many everyday actions, not necessarily just those which we would perceive as religious or ceremonial (eg Brück 1999; Chadwick 2012).

While the evidence from the study area, therefore, broadly corresponds with that seen elsewhere in the south-east and beyond, there are some clear differences when it is compared to other sites both in the south-east and further afield and these are worth highlighting here. The very large pit complexes that are such a feature of the East Anglian Neolithic, for instance, are noticeably absent in Sussex and the south-east, although within a regional context, Peacehaven appears quite exceptional. With the exception of Bishopstone, where some 16 features of varying size and shape were assigned to the Neolithic (and which might be considered the closest parallel to the study area in these terms), none contained more than five features and many were characterised by just one or two features. In terms of size alone, then, the significance of the excavations in the study area is clear: the 26 Early Neolithic features found here constitute by far the largest pit site for the period in Sussex and the south-east. However, it could almost be described as diminutive in comparison to sites such as Kilverstone or Hurst Fen, which contained some 236 and 200 pits respectively (Clark et al 1960; Garrow et al 2005), or even certain other sites in the British Isles such as Thirlings in Northumberland, Meadowend Farm, Clackmannanshire or Wellington Quarry, Herefordshire (Brophy & Noble 2012; Edwards 2012; Jackson & Ray 2012). While it is possible that similarly sized sites await discovery in Sussex or the south-east generally, the fact that none have been forthcoming in 20 years of developer-led fieldwork suggests perhaps their absence here may be a consequence of genuine regional variation.

A special deposit? Pit A[777]

Diccon Hart and Karine Le Hégarat

Probably one of the most significant and interesting aspects of pit deposition in the study area, however, is to be seen in the grain-rich pit A[777] (Figs 3.2 and 3.4). In size alone the assemblage from this feature, which amounts to some 14,500 items of charred macrofossils, consisting almost entirely of charred cereals, represents a highly significant sample of grain

for the period, both regionally and nationally. This sheer size of the assemblage may in itself be suggestive of deliberate deposition of charred grain whereas the smaller quantities of charred grain present in other contemporary pits might be considered more in line with the general accumulation of background material, perhaps in certain so called 'pre-pit contexts', prior to deposition (see above). The absence of any other associated finds might also point to the deliberate and selective deposition of grain in pit A[777]. This certainly stands in contrast to all other incidences of charred cereals in the Early Neolithic pits on the site, which were associated with the often significant quantities of Early Neolithic pottery and struck flint that were such a feature of pits of the period. The specific composition of the cereal assemblage in this pit also appears to be unique among the Early Neolithic pits on the site: it shows a marked predominance of wheat over barley (around 73% to 23%), while the opposite is true for all other samples from the period. Again, this may indicate deliberate selection. Moreover, with the exception of tree throw A[724], pit A[777] was the only Early Neolithic feature with any evidence of primary silting, suggesting that it was left open for a period before its infilling with charred grain and that it may have been subject to a different depositional regime from that at work in the case of the other Early Neolithic pits on the site.

THE CHARACTER AND TEMPORALITY OF OCCUPATION IN THE STUDY AREA IN THE EARLY NEOLITHIC

Hugo Anderson-Whymark, Anna Doherty and Diccon Hart

The question of buildings: pit clusters and negative spaces

As stated above, the issue of the degree of sedentism versus mobility remains central to numerous discussions of the Early Neolithic in Britain, many of which are predicated on the striking scarcity of convincing evidence for buildings during the period. The corpus of Neolithic buildings in Britain remains not only frustratingly limited but also highly diverse in terms of size, construction, associated material culture and dating, all of which are factors that conspire to hinder attempts at detailed classification and understanding (Hey & Robinson 2011, 227–36; Garwood 2011, 73). It is this very rarity of Neolithic buildings in Britain, however, which has encouraged an increased focus on Neolithic pits. Indeed, while actual evidence for buildings in Neolithic Britain remains in desperately short supply, the clustering of pits at certain sites – and the negative spaces between such clusters – has led some to surmise the existence of buildings of which no trace survives

(eg Bradley 2007). At some of the larger pit complexes, such as those excavated at Kilverstone, Spong Hill or Hurst Fen, for instance, there are certainly some negative spaces that are large enough to accommodate a Neolithic building, although even the excavators of Kilverstone point out that many of the highly ordered, rectangular sequences and clusters in evidence at this site are simply too small for this and may rather be a consequence of the 'management' of pit digging and deposition (Garrow et al 2005, 153). The evidence from the study area is rather more inconclusive. There are certainly some signs of pit clustering but nothing is so clearly defined as to imply the presence of a building as opposed to any other obstruction to pit digging, including the very middens or 'pre-pit contexts' from which the contents of the pits are presumed to have been derived, or to any number of social traditions which might be at work in governing the placement and digging of pits.

The character of occupation

If there is no convincing evidence for buildings within the study area, it is possible to glean some idea of the character of occupation from the artefactual evidence recovered from the excavations. Pottery's bulkiness and easily breakable nature, for instance, not to mention the fairly lengthy process of production itself, renders its use incompatible with a fully mobile way of life. However, ethnographic data show that semi-sedentary societies frequently make and use pottery (Arnold 1985, 119–20). In communities with some degree of residential mobility the suitability of the climate is often a factor as to when and where pottery can be manufactured. In the British context only the warmer months of the year would be suitable for drying pottery prior to firing and this process could have coincided with crop harvests.

It is important to note that a recent review of ethnographic literature shows that semi-mobile communities generally use pottery in the same ways as sedentary ones, ie primarily for storage and food preparation, during episodes of settled occupation (Beck 2009, 326). There are examples of such populations abandoning or caching vessels when they move on but transportation of pottery tends to occur only in societies which use small numbers of vessels, often those that have been manufactured with transport in mind, with handles, for example, or with particularly thin walls (*ibid*, 331). Although lug handles occur on a few examples in the current assemblages there is a bias towards very large and thick-walled vessels, unsuited to being carried for any distance. Pottery use at these sites, then, would seem to imply semi-permanent or seasonal occupation.

The range of artefacts present can also be used to shed light on the various activities carried out in the study area during the Early Neolithic. Certainly the range of material present appears to provide a palimpsest of everyday occupation activities, including the use and breakage of pottery, the manufacture, use and discard of flint tools, the accumulation and reworking of middens and so forth. One notable exception is the deliberate inclusion of a large, partly worked core and a hammerstone in pit A[1202], which presumably reflects a purposeful deposition of materials related to flint knapping or tool production.

The presence of quern fragments and charred cereals in particular attests to cereal processing during the period and this might also explain to some extent the predominance of large pottery vessels in the pottery assemblage, as receptacles for boiling starchy cereals. Similarly, the overall dominance of serrated flakes among the retouched tools in the Early Neolithic flint assemblage is of some note. These tools indicate a particular emphasis on plant working, specifically the working of silica-rich plants, such as nettles, into fibres for cordage or textiles (Juel Jensen 1994; Hurcombe 2007). Serrated flakes, although a common feature of most Neolithic to Early Bronze Age assemblages, occasionally occur in particularly high numbers, for example at causewayed enclosures, such as Abingdon (Avery 1982), Briar Hill (Bamford 1985), Hambledon Hill (Mercer & Healy 2008) and Staines (Healey & Robertson-Mackay 1983; Robertson-Mackay 1987), and pit-cluster sites, such as Bishopstone (Bell 1977) and South Stoke (Timby et al 2005). This high degree of variability in the relative proportion of specific tool types is unusual in Neolithic assemblages. It may be that a single task involving serrated flakes produces many tools, so skewing the proportions of tools on a specific site, but it is possible that the variation reflects seasonality (ie the availability of plant resources at specific times of year) or access to the plant resource (ie areas where the processed plants can be obtained). The presence of reworked fragments and flakes from polished implements indicates that these tools were being used and broken in the landscape of the study area, presumably for such activities as clearing woodland and woodworking. The assemblage also provides some evidence for the production of new tools, in the form of a small number of thinning flakes of a distinctive, imported, opaque light grey flint comparable to material from which the polished implements are manufactured. However, the limited number of these flakes indicates that either they were imported from another location (perhaps along with rough-out or finished axe-heads), or that rough-out axe-heads were imported and minimally modified, possibly before final finishing by grinding

and polishing. In either scenario, these artefacts indicate that the Early Neolithic occupants were engaged in a complex chaîne opératoire of raw material procurement (possibly from the South Downs flint mines) and artefact manufacture.

The duration and temporality of occupation

The sum of the available evidence presented so far suggests probably seasonal or episodic occupation of the site, during which a range of everyday activities was carried out. In addition, however, the specific composition of the lithic and pottery assemblages from the site can also be used to provide a finer resolution to our understanding of the duration and temporality of occupation during the Early Neolithic. The sheer size of the pottery assemblage for instance, perhaps representing something in the region of 500 vessels, is of particular note and some discussion of the assemblage size in relation to other Neolithic pit groups is required. The number of sherds from different vessels recorded from the current sites appears to be an unusual pattern. It has often been commented that Neolithic pit assemblages tend to contain only a handful of vessels, suggesting rather short durations of occupation (eg Lamdin-Whymark 2008, 188). By contrast, in the study area two individual pits, A[21] and A[1202], each contained more than 100 ENV (estimated vessel number) and four others contained more than 40 ENV.

Some caution should be sounded on this point, however: the ENV method of quantification used on the current assemblage is a rather subjective calculation based on the assessment of subtle differences in large numbers of similar non-fitting body sherds and perhaps one which is more likely to overestimate than underestimate numbers. If we compare the current assemblage with that from Kilverstone in Norfolk (Knight 2006), superficially the study area appears to contain more individual vessels, despite being a much smaller assemblage in terms of sherd count/weight. It should be stressed however, that the Kilverstone report uses minimum number of diagnostic elements as a method of quantification, not addressing the question of quantifying the undiagnostic sherds. By comparison, both of the largest groups of over 100 ENV from the study area contain only about ten diagnostic feature sherds.

Although ENV may be an imperfect method of quantification, for the current assemblage it is probably provides a better assessment of the true vessel population than the minimum number of elements method. Given the lack of decoration or distinctive body carinations on most vessels, only the rim is likely to be distinctive and, particularly in the case of

the tall thick-walled vessels which seem to dominate the current assemblage, these would make up a very small proportion of the complete vessel. This makes it unlikely that quantifying rims would produce an accurate estimate of vessel numbers.

Accepting then, that it is difficult to make direct quantified comparisons with other sites like Kilverstone, where a large number of the vessels are fragmented but partially complete, the assemblage from the study area certainly seems to be unusual. Only three vessels in the whole assemblage appear to be made up by multiple sherds. Despite exhaustive attempts to identify refits, even within individual pits, only a handful were found. Furthermore, the variability in fabric, wall thickness, surface treatment and firing colour within individual groups appears to confirm that most pits contained a large number of body sherds from different vessels. The pits in the study area also produced a larger than average number of feature sherds: 53 vessels from 26 pits compared with 166 vessels from 237 features at Kilverstone.

The apparently large vessel population probably implies one of the following: a longer duration of occupation, perhaps over a number of years or even decades; successive returns to the same site, perhaps on a seasonal basis; unusually intensive pottery use; or a single phase of occupation involving a very large communal event. The last of these scenarios is perhaps the least likely, for such large communal events are more usually associated with causewayed enclosures (Garrow et al 2005, 154). It is certainly not inconceivable that similarly large communal events were played out in non-monumental contexts but given that the radiocarbon dating of activity in the study area suggests it occurred during the main phase of construction and use of causewayed enclosures, this might seem unlikely. Furthermore whilst the predominance of large vessels could suggest an emphasis on communal cooking, there is a conspicuous dearth of the sort of highly decorated wares found at Whitehawk Camp. Decoration is often a feature of ceramic assemblages that are connected with events designed to increase prestige or display cultural identity overtly (Rice 1999, 13).

Rather, the character of the pottery and flint assemblages from the study area suggests the filling of features at separate times, although there are likely to be subtle differences in the depositional regimes employed. The presence of directly cross-joining pottery within a certain group of (comparatively large) pits in the study area, for instance, might be taken to suggest that each pit represents a distinct and discrete depositional episode, each drawn from separate so-called 'pre-pit contexts'. In contrast, the possible sherd links noted between many of the remaining pits in the study area and the differing sherd

sizes noted between sherds of possibly the same vessel within different features suggest that, while these features might also represent separate depositional events, they appear to draw from a common 'pre-pit context'.

A similar pattern has been noted in the lithic assemblage, with the often very distinctive character of the struck flint assemblages from individual pits and the lack of refits between features strongly suggestive of separate depositional events. Comparable patterns of artefact condition and deposition have been observed elsewhere, for example at Kilverstone, where refitting pottery or flint appeared to be fairly common within pit clusters but rare between clusters, suggesting that features within a cluster drew on a common 'pre-pit context' but that separate clusters drew from separate 'pre-pit contexts' (Garrow et al 2005, 150; Knight 2006, fig 3.15, 32). Evidence of this type from the East Anglian pit sites has been used to suggest overlapping occupation by separate family groups, each using their own separate domestic tools and utensils (Pollard 1999, 88–89), although it is equally possible that different clusters represent temporally rather than socially distinct events (eg Beadsmoore et al 2010, 123). In the study area there was little definitive evidence for refits within pit groups (but see above) and many of the pits seemed to contain more fragmented sherds from a greater number of vessels than at Kilverstone, which might indicate the accumulation of midden material over successive seasons or phases of occupation, although it is also possible that there were culturally defined preferences for depositing more broken material from a similar population of vessels in fewer pits. Equally we cannot assume that every episode of occupation ended with a depositional event.

SUBSISTENCE AND ECONOMY IN THE EARLY NEOLITHIC

Karine Le Hégarat and Dawn Mooney

Introduction

The extensive assemblage of charred macroplant remains from the cluster of Early Neolithic pits in Open Area 43 (OA43) is of particular significance; the rich crop assemblage expands our knowledge of the Early Neolithic economy in Sussex, and the radiocarbon dates on the grains allow us to consider how the assemblage from the study area relates to emerging data regarding Neolithic farming in the British Isles.

Cultural plants

The charred macroplant remains came from three groups of pits forming a larger cluster. The quantity of material varied between the pits: eight out of the nine produced small

to moderate assemblages of charred macroplant remains while one small pit contained a significant assemblage. The pits produced a charred macroplant assemblage which was dominated by grains (99.1%). The charred grains assemblage indicated that the crop economy was not entirely dependent on a single cereal. The composition of the samples varied between the pits, but they all included grains of wheat and barley. Overall, a third of the grains could not be identified, and a third consisted of glume wheat (almost certainly emmer wheat based on the chaff tentatively identified as emmer). Barley was best represented in the remaining one third of the assemblage, with a few grains of free-threshing bread-type wheat also present. Both naked and hulled varieties of barley were present. Given the high quantity of unidentified grains it is difficult to extrapolate the importance of emmer against barley; nonetheless, the cereals represented tie up with other contemporary finds in southern England, where the principal cereal crop encountered for this period is emmer wheat followed by hulled barley and naked barley (Fairbairn 2000b; Campbell & Straker 2003; Jones & Legge 2008). Large assemblages of free-threshing bread-type wheat have been found at Balbridie in Scotland (Fairweather & Ralston 1993), but Campbell and Straker (2003) have explained that grains of free-threshing bread-type wheat found in small quantities may simply represent impurities in a main crop.

Very few Neolithic cereal assemblages have been found in Sussex, which is not untypical for the period. In Britain, Early Neolithic cereal assemblages are principally represented by sporadic finds corresponding to small numbers of grains although larger assemblages are increasingly being uncovered (see below). Until now, in Sussex, evidence for emmer wheat came from infrequent finds of charred grains, and evidence for naked barley came principally from impressions. At Bishopstone, a Neolithic pit contained emmer wheat (confirmed by the presence of spikelets) and barley (Arthur 1977), and a very small assemblage of wheat grains including emmer was found in an Early Neolithic pit at Claypit Lane, Westhampnett (Hinton 2006). None of these finds have been dated. In addition, an impression of naked barley was recorded on a Neolithic ceramic from Whitehawk Camp (Jessen & Helbaek 1944). While the assemblage from the study area fits into the pattern obtained from sites in southern England, it is very significant for Sussex because until now knowledge of the local Early Neolithic economy was very restricted.

Occasional seeds of flax were present. The charred remains recovered from the site are not quite sufficient confidently to demonstrate cultivation of the plant, although this is not

implausible. Flax is very versatile; it can be grown for its linseed oil (obtained from its seeds) or for its fibres (obtained by processing the stems), which can in turn be spun into textiles. Although flax grows well in a variety of soils, it is best suited to cultivation on light sandy soils (Bradbury *nd*), and it is not inconceivable that the plant was grown on well-drained soils around the study area. Furthermore, unlike cereals, flax intended for linen does not need to be dried to be processed, and the seeds are likely to be under-represented in dry assemblages. It is interesting to note that the flint assemblage recovered from some of the pits included serrated flakes. These artefacts suggest plant working and although they could have been used to process (or harvest) all kinds of plants, they may have been used to process flax. Although more often recorded from waterlogged contexts on the Continent, in Britain charred seeds of flax have been found in Neolithic contexts at Windmill Hill (Godwin 1975), Lismore Fields in Derbyshire (Hedges *et al* 1991; Jones & Rowley-Conwy 2007) and Balbridie in Scotland (Fairweather & Ralston 1993). The presence in the study area of a small assemblage of seeds of flax is important because the previous earliest published record of flax in Sussex comes from an impression in a Beaker pot from Belle Tout (Arthur 1970).

Large-seeded legumes were recovered in small numbers. Given the scarcity of the pulses (0.11% of the total assemblage of charred macroplant remains), their cultivation in the study area during the Early Neolithic remains uncertain, and even if the legumes were grown on site, their low numbers suggest that commitment to pulse farming was small. Nonetheless, pulses are less at risk of burning than cereals, and their representation here may be biased. The presence of Celtic/broad beans amongst the assemblage of vetch/bean/pea is interesting, but needs to be carefully interpreted because Celtic/broad beans are not usually represented in British and Continental Neolithic assemblages, although they have been found in Morocco (Ballouche & Marinval 2006). Remains of Celtic/broad beans have been recovered in an Early Bronze Age context at Saltwood Tunnel in Kent (Stevens 2006), and an impression was identified on Early Bronze Age pottery at Newbarn Down, on the Isle of Wight (Campbell & Straker 2003, 15).

Gathered plants for consumption

The macroplant assemblage from the study area was unusual for the period in that evidence for collected food was scarce. The assemblage was limited to infrequent hazelnut shell fragments, which were recorded in small numbers in only two pits. In

addition, a single seed was tentatively identified as possible cherry/plum/blackthorn. In comparison with crop remains, wild food resources are usually better represented on British Neolithic sites (Moffett *et al* 1989; Robinson 2000) with evidence coming from hazel nutshells but also from collected fruits such as crab apple, blackberry, sloe and hawthorn ((Kirleis *et al* 2012, 229). For instance, at Claypit Lane, Westhampnett, Sussex, in addition to numerous hazel nutshells, charred fragments of apple and a sloe fruit were found in a Late Neolithic pit (Hinton 2006). During the Neolithic period wild plants would have been an important and valuable part of the daily food as well as for medicines, construction and the production of fibres and dying. The immediate surrounding area of the site as well as the littoral zone would have provided a rich array of resources that could have been exploited, and remains of wild plants were possibly under-represented in the current assemblage. Their paucity may have been due to preservation bias or the final function of the pits.

There have been numerous debates regarding the role played by collected plants in the overall diet of Neolithic communities (Moffett *et al* 1989; Robinson 2000). A study of Neolithic farming (Stevens & Fuller 2012) based on radiocarbon data concludes that during this period cereals were in fact a major dietary staple that was supplemented by collections of wild food, although this trend is not often reflected by the archaeobotanical evidence. A possible explanation proposed by Stevens and Fuller (2012) for the recurrent lack of crop remains on British Neolithic sites is that they may have been less frequently discarded and charred. Pelling (2012a, 251) explains the scarcity by a combination of the scale of Neolithic agricultural production and processing methods as well as the subsequent erosion of the features.

Other wild plants

Very few weed seeds were present in the assemblage. This could indicate an effective weed-fighting strategy either in the fields, by harvesting only the cereal ears or reaping high on the stalk, or during processing, by sieving and hand picking. The low concentration of weed seeds and the fact that the weed assemblage could not be reduced to species make any detailed discussion of field ecology difficult. Weed seeds such as goosefoot, vetch/vetchling/tare, knotgrass/dock and grasses are compatible with weeds of cultivation or waste places, and sedge could indicate that cultivation extended to damper ground.

Interpretation of the assemblages

Interpreting the assemblage of charred macroplant remains from this cluster of pits in regards to pattern of deposition and temporality of deposition is difficult. From the composition, density and state of preservation of the charred macroplant assemblages it appears that two categories of assemblages were present in the pits. The high concentration of cereal grains in the uppermost fill of pit A[777], for example, indicates that these remains had been deliberately deposited in the pit. Indeed, the overall homogeneity of this assemblage and the absence of artefacts suggest a direct transfer of charred material. This contrasts with the lower densities of charred macroplant remains recorded in the other pits in OS43, which is more indicative of background material accumulating over time or of material thrown in with backfills. Although the consistency of the assemblage in pit A[777] may reflect the initial composition of the assemblage when it became charred, interpreting the charred macroplant remains in this pit remains difficult because the material is more likely to have been unrelated to the primary function of the pit and its exact origin remains unclear.

Various activities are required to process crops, some of which may potentially lead to burning accidents. Understanding the various stages of processing can help in identifying the most probable origin of the charred remains. A wide range of crops (principally cereal crops) was present in the pits. Depending on the cereal species, elements of chaff adhere more or less tightly to the grains, and different processing methods are therefore required. For instance, in the case of glume wheat species, chaff adheres tightly to the grains. To release them, various stages of threshing, winnowing, pounding and sieving are undertaken (Hillman 1981). Crops can be stored at any stage within the processing sequences: unprocessed as loose ears; relatively unprocessed (in spikelet forms, not yet dehusked); or as cleaned grains – semi- or fully cleaned (Bouby 2003). Where damp conditions are prevalent, in order to protect the grains against humidity as well as insects and rodents, glume wheats are likely to be stored in spikelet forms with the final processing operations carried out once the crops are taken out of storage (Hillman 1984).

Crop waste, including chaff, is often abundant on later prehistoric sites, allowing interpretations of crop-processing activities. On British Neolithic sites, however, chaff remains are usually very sparse (Robinson 2000), and different methods of processing crops – such as their exposure to fire (or lack of it) during processing – have been proposed by Stevens and Fuller (2012) to explain this paucity. Nonetheless, occasional but rich assemblages of spikelets of emmer are being recorded more

frequently. Assemblages of emmer spikelets, mainly within pits, have been found for example at Balbridie in the Grampian region (Fairweather & Ralston 1993), Lismore Fields in Derbyshire (Jones & Rowley-Conwy 2007), Hambledon Hill (Jones & Legge 2008) and Poundbury (Pelling 2011) in Dorset, Westwood Cross, Thanet in Kent (Jones & Legge 2008) and possibly from The Stumble in Essex (Wilkinson & Murphy 1995). Another assemblage of emmer within spikelets comes from Woolwich Manor Way in east London. It was found in a sandy layer beneath a peat sequence, but Pelling (2012a) suggested that it had originally been in a pit which had subsequently eroded. Thus although during the Early Neolithic cereals may have been processed differently, there is an increasing amount of evidence to indicate that during this period cereal crops could be stored in spikelet forms.

At the study area, although a grain was found within a spikelet, the very low proportion of weed seeds and chaff in all the sampled pits suggests that the crop had been cleaned before becoming charred. Relatively large quantities of cleaned grains have been found at Hambledon Hill (Jones & Legge 2008). As noted above, the composition of the cereal assemblages in the pits was similar (principally a mixture of wheat and barley). The concentration of each cereal seemed to vary, although this cannot be confirmed given the quantity of unidentified grains. Finally, although, the concentration of remains was much higher in pit A[777], it is possible that all the charred remains originated from a unique incident (or accident).

The assemblage of charred macroplants that was dominated by cleaned grains could have represented the debris from a burnt storage. Even if the Early Neolithic community was semi-mobile, short-term storages could have been used for the grains retained for the next sowing season or for some of the food grains. They could have been grown together to avoid the risk of crop failure or low productivity. The crops could have been stored in the same pit or structure, though no spoilage was observed, which suggests that the burning was more probably of accidental origin. Alternatively, the grains may have been burnt as a result of a processing accident. This could have taken place during parching/drying before storage or before milling, although the latter is less likely given the large quantity of grains. A cooking accident also appears unlikely given the sheer quantity of grains. Finally, it is possible that the crops were burnt as part of a special ceremony (see below). The burnt remains could have simply been deposited in the main pit (A[777]) with some of the material ending up being redeposited or wind-blown in the other features. The absence of other

biological or artefactual remains in pit A[777] hints at a unique episode of deposition associated with a rapid burial.

Given that the pits may have been associated with intensive depositional activities, which may or may not have been related to their original use, another interpretation should be suggested. As observed, pit A[777] appeared different from the other features in that it contained only grains. At first it appeared that the feature performed a different function and that it was simply used on a practical level to discard burnt remains of 'domestic' origin. Brück (2000), however, notes that food remains can also have an important role in ceremonial contexts. It is therefore possible that the different crop species present in pit A[777] could have related to a series of distinct episodes of deposition taking place over a short period of time, hinting that the grains may have been as important as the artefactual remains placed in the other pits in providing evidence of ritual or ceremonial activity. In fact, pit A[777] may have had a very specific importance, possibly linked to the end of harvest.

The Early Neolithic samples are interesting. On one hand, they are indicative of a well-established arable economy with a broad range of cultivated crops, and the saddle quern fragments and/or more primitive 'grain rubbers' in two of the pits (see stone report below) provide evidence for grain-processing activities relating to food or beverage. On the other hand, evidence for crop processing in terms of chaff and weed seeds was almost absent, suggesting that these activities were either carried out somewhere else on site or that the grains had already been cleaned when they arrived on site, hinting in turn at the possibility that the crops were cultivated some distance away. This could have been due to the special function of the pits or the special function of the site.

Dating and broader view

Brown (2007) places the introduction of cereals in the British Isles around 3950–3850 BC. In their recent research on Neolithic farming, based on a re-examination of radiocarbon data, Stevens and Fuller (2012) propose that after a rapid increase, cereal cultivation declined sharply around 3650–3600 BC, possibly leading to its abandonment in some areas, particularly on the mainland. They date this last event to around 3350 BC. The three dates obtained on cereal grains from the study area place the assemblage at a transition period between the point at which cereal cultivation extended and the point at which it began to decline. It is also interesting to compare the dates from the study area with the dates obtained from other large deposits found in southern England. The

cereal assemblage from Poundbury in Dorset produced a date of 3766–3637 cal BC (NZA-31070, 4902±40 BP). Emmer grains from Westwood Cross, Thanet in Kent gave even earlier dates of 3800–3650 cal BC (NZA-2651, 4951±35BP), 3790–3650 cal BC (UBA-13386, 4948±30BP) and 3940–3670 cal BC (UBA-13385, 4986±30BP), and emmer grains from Woolwich Manor Way produced dates of 3950–3350 cal BC (Beta-153983, 4850±100BP) and 3770–3630 cal BC (SUERC-24597, 4890±35BP). All the radiocarbon dates from Poundbury, Westwood Cross, Thanet and Woolwich Manor Way are in line with the new research but slightly earlier than the date obtained for the cereals from the study area.

Fuel wood selection

The composition of the Early Neolithic charcoal assemblage showed that a wide range of fuel woods was selected in this period, probably encompassing a large proportion of the woody taxa that made up the local woodland and woodland margin environments. These samples contained the widest range of taxa found in any period at the site. The majority of the woody taxa observed in the samples are good fuel woods, and it is possible that other native woods which are not as suitable for fuel were selected against. Elm (*Ulmus*) and lime (*Tilia*) were not represented in the assemblage, despite the fact that the samples pre-date the decline of these taxa in the region (Somerville 2003). Alder, however, which is generally considered to be a poor firewood because of its high moisture content (Edlin 1949), was present in five of the samples analysed. This indicates the exploitation of damp, wetland margin environments for fuel procurement purposes, as well as of dry woodland and woodland margins. It is perhaps worth noting here that geoarchaeological analysis of the dry valley sediments in the Upper Piddinghoe valley has indicated the presence of a small stream in the base of the valley which, though undated, could have been operational at this time. The proportions of different taxa found in the Early Neolithic samples indicate that oak, *Maloideae* and wild cherry/blackthorn were the most commonly used fuel woods, with other woods, such as rose (*Rosa* sp), privet/honeysuckle (*Ligustrum vulgare/Lonicera*), hornbeam (*Carpinus betulus*) and willow/poplar (*Salix/Populus*), represented only by a few fragments. Some taxa, such as hazel, willow and possibly oak, may have represented the remains of structural elements such as wattle screens, but the evidence in these samples alone is insufficient to identify this wood use conclusively.

PERIODS 2 AND 3: LATER NEOLITHIC, c 3500–2250 BC, AND EARLY BRONZE AGE, c 2250–1500 BC

INTRODUCTION

As stated above, Sussex and the south-east remain relatively impoverished in terms of evidence for activity during the later fourth and third millennia BC. Cursus and henge monuments are virtually unknown in the region and sites of Later Neolithic date remain comparatively uncommon in the south-east, often consisting of little more than occasional scatters of pits and tree throws. On the face of it, therefore, it is unsurprising that the character of Later Neolithic occupation in Sussex and the south-east remains as poorly defined as that of the Early Neolithic. Recent large-scale fieldwork projects such as that undertaken on the HS1 scheme have made some valuable contributions to a rather limited data set, providing some very rare evidence for Later Neolithic buildings, not only regionally but in the context of southern Britain (Garwood 2011). However, these findings remain very much the exception and, for the most part, the picture of Later Neolithic occupation across the south-east remains more or less unchanged. Thus the evidence for Later Neolithic activity from the study area might seem unremarkable at first glance but, given the scarcity of contemporary Neolithic occupation elsewhere in the region, it nevertheless forms a welcome addition to a poorly represented period in the south-east and it has the potential to make some useful contributions to ongoing debates regarding the chronology and character of Later Neolithic occupation in Sussex.

CHRONOLOGY

Anna Doherty and Peter Marshall with contributions by Diccon Hart

Of some note is the possible association between Plain Bowl and Mortlake-style Peterborough Ware at the Keymer Avenue site. The Mortlake style is currently placed in the second phase of Peterborough Ware, developing alongside the Fengate substyle, c 3350–2800 BC (Barclay 2008, 4). It is therefore usually interpreted as an entirely later tradition to Plain and Decorated Bowl pottery. However, at the time of an influential reassessment of the dating of Peterborough Ware (Gibson & Kinnes 1997) only 34 relevant radiocarbon dates from 15 sites were available, and an absolute chronology is still far from defined. A Mortlake-dominated assemblage was found in the main fill of the ring-ditch at Staines Road Farm, Shepperton, which also produced early dates on bone (3620–3040 cal BC (OxA-4059, 4595±85BP); 3910–3380 cal BC (OxA-4060, 4860±85BP)) (Bayliss & Jones 2008, 73). Similarly, a rather fragmentary vessel from Ashted, attributed to the Mortlake style, was associated with a date of 3775–3659 cal BC (KIA-41320, 4947±24BP) on a single fragment of oak charcoal (Weale 2011). Individual determinations on associated charred plant remains or disarticulated bone should be treated with extreme caution when considering ceramic chronology, but these do raise the possibility that dating frameworks could be further revised. In this respect, the radiocarbon date obtained from a carbonised residue on a Mortlake-style Peterborough Ware sherd from fill C[2020] of pit C[2019] is especially significant as it represents the earliest scientifically dated example of this style of pottery from England and Wales (Fig 3.37).

Fig 3.37 Probability distributions of dates associated with Peterborough Ware from England and Wales. The format is the same as for Fig 3.8. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Having said this, the contemporaneity of both pottery styles in some of the contexts in which they occur is questionable. In the secondary fill of pit C[2019] Mortlake-style pottery was associated with a number of plain body sherds, including one very thick-walled example in a fabric type typical of the Plain Bowl assemblage from the main pit groups at Lower Hoddern Farm. The primary fill of this feature, however, produced only Mortlake-style Peterborough Ware, which was notably less abraded than the material from the upper fill. It may be worth noting, too, that Mortlake ware was also found redeposited in features near the Early Neolithic pit clusters in the north-east corner of Lower Hoddern Farm. Although this might be purely coincidental, it could suggest that this area survived in the memory as a place of significance: something which suggests a degree of continuity between these two phases of activity. Similar associations of Peterborough Ware deposition with already ancient sites has been noted elsewhere in the south-east, such as at White Horse Stone in Kent and Coombe hill and Whitehawk causewayed enclosures in Sussex (Garwood 2008, 3)

Another pit, A[711], produced a small assemblage of Grooved Ware, one of very few examples from Sussex (Longworth & Cleal 1999). A review of the radiocarbon dating evidence suggests that Grooved Ware first appears around 3000/2900 BC (Garwood 1999a, 152). The association with a single sherd of Mortlake-style Peterborough Ware may suggest that this is a relatively early Grooved Ware group, although stylistically these sherds cannot be attributed to any of the substyles of this tradition and the Peterborough Ware may simply be residual.

Although the chronology of the Beaker tradition as a whole has been refined to the period c 2500–1700 BC (Needham 2005, 171), the dates at which different stylistic attributes developed are much less well understood. Most of the characteristics seen in the current assemblage, such as toothed comb and ‘rusticated’ fingernail impressions, as well as globular, necked vessel profiles, could previously have been assigned to Case’s (1977) middle and late styles. With the emergence of more radiocarbon dates Case (1993, 243) now questions the validity of using his three styles as a strict chronological typology. However, these characteristics are still likely to be later Beaker traits.

Locally, at Ashcombe Bottom, the absence of fingernail impressions/rustication and the prevalence of comb-decoration was considered a very late Beaker characteristic (Allen 2005b, 14), although there appeared to be little independent corroboration for this interpretation. From the current study

area assemblage, the only feature where comb-decoration occurred (A[323]) also produced rusticated sherds and these two styles also seemed to be associated in later Beaker groups from Belle Tout (Bradley 1970, 341).

The carbonised residue on the undecorated body sherd of probable Beaker pottery from the secondary fill of pit A[1195] is important for three reasons: first, it is the first Beaker to be directly dated (residues are extremely uncommon on Beakers); second, it is from a non-funerary context; and, third, it is the first Beaker from East Sussex to be radiocarbon-dated. The date for this sherd is within the currency for Beakers in England (Marshall in prep; Fig 3.38).

THE REGIONAL CONTEXT OF THE LATER NEOLITHIC AND EARLY BRONZE AGE POTTERY

Anna Doherty

Peterborough Ware

The decorative schemes encountered in the current assemblage include twisted cord impressions, whipped cord ‘maggots’, finger pinching and finger indentations and perforations on the neck. All are typical of the Mortlake substyle. The dominance of Mortlake-style ware is in keeping with the picture in Sussex more generally, where few Ebbsfleet- and even fewer Fengate-style vessels have been recovered (see gazetteer in Seager Thomas 2010, table 1). The only possible example of an Ebbsfleet vessel was recovered from a pit located far from other foci of Neolithic activity.

Beaker

Three stratified assemblages of Beaker were excavated. In terms of fabric those from the two pits, A[323] and C[240], were very similar, both consisting entirely of sandy grog-tempered wares with some flint-inclusions, whilst the shaft-like feature, A[1195], had a wholly different suite of fabrics consisting of non-sandy grog-tempered wares with a single sherd in a unusual chalk-tempered fabric, for which no direct parallels have been found in the region. Fingernail-impressed/rusticated decoration occurs in all three of these groups and both the shaft-like feature and pit C[240] contained fragmentary rims, apparently from globular forms with sinuous profiles. The only other diagnostic attribute noted was the use of comb impressions on a vessel from pit A[323]. This style of comb decoration with fine very squared toothed impressions seems to recur in East Sussex – for example, at Crowlink and Kiln Combe (Hamilton 2001, 60). All these attributes are typical of Case’s Group E, covering East Anglia and south-east England (Case 1993, 263–4)

Fig 3.38 Probability distributions of radiocarbon dates associated with Beakers from England. The format is the same as for Fig 3.8. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

THE CHARACTER OF LATER NEOLITHIC AND EARLY BRONZE AGE OCCUPATION

The scarcity of Later Neolithic activity within the study area makes any observations regarding the character of Later Neolithic occupation somewhat tenuous. Indeed, while pits remain one of the most ubiquitous categories of evidence for Neolithic occupation, the extent to which they can be treated as a reliable indicator of Neolithic settlement remains open to interpretation. Having said this, the evidence from the study area is rather suggestive of only limited occupation during the later fourth and third millennia BC. Not only were features few and far between but, generally speaking, associated material culture was scarce, particularly when set against the comparatively rich assemblages that characterise Early Neolithic occupation in the study area. Similar patterns of occupation have been noted elsewhere in the region, most notably along the route of the HS1 scheme. Here, a range of explanations have been proffered to explain the paucity of the evidence, including either short-term or limited occupation, the exclusion of the residues of occupation from pit deposits or simply non-domestic activities (Garwood 2011, 98). A similar pattern was evident at the large-scale Thanet Earth investigations (Rady et al in prep). While allowing for a similar suite of constraints on pit deposition at the current sites, it seems perhaps more likely than not that settlement in the study area during the Later Neolithic was transient at best.

The character of Early Bronze Age settlement in the study area remains similarly ill defined. The landscape was one dominated by monuments, with good evidence for wider landscape organisation. Indeed, it has even proved possible to chart something of changing approaches to land ownership during the course of the late 3rd and early 2nd centuries BC. However, there is a notable lack of any evidence for associated occupation and settlement and certainly no evidence comparable to the exceptional site of Belle Tout (Bradley 1970; 1982). Work elsewhere in Sussex has demonstrated the

potential for colluvial deposits in dry valleys to contain Beaker material (Bell 1983; Allen 2005b). While investigation of sub-colluvial horizons at the current sites was necessarily limited by the nature of the development, it should be noted that no evidence of Beaker activity was forthcoming from the investigated dry valley sequences in the study area.

SUBSISTENCE AND ECONOMY IN THE LATER NEOLITHIC AND EARLY BRONZE AGE

Karine Le Hégat and Dawn Mooney

The paucity of evidence for Later Neolithic and Early Bronze Age occupation within the study area is, unsurprisingly, reflected in the macroplant evidence, which replicates that of many sites of these periods and which contrasts sharply with the results from the Early Neolithic. Charred macroplant remains consisted of a small number of grains and weed seeds. No pulses and no flax were represented, and no barley (hulled or naked) and no free-threshing bread-type wheat were positively identified. In fact, most grains were poorly preserved, and only a small number could be tentatively identified as glume wheat. The weed seeds were represented by bedstraw (*Galium* sp) and knotgrass/dock, which were probably from species of disturbed ground including cultivated land. The poor results may be associated with the widespread abandonment of cereal cultivation observed in many parts of the British mainland during this period in favour of pastoralism and the use of wild resources (Stevens & Fuller 2012). Even so, no evidence for gathered food was recovered. Another explanation for these results may lie in the fact that during these two millennia the activities carried out on the site appear to have been principally ritual.

The Later Neolithic and Early Bronze Age wood charcoal assemblages were comparable to those of the preceding period, suggesting continuity between these two periods in both the composition of local wooded environments and the selection of woody taxa for fuel use. A single sample from this period

originated from a possible ritual context: a deposit of placed cattle bones within a droveway ditch. However, the charcoal assemblage from this sample did not provide evidence for any change in selection of firewood, and as such is unlikely to result from any ritual burning activity associated with the placing of the bones. The range of woody taxa recovered from the Neolithic and Early Bronze Age samples was comparable with other local sites from the same period, such as Redhill (Berzins 2002a), Saltwood Tunnel (Alldritt 2006c), Mile Oak Farm (Berzins 2002b), Bullock Down (Drewett 1982b) and Westhampnett (Gale 2006).

LATER NEOLITHIC AND EARLY BRONZE AGE PITS AND PIT DEPOSITION

It has been noted by several authors that pit deposition appears to become increasingly formalised during the course of the Neolithic period, with evidence for more deliberate selection and arrangement of material within pits as the period progressed (Garrow 2007, 12; Thomas 2012, 3). Given the scarcity of Later Neolithic and Early Bronze Age pits within the study area, this is a difficult proposition to substantiate here. There can be little doubt, for instance, that certain Early Bronze Age pits contained highly structured deposits, the most obvious example of which might be the carefully selected and arranged cattle bones in pit A[910]. However, the extent and significance of structured pit deposition in the Later Neolithic is rather more difficult to ascertain. Indeed, comparison of the corpus of Later Neolithic pits with the relatively rich pit deposits of both preceding and subsequent periods serves only to throw the ambiguities of the Later Neolithic evidence into sharper relief. Having said this, there is one feature in particular, the large ovoid pit C[2019], that hints at a certain degree of structured or deliberate deposition during the Middle Neolithic. As stated above, this feature contained a pottery assemblage of some 34 sherds consisting predominantly of Mortlake-style Peterborough Ware. Of particular note here, however, is the potentially earlier Plain Bowl pottery that was also present in the feature. As noted, this material was present only in the secondary fill of the feature and was noticeably more abraded than the pottery in the primary fill, which consisted exclusively of Peterborough Ware pottery. Such traits as the presence of earlier material within a feature and the differential levels of abrasion evident within the material from a particular pit are well-documented features of Early Neolithic pit deposition, where it is widely considered to indicate derivation, in part at least, from a so-called 'pre-pit context' (see above). The presence of comparable traits in pit C[2019] is strongly

suggestive of the continuance of similar depositional practices into the Middle Neolithic. This in itself is of no particular import; the incorporation of midden material in pit deposits is a recurrent feature throughout the Neolithic and even into the Early Bronze Age, as outlined below (see, eg, Thomas 1999; Woodward 2002; Thomas 2012). What is arguably of greater significance in this context, however, is the uneven distribution of this earlier material, concentrated as it was within a single fill. This suggests the possibility of two discrete depositional episodes, an attribute not usually in evidence in Early Neolithic pit deposits, which tended to be characterised by a certain homogeneity indicative of the wholesale dumping of material into a feature, and one that hints at a greater level of care exercised over the infilling of the pit.

It is interesting to note, too, that while some Peterborough Ware pottery was found in association with the small round barrow Structure 5, the majority was recovered from non-monumental pit deposits (see below). This would appear to have been characteristic of Peterborough Ware deposition in the wider region (Garwood 2008, 3) and may indicate particular depositional preferences related to wider practices of Neolithic pit digging and deposition. Indeed, examples of Peterborough Ware, Grooved Ware, Beaker and Collared Urn were all found in similar depositional contexts, in small to medium-sized pit groups of broken and rather abraded character.

In terms of Early Bronze Age structured deposition, two pits in particular, A[910] and A[1195], stood out in their size and shape as well as the distinctive deposits that they contained. While direct parallels for these features are currently unknown, there are certain aspects worth highlighting here. With regards to pit A[1195], for instance, the presence of ash, charcoal and animal bone from a variety of meat-bearing animals, as well as the evidence for material of variable age within the pit, is rather suggestive of the incorporation of midden material within the feature, alongside feasting detritus. The inclusion of midden material is, of course, a well-documented aspect of Neolithic pit deposition, as outlined above, and suggests a certain element of continuity of depositional practice into the Early Bronze Age. Similar patterns of deposition involving the use of midden material have been noted in Early Bronze Age pit deposits elsewhere and indicate that the evidence from the study area is by no means isolated. At the Beechbrook Wood site on the HS1 scheme, for instance, pit 1374 contained a significant assemblage of Beaker pottery associated with burnt and unburnt worked flint, cremated human bone and charred plant remains, from which a wide range of radiocarbon dates were obtained, indicating the derivation of at least some of

this material from midden deposits (Garwood 2011, 119). Similarly, at Whitemoor Haye Quarry, Staffordshire, the presence of differing levels of abrasion in the large Beaker pottery assemblage from pit F122, as well as the presence of cross-joins between sherds in different fills within the feature, was interpreted as evidence for the middening of material prior to deposition (Hewson 2006, 21, 109). Other examples of the incorporation of midden material within Early Bronze Age pits have been noted at Longmoor Hill Farm, Worcestershire (Dinn & Hemingway 1996), Dean Bottom, Wiltshire (Gingell 1992, 27) and Cilsan, Camarthenshire (Pannett 2012, 134). In fact, there is some evidence to suggest the deliberate curation of Beaker pottery as heirlooms during the Early Bronze Age, perhaps including their storage in middens for later retrieval (Woodward 2002).

The evidence from these sites serves only to underline the continued importance of middens in the Early Bronze Age, as potential 'banks' of so-called 'provisional refuse' for later reuse (Schiffer 1987, 64–72; Needham & Spence 1997; Thomas 2012, 9). However, while such practices can be seen to echo a depositional tradition stretching back to the Early Neolithic there is evidence in Early Bronze Age pit deposits for the deliberate selection and/or arrangement of material which is not apparent in earlier periods. The occurrence of cattle and pig mandibles – to the exclusion of almost every other skeletal element from these animals – alongside the midden material within pit A[1195], for instance, is unlikely to have been coincidental and hints at an unprecedented degree of care exercised over the selection of material for pit deposition. Undoubtedly the most striking evidence for deliberately selected and arranged material, however, is the partially dismembered cattle carcass in pit A[910]. Though deposits of cattle bone are by no means unknown in the Early Bronze Age, most occur in association with funerary contexts (Towers et al 2010, 509; Hey and Robinson 2011, 325) and non-funerary examples are, by contrast, very rare. Probably the closest parallel to pit A[910] is at Holloway Lane, Harmondsworth, where the partially dismembered carcass of a young aurochs, accompanied by six barbed and tanged arrowheads, was interred within a partially infilled, vertically sided oval pit not dissimilar to pit A[910] (Cotton et al 2006).

What sets pit A[910] apart from any other contemporary comparators, however, is its clear association with Trackway 1 (R1). The spatial relationships of certain Early Bronze Age pits to contemporary and later landscape features has been noted elsewhere, including at sites on the HS1 scheme (Garwood 2011, 122–3) and at Fengate (Pryor 2001, 72), and

is expanded on below. Here, it is sufficient to note that there is some suggestion not only of a link between pit deposition and landscape setting, but potentially of pit shape and landscape association. There is some evidence to suggest that all three of the distinctive rectangular pits, pits A[910] and A[1195] and the larger but similarly proportioned pit A[715], were related to elements of land division and organisation. The clear association of pit A[910] with the formative trackway R1 has already been demonstrated and it is possible to perceive a comparable relationship between pit A[715] and the trackway R5 (see Fig 3.33) – neither are dated but the close correspondence in alignment and position with one another surely invites comparison with pit A[910] and R1. Moreover, there is some evidence in the spatial relationship and alignment of pit A[1195] to the monumental landscape in the study area to suggest that this feature was also related to wider processes of land division and organisation during the later third and early second millennia BC, as outlined below. This putative relationship between pit shape and landscape setting is by no means restricted to the study area. At Fengate, for instance, pit F87 was seen to be located close to the mouth of an important driveway, at the boundary between the field system and the fen (Pryor 2001, 72). Significantly, in the context of this discussion, the pit was almost identical in size and shape to pits A[910] and A[1195], consisting of a rectangular pit measuring 2.82m long by 1.0m wide (Pryor 2001, 70).

Of the remaining Early Bronze Age pits, only the intercutting pits A[1860] and A[1890] were clearly associated with a landscape feature – in this case round barrow Structure 1. There was little, however, to differentiate this feature from any of the other Early Bronze Age pits in terms of their contents, which generally consisted of small quantities of pottery and/or struck flint, although a certain similarity between pits A[1860] and A[1890] and pit C[240] could be seen in their size, shape and methods of infilling.

MONUMENTS AND CEREMONY IN THE LATER NEOLITHIC AND EARLY BRONZE AGE

Monument form and function

Any consideration of the date, form and function of the various monuments recorded at the current sites is necessarily hampered by the almost total absence of any associated finds or other dating evidence. There is, admittedly, some limited dating evidence associated with round barrow Structure 5 (S5) and the possible pond barrow S9 but the remaining monuments, including round barrow S1 and the segmented ring-ditches S7 and S16, proved almost completely devoid of any finds. The

interpretation of these monuments is further hindered by their truncated survival, most likely as a result of ploughing. No evidence for any associated mounds or banks survived at any of the monuments in question and the existence of any such above-ground elements can only be conjectured. Any estimation of the date and function of these monuments, therefore, must rely on comparison with similar monuments elsewhere.

The segmented ring-ditches

A wide range of segmented ring-ditches has been excavated in southern Britain. The ditches range from comparatively large circular or subcircular examples measuring up to 23m across, such as those excavated at Staines Road Farm, Shepperton (Jones 2008), Ashford Prison (Carew et al 2006), Handley Barrow 27, Dorset (Barrett et al 1991) or Heathrow Airport (Canham 1978), through large U-shaped monuments such as enclosure HE1 at Heathrow Terminal 5 (Lewis & Brown 2006; Lewis 2010) or Horton (Ford & Pine 2003) to a variety of more diminutive circular or oval segmented ring-ditches measuring less than 15m across. These latter monuments include penannular examples, such as Dorchester sites I and VI or Handley Barrow 26 (Atkinson 1951; Barrett et al 1991; Whittle et al 1992), so-called 'hengiform' types with opposing entranceways, such as that excavated at Corporation Farm near Abingdon (Shand et al 2003) and examples with no obvious entrances, such as those excavated at Radley Barrow Hills (Barclay & Halpin 1999) or New Wintles Farm, Eynsham (Kenward 1982). It is, however, quite possible that these latter types originally consisted of penannular examples later closed off by means of additional ditch segments; many of the sites listed above showed evidence for the completion of penannular ring-ditches or the linking of originally segmented ditches, while some, such as several of the Dorchester on Thames monuments, or the Down Farm ring-ditch have quite complex and protracted histories of modification.

While segmented ring-ditches are usually considered to be Neolithic in date, few are convincingly dated. The dating evidence that is available, however, suggests that the currency of these monuments spanned the period from around the mid fourth millennium until perhaps the late third or early second millennium BC. Radiocarbon dates from the Staines Road Farm ring-ditch, for instance, suggest a mid fourth-millennium date (Jones 2008, 73); a later fourth-millennium BC date is suggested for the Ashford Prison ring-ditch (Seager Thomas 2006, 22) and a date in the first half of the third millennium BC is suggested by radiocarbon dates from a segmented ring-ditch at Green Park, Reading (Brossler et al 2004). Many of the remaining segmented

ditches are very poorly dated, if at all: the segmented ring-ditch at Radley Barrow Hills, for example, though considered to be Late Neolithic, contained very little by way of dating with the exception of a single sherd of Beaker pottery, while Handley Barrow 27 produced a single sherd of Mortlake-style pottery from its primary fill (Barrett et al 1991, 85) and the ditch at Corporation Farm produced a mixed assemblage that included Carinated and Plain Bowl pottery, Mortlake-style pottery and Grooved Ware (Shand et al 2003, 34).

The original function of many of these monuments is as open to interpretation as their dating. In some cases, such as the Staines Road Farm, Shepperton ring-ditch (Jones 2008), there was associated funerary activity but even here this activity appeared to be secondary to the initial construction and use of the monument. The majority of segmented ring-ditches exhibited no evidence for funerary activity. Issues of truncation and preservation are, of course, at work here and it is quite possible that in some cases burial evidence simply failed to survive. However, this highlights the problems inherent in interpreting truncated ring-ditches – a problem reflected in the often inconsistent use of terms such as enclosure, barrow henge, hengiform monument and so forth to describe monuments which are, on the face of it, virtually indistinguishable (Garwood et al 2011, 360). These interpretative uncertainties can be seen to reflect nuances of Neolithic monument construction and use that defy strict categorisation of monument types, where monuments are often modified, rebuilt and adapted as required (Hey & Barclay 2011, 274). One of the key problems in this respect is establishing whether such truncated ring-ditches represent mounded barrow-type monuments or simply ditched and embanked enclosures. In many cases, this cannot be determined either way, although there is some evidence to suggest the existence of external or internal banks at a number of segmented ring-ditch sites, which might therefore be better interpreted as enclosures. These include Corporation Farm, Abingdon (Shand et al 2003, 34), Dorchester sites IV, V and VI (Bradley & Chambers 1988, 281) and the nearby cemetery barrow at Itford Hill, recently reinterpreted as a Neolithic monument of similar type to the Dorchester monuments (Russell 1996a), and horseshoe enclosure HE1 at Heathrow Terminal 5 (Lewis 2010).

In view of the variety of form and function evident in the known corpus of excavated segmented ring-ditch monuments in southern Britain, it is no surprise that it has proved difficult fully to characterise the two examples excavated at Lower Hoddern Farm, in terms both of date and of use. Neither have direct parallels, though there are some more general

similarities and observations which do help refine the probable chronology and likely function of the monuments. In terms of size, for instance, the segmented penannular ring-ditch S16 falls towards the lower end of the scale of segmented ring-ditch monuments, similar in size and shape to monuments such as the example excavated at Radley Barrow Hills (Barclay & Halpin 1999) or the oval segmented ring-ditch at New Wintles Farm, Eynsham (Kenward 1982). Morphologically, these ovoid monuments might be the closest parallels to ring-ditch S16, although neither are well dated. The example at New Wintles Farm might have formed a secondary phase of construction to an Early Neolithic funerary monument, but in itself is not dated, while that at Radley, which yielded a single sherd of Beaker pottery from the upper fill of one of the ditch segments, is considered to be Late Neolithic in date (Bradley et al 1999, 45; Garwood 1999b, 280). Whilst neither are penannular in form, the disposition of the various ditch segments at Radley is certainly suggestive of an initial U-shaped monument of three segments not entirely dissimilar to S16 but which might subsequently have been completed or closed off with an additional ditch segment across its open end.

Parallels for the larger, multiphase ring-ditch S7 are even rarer. Probably the closest equivalents to this monument are the Tutt Hill ring-ditch RD81 and the Beechbrook Wood ring-ditches 1021/1007, both excavated on the HS1 scheme. The Tutt Hill example consisted of an ovoid segmented ring-ditch measuring between 13m and 15m across, with narrow ditches just 0.30m wide, but its excavator considered that its segmented form might owe more to truncation than to design (Brady 2006a, 10; Garwood 2011, 126, table 3.3, 130). The Beechbrook Wood ring-ditches 1021/1007 might, on the other hand, be closer ring-ditch S7, in terms of both morphology and constructional sequence. An initial phase of construction was represented by a narrow and possibly segmented C-shaped or continuous ring-ditch, subsequently modified or enlarged by the addition of a circular, segmented ring-ditch comprising three segments of unequal length, measuring up to 0.70m wide and some 18m in diameter. Like ring-ditch S7, neither monument was associated with any funerary activity and finds and dating evidence from the monuments were very limited. A single sherd of Beaker pottery was recovered from Tutt Hill ring-ditch RD81 (Brady 2006a, 11). Finds from the Beechbrook Wood ring-ditches were limited to two abraded and residual sherds of Early Neolithic pottery from ring-ditch 1007, although the excavator suggested a Beaker-period date for the smaller C-shaped ditch 1021 based on similarity in size and proximity to the dated ring-ditch 851 (Brady 2006b, 13).

Broader parallels for ring-ditches S16 and S7 might include segmented penannular, U-shaped and horseshoe enclosures, such as the Dorchester on Thames sites IV, V and VI and the comparable Itford Hill example, enclosures HE1 and HE2 at Heathrow Terminal 5 (Lewis 2010) and that excavated at Manor Farm, Horton (Ford & Pine 2003). The Dorchester and Itford Hill monuments, for instance, were similar in scale to ring-ditch S16 and, like ring-ditch S16, were typified by the presence of postholes in the bases of their respective ditch segments and pits – possible evidence for free-standing timber structures. Admittedly, these monuments were all foci for multiple cremation deposits, although in every demonstrable case these were secondary to initial construction (Bradley & Chambers 1988, 282), and there is no good evidence to suggest that they were designed primarily to fulfil a funerary role (Russell 1996a, 22). Dating evidence for these monuments is extremely limited, although Peterborough Ware pottery associated with Dorchester sites V and VI might suggest a later fourth- or early third-millennium date for their construction. Likewise, the Manor Farm Horton monument bears certain similarities to ring-ditch S7 in that it consisted of an initial U-shaped monument, later enclosed in a continuous oval ring-ditch. The available dating suggests this monument spanned the mid fourth–early third millennia, but it differs from ring-ditch S7 in that it had a funerary use associated with its secondary phase of construction at least, as evinced by deliberate deposits of human remains in the continuous outer ditch (Ford & Pine 2003). The HE1 enclosure at Heathrow, on the other hand, comprised a U-shaped segmented ditch, similar in scale to the C-shaped segmented form of S7; this is considered to have represented an enclosure with internal bank and has been tentatively dated to the fourth millennium BC. The form of the heavily truncated HE2 enclosure remains unknown, but it is more reliably dated to the third millennium BC (Lewis 2010, 62–6, 117–18). As with the ring-ditches in the study area, neither of the Heathrow enclosures had any associated funerary activity, although they differ from the examples in the study area in that both were associated with significant quantities of artefacts, including struck flint, pottery and animal bone.

Though any estimation of the likely dates of construction and principal periods of use for the segmented monuments in the study area must remain at best highly conjectural, a date in the later fourth or, perhaps more likely, third millennium BC for ring-ditch S16 is suggested on the basis of similarities in size, shape and composition to ovoid segmented ring-ditches at New Wintles Farm, Radley Barrow Hills and some of the

Dorchester sites. Similarly, a later third- or earlier second-millennium BC Beaker-period date is preferred for ring-ditch S7, based on its similarities to the Tutt Hill and Beechbrook Wood monuments (Brady 2006a; 2006b; Garwood 2011). However, it is important to note that the period of use of S7 may have extended into the latter half of the second millennium BC, in view of the fact that it was apparently respected by later Middle Bronze Age roundhouses. Indeed, it is possible that one of its later phases of modification, such as the creation of the continuous ring-ditch or later pit insertions, may have related more to a Middle Bronze Age adaptation than to a primary, Beaker-period phase of use.

Attempts to establish the probable function of ring-ditches S16 and S7 are as fraught with difficulty as are the efforts to estimate their date. In this respect, however, the unusually narrow widths of their respective ditches, which in neither case exceeded 0.7m, deserves further consideration. Clearly, such ditches would not have generated sufficient upcast for a central mound of any appreciable size. By analogy with other excavated barrows in Sussex, turf-stack mound construction is quite possible (eg Drewett 1975b; 1976; 1985). However, it must also be considered feasible that the ring-ditches functioned as enclosures rather than as mounded monuments, with either internal banks similar to the HE1 enclosure at Heathrow Terminal 5 or external banks similar in form to Dorchester sites IV, V and VI and Corporation Farm (Shand et al 2003). In this context it might be more appropriate to regard one or both of these monuments in terms of a wider category of so-called 'open arena' ceremonial monuments that also includes ring barrows, ring cairns and pond barrows (Garwood 2007, 34). These are defined on the basis of low earthen or stone banks surrounding flat or hollowed central spaces that were sometimes but not always associated with funerary rites (Garwood 2003, 51; 2007, 34–5). Indeed, the available dating evidence suggests that, while these monuments might have spanned the period from around 2500 to 1500 BC, those built and used before around 2100 BC were only very rarely associated with human remains. The evidence from ring-ditch S7 is certainly not inconsistent with such an interpretation, both in terms of a presumed later third-millennium BC date and in terms of the absence of formal human remains, which might be taken to indicate a principal period of construction and use before around 2100 BC. Whether or not it is appropriate to interpret the smaller and potentially earlier segmented ring-ditch S16 in a similar way is open to question. On the basis of its similarities to the presumed Late Neolithic Radley example, it could conceivably fall within the earlier

period of construction and use of open arena monuments from around 2500 to 2100 BC. Alternatively, it might represent a ceremonial precursor to the formal class of open arena monuments, as defined by Garwood (2003; 2007).

The round barrows

The South Downs are exceptionally rich in round barrow monuments. Over 1000 barrow monuments are currently recorded in Sussex, the vast majority of which occur on the South Downs at a concentration sufficient to match that of the east Kent and Wessex landscapes, with a noticeable clustering along the downland escarpment (Grinsell 1934, 217; Garwood 2003, 50). This abundance of monuments is reflected in a long history of investigation spanning some 250 years. We thus have a valuable data set, despite the sometimes less than ideal methods employed by past investigators, which has allowed some recent reappraisals of the Sussex evidence (eg Garwood 2003). The work of L V Grinsell is central to this data set: his meticulous survey of barrows in Sussex (Grinsell 1934; 1940; 1941) provided an essential record of elements of a prehistoric landscape that suffered greatly from deep ploughing during the Second World War. Inevitably, his work is now somewhat outdated, since it necessarily does not include the results of any subsequent fieldwork, but it nonetheless forms an invaluable source for any study of barrows in Sussex.

Some 90% of the barrows recorded by Grinsell were interpreted by him as simple bowl barrows, although in the absence of excavation it can be appreciated that this catch-all term is likely to have embraced a multitude of morphological and constructional variants, as has been borne out to some extent by more recent excavations, including those at the subject site. Other types recorded by Grinsell include around dozen bell barrows, some 30 platform barrows and about 15 ring barrows and pond barrows (Grinsell 1934, 224–7; Garwood 2003, 50). A variety of constructional methods among Sussex barrows were also recorded, ranging from simple single-phase mounds of earth, flint chalk or turf, either with or without ring-ditches, to comparatively elaborate structures such as the wattle-revetted drum-shaped platform barrow, such as the West Heath III barrow (Drewett 1976). Where excavated, the majority of barrows have proved to possess single ring-ditches, both continuous and penannular (Grinsell 1934, 221), the latter including the distinctive oval barrow at Pyecombe (Butler 1991). In addition, there are examples of simple mounds with no evidence for any ring-ditches, such as West Heath II, IV, VII or IX, as well as examples of multiple concentric ring-ditches probably representing multiphase

constructions, including West Heath III and VII (Drewett 1976; 1985).

Reliable dating evidence for this extensive and varied group of monuments is often in short supply, probably owing to a combination of factors including, but not necessarily limited to, the extensive robbing of barrows in antiquity, the often imperfect recording techniques employed on many of the earlier excavations and an apparent paucity of rich graves with diagnostic grave assemblages. It is especially unfortunate – but probably inevitable – that some of these earlier investigations from which we have incomplete or inconsistent records were carried out on some of the richest graves in Sussex, including the Hove barrow (Phillips 1857; Curwen & Curwen 1924) and Oxtedde Down (Horsfield 1824). The available dating evidence, both artefactual and scientific, supports the assertion that most round barrows date to the Late Neolithic and Early Bronze Age periods, from around 2500 to 1500 BC. It must be borne in mind, however, that, on the basis of the excavated evidence, it is impossible to discount the existence of mounds at some of the later fourth- and third-millennium BC ring-ditches discussed above, while there is ample evidence both in Sussex and in the wider region for barrows of Middle Bronze Age date, including the Hove barrow (Garwood 2003, 53) and several examples in Kent such as Monkton VI, VII, VIII and X (Bennett et al 2008).

At first glance, the two probable round barrows Structures 5 and 6 (S5 and S6) excavated in the study area have little to contribute to the regional corpus of barrows in Sussex and the wider region. Neither produced any burial evidence nor any evidence for associated mounds or banks that might provide further information on funerary practice or barrow construction. There are, however, several aspects of their chronology, composition and form which deserve further consideration. In terms of chronology, for instance, the presence of a small but relatively unabraded assemblage of Peterborough Ware pottery from barrow S5 may be judged to be especially significant in suggesting an unusually early date for round barrow construction in Sussex.

While the possibility that this material is residual cannot be entirely discounted, there is, as stated above, a growing body of evidence in southern Britain for ring-ditches and related monuments dating to the later fourth and early third millennia BC, consistent with the currency of Peterborough Ware pottery. In the south-east these include those excavated at Ashford Prison (Carew et al 2006), Staines Road Farm, Shepperton (Jones 2008) and Manor Farm, Lower Horton (Ford & Pine 2003); further afield similarly dated monuments include the

horseshoe enclosure HE1 at Heathrow Terminal 5 (Lewis 2010) and the penannular and double ring-ditch monuments at Imperial College Sports Ground (Crockett 2001). As a group, these monuments vary considerably in size, form and function. Certainly, not all were associated with funerary activity and of those that were, there was little to suggest that they were originally constructed primarily for burial. At Staines Road Farm, Shepperton and Manor Farm, Lower Horton, for instance, burial evidence was present in the ditches, rather than in central purpose-dug graves, which suggests activity secondary to the construction of the monuments, while there is no good evidence to suggest that the cremations associated with the Imperial College Sports Ground monuments were necessarily contemporary with the initial construction of the monuments. In this context, the small Peterborough Ware associated barrow S5 can be seen to be another example of a disparate yet related group of monuments in which burial is only sometimes a feature (Drewett et al 1988, 84; Hey & Barclay 2011, 276).

In this regard it should be borne in mind that, although the lack of burial evidence in barrow S5 (and indeed within the presumed later barrow S6) might simply be a consequence of poor preservation, it is quite possible, given the evidence above, that they were never intended to house the dead. The existence of so-called ‘empty barrows’ has long been recognised as perhaps something more than simply a consequence of preservation (Drewett et al 1988), although there is little consensus on what their original function might have been, beyond a broad ritual/ceremonial function that includes shrine sites, open arenas, memorials and cenotaphs, depending on the reading of the surviving evidence (Garwood 2007; 2011). In the context of barrow S5, it is particularly interesting to note the possibility that some empty barrows may have represented monuments marking the closure and site of former occupation sites (Woodward 2000a; see also Last 2007b, 165–6), a practice which echoes earlier Neolithic pit deposition (eg Pollard 2001). In this way, the proximity of barrow S5 to a site of Early Neolithic structured deposition might not simply have been an attempt to respect this earlier site but an effort deliberately to reference it within the parameters of an emergent tradition of monument building.

The date of the larger oval barrow S6 must remain uncertain, given the total absence of any dating evidence associated with the monument itself, although a broad Neolithic/Early Bronze Age terminus post quem is provided by pottery from one of the pits that cut the barrow ditch. Although oval barrows are known to have been constructed

from around the mid–late fourth millennium BC onwards, as attested by such sites as North Marden (Drewett 1986), Radley (Barclay & Halpin 1999) and Manor Farm, Lower Horton (Ford & Pine 2003), the example in the study area probably bears a closer resemblance to later Beaker examples, in terms of both its size and its shape. In fact, probably the closest parallel to barrow S6 is the oval, penannular barrow excavated at Pyecombe (Butler 1991), which housed a rich grave dated to the period c 2500–2200 BC (Garwood 2003, 52); a similar date is proposed for barrow S6. The Pyecombe barrow was slightly smaller than barrow S6, enclosing an area measuring c 11 × 12m with a single axis of symmetry and small causeway situated on its long axis. It might be no coincidence that pits A[1870] and A[1890], which are considered to have been part of a deliberate attempt to slight the ring-ditch of barrow S6, occupied the same relative position as the causeway of the Pyecombe barrow. The slighting of the ring-ditch causeways, which probably represents a similar practice to the closing off of segmented ring-ditches discussed above, is a well-documented phenomenon elsewhere in the south-east, most notably on the Isle of Thanet. Here, the causeways of a number of Late Neolithic and Early Bronze Age penannular ring-ditches are considered to have been deliberately slighted, including Lord of the Manor I and Lord of the Manor III (Macpherson-Grant 1977; Fisk 2003) and Bradstow School (Hart 2006).

The possible pond barrow

Pond barrows are a relatively rare class of monument which may be broadly defined on the basis of a low circular earth bank surrounding a central depression, usually containing one or more pits. In distribution pond barrows are currently restricted to southern Britain, with a noticeable concentration in Wessex, in the Avebury and Stonehenge landscapes of Wiltshire and around Winterbourne Abbas in Dorset. This might in part, however, reflect patterns of past investigation, and recent fieldwork and survey has now extended the known distribution of these monuments as far west as Pembrokeshire (Poucher 2011) and as far east as the Isle of Thanet (Masefield & Rady in Rady et al in prep), Essex (Germany 2007) and Cambridgeshire (Pollard 2002). Examples that have been excavated to modern standards are few but include examples at Snail Down, Wiltshire (Thomas 2005), Winterbourne Steepleton, Down Farm and Monkton Up Wimborne in Dorset (Atkinson et al 1951; Barrett et al 1991; Green 2000) Radley, Berinsfield and Didcot in Oxfordshire (Barclay & Thomas 1995; Barclay & Halpin 1999; Masefield 2013), Pampisford, Cambridgeshire (Pollard 2002) St Osyth and

Harlow in Essex (Germany 2007) and the Thanet Earth site in Kent (Masefield & Rady in Rady et al in prep). The possible pond barrow in the study area appears to be the first excavated in Sussex, although other, as yet unexcavated, examples are known at Amberley Mount and Alfriston (Grinsell 1934, 225).

Taken together, these suggest that the initial phases of use of these monuments broadly spanned the first half of the second millennium BC, although later phases of reuse were also evident at a number of sites. It should also be noted that none of the radiocarbon dates discussed below explicitly date the construction of the various monuments, only funerary activity centred on them, which need not, in itself, have been concomitant with monument construction. At Radley, there are some indications of a later third-millennium BC date for pond barrow 4866, as suggested by a radiocarbon date of 2500–1900 cal BC (95% confidence) obtained from cremations cut into the floor of the pond barrow (OxA-1879, 3720±80BP), although this early date is considered unreliable (Barclay 1999, 115; Garwood 1999b, 286). The remaining radiocarbon dates, which derive from cremations and inhumations surrounding the monument, are taken to suggest initial use of the pond barrow between 2000 and 1600 cal BC (Garwood 1999b, 288). A comparable date range is suggested by radiocarbon dating of three cremations associated with the pond barrow at St Osyth, which indicate that funerary activity at the monument spanned the period 2100–1810 to 1760–1450 cal BC (95% confidence) (Germany 2007, 38), while a comparable radiocarbon date of 1921–1626 cal BC has been obtained from charcoal from a pit cutting the metalling in the Thanet Earth pond barrow (Rady et al in prep). The radiocarbon dates obtained from the Down Farm pond barrows are considered unreliable, although a date in the first half of the second millennium BC is considered most likely (Garwood 1999b, 288). The radiocarbon date of 1610–1430 cal BC obtained from the infilling of the Lower Hodder Farm pond barrow falls towards the end of the expected date range for primary pond barrow use in southern Britain but is not inconsistent with the dating evidence from elsewhere presented above. At any rate, this is associated with the infilling of the monument and disuse of the monument and provides a useful terminus ante quem centred on the middle centuries of the millennium for its abandonment.

Pond barrows as a monument class have been shown to vary considerably in their size, construction and composition. They can range from as little as 4.6m in diameter, as at Radley barrow 4583 (Barclay 1999, 52), to as much as 27m, as at Winterbourne Abbas 17 (English Heritage 1989) and from

shallow, scooped depressions as little as 0.30m deep, as at Down Farm, Dorset (Barrett et al 1991, 128), to quite deep excavations of 1.0m in depth or more, with steep sides and flat bases, as at Radley barrow 4866 (Barclay 1999, 115). While most pond barrows appear to have been deliberately excavated, there is some evidence to suggest expedient reuse of pre-existing landscape features. Such sites include Thanet Earth, where a pre-existing pond within a geological sink hole was utilised (Masefield & Rady in Rady et al in prep), and Radley, where the semi-infilled hengiform monument 611 was reused as a pond barrow (Barclay & Halpin 1999). At between 5.0m and 6.6m across and 0.40m deep, the Lower Hodddern Farm example is consistent with the evidence from elsewhere, albeit at the smaller end of the range. Its size was comparable to pond barrows 4583 and 4866 at Radley, which measured 6.5m and 4.6m in diameter respectively, although these latter examples were somewhat deeper at around 1.0m in depth (Barclay 1999, 52, 115). While field survey has frequently identified evidence for the encircling banks of unexcavated pond barrows, these are rarely found to survive in most of the recently excavated examples cited above, having been invariably removed through processes of truncation such as ploughing. The lack of evidence for any bank at Lower Hodddern Farm, therefore, is no impediment to its interpretation as a pond barrow.

The metallised surfacing present within the possible pond barrow S9 was also consistent with the evidence from elsewhere. Similar metallised surfaces have been identified at Winterbourne Steepleton (Atkinson et al 1951), Pampisford (Pollard 2002), Monkton Up Wimborne (Green 2000; Germany 2007, 109, fig 69) and Didcot (Masefield 2013). In many instances this metallising can be seen to have been a secondary construction, either sealing features, as at Winterbourne Steepleton (Atkinson et al 1951), or layers of primary silting, as at Didcot (Masefield 2013), but at Lower Hodddern Farm there was no good evidence to suggest that the metallised surface was not a primary constructional element of the monument.

Funerary activity was clearly an important attribute of pond barrows and many excavated examples have produced at least some evidence for associated inhumations and cremations. There was a clear preference at many sites for the peripheral placement of funerary deposits. At Radley, for instance, almost all the associated Early Bronze Age inhumations and cremations were placed outside the encircling bank of the monument and even the two cremation deposits within the depression itself were close to its margins (Barclay 1999, 115–24). Comparable patterns of funerary activity were

evident at Winterbourne Steepleton and Down Farm, where associated inhumations and cremations clustered around the periphery of the depression or outside it (see Germany 2007, fig 69). Similarly, the Didcot pond barrow included a six-post structure within its south-east edge which has been suggested as a platform for exposure burial and/or display of the dead (Masefield 2013). Even at other sites, such as St Osyth and Monkton Up Wimborne, where centrally placed cremation deposits were present, there were other, peripheral cremations also. Only at Pampisford and Snail Down was there no evidence for any peripheral or external funerary deposits. Other evidence for funerary activity associated with pond barrows includes burnt surfaces and/or features within the depressions at St Osyth, Harlow and Monkton Up Wimborne, where they have been interpreted as evidence for use of pond barrows as pyre sites (Germany 2007, 109). While there was no direct evidence for any funerary activity at Lower Hodddern Farm, it is possible that the charcoal-rich deposits in associated pits A[1011] and A[1013], within the depression, might have represented deposits of pyre material or similar. At any rate, there is ample evidence elsewhere for a range of features within pond barrows that were not necessarily related to funerary ritual. At Winterbourne Steepleton, for instance, only 13 of the 34 pits sealed by the metallising within the depression contained any human remains: the remaining pits contained either pottery alone, or no finds at all (Atkinson et al 1951, 5–8). Features within and around the depression at Down Farm included three animal burials (again, on the periphery of the depression), a group of postholes in the centre of the depression and three outside, which, with three cremation burials, formed an alignment parallel to the nearby cursus (Barrett et al 1991, 128–36). Elsewhere, a variety of pits and postholes were recorded within pond barrows at Pampisford (Pollard 2002), Harlow and Monkton Up Wimborne (Germany 2007, fig 69). It seems, therefore, that while funerary activity was undoubtedly an important aspect of pond barrows, it probably formed just one component of a wider range of ceremonial and ritual activities centred on the pond barrow itself, although the precise nature of these activities is in many instances elusive.

THE CHRONOLOGY AND ORGANISATION OF THE LANDSCAPE IN THE LATER NEOLITHIC AND EARLY BRONZE AGE

The evidence presented above, though limited, suggests that the creation of monuments in the study area was a long and protracted process, initiated perhaps as early as the later fourth or third millennium BC with the construction of the small round

barrow Structure 5 (S5) and the small segmented enclosure S16. Dating the construction of the oval barrow S6, ring-ditch S7 and pond barrow S9 is much more tentative but it is considered probable that they were constructed somewhat later, most likely during the later third or early second millennium BC, while the pond barrow S9 was probably constructed during the first half of the second millennium BC. The entire period of monument building in the study area, therefore, may have spanned at least a millennium and possibly much longer.

Furthermore, analysis of the relative disposition of these monuments not only to one another but to the rectangular pits A[910], A[1195] and A[715] suggests the articulation of the monumental and non-monumental alike within a single overarching, organised landscape. It is possible, for instance, to perceive a certain linearity in the arrangement of all four monuments in the study area (Fig 3.39). The oval barrow S7 and ring-ditch monuments S16 and S7, for example, appear to lie on a common east-north-east to west-south-west (ENE–WSW) alignment. Some 80m to the south, a parallel alignment can be seen to run through pond barrow S9 and intersect with the projected southern edge of the ring-ditch of barrow S5, while at the same distance, around 80m to the north of the central alignment, lies the Beaker pit A[1195], on an ENE–WSW alignment so similar to that of the central alignment as to be beyond coincidence. The dating evidence for monument construction outlined above, limited though it is, suggests the ongoing maintenance and modification of this organised landscape according to a consistent set of governing criteria, manifest through the positioning of landscape monuments along certain pre-ordained alignments.

The monumental and ritual landscape of the third and early second millennia BC

The linear organisation of monumental landscapes in Britain during the Late Neolithic and Early Bronze Age is a long-attested phenomenon, particularly in relation to linear barrow groups. However, the linear arrays of round barrows which are such a recognisable feature of the Wiltshire or Dorset landscape are relatively uncommon in Sussex, with extant examples surviving only at Heyshott Down, Treyford on the Downland escarpment and at Duncton Common on the Greensand ridge (Garwood 2003, 61). Excavated examples of linear monument groups in southern Britain are rarer still but include the impressive barrow cemetery at Radley Barrow Hills, Oxfordshire (Barclay & Halpin 1999) and the linear group of ring-ditches excavated at Saltwood Tunnel on the HS1 route (Garwood 2011).

Though the Radley Barrow Hills group is far more impressive than that excavated in the study area, it nonetheless offers a useful comparison in terms of the duration of monument construction and organisation, the range of monuments present and the nature of the spatial relationships of these monuments to one another. Here, Early Neolithic monuments, including the Abingdon causewayed enclosure, an oval barrow and a mortuary enclosure, all appear to have acted as a focus for subsequent monument building. The earliest suggestion of a linear arrangement of monuments at Radley dates to the period c 2900–2200 BC, possibly contemporary with the construction of the segmented ring-ditch S16 and the small barrow S5, and includes a similar range of monuments, among them a segmented ovoid ring-ditch comparable to S16 (see above), a pit and at least one ring-ditch monument (Garwood 1999c, 303). From around 2400 BC, linear alignments of overtly funerary monuments began to be constructed, culminating in the development of two broadly parallel alignments of barrows (including several pond barrows) during the period c 2100–1500 BC, alignments which served to define a broad processional avenue aligned with reference to the now-ancient causewayed enclosure (*ibid*, 298–309). Similar parallel alignments focused on Early Neolithic monuments have been noted at Winterbourne Stoke and Normanton Down in Wiltshire and Broadmayne, Dorset, in each case incorporating Early Neolithic long barrows (Garwood 1999c, 309). It is possible to interpret the monument alignments in the study area in a similar way, as a means of structuring movement through the landscape, perhaps focused on the Early Neolithic activity on the high ground overlooking the Upper Piddinghoe valley (Fig 3.40). It is certainly not inconceivable that this ancient area of Early Neolithic activity was still remembered in some form, given the placement of barrow S5 so close to, without directly impinging on, these earlier features. If these alignments were indeed intended to structure movement with reference to this ancient site, it could be suggested that the visibility of barrow S5 and the area of Early Neolithic activity were controlled through use of the natural topography of the site, with the barrow visible from a distance but obscured by the flank of the valley as one approached from the west. Similar patterns of monument visibility have been observed elsewhere, most notably with respect of the concentration of barrows along the chalk escarpment of the South Downs, but further afield as well (Field 1998, 316).

The manipulation of monument visibility was also a feature of the Radley landscape, where the point at which the pre-existing causewayed enclosure, oval barrow and associated

Fig 3.39 The alignment and organisation of the landscape in the Later Neolithic and Early Bronze Age

open space became visible from the avenue was marked by a retained earlier barrow (Garwood 1999c, 307–8). In this way, ring-ditches S16 and S7, interpreted as open arenas similar in function to pond barrows (Garwood 2003, 51; 2007, 34), might have marked specific foci along the route of this avenue for the performance of particular ceremonies, with the pond barrow S9 more or less corresponding with the point at which barrow S5 and Open Area 43 (OA43) became visible again as the flank of the valley is crested.

The origins and development of land division in the study area in the early second millennium BC

As stated above, the spatial association of some Beaker-period and Early Bronze Age pits to significant contemporary and later boundaries is a feature that has been noted elsewhere. At Fengate, as outlined above, the Beaker pit F87 was located at the mouth of a significant driveway, at the boundary between the Later Bronze Age field system and the fen (Pryor 2001, 72), while at Beechbrook Wood on the HS1 scheme some Later Bronze Age field boundaries appeared to have been laid out with reference to earlier Beaker-period pits (Garwood 2011, 122–3). It has been argued that such features and the complex structured deposits they contained may have reflected formative processes of landscape organisation and the creation of land-holdings during the Early Bronze Age, perhaps before the appearance of formal, or at least archaeologically visible, boundaries (*ibid*). It is certainly possible to view the Beaker-period structured deposition in the study area in the same way, particularly given the evidence above for the placement of pit A[1195] in relation to other pre-existing and contemporary monuments. Perhaps more importantly, however, the evidence from the study area allows us not only to chart a certain evolution in landscape organisation during the first half of the second millennium BC but to say something of the timing of that change. Thus pit A[1195], which appears from the radiocarbon evidence to date to the first quarter of the millennium (2015–1776 cal BC), can be seen to have been associated exclusively with the monumental landscape of the third and early second millennia BC and systems of land tenure marked principally by depositional events in pits. The evidence from the closely comparable pit A[910] and its association with the formative Trackway 1 (R1), on the other hand, suggests these older systems of land ownership began to give way to the creation of more permanent boundaries some time during the 19th–18th centuries BC (1890–1690 cal BC), although pit deposition clearly continued to play an important role in these new systems of tenure. A similar situation is evident

in the comparable association between the larger rectangular pit A[715] and trackway R5. Neither of these features was particularly well dated, although it is considered that the differences in pit size and lack of structured deposition in pit A[715] here reflected a chronological difference, with trackway R5 representing a later addition to the emergent network of trackways and/or fields. The end date of this process of land division – the completion of fully developed field systems in the study area – is less well defined. Indeed, on the basis of the available evidence it is impossible to state with any certainty whether the coaxial field system was laid out in toto at the same time as trackway R1, during the 19th–18th centuries BC, or was a later addition to a formative or spinal Early Bronze Age track. While the former scenario is indeed possible, the latter is considered, on balance, to be more likely. The evidence presented above certainly suggests that changing approaches to land division during the first half of the second millennium BC may have been part of a fairly incremental process, and though the pace of change is likely to have accelerated around the middle of the millennium, it may be overstating the evidence to suggest the sudden creation of an entire planned landscape at the same time as the establishment of trackway R1. That is not to say, however, that the creation of the wider field system was necessarily an accretive and gradual process. There is some evidence in the regular spacing of field boundaries and a certain symmetry in their layout (as discussed below) to indicate that the field systems formed part of a wider planned landscape set out around and with reference to the spinal trackway R1. On this basis, it is possible to suggest that the infilling of pond barrow S9 was related to the wider changes of land use associated with the creation of field systems based on trackway R1, with the radiocarbon date associated with this infilling providing a useful Middle Bronze Age terminus post quem of 1610–1430 cal BC (SUERC-43292, 3240±29 BP) for the completion of the field system. Consequently, it is possible to envisage the emergence of land division in the study area as an essentially two-stage process, consisting of the formalisation of a transhumant routeway during the latter centuries of the Early Bronze Age, perhaps followed somewhat later by the laying out of a wider, planned, coaxial landscape, which may have related more to the profound social and economic developments of the Middle Bronze Age than those of the preceding period.

The creation of the field system therefore appears to represent the culmination of long-term processes of change in the ways in which land tenure was physically expressed in and on the landscape during the course of the Early Bronze Age. Not only do these processes appear to have spanned several centuries,

Fig 3.40 The Later Neolithic and Early Bronze Age monument alignments as an 'avenue' or 'path'

but the continued use of pits and pit deposition alongside new systems of land division is suggestive of a strong element of continuity from earlier periods. Indeed, it is possible to interpret the structured deposits in pits A[1195] and A[910] as marking the culmination of a depositional practice that can be traced back to the Early Neolithic. Continuity is also suggested by the placement of these later pits with reference to the pre-existing alignments of the earlier monumental landscape, even as they were being carved up by new boundaries and alignments. Pit A[910], for instance, lies within a corridor some 17m wide, centred on the central alignment and defined by the outer edges of the ring-ditches of monuments S6, S16 and S7, while pit A[715] lies within 1.0m of the southern alignment, in close proximity to barrow S5 (Fig 3.41).

Rather than a rapid and wholesale development, therefore, the evidence for land division in the study area might be better read as suggesting a slow and incremental process of changing methods of land tenure and organisation which not only references the organisation of the pre-existing monumental landscape but also incorporates long-standing traditions of pit deposition. Similar evolutionary processes of land organisation have been noted elsewhere, most notably at Heathrow Terminal 5, where earlier systems of land tenure based on pit deposition appear to have been replaced in the early second millennium by more formal and physically blatant demonstrations of ownership, which were based on monument construction and cremation burial but which nevertheless continued to reference earlier practices. In this way, the subsequent appearance of formal field systems in the middle centuries of the second millennium is seen simply as a logical progression in a series of increasingly overt attempts to demonstrate land tenure (Lewis 2010, 131–2).

Fig 3.41 Elements of Early Bronze Age land division in relation to monument alignments of the pre-existing Later Neolithic/Early Bronze Age organised landscape

CHAPTER 4 MIDDLE BRONZE AGE–EARLY IRON AGE

4.1 PERIOD 4: MIDDLE BRONZE AGE, *c* 1500–1150 BC

INTRODUCTION

With the advent of the Middle Bronze Age, from around 1500 BC onwards, the processes of change in landscape organisation initiated during the early second millennium BC reached their culmination, with the wholesale replacement of a landscape

dominated by monuments and ceremony with one given over to agriculture and settlement. Trackway 1 (R1), founded in the latter centuries of the Early Bronze Age, became the spine of an extensive field system laid out across the uplands to the north of the Upper Piddinghoe valley, and on the high ground to the south of the valley further field systems were established, essentially mirroring that to the north (Fig 4.1). At least two small settlements were evident within this wider agricultural landscape, each situated

Fig 4.1 Plan of Middle Bronze Age features across the study area (period 4)

on the margins of these field systems on the upper flanks of the Piddinghoe valley, while a small cremation cemetery was created at the western end of trackway R1.

The available evidence suggests that a mixed farming economy was practised in the study area during this period. Environmental samples from storage pits associated with these settlements indicate wheat, barley and pulses were all cultivated during the Middle Bronze Age, with a small agro-industrial complex in the south of the Lower Hoddern Farm site suggestive of specialised processing areas within the wider landscape. Unfortunately, poor bone preservation across all three excavated sites has resulted in virtually no animal bone surviving from Middle Bronze Age contexts. However, a pastoral component to the agricultural economy is inferred by the presence of trackways, areas of probable pasture and a possible stock sorting complex in the north-east of the Lower Hoddern Farm site.

THE EARLY-MIDDLE BRONZE AGE TRANSITION: LANDSCAPE CONTINUITY AND CHANGE

At a broad level, the character of the Early to Middle Bronze Age transition seems clear enough, consisting of the emergence of field systems and settlements across the study area. The precise nature and chronology of that transition, however, is somewhat more complex and incorporates differing rhythms of continuity and change. As we have already seen, the emergence of extensive field systems across the study area merely marks the culmination of long-term processes of change in systems of land tenure (or, at least, the physical expression of those systems), which were initiated in the early centuries of the second millennium BC. In terms of land use, therefore, there appears to have been a significant element of continuity across the Early to Middle Bronze Age divide, although it might be reasonable to assume acceleration in the pace of landscape transformation during the middle centuries of the second millennium BC. The obliterative effect of these changes on the pre-existing monumental and ceremonial landscape also appears to have been less than clear cut. There seems to be little doubt, for instance, that pond barrow Structure 9 (S9) fell into disuse and was infilled, possibly deliberately, at some time during the middle centuries of the second millennium BC, as demonstrated by a radiocarbon date of 1610–1430 cal BC (SUERC-43292, 3240±29 BP) on a carbonised pottery residue from this infill. Indeed, as discussed above, it is possible that the potentially deliberate infilling of this monument can be related to wider landscape change and the development of field systems in the

study area. By contrast, ring-ditch monument S7 was actively retained in some form into the Middle Bronze Age, when it formed the core of a small Middle Bronze Age settlement that developed around it and appeared to respect it. Similarly, it seems likely that the small barrow S5 survived in some form during this period, being respected by the adjacent trackway R5, which passed directly by the monument without intersecting with it. The fate of the other monuments, S16 and S6, during this period is unknown. There is, however, some circumstantial evidence in the alignment of the later Iron Age trackway R14, which apparently curved around to avoid barrow S6, to suggest the continued survival of this monument at least throughout the remainder of the Bronze Age and Early Iron Age.

THE AGRICULTURAL LANDSCAPE

Trackways and fields on the north side of the valley: Field System 4 (FS4) and associated Trackways 1–5, 15 and 16 (R1–R5, R15, R16) (Lower Hoddern Farm)

Field System 4 (FS4) is arguably the best understood of the Bronze Age field systems, for, despite its fragmentary survival, it benefits from the large-scale exposure afforded by the Lower Hoddern Farm excavations. This rectilinear field system was laid out on the high ground to the north of the Upper Piddinghoe valley, with reference to the pre-existing trackway R1 (Fig 4.2). It consisted of a number of ditches and trackways set out perpendicular to the line of Trackway 1 (R1) on a north-north-east to south-south-west alignment, with further boundaries, including the remains of a negative lynchet, laid out more or less parallel to the line of trackway R1 to create rectilinear fields of varying size and shape. In addition, other boundaries that did not survive the effects of later ploughing may be inferred on the basis of the surviving evidence, including a putative boundary between the trackway R1 and the junction between trackways R15 and R16 towards the eastern end of the exposed field system. As well as the various trackways that predominate in this field system there was some evidence for more specialised installations for the management of livestock. An arrangement of short lengths of ditch and associated postholes (S8) at the staggered junction of trackways R15 and R16, for instance, appears to have represented the evidence for a livestock sorting facility similar to that identified at Storey's Bar Road, Fengate (Pryor 1996, 318) and a similar facility appears to have existed at the western terminal of trackway R1 (see below). Despite the considerable variation in the shape and size of the various fields which make up this field system (ranging from c 2.06ha to as little as 0.4ha) it is possible to perceive a certain regularity in the width of the

Fig 4.2 Plan of Middle Bronze Age (period 4) Field System 4 and related features on the north side of the valley

fields, with the principal boundaries at right angles to R1 laid out at intervals ranging between 153m and 158m.

Even taking into account the incomplete survival of these field systems, it is notable that there was little evidence for land division below the 34–35m contour line. Broadly speaking, this contour line corresponds to a change in gradient between the gently undulating uplands and the steeper slopes of the valley sides, which may have been considered more marginal and less suitable for cultivation. In this respect, it is probably no coincidence that the only settlement evidence for the period lay *below* this contour within this marginal zone, thus maximising the available land for cultivation.

Possible pasture Open Area 70 (OA70) and stock enclosure Open Area 69 (OA69)

At the western end of trackway R1, to the west of an L-shaped ditch (A:G78), the land appeared to open out into a wider area of probable pasture (OA70) (Fig 4.3). A small rectangular ditched enclosure measuring around 20 × 33m set against the northern boundary of this pasture may have been a small livestock corral or enclosure (OA69). Access to and from trackway R1, and to the fields at its western terminal, appears to have been controlled by means of an arrangement of shorter trackways R2 and R3, and by ditches such as the long, curving ditch A:G68, which may have acted as a funnel, directing livestock towards the mouth of the trackway. Postholes (A:G191) and an area of poaching or trample at the northern end of the short length of trackway R2 suggest the existence of drafting gates or similar livestock control features here, a corollary of which would be the existence of additional boundaries of which no archaeological traces survive. The issues and implications of livestock management are explored in further detail below.

Trackways and fields on the south side of the valley: Field Systems 1 and 3 (FS1, FS3) and Trackways 9 and 10 (R9, R10) (Lower Hodder Farm and Seaview Avenue)

Rectilinear FS3 was situated on the south side of the Upper Piddinghoe valley. It consisted of a number of parallel ditches on a north-north-east to south-south-west alignment very similar to that of the principal boundaries in FS4 on the opposite side of the valley (Fig 4.4). Probably the most striking aspect of this field system is the extent to which it mirrored its counterpart on the north side of the valley, with the alignments of tracks R4, R5 and R6, for instance, all continued by elements of FS3 on the south side of the valley. Again, there

Fig 4.3 Plan of features at the western end of Trackway I and Field System 4 (period 4) (inset shows location within the study area)

was some evidence for a standard field width, with principal boundaries situated some 155m apart.

Further evidence for Bronze Age land division was identified at Seaview Avenue (Fig 4.5). Here, an east–west-aligned double ditched trackway (R9), *c.* 3.50m wide, formed the spine for a series of fields laid out to the south (FS1). These were defined by north–south ditches, with at least one broadly east–west ditch laid out parallel to the line of R9. A further double ditched trackway (R10) on a north–south orientation led up out of the Upper Piddinghoe valley along the base of a shallow tributary valley. It is noteworthy that the line and position of this trackway mirrors that of trackway R6 on the north side of the valley. Again, there was some evidence for a field width comparable to that evident in the associated field systems FS3 and FS4, with the north–south ditches of FS1 set 160m apart.

Dating the field systems: the evidence for a Middle Bronze Age genesis

There is little doubt that dating prehistoric field systems is a task fraught with difficulty. Owing to the very nature of field boundary ditches, likely to be open for some time as well as being cleaned out periodically, any material that accumulates within them is often present only in small quantities, fragmented and abraded,

and may represent material from a range of time periods with both residual and intrusive elements that may be difficult to differentiate. In the case of the agricultural landscape of the study area, this situation was further compounded by fragmentary survival or incomplete exposure of various field systems and an apparent longevity of some features or landscape alignments, where the original ditch may have silted but its associated bank (and probably hedge) continued in use much longer. This is particularly well illustrated in the case of trackway R1, elements of which appeared to remain in use into the Early Roman period, indicating a relatively static landscape in which some components may have stayed in use for some 1500 years or more.

Certain elements of the field system, such as trackway R1, may be dated to the Early Bronze Age with some confidence, although the date at which the wider field systems were established remains poorly defined. They are considered to have been later additions to the formative trackway R1, as discussed above, but an Early Bronze Age date for their inception cannot be entirely discounted. The ceramic evidence for a Middle Bronze Age origin to the extant field systems is certainly limited, although small assemblages of Middle Bronze Age pottery were recovered from several features associated with FS4, such as the L-shaped ditch (A:G78, Fig 4.3), the ditch that formed the eastern boundary of trackway R4 and the ditch

Fig 4.4 Plan of Field System 3 (period 4) on the south side of the valley

Fig 4.5 Plan of Field System I (period 4) at Seaview Avenue

forming the northern boundary of R15 (Fig 4.2). Furthermore, as discussed above, if the infilling of the possible pond barrow S9 did indeed reflect a change of use associated with the development of FS4, the radiocarbon date obtained on a carbonised residue on pottery from this infill (SUERC-43292, 3240 ± 29 BP) might provide a *terminus post quem* of c 1608–1438 cal BC for that development.

Although FS1 and FS3 are not positively dated to the period, the similarity in alignment and field size across all three field systems and evidence for a certain symmetry between field systems on both sides of the Upper Piddinghoe valley are strongly suggestive of a common origin as part of a larger, planned landscape.

Agricultural features and structures associated with the Middle Bronze Age field systems at Lower Hodder Farm *Possible raised granaries Buildings 1 and 5 (B1, B5) and Open Area 58 (OA58)*

Two small rectangular structures, B1 and B5, situated within the wider agricultural landscape, are interpreted as small raised granaries (Gent 1983). B5 was a small, rectilinear, post-built structure measuring 6.65×3.35 m, situated adjacent to trackway R1 within one of the fields of FS4 (Fig 4.6). The structure is difficult to interpret, owing to a combination of incomplete survival and the presence of more than one phase of construction. It can be interpreted in one of two ways: as a trapezoidal arrangement of some six small postholes, with an extension of three somewhat larger postholes to the east, or as a square arrangement of four postholes, with a further, larger (and potentially incomplete) square arrangement of six larger postholes to the east. A sequence of two intercutting rubbish pits in close proximity (A:G203, OA58) may have represented activity related to the maintenance and use of the structure, although analysis of environmental samples recovered from these pits (samples <131> and <132>) yielded little more than very occasional cereal grains, chaff and weed seeds, including black bindweed (*Fallopia convolvulus*), dock and grass. Small assemblages of transitional Middle–Late Bronze Age pottery recovered from both B5 and OA58 suggest construction towards the end of period 4.

B1 lay in the far south-west of the Lower Hodder Farm site. It was a rectangular post-built structure, measuring c 2.65×2.90 m, with three posts along each side. Evidence of an additional posthole, A[1997], at the eastern end of the building, along with the suggestion of a replacement for the adjacent posthole, A[1992], hints at a later phase of repair or rebuilding (Fig 4.7). A small pit within the footprint of the

Fig 4.6 Plan of Building 5, a possible raised granary, and associated Open Area 58

structure at its western end, A[1990], contained the lower half of a pottery vessel of Middle Bronze Age date, perhaps some kind of event-marking deposit, such as a foundation deposit (Fig 4.8). Other dating evidence recovered from the structure is somewhat later, belonging to the post-Deverel-Rimbury tradition (see below) and suggests the building survived into the Late Bronze Age.

Agro-industrial complex Open Area 57 (OA57) and associated Structure 10 (S10)

Diccon Hart and Karine Le Hégarat

This small agricultural processing site was located in the far south of the Lower Hodder Farm site on the western flank of a small tributary valley to the main Upper Piddinghoe valley (Figs 4.9 and 4.10). The complex consisted of a large irregular depression (A[163]), and an associated series of pits and a hearth, protected by means of a post-built windbreak (S10). Abundant quantities of charred cultivated pulses were present throughout this complex, indicating its primary function as an area for the processing of pulses, perhaps including parching and/or dry roasting.

Fig 4.7 Plan of Building I, a possible raised granary, and associated features

Fig 4.8 Photograph of pottery vessel associated with possible granary structure Building I, A[1990]

Depression A[163] was an extensive but irregular and unevenly floored feature, measuring $14.20 \times 6.0\text{m}$ and curving around to the east and north of the associated hearth. Its original function is difficult to establish, although the presence of several features cut into its floor suggests that the depression itself was utilised, perhaps as a working hollow or similar feature, rather than simply representing a shallow excavation for a suspended timber floor. The features cut into its floor include a shallow curvilinear gully, A[519],

and two small pits, A[671] and A[559]. Pit A[559] contained a partially complete Deverel-Rimbury globular urn, while pit A[671] produced a small quantity of pulses, including Celtic/broad beans. The shallow and ephemeral form of the associated gully is more suggestive of an erosional feature resulting from repeated activity than of a deliberately excavated structural element.

A small group of fire-pits or hearths was situated immediately to the west of the probable working hollow, apparently protected from the prevailing wind by a semicircular arrangement of postholes (S10) around the western and northern sides. A nearby refuse pit, A[97], with a rich fill of burnt and charred material, was probably a facility for the disposal of rake-out from the adjacent hearths.

Fig 4.9 Plan and selected sections of agro-industrial complex Open Area 57 and associated windbreak Structure 10

Both refuse pit A[97] and the group of hearths contained by far the largest quantities of charred macroplants from the OA57 complex, with charred cultivated pulses dominating all the samples from these features. In contrast, charred cereal remains were recorded in only small to moderate amounts although weed seeds were relatively frequent. Celtic/broad beans dominated the assemblage of cultivated pulses, although large-seeded vetch/bean/pea was also present. The remains of Celtic/broad beans were poorly to moderately well preserved. Seed coats (testae) tended to be undamaged, suggesting little movement post-charring. Nonetheless, while several whole grains were present, fragments of beans were more recurrent. Given their large size, these may be more susceptible to fracturing. A possible garden pea was also recorded in hearth A[165].

The accompanying cereal assemblage consisted largely of glume wheat (either emmer or spelt) with two glume bases that were tentatively recorded as emmer. Barley and oat were also recorded amongst the identified grains. The latter was represented by fewer than five items and it is most likely that the infrequent grains represented wild oat. Free-threshing bread-type wheat was absent. A wide range of weed seeds was recorded, including species from disturbed and cultivated ground but also species from grassland environment. Scentless mayweed (*Tripleurospermum inodorum*), knotgrass/dock and fat hen (*Chenopodium album*) were best represented, but seeds from vetch/vetchling/tare, medick/clover (*Medicago sp/Trifolium spp*), campion (*Silene sp*), stitchwort (*Stellaria sp*), black bindweed, violet (*Viola sp*), possible rose, plantain (*Plantago sp*), bedstraw, elder (*Sambucus nigra*), chamomile (*Anthemis sp*) and mayweed (*Matricaria sp*) as well seeds of grass were also present.

Radiocarbon determinations from a charred cereal grain and a charred broad bean from one of the hearths have yielded statistically consistent dates of 1440–1260 cal BC (SUERC-30724, 3095±35 BP) and 1420–1210 cal BC (SUERC-30725, 3060±35 BP), indicating a later Middle Bronze Age date for this activity. This is supported by the pottery assemblage recovered from OA57, which includes both Middle Bronze Age and transitional Middle–Late Bronze age material. Associated domestic structures were not evident but, given the limited exposure of this part of the site, the possibility of adjacent structures cannot be discounted, particularly in view of the quantities of domestic pottery associated with this complex.

Building 4 (B4) and Open Area 73 (OA73)

B4 was located immediately to the west of the OA57 agro-industrial complex (see Fig 4.5). Unfortunately it remains entirely undated, but a Middle Bronze Age date is tentatively proposed on the basis of its proximity to OA57. Building 4 consisted of a series of postholes set within shallow foundation trenches (A:G159 and A:G160) forming the southern and eastern sides of a rectilinear structure measuring 6.70 × 3.20m (Fig 4.11). Environmental samples recovered from this structure have yielded fire-cracked flint, burnt clay and charcoal. A series of three small postholes (OA73) located to the west of B4 may have represented related activity, although none yielded any finds.

Settlement evidence at Lower Hodder Farm *Settlement 1*

The best evidence for Middle Bronze Age settlement at the current sites was located on a small promontory immediately to the south of trackway R1 and consisted of the remains of three roundhouses, B2, B6 and B7 (Fig 4.12). These were arranged around the pre-existing ring-ditch monument S7 and appeared to respect it, suggesting not only that the monument remained visible during this period but that it still retained some significance to the Middle Bronze Age inhabitants. The settlement was partially enclosed by a series of ditches which, together with S7, served to define at least two associated open areas (OA55 and OA75).

Fig 4.10 Photograph of agro-industrial complex Open Area 57 under excavation, looking north-east

Fig 4.11 Plan of Building 4 and Open Area 73 (period 4)

Building 6 (B6)

Roundhouse B6, probably both the best preserved and best understood of the three roundhouses in this settlement area (Fig 4.13), lay to the east of the pre-existing ring-ditch monument S7, in the eastern half of OA55. It consisted of a regular circular arrangement, c 4.55m in diameter, of six postholes (A[1036], A[1042], A[1046], A[1133], A[1137] and A[1139]) that represented the internal post-ring roof supports of the building and were set within a well-defined but irregular hut platform, measuring c 6.50m in diameter (A:G86). A further two postholes, A[1180] and A[1182], spaced some 1.13m apart, to the south-east of the building represented the doorway to the structure, enclosing a ramped entrance down into its interior (Fig 4.14).

Seven probable storage pits were arranged around the periphery of the hut platform, between the internal roof supports and the edge of the hut platform (A[1032], A[1034], A[1038], A[1040], A[1044], A[1054] and A[1105]). Environmental samples from these features yielded assemblages of glume wheat and barley, as well as pulses, including broad bean and vetch/bean/pea, which are consistent with the use of the features as storage pits. At least one of the pits, A[1105],

Fig 4.12 Plan of settlement I (period 4)

was subsequently also utilised for the interment of a human cremation deposit, perhaps associated with a closing rite or decommissioning of the building on the death of its principal resident. Other notable finds from these pits include a fragment of a briquetage pedestal recovered from pit A[1040].

Three shallow pits clustered in the centre of the roundhouse (A[1107], A[1109] and A[1131]) contained ashy fills and may have been related to a series of hearths. Although there was minimal burning of the underlying chalk, this might simply suggest a raised hearth, or that these pits were originally lined.

Deposits of ash and charcoal in the infilling of the hut platform suggest that the building was eventually destroyed by fire, probably around the end of period 4.

Ceramic dating evidence for B6 is limited. However, radiocarbon determinations obtained from charred plant remains recovered from three of the pits have yielded dates of 1390–1120 cal BC (SUERC-30717, 3015±35BP), 1390–1120 cal BC (SUERC-30736, 3015±35BP) and 1430–1250 cal BC (SUERC-30718, 3070±35BP), confirming a Middle Bronze Age date for the structure.

Building 7 (B7)

Roundhouse B7 lay in the north-west corner of enclosure OA55, to the north-west of ring-ditch S7 (Fig 4.12). It was somewhat less well preserved than roundhouse B6 and consequently its form and construction are not fully understood. At its heart was a small hut platform some 4.0m in diameter, surrounded by a series of postholes, including A[810], A[811], A[820], A[822], A[884] and A[886] (Figs 4.15 and 4.16). These may have been for internal roof supports, although little sense can be made of their patterning. Possible additional postholes with charcoal-rich fills, including A[813] and A[817], may have represented further burnt structural elements. The dominance of *Maloideae* within the charcoal assemblages from these features, to the exclusion of almost all other taxa, may provide some rare evidence for timber selection in the construction of buildings of the period, although given the predominance of this taxon in contemporary cremations (see below), it is possible that these features represent token deposits of pyre material within the building, perhaps associated with the cremation deposit discussed below.

Two broadly concentric curvilinear gullies around the northern perimeter of this building (A:G208 and A:G209) were probably the remains of eaves drip gullies or further structural elements. It is possible, for instance, that the inner gully might have represented the surviving foundation trench for the outer wall

Fig 4.13 Detailed plan and selected sections of roundhouse Building 6

Fig 4.14 Photograph of roundhouse Building 6 after excavation, looking west

of the roundhouse. Alternatively, they might have represented two phases of construction or alteration to the building.

As with roundhouse B6, several pits (including A[987], A[824], A[835] and A[843]) were located around the interior of B7. They may have been storage pits. Environmental samples recovered from these features have certainly yielded small assemblages of charred cereals and pulses, including glume wheat, barley and vetch/bean/pea consistent with such an interpretation. The largest of the pits, A[987], was subsequently utilised for the interment of an adult human cremation deposit. Again, this may have been associated with a closing or decommissioning ritual for the building. Two Neolithic axe-head fragments were also recovered from pits associated with roundhouse B7 and it appears probable that they were deliberately curated and deposited in the Middle Bronze Age. It is unlikely that they were incorporated accidentally since not only are axe-heads rare, but these are the largest and most obvious fragments from the entire excavation. Indeed, it may be no coincidence that they were deposited in pits on opposite sides of the building, quite possibly as part of some form of structured deposition.

Two radiocarbon determinations were obtained from samples recovered from pit A[987], both of which indicate a later Middle Bronze Age date for the feature and, by extension, for B7 itself. One sample, from carbonised residue on pottery, yielded a date of 1460–1290 cal BC (SUERC-30719, 3115±35 BP) while the other, taken from a sample of calcined bone from the cremation itself, yielded a date of 1410–1210 cal BC (SUERC-30720, 3045±35 BP).

Open Area 55 (OA55) and Ditches 14, 15 and 16 (D14, D15 and D16)

Both roundhouses B6 and B7 were sited within the large open area OA55 (see Fig 4.12). The original extent and form of OA55

Fig 4.15 Detailed plan and selected sections of roundhouse Building 7

remains difficult to determine, owing to extensive truncation by later ploughing leading to only fragmentary survival of the various ditches which defined the enclosure. However, it appeared to be broadly rectangular in plan, measuring approximately 80m across, defined to the east and west by Ditches 14 and 15 (D14, D15) and to the north by trackway R1, with a negative lynchet immediately to the south of the

Fig 4.16 Photograph of roundhouse Building 7 after excavation, looking north-east

trackway attesting to a hedged boundary here during this period. The southern boundary of OA55 remained very poorly defined although, to the west, it appeared to be delineated by the heavily ploughed-out east–west-aligned D16, whose projected alignment would have intersected with the ring-ditch of S7 and formed a boundary between OA55 and OA75 to the south. Only two features can be assigned to OA55 (G:A126), both of which were situated immediately to the north of roundhouse B7 and may have been associated with that building. One, A[835], was lined with clay and was probably some form of storage feature, although analysis of an environmental sample recovered from its infill proved inconclusive.

Building 2 (B2) and Open Area 75 (OA75)

Roundhouse B2 lay to the south of D16 and to the west of ring-ditch monument S7, within OA75 (Figs 4.17 and 4.18). The building survived only in a fragmentary state, little more than a scatter of postholes with no obvious patterning, including A[943], A[955], A[1000], A[1007] and A[1166], within a shallow hut platform terraced into the hillside. A probable eaves drip gully partially encircled the building on its north-eastern side (A:G220). It seemed to have been deliberately backfilled with fire-cracked flint, from which two fragments of briquetage, including part of a pedestal support, were recovered. Within B2 itself were two probable storage pits, A[992] and A[1186], environmental samples from which yielded grain and chaff from glume wheat, with small quantities of vetch/bean/pea also present. Small pit A[958] contained a near-complete Deverel-Rimbury pottery vessel, which appeared to have been deliberately placed within the feature and perhaps represented some form of event-marking deposit.

Fig 4.17 Detailed plan and selected sections of roundhouse Building 2

Fig 4.18 Photograph of settlement 1 looking west, showing ring-ditch monument Structure 7 (Building 6 is in the foreground and Buildings 2 and 7 in the background, with Trackway R1 in the upper right of the photograph)

No radiocarbon dates are available for B2, although the placed Deverel-Rimbury vessel in pit A[958] suggests a Middle Bronze Age date.

Open Area 75 (OA75)

A series of three pits immediately to the north of roundhouse B2 (A[947], A[1099] and A[1111]) may have represented activity associated with the roundhouse, although the nature of that activity remains undefined. Samples recovered from two of these pits contained only infrequent and poorly preserved cereal grains and legumes, including vetch/vetchling/tare, as well as campion/catchfly (*Silene* sp), possible poppy seeds (cf *Papaver* sp) and black medick (*Medicago lupulina*).

The abandonment of settlement 1

Deposits of ash and charcoal in the infilling of the hut platform of roundhouse B6 suggest the building was eventually destroyed by fire, either intentionally or accidentally, and the evidence of charred posts in roundhouse B7 suggests this building might have suffered a similar fate. The demise of B2 is less well understood. There is little of the evidence for the deliberate demolition or burning of the building seen in its counterparts elsewhere in the settlement area and a slow abandonment and decline seems more probable. Pottery assemblages from contexts associated with the disuse and infilling of all three buildings

contain both transitional Middle–Late Bronze Age elements and Late Bronze Age pottery, suggesting the buildings fell into disuse around the end of the Middle Bronze Age but that the now defunct hut platforms were utilised for refuse disposal into the Late Bronze Age.

Settlement evidence on the south side of the Upper Piddinghoe valley: probable roundhouse Building 16 (B16)

A further possible roundhouse site (B16) has been tentatively identified on the opposite, south side of the valley, consisting of a cluster of probable storage pits and related features, partially surrounded by an arc of postholes (Fig 4.19). The identification of this group of features as a building must remain speculative, largely as a consequence of their incomplete exposure at the limits of the excavation area, although it is apparent that, together, they represent settlement-related activity. In particular, it should be noted that no hut platform was identified in association with these features, despite their location on a hill slope. By analogy with other contemporary roundhouses such as B6 and B8, however, it is possible that any such hut platform has been partially or entirely truncated by later ploughing of the site. At any rate, the location of this potential building almost directly opposite settlement 1 is worth highlighting here. In light of the evidence for a certain

Fig 4.19 Detailed plan and selected sections of probable Building 16

degree of symmetry to the Middle Bronze Age landscape evident in the field systems of the period, a similar symmetry in settlement patterns is quite possible.

The structural evidence for this putative building is represented solely by an arc of three postholes, which described a circle with a projected diameter of around 12m. The storage pits consisted of a group of four, steep-sided, subcircular and ovoid features. The southernmost pit in this group, A[482], had a distinctive layer of burning in its base (fill A[481]), a trait which is occasionally recognised within storage pits as evidence for the sterilisation of pits prior to recharging with fresh grain (Reynolds 1974). The sequence of laminated fills that sealed this primary fill attests to the subsequent reuse of the feature for the disposal of refuse. The remaining three pits in this group were all typified by structured deposits of cereal-processing equipment, including both saddle querns and rubbing stones, pottery, cremation deposits and perhaps deliberately selected but unmodified stone. Pit A[521], for instance, contained a very large sarsen quernstone weighing some 43.5 kg, placed grinding-face down in the base of the pit and partially covered by and surrounded with sherds from a semi-complete pottery vessel (Figs 4.20 and 4.21). The disposition of this pottery over and around the inverted quern suggests the possibility that the vessel was deliberately smashed over the placed quern but it is also possible the vessel was placed intact within the pit and simply crushed by the weight of the overlying backfill. At any rate, it is probable the vessel contained a cremation deposit, given the unidentifiable cremated bone found in association with it. Pit A[503], on the other hand, contained parts of three different sarsen querns, including a near-complete example (RF<67>) as well as fragments from two further querns (RF<68>, RF<69>), while pit A[508] contained a large but unmodified boulder of chalk breccia weighing some 34 kg, again found with an associated but crushed/smashed semi-complete pottery vessel (Fig 4.22). Environmental samples recovered from pits A[482], A[508] and A[521] all yielded a mixture of charred cereal grains, among them both wheat and barley, as well as cultivated pulses, including Celtic/broad bean and vetch/bean/pea.

Also associated with B16 was a handful of smaller pits, including a small clay-lined feature and a pit with a distinctive fill of well-sorted flint cobbles (A[661]), which remains difficult to interpret. Similar deposits of deliberately selected flint cobbles have been noted elsewhere in the study area, albeit from Iron Age contexts (see below). They may simply represent stone clearance from fields but their occurrence in pits is unusual and hints at the deliberate curation and deposition of a particular material.

Building 8 (B8)

The fragmentary and heavily ploughed-out remains of another probable roundhouse (B8) were excavated immediately to the east of trackway R4, some 100m to the north-east of settlement 1 (see Fig 4.2). The remains consisted of a partial hut platform and an associated arc of postholes (A:G230) with a series of three large probable storage pits within the projected footprint of the building (A:G232) (Fig 4.23). An environmental sample from one of these storage pits, A[1114] (sample <180>), yielded a rich assemblage of charred plant remains, including cereal grains, pulses and chaff. Cereal grain dominated the assemblage, with both glume wheat and barley present; spelt and emmer were also recorded in the identifiable chaff and small quantities of pulses were also present. A small but discrete assemblage of transitional Middle–Late Bronze Age pottery was recovered and may be taken to indicate the construction of this building towards the end of period 4.

A cremation cemetery at Lower Hoddern Farm: Open Area 66 (OA66)

Further funerary evidence for the period came in the form of a small probable cremation cemetery (OA66), centred on the western terminal of trackway R1, and its associated features and consisting of a number of small pits with distinctive fills of ash and charcoal (Figs 4.24 and 4.25). The majority of these features appeared to be clustered around the junction between trackway R1 and the associated short length of trackway R2, including a group of four features to the east of R2 (A[301], A[595], A[601] and A[603]) and two to the west (A[592] and A[1375]). However, several further features appeared to occur as relatively isolated outliers to the north, west and south, including A[1377], A[609] and A[629]. Interestingly, it was two of these outliers, A[609] and A[629] (Fig 4.25), that produced the only actual calcined bone from this probable cemetery, albeit only in small quantities of unidentifiable material. The other features might be better interpreted as select or ‘token’ deposits of associated material such as pyre material. The charcoal assemblages retrieved from these features indicated a similar range of fuel woods to other cremation deposits from the period, with oak forming the dominant component, and Maloideae and ash present in smaller quantities. A number of other small pits or postholes that did not contain any evidence of burnt fills are also included in this land use on the basis of their proximity to the features described above, although their function and significance remains uncertain.

Radiocarbon dating of charcoal retrieved from two of the cremations has produced dates of 1380–1120 cal BC

Fig 4.20 Photograph of pit A[521] with an inverted saddle quern and crushed semi-complete pottery vessel forming part of a probable structured deposit, looking west (0.2m scale)

Fig 4.21 Photograph of pit A[521] under excavation, looking west

Fig 4.22 Photograph of pit A[508], showing unmodified chalk breccia and associated semi-complete pottery vessel, looking north-east

Fig 4.23 Detailed plan and section of probable roundhouse Building 8

(SUERC-30729, 3000±35 BP, pit A[592]) and 1420–1250 cal BC (SUERC-30730, 3065±35 BP, pit A[601]).

Fig 4.24 Plan of cremation cemetery Open Area 66

Fig 4.25 Photograph of cremation burial A[629], looking north-west (0.3m scale)

4.2 PERIOD 5: LATE BRONZE AGE, *c* 1150–800 BC

INTRODUCTION

While there is clear ceramic evidence for continuity between the Middle and Late Bronze Age periods within the study area, the transition between the two periods appears to be one marked by a significant change in settlement patterns (Fig 4.26). Substantial quantities of Late Bronze Age pottery was recovered from all four of the Middle Bronze Age roundhouses Buildings 2, 6, 7 and 8 (B2, B6–B8), for instance, as well as from the agro-industrial site Open Area 57 (OA57), but it was recovered almost exclusively from contexts associated with the disuse and abandonment of these structures rather than with their occupation, suggesting the reuse of defunct hut platforms and working hollows for the disposal of refuse during the Late Bronze Age. Similarly, the absence of any material of Late Bronze Age or later date from B16 may be taken to indicate its abandonment around the end of the Middle Bronze Age. At the same time, however, agricultural structures such as the probable raised granaries B1 and B5 and the associated refuse pits of OA58 appeared to be retained into the Late Bronze Age. Indeed, B1, which seemed to stand in relative isolation during the later Middle Bronze Age, appeared to form the focus for a new area of settlement during the Late Bronze Age in the south of the Lower Hoddern Farm site. Further occupation on the south side of the valley emerged during the course of the period at both the Keymer Avenue and Seaview Avenue sites.

Despite this, however, direct evidence for settlement during period 5 was limited to a single D-shaped structure in proximity to the probable raised granary B1. The general paucity of structural evidence is somewhat symptomatic of the nature of Late Bronze Age occupation in the wider area and examples of Late Bronze Age houses are rare regionally (Hamilton 2003, 73). The small size and undiagnostic character of the majority of period 5 pottery assemblages do

Fig 4.26 Plan of Late Bronze Age features across the study area (period 5)

not assist in dating and defining areas of Late Bronze Age activity and it may well be that some of the poorly dated contexts currently assigned to preceding and subsequent periods in fact represent Late Bronze Age activity. In the final analysis, however, the lack of good settlement evidence for the period is simply a result of partial exposure. Without exception, new areas of Late Bronze Age occupation in the study area occurred close to the edges of the excavation areas and it is quite possible that associated settlement evidence merely lies beyond the limits of the excavation.

THE AGRICULTURAL LANDSCAPE

In light of the vagaries inherent in the dating of prehistoric field systems outlined above, it is perhaps unsurprising that it has proved very difficult to determine the extent to which the Early/Middle Bronze Age field systems in the study area were retained or modified during the course of the Late Bronze Age and subsequent periods. Probably the best evidence for the retention of elements of the earlier field systems into period 5 is the evidence for the construction of areas of metalling over parts of Trackway 1 (R1), from which small quantities of Late Bronze Age pottery were recovered (Fig 4.27). These areas of metalling consisted of quantities of fire-cracked flint thrown down over areas of softer ground and they certainly attest to

efforts to maintain the trackway during the Late Bronze Age, while the presence of Late Bronze Age pottery in the flanking ditches of R1 show that these ditches at least remained open during the period. Elsewhere in the study area, the occurrence of occasional pits containing Late Bronze Age pottery associated with Field System 4 (FS4) point to continued, if sporadic, activity in the wider landscape. Moreover, the presence of Later Iron Age and even Early Roman pottery in various elements of FS3 and FS4 would certainly seem to suggest ongoing maintenance of the field systems into the Early Roman period and, by extension therefore, that they were in use during the Late Bronze Age.

Fig 4.27 Photograph of metalling over part of Trackway 1 (1.0m scale)

PROBABLE CLOSING RITUALS ASSOCIATED WITH THE ABANDONMENT OF BUILDING 8 (B8)

While the Middle Bronze Age roundhouses of settlement 1 and the agro-industrial area OA57 appeared to have served as foci for refuse disposal into the Late Bronze Age, the deliberate placement of pottery vessel A[1193] in the top of the infilled hut platform of roundhouse B8 suggests a somewhat more formalised process of decommissioning or closing down of this building (Fig 4.28). The vessel appears to be quite early in the post-Deverel-Rimbury tradition, being thrown in a coarse fabric more typical of Middle Bronze Age traditions but with the relatively thin walls and flint-gritted base usually associated with Late Bronze Age types, and may have been deposited towards the beginning of period 5. It was apparently partially modified with the deliberate removal of part of its base and subsequently secured in place after deposition by a small stake or post (A[1196]).

Fig 4.28 Photograph of placed post-Deverel-Rimbury vessel associated with the infilled hut platform of roundhouse Building 8

SETTLEMENT EVIDENCE AT LOWER HODDERN FARM

SETTLEMENT 2

The majority of dated Late Bronze Age activity on the Lower Hoddern Farm site was focused around the earlier probable granary structure B1, and included a D-shaped, post-built building with associated activity (B15 and OA61) to the west of north–south-aligned Ditch D17 (D17), with a further cluster of pits to the east (OA77) (Fig 4.29). The relationship of D17 to the wider landscape remains something of an enigma. Its orientation does not correspond well with any of the other Bronze Age ditches on the site and it may have been a later addition to the Bronze Age agricultural landscape. It was partially backfilled with large quantities of fire-cracked flint, presumably derived from activities in the immediate vicinity.

Building 15 (B15)

The D-shaped B15 comprised a posthole structure measuring around 9.90m in length by 4.80m across, with the straight side facing almost directly due north (Fig 4.30). Whether the straight side to this building was open or walled remains open to interpretation, although two postholes set about 1.45m apart in the centre of this side of the building were somewhat suggestive of a doorway, which would imply that it was walled. Regardless of this, it is notable that the area immediately to the north of the structure was largely devoid of features, and this may be taken to support the premise that this northern, straight side represented the structure's frontage.

Although there was no surviving evidence for an internal partition within the building, the clustering of associated features exclusively in the western half is strongly suggestive of an element of functional division. These features included a small hearth, A[2171], and an adjacent clay-lined pit with evidence of *in situ* burning, A[2015], situated immediately

Fig 4.29 Plan of settlement 2 (period 5)

Fig 4.30 Detailed plan of D-shaped Building 15 within Open Area 61

inside the potential doorway to the structure (Fig 4.31). These were almost certainly related, perhaps representing the evidence for a small cooking pit with an adjacent hearth for heating stones; such an arrangement would certainly provide an explanation for the abundance of fire-cracked flint in nearby D17. By contrast, a further clay-lined pit, A[2186], located close to the western wall of the building exhibited no evidence of any burning and may have been a small storage receptacle. The exact function of a placed pottery vessel, A[2179], towards the centre of the building is less certain (Fig 4.32). The vessel combines the coarse fabric typical of Middle Bronze Age traditions with the relatively thin walls and flint-gritted base usually associated with Late Bronze Age types and therefore may suggest deposition relatively early in period 5. Whether it was a structured votive deposit marking the foundation or abandonment of the building or simply another way of lining an earth-fast storage pit similar in function to the nearby clay-lined pit A[2186] is, again, open to debate. However, judging by the occasional cereal caryopses and weed seeds found in an associated environmental sample, it is possible the vessel was left open to receive natural accumulations of background detritus from crop-processing and related activities in the vicinity.

Fig 4.31 Photograph of clay-lined pit A[2015] under excavation

Fig 4.32 Photograph of placed pottery vessel A[2179]

Open Area 61 (OA61)

In the wider area around B15 was a general scatter of pits of various sizes in the immediate vicinity of the building (see Fig 4.30). These were probably storage or refuse pits dug and used during the lifetime of the building and have generally produced only small quantities of pottery broadly dated to the Late Bronze Age/Early Iron Age. Further to the north (see Fig 4.29) was a group of three small clay-lined pits (A:G20) and another of four pits containing domestic rubbish (A:G18). This latter group is of particular note as it included a large pit, A[1576], that produced a huge quantity of pottery – one of the largest single assemblages of Late Bronze Age pottery in the region (Fig 4.33). While the presence of sherds with obvious use wear such as sooting, and of other material such as structural daub, briquetage, spindle whorls, charred cereals and weed seeds, indicates that the feature was receiving refuse from a variety of sources, almost 25% of the pottery recovered from the pit consisted of misfired wasters from pottery production. Unfortunately, the location of the feature close to an unexcavated area of the site means that the exact location of any such putative production must remain uncertain but it is possible that a large hearth to the north-west of B15 *may* represent the evidence for a small bonfire kiln (see Fig 4.30). It consisted of an irregular area of burning of the underlying natural geology, A[2187], with several small postholes around the perimeter of the feature, including A[2189], A[2191] and A[2165], suggesting the presence of a superstructure. Indeed, it is possible that D-shaped B15 itself was related to pottery production in this area, given that such buildings are currently often interpreted as workshops (see below).

Fig 4.33 Photograph of dump of pottery in pit A[1576] (0.15m scale)

Open Area 77 (OA77)

Open Area 77, which lay to the east of D17, included a scatter of pits of uncertain function (see Fig 4.29). They have produced only very small quantities of pottery indicating a broad Late Bronze Age date for the group, and analysis of associated environmental samples has produced only small and varied assemblages of charred plant remains, including cereals (both glume wheat and barley), occasional pulses and wild weed seeds that probably represent detritus from a range of activities. Pit A[2024], however, appeared quite different in character. In addition to a small but well-dated group of Late Bronze Age pottery, it was found to contain a small assemblage of briquetage, including two pedestals (RF<13> and RF<14>), suggesting a link with salt production on the site (Fig 4.34). However, whether this small but significant group of briquetage – almost all the dated Late Bronze Age briquetage from the study area – represents a deliberate and structured deposition or merely an expedient disposal of briquetage waste remains uncertain.

Placed vessels associated with settlement 2

In addition to the placed vessel found inside B15, three similar vessels were found elsewhere in the vicinity: one in pit A[1630] adjacent to the large pottery dump pit A[1576]; one in pit A[2009] within OA77; and an outlying vessel further to the north in pit A[1606] within OA62 (Figs 4.35–4.38). Of particular note is a small hole seemingly deliberately formed in the base of the vessel in pit A[1606] (Fig 4.38). This echoes the treatment of the vessel found in association with roundhouse B8 and is a trait noted in other similar vessels found in the study area, such as that found in association with working hollow OA60 on the Lower Hoddern Farm site or the vessel associated with possible occupation within OA4 at Seaview Avenue (see below). All three of these vessels are similar to

Fig 4.34 Photograph of briquetage pedestal RF<13> in pit A[2024], looking north-east (0.40m scale)

that associated with B15, combining fabrics more typical of the Middle Bronze Age with the thin walls and flint-gritted bases usually associated with Late Bronze Age forms and it seems probable, therefore, that they were deposited relatively early in period 5. Moreover, all three vessels produced similar assemblages of charred plant remains, consisting of very occasional cereal caryopses, glume bases and weeds such as knotgrass/dock, black bindweed and grasses. In the absence of any evidence for the original contents of these vessels, their significance and purpose remains uncertain, though it is possible that they represented some form of event-marking deposits, marking particular activities and/or places.

Fig 4.35 Plan of pit A[1606]

Fig 4.36 Photograph of pottery vessel in pit A[1630] during excavation

Fig 4.37 Photograph of pottery vessel in pit A[2009] (0.2m scale)

Fig 4.38 Photograph of pottery vessel in pit A[1606] (0.3m scale)

SPECIALISED ACTIVITY AREAS AT LOWER HODDERN FARM: POSSIBLE WORKING HOLLOW OPEN AREA 60 (OA60)

An extensive and irregular ovoid depression immediately to the south-west of roundhouse B8 may have represented a working hollow or similar activity area (Fig 4.39). The feature measured $\approx 15.85 \times 8.70\text{m}$ and just 0.20m deep as surviving, though its western side appeared to have been ploughed out and it may originally have been significantly wider. Whilst much of the dating evidence associated with OA60 was dated to period 6, almost all of it appeared to be related to the disuse and infilling of the depression, and it seems probable, on the basis of a Late Bronze Age placed vessel within small pit A[1084] in the base of the feature (Fig 4.40), that it was established towards the beginning of period 5. As in the case of the other placed vessels associated with OA61 and OA77 on the south side of the valley, this vessel exhibits traits of both Middle Bronze Age and Late Bronze Age types and may belong to an early phase of Late Bronze Age occupation on the site. The vessel is also similar to other contemporary placed vessels, such as that associated with roundhouse B8, in that its base appears to have been deliberately removed before deposition. A variety of other small pits and postholes were present in the base of the OA60 working hollow, including A[1078], A[1080], A[1094], A[1161], A[1163], A[1201], A[1082] and A[1445]. However, only pit A[1086] can be positively assigned to period 5, on the basis of a direct stratigraphic relationship with pit A[1084]. The majority of the remaining features did not produce any dating evidence but it is possible that some or all of them were of Late Bronze Age date.

LATE BRONZE AGE ACTIVITY AT KEYMER AVENUE: POSSIBLE GRANARY STRUCTURE BUILDING 9 (B9) AND OPEN AREA 36 (OA36)

Late Bronze Age activity at Keymer Avenue was limited to a poorly preserved posthole structure (B9) and an associated group of pits (Fig 4.41). B9, though incomplete, appeared to be similar in size and form to the six-post probable granary structure B1 and may have signified a comparable structure. A semi-complete but fragmented post-Deverel-Rimbury vessel deposited in posthole B[649] may have represented some form of event-marking deposit related to the foundation or decommissioning of the structure. A group of nearby pits and postholes, though undated, is tentatively assigned to period 5 on the basis of their proximity to the well-dated structure B9.

Fig 4.39 Detailed plan of possible working hollow in Open Area 60

Fig 4.40 Photograph of pottery vessel in pit A[1084] (0.4m scale)

LATE BRONZE AGE SETTLEMENT-RELATED ACTIVITY AT SEAVIEW AVENUE: OPEN AREA 4

Late Bronze activity at Seaview Avenue included a cluster of pits and postholes in the north-west of the site (Fig 4.42). Probably the earliest feature here consisted of a placed pottery vessel in pit C[167] to the north of the main cluster. The vessel

is similar to many of the contemporary placed vessels from the Lower Hoddern Farm site, consisting of a coarse fabric more usually associated with the Middle Bronze Age Deverel-Rimbury tradition but with some Late Bronze Age traits that might be taken to suggest deposition towards the beginning of period 5. It might, therefore, have served as some sort of event-marking deposit signifying the establishment of activity in this area. The vessel is also similar to other placed vessels such as those from pit A[1606] (OA62) or pit A[1192] (B8) in that the base of the vessel was apparently removed before deposition. Again, analysis of an associated environmental sample has proved unproductive, yielding occasional cereal crop remains, including wheat caryopses, as well as some indeterminate grain and chaff.

Other features in OA4 included a substantial hearth or fire-pit, C[174], which had evidence of burning in the base and a fill rich in charcoal and burnt flint. Analysis of environmental samples recovered from this fill identified charred crop remains of barley, legumes and various unidentified

grains, as well as a small assemblage of unidentified charcoal consistent with the use of the feature as a domestic hearth. Pottery recovered from the feature is dated broadly to the Late Bronze Age–Early Iron Age period. Two large, deep pits in the far west of the site are also assigned to period 5, though neither produced dating evidence. One of these features, pit C[186], displayed a pronounced bell-shaped profile reminiscent of a grain storage pit (Reynolds 1974), whereas the profile of the other, pit C[207], was relatively straight. Again, this is not inconsistent with the evidence for a grain storage pit (ibid) although the variety of finds recovered from this latter feature, which included struck flint, fire-cracked flint and shell, suggests it may subsequently have been utilised for refuse disposal. The remaining features in OA4 included three small pits (C[183], C[198] and C[205]). Together with hearth C[174] and the pottery vessel placed in pit C[167] this group of features is somewhat suggestive of activity peripheral to occupation, albeit probably not directly adjacent to settlement, given the general paucity of finds.

Fig 4.41 Detailed plan of Building 9 and pits in Open Area 36

4.3 PERIOD 6: TRANSITIONAL LATE BRONZE AGE AND EARLY IRON AGE, c 800–400 BC

INTRODUCTION

As a whole the period c 800–400 BC was very poorly represented in the study area, although this is likely to reflect, in part at least, the poor quality of the available dating evidence. The period is generally characterised by very small

and undiagnostic pottery assemblages, which can often be dated in only the very broadest of terms and are often difficult to separate from earlier and later periods. Nevertheless, the balance of the evidence suggests that occupation of the site during this period was minimal and consisted in the main of little more than somewhat unstructured and desultory activity across the landscape (Fig 4.43).

THE AGRICULTURAL LANDSCAPE

Given the limitations of the available dating evidence, it is hardly surprising that good evidence either for the retention or for the modification of the Bronze Age field systems during period 6 is difficult to define. Indeed, features associated with the agricultural landscape which are positively dated to period 6 are limited to just two tree throws (A[1147] and A[1270]) in Field System 4 (FS4), suggesting continued clearance and maintenance of at least some of the fields on the north side of the valley. However, the occurrence of quantities of Later Iron Age and Early Roman material in several ditches associated with FS3 and FS4 (see below) perhaps indicates the ongoing maintenance of field boundaries throughout much of the Iron Age.

A POSSIBLE GRAIN-DRYING KILN: STRUCTURE 12 (S12)

This feature was located towards the west of the Lower Hoddern Farm site, close to the junction between Trackways 1 and 3 (R1, R3). It was T-shaped in plan, consisting of an irregular and discontinuous gully, A[1349], around 4.0m long and 0.20m deep; at its western end was a deeper subrectangular pit, A[1351], around 2.0m long and 0.45m deep (Fig 4.44). The structure was not dissimilar in size and shape to some later grain-drying kilns such as that found at Coldharbour Lane Quarry (Lambert et al 2013) and may have represented the

Fig 4.42 Plan of Late Bronze Age features at Seaview Avenue in Open Area 4 (period 5)

Fig 4.43 Plan of Late Bronze Age/Early Iron Age features across the study area (period 6)

sub-surface evidence for a similar structure. This is borne out to some extent by an associated environmental sample that yielded the remains of a variety of cereals, including barley, glume and free-threshing wheat and perhaps oats as well as occasional pulses, certainly suggesting a link with crop processing. No evidence of any lining to the structure was evident, although fragments of structural clay/daub within its fills may well have been the remains of such a lining. A nearby posthole, A[1207], may have represented a related element of the structure.

ACTIVITY ELSEWHERE IN THE LANDSCAPE: THE INFILLING OF THE OPEN AREA 60 (OA60) WORKING HOLLOW

It is perhaps notable that the only substantial group of Early Iron Age pottery from the site, some 218 sherds, was recovered from the infill of the period 5 working hollow within OA60 (see Fig 4.39). While associated with the disuse of this feature, the concentration of Early Iron Age pottery within an earlier feature is rather suggestive of a degree of continuity in land use on the site comparable to the reuse of defunct Middle Bronze Age hut platforms for refuse disposal during the Late Bronze Age. A similar scenario, involving the reuse of the earlier period 5 working hollow for rubbish disposal, seems probable here,

Fig 4.44 Detailed plan and section of possible grain-drying kiln Structure 12

though whether this would have reflected a deliberate act, referencing earlier features in the landscape, or the simple and expedient disposal of refuse in a convenient hollow, presumably fairly close to occupation, is rather more difficult to determine.

EARLY IRON AGE ACTIVITY AT KEYMER AVENUE: OPEN AREA 12 (OA12)

Only one feature could be positively assigned to period 6 at Keymer Avenue. This consisted of a fragmented but partially complete pottery vessel seemingly deliberately placed within a small ovoid pit, B[443] (Fig 4.45). The feature appeared to stand in isolation and remains difficult to interpret, though casual discard seems unlikely. Indeed, the location of the feature in an area of subsequent extensive and intensive Middle Iron Age occupation might suggest some form of deliberate deposition, perhaps marking the establishment of occupation here. Unfortunately, the acidic sandy geology which underlies the Keymer Avenue excavations has resulted in the almost universally poor preservation of environmental remains from this particular site and consequently little of value was forthcoming from an environmental sample associated with this vessel.

Fig 4.45 Detailed plan and section of pit B[443] within Open Area 12 (period 6)

EARLY IRON AGE ACTIVITY AT SEAVIEW AVENUE: OPEN AREA 5 (OA5)

The only activity that can be positively dated to period 6 at Seaview Avenue consisted of a large ovoid pit, C[117], cut into the northern ditch of trackway R9 and seemingly quite

carefully and deliberately aligned on the trackway ditch (Fig 4.46). This feature remains difficult to interpret adequately but may have represented a small quarry expediently excavated into the side of an existing ditch for the extraction of the fine silty sand which typifies the geology in this part of the study area. It appeared to have partially silted up before a small fire was set at its western end, scorching the underlying silted fill; the resultant deposit of burnt flint and charcoal was seemingly raked out across the rest of the feature, which was subsequently left to silt up fully. Analysis of environmental samples from this feature identified a range of cereals, dominated by wheat (including emmer/spelt and bread wheat) but with barley present too and a small assemblage of weed seeds, including weeds associated with cultivated and waste/disturbed ground, such as knotgrass/dock, black bindweed, bedstraw, goosefoot, medick/clover, orache (*Atriplex* sp), scentless mayweed, as well as some grass caryopses. A significant assemblage of fuel wood charcoal was also recovered from these samples, including oak, *Maloideae*, cherry/blackthorn and birch.

Fig 4.46 Detailed plan and section of pit C[117] within Open Area 5 (period 6)

4.4 DISCUSSION

PERIODS 4 AND 5: MIDDLE BRONZE AGE, c 1500–1150 BC, AND LATE BRONZE AGE, c 1150–800 BC

INTRODUCTION

The Middle Bronze Age in southern Britain was a period of significant social and economic change, manifest chiefly in the organisation of settlement and land division, funerary practice and even the deposition of metalwork (Bradley 2007, 181). There was, for instance, a dramatic increase in the number of settlement sites during the course of the Middle Bronze Age. This contrasts sharply with preceding periods, where the paucity of settlement evidence is often used to argue for a significant degree of residential mobility (eg Thomas 1996; Whittle 1997), and suggests a certain permanence of occupation for the first time during the Middle Bronze Age (Brück 2000, 288). The Middle Bronze Age was also a period characterised by the widespread appearance of large-scale field systems across southern Britain, where they can be seen to have clustered along the well-drained, fertile soils of river valleys and estuaries, particularly on the terraces, and in coastal areas such as the Sussex coastal plain (Yates 2007, 110). At the same time, there was a pronounced change in ritual and funerary practice, away from the often ostentatious and monumental burial traditions of the Early Bronze Age in favour of smaller undifferentiated and non-monumental cremation cemeteries.

Many of these transformations can be linked to wider processes of socioeconomic change. This can be very broadly described in terms of a shift away from the traditional ritual authority hierarchies which predominated in the Early Bronze Age towards a developed prestige goods economy during the later second millennium BC. The appearance of field systems during the Middle and Late Bronze Age, for instance, is understood by many to signify a move beyond subsistence economy in favour of the intensification of agricultural output (eg Barrett 1980; Barrett & Bradley 1980b; Barrett 1994; Yates 2007). Of particular importance in this respect is the limited distribution of these field systems entirely within southern Britain and the south-east – broadly, south of a line between the Bristol Channel and the Wash (Yates 2007, 110). This is consistent with a perceived shift in the focus of political power during the Middle and Late Bronze Age, away from the Early Bronze Age core area of Wessex and the Upper Thames, in favour of emergent political powers in the south-east (Barrett & Bradley 1980b). These new political entities were able to draw on the agricultural productivity of such fertile areas as

the Middle and Lower Thames in order to provide the surplus required for exchange within a prestige goods economy as part of wider Continental exchange networks – the so-called Atlantic economy (Rowlands 1980).

It is undoubtedly difficult to refute the importance of the changes in farming regimes apparent in the emergence of field systems in the later second millennium BC. However, some authors question the centrality of agricultural intensification in explanations of the Early–Middle Bronze Age transition, preferring to view the transformations evident in the archaeological record as the consequence of the wider restructuring of social identity during the Middle Bronze Age (Brück 2000). This is certainly consistent with the changes apparent in other strands of evidence, such as funerary ritual. The monumental character of Early Bronze Age round barrows and their often careful organisation into linear complexes, for instance, emphasises both the individual as well as wider themes of genealogical descent and kinship alliance (Garwood 1999c; Brück 2000, 285). The contrast with the non-monumental cremation cemeteries of the Middle Bronze Age could not be greater; these were usually closely associated with nearby settlements (eg Holden 1972; Ellison 1981) and placed the emphasis firmly on individual co-resident household groups (Brück 2000, 285–6).

There is undoubtedly a very real danger, as Brück rightly states, that arguments for the maximisation of agricultural output in the Later Bronze Age run the risk of imposing the values of our own modern capitalist societies on prehistoric economies (ibid, 276). Indeed, as she argues, it is quite possible that the appearance of field systems, generally during the later second millennium BC, simply signifies a change in the organisation of agriculture, rather than an increase in overall production. In such a model, agricultural intensification is still achieved but economic maximisation is not, with the same amount of agricultural produce simply being extracted from a smaller area of land (ibid, 277). At any rate, Brück's arguments for the primacy of social change are certainly persuasive, although the reality of social, political and economic change in the Later Bronze Age is likely to embrace a subtle interplay between all three.

In this respect, it is worth noting Yates's consideration of the changing basis of power in Late Bronze Age Britain (Yates 2007). In contrast to Rowlands's thesis (1980, 49) that descent-orientated systems of power continued to dominate social relations in Later Bronze Age Britain, Yates contends that the opportunities offered by productive intensification (notwithstanding Brück's reservations above) enabled a new,

self-made, political elite to dominate through economic means, in effect breaking traditional ties of lineage by means of the offer of material advantage to their followers (Yates 2007, 124). That is not to say, however, that kinship relations played no part in the new world order of Late Bronze Age Britain and Yates concedes that the inherent instability of a system that distributes wealth to unrelated people may well have forced a return to kinship in social relations, as a way of controlling succession and retaining power (ibid, 126).

Ultimately, however, such a political and economic system is fundamentally insecure; Yates and Rowlands both regard Late Bronze Age socioeconomic systems as both highly expansionist and competitive (Rowlands 1980; Yates 2007, 122–3), which together would eventually have undermined the formation of larger and more stable political entities (Kristiansen 1998). Given the apparently synchronous disintegration of the so-called Atlantic economy at the end of the Bronze Age (Yates 2007, 122) it is possible therefore that the very character of Late Bronze Age socioeconomic and political systems which made up the regional economy contributed, in part at least, to their demise.

CHRONOLOGY

Anna Doherty and Peter Marshall

Radiocarbon dates

Ten results from eight contexts form a coherent group of Bronze Age activity associated with period 4.

Four results are available from three cremations. A single fragment of *Maloideae* charcoal was dated (SUERC-30730) from fill A[602] of cremation A[601] (OA66). A single fragment of privet/honeysuckle charcoal was dated (SUERC-30729) from fill A[593] of cremation A[592] (OA66). Two results are available on a fragment of calcined bone (SUERC-30720) and a carbonised residue on pottery (SUERC-30719) from fills A[1006] and A[951]=A[1006], respectively, of cremation pit A[987]=A[952] (roundhouse B7). These two results are statistically consistent ($T'=2.0$; $v=1$; $T'(5\%)=3.8$), which could indicate the two results are the same age.

Two samples were submitted from fill A[164] of pit A[165], which contained a 'single-event deposit' and also contained Celtic/broad bean (OA57). A single such bean produced one result (SUERC-30725), while a single grain of charred wheat produced the second (SUERC-30724). These two results are statistically consistent ($T'=0.5$; $v=1$; $T'(5\%)=3.8$), which could indicate the two results are the same age.

Three results are available from as many pits associated with roundhouse B6. A single fragment of *Maloideae* charcoal was

dated (SUERC-30736) from fill A[1033] of pit A[1032]. A single grain of charred barley was dated (SUERC-30718) from fill A[1045] of pit A[1044], while a single grain of charred wheat was dated (SUERC-3071) from fill A[1039] of pit A[1038].

The model shows good agreement ($A_{\text{model}}=98$) between the radiocarbon dates and the prior information – in this case that the results come from a single phase of activity (Buck et al 1992). It provides an estimate for the start of Bronze Age activity of 1440–1305 cal BC (95% probability; Fig 4.47, *start_period_4*) and probably in 1410–1340 cal BC (68% probability). This activity ended in 1375–1210 cal BC (95% probability; Fig 6.27, *end_period_4*) and probably in 1360–1255 cal BC (68% probability).

The overall span of Bronze Age activity may have been as much as 1–195 years (95% probability; Fig 6.28; *Span period 4*) but, given all the dates are statistically consistent ($T'=10.5$; $v=9$; $T'(5\%)=16.9$) and could be the same actual age, the span is probably much closer to 1–95 years (68% probability).

Ceramics

For the purposes of site phasing and interpretation, attempts have been made to place as many contexts as possible into one of the dated periods. However, the limitations of using pottery to date features should be borne in mind. Whilst there are certainly diagnostic pottery groups which belong wholly in the Middle Bronze Age (period 4) or the Late Bronze Age (period 5), the majority of assemblages are more ambiguous. This reflects the longevity of flint-tempered fabrics and the difficulty of identifying form types from fragmentary sherds.

There is some evidence, in terms of the spatial layout of the landscape, for continuity over the Early and Middle Bronze Age although this was not something noted in the ceramic assemblage. Early Bronze Age pottery traditions are characterised by a range of fabric types completely different from those of the Middle Bronze Age and these two groups were never noted in direct association with each other. The single shell-tempered vessel, apparently of Deverel-Rimbury type, may represent this transitional period but its attribution remains slightly uncertain because of the absence of rim sherds and the lack of any associated dating evidence.

Fig 4.47 Probability distributions of radiocarbon dates from the Middle Bronze Age activity in the study area. The model is as described in Fig 3.8. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 4.48 Probability distribution showing the number of calendar years during which Middle Bronze Age activity occurred in the study area. The distribution is derived from the model shown in Fig 4.47

The earliest radiocarbon determination from period 4 is a direct date on a pottery sherd with a carbonised residue, which can almost certainly be assigned to 1608–1438 cal BC (95.4%) and probably to 1561–1438 cal BC (82.8%) (SUERC-43292, 3240±29 BP). This is a body sherd of the moderately coarse fabric FL6 (see Chapter 6.3, ‘Fabric type-series’) within a relatively large broken sherd assemblage from A[795], the infilling of the possible pond barrow S9. The character of this group in terms of its fabric composition does not stand out from period 4 as a whole and unfortunately only one substantial feature sherd is present (see Fig 6.13, no 71). Although this is a form not specifically paralleled elsewhere in the assemblage it is not necessarily early on stylistic grounds. At present the lack of good associations between pottery groups and radiocarbon dates in the region makes it difficult to assess how fabric and forms evolved over time. It may be that this group is genuinely significantly earlier than others in period 4 or that the dated sherd is residual or that it comes from the very end of the calibrated range. It is perhaps worth noting that no Ardligh-style traits, such as applied horseshoes or comb-impressed decoration, were recorded in the assemblage from the study area. Although not particularly common in Sussex, these features were recorded at Mile Oak Farm, Downsview and Clay Pit Lane, Westhampnett, and have been interpreted as a possibly early Deverel-Rimbury stylistic trait (Hamilton 2002b, 179; Every & Mephams 2006, 29).

Other calibrated dates from period 4 cluster in a slightly later range. Most of these were not directly associated with significant pottery groups but two statistically consistent dates were produced on a residue from a cremation vessel and on associated human bone within roundhouse Building 7 (B7) (1500–1290 cal BC, SUERC-30719, 3115±35BP; 1410–1210 cal BC, SUERC-30720, 3045±35BP). Based on the general spread of dates, it may be reasonable to infer that pottery use was concentrated in the 15th to 13th centuries BC.

One *caveat* to bear in mind, however, is that although some elements clearly belong wholly in the Middle Bronze Age or wholly in the Late Bronze Age this division is not always clear-cut in ceramic assemblages. Although the post-Deverel-Rimbury tradition is generally characterised by the arrival of new forms and of a finer suite of flint-tempered fabrics, many post-Deverel-Rimbury elements have antecedents in the Deverel-Rimbury tradition. Some stratified groups produced pottery of transitional Middle–Late Bronze Age character whilst some land-use features, such as possible raised granary B1 and roundhouse B8, contained separate stratified elements

of both traditions, suggesting perhaps that they were founded in period 4 and abandoned in period 5.

Of particular note is the date on charred macrobotanical remains from fill A[510], of pit A[508], in possible roundhouse B16 (1400–1130 cal BC, SUERC-30737, 3020±35BP). This was stratified with a probable structured deposit containing a thin-walled, lug-handled barrel urn (Fig 6.13, no 73) and the feature seemed to have a close association with an adjacent pit containing a similarly thin-walled bucket urn with a plain cordon (Fig 6.13, no 74) (see discussion below). Although the calibrated date range is broad, the end date of this determination goes much later than most of the other period 4 dates and encompasses the period of transition between Deverel-Rimbury and post-Deverel-Rimbury styles that is currently understood to have occurred around 1150 BC (Needham 1996; 2007).

Looking at period 5, the general absence of forms other than hook-rimmed and shouldered jars and the continued dominance of flint-tempered wares suggests that this activity belongs in the undeveloped plain ware phase (1150–800 BC), an interpretation backed up by a single radiocarbon determination on a pottery residue from the largest group in pit A[1576] (1380–1020 cal BC, SUERC-30734, 2965±50 BP). This date is in fact slightly earlier than might be expected, although the absence of Middle Bronze Age traits, such as coarser flint fabric types or clear examples of urn-derived, hook-rimmed jars suggests that the true date probably falls in the later part of the calibrated range.

Although there is some ceramic evidence for activity in the broad period *c* 800–400 BC (spanning the later part of the Late Bronze Age and the Early Iron Age), this period (period 6) was characterised by extremely small and undiagnostic pottery assemblages that could often be dated only in the broadest terms, mainly by the appearance of a small range of other fabrics, alongside pre-existing flint-tempered wares. Shell-tempered wares, lacking any accompanying flint temper, which occurred occasionally in period 6, are generally more characteristic of Early Iron Age assemblages than of later post-Deverel-Rimbury ones, although the lack of good stratified groups of this date from the region, let alone any associated radiocarbon dates, makes it difficult to confirm that their presence is always indicative of Iron Age rather than Late Bronze Age activity. At Bishopstone, shelly wares were much more common. There, the main enclosure ditch, dated to the 5th–3rd centuries BC, was composed of nearly 60% flint-with-shell ware and nearly 20% shelly fabrics (Hamilton 1977, table Vb, 95). Since both sites are located a similar distance from shell-bearing

clay sources, it seems likely that the only substantial period 6 group from A[1056] is of significantly earlier date than the assemblage from the Bishopstone enclosure.

AGRICULTURE AND SUBSISTENCE

Bronze Age field systems in Sussex

The study of prehistoric field systems has formed an integral part of archaeological research in Sussex almost since its inception (eg Blaker 1902; Toms 1911; Curwen 1927; Ratcliffe-Densham & Ratcliffe-Densham 1966; Drewett 1982a; 1982b; Barber et al 2002; Yates 2007; English 2013). Until relatively recently much of this work was focused on the South Downs, which like so many upland areas, proved attractive to early researchers because of the often exceptional preservation of prehistoric earthworks. The advent of developer funding has done much to redress this bias, however, and the importance of the rich soils of the Sussex coastal plain to prehistoric agricultural economies is now readily apparent (Yates 2007, 46). Rather paradoxically, in fact, the bias now runs the other way: there is now a veritable wealth of data for excavated field systems on the coastal plain (see Yates 2007, table 6.2 for a summary of this work) but, in contrast, few downland field systems have been subject to controlled excavation in recent years with the exception of the Late Bronze Age/Early Iron Age lynchetted field system at Eastwick Barn (Barber et al 2002). Elsewhere, Middle and Late Bronze Age field systems are known at a number of sites, usually taking the form of small rectangular lynchetted fields, but archaeological investigation of these fields has been minimal. Probably the closest such field system to the study area is that at Itford Hill (Burstow & Holleyman 1957a). Further afield, other Bronze Age field systems are known at New Barn Down, Worthing and Plumpton Plain (Curwen 1954), Black Patch, Alciston (Drewett 1982a), Bullock Down (Drewett 1982b) and at Houndean Bottom, Lewes, Balmer Farm, Falmer, South Highton and France Hill (Yates 2007, table 6.3). In this context, the large-scale exposure and excavation of some 30ha of prehistoric downland landscape in the study area is a welcome addition to a rather limited data set of excavated downland field systems in Sussex. More importantly, these results allow comparison of Sussex downland field systems with other extensive exposures of contemporary field systems in the wider region and beyond, such as those revealed at Brisley Farm (Stevenson 2013), Thanet Earth in Kent (Rady 2010; Rady et al in prep) or Heathrow Terminal 5 (Framework Archaeology 2006; 2010).

Chronology

In his survey of Bronze Age field systems, Yates stated that ‘there is little to suggest that [field] systems were laid out before the Middle Bronze Age (except on Dartmoor) (Yates 2007, 112). To an extent, the absence of evidence for the earlier origins of some field systems might be a result of the difficulties inherent in their dating. These are outlined above and need not be repeated here. It is sufficient here to note that the evidence from the study area underlines the importance of large-scale exposures of such field systems in isolating the very occasional instances of taphonomically secure dating evidence for their establishment, as opposed to evidence for their use or abandonment. Despite the well-rehearsed difficulties in the accurate dating of field systems, however, there are hints from elsewhere in southern England for early land division of comparable date to that identified in the study area. The best-known example of such early land division, of course, comes from Dartmoor, where the establishment of the reaves system has been dated to the 18th and 17th centuries BC (Fleming 1988). More recently, similarly early evidence for land division has been identified on the Isle of Thanet, at Monkton Road, Minster, where a small field system has been radiocarbon-dated to as early as 1910–1750 cal BC (Martin et al 2012), and perhaps at Thanet Earth, where some elements of the Bronze Age field systems may pre-date the period *c* 1500 to 1400 BC, with one ditch containing a deposition of Collared Urn pottery (Rady et al in prep). Elsewhere, evidence for early land division has been identified at Bestwall Quarry, Dorset, where the emergence of field systems is dated to the 16th century BC (Ladle & Woodward 2009, 108). The suggestion of earlier second-millennium BC land division at Perry Oaks, on the other hand, which was initially considered to date to the period *c* 2000–1700 BC, has since been discounted on the basis of a lack of taphonomic integrity. Consequently, there is now no good evidence to suggest a date before around 1700 BC for the establishment of land division here (Lewis & Blatt 2006, 95; Lewis 2010, 136).

Given the scarcity of reliable evidence for Early Bronze Age land division in southern Britain, it is perhaps a folly to attempt to read too much into the available data. Nevertheless, it is notable that all five examples cited above are located close to the coast, within the core areas of the regional Atlantic economy as defined by Rowlands (1980, 37). It might not be unreasonable, therefore, to suggest that agricultural intensification (as evidenced by the appearance of land division) might occur slightly earlier within these core coastal areas than within the associated inland hinterlands, in response

to the demands of developing prestige goods economies within the context of cross-channel exchange networks.

In such a scenario, the evidence from the study area for the continued use of traditional methods of expressing land ownership, such as pits and pit deposition, alongside new systems of land division, might represent attempts by newly emerging political powers of the Atlantic economy to legitimise the imposition of permanent systems of land division on the landscape.

Composition and layout of the field systems

It has been observed that field systems as a whole fall into two broad categories: aggregate systems and cohesive or coaxial systems (Bradley 1978; Fleming 1988; Yates 2007). Aggregate field systems usually result from the piecemeal or accretive addition of blocks of fields to one another and do not display a single dominant axis to land boundaries, although discrete blocks of land division might individually conform to a single dominant axis (Yates 2007, 15). Coaxial field systems, on the other hand do conform to a single dominant axis and indicate large-scale organisation of the landscape. Indeed, coaxial landscapes can attain considerable size, often in excess of several thousand hectares in area. Coaxial field systems in the Salisbury Plain Training Area for instance, cover as much as 15 sq km (McOmish et al 2002, 54) while observable field systems on the Marlborough Downs form blocks around 20ha in area (Gingell 1992). The size of coaxial land division can make them ‘terrain oblivious’, taking little account of existing topography and landscape features (Yates 2007, 15). There is some evidence to suggest a degree of chronological differentiation between these two broad forms of land division, with aggregated systems often observed to form a later addition or modification to coaxial systems (McOmish et al 2002, 56; English 2013).

Unfortunately, despite the extensive exposure of the Bronze Age field systems at the current sites, their fragmentary survival necessarily limits any detailed discussion of their original composition and layout. The damage wrought by 20th-century deep-ploughing practices has reduced much of the field system to little more than fragmentary and isolated lengths of ditch that are almost beyond meaningful analysis, and certainly require the eye of faith in order to make any sense of their wider layout. Despite these limitations, several observations of the overall form of the field systems provide a very useful starting point when considering their overall layout. Primarily, the evidence for the regular spacing of ditches and trackways and the symmetry of the field systems on opposing sides of the Upper Piddinghoe valley are strongly suggestive of the laying out of the field systems as part of a wider, planned landscape.

Clearly, the Upper Piddinghoe valley exerted an influence on this planned landscape, given both the absence of any evidence for land division on the steep flanks of the valley itself and the non-parallel alignment of the principal transhumant Trackways 1 and 9 (R1, R9), which flank the valley. Nevertheless, the effort expended in maintenance of the overall alignment of boundaries on each side of the valley suggests the imposition, wherever practicable, of a rectilinear system on the natural topography of the study area that is not inconsistent with the terrain-oblivious character of planned coaxial landscapes.

The predominance of trackways in the layout of the surviving field systems at the current sites is also a very striking feature of this planned landscape. Indeed, Field System 3 (FS3), as surviving, is almost exclusively represented by trackways, with just a handful of heavily truncated lengths of boundary ditch attesting to any further subdivision of the field system. The use of trackways as spinal or formative elements of land division to partition the landscape into large landscape units is well attested in the archaeological record. At Heathrow Terminal 5, for instance, the landscape was divided into broad strips of land by means of irregularly spaced but broadly parallel spinal trackways, the distances between them ranging from around 85m to 250m (Leivers 2010, fig 3.8), and similar patterns of division are evident elsewhere. At Fengate, for example, the landscape was partitioned every 50m to 100m by means of parallel trackways (Pryor 1996, 314) and a comparable system of division into broad strips of land, further subdivided into individual fields, is apparent from cropmark evidence for a Later Bronze Age–Iron Age field system at West Deeping, Lincolnshire (ibid, 321).

The regularity in the spacing of the formative trackways in the study area is also well attested elsewhere. At Heathrow Terminal 5 there is some evidence in the coaxial landscape for its regular division into strips measuring between around 110m and 140m in width, defined either by the spinal trackways themselves or by means of the longitudinal subdivision of wider strips into half strips by means of boundary ditches (Lambrick 2009a, 74). At Eyebury Quarry and at Barleycroft the regular spacing of boundaries at 90m intervals was noted (Evans & Knight 2001; Patten 2002; 2003; Yates 2007, 89), and regular spacing of field boundaries was also noted at Bestwall Quarry, Dorset (Ladle & Woodward 2009, 103). Whether the broad land blocks defined by trackways in the study area were ever subdivided into smaller fields by further boundaries that have not survived is uncertain but must be considered a distinct possibility, particularly in light of the extensive truncation evident across the surviving field system. The occasional

survival of field boundary ditches on both sides of the valley, for instance, hints at smaller units of land division varying from relatively narrow linear strips between 10m and 14m wide, to larger fields between around 50m to 70m wide that are perhaps more consistent with the evidence from sites such as Heathrow Terminal 5.

The function of the field system: fields, tracks and the management of livestock

The function of the fields themselves must remain a subject of conjecture. That the Middle and Late Bronze Age economy in the study area incorporated a significant arable element is not in doubt and there is ample evidence for the cultivation and processing of cereals and legumes in the environmental, artefactual and stratigraphic evidence. The extent to which the individual fields in evidence were given over to arable cultivation, however, is difficult to define. The large size of many of the extant fields might imply that they were principally used for livestock (Stevenson 2013, 28) but, of course, this field size might be misleading given the suggestion above that internal subdivision may not have survived. In this respect, however, the conspicuous absence of facilities for watering livestock within the extant field systems is notable. Elsewhere, the incorporation of such features as watering holes within coaxial fields systems is not only common but has been described as one of the chief innovations of the second millennium BC (Yates 2007, 120). Having said this, a similar lack of watering holes has been noted on other significant exposures of Bronze Age field systems such as that at Thanet Earth in Kent (Rady 2010, 21; Rady et al in prep). While it is conceivable that an Iron Age probable watering hole in Open Area 6 (OA6) on the south side of the valley had its origins in the Bronze Age, there is still a striking lack of similar facilities associated with the field system on the north side of the valley. It is of course possible that livestock were led down into the Upper Piddinghoe valley daily for water but an alternative, and perhaps more likely, explanation, is that any such watering holes were located outside the study area. This might imply an in-bye pattern of farming similar to that noted elsewhere – on the Marlborough Downs, for example (Gingell 1992, 155–6) – with enclosed fields located close to settlement but backing on to open pasture that was accessed by the various trackways that led through the fields. This does not necessarily imply the strict segregation of arable from pasture, however, and a rotational pattern of cropping, fallow and grazing of fields by livestock similar to that suggested for field systems on the Marlborough Downs is possible (ibid 156). Alternatively, of course, given

that sheep require significantly less water than cattle (Cunliffe 2005, 416), the paucity of watering holes within the study area may imply an emphasis on sheep husbandry within the local farming economy.

The relative occurrence of lynchets indicative of the ploughing of certain fields might provide a better indication of field use. Weakly developed lynchets were present towards the centre of FS4, both north and south of trackway R1, and these probably constitute the best evidence for the ploughing of at least two fields in this particular field system. Elsewhere, however, FS4 was dominated by livestock management features, which, in addition to trackways, included probable livestock management facilities at the far western and eastern ends of the exposed field system. A system of related narrow trackways and ditches at the western terminus of trackway R1, for instance, including a possible race or crush (R2), may have represented the evidence for a sorting facility at the junction between trackway R1 and the open pasture (OA70) which lay beyond. Such a facility would have allowed the inspection of animals for signs of disease or pregnancy and subsequent separation (for example, rams from ewes) into various pens and fields, either as the stock came in from or went out to pasture (Fig 4.49; see Pryor 1996; 1998). A similar system was evident at the staggered junction between trackways R15 and R16 at the eastern end of FS4 (Fig 4.50). Here, a short race immediately to the north of trackway R16 probably funnelled livestock in, with controlled access out into at least three fields.

What is particularly striking about these management facilities is the extent to which they were integrated into the wider network of trackways, allowing the expedient and efficient movement of livestock around the field system either before or after sorting. By analogy with similar facilities at sites such as Fengate (Pryor 1996; 1998), Bestwall Quarry (Ladle & Woodward 2009) and Brisley Farm (Stevenson 2013), and taking into account the lack of watering holes noted above, the use of these specialised sorting systems might be taken to indicate an emphasis on sheep husbandry within the local economy. It is also interesting to note that the races of both complexes in the study area were very similar in length to that excavated at Storey's Bar Road, Fengate (Pryor 1996), measuring between 20m and 23m long. The dangers of estimating sheep populations from such features aside (Pryor 1998, 106), the similarity in length of these races suggests similar strategies for the batching and management of sheep. The extent to which cattle formed part of the local pastoral economy remains entirely speculative in the absence of any faunal assemblages from Middle and Late Bronze Age contexts.

Above: Fig 4.49 Interpretative plan of possible stock-sorting race, Trackway 2

Left: Fig 4.50 Interpretative plan of possible stock-sorting race between Trackways 15 and 16

Where present, the evidence from other contemporary sites in the South Downs certainly indicates a mixed farming strategy in which sheep, cattle and occasionally pigs were raised, alongside arable cultivation (Ellison 1981, 417), although the evidence from individual sites suggests a degree of variation in the relative importance of different species (Yates 2007, 53). Notwithstanding the suggestion of an emphasis on sheep husbandry outlined above, however, it seems reasonable to assume that cattle were also raised in the study area, despite the lack of any positive evidence. In this respect, the connectivity of the study area to the nutrient-rich flood-plain pastures of the River Ouse via trackway R1 is of note and suggests an element of transhumance in farming strategies within the study area which may have been more suited to cattle farming.

This dominance of trackways within the overall composition of the field systems in the study area is entirely consistent with the wider evidence from elsewhere in southern Britain, where the frequent occurrence of pastoral elements such as trackways and watering holes, as well as more specialised installations for the management of livestock such as drafting gates or batching systems, is considered to reflect an emphasis on livestock within an overall mixed economy (Yates 2007, 120). Indeed, it is considered possible that livestock might have been one of the key methods of wealth creation in the new prestige goods economy of the Middle Bronze Age (ibid, 125, 129).

SUBSISTENCE AND ECONOMY DURING THE MIDDLE AND LATE BRONZE AGES

Karine Le Hégarat

Period 4

Analysis of environmental samples from Middle Bronze Age contexts demonstrated a well-established agricultural economy during this period. Food plants included different cereals, pulses, possible oil plants and a few gathered plants. Notwithstanding the clear significance of cereal production in the Early Neolithic, Stevens and Fuller (2012) characterise the Middle Bronze Age as the ‘real agricultural revolution for the British Isles’, and the results from the current sites show strong similarities with the data presented in their new research, including reintroduction of cereals and appearance of new crops.

Cultural plants

Interestingly, the charred macroplant assemblage was dominated by cultivated pulses, representing 66.89% of the total macroplant remains. This result may be in part biased by the presence of a few large deposits of cultivated leguminous plants, but on the whole these remains were more abundant, though the charred material indicates that Middle Bronze Age communities at Peacehaven were not entirely dependent on a single crop. Cereals were also cultivated (11.73% of the total macroplant remains). In fact, grains were present in 28 samples, and although no samples produced substantial quantities of grains comparable to that from the Early Neolithic pit A[777], the overall assemblage indicated a mixed arable economy based on both pulses and cereals. Over half the grains could not be identified but glume wheat was the best represented amongst the identified grains, with smaller quantities of barley. Chaff indicated that spelt and possibly emmer wheat were grown during this period, although the evidence is limited. Free-threshing bread-type wheat was

present in very small numbers, and these grains probably represented contaminants of a main crop.

Cereal crops present during the Middle Bronze Age occupation agree with evidence from other, contemporary sites in southern England where the typical cereals encountered are barley (mainly hulled) and glume wheat (emmer and spelt) (Campbell & Straker 2003; Greig 1991). Several sites in the area have provided evidence for barley cultivation, including Black Patch, Alfriston (Hinton 1982), Itford Hill (Burstow & Holleyman 1957a) and Mile Oak (Hinton 2002a). The first records of spelt appear during this period (Greig 1997), although large quantities are more often recorded from Late Bronze Age deposits. In the area around the study area, though small amounts of spelt have been recorded, emmer appears to have been more widely present. This is the case at Black Patch, where emmer predominated with several possible spelt grains, and a few positively identified spelt chaff were recorded in three pits (Hinton 1982). Although these were not dated, the pits contained grains of barley which produced radiocarbon dates within the Early Bronze Age. Other Middle Bronze Age sites in southern England, however, such as Princes Road, Dartford in Kent, have produced significant amounts of spelt wheat (Pelling 2003). In the study area, given that half the grains could not be identified and that only a few chaff were identified (including spelt and possibly emmer), it is impossible to comment on the relative importance of these two types of glume wheat.

Pulses were recovered in large numbers but 88% of these leguminous plants were derived from just two samples. The assemblage of pulses consisted largely of Celtic/broad beans (92% of the total pulses); also present were a possible garden pea and several indeterminate large, round, seeded pulses representing vetches, beans or garden peas. Instead of demonstrating a shift towards these crops, their presence simply shows that Middle Bronze Age communities in the study area opted for mixed farming with a range of crops cultivated. Celtic/broad beans appear in great quantities for the first time during the Bronze Age period (Stevens & Fuller 2012), but Campbell and Straker (2003, 25) explain that their occurrence varies greatly across the region. Evidence from other sites around the study area suggests that in this area of the country the production of Celtic/broad beans was quite important during the Bronze Age period. Moderate assemblages were recorded at Downsvew, Coldean (Hinton 2002b) and Mackie Avenue, Hassocks (Smith 2010), and smaller quantities were found at Mile Oak Farm, Portslade and Black Patch (Hinton 1982; 2002a). A Celtic/broad bean from Hassocks was

radiocarbon-dated, and the result indicated a date of 1210–1820 cal BC (SUERC-20209, 2890±30 BP). By contrast, a radiocarbon date obtained from a bean from the study area gave an earlier date of 1420–1210 cal BC (SUERC-30725, 3060±35 BP). Large quantities of Celtic/broad beans have also been found in a pit within a Middle Bronze Age hut at Rowden in Dorset (Carruthers 1991) and in a shallow scoop within a Middle Bronze Age roundhouse at Trevilston in Cornwall (Jones 2003). Late Bronze Age deposits at Saltwood in Kent (Stevens 2006) and Tinney's Lane, Sherborne in Dorset (Jones 2009) also produced large concentrations of Celtic/broad beans.

Oeliferous/fibre crops were represented by a single seed of flax found in a sample from possible hearth A[1109] in roundhouse B6.

Gathered plants for consumption

Remains of potential collected food plants were recorded, including a few hazelnut shell fragments and several tubers. The possibility that the hazelnut shell fragments simply derived from wood fuel resource cannot be excluded, however. Similarly, several interpretations can be proposed regarding the presence of tubers (see below). The overall assemblage suggested that wild food resources were not widely exploited by the Middle Bronze Age farmers, but it is possible that some of the charred weed seeds came from collected plants. They could have been used in several ways, including as food but also as medicine and for dyeing textiles. Seeds of nettle (*Urtica dioica*), for example, were evident in the samples – nettle is an excellent source of fibres and, when young, can be used as a food plant.

Tubers

Tubers were evident in several different occupation periods. While they occurred in small numbers in features dated to periods 6 and 8 and were present in a moderate quantity in a Middle Iron Age refuse pit (B[30]), they were more frequent in Bronze Age deposits, including Bronze Age features at Seaview Avenue and Lower Hodder Farm. They were particularly well represented in Middle Bronze Age cremation pit A[987] and pit A[1105] as well as in Late Bronze Age refuse pit A[1576]. While several tubers could not be identified, numerous tubers' swollen basal internodes displayed characteristics of onion couch grass (*Arrhenatherum elatius* var *bulbosum*). Tubers such as pignut (*Conopodium majus*) and lesser celandine (*Ranunculus ficaria*) may also have been represented. They were identified in samples from the neighbouring site of Mile Oak Farm, Portslade (Hinton 2002a). These tubers may have had multiple uses.

The three Bronze Age pits were associated with settlement (roundhouses B7 and B6 and settlement OA61), and some of the starch-rich tubers could have been used as collected food, depending upon the taxa represented. For instance, while tubers of pignut are edible, onion couch grass bulbs may not have been as fit to eat (Mears & Hillman 2007). Some of the tubers may also have originated from natural vegetation around the settlements; they could have been uprooted and used for fuel. Nonetheless, as onion couch grass is intolerant of trampling and grazing it is possible that some of the bulbs originated from outside the settlement area. Onion couch grass represents a troublesome crop weed and, owing to its vegetative propagation, elimination requires systematic burning of the soil surface of the fields (Roehrs et al 2012). Nonetheless, they can easily be uprooted and their presence may indicate that they were associated with a crop which at harvest may have been pulled up. Their relatively high occurrence in Bronze Age deposits could therefore be associated with intensification of agriculture during this period. It is believed, however, that during this period cereals were harvested by cutting the heads just below the ear, using possibly a sickle or hook-shaped implement (Lambrick & Robinson 2009, 237), and the presence of charred tubers may instead relate to cultivated pulses which were uprooted (see below).

The origin of the tubers in pits A[1105] and A[987] may differ slightly as the plant remains may have been associated with the human cremations found in the features. Charred tubers are common on British Bronze Age sites particularly in connection with cremation burials, and suggestions that have been made regarding their presence on this type of site include use as kindling (Hillman 1982; Robinson 1988), incidental incorporation from turves burnt in connection with the cremation (Moffett 1991; Campbell & Robinson 2007), creation of fire breaks (Stevens 2008) and as food offerings in cremation burials (Moffett 1991). They could have been incorporated in the pits with the cremation as part of the backfill. Tubers were well represented within Bronze Age deposits, and interpretations regarding their occurrence are manifold.

Other wild plants

Weed seeds associated with winter-sown crops were uncommon, but infrequent seeds of possible oat and cleavers may indicate autumn-sown crops. Autumn-sown cereals produce higher yields as a single grain will as a rule generate more stems. They could include barley and glume wheat, and experiments by Robinson (Lambrick & Robinson 2009, 258) have demonstrated that both emmer and spelt wheat could have been successively sown in

autumn. The weed flora consisted of a large quantity of species which tend to germinate on ground worked and sown in spring and which are therefore more often associated with spring-sown crops. Among this group were seeds of spear-leaved orache/common orache (*Atriplex prostata/patula*), fat hen, common chickweed (*Stellaria media*), black bindweed, knotgrass/dock and vetch/vetchling/tare. Some of these seeds may also have represented plants of ruderal habitats, which could thrive on disturbed ground around the site or in abandoned fields. Otherwise, they may have related to an increase in the cultivation of leguminous crops, which would have been sown in early spring, or they may have been associated with the cultivation of spring barley and spring wheat. To complicate matters, spring-germinating seeds can invade fields which have been sown in autumn. The presence of leguminous weeds could indicate a decline in soil nitrogen levels, hinting at the possibility that crops were grown intensively, although the presence of nitrophilous taxa such as the seeds of goosefoot suggests that fertile grounds was still available. The occurrence of medick/clover, lesser stitchwort (*Stellaria graminea*), hoary plantain (*Plantago media*) and ribwort plantain (*P lanceolata*) suggests grassland environments. These plants could have related to the use of hay or green fodder, although the seeds could also have been from animal dung.

The assemblage of Celtic/broad beans from Open Area 57 (OA57)

As stated above, there is ample evidence to show that Celtic/broad beans formed part of the Middle Bronze Age economy of Sussex and the South Downs. However, direct evidence for the processing of this important staple is, by contrast, exceptionally rare, both regionally and further afield. The evidence from the Middle Bronze Age agro-industrial complex OA57 in the south of the Lower Hodder Farm site is therefore of considerable significance (see Chapter 4.1). With their high protein and fibre content, Celtic/broad beans (which appeared in large numbers for the first time during this period) were almost certainly cultivated for human consumption, although their use as animal feed should not be discounted. Young broad beans can be eaten complete with their fresh pods, or the plant can be grown solely for its beans, which can be consumed whole or ground into flour. Moreover, in addition to their cultivation for human or animal consumption, it is possible that they were grown for agricultural reasons. A labour-intensive form of farming focused on the cultivation of just a few fields is capable of rendering the soils unfit for cultivation. Although fallowing and/or the use of manure can help in renewing land fertility,

leguminous plants are also useful for replenishing soil that has been depleted of nitrogen, and the Celtic/broad beans could have been cultivated in a crop rotation system with the cereals for that purpose.

The small quantities of cereal grains present in both samples from OA57 could have been relics from previous crops, or large-seeded weeds in the pulse crop – or they could simply have been present in hearth feature A[165] when the beans were deposited. The pulses in this feature, on the other hand, related to a primary context in which the pulses were burnt *in situ*. The composition of the assemblage in the possible refuse pit was very similar, and probably represented a direct deposition of remains from hearth A[165]. In a model for pulse crop processing based on ethnobotanical evidence Fuller and Harvey (2006, 237) explain how, according to the type of pulses (free threshing or pod threshing), processing methods will vary slightly. Celtic/broad beans produce a plant with readily threshed pods, and they will require threshing, winnowing and raking, and coarse and fine sieving, but will not need pounding. Contact with fire was noted only when (and if) pulses were parched before grinding or storing or if they were dry-roasted before consumption.

The pulses in both features could have been deliberately burnt as a result of spoilage or as part of clearance work in a cultivated area; however, no stigmata indicative of germination or insect predation were observed, nor were any pods recorded though dry pods may have been too fragile to preserve. It is more likely, therefore, that the high number of charred pulses present in the hearths/furnace and the pit indicates remains accidentally burnt during drying before storage or grinding or while being prepared for consumption. The burnt clay noted in the features may well have been related to either of these processing techniques.

As for the processing techniques used for the cereals, the model presented above suggests that weed seeds can be detected as by-products. The large seeds could have been hand-picked from the assemblage before food preparation. Seeds of black bindweed were recorded in the sample. This twining plant may have climbed around the Celtic/broad bean plants. Their presence could indicate that at harvest, instead of plucking the pods, the crop was uprooted or cut near the base. Although several weed seeds in the two features are ecologically unspecific, the presence of spear-leaved orache/common orache and fat hen suggests that the leguminous plant were grown on fertile soils. In fact, Celtic/broad beans tolerate any soil types but they grow best in moist, fertile, clay loam soils. Although the nature of the soils in the study area was variable,

deposits of Woolwich Beds, which overlie the chalk and which are characterised by clays and fossiliferous sands (Angel 2007), occurred fairly extensively. These soils would have been favourable to the cultivation of Celtic/broad beans.

Period 5

Charred macroplant remains occurred in even greater abundance in the Late Bronze Age than in the previous period, indicating that arable farming had become firmly established. The evidence for this period came from Seaview Avenue and Lower Hoddern Farm. The main crops grown during the Middle Bronze Age (glume wheat, barley and pulses) were still exploited during the Late Bronze Age although there appears to have been some variability in the prominence of certain crops. The assemblage also provides more evidence for crop waste (chaff and weed seed), allowing some interpretation of crop-processing and agricultural practices.

Cultural plants

Overall, the composition of the Late Bronze Age assemblages indicates that both cereals and pulses were still cultivated during this period. The concentration of cereal remains increased greatly from the Middle to the Late Bronze Age, suggesting that cereals were more widely exploited. Although slightly less abundant, large quantities of cultivated pulses were still recorded; however, as for the previous period the result may be in part biased by the presence of a very large deposit. Although cereal remains dominated the assemblage of crop remains by this period, it remains difficult to discern the relative importance of cereal and pulse farming.

Grains were recorded in 18 samples, with two refuse pits producing relatively large assemblages. The overall material indicates that both wheat and barley were cultivated. Over half the grains could not be identified but, as noted for period 4, glume wheat (either spelt or emmer) was the best represented amongst the assemblage of identifiable grains. It is tempting to conclude that spelt prevailed, based on the cautious identification of a great quantity of chaff, but in fact this remains unclear since chaff tentatively identified as emmer was also present, and chaff that could be either emmer or spelt was very abundant. Although barley was less prevalent than glume wheat, the commitment to barley cultivation appears to have increased in comparison with the Middle Bronze Age. The assemblage of barley included occasional rachis fragments. Free-threshing bread-type wheat was present only in very small numbers. Infrequent sprouted grains of barley and glume wheat

were recorded, and they are probably an indication of small quantities of spoilt grains.

Pulses were still a major crop, with a large number of remains recovered, but 94.98% of these leguminous charred remains were found in a single feature. Indeterminate large, round, seeded pulses representing vetches, beans or garden peas occurred more commonly in the Late Bronze Age than in the Middle Bronze Age, but Celtic/broad beans were still the best represented (63.04% of the total assemblage of pulses). Potential garden peas were also present in small numbers.

There was no evidence for oeliferous/fibre crops during the Late Bronze Age.

There was little change in the type of crops exploited during the Late Bronze Age and although there is no evidence to show that diversifications intensified, there does seem to have been a certain degree of agricultural intensification. The assemblage of charred crop remains showed strong similarities to those from other sites in southern England, where the typical crops encountered are barley (mainly hulled) and glume wheat (emmer and spelt) with occasionally evidence of a large concentration of cultivated pulses (Campbell & Straker 2003; Stevens 2006). While the first records of spelt appeared during the Middle Bronze Age, both emmer and spelt were cultivated during the Late Bronze Age. In fact, in the Thames valley both emmer and spelt wheat are mainly recovered together, hinting at the possibility that the crops were actually grown together (Lambrick & Robinson 2009, 251). In the study area, given the large quantity of cereal remains (grains and chaff) that could not be identified, it is difficult to draw satisfying conclusions. Spelt appears to have been more important, but emmer was still present. No samples were dominated by a specific glume wheat species, suggesting that both emmer and spelt could have been grown as a mixed crop.

The mixed nature of the assemblage of charred macroplant remains in the Middle and Late Bronze Age features that were associated with settlement areas was, predictably, highly indicative of waste from domestic activities. The chaff and weed seeds indicate crop-processing residues and the charred grains and charred pulses suggest potential cooking accidents. No large assemblages indicative of storage were found. Instead, the overall low density of material in most features suggests that either the debris accumulated slowly over time or that the features were regularly emptied, with debris being incorporated as part of the backfilling. This is particularly valid for the series of pits associated with the Middle Bronze Age roundhouses. A different pattern of deposition was observed in the Late Bronze Age pit A[1576]. The higher item density in this

feature suggests that the remains were deliberately dumped in the pit and the variation in the composition and density of material suggests different deposition events. For instance, while the secondary fill was far richer, sprouted grains of wheat and barley were recorded only in the lower fill. A further observation can be made with regard to the remains from those features that reflected agro-industrial activities in the far south of the site (OA57). While this area appears to have been confined to the processing of cultivated pulses during the Middle Bronze Age, by the Late Bronze Age it was also used to receive residues from cereal-processing activities. It is not clear, however, whether these activities were carried out close by.

Gathered plants for consumption

As for the previous period (period 4), the overall assemblage suggests that wild food resources were not widely exploited by the Late Bronze Age farmers. Uncommon seeds of blackberry/raspberry (*Rubus fruticosus/idaeus*) and possible whitebeam (*Sorbus* sp) could indicate the use of wild fruit. The relatively large assemblage of charred weed seeds may have contained additional seeds from gathered plants although this is impossible to establish. For instance, seeds of fat hen were commonly found. They are rich in proteins and they may have been consumed. The leaves of this plant could also have been used as greens. Alternatively, they could also simply have represented weeds of disturbed ground, including cultivated land.

Other wild plants

Although the concentration of weed seeds increased greatly from the Middle to the Late Bronze Age, the composition of the assemblage in terms of taxa represented was fairly similar. There was a small quantity of seeds indicative of autumn-sown crops, including cleaver and oat, but once again it was those weed seeds associated with spring-sown crops that were best represented, including spear-leaved orache/common orache, fat hen, possible nettle-leaved goosefoot (*Chenopodium murale*), common chickweed, black bindweed, knotgrass/dock, vetch/vetchling/tare and cabbage/mustard (*Brassica* sp/*Sinapis* sp). As in the case of the previous period, the weed flora indicates both nutrient-rich and nutrient-depleted soils and reflects the variable nature of the soils in the surrounding area. The well-drained soils typical of the South Downlands, although lacking in minerals and nutrients, would have been favourable for the cultivation of barley, while the more fertile clayey soils associated with the Woolwich Beds would have been better suited to the cultivation of wheat. The greater quantities of weed seeds could have various explanations. Charred weed seeds are generally

associated with crop-processing waste, and it is likely that the increase in the quantity of weed seeds relates to an increase in crop-processing activities. Given that remains of chaff were also more numerous during this period, the processing activities were more probably associated with cereals than with cultivated pulses. However, some of the weed seeds, such as medick/clover, buttercups (*Ranunculus* spp), lesser stitchwort, hoary and ribwort plantains, as well as the numerous grass seeds could also have been connected with the use of hay or green fodder. Potential grass stem fragments were also relatively frequent. Possible common vetch seeds were recorded in the samples, and the plant could have been grown as fodder. The assemblages of weed seeds represented accumulations of waste originating from both arable and pastoral farming activities. The macroplant remains from period 5 suggest a well-established mixed agro-pastoral economy.

Fuel wood selection during the Middle and Late Bronze Age *Dawn Mooney*

The majority of Middle and Late Bronze Age material analysed originated from contexts representing either refuse dumps or the infilling of pits and ditches, and the resultant charcoal assemblages are likely to consist of assorted remains of fuel from a variety of domestic and industrial purposes. Across these samples, oak remained the dominant taxon, as was observed in the Neolithic and Early Bronze Age charcoal remains. Again, the exploitation of taxa including Maloideae, wild cherry/blackthorn, hazel and ash was evidenced. During the Late Bronze Age, a greater range of taxa was observed in the assemblage, with alder, hornbeam, willow/poplar and field maple (*Acer campestre*) present. Of these, only field maple was not present in the earlier samples from the site, although there was an increase in the frequency of alder and willow/poplar, two wood types known for their poor burning qualities (Edlin 1949). These woods thrive in damp environments, and their presence here suggests that damp woodland and wetland margin environments were increasingly exploited for fuel wood during the Bronze Age in the study area. In general, however, there was much continuity in the most common fuel woods in the Neolithic and Bronze Age at the site.

Several samples from this period were taken from fire- or cooking pits and hearths. The assemblages from the fire-pits in pond barrow Structure 9 (S9) produced a mixed assemblage, dominated by oak and also containing hazel, Maloideae and ash; one sample from a Late Bronze Age hearth produced a similar assemblage, in which wild cherry/blackthorn, birch and field maple were also recorded. Although these assemblages

originated from deposits representing *in situ* burning, each contained a wide range of taxa and as such were not especially indicative of the selection of individual wood types as domestic fuel. The range of taxa recorded in these samples was comparable with that noted in assemblages representing the secondary deposition of domestic burnt material. This suggests that the assemblages recovered from instances of secondary deposition of fuel remains can also be considered to be indicative of the woods used for domestic fuel in the study area.

Salt production during the Middle and Late Bronze Age

Elke Raemen

Chronology

The assemblage from the study area was too small to establish chronological changes in technology and too little evidence survived to reconstruct evaporation processes. Only a broad chronology can therefore be given. Salt making apparently took place in the study area from the Middle Bronze Age onwards, which is the earliest evidence for Sussex. However, there is no suggestion that primary stages of production occurred at the site itself, as this would probably have resulted in a larger amount of briquetage debris. It is unlikely, however, that briquetage such as pedestals and troughs, used in the early stages of production, would have been transported far from where it was used. The presence of both pedestals and evaporation trays strongly suggests that partially processed brine was carried to the site or its vicinity, where further stages of evaporation took place.

Location

The study area is located some distance from both the tidal Ouse and the sea. As the site is much closer to the sea than to the Ouse, brine was probably collected from the former. Primary stages of salt extraction would probably have taken place near the source of brine. The exact method of prehistoric salt extraction remains under debate. As yet, evidence for the process used in the Bronze Age is limited although the procedure was probably similar to that used from the Iron Age onwards. The most common method is likely to have made use of settling tanks to collect seawater and reduce it naturally. The brine would subsequently be transferred to containers (eg troughs or pans) and boiled over a hearth (Biddulph et al 2012, 13)

This poses the question of whether the briquetage found at the settlements of the study area represented the secondary stages of salt production. No *in situ* production area was located, nor was the quantity of briquetage fragments suggestive of on-site salt extraction. Nevertheless, given that

salt-processing briquetage does not tend to travel far, it is likely that later processes of salt production took place either in the immediate vicinity, or perhaps within the study area. In the case of the latter, a scenario similar to some Late Iron Age to Roman Kent sites may be envisaged. For example, at the Eynsford–Horton Kirby Pipeline, the use of small, domestic hearths for the final stages of salt production has been suggested (Poole 2011b, 232), which would leave less conclusive traces in the archaeological record. This suggestion does not, however, address the low quantity of briquetage debris.

A location above sea level for salt-production briquetage is not uncommon and there are two main theories as to why briquetage would be found at the top of these hills: either the artefacts were manufactured and stored on/near the site but solely used at the inlets, or (as discussed) the extraction process was split in such a way that primary (including natural) evaporation took place by the inlets and the last stages of secondary drying, crystallisation and moulding of salt took place at the uphill site (Bell 1977, 122–4; Cunliffe 2005, 510–11). Generally the latter hypothesis is favoured. The process of salt extraction is slow and requires, for example, constant topping up of the brine. A location close to or within the settlement for these latter stages would therefore have been more convenient.

It was noted at Bishopstone that in the Early Iron Age the briquetage objects appeared to have been made on the site together with the domestic pottery. Both activities would be closely related, given their joint requirement for clay and fuel (Bell 1977, 122). A similar explanation may be given for the current sites, where trough RF<10> was found close to features with pottery production debris.

Regional setting

The earliest-known briquetage in southern Britain, dated to the Middle Bronze Age, was recovered from Brean Down, Somerset (Bell 1990). Like the study area, the site is located on a height, in this case a cliff above the beach. Middle and Late Bronze Age salt-working sites are still a rare occurrence, though their numbers are increasing as a result of recent discoveries, including an assemblage from the uphill location of Cobham Golf Course (Morris 2006a, 12–13; Champion 2011, 216–17), Swalecliffe (Masfield et al 2003, fig 28) and the Isle of Grain (Clifford in prep), all in Kent. Earlier discoveries include Minnis Bay (Worsfold 1943, fig 8, no 10) and Hoo St Werburgh (Moore 2002, 263), the former of which consists of a trough fragment. Whereas discoveries in Kent are, apart from the important Isle of Grain assemblage, all relatively small, no Middle or Late Bronze Age material at all, other than from the study area, is known from Sussex.

The salt makers and the nature of salt making

The low number of briquetage fragments may not be explained just by the remoteness of the actual salt production site. The salt makers may have operated in a domestic sphere, producing salt for household consumption rather than for trade. This hypothesis has been postulated both for the Middle Bronze Age site at Brean Down, Somerset (Bell 1990, 57), and at the Late Bronze Age site at Cobham Golf Course, Kent (Morris 2001a, 396). This would perhaps explain their presence during period 4 in or near roundhouses Buildings 2 and 6 (B2, B6). At Brean Down, too, evidence strongly suggests that the final extraction of salt took place within the same structure as cooking and food preparation, signifying household production alongside other domestic activities (Bell 1990, 57). It has been argued this work was undertaken by women (Morris 2007, 440–41).

The purposes of salt are uncertain. Although several theories have been suggested, there is no archaeological evidence for any of them. In our British climate, an adequate salt intake is achieved if meat or fish is present in the diet, so personal salt consumption would have been driven by ‘appetite’ rather than by bodily need. Salt may have been used as a preservative of food, notably cheese and meat, and would probably have been utilised in the tanning process of hides. Given its value, the potential of salt as an exchange medium should also be taken into consideration (Lane & Morris 2001, 402–3; Champion 2011, 217). It has been demonstrated that salt making was a seasonal event that took place in summer, which is when sea-water salinity and evaporation reach their maximum whereas dilution by precipitation is at its minimum. As such, salt extraction can be linked to other seasonal activities, such as pastoralism, and it has been argued that salt makers may have been the same people as the families or individuals with grazing animals, an association which carried on into the Roman period (Bradley 1975; 1992, 27). Such seasonal grazing could have lasted up to the early autumn, when fattened stock was butchered, the meat salted and leather prepared (Cunliffe 1988, 86). Salt making may also have been associated with pottery production. The common presence of pottery production debris on salt-making sites is indicative of an association between the two activities, and troughs in particular were almost certainly manufactured by potters (Morris 2001a). The fact that pottery production and salt making required the same conditions and raw materials, together with the possible seasonal nature of pottery production, could well suggest that the potters and the salt makers were the same people, or that they were at least closely linked groups (Bradley 1975, 22; Morris 2001b, 62).

BUILDINGS AND SETTLEMENT

Period 4

Agricultural buildings

Four- and six-post structures are a common feature on later prehistoric sites in Britain and, though more frequently associated with Iron Age sites, a number of Middle and Late Bronze Age examples are known in the wider vicinity of the study area, including Mile Oak, Patcham Fawcett, Cock Hill, Rams Hill, Park Brow and Thorny Down (Ratcliffe-Densham & Ratcliffe-Densham 1961; Ellison 1981; Russell 2002; Greatorex 2002). The prevailing interpretation of these structures is as raised granaries (Bersu 1940; Gent 1983), and this is now supported by the presence of good assemblages of charred grain in association with some four-post structures, such as those excavated at St Osyth (Essex), Stanwick (Northamptonshire), Sutton Common (Yorkshire) and, most recently, at Thanet Earth (Kent) (Germany 2007; Robinson & Lambrick 2009, 271; Rady et al in prep).

Various other interpretations have also been proposed, however, including fodder ricks or pigsties (Bersu 1940), excarnation platforms or shrines (Carr & Knusel 1995; Masefield 2013), watch towers (Ellison & Drewett 1971), workshops (Stanford 1966) and houses (Stanford 1970; Russell 2002). In view of the significant variation apparent in this related group of structures, which includes eight- or nine-post structures and structures with extensions, a variety of functions is certainly possible, although hard evidence in support of these alternative explanations is, in many cases, yet to be found (Robinson & Lambrick 2009).

With regard to the rectangular post-built structures excavated in the study area, Buildings 1, 5 and 9 (B1, B5 and B9), the interpretation preferred here sees them fulfilling an agricultural function as raised granaries, although it must be admitted that positive evidence in support of this assertion is lacking and other interpretations cannot be wholly discounted. Nonetheless, a primarily agricultural function might be inferred from the location of all three structures within the wider agricultural landscape and the relative paucity of associated finds by comparison with contemporary roundhouses (Table 4.1), which is certainly suggestive of a non-domestic function. The larger assemblage from B1 probably reflects the presence of a semi-complete vessel and the proximity of the building to a large dump of mixed domestic and pottery production waste in pit A[1576], which may have been deposited while the building was still in use. It is worth noting that, where charred grain has been found in association with such structures elsewhere, as at St Osyth or Thanet Earth, the predominance of emmer

and barley has been taken to indicate the storage of animal feed, rather than grain for human consumption (Carruthers in Rady et al in prep). A similar function may be tentatively inferred for B1, B5 and B9 in the study area. In form and construction, B1 and B9 are certainly consistent with similarly interpreted six-post structures elsewhere in Sussex and southern Britain. B5 is rather more difficult to interpret but appears to have represented either two adjacent rectangular raised granary structures or a much modified single building.

Building	No of sherds	Wt (g)	ENV
Period 4			
B2	369	6434	45
B5	6	60	3
B6	71	594	31
B7	130	1784	22
Periods 4–5			
B1	34	510	19
B8	81	730	20
Period 5			
B9	14	158	1
B15	49	1488	15

Table 4.1 Quantification of pottery associated with Later Bronze Age structures

Domestic buildings and settlement

Roundhouse construction and form

Unfortunately all five roundhouses at Lower Hoddern Farm showed evidence of substantial horizontal truncation, thus necessarily limiting any discussion of aspects of roundhouse construction, size and layout. The hut platform of roundhouse B7, for instance, measured just 4.0m across and, on the basis of the disposition of its associated postholes and gullies, has clearly been reduced to a size significantly smaller than the footprint of the building itself. Similarly, only the northernmost edge of the hut platform of roundhouse B8 survived, while no trace of any platform whatsoever associated with roundhouse B16 could be discerned.

The difficulties of estimating the true size of roundhouses on the basis of their surviving postholes and hut platforms is well documented (eg Musson 1970; Drewett 1979; 1982a; Russell 2002, 12) and the examples in the study area are no exception. On the basis of the projected diameter of the surviving lengths of ring gullies associated with roundhouses B2 and B7 it is possible to suggest a maximum diameter of something in the region of 10m, potentially a little less if these gullies did indeed represent drainage features marking the eaves of the roof. A similar diameter seems probable for the possible roundhouse B16 on the basis of the projected diameter

of the associated arc of postholes. This suggested maximum diameter of around 10m lies towards the upper end of the recorded range of roundhouse sizes for the period (Ellison 1981, fig 15.1) but it is not without parallel. The suggested reconstruction of hut 4 at Black Patch, for instance, implies a diameter of c 8.5–9.0m (Drewett 1979, fig 2) and similar-sized roundhouses were found at Patcham Fawcett (roundhouse IV) and Mile Oak (roundhouse 1), measuring up to 8.4m and 8.6m in diameter respectively (Greatorex 2002, 274; Russell 2002, 11). Estimating the size of roundhouses B6 and B8 is more difficult. On the basis that the post-ring roof construction of roundhouse B6 represented internal load-bearing roof supports, rather than marking the external wall of the building (Musson 1970; Drewett 1979; 1982a), it seems unlikely that the two postholes denoting its entrance represented a projecting porch structure – an internal aisle or vestibule seems far more probable (see, eg, Lambrick 2009b, 139). On this basis, and assuming that the probable storage pits associated with this building were internal, a minimum diameter of around 8.0m can be suggested. Similarly a larger diameter of around 10m can be proposed for roundhouse B8, like those of roundhouses B7 and B2.

In constructional terms, only roundhouse B6 preserved a clear and full building plan that could provide details of the construction method. It consisted of the typical internal post-ring roof construction so prevalent in Sussex that it has been described as a ‘Sussex-style’ layout (Guilbert 1982). In essence, this consisted of a highly symmetrical circular or oval arrangement of posts, characterised by a closer spacing of posts in the rear half of the building than in the front half (ibid). Roundhouse B6, with its post-built porch structure, is closely comparable to typical examples of this post-ring layout, at found as sites such as Black Patch (Drewett 1982a), Itford Hill (Burstow & Holleyman 1957a), New Barn Down (Curwen 1934a), Amberley Mount (Ratcliffe-Densham & Ratcliffe-Densham 1966), Mile Oak (Russell 2002), Downsview (Rudling 2002b), Varley Halls (Greig 1997) and Patcham Fawcett (Greatorex 2002), to name but a few (Fig 4.51). This post-ring layout is also known further afield: the example at Down Farm, Dorset, for instance (Barrett et al 1991), is often cited as a classic example of this constructional type, exemplifying the axial symmetry of the layout (Fig 4.51). At around 4.6m in diameter, the post-ring of roundhouse B6 lies towards the smaller end of the scale, similar in size to hut M at Itford Hill (Burstow & Holleyman 1957a). Examples in excess of 6.0m are known elsewhere, such as hut 3 on platform 4 at Black Patch (Drewett 1982a), hut D at Itford Hill (Burstow

& Holleyman 1957a) or roundhouse 4 at Patcham Fawcett (Greatorex 2002).

Elsewhere in the study area, the arrangement of postholes is less clear. The arrangement of the surviving postholes of B8 is certainly suggestive of a symmetrical Sussex-style post-ring, but this cannot be proven on the basis of the available evidence. The possible roundhouse B16, on the other hand, appeared to embrace a slightly different construction; with a projected diameter of around 10m, the arc of postholes associated with this building seemed more likely to represent supports for the external wall of the building than an internal post-ring, which would imply a roundhouse of unprecedented size for the period.

By contrast, little sense can be made of the disposition of the various surviving postholes within roundhouses B2 and B7, although whether this was a product of different constructional method or of different survival remains uncertain. In itself, however, this is not inconsistent with the wider evidence and it is not uncommon for the surviving arrangement of postholes within an excavated roundhouse to defy meaningful analysis. With the possible exception of the partial ring gullies associated with roundhouses B2 and B6 which, as discussed above *may* represent partially surviving wall trenches, no trace survived of the external walls of any of these roundhouses and the construction and composition of these elements of the building remains entirely unknown. It is also notable that no evidence for the distinctive stake-built walls recorded at Mile Oak, Varley Halls, Downsview or Patcham Fawcett, along the route of the Brighton bypass scheme, was forthcoming from any of the roundhouses in the study area (Greig 1997; Greatorex 2002; Rudling 2002b; Russell 2002). It is perhaps significant that, where present, the stake-built walls at all these sites were found *within* the associated hut platforms: given the partial survival of hut platforms in all but one of the roundhouses in the study area, the absence of any evidence for associated stake-built walls is thus considered to reflect a genuine difference in construction techniques, rather than simply a consequence of poor preservation.

Roundhouse orientation, layout and internal organisation

Recent studies have shown that the majority of Middle Bronze Age roundhouses face either south or south-east, with the latter being by far the most common orientation (Brück 1999, 155). A south-eastern alignment can certainly be demonstrated for roundhouse B6, while a more southerly orientation can be tentatively suggested for roundhouse B8, on the basis of its surviving posts and an assumption of symmetry in their original layout. The orientation of roundhouses B2, B7 and B16, on the other hand, must remain a subject of speculation, although an

Fig 4.51 Plans of Bronze Age buildings excavated from the study area, with comparative examples

apparent lack of internal features in the south-eastern quarter of roundhouse B7 might indicate the likely position of the doorway to this structure. While there can be little doubt of

the prevalence of a southerly or south-eastern alignment among Middle Bronze Age roundhouses, there is little consensus as to the reasons why, with explanations ranging from an emphasis on spiritual or cosmological themes (eg Parker Pearson & Richards 1994, 47–54; Oswald 1997) in which the south-eastern orientation towards midwinter sunrise might play a role, to more prosaic explanations such as attempts to maximise the morning light entering the building, or achieving a balance between this and shelter from the prevailing wind and weather (Hingley & Miles 1984; Pope 2007).

Some roundhouses of the period show evidence for an emphasis on entrances through the use of significantly larger timbers in doorway construction, as at Mile Oak roundhouses I and II (Russell 2002), Black Patch hut 3 (Drewett 1982a), New Barn Down cutting VIII (Curwen 1934a) and Itford Hill hut D (Burstow & Holleyman 1957a). This was by no means a universal practice, however, and many other buildings of the period – including some within the study area as well as other buildings at some of the sites mentioned above – show no such evidence for the structural emphasis of doorways. The significance of the elaboration of the doorways of certain roundhouses is not well understood but it may have reflected the relative social status of the occupant, the function of the building or simply individual preference (eg Lambrick 2009b, 141). It is worth pointing out, however, that the doorways of some buildings of the period also appeared to have been the focus of particular patterns of deliberate deposition. At Black Patch, for instance, a bronze awl was found in one of the entrance postholes to hut 3 (Drewett 1982a), while a chalk phallus was found within a posthole associated with the entrance to hut D at Itford Hill (Burstow & Holleyman 1957a). Such practices suggest that the perceived importance of the doorway to a Bronze Age building may have embraced certain ritual or spiritual concerns, as well as practical ones.

The pronounced axial symmetry evident in the ground plan of roundhouses such as B6 has also been the subject of much discussion and is considered by many to suggest a certain formality in the layout of the internal space, allowing the division of roundhouse interiors either into left and right (Brück 1999) or front and rear (Guilbert 1982; Parker Pearson & Richards 1994). Likewise, the concentric arrangement of inner post-ring and outer wall of Middle Bronze Age roundhouses allows further zonation of the interior space of Middle Bronze Age roundhouses into central and peripheral spaces. Many archaeologists equate this zonation of internal space with the division between public (front/central) and private (rear/peripheral) spaces or between spaces for activities

requiring good light near the doorway and around the hearth (central/front spaces) and more poorly lit peripheral or rear spaces more suited to sleeping or storage. The existence of an upper floor within the roof space of some roundhouses has also been suggested but must of course remain entirely speculative (see, eg, Pope 2007).

The organisation of internal space within Middle Bronze Age roundhouses is particularly well illustrated at Black Patch, where careful two-dimensional recording of associated artefacts permitted the formulation of some detailed observations on the organisation of activities both within and between roundhouses (Drewett 1979; 1982a). The evidence for the functional differentiation of roundhouses in the study area is considered below. Here, it should be noted that there was good evidence, from roundhouse B6 at least, for a central/peripheral division of space within the roundhouse, with all but one of the seven associated storage pits within this building located between the inner post-ring and external wall of the building and a central, better-lit, space around the hearth and inside the doorway, which could have been used for a variety of craft or social activities. This is a common pattern in roundhouses of the period in which pits are present (Brück 1999, 157), though not one that can be discerned in other Middle Bronze Age roundhouses in the study area.

Roundhouse B6 was also the only Middle Bronze Age structure for which the position of the hearth could be identified. In contrast to the evidence from sites such as Black Patch and elsewhere for the location of the hearth immediately inside the doorway (Drewett 1982a; Brück 1999), the hearths of roundhouse B6 appeared to be more centrally placed.

Settlement location

The association of Middle Bronze Age settlements with contemporary field systems is widely attested in southern Britain, although there is significant variation in the landscape setting of individual buildings and settlements, which can range from a dispersed pattern of individual houses within separate plots to small clusters of houses within a single field or enclosure (Bradley 2007, 190). In the context of the South Downs, the location of settlement 1 on a south-facing slope is entirely consistent with the wider evidence (Parker Pearson & Richards 1994, 49; Hamilton 2003, 70). The more isolated roundhouse B8 is similarly situated, albeit within a separate field on the other side of Trackway 1 (R1) and might best be regarded as an outlier to settlement 1. In contrast, the topographic location of roundhouse B16 on a north-facing slope is rather more unusual but might be explained, in part

at least, by a concern with the wider symmetry of landscape organisation reflected in the contemporary field systems. At any rate, it is clear that both settlement 1 and roundhouse B16 were located on the steeper slopes of the valley, peripheral to the extant field systems and consequently maximising the available land for farming. In this context, the contrasting location of roundhouse B8 within a field might reflect a chronological distinction, with this building forming a later addition to the pattern of Middle Bronze Age settlement in the study area, a suggestion that might be supported, in part at least, by the evidence outlined above for the protracted survival of this building into the Late Bronze Age.

The marginal location of Middle Bronze Age settlements on relatively steep downland slopes has been noted elsewhere, for example at Downsvew, Mile Oak and Varley Halls (Greig 1997; Rudling 2002c, 255), and it has been argued that this reflected increased pressure on available land and the cultivation of marginal and difficult terrain (Greig 1997, 30; Yates 2007, 56). In light of the evidence from the study area, however, where the large-scale exposure of the Bronze Age landscape allows us to see the landscape setting of Middle Bronze Age settlement better, it might be more appropriate to view the marginal location of settlements slightly differently, as an attempt to maximise the availability of more favourable terrain for farming.

While the maximisation of available farmland might have been a key influence in the choice of settlement location in the study area, other factors were clearly also at work, as demonstrated by the positioning of settlement 1 with reference to the pre-existing Late Neolithic/Early Bronze Age ring-ditch monument (S7). The reasons for this can only be surmised, although it is clear that, despite its slight form, the monument must have remained a visible landscape feature during the latter half of the second millennium BC. In view of evidence from elsewhere in the south-east and further afield for the alignment of field boundaries on earlier monuments and features (eg Bradley 2007, 188; Garwood 2011, 123), it is possible that the association of settlement and monuments might comprise a related practice, particularly given the close association of settlement and field system at this time. In this respect, the clear linear organisation of roundhouses B2 and B7 on either side of the pre-existing monument is notable as it echoes that of a now ancient monumental landscape remembered through the retention of this particular monument.

Settlement boundaries

In common with the majority of settlements of this period, settlement 1 appeared to be at least partially enclosed. However, there is a clear distinction to be drawn between the form of enclosure evident at settlement 1 and those at sites such as Mile Oak or Cock Hill, which formed discrete subcircular ditched enclosures. By contrast the ditches defining settlement 1 were more akin to settlements like Downsvew (Rudling 2002b) and could almost have been an extension of the field system with which the settlement was associated. They were certainly of similar dimensions to and on the same orientation as the ditches of Field System 4 (FS4), and the spacing of the eastern and western ditches of the settlement, at around 80m, is not inconsistent with some of the evidence for field size elsewhere in the landscape. Further evidence for the appropriation of a former field for settlement might be seen in the negative lynchet immediately downslope of trackway R1, which implies that this area was under the plough at one time.

Settlement chronology and composition

Diccon Hart and Anna Doherty

Typically, Middle Bronze Age settlements consisted of several roundhouses, usually set within an enclosure or part of a field system, as discussed above, and often accompanied by other external features such as yards, ponds and perhaps storage structures such as four- or six-post structures (eg Ellison 1981, 417–21; Brück 1999, 145; Hamilton 2003, 70). The size of these settlements and their layout suggests occupation by small co-resident household groups, perhaps consisting of an extended family (Ellison 1981, 432; Drewett 1982a, 341).

It is well documented that there was a tradition during this period for the replacement of buildings in new locations, rather than reconstruction within the same footprint, thus giving the impression of much larger settlements. This is particularly well illustrated by the reinterpretation of some key sites for the period in Sussex, including Black Patch and Itford Hill (cf Burstow & Holleyman 1957a; Ellison 1978; Drewett 1979; 1982a; Russell 1996b). The suggestion of more than one phase of construction in roundhouse B7 is certainly significant in this respect but need not necessarily indicate the wholesale replacement of a building within the same footprint; the ongoing maintenance and repair of a structure is equally plausible.

More recently, detailed analysis of the chronology of buildings and settlements has led to the suggestion that the majority of these settlements comprised single-phase sites whose duration rarely exceeded the lifespan of its principal members (Brück 1999, 149). The evidence from settlement 1

is largely consistent with this assertion although the presence of Late Bronze Age material within defunct house platforms is certainly interesting and suggestive of Late Bronze Age occupation in close proximity to settlement 1. While the subsequent replacement of roundhouses in this settlement through the careful reuse of earlier postholes is conceivable (R Masfield, pers comm), it is perhaps more likely that the Late Bronze Age material associated with abandoned house platforms in settlement 1 was derived from the nearby outlier B8, which apparently survived into the Late Bronze Age.

The excavation and reinterpretation of Middle and Late Bronze Age settlements in East Sussex, most notably at Black Patch and Itford Hill, resulted in pioneering research using structural evidence, pottery and other artefacts to define the functional organisation of buildings and settlements (Ellison 1978; Drewett 1982a). It was suggested that in some instances, the distribution of different classes of artefact could be related directly to the function of individual buildings (Ellison 1981, 420). In terms of pottery, for instance, Ellison (1980) classified Sussex Deverel-Rimbury assemblages into three broad functional groupings: heavy-duty wares, which she saw primarily as storage vessels; everyday wares, interpreted as cooking vessels; and fine wares presumably more suited to consumption and display. Importantly, this work demonstrated that roundhouses were used for a variety of functions, which could be divided into two broad categories: major residential units and ancillary structures (Ellison 1981, 420). Major residential units tended to be slightly larger, often with evidence for the architectural elaboration of the entranceway, while their associated finds included a relatively high proportion of fine wares and evidence for tool maintenance and craft activities, such as spinning and weaving. Ancillary structures, on the other hand, tended to be slightly smaller, with a much greater predominance of coarse wares and facilities for the storage and processing of foods, including querns, storage pits and so on. This pattern of building use certainly applies well to some sites such as Black Patch, despite the clear interpretative issues surrounding the chronology of the site (cf Drewett 1982a; Russell 1996b; Seager Thomas 2005). However, more recent research has demonstrated that these discernible differences in building use are not always so clearly defined, with many buildings exhibiting traits of both major residential and ancillary uses, perhaps reflecting the adaptation and change of use of various buildings in response to the changing requirements of the settlement over time (Brück 1999, 150–51). The issue is further complicated by the growing realisation in recent years that there was a great deal

of continuity between Deverel-Rimbury and post-Deverel-Rimbury pottery styles, so a gradual shift towards finer fabrics may also be interpreted as a chronological trend rather than just a purely functional division.

While the evidence from the study area lacks the clear-cut functional distinctions evident from sites such as Black Patch, there are nevertheless some interesting and tantalising suggestions of functional specialisation amongst the excavated corpus of roundhouses. This is most clearly seen in roundhouse B2, where both the associated finds and its relative segregation from the rest of settlement 1 suggest that it may be differentiated from roundhouses B6 and B7. Over 90% of the pottery assemblage in roundhouse B2, for instance, is made up by the coarsest fabric grouping FL10, suggesting a strong bias toward ‘heavy-duty wares’, whereas in B6 and B7 there were more medium coarse wares, perhaps suggesting a more balanced range of ‘heavy-duty’ and ‘everyday’ wares. Similarly, while evidence for salt production, in the form of briquetage, was present in all three buildings there was a noticeably greater quantity associated with roundhouse B2 (eight fragments, as opposed to one fragment each from roundhouses B6 and B7). Together with the evidence for the separation of this building from the remainder of the settlement, this might suggest that roundhouse B2 functioned as an ancillary structure used primarily for food storage and preparation. By contrast, the presence of an architecturally elaborated entrance to roundhouse B6 and the presence in roundhouses B6 and B7 of tools such as polishing stones, which might conceivably be related to craft activities, are more suggestive of the use of these two buildings primarily as residential structures. This interpretation might be further reinforced by the presence of cremation deposits within these two roundhouses (see below), which may well have represented the remains of their principal occupants. Whether these two buildings were in use at the same time or represented successive replacements of a single residential unit cannot be determined on the basis of the available evidence but this proposed pattern of one or two major residential units and an ancillary unit is entirely consistent with the wider evidence for settlement composition during the period.

Of course, there are problems with this interpretation. There is no real evidence, for example, that Ellison’s pottery groupings are valid interpretations of function. In the current assemblage the coarsest fabrics (FL10 and FL12) feature sooted residues almost as frequently as the medium coarse ones (FL9, FL6 and FL2), suggesting that ‘heavy-duty’ wares were frequently involved in cooking processes as well as storage. The

picture is also complicated by the high proportion of sherds from probable structured deposits (see below); Barrett and Needham (1988, 136) specifically criticised the functional analysis of material from Itford Hill and Black Patch for overlooking the fact that archaeological deposits often reflect specific depositional events and are not necessarily reflective of day-to-day activities. Building function can be interpreted along different lines – it is possible, for instance, to propose an emphasis on food storage and preparation in roundhouse B6, based on the relative frequency of storage pits in this structure (seven features, as opposed to three pits associated with roundhouses B2 and B7) and the fact that this was the only building with any evidence for hearths. Of course, there is no way of knowing how many pits were in use at any one time in roundhouse B6 and it is possible that there was a succession of features here. At any rate, if roundhouses B6 and B7 did indeed represent successive residential structures, it is quite conceivable that the relative prevalence of cooking and storage features in roundhouse B6 reflected its adaptation into an ancillary unit, on the occasion of the construction of a new residential structure (B7). Indeed, the argument for the chronological primacy of roundhouses B2 and B6 becomes more compelling in light of the linear alignment of these two buildings on either side of the pre-existing ring-ditch monument (S7).

Elsewhere in the study area the prevalence of storage pits and occurrence of querns in association with probable roundhouse B16 is strongly suggestive of a link with food storage and preparation, although here these features also occurred in association with a secondary cremation deposit. The incomplete exposure of this building and of its wider landscape setting, however, inevitably limits any assessment of its function. The same might be said of roundhouse B8, which, as stated above, might have been an outlier and later addition to settlement 1. The presence of storage pits certainly indicates a link with food/grain storage but in the absence of any other functional indicators and in view of its poor survival it is difficult to make any further statements regarding its primary function.

A further notable characteristic of settlement 1 is the apparent absence of some of the other typical components of Middle Bronze Age settlement. The absence of fenced yards, for instance, contrasts with the evidence from contemporary sites such as Black Patch, where the wider settlement area was divided into a series of well-defined fenced areas (Drewett 1982a). A similar absence of fenced yards was noted on sites along the route of the Brighton bypass, however (Rudling 2002c, 256). Similarly, there was no evidence at the current sites for the existence of ponds. These formed a common

component of settlement sites of the period and the absence of any watering facilities remains difficult to explain adequately. At any rate, the sum of the evidence, both from Peacehaven and elsewhere in the South Downs, hints at certain regional variations in the composition of Middle Bronze Age settlement sites in the region.

Period 5

Settlement location, layout and composition

The available evidence suggests a general paucity of Late Bronze Age settlement on the South Downs to the east of the River Adur, perhaps related to an apparent increase in activity in lowland areas such as the Sussex coastal plain or the Willingdon Levels (Hamilton 2003). That is not to say, however, that settlement evidence for the period in the South Downs is entirely lacking, and there are signs of continued occupation at a number of sites in the wider vicinity of the study area, including Downsview, Patcham Fawcett, Varley Halls and Mile Oak (Rudling 2002c). While there is some evidence for the continued construction of roundhouses during this period, such as those in trench K at Mile Oak (Russell 2002), settlement and structural evidence from these sites is generally more ephemeral than that of the preceding period (Hamilton 2003, 73). Indeed, Hamilton has argued that the sum of the available evidence points to significant change in settlement composition and building design during the Late Bronze Age, with little evidence for the continuance of the typical Middle Bronze Age settlement type described above and a general decline in the roundhouse tradition (*ibid*, 73). In the wider area, of course, Late Bronze Age settlement is characterised by the emergence of new forms of settlement: the more heavily defended ring-works. Such sites are notable by their absence from the Sussex landscape, although several of the Sussex hillforts, such as Chanctonbury, Harting Beacon or Harrow Hill, appear to have originated during this period (*ibid*).

The evidence from the study area generally corresponds well with this wider picture, although there are some interesting differences in comparison with other contemporary sites in the South Downs. Settlement evidence was certainly present in the study area, but there was a significant change in settlement patterns, marked by the abandonment of former areas of Middle Bronze Age occupation and the establishment of a new, smaller, unenclosed settlement in the south of the Lower Hoddern Farm site (settlement 2). At first glance this might seem at variance with the signs of continued occupation of Middle Bronze Age settlement sites, as at Downsview (Rudling 2002c, 256). However, it should be noted that there was

some evidence to suggest that this new settlement was, in fact, focused on a pre-existing agricultural building – the probable raised granary Building 1 (B1). At any rate, this shift in the focus of settlement during the Late Bronze Age is certainly evident at other sites of the period such as Mile Oak (ibid).

In form and layout, settlement 2 also appeared to bear little resemblance to its Middle Bronze Age predecessor with few signs of the recurrent Middle Bronze Age combination of major residential structure and ancillary structure, as defined by Ellison (1981). Closer inspection, however, raises the possibility that this apparent absence is deceptive: if one dispenses with the expectation that these settlements should necessarily consist solely of roundhouses, it is possible to perceive a similar settlement structure to that which so obviously characterises the Middle Bronze Age, with a major unit represented by the D-shaped B15 and the probable raised granary B1 fulfilling the role of ancillary structure. Of course, it is difficult to be certain of this, given the obviously incomplete exposure of this settlement site and the uncertainties surrounding the function of B15 (see below), but it nevertheless raises the interesting possibility that the loss of the Middle Bronze Age settlement formula might be less real than apparent and a consequence, in part at least, of a change in the nature of its constituent components.

Building form and function

The D-shaped B15 constitutes a particularly rare example of its type in Sussex. Indeed, this form of building remains rare nationally, although a number of examples of probable Late Bronze Age and/or Early Iron Age date are known in the Middle Thames valley, at sites such as Cassington West, Yarnton, Shorncliffe and Stanton Harcourt (Williams 1951; Hearne & Heaton 1994; Hearne & Adam 1999; Lambrick 2009b, 153–4), while broadly similar segmental structures are known at Reading Business Park and Green Park Reading (Moore & Jennings 1992; Brossler et al 2004). As a class of building, these structures vary considerably in size and shape, although most are less than 10m across.

Opinion is divided as to their function and interpretation. A widespread interpretation is that they were workshops (Lambrick 2009b) but it is equally possible that they simply represented another form of domestic building (cf Allen 2006; Lambrick 2009b), or even both. In this respect, however, the unusual orientation of many of these structures might suggest the former rather than the latter. The example in the study area, for instance, appears to face north and a variety of other orientations are evident in other excavated examples, including north-west-, north-east- and south-facing examples

at Cassington West (ibid, fig 4.8) and west- and east-facing examples at Yarnton, Reading Business Park and Green Park Reading (Moore & Jennings 1992; Brossler et al 2004). When set against the evidence for a prevalent orientation in the south-east quadrant of the compass for the majority of domestic structures during the Bronze and Iron Ages (eg Parker-Pearson and Richards 1994), a non-domestic function for this group of buildings seems perhaps more likely. Further evidence for this might be provided by the apparent association of B15 with pottery production (see below). Indeed, it is possible that the related features within this building, among them a hearth, a heating pit, clay-lined pits and a vessel set in the ground, might be connected with pottery production just as much as with domestic activities.

Ritual and ceremony

Middle and Late Bronze Age funerary practice

Although cremation burial in urnfield cemeteries is often cited as a defining characteristic of the Middle Bronze Age, detailed analysis of mortuary practices of the period has clearly shown that interment of cremations within and around barrows continued to dominate during the course of the period (Ellison 1981, 421). A good example of this is the cemetery barrow at the nearby site of Itford Hill (Holden 1972). There was, however, no incidence of the association of cremations with barrows in the study area and cremations of the period occurred either in the context of a small cemetery focused on the putative stock-sorting complex at the western terminus of Trackway 1 (R1) or in association with buildings, both within settlement 1 and further afield.

The complete absence of any evidence for Late Bronze Age funerary activity within the study area, on the other hand, is entirely consistent with the wider evidence, which demonstrates the almost complete archaeological invisibility of a Late Bronze Age funerary tradition (Brück 1995).

The Middle Bronze Age cremation cemetery

Ellison's detailed analysis of the composition of Middle Bronze Age cemeteries has identified a recurrent modular unit of between 10 and 30 burials, which, in size and composition, suggests the burial places of small kinship groups from nearby settlements (Ellison 1981, 422–3). This link between cemetery and settlement is most eloquently illustrated at the nearby site of Itford Hill. Here, the cemetery totalled 12 cremations, including male and female adults and children, suggestive of an extended family group, while the occurrence of sherds from the same vessel within both the cemetery and the settlement

provided the first definitive link between a settlement and its cemetery (Holden 1972). The small cremation cemetery (OA66) is entirely consistent with this model. With a total of some nine probable cremation deposits, the cemetery falls towards the lower end of the expected size of Middle Bronze Age cemeteries, while its location at the western terminus of trackway R1, at a distance of around 200m from settlement 1, strongly suggests that it formed the principal burial place for inhabitants of that settlement, with the trackway R1 itself acting as a direct link between the two.

Several complicating factors, however – the absence of calcined bone from all but two cremations being one of them – suggest that the number of probable cremation deposits in this cemetery may not translate directly into the number of inhabitants of settlement 1. It has already been proposed that those deposits of ash and charcoal in this cemetery that lacked actual calcined bone may have represented ‘token deposits’ collected from a pyre site, and this is substantiated by evidence for the presence of significant quantities of cremated bone at pyre sites, suggesting that not all cremated bone was necessarily collected after cremation (McKinley 1997). The issue is further complicated by the suggestion that token deposits of cremated remains might be distributed among different groups of mourners, resulting in the fragmentation and dispersal of human remains (Wysocki, pers comm, in Brück 2006a; Brück 2006b). It is quite possible, therefore, that the nine separate deposits of ash and charcoal which made up this cemetery might, in reality, have related to far fewer individuals.

Cremations within Middle Bronze Age buildings

In addition to the deposits of cremated human bone and pyre material within the OA66 cremation cemetery, three further cremations were recovered from roundhouses, including roundhouses B6, B7 and B16. While the cremated bone from roundhouse B16 consisted only of unidentifiable fragments, the bones from roundhouses B6 and B7 were better preserved and in both cases can be demonstrated to represent the remains of adult individuals. In all three cases, it is difficult to avoid the supposition that these cremations represented the remains of the principal residents of these buildings. Deposits of cremated human remains associated with Bronze Age roundhouses are by no means unknown and may be interpreted as reflecting an inextricable link between the lifecycles of house and settlement and those of its inhabitants (Brück 1999; 2006a). At Broom Quarry, Bedfordshire, for instance, a token deposit of cremated human bone was recovered from one of the porch postholes of a Bronze Age roundhouse, where it has been interpreted as

linked to the abandonment of the roundhouse (Brück 2006a, 300). A similar association was evident in the study area, where it is possible that the abandonment of some buildings occurred on the death of their principal residents.

Of particular interest in the context of cremations within buildings in the study area is their apparent juxtaposition with finds and features more usually associated with life-giving aspects of sustenance and subsistence. All three cremations, for instance, appeared to have been interred within former storage pits, while that in roundhouse B16 was also associated with an unusually large saddle quern, and the cremations in both roundhouses B7 and B16 were associated with pottery vessels. There is some evidence to suggest that the lifecycles of Middle Bronze Age houses and their occupants are in some way linked (Brück 1999; Sharples 2010, 201). Brück has argued that, at other points in the lifecycle of the roundhouse, the deposition of items such as querns, animal burials or burnt grain (the metonymic qualities of which are all redolent of aspects of subsistence) might signify key points in the subsistence cycle of the household (Brück 1999, 154; 2006a, 301). The evidence from the study area for the association of similar elements such as querns and storage pits with cremation deposits suggests that this link might also be extended to death and the ending of such lifecycles, both in relation to the house and its inhabitants. This serves further to underline the close relationship between the lifecycles of the house and of its inhabitants mooted by Brück and others.

Selection of fuel woods in Middle Bronze Age cremations

Dawn Mooney

The range of woody taxa found in samples from Middle Bronze Age cremations at the site was much narrower than in contexts containing remains of domestic and/or industrial fuel, with oak, *Maloideae* and wild cherry/blackthorn dominating the assemblage. Very small quantities of privet/honeysuckle and willow/poplar were also found. This limited variety of taxa indicates the specific selection of particular woods for cremation pyres at the site. In the majority of these samples, the assemblage was dominated by oak, with other taxa present in smaller quantities. However, in three samples from cremations within roundhouse B7 the assemblage was almost entirely composed of *Maloideae*, with the inclusion of very small amounts of wild cherry/blackthorn and willow/poplar charcoal.

The predominance of both oak and *Maloideae* has been noted in many previous studies of charcoal remains from Bronze Age cremations in south-east England. Most of these investigations have yielded assemblages dominated by oak or

other large trees such as ash (cf Alldritt 2006a; 2006b; 2006c; Challinor 2006c; Gale 2009), but an examination of an urned cremation from Thanet produced a charcoal assemblage entirely composed of Maloideae fragments (Stevens & Challinor 2009). It has been suggested that smaller, shrubby taxa such as Maloideae, wild cherry/blackthorn, alder and hazel arrive in cremation deposits either by accidental inclusion or by use as kindling for pyres usually built of oak and occasionally ash (Alldritt 2006b); however, the occurrence of Maloideae as the sole taxon in cremations in the study area and at Thanet (Stevens & Challinor 2009) indicates the definite selection of this wood for the cremation pyre. It is possible that this taxon was selected for a ritual or religious purpose, rather than purely practical reasons such as fuel efficiency (cf Alldritt 2006c). Of the Maloideae taxa, both hawthorn (*Crataegus mongyna*) and rowan (*Sorbus* sp) figure prominently in British and European folklore, and have traditionally been imbued with protective powers (Baker 1996). It is possible that similar associations were held in prehistoric Britain.

Non-funerary deposition associated with buildings

Diccon Hart, Anna Doherty and Hugo Anderson-Whymark

In addition to the deposits of cremated human remains within roundhouses discussed above, there was evidence in roundhouses B2, B8 and B16 for other forms of deliberate deposition, often involving deliberately fragmented items such as semi-complete vessels or querns but seemingly also including already ancient and possibly curated items such as Neolithic axe fragments. Such deposits are perhaps best viewed as event-marking deposits, as defined by Brück (1999; 2006a), signifying either key points during the lifecycle of the house and its inhabitants or, perhaps more likely, marking terminal events of death and abandonment. In roundhouse B16, for instance, two former storage pits (including the one containing the cremation deposit discussed above) also contained the semi-complete upper profiles from very similar thin-walled bucket/barrel urns. Significantly, these were both placed in a remarkably similar fashion, on top of large pieces of stone. In the case of the pit containing the cremation deposit the urn was on top of an inverted saddle quern while in the other pit the urn was on top of a large piece of unworked chalk breccia. In both cases, all the sherds lay completely flat on top of one another, as if the upper parts of the vessels had been placed on their sides and crushed flat either deliberately or as a result of backfilling. The careful placing of these very similar objects suggests some kind of symbolic mirroring or pairing of the two pits that clearly goes beyond utilitarian disposal of rubbish

and this is further emphasised by other associated material, including, of course, cremated human remains in one pit and a stone bead in the other. Another probable former storage pit within this building contained large fragments from several different querns.

Deposits of fragmentary and near-complete querns within Middle Bronze Age roundhouses are known from a number of sites in Sussex, such as at New Barn Down, (Curwen 1934a), Cock Hill (Ratcliffe-Densham & Ratcliffe-Densham 1961), Itford Hill (Burstow & Holleyman 1957a) and Black Patch (Drewett 1982a), although whether they represent domestic discard or more deliberately 'placed' items is still debated (cf Seager Thomas 1999, 46; Brück 2006a). The expedient reuse of quern fragments for a variety of secondary uses which might result in their deposition in roundhouses is certainly not inconceivable (Seager Thomas 1999), but the presence of complete and still serviceable examples such as that from probable roundhouse B16 is less easy to explain in such terms and is perhaps more likely to have represented an act of deliberate deposition.

Further evidence for the deliberate fragmentation and deposition of pottery vessels in association with the abandonment of a roundhouse is evident in roundhouse B8. Here a partially complete vessel, whose base had been removed, was inserted in the top of the infilled hut platform and seemingly secured in place with a stake or post. This latter feature may well have served as some form of marker post, thus echoing the evidence from sites such as Down Farm, where certain posts appear to have been left in place as potential markers or memorials to the buildings that once existed (Barrett et al 1991; Brück 1999, 154).

The two Neolithic axe-head fragments recovered from opposing pits on either side of roundhouse B7 are also likely to reflect acts of deliberate deposition. As with the deliberate deposits discussed above, these items show evidence for deliberate breakage prior to deposition (see below) and it seems probable that they were imbued with different and potentially more potent properties. A parallel for these acts of deposition can be found at Stansted, where a polished flint axe-head was found in a Middle Bronze Age waterhole: this axe-head had been flaked, potentially shortly before deposition, as a refitting flake was recovered from the feature (Cramp nd).

In addition to acts of deliberate deposition such as those discussed above, there was also evidence for the deliberate structural modification of the roundhouses themselves on abandonment (Brück 1999). This included partial or full dismantling of the buildings, as with the example of Down

Farm cited above, Weir Bank Stud Farm (Barnes & Cleal 1995) and Bestwall Quarry (Ladle & Woodward 2009), as well as destruction by fire, such as at Mile Oak (Russell 2002). There was certainly some evidence in the study area to suggest comparable practices. B6 and B7, for instance, like roundhouse 1 at Mile Oak, might also have been destroyed by fire. Interestingly, in the case of roundhouse B7 the fact that only some of the posts were carbonised suggests that the building had already been partially dismantled by the time the remainder of the building burnt down. Partial or complete demolition of roundhouse B8 also seems probable on the basis that the semi-complete vessel discussed above was interred in the top of the hut platform infill.

As noted above there were signs from the study area of the continued use of abandoned house platforms as middens in the Middle and Late Bronze Age – for example, the occurrence of large groups of Middle and Late Bronze Age pottery in the eaves gully of B2 and the infill of the B6 hut platform. This certainly seems to have been so in the case of the assemblage from the infill of roundhouse B6, which is thoroughly broken, with an average sherd weight of less than 8g, and contains no evidence for semi-complete vessels. This contrasts with a similarly interpreted deposit from roundhouse 1 at Mile Oak Farm, where the completeness of many vessels suggested abandonment *in situ* following destruction by fire or an act of decommissioning involving the deliberate destruction of domestic objects (Hamilton 2002a, 38).

The deposits of pottery and other household items discussed so far all appeared to relate to death and abandonment and were almost entirely characterised by incidences of fragmentation and modification – a process that seems also to have been extended to the physical structures of buildings themselves. In addition, however, there were instances of more complete pottery vessels, placed upright, in association with buildings. Among these were examples associated with roundhouse B2, the D-shaped B15 and the probable raised granary B1. As with the examples discussed above, these might be considered to have represented similar event-marking deposits, though perhaps marking key moments during the lifetime of buildings and settlements rather than their disuse and abandonment. The example from the probable raised granary, for instance, appears to be earlier in date than the rest of the pottery associated with the building and may thus be interpreted as a foundation deposit associated with the construction of the building. Interestingly, there was some indication that this vessel may also have been modified prior to deposition: though the vessel was centrally

placed on the base of the pit within the footprint of this structure, it survived to a lower height than the pit fill itself, suggesting its upper portion was removed prior to deposition. This modification and partial truncation of course echoes the similar treatment of vessels associated with roundhouses B8 and B16 although it is notable and perhaps significant that here, where the deposit may have marked the establishment of the building, the upper portion of the vessel was removed while those associated with the abandonment of buildings appear to be missing their lower elements.

The significance and function of those placed vessels associated with roundhouse B2 and the D-shaped B15, on the other hand, are harder to determine. These particular vessels differ significantly from all other episodes of deliberate deposition discussed so far in that neither shows any evidence for deliberate modification or fragmentation, with the exception of a degree of horizontal truncation consistent with later agricultural activity. Given the apparent significance of processes of fragmentation in the majority of probable event-marking deposits of the period (see below), the lack of any such treatment in relation to these particular vessels suggests other scenarios. Indeed, on the basis that these vessels remained perfectly serviceable, there is really no good reason not to suppose a more prosaic interpretation as earth-fast containers – in essence simply a different type of clay-lined pit – installed during the lifetime and use of the buildings. In the case of roundhouse B2, for instance, the pit containing the placed vessel was clearly truncated by a later feature. This clearly indicates that placement of this vessel was not the latest event associated with the building and, by extension, suggests its deposition during the lifetime of the building (although admittedly this does not necessarily exclude interpretation as another form of event-marking deposit). In the case of the D-shaped B15, on the other hand, the placed vessel occurred in association with at least two other clay-lined features and a hearth and there is no evidence to suppose it was not contemporary with and similar in function to these other clay-lined features.

These interpretative issues serve only to highlight the dangers and pitfalls inherent in making assumptions about structured deposition; as Knight has rightly warned, just because a deposit is ‘special’ does not necessarily mean it is ‘ritual’ (Knight 2009, 3). Here, it is as likely that the vessels associated with B2 and B15 functioned as installations within the building as that they were special deposits marking key moments in its life cycle.

Other patterns of deposition associated with buildings and settlement

Another notable feature of depositional practice associated with settlement 1 in particular is the striking absence of pottery from ditches, even when they were very close to buildings. In the case of the ditches of trackway R1, this probably reflects the fact that it remained open and in use over a much longer duration than the buildings. However, the absence of pottery from Ditches 15 and 16 (D15, D16), which defined settlement 1, is interesting and can be set against the significantly larger quantities of pottery and other domestic material, such as burnt and worked flint, found within pits and buildings associated with the settlement. Certainly, this contrasts with evidence from other Middle Bronze Age sites such as Down Farm, Dorset, where the boundary ditch of the settlement appeared to form a focus for refuse disposal and midden formation (Barrett et al 1991, 190, fig 5.33). The deposition of refuse in liminal locations around the margins of settlement is undoubtedly significant (Brück 1999) but the absence of this material within the settlement boundaries in the study area hints at particular preferences at work in the deposition of refuse in and around the settlement.

Deliberate deposition in the wider landscape

In addition to acts of deliberate deposition associated with buildings discussed above, there were a number of upright placed vessels in the wider landscape, which may be similarly interpreted as event-marking deposits. Again, most show signs of modification or fragmentation, usually involving the partial or complete removal of their bases. Many of these occurred in the vicinity of the Late Bronze Age settlement 2, although one example was present in the base of the Late Bronze Age working hollow (OA60). All are in unusually coarse fabrics more typical of the Middle Bronze Age although they also display the post-Deverel-Rimbury characteristics of flint-gritted bases and relatively thin walls. They may therefore represent an early element inserted into these areas, perhaps as event-marking deposits signifying the establishment of activity.

In addition, a number of features also contained vessels which were fragmented but partially complete, although the mechanism of their deposition is more questionable. Among these were examples associated with Open Area 57 (OA57) and Open Area 4 (OA4), located relatively close to each other in the south of the study area. Both contained fragmented sherds representing large parts of individual vessels, whilst other pottery was absent. In the case of that associated with OA57, much of the lower profile of a globular urn survived alongside a few fragmentary rim sherds, while the base appeared to contain

a deposit of fire-cracked flint. The example associated with OA4 consisted of nearly a kilogram of body sherds, probably from a tall, urn-like, vessel although again neither base nor rim sherds were present. While it is possible that the lack of upper body profiles attests to a significant degree of horizontal truncation it seems unlikely that they were placed upright like the other vessels, and the absence of some parts of vessel profiles is perhaps more suggestive of deliberate modification before deposition. In this respect, they resemble the treatment of pottery vessels associated with the abandonment of roundhouses B8 and B16 and, by analogy, could similarly have represented to cessation of activity in these areas.

In various other features, including pits A[824] in B7 and A[1425] in OA58, similar fragmented, partially complete, vessels were found in large groups of broken pottery. Debate about whether such deposits can be interpreted as deliberate or structured remains quite polarised. Many of the same arguments touched on for Neolithic pit deposits also apply here. Indeed, the fact that by the Middle Bronze Age pottery had become a more ubiquitous artefact, used and broken on a regular basis, means that we should not be surprised to find substantial groups of sherds. This does not preclude the possibility that some element of superstition or following of traditional practices played a role in the functional discard of domestic objects but neither does it necessarily suggest that the deposition of such assemblages was viewed as a particularly special or unusual event.

The significance of fragmentation in deliberate deposition

A common theme running through almost all the acts of deliberate deposition discussed above is that of fragmentation. The similar treatment of such apparently disparate entities as humans, pots, querns and buildings has been argued by Brück to reflect a certain metaphorical relationship between them, in which fragmentation and transformation can be used to negotiate and express universal cycles of death and rebirth (Brück 2006a). At Westcroft Road, Carshalton, where similar care seemed to have been taken in the selection and association of different objects in pit deposits, it was suggested that pottery may have had a particular symbolism because it represented material which was extracted from the earth, transformed and ultimately returned to the soil (Macpherson-Grant 2002, 83–4). Perhaps the frequency of deliberately deposited vessels, both in buildings and in the wider landscape, hints at rituals connected to agricultural and life cycles, as well as to the commemoration of death and disuse, in which the use, fragmentation and deposition of pottery and other objects played an integral part.

Industry

Anna Doherty

The assemblage from the Late Bronze Age pit A[1576] in Open Area 61 (OA61) provides rare tangible evidence for the production of prehistoric pottery, a process which tends to be archaeologically invisible owing to the difficulty of distinguishing simple bonfire kilns from other burnt features (Gibson 2002, 36). Indeed, in view of the close spatial association of the production waste in pit A[1576], the possible bonfire hearth A[2187], the possible workshop B15 and the prodigious quantities of fire-cracked flint in Ditch 17 (D17) it is possible that together they represented a zone of pottery production in settlement 2.

Although many warped, overfired and spalled sherds were recorded, it should be noted that this was clearly not a case of a whole misfired load dumped directly into a pit. The most severely warped examples are all individual sherds rather than near-complete vessels; indeed, no vessel in the group as a whole is more than half-complete. The unusual homogeneity of the assemblage, characterised by a large number of similar forms in almost identical fabrics, may suggest the work of a single potter but many of these vessels did not exhibit any obvious signs of misfiring (although slight shrinkage did seem to have caused cracks in some examples).

Around a fifth of the estimated vessels showed some evidence of internal or external sooting, probably indicative of use in cooking processes. Some cross-fitting sherds seem to have been subject to different patterns of abrasion, suggesting that they had been reworked from their original depositional context. This evidence, together with a range of other finds and environmental remains, including a spindle whorl and a briquetage trough, suggests that the assemblage derives from a range of different areas and activities. Some of the material may be derived from Buildings 1 and 15 (B1, B15), located close by. It is however, worth noting that the briquetage trough (RF<10>) is in an identical fabric to the pottery waster sherds and also exhibits signs of over-firing and surface cracking. Morris (2006b, 110) suggests that pottery and briquetage may well have been made by the same potters, and this group provides possible evidence for this.

In general, the mixed nature of the group from pit A[1576] seems to suggest a scenario where wasters from a nearby site of pottery production were incorporated into domestic middens. It is also possible that some spalled or slightly cracked vessels were used as 'seconds'. This seems to fit well with current interpretations of the nature of prehistoric pottery production which suggest that the vast majority of production was carried

out at the household level, with non-specialised potters making vessels seasonally for the use of an extended family group, without devoted workspaces or equipment. In this context it seems logical that any waste accumulated from such processes would end up in similar deposits to normal domestic waste.

PERIOD 6: TRANSITIONAL LATE BRONZE AGE AND EARLY IRON AGE, c 800–400 BC

THE CHARACTER OF EARLY IRON AGE OCCUPATION IN THE STUDY AREA

The absence of evidence for Early Iron Age occupation in the study area is striking, particularly when set against the more plentiful settlement evidence for preceding and subsequent periods. In this respect, the limitations of the available dating evidence outlined above should be borne in mind as they inevitably affect the confident identification of Early Iron Age activity in the study area. Nonetheless, the dearth of Early Iron Age material from the study area is likely to be genuine and representative of only minimal occupation during the first half of the first millennium BC. This is certainly not inconsistent with the wider evidence. The period as a whole is marked by a scarcity of settlement sites in relation both to earlier and later periods and a lack of diagnostic material is a common trait in many Early Iron Age assemblages (Haselgrove & Pope 2007b; Henderson 2007). Doubtless there are issues of visibility and recognition at work in the apparent dearth of evidence for the period generally, as Haselgrove and Pope rightly point out, but, these factors aside, the implication is that substantial areas were only minimally occupied for much of the period (Haselgrove & Pope 2007b, 5). This is partly borne out by the apparent wholesale abandonment of Bronze age field systems during the Early Iron Age (Yates 2001; 2007), which, if not indicative of depopulation per se, certainly suggests a profound reorganisation of farming strategy in the first half of the first millennium BC. It is certainly tempting to link these apparent changes in settlement and subsistence to the well-documented deterioration in climate during the early first millennium BC, particularly in relation to upland areas (eg Burgess 1985; Cunliffe 2005, 33–4), although recent research suggests a greater degree of regional variation in response to environmental change than was previously thought (eg Bevan 2007; Haselgrove & Pope 2007b, 13; Henderson 2007).

At a regional level, there is some evidence to suggest a degree of variation in settlement patterns in the South Downs at this time, which may go some way to explaining the paucity of settlement evidence in the study area. Early Iron Age settlement evidence is certainly present elsewhere in the South Downs at

sites such as Muntham Court, Park Brow, Bishopstone and Green Street. However, these settlement sites all lie further afield, either west of the River Adur or east of the River Ouse; within the downland block defined by these rivers, in which the study area lies, Early Iron Age occupation was noticeably limited to the early hillforts of Thundersbarrow Hill, Ditchling Beacon and Hollingbury (see Hamilton 2003, fig 6.3). In contrast to later hillforts, which tended to be more centrally placed within the downs, these early examples were all situated in marginal locations on the northern or southern edges of the South Downs, emphasising their connection to non-downland locations, including the Weald and the coastal plain (Hamilton & Manley 2001). While it is quite possible that contemporary settlement sites within the South Downs still await discovery, the current evidence suggests only minimal or transient utilisation of the interior of this particular block of downland in which the study area lies, which might be reflected in the apparent dearth of Early Iron Age occupation in the study area.

SUBSISTENCE AND ECONOMY IN THE STUDY AREA DURING THE EARLY IRON AGE

Karine Le Hégarat

In light of the scarcity of well-dated Early Iron Age activity in the study area it is perhaps unsurprising that charred crop and macrobotanical remains for the period are limited, although the probable grain-drying kiln Structure 12 (S12) attested to at least some continued arable cultivation in and around the study area at this time. Wheat and barley were the most frequently identified crops in samples from the period, with glume wheat best represented, closely followed by hulled barley, but spelt and perhaps emmer were recorded in the chaff assemblages from the period, and small quantities of free-threshing bread-type wheat and wild oats were also present. In contrast to preceding periods, however, there was no evidence for the cultivation of pulses and commitment to pulse farming seems to have ceased with the start of the Iron Age. This emphasis on cereal crops is the most discernible change during the Early Iron Age, but it seems to have been only for a short period, for there is evidence for the cultivation of pulses in later periods (see below). In southern Britain, spelt wheat is often documented as having replaced emmer during the earlier part of the first millennium BC. The reasons for the well-documented change from emmer to spelt at this time are likely to be complex but it could have been a consequence of both climatic and sociopolitical factors (Pelling 2012b). Indeed, Pelling points out that the absence of emmer on certain sites could be more deceptive and relate to different treatments of

the wheat rather than a true absence (ibid). The evidence from the study area broadly corresponds with the wider evidence, with more of the identifiable chaff recorded as spelt than emmer. However, given the large quantity of indeterminate grains and unidentified chaff it is impossible to draw significant conclusions and it is likely that both glume wheat species were still cultivated during this period.

CHAPTER 5 MIDDLE IRON AGE–EARLY ROMAN

5.1 PERIOD 7: MIDDLE IRON AGE, c 400–100/50BC

INTRODUCTION

The advent of the Middle Iron Age period around 400 BC was marked by a significant expansion of activity on the south side of the Upper Piddinghoe valley. This was manifested in the establishment of a complex system of enclosures which extended over both the Lower Hoddern Farm and the Keymer Avenue sites (Fig 5.1). While information regarding the enclosures at the former site is rather limited owing to the partial preservation *in situ* of the enclosure, full excavation at Keymer Avenue, coupled with detailed stratigraphic analysis of the excavated sequence, has enabled the development of much of this regionally important Middle Iron Age settlement and enclosure system to be charted in considerable detail. Unfortunately, the fine-grained resolution afforded by the stratigraphic analysis is not supported by the available dating evidence, which generally consists of small groups of highly abraded and fragmented pottery that show little, if any, signs of chronological differentiation over the course of the period. However, the balance of the evidence, which suggests incorporation of pre-existing buildings within newly established enclosures, implies a very rapid process of enclosure, probably over years or decades rather than centuries.

Perhaps more problematic than the duration of Middle Iron Age occupation in the study area is the *character* of that occupation. The poor quality of the Middle Iron Age pottery assemblages from the excavations has already been mentioned. While this in itself might indicate specific depositional practices at work which may shed some light on the nature of occupation in the study area during the Middle Iron Age, this is to some extent hindered by both poor preservation and limited archaeological investigation. The acidic nature of the geology at Keymer Avenue, for instance, has resulted in virtually no survival of metalwork or bone from the site and consequently finds are largely limited to ceramics and lithics (the latter dominated by fire-cracked flint, which appeared to be prevalent across the Keymer Avenue site), while charred plant remains from the site are universally very poorly preserved and of only limited potential. In the absence of good environmental data and associated finds, therefore, it has sometimes proved very difficult to determine the nature of particular land uses in the enclosure system. Similarly, the very limited investigation of the

Middle Iron Age enclosure on the Lower Hoddern Farm site (EN6) has necessarily restricted interpretation of activity here to only the broadest of observations.

MIDDLE IRON AGE ACTIVITY AT KEYMER AVENUE AND LOWER HODDERN FARM

The detailed stratigraphic analysis of the sequence at Keymer Avenue has enabled activity here to be divided into two broad phases. Period 7, phase 1 covers the earliest dated Middle Iron Age activity, including a possible early field system and a phase of unenclosed settlement, while period 7, phase 2 encompasses the emergence and subsequent development of the enclosure systems both on this site and the Lower Hoddern Farm site. This phase is further subdivided into three subphases (period 7, phases 2a, 2b and 2c), charting the development and modification of the enclosure system through the course of the period.

PERIOD 7, PHASE 1: EARLY FIELD SYSTEMS AND UNENCLOSED SETTLEMENT AT THE KEYMER AVENUE AND SEAVIEW AVENUE SITES

Ditches 1–3 (D1, D2 and D3) and Field System 2 (FS2)

Integral to the layout of the unenclosed settlement at Keymer Avenue was a group of three ephemeral and fragmentary ditches on north-east–south-west and north-west–south-east alignments (Figs 5.2 and 5.3). Unfortunately, a lack of direct stratigraphic relationships and the poor chronological resolution afforded by the available dating means that it is impossible to determine whether these ditches were laid out at the same time as the associated buildings or formed part of a pre-existing small field system. The latter remains a distinct possibility. In this respect, it is interesting to note that two similarly orientated ditches at Seaview Avenue have been interpreted as elements of possible Field System 2 (FS2) (Fig 5.2). Given the very limited evidence for occupation on the south side of the Upper Piddinghoe valley during the preceding Early Iron Age, it is possible that these ditches represented a phase of reoccupation here very early in period 7, consisting of relatively small-scale farming. Quite why such a field system would be laid out on an orientation so different from that of the adjacent Bronze Age FS3 is difficult to understand given that this latter field system appeared to be in use later in period 7 and even to influence the layout of the subsequent period 7, phase 2 enclosures at both the Keymer Avenue and the

Fig 5.1 Plan of Middle Iron Age features across the study area (period 7)

Lower Hoddern Farm sites. It is conceivable, however, that the relatively small-scale farming suggested by D1, D2, D3 and FS2 reflected only limited occupation at the beginning of period 7, at which time the more extensive Bronze Age FS3 had all but fallen into disuse, only to be re-established later in the period, perhaps in response to an expanding population.

Settlement 3: the unenclosed settlement

If ditches D1, D2 and D3 did indeed represent the evidence for a small-scale field system at the beginning of the Middle Iron Age at Keymer Avenue, it appears to have been a relatively short-lived one, for it was soon superseded by a

small unenclosed settlement (Fig 5.3). This consisted of four rectangular post-built buildings with associated open areas, including industrial areas and possible middening areas on the settlement periphery (settlement 3). The alignments of the various buildings that made up this settlement suggest they may have been laid out and constructed with reference to these pre-existing ditches, although it is possible that their orientation was governed by other factors, such as cultural tradition (see below). The evidence suggests that these ditches were retained, at least initially, and, along with north-west–south-east-aligned post-built fence Structure 1 (S1), served to define the various open areas associated with the settlement.

Fig 5.2 Plan of period 7, phase I features across study area

Building 12 (B12) and Open Area 9 (OA9)

At the heart of the unenclosed settlement was rectangular Building 12 (B12; Fig 5.4). Whilst all the buildings in this settlement appear to have been retained throughout most of the period, being incorporated within the various enclosures as they were laid out, B12 was the only structure to be entirely rebuilt on the same footprint during the course of the period, which may suggest that it was of some importance. Situated in Open Area 9 (OA9), which was defined by D1, D2 and D3, it was aligned parallel to D1 and the projected line of D3 and lay almost equidistant between them.

The building itself consisted of a rectangular structure measuring around 14.45m long by 8.37m wide. The north-

eastern end of the building was distinctly rounded and, though the south-western end had suffered from later truncation, it appeared to have been similarly rounded. Opposing pairs of postholes B[20/009], B[20/011], B[178] and B[193], which were located almost exactly halfway along the longitudinal axis of the building, hinted at an internal subdivision of the building into two equal portions, while other recut postholes, such as B[259] and B[261] in the south-western corner of the structure, were perhaps more suggestive of maintenance or repair. Features within the building were limited to a small pit, B[255], located close to the south-eastern wall of the building. While there was no unequivocal evidence for doorways in the building it was possible to perceive two opposing doorways in the long walls

Fig 5.3 Plan of settlement 3 features at Keymer Avenue (period 7, phase I)

of the building, immediately to the south-west of the putative internal partition. Finds associated with the building are limited but include a small group of Middle Iron Age pottery and a somewhat larger quantity of fire-cracked flint.

Building 14 (B14) and Open Area 27 (OA27)

B14 was located to the west of D1, within a much larger open area (OA27) and consisted of a rectangular post-built building on a south-west to north-east orientation (Fig 5.3). The building measured around $8.62 \times 6.31\text{m}$ but, given that only its south-western and south-eastern sides appeared to be present, it is possible that it was incomplete and that it may originally have been larger (Fig 5.5). Internal features associated with the building included two probable postholes, B[1116] and B[1133], which may have represented either internal division of the building or roof supports, and a small pit, B[1118], which produced a large quantity of fire-cracked flint, a small assemblage of Middle Iron Age pottery and a few fragments of undiagnostic fired clay. Other finds associated with the building generally consisted of occasional sherds of pottery and fire-cracked flint from various postholes in the structure.

Features in associated OA27 include a cluster of pits and postholes to the south-west of B14 (Fig 5.5). With the exception of a single fragment of probable Middle Iron Age

pottery from pit B[22/004] and a general scatter of fire-cracked flint, these features proved devoid of any finds and their function on the whole remains uncertain, although some of the larger features such as B[1353] or B[187] could represent storage pits.

Buildings 10 and 11 (B10, B11) and Open Area 16 (OA16)

B10 and B11 were located in the far west of the Keymer Avenue site, adjacent to one another and both on a similar north-west to south-east alignment (Fig 5.6). B10 consisted of a post-built structure measuring around $11 \times 8.35\text{m}$. A line of posts running down the longitudinal axis of the building may have represented either internal subdivision or roof supports. A further posthole or small pit, B[1496], in the north-eastern half of the building was of uncertain function but may have related to an internal installation or an additional partition. The north-western end of B10 appeared to be slightly bowed but, by contrast, the south-eastern side remained very poorly defined, though whether this was a consequence of later truncation or whether the building was intended to be open on this side remains uncertain on the basis of the surviving evidence. Finds recovered from this building include Middle Iron Age pottery and struck flint.

Fig 5.4 Detailed plan of Building 12 and related sections

B11 consisted of a simple square structure measuring around $7.6 \times 7.4\text{m}$, situated directly to the north of B10. As with B10, one side was very poorly defined (in this case the north-western side), although this may well have been the result of later truncation as a consequence of the repeated recutting of enclosure boundary ditches in this part of the site. Finds associated with this building include a handful of sherds of Middle Iron Age pottery and a quantity of fire-cracked flint. The proximity of these buildings to one another suggests a

close association and similarity of function. Activity associated with them included a group of small pits to the north of B11 (OA16), finds recovered from which include a small quantity of probable Middle Iron Age pottery and fire-cracked flint.

Activities associated with settlement 3: Open Areas 13–15, 24 (OA13–OA15, OA24) and Structure 1 (S1)

Much of the activity on the periphery of this unenclosed settlement appeared to have been focused around industry and refuse disposal. This included a probable working hollow (OA14), extensive areas of middening (OA15 and OA24) and a zone of pits and postholes (OA13) that probably represented a range of other activities around the perimeter of the settlement (Fig 5.3). Again, the evidence suggests that much of this activity might have originally been defined by Ditches 1–3 (D1–D3), although the stratigraphic evidence from OA14 certainly indicates that at least some of these ditches were falling into disuse by this time.

Working hollow: Open Area 14 (OA14)

A probable working hollow within OA14 lay to the south of settlement 3. It consisted of a shallow irregular depression measuring some $12.70 \times 9.70\text{m}$ across and up to 0.25m deep (Figs 5.7 and 5.8). Although it overlay and partially truncated the pre-existing D2 and D3, the spatial relationship between it and these features suggested that it may originally have been positioned in the eastern corner of the area that they defined. A number of small pits of varying size and shape in the base of the hollow all contained similar highly distinctive fills rich in ash charcoal and an abundance of extremely fragmented and crushed fire-cracked flint. Analysis of the charcoal from these features indicates a fairly typical assemblage of fuel woods for the period, dominated by oak, hazel and Maloideae but also including small quantities of ash, elm, cherry/blackthorn, birch and yew (*Taxus baccata*). The purpose of the working hollow and its associated features remains uncertain and a range of functions are possible, including activities associated with cooking or boiling, parching or even the production of potting temper.

Areas of probable middens: Open Areas 15 and 24 (OA15 and OA24)

The probable middens represented by OA15 and OA24 consisted of extensive deposits of mid greyish-brown silty sand located to the south-east of D3 (Figs 5.3 and 5.9). The deposit was characterised by an abundance of fire-cracked and struck flint, with somewhat smaller quantities of pottery and other worked stone, including several modified quartzite pebbles

Fig 5.5 Detailed plan of Building 14 and related sections

utilised as hammerstones: RF<60>, RF<63> and RF<64>. At the time of excavation, these deposits were considered to represent relict soils of Mesolithic and Neolithic date and they certainly contained significant assemblages of Mesolithic and Neolithic struck flint, as well as a quantity of Neolithic Plain Bowl and Peterborough Ware pottery (see Chapter 6.3). Virtually all the struck flint from these deposits, however, is moderately to heavily damaged, indicating extensive and prolonged reworking of these soils. Admittedly, the Neolithic pottery is in somewhat better condition, suggesting minimal reworking and perhaps fairly direct redeposition from a truncated Neolithic context but, significantly, small quantities of Middle Iron Age pottery were also recovered from the deposits. Undoubtedly, the range of material present and its disparate dating indicates an input from a variety of sources, as well as a range of taphonomic processes at work in the formation of the deposits. However, the clearly defined spatial relationship to settlement 3 and D3 and the presence of Middle Iron Age pottery within the deposits certainly indicates that, whatever their origin, they were active during the lifetime of settlement 3. Indeed, the abundance of fire-cracked flint contained within them suggests a certain functional link with activities associated with the nearby working hollow OA14.

Fence Structure 1 (S1) and Open Area 13 (OA13)

The north-eastern boundary of settlement 3 appeared to be defined by a post-built fence (S1) that could be traced for some 42m across the site (Fig 5.10). Up against the north-eastern side of this fence was a variety of pits and postholes (OA13) in a well-defined linear concentration, probably representing a range of activities carried out beyond the immediate limits of the settlement. Many of these features appeared to occur in fairly distinct clusters around seemingly blank areas, perhaps indicating the footprints of small structures or otherwise functionally distinct areas that have

Fig 5.6 Detailed plan of Buildings 10 and 11 within Open Area 16, and related sections

Fig 5.7 Detailed plan and selected sections of Open Area 14 working hollow

left no archaeological trace. Other quite distinct groupings of features were also apparent, including at least two short linear arrays of posts at the far north-western and south-eastern limits of OA13, which may have represented small external installations such as drying racks or looms. Notable finds recovered from features in OA13 include two incomplete loom weights from pits B[1731] and B[376] (RF<40> and RF<42>), in addition to quantities of fire-cracked flint and Middle Iron Age pottery.

Fig 5.8 Photograph of Open Area 14 under excavation, looking north-west (1.0m scales)

Fig 5.9 Photograph of midden deposit Open Area 15 under excavation, looking north-west

PERIOD 7, PHASE 2: THE EMERGENCE AND DEVELOPMENT OF THE ENCLOSURE SYSTEM AT KEYMER AVENUE AND LOWER HODDERN FARM

At some point, settlement 3 began to evolve into an extensive enclosure system that probably reflected, in part at least, a change in the economic basis of the settlement with an increasing emphasis on a pastoral economy, although it should be noted that, because of poor bone preservation, this is not explicitly supported by any associated faunal evidence (Fig 5.11). The various buildings which made up the early unenclosed phase of settlement appeared to be largely retained throughout this process of enclosure. However, many of the other more specialised components of the early unenclosed phase of settlement, including the possible industrial area Open Area 14 (OA14), the middens OA15 and OA24 and the fence Structure 1 (S1) and the associated OA13, were superseded by the developing enclosure system. While the precise end dates

Fig 5.10 Detailed plan and selected sections of fence Structure 1 and associated pitting Open Area 13

of these various open areas remain poorly defined, the available evidence suggests they may have gone out of use at different times. The creation of Enclosure 1 (EN1), for instance, certainly indicates that fence S1 and OA13 must have gone out of use by period 7, phase 2a (see Fig 5.12) but there is no evidence to suggest that OA14, OA15 or OA24 went out of use before the creation of Trackway 12 (R12) in period 7, phase 2b.

Period 7, phase 2a: the establishment of the enclosure system at Keymer Avenue
Enclosure 1 (EN1) and Open Area 18 (OA18)

Fig 5.11 Plan of period 7, phase 2 features across the study area

At the core of the Middle Iron Age enclosure system was the large rectangular ditched Enclosure 1 (EN1), laid out to the north of Buildings 10–12 and 14 (B10–B12, B14) and encompassing an area that measured around $58.9 \times 41.6\text{m}$ (Fig 5.12). The northern and eastern sides of this enclosure were defined by a single large ditch measuring up to 2.7m wide and 1.0m deep. Pronounced changes in the break of slope are evident in many of the excavated sections across this ditch, suggesting continued maintenance and recutting of the ditch (Fig 5.13). The western and southern sides of the enclosure were initially defined by a single L-shaped ditch with shallow U-shaped profile. This ditch was less substantial than its

counterpart to the north and east, measuring up to 1.50m wide but only around 0.30m deep. However, it too appeared to have been recut and redefined several times during the course of its lifetime, presumably reflecting continued efforts to redefine the boundaries during subsequent episodes of expansion and development of the enclosure system.

The principal means of access to the enclosure appeared to have been a wide entranceway in its south-east corner, which afforded access between the enclosure itself and an area of open ground to the east (OA18) that may have served as pasture. At some 23.5m across, this entranceway seemed to be almost impractically wide and it is difficult to fathom how access to

Fig 5.12 Plan of Enclosure I and Open Area 18 (period 7, phase 2a) at Keymer Avenue and Lower Hoddern Farm

and from the enclosure was controlled without recourse to some additional installations, for which there is no evidence. Such installations are certainly apparent in subsequent phases of construction, where they appeared to represent evidence for the controlled movement of livestock around the enclosure system, but it is quite possible that access to and from this enclosure was controlled by means of fences or hurdles which have left no trace in the archaeological record.

The sum of the evidence – for later phases of activity at least – suggests that EN1 was used primarily for the corralling and movement of livestock. However, a scatter of pits and

postholes clustered in the south-western corner of the enclosure suggests that other activities may have been carried out within parts of it at some point during its lifetime (Fig 5.13). For the most part, these features were fairly unremarkable and probably represented a variety of settlement-related activities. However, a large subrectangular pit, B[1331], that appeared to have been backfilled almost exclusively with large flint nodules is of particular note. So too are two distinctive elongated pits in the far south and west of the enclosure, B[1615] and B[1741], both of which were similar in size and shape and contained an abundance of fire-cracked flint and charcoal. These latter

Fig 5.13 Detailed plan and selected sections of Enclosure I

features may well have represented evidence for cooking or other related activities such as salt production. In this respect it is notable that the majority of briquetage dated to period 7 was recovered from features associated with EN1, amounting to some 73% of the assemblage, and it is possible that at least some of the activities carried out within the enclosure may have been linked to salt production in some way. The function of pit B[1331], on the other hand, remains more difficult to fathom, although it seems likely the feature represented a deliberate cache of flint (Fig 5.14). While it may indicate the storing of good-quality knapping flint below ground in order to protect it from frost damage, for instance, there is no good evidence for Iron Age flint knapping from the current sites (see Chapter 6.1 below). A functional link between this feature and the fire-cracked flint which appeared to be so prevalent in Iron Age contexts at Keymer Avenue is also possible. Of course, a non-utilitarian interpretation is also conceivable, perhaps signifying the clearance of the new enclosure of flint and its subsequent formal disposal within a purpose-dug pit. Alternatively, the flint could represent a backfill or capping over something which has failed to survive in the archaeological record.

Fig 5.14 Photograph of pit B[1331] under excavation showing the quantity of flint contained within the feature, looking north-east

Partial reuse of Bronze Age Field System 3 (FS3) and new additions, Open Area 46 (OA46)

Further access to the enclosure in the opposing north-west corner is implied by the curving form of the northern enclosure ditch, which is somewhat suggestive of a funnelling arrangement for the control of livestock (Fig 5.12). Unfortunately, this element of the enclosure extended beyond the limits of the excavation and its exact layout and the way in which it might have articulated with FS3 to the north remains frustratingly ill defined. The balance of evidence, however,

seems to suggest not only that certain elements of the Bronze Age FS3 remained visible landscape features at this time but that they were actively utilised during this phase of occupation. The alignment of EN1, for instance, suggests it was laid out with reference to FS3. Moreover, its western ditch appeared to extend far beyond its limits to form a field boundary ditch that, with the pre-existing Bronze Age ditch (A:G56), served to define a small field to the north of the enclosure. The field appears to have been used principally for livestock, given an extensive area of stock poaching in its south-western corner, close to the putative north-western entrance to EN1.

An L-shaped boundary that served to define two further fields to the west of FS3 also appeared to belong to this phase of activity and attested to the creation of new fields (OA46) alongside the retention of elements of the pre-existing Bronze Age field system. Though this boundary was recut several times, the small complex of fields appeared to have been relatively short-lived, for they were soon superseded by the emergent network of trackways that characterised the subsequent reorganisation of the landscape.

Period 7, phases 2b and 2c: expansion and modification of the enclosure system and the reorganisation of the agricultural landscape at Keymer Avenue and Lower Hoddern Farm

A veritable explosion of activity following the creation of Enclosure 1 (EN1) attested to the extensive reorganisation of the agricultural landscape to the south of the Upper Piddinghoe valley, presumably as a result of a dramatic intensification of the pastoral economy towards the end of the period. The former Bronze Age Field System 3 (FS3), for instance, appeared to be abandoned wholesale during this phase, to be replaced by an extensive network of related enclosures that were linked by a new system of trackways. Many of these enclosures seemed to have developed around the formative EN1, including EN2 and EN3 to the south and perhaps EN4 and EN5 to the north, although the outlying EN6 also appeared to have been founded during this phase.

Period 7, phase 2b

Trackways 8/13, 12, 7 and 14 (R8/R13, R12, R7 and R14) and the wider pastoral landscape

Pivotal to the development and function of this system of interrelated enclosures was the new network of trackways that served both to define and connect the various enclosures, not only to one another but to the wider landscape (Fig 5.15). The trackways were laid out on two principal alignments. To

Fig 5.15 Plan of period 7, phase 2b features at Keymer Avenue and Lower Hodderm Farm

the north of the enclosures was an east–west thoroughfare including Trackways 7 and 14 (R7 and R14). This served to connect the various enclosures to a series of probable pastures to the east, west and north of the enclosure complex, including Open Areas 64–65 (OA64–OA65), OA74 and a much-reduced OA46, which was partially retained during this phase of activity. The presence of additional areas of stock poaching in OA46, such as that outside the entrance to EN4, further underlines the pastoral character of the landscape at this time.

A further trackway (R12), aligned west-north-west to east-south-east to the south of the enclosure complex, presumably linked the enclosures to further pasture to the south, east and west of the enclosure complex, though these lay beyond the limits of the excavation areas. These two main thoroughfares were linked to one another by means of a short section of north–south-aligned trackway (R8/R13), which ran through the core of the enclosure complex centred on Keymer Avenue.

The exact chronological relationship between this network of trackways and the various enclosures that they served is likely to be a complex one. In some instances, such as EN2 and EN3, the trapezoidal shape of the enclosures appeared to have been influenced by trackways R13/R8 and R12 and here it is likely that the trackways were already in existence at the time the enclosures were laid out. Elsewhere, the temporal relationship is less easy to define. EN4 and EN5, for instance, were partly defined by trackways R13/R8 and R14, but whether the enclosures represented infill between the pre-existing network of trackways or whether the tracks were laid out around the enclosures is impossible to determine on the basis of the available evidence. Similar uncertainties surround the relationship between EN6 and the adjacent trackway R7.

Enclosure 2 (EN2) and associated activity

EN2 was laid out to the south of EN1 at the junction between trackways R12 and R13, which, as stated above, appeared to influence the shape of the enclosure (Fig 5.16). A large trapezoidal ditched enclosure measuring around 59.20 × 61.30m, it appeared to form the core of the continued settlement at Keymer Avenue. Not only did it seem to respect the pre-existing post-built Buildings 10, 11 and 14 (B10, B11 and B14) but it appeared deliberately to incorporate the buildings within newly created plots in the enclosure, defined by internal subdividing Ditches 5, 7 and 8 (D5, D7 and D8). By this phase of occupation, B10 and B11 appeared to lie within rectangular OA19, which occupied the northern half of EN2, while B14 lay within a smaller plot (OA20) in the south-east quarter of the enclosure, defined by ditches D7 and D8. Associated features

in OA20 included a variety of small pits and postholes scattered across much of the plot, with three larger possible storage pits in the north-east corner, B[946], B[992] and B[1238], from which a small assemblage of briquetage was recovered, hinting at an association with salt production in this area of the enclosure. The south-west quadrant of EN2, on the other hand (OA26), appeared to have been unoccupied by buildings. Associated features consisted of little more than a desultory scatter of small pits and postholes of uncertain configuration and function, although an incomplete loom weight was recovered from pit B[1542] in the far north of the area.

Building 13 (B13) and Trackway 11 (R11)

Concomitant with the establishment of EN2 and EN3, the pre-existing B12 appeared to have been entirely rebuilt as B13 on virtually the same footprint (Fig 5.17). This building was slightly smaller than its predecessor, B12, measuring some 13.40 × 7.0m, but it shared some features with B12, such as a slightly rounded or bowed frontage at its south-west end. While no clear evidence for doorways could be discerned in this structure, access through its south-western short end via the short length of ditched trackway or avenue R11 seems likely. It is certainly interesting to note that, although this building lay outside the settlement core represented by EN2 and its associated buildings, it appeared to have been accessed from that enclosure by means of trackway R11. No evidence for any internal subdivision survived in B13 and the evidence suggests that, while it represented a rebuild of building B12, certain changes were effected in this later building, perhaps including the relocation of the doorway. Associated finds amounted to little more than a small assemblage of Middle Iron Age pottery and the ubiquitous fire-cracked flint.

Period 7, phase 2c

Enclosure 3 (EN3)

Period 7, phase 2c was marked by the establishment of Enclosure 3 (EN3; Fig 5.18). This was laid out to the south and east of EN1 and EN2 and was broadly rectangular in shape, measuring some 90.3 × 51.9m. In contrast to EN2, which appeared to have been laid out primarily to accommodate Buildings 10, 11 and 14 (B10, B11 and B14), this enclosure contained very little evidence for buildings, with the exception of building B13, and appeared to have functioned primarily for the corralling of livestock. Indeed, even though B13 lay physically within EN3, it seemed to have been accessed principally from EN2 via avenue R11.

Fig 5.16 Plan of Enclosure 2 and associated open areas (period 7, phase 2b) at Keymer Avenue

Access between EN3, the formative EN1 and the adjacent pasture OA18 was apparently controlled by means of an array of gates, Structures 2 and 3 (S2 and S3), and associated short curving lengths of ditch built in the entranceway to EN1, which by this time had been narrowed somewhat with the extension of its southern enclosure ditch (Fig 5.19). Internally, EN3 was further subdivided by Ditches 4 and 9 (D4 and D9) into a series of narrow plots, including OA21, OA22 and OA31. The cluster of pits and postholes at the southern end of OA21 suggested activity associated with B13 and significant finds from this area included part of a loom weight (RF<49>). Similarly, the small irregular space enclosed by B13 and D9 was probably principally associated with B13, although associated features were limited to just one pit, B[225].

Elsewhere in EN3, associated features amounted to little more than occasional clusters of postholes and pits that probably represented installations such as tethering posts, including a series of postholes in the far south-eastern corner (OA25). An area of stock poaching in the north-west corner of the enclosure (OA34) bore witness to the timeless habit of livestock to congregate close to gates and further underlined the prime function of the enclosure for holding livestock.

Modification of Enclosure 2 (EN2)

A series of minor modifications associated with EN2 attested to an ongoing process of alteration and adaption of this settlement complex during this phase of activity (Fig 5.19). The western boundary of the enclosure shifted to the east, perhaps

Fig 5.17 Detailed plan and selected sections of Building 13 shown in relation to footprint of earlier Building 12

reflecting a change in the alignment of trackway R8/R13, and the internal dividing D5 was recut as D6, at which time B10 and B11 were apparently demolished. The northern half of EN2 was thus given over entirely to OA19, and a group of pits excavated in the area of the former buildings.

Other Period 7, phase 2 activity at Lower Hoddern Farm *Enclosures 4 and 5 (EN4 and EN5)*

It is also possible that Enclosures 4 and 5 (EN4 and EN5) were also laid out at some point during period 7, phases 2b and 2c, given that they were both respected by and partially defined by Trackways 8/13 and 14 (R8/R13 and R14; Fig 5.15). While this is not explicitly supported by the available dating evidence, which is almost exclusively Early Roman in date and attests to the continued usage of these particular enclosures into the Roman period, the prevalence of this later material could simply be a consequence of later cleaning out and recutting of the enclosure ditches. The lack of discrete features associated with the enclosures during this phase is notable but may reflect either the incomplete excavation of the enclosures or the fact that they were used for little more than corralling livestock at this time.

Enclosure 6 (EN6)

EN6 lay some distance to the east of the main enclosure complex centred on Keymer Avenue. Again, the precise chronology of this enclosure remains poorly defined but the balance of the evidence suggests its establishment at some point during period 7, phases 2b and 2c. Unfortunately, owing to the preservation of this enclosure *in situ*, information regarding its development and use is limited to the results of initial geophysical survey and evaluation only, although the basic layout of the enclosure is relatively clear, consisting of a rectangular ditched enclosure measuring some 49.4 × 43m (Fig 5.20). Evaluation showed the western and southern ditches of the enclosure, A[71] and A[65], to measure between 1.9m and 3.0m wide, with rounded profiles and evidence for at least one recut indicating some ongoing maintenance of the enclosure ditches (Fig 5.19). The eastern and northern ditches of the enclosure remain unproven by excavation, although it is possible to trace their course and alignment by means of geophysical survey. The geophysical survey of the enclosure also suggests that it was subdivided internally into a smaller rectilinear area measuring around 35.9 × 20.1m in the north-western corner of the enclosure, with an L-shaped area measuring between 11.1m and 15.4m wide around the south and eastern sides. Activity associated with these two

Fig 5.18 Plan of period 7, phase 2c features at Keymer Avenue and Lower Hodderm Farm

Fig 5.19 Plan of period 7, phase 2c features at Keymer Avenue

areas was necessarily limited but included three pits which may have represented storage features, including a circular pit, A[18], with slightly undercut sides and flat base and perhaps the rectangular pits A[30] and A[43], both of which had vertical sides. Pit A[43] in particular was significant in that it appeared to be floored with well-packed flint nodules. Given the complete absence of any finds in anything other than the latest fill it seems probable that it was cleaned out or emptied on going out of use, although a primary storage function is considered probable. Other associated features included an east-west-aligned ditch, A[48], and a further rectangular pit, A[14], similar in size and shape to pit A[43], which may also have represented a storage feature. Together, these

features suggest the enclosure was given over in part at least to settlement and perhaps to grain storage.

Dating evidence for the establishment and usage of EN6 is limited but suggests a Middle-Late Iron Age date for much of the activity associated with it. This is broadly confirmed by a radiocarbon date of 550 cal BC–AD 100 (Beta-192615, 2190±120 BP) obtained from fill A[70] of ditch A[71].

Other settlement-related activity associated with the enclosures: Building 3 (B3) and Open Area 40 (OA40)

Further evidence for settlement in the wider environs of the enclosure complex was identified in the area defined by trackways R7 and R8 and EN1, including post-built B3 with an area of associated pitting, OA40, and further probable

Fig 5.20 Detailed plan and sections of Enclosure 6

storage pits (Fig 5.21). The balance of the evidence suggests this activity broadly dated to period 7, phases 2b and 2c, although it is not possible to refine its chronology further. In contrast to the other period 7 buildings, which were exclusively rectilinear in plan, B3 appeared to represent evidence for a roundhouse (Fig 5.22). The structure, as surviving, measured around 7.0m wide by 5.7m deep and consisted of a probable south-east-facing frontage of fairly substantial posts with a trapezoidal

arrangement of much smaller posts or stakes to the rear, perhaps representing the elements of the roof supports for the building; in addition, an area of burning towards the western end of the building suggests the presence of a hearth (Fig 5.23). The building stands in relative isolation, outside the main enclosure complex.

Activity in the environs of B3 included an extensive area of pitting in the corner defined by trackway R8 and EN1 (OA40).

Given the significant variation evident in the size of these features, it seems probable that these represented a range of activities. Large pits with vertical or slightly undercut sides such as A[64], A[80] or A[92], for instance, may have functioned as storage pits (Fig 5.21). Other features such as the clay-lined pit A[33] and the associated pit A[30], which contained significant quantities of fire-cracked flint and charcoal, may have been used for cooking or industry. The function of the remainder is uncertain but could have embraced a range of activities, potentially including storage of materials other than grain. Analysis of environmental samples from these features has produced occasional charred plant remains, among them cereals and chaff, including wheat (both glume wheat and free-threshing bread-type wheat), with more limited evidence for barley and oats and pulses, such as Celtic/broad beans and seeded vetch/bean/pea, as well as a fairly typical array of weed seeds associated with cultivation, such as goosefoot, black bindweed, knotgrass/dock and so on. While these remains might provide some indication of pit use, their low densities are more consistent with background scatters of crop waste, perhaps from nearby crop processing, accidentally incorporated into the features.

PERIOD 7 ACTIVITY ELSEWHERE IN THE STUDY AREA **Keymer Avenue and Seaview Avenue: Open Areas 11, 29 and 6 (OA11, OA29 and OA6)**

Other activity in the wider environs of settlement 3 and its related enclosure system can be only broadly dated to period 7 as a whole. This includes two discrete clusters of pits and postholes in the far south-west of the Keymer Avenue site, Open Area 11 (OA11; Fig 5.24) and the south of the Seaview Avenue site (OA29). Some of the largest features in OA11, such as pit B[668] and B[684], had well-defined ramped or stepped accesses at one end and, in light of their position in a slight depression in the landscape, may have represented watering holes. Both of these features produced small quantities of grog-tempered pottery of Middle–Late Iron Age date.

A further probable dew pond or watering hole was identified at Seaview Avenue (OA6). It consisted of an extensive irregular feature lined with puddled clay, C[249], with an area of associated stock poaching that produced a small assemblage of Late Iron Age pottery (Fig 5.25). The remaining features associated with OA11 and OA29 varied considerably in size and shape and probably related to a range of activities, although very few actually produced any finds and their function – and indeed date – remains difficult to establish. Some of the larger,

Fig 5.21 Plan and selected sections of settlement-related activity associated with Building 3 and Open Area 40

deeper features in these areas almost certainly represented solution pipes in the underlying chalk bedrock, filled with later Tertiary and Pleistocene deposits (M Pope, pers comm).

Fig 5.22 Detailed plan and selected sections of Building 3

Fig 5.23 Photograph of Building 3 under excavation

evidence for its use in the subsequent Roman period. Elsewhere on the site, small quantities of Middle–Late Iron Age pottery in occasional features associated with Field System 4 (FS4), including pits A[449], tree throw A[287] and field boundary ditch A:G114, attest to limited activity in the wider agricultural landscape, such as tree clearance and maintenance of boundary ditches. The contrast between this very restricted activity on the north side of the Upper Piddinghoe valley and the wealth of archaeologically visible activity on the south side is striking. On the whole, the evidence suggests that the obvious intensification and aggregation of activity on the south side of the valley, as represented by the burgeoning enclosure system here, was set against a relatively static agricultural landscape further afield on the north side of the valley (see Fig 5.11).

Lower Hodder Farm

There is very little evidence for Middle Iron Age activity in the wider landscape on the Lower Hodder Farm site beyond the immediate environs of the enclosure complex described above. The continued usage of Trackway 1 (R1) is assumed, given the

Fig 5.24 Plan and sections of features in Open Area 11

5.2 PERIOD 8: LATEST IRON AGE/ EARLY ROMAN, *c* AD 10–150

INTRODUCTION

The precise character of the Iron Age–Roman transition in the study area remains poorly understood. The stratigraphic evidence, for instance, suggests an element of continuity into the Early Roman period, with the retention of part of the enclosure complex centred on the period 7 settlement 3 (Fig 5.26). Yet this is not explicitly supported by the ceramic evidence, which suggests something of a hiatus in occupation between periods 7 and 8 (see below). The exact nature and

Fig 5.25 Plan and section of Open Area 6 with probable watering hole C[249]

duration of this inferred hiatus is difficult to gauge. The sum of the evidence suggests it might have spanned the Middle–Late Iron Age transition and much of the Late Iron Age but whether the absence of Late Iron Age pottery signifies a wholesale abandonment of the site or simply differing modes of pottery use and deposition remains uncertain. Given the evidence for the reuse of elements of the period 7 enclosure system, it is perhaps unlikely that the landscape was entirely abandoned but, conversely, it is not impossible that a pre-existing enclosure might be reoccupied following a period of abandonment.

Whatever the precise nature of occupation during the Middle–Late Iron Age transition and earlier part of the Late Iron Age, the available evidence certainly indicates occupation

in the 1st century AD, probably in the two or three decades leading up to the Roman invasion in AD 43 and perhaps lasting into the early 2nd century at the latest. Much of this activity was focused on the period 7 Enclosures 4 and 5 (EN4 and EN5), demonstrating the continued use of these enclosures into the Early Roman period. However, the complete absence of Late Iron Age or post-Conquest pottery from any of the other related enclosures suggests that, in contrast to the dramatic expansion of the enclosure complex during period 7, this period was marked chiefly by settlement contraction.

LATEST IRON AGE/EARLY ROMAN ACTIVITY AT LOWER HODDERN FARM

SETTLEMENT 4: ENCLOSURES 4 AND 5

(EN4 AND EN5) AND ASSOCIATED ACTIVITY

The partial preservation *in situ* of EN4 and EN5 has inevitably imposed limitations on our understanding of their precise layout, chronology and composition, though it has proved possible to rectify this to some extent through integration of the results of prior geophysical survey and evaluation trenching. While a Middle Iron Age genesis is assumed on the basis of their stratigraphic and spatial relationship to the period 7 enclosure complex, the prevalence of 1st-century AD pottery in

Fig 5.26 Plan of Latest Iron Age/Early Roman features across the study area (period 8)

the enclosure ditches and associated features certainly suggests that their principal, or at least final, period of use, dated to period 8.

The larger, and perhaps the earlier, of the two, EN4, was a trapezoidal ditched enclosure with maximum dimensions of around 83.1 × 49.7m (Fig 5.27). The enclosure ditches themselves generally measured between 1.2m and 2.5m wide and up to 1.0m deep, with irregular V-shaped profiles. Access to the enclosure appeared to have been by means of a wide causeway in the south-west corner. This entranceway was originally some 20.1m wide, though this was effectively narrowed to around 10.3m by means of a short length of post-built fence, Structure 4 (S4).

Evidence of internal subdivision within EN4 was restricted to the south-eastern corner, where a series of small ditches or gullies, Ditches 10–12 (D10–D12) served to define two small rectangular areas, linked to one another by means of a gap or gateway measuring some 4.4m wide between D10 and D11. Small postholes in the base of D11 hinted at the existence of an additional post-built fence delineating this boundary, perhaps built in oak, given the prevalence of oak charcoal in samples recovered from the ditch. The function of these areas is difficult to determine, although an overlying area of stock poaching apparently delimited by the line of D10 certainly suggests a link with stock control at some point during the lifetime of the enclosure. However, it is not impossible, given the presence of a scatter of pits which were sealed by the Open Area 39 (OA39) stock poaching that these areas were originally linked more with settlement than with livestock. In this respect, it is of some interest that the largest assemblage of briquetage by context was recovered from D10. It amounted to some 121 fragments and included several pieces from the lining and edge of a probable saltern hearth or oven, hinting at processes related to salt extraction in the vicinity. Small quantities of briquetage and undiagnostic fired clay recovered from the enclosure ditches further underline a link with salt production in the enclosure.

Activity across the remainder of EN4 consisted of a scatter of pits clustered towards its centre. For the most part, these features have produced little more than small quantities of pottery dating broadly to the Late Iron Age/Early Roman period as well as small amounts of charred cereals and weed seeds that suggest an essentially domestic function, most likely as refuse pits. One feature in particular stood out from the rest, however, although it remains difficult to interpret adequately. It consisted of a distinctive rectangular pit, A[2022], with a charcoal-rich primary fill, A[2023]. The pottery it yielded was characterised by a high proportion of grog tempering,

suggestive of a Late Iron Age date, so it is possible that the pit was slightly earlier in date than the rest of the features within the enclosure. Analysis of an environmental sample from fill A[2023] produced a small assemblage of charred plant remains, including occasional charred cereals and weed seeds, probably representing little more than general background scatter of crop-processing waste. The charcoal assemblage from this feature was perhaps of greater interest, containing taxa from a fairly typical range of fuel woods for the period, dominated by oak but also including *Maloideae*, hazel/alder and maple. However, in the absence of any evidence for burning of the underlying natural geology, it seems clear that this material is in a secondary context.

The connected EN5 lay immediately to the north of EN4 and was perhaps a later addition to that enclosure, though this is impossible to verify on the basis of the available evidence. EN5 was only partially exposed in evaluation trenches, although geophysical survey indicated that it was broadly subrectangular in plan, with maximum dimensions of around 52.8 × 39.2m. Where exposed, the enclosure ditches measured between 2.5m and 2.7m wide and up to 1.0m deep, with irregular V-shaped profiles. In places, the fills of these ditches showed signs of tipping towards the outside of the enclosure and may be taken to suggest an internal bank. In addition, the boundary between EN4 and EN5 was recut at least twice during the course of its lifetime, a trait not seen elsewhere in the enclosure system and one that hints at regular maintenance of this section of boundary. Internally, EN5 appeared to have been divided into two broadly equal areas by means of D13, though little sense can be made of the features associated with either of these open areas owing to their limited exposure. Features to the west, for instance, were limited to an unexcavated feature in the south of the area which may have represented a large ditch or rectilinear pit, A[31/021], and a small possible ditch terminus towards the north-east corner of the area, A[6/012]. Features to the east included a further small linear terminus, A[6/008], and an irregular pit with a primary fill rich in charcoal which may have been a rubbish pit or similar.

FUNERARY ACTIVITY ASSOCIATED WITH THE ENCLOSURES: OPEN AREA 42 (OA42)

Funerary evidence for the period was represented by a group of four intact pottery vessels in the far south-eastern corner of EN4, three of which contained deposits of cremated human bone, while the fourth appeared to be an accessory vessel (Fig 5.28 and Fig 6.17, no 121). Interestingly, although the

Fig 5.27 Plan and sections of Enclosures 4 and 5 at Lower Hoddern Farm (period 8)

vessels are all dated to *c* AD 40/50 – 70 they were inserted into the top of a much later pit, A[2087], that is securely dated to the early 2nd century AD (Fig 5.29). It seems probable, therefore, that the vessels were of some antiquity at the time of their burial, perhaps about 50–80 years old. Though not unequivocal, analysis of the cremated human bone from the three vessels suggests they might represent a single, possibly male, individual. There were no repeated elements present in any of the vessels and the summed weight of cremated bone from all three amounts to some 96% of the expected weight of cremated bone produced by an adult. Furthermore, the extant skeletal elements were unevenly distributed amongst the three vessels, with two containing predominantly cranial material and the third mainly lower limb fragments. This might suggest the use of different vessels to collect material from different parts of the burnt-out pyre.

The association of the cremation vessels with a significantly later feature is also of some interest. The pottery recovered from pit A[2087] is the only material that could be conclusively dated to the 2nd century AD and as such probably represents the latest Roman activity associated with the enclosures. On this basis, it is possible that the subsequent interment of the cremation group was the final activity to take place within the enclosures, perhaps related to the closing down of the complex before its abandonment.

Fig 5.28 Photograph of Early Roman cremations under excavation

RETENTION AND MODIFICATION OF THE AGRICULTURAL LANDSCAPE

Elsewhere in the wider landscape on the Lower Hodder Farm site, the association of Late Iron Age/Early Roman material with certain pre-existing landscape features suggests the retention of at least some elements of the prehistoric agricultural landscape into the 1st century AD. In the vicinity of Enclosures 4 and 5 (EN4 and EN5), for instance, small

Fig 5.29 Plan of cremation vessels shown in relation to pit A[2087]

quantities of Late Iron Age/Early Roman pottery in the ditch fills associated with Trackways 7, 8/13 and 14 (R7, R8/R13 and R14) testify to the continued use of this network of trackways, despite the apparent contraction in the settlement evident from the associated enclosure complex. Similar evidence was forthcoming from the western terminus of trackway R1 on the north side of the valley, where Late Iron Age/Early Roman pottery was recovered from a range of features, including an area of stock poaching at the junction of trackways R1 and R3, the ditches of trackway R3 itself and from a group of pits in the immediate vicinity, Open Area 63 (OA63). The evidence here implies the continued use of trackway R1 and related features for the control and movement of livestock between upland and lowland pastures.

It is certainly of interest that the majority of Late Iron Age/Early Roman material was found in association with trackways, rather than in features associated with the related field systems. However, this need not necessarily imply that any such fields were falling into disuse at this time – indeed, the evidence

for stock poaching at EN4 may be taken to indicate a certain intensification of animal husbandry during the period. Rather, it may simply indicate differing maintenance regimes, whereby the elements of the agricultural landscape that received the heaviest traffic, such as trackways and their defining ditches, might be subjected to more regular recutting and cleaning out than the field boundaries themselves, where hedges alone may have provided a sufficient boundary.

While the available evidence suggests the retention into the 1st century AD of an essentially prehistoric agricultural landscape, at least one field boundary in the far north-west corner of the site appeared to be a fresh addition, hinting at the creation of new fields during the period, Field System 7 (FS7). The north-east to south-west alignment of this boundary did not correspond well with any field boundaries on the Lower Hoddern Farm site, however, and it is possible that it was aligned with other landscape features beyond the limits of the excavation.

LATEST IRON AGE/EARLY ROMAN ACTIVITY AT KEYMER AVENUE

Activity of Early Roman date elsewhere is limited to a single pit, B[701] (OA30; shown on Fig 5.26), which produced a small group of pottery from an Early Roman whiteware flagon. The absence of any convincing evidence for contemporary activity elsewhere on the Keymer Avenue and Seaview Avenue sites (see Fig 5.26) strongly suggests that activity here consisted of little more than low-level agricultural land use, most likely for pasture.

5.3 DISCUSSION

THE CHRONOLOGY OF THE LATER IRON AGE AND EARLY ROMAN PERIODS IN THE STUDY AREA

Analysing the chronology and regional style of the Middle Iron Age pottery is problematic because of the fragmented nature of the assemblage and the consequent dearth of diagnostic vessel profiles. Several aspects of the assemblage do, however, stand out, one of which is the almost complete absence of decoration. If clearly residual sherds are set aside, only four examples in the entire period 7 assemblage show any decoration and two of these are finger-tipped vessels perhaps indicative of some Early to Middle Iron Age activity. Burnished, tooled or rouletted decoration typical of the Caburn-Cissbury Saucepan tradition

is almost entirely lacking, although burnished arcs were noted on a single body sherd.

Amongst the relatively small number of rim sherds, only two were considered possibly related to the Saucepan tradition, one being a very fragmentary rim and the other a plain and rather crudely formed, poorly finished vessel which is less than typical for Saucepan forms. Instead, the assemblage is dominated by plain or bead-rimmed ovoid jars and shouldered vessels, including some well-finished S-profile jars. The other trait possibly of some chronological significance is the presence of a small proportion of grog-tempered sherds across most period 7 context groups, including those from the earliest phase 1.

There is growing evidence of a strong correlation between increasing levels of decoration and the appearance of fairly large proportions of grog-tempered wares in later Middle Iron Age assemblages from East Sussex. For example, a midden group from Norton was associated with one earlier Middle Iron Age radiocarbon date 400–200 cal BC (GU-11245, 2330±40BP) and overlay a hearth which produced another, 550–200 cal BC (GU-11244, 2260±50BP). It included only a few examples of decoration and totally lacked grog-tempered fabrics (Seager Thomas 2005, fig 16). At Lewes House, an early phase of enclosure produced a small assemblage also lacking in decoration or grog tempering but a subsequent phase of unenclosed pitting produced much larger assemblages in which 16% of the estimated vessels were decorated and about a third of the assemblage was grog-tempered, even though many of the decorative traits were allied to Middle Iron Age Saucepan styles (Doherty in prep). Highly decorated assemblages of late Middle Iron Age date have also been recorded at Rookery Hill, Bishopstone and St Anne's Road Eastbourne (Hamilton 1977; Barber in prep a).

Given the very low levels of decoration observed in the relatively large Middle Iron Age assemblage from Seaview Avenue and Keymer Avenue, it is tentatively suggested that there may have been a hiatus in activity between periods 7 and 8. Although grog tempering, generally thought to be a development of the Middle–Late Iron Age transition, did occur in many period 7 deposits it was present only in very small quantities and could have been wholly or partly intrusive. Fifty-four sherds were assigned to this period, but it was rare for more than one small fragment to be found in an individual group. Many were found in single fills of ditches or other deposits which might have been prone to accumulating slowly and thereby incorporating the occasional later sherd. The point may be underlined by the presence of quite a large sherd from a typical East Sussex style grog-tempered jar in Enclosure 3

(EN3). This form is almost certainly of Late Iron Age or Early Roman date and such vessels would be expected to occur in groups dominated by grog-tempered ware but in the enclosure group as a whole these made up fewer than 1% of sherds.

By contrast, in period 8 grog-tempered wares were in the majority in all the substantial groups with stratigraphic integrity. If there had been continuous activity over the Middle and Late Iron Age periods we might expect to see a gradual series of features with increasing proportions of grog-tempered wares and decreasing proportion of shelly, sandy, glauconitic and flint-tempered fabrics; however, no period 8 feature contained more than a few examples of these types. It is also significant that all the major land-use features in period 8 contained recognisably Roman sherds. The very low quantities of recognisable Late Iron Age fabric types and the near absence of any diagnostic late 1st- or 2nd-century sherds suggest that activity on site was coming to an end by the turn of the 2nd century if not before. One pit, however, A[2087], contained a sherd from a Dragendorff form 18/31 dish in a central Gaulish samian fabric, dating to AD 120–50.

PERIOD 7: MIDDLE IRON AGE, c 400–100/50 BC

INTRODUCTION: THE LATER IRON AGE IN SOUTHERN BRITAIN

In many respects, the notion of a broader Later Iron Age that encompasses both the Middle and Late Iron Age periods is more appropriate to the study of the last centuries of prehistory in Britain. It is notable, for instance, that the classic signatures of Late Iron Age, which include innovations such as the adoption of coinage, wheel-made pottery and new forms of ritual and settlement (the so-called oppida), appear to have been restricted to a geographically very limited area of south-east Britain, centred on Hertfordshire, Essex and north Kent, though also including Sussex. In many other regions of Britain the Middle Iron Age, as defined by its pottery, appears to have continued up to the Roman Conquest (Haselgrove et al 2001). Such regional differentiation, and the attendant arguments that challenge the concept of a unified British Iron Age, underpin much of the recent discussion of the period. The balance of evidence now suggests the construction and maintenance of distinct regional identities (eg Hill 1995a, 87; Haselgrove et al 2001, 23) but different approaches to the regional composition and definition of the Later Iron Age are also essential in teasing out some of the nuances of cultural change during the course of the period (eg Hamilton 2007).

Explanations of change in Later Iron Age Britain have traditionally emphasised the role of external stimulus as a

principal driver, often relying on elements of core–periphery theory to describe the apparently sudden and dramatic developments of the Late Iron Age in south-east England. Probably the most persuasive and influential of these models is that developed by Haselgrove (1982), which sees the Late Iron Age developments in the south-east as peripheral to those on the Continent, while constituting a local ‘core’ that influenced surrounding peripheral regions. In such a model, parts of Sussex are seen as capable of direct exchange with the Continent, enabling them to develop core attributes, yet their peripheral regions are circumscribed by the core area of the Thames valley. Such areas are better described as ‘restricted cores’ (Davenport 2003, 107). While the core–periphery model has much to commend it, subsequent work has challenged aspects of this model, preferring to emphasise the indigenous, Middle Iron Age origins of many defining characteristics of the Late Iron Age, while pointing to the distinctly regional character of the British Later Iron Age as a foil to simple core–periphery models (eg Haselgrove 1989; Hill 1995a; Haselgrove et al 2001; Hamilton 2007; Hill 2007). Indeed, taken to its logical conclusion, the exceptional developments that characterise the Late Iron Age of the south-east can be seen as just another example of regionalisation, particularly in view of its remarkably limited geographical distribution (Hill 1995a, 88).

THE CHARACTER AND EVOLUTION OF LATER IRON AGE OCCUPATION IN SUSSEX

One of the most striking aspects of the Middle Iron Age in Sussex is the uneven distribution of settlement across the county. This can be very broadly described in terms of a marked increase in settlement on the coastal plain, contrasting sharply with a paucity of settlement evidence in central and eastern Sussex. The absence of settlement in East Sussex might indicate population decline or dispersal in these areas (Hamilton 2003, 78; 2007), perhaps as a consequence of the concentration of settlement on the fertile soils of the coastal plain to the west. The evidence from sites such as Norton, where Middle Iron Age occupation was found sealed beneath colluvial sequences (Seager Thomas 2005), suggests that factors of visibility may also be at work in the apparent paucity of settlement evidence in East Sussex. However, population dispersal may also be implied in the distinctive character of the hillforts of the period. Unlike their Late Bronze Age/Early Iron Age predecessors, known for being located on the edges of the downs, those of the Middle Iron Age, which include Cissbury, The Caburn and The Trundle, were more centrally located, as well as being significantly larger. Yet they lack evidence for centralised production, exchange or

intensive occupation: traits which may reflect their function as a means of uniting dispersed communities, through a sense of topographic identity engendered through the monumentalisation of particular hills, rather than as acting as central places *per se* (Hamilton & Manley 2001; Hamilton 2003; 2007).

In this regard, it is certainly notable that the overwhelming majority of Middle Iron Age sites east of the River Adur – the study area included – are located on the margins of the downs, rather than within the downland interior, and this might suggest the concentration of settlement around the edges of the downs. When set against the very limited Early Iron Age evidence for downland occupation in the wider vicinity of the site, the Middle Iron Age evidence might be best understood in terms of a new and possibly gradual incursion into the margins of the downs following a period of relative abandonment. This, of course, mirrors the evidence from the Sussex coastal plain. Perhaps more importantly, the evidence as a whole, including the extensive enclosure complexes and associated remodelling of the agricultural landscape in the study area during this period, is entirely consistent with the wider evidence for settlement expansion and agricultural intensification that is considered such a key signature of the Later Iron Age in general (Haselgrove 1984; 1989; Hill 1995a; Haselgrove et al 2001).

Within the context of the study area itself, the evolution of settlement there, in particular the transition from unenclosed to enclosed settlement and the subsequent expansion of the enclosure complex, may be best understood in terms of an ever-increasing commitment to occupation throughout the course of the period. It is entirely possible, for instance, that the earliest, unenclosed, phase of Middle Iron Age occupation in the study area was impermanent or seasonal. Building 12 (B12), for instance, with its potential opposing doorways and internal subdivision into two equal halves, was not inconsistent with the evidence for a byre-house or similar structure, providing accommodation for both humans and livestock. Similar interpretations have been put forward for the closely comparable and broadly contemporary rectangular buildings excavated in the Severn estuary (Bell et al 2000; Haselgrove et al 2001, 11; see below for full discussion) and such buildings were often associated with the seasonal upland pasturing of livestock (*ibid*; Moore 2003, 53). Similarly, the small-scale arable cultivation represented by Field System 2 (FS2) need not necessarily indicate full-time occupation of the site, though it does indicate a commitment to a mixed farming economy. In this context, the evolution of the enclosure complex at Keymer Avenue might indicate the means of managing increasing herds of livestock which might eventually culminate in permanent

occupation once herds reached a size that made transhumant movements unviable.

While the evidence from the study area for settlement incursion and agricultural intensification during the Middle Iron Age is consistent with the wider evidence, the apparent lack of evidence for Late Iron Age occupation is rather surprising. Certainly, land use and settlement on the coastal plain continued to intensify during the Late Iron Age and many downland sites also showed some continuity of occupation into the Late Iron Age, including for instance, Charleston Brow (Parsons & Curwen 1933), Norton (Seager Thomas 2005), The Caburn (Curwen & Curwen 1927; Drewett & Hamilton 1999) and Bishopstone (Bell 1977). In this context, the lack of evidence for Late Iron Age occupation in the study area is puzzling but may be best explained in terms of a localised reconfiguration of settlement, with further intensification at some sites, or even the foundation of new settlements at the expense of others. This might, of course, imply that population pressures were not necessarily the prime factor in settlement expansion, at least in the local context of the study area (*contra* Haselgrove et al 2001).

AGRICULTURE AND SUBSISTENCE

The arable economy

Karine Le Hégarat

As with the Early Iron Age evidence, charred crop remains and charred macroplant remains as a whole were less common in Middle Iron Age samples than in Bronze Age samples. The remodelling of the agricultural landscape with the imposition of the enclosure complex during this period certainly indicates that pastoral farming continued to be very important for Middle Iron Age communities. Nonetheless, the results could indicate that the involvement with arable farming had diminished slightly during this time and, while being self sufficient in crops, the community may have opted for a greater emphasis on pastoralism; that is also emphasised by the modest numbers of storage pits combined with four- and six-post facilities (see below). Alternatively, the decrease in the charred macroplant remains could also simply be explained as the result of preservation bias.

As noted during periods 5 and 6, in the Middle Iron Age samples wheat and barley were the most frequently identified crops. The grains were poorly preserved, and a large quantity could not be identified (almost 70% of the total grains). Nonetheless, glume wheat was best represented amongst the identified grains, closely followed by hulled barley. Spelt wheat, which was positively identified through the presence of

diagnostic chaff, appeared to predominate. However, emmer, which was tentatively identified, was still recorded and there was an abundance of chaff, which could be either emmer or spelt. Small quantities of free-threshing bread-type wheat were also evident. Oat was recorded, although the infrequent grains almost certainly represented wild oat.

Spelt wheat continued to dominate arable economies of the Middle Iron Age and is the main cereal recorded on several Middle Iron Age sites in the Thames valley (Lambrick & Robinson 2009, 252) and around Danebury (Campbell 2000), where emmer wheat was so scarce that it was interpreted as a contaminant of the spelt crop. Nonetheless, dissimilar patterns have been observed, indicating that there were in fact great regional variations. For example, rich assemblages of emmer wheat in Iron Age deposits have been recorded in Hampshire, along the Barton Stacey to Lockerley Gas Pipeline (Pelling 2013), and in Surrey, at the Hascombe hillfort (Murphy 1977, 82–4). In Kent, both glume wheats have been recorded but emmer was still important at Saltwood Tunnel (Stevens 2006) and White Horse Stone (Giorgi 2006), where it predominated in some samples.

In the study area, more of the identifiable chaff was recorded as spelt rather than emmer, but given the large quantity of indeterminate grains and unidentified chaff it is impossible to draw significant conclusions and it is likely that both glume wheat species were still cultivated during this period. Locally, spelt was best represented on numerous sites within the West Sussex coastal plain (Allott in prep a) as well as in Lewes, just north of Peacehaven (Allott in prep b). Some 20km to the east of the site, excavation at St Anne's Road in Eastbourne produced a large concentration of almost pure spelt wheat from a Late Iron Age pit (Hinton in prep). The deposit, which amounted to an estimate of 25,000 grains and over 2000 chaff, has been interpreted as an assemblage prepared for storage. There have been numerous debates on the subject of arable/producer sites versus pastoral/consumer sites for this period (Jones 1985; Campbell 2000; Stevens 2003; Lambrick & Allen 2004), but such grain-rich deposits have more recently been interpreted as indicating merely the scale of production and/or consumption (van der Veen & Jones 2006).

Other resources

Karine Le Hégarat and Dawn Mooney

Wild plants

Weed seeds were less numerous than during the Late Bronze Age but the range of taxa represented was fairly similar and included weeds of cultivation or waste/disturbed ground. While

some could have been brought back to the site with the crops, others may have represented plants growing in the vicinity of the site. Casual weeds of arable fields indicate that the crops may still have been sown in autumn and spring. Although the majority of the seeds provided no further indication of where the crops may have been cultivated, the occurrence of wild radish (*Raphanis raphanistrum*) and sheep sorrel (*Rumex acetosella*) suggests more acidic soils, and the presence of sedge tends to indicate the cultivation of wetter ground.

Fuel wood

The Middle Iron Age charcoal assemblage continued to be dominated by oak, Maloideae and wild cherry/blackthorn, with a range of species similar to those of earlier periods present in smaller quantities. This is consistent with charcoal remains from this period from other sites in the area (eg Drewett 1982b). However, while the species composition of these remains was consistent with the remains from earlier periods, there was an increase in the quantity of birch and hazel/alder charcoal recorded in the assemblage. A proportion of the hazel/alder charcoal recovered consisted of small roundwood, indicating the possible management of local hazel stands through coppicing, though the predominance of other taxa suggests that any woodlands managed in this way were maintained for the production of wood for structural purposes rather than for firewood. It was only in the Iron Age phases that yew and spindle tree (*Euonymus europaeus*) were recorded in the charcoal remains from the study area. These species have not been identified in many previous analyses of charcoal remains from the Iron Age in the area (eg Barnett 2009; Challinor 2006a; 2006b), and the absence of yew in archaeological charcoal remains compared to its presence in the modern downland environment, along with beech (*Fagus sylvatica*) and juniper (*Juniperus communis*), has been noted by Berzins (2002c). The yew tree is known to have had symbolic associations throughout history, particularly with death and immortality (Baker 1996), and as such its presence in these contexts may have resulted from a religious or ritual burning event. However, the nature of the assemblage originating from contexts not representing primary burning limits the significance of this find.

The composition of the agricultural landscape

As with preceding periods, the almost complete absence of any faunal remains associated with period 7 activity necessarily limits any discussion of animal husbandry in the study area. Nevertheless, the dominance of trackways in the wider

agricultural landscape surrounding settlement 3 certainly attests to the continued importance of pastoralism to the Iron Age economy in the study area, as does the clear emphasis on livestock management within the settlement 3 enclosure system (see below). Indeed, the evidence of the large-scale remodelling of the agricultural landscape around the enclosure complex, as well as the significant expansion of capacity in handling livestock within the enclosure system itself, suggests that pastoralism was very much a growth industry during the Middle Iron Age in the study area. This might be reflected in a relative absence of field boundaries associated with this reworked landscape, which could indicate more extensive areas of ranch-like pasture, as opposed to smaller fixed plots. Further emphasis on the pasturing of livestock might be seen in the apparent increase in watering holes during this period, including examples both to the east and west of settlement 3, in Open Area 6 (OA6) at Seaview Avenue and OA11 at Keymer Avenue.

This increasing emphasis on animal husbandry probably came at the expense of arable production, given the suggestion above for a slight decrease in the macrobotanical evidence, but the sum of the evidence still indicates sufficient arable production for the needs of the immediate community. It is possible that the small-scale and fragmentary Field System 2 (FS2) represented the evidence for such arable cultivation during the initial phase of unenclosed settlement in the study area but the location of any arable fields during later phases of occupation remains largely unknown. In this respect, the extent to which any of the pre-existing Bronze Age field systems were reused at this time is of particular importance. It is notable, for instance, that the extensive remodelling of the agricultural landscape which characterises this period appears to have been restricted entirely to the south side of the Upper Piddinghoe valley, in the immediate environs of the burgeoning enclosure systems, but even here there is some evidence for the expedient reuse of earlier fields and/or boundaries. The formative Enclosure 1 (EN1) appears to have been laid out with reference to a Bronze Age field boundary and the evidence points to reuse of an earlier field adjoining that enclosure. The extent to which the Bronze Age field system on the north side of the valley was utilised at this time remains essentially unknown but should be considered as a possibility at least. Evidence for the continued use of Bronze Age fields into the Later Iron Age is far from conclusive but is suggested at a number of sites in the Thames valley, including Hengrove Farm, Ashford Prison and Thorpe Lea Nurseries (Framework Archaeology 2006, 176; Carew et al 2006; Lambrick 2009a, 83). In most cases there is

little evidence for the maintenance of boundary ditches, and the survival of earlier field boundaries as hedges is assumed (ibid). A similar scenario could certainly be proposed for the Bronze Age fields in the study area, albeit one that would be hard to prove archaeologically. Nonetheless, the occasional sherd of Middle Iron Age pottery in the ditches flanking Trackway 6 (R6) and the presumed continued use of the formative trackway R1 does suggest the ongoing maintenance of at least certain elements of the Bronze Age field system, particularly those related to the movement of livestock, whilst elsewhere in the landscape sporadic activity is suggested by the presence of Middle Iron Age pottery within occasional pits and tree throws.

BUILDINGS AND SETTLEMENT

Evidence of Middle Iron Age architecture in Sussex is exceptionally rare and, prior to the excavations in the study area, was limited to two probable roundhouses at North Bersted and Oving (Bedwin & Pitts 1978; Bedwin & Holgate 1985), although further Middle Iron Age roundhouses defined by ring-gullies have since been excavated in the Low Weald at Broadbridge Heath near Horsham (Margetts 2013). In view of this paucity, it is difficult to overstate the significance of the six excavated buildings of Middle Iron Age date in the study area, although the very rarity of contemporary comparanda elsewhere in Sussex places inevitable limitations on any assessment of their wider context (Fig 5.30). In addition, the excavation of five well-preserved rectangular buildings forms an important addition to a limited and poorly understood building type in Iron Age Britain, with the potential to make a very real contribution to the ongoing debate about the nature and use of such buildings during the Later Iron Age.

Building construction and form

The rectangular buildings at Keymer Avenue

A wide range of rectangular buildings is now known to have existed in the British Iron Age. These buildings are usually assumed to have been non-domestic in function, although, as Moore has pointed out in his recent review of the evidence, such interpretations are sometimes based on little more than an assumption of the ubiquity of the roundhouse as the main domestic architectural type in Iron Age Britain (Moore 2003). Undoubtedly, the most common of rectangular buildings on Iron Age sites are six- and four-post structures, which are, as outlined above, usually interpreted as raised granaries although a multitude of other interpretations have been put forward over the years. In the context of this discussion, the recognition

Fig 5.30 Plans of Middle Iron Age buildings excavated from the study area, with comparative examples

that square arrangements of four posts may actually represent the roof supports of roundhouses provides a timely reminder of the dangers of uncritical assumption of building function based on its surviving elements (Murray 1999; Russell 2002, 30). Probable aisled buildings, consisting of two parallel lines of posts forming the roof supports of a building whose external walls have left little or no archaeological trace, have also been found on a number of Iron Age sites in Britain, where they can usually be dated to the Early Iron Age. A number of such buildings exist in Sussex, including examples at Charleston Brow, Park Brow, Harting Beacon, Muntham Court and Bishopstone (Wolseley et al 1927; Parsons & Curwen 1933; Burstow & Holleyman 1957b; Bell 1977; Bedwin 1978). Further afield other examples of this building type are known at Crickley Hill, and perhaps at Credenhill, Hertfordshire, and Norbury hillfort, Gloucestershire, where they may have been originally misinterpreted as contiguous rows of four-post structures (cf Stanford 1970; Saville 1983; Moore 2003). Though examples of this type of building are known on the Continent, the similarity of this type of construction to various Bronze Age buildings, including examples at Down Farm, Dorset, Barleycroft, Cambridgeshire or Redwick in the Severn Estuary (Barrett et al 1991; Evans & Knight 1996; Bell et al 2000) has led Moore to suggest an Insular origin for this building tradition, rather than a Continental one (Moore 2003, 49). Moore has also drawn attention to the possibility of cob wall or sleeper beam construction in the Iron Age, citing examples from Wittenham Clumps, Oxfordshire and All Cannings Cross and Langford Down, Wiltshire (Moore 2003, 53), while acknowledging that such construction can often leave little or no archaeological trace.

Another recognisable type of rectangular building in Iron Age Britain is well represented at Goldcliff in the Severn estuary, where the waterlogged remains of a number of post-built rectangular buildings have been found, in some of which intact floors had been preserved (Bell et al 2000). These were dated almost exclusively to the Middle Iron Age and consisted of broadly similar structures generally measuring between $8.4 \times 5.6\text{m}$ and $7.3 \times 4.6\text{m}$, with rounded corners, often with slightly bowed ends and usually with two posts on the longitudinal axis of the building apparently representing the roof supports. A variety of other small rectangular post-built buildings of Early to Middle Iron Age date have been found at a number of sites, including Woodeaton, Castle Hill, Eton Rowing Lake, Radley, Budbury, Wiltshire and Catcote Hartlepool (Wainwright 1970; Harding 1987; Neal et al 1990; Cotswold Archaeology 2004; Lambrick 2009b).

In a British context, the closest parallels to most of the rectangular buildings at Keymer Avenue would seem to be those excavated at Goldcliff, in terms of both their Middle Iron Age date and their overall form. All but Building 14 (B14) were somewhat larger than any of the Goldcliff buildings but they nonetheless shared a number of traits, including the bowed ends of B10, B12 and B13 and the possible evidence for longitudinal roof support posts in B10 and B14. The lack of any clear evidence for similar roof supports in B12 and B13 is significant, though it is possible that any such posts were founded on pad stones, leaving little trace in the archaeological record. B12 and B13 were also comparable in size and construction to a number of Continental long houses, including the Late Iron Age example at Bazoches, France, and the Middle Iron Age building at Peel, in the Netherlands (Fig 5.30; see also Waterbolk 1995, fig 7; Moore 2003, fig 1). This might indicate a Continental influence on building form during the Middle Iron Age in the study area, although there is ample evidence in the aisled rectangular buildings of the Early Iron Age in Sussex, as outlined above, to suggest a local tradition of rectangular building.

Roundhouse Building 3 (B3)

It is difficult fully to reconstruct the form and layout of B3 and many of the factors impeding the estimation of building size, outlined in the preceding chapter, apply here also. In this respect it is worth noting that, at just 4.6m across, the trapezoidally arranged posts surrounding the hearth of the building were more likely to represent internal roof supports than the external walls of the building. A diameter of a little over 10m, based on the projected diameter of the posts which make up this frontage, would seem to give a clearer indication of the size of this building (Fig 5.30). It is possible that these roof supports represented part of an offset post-ring, similar to that at Gravelly Guy or Mingies Ditch in the Thames valley (Allen & Robinson 1993; Lambrick & Allen 2004), although it is considered more likely that they represented a variation of the four-post roof support arrangement discussed above, perhaps facilitated in part through the evidently very robustly built frontage, which may have made up a significant load-bearing element of the building. Whatever its original structural configuration, the building's construction is probably best understood in terms of general trends of diversification and innovation in Later Iron Age building methods (Lambrick 2009b, 145). Certainly, as found, roundhouse B3 bore little similarity in construction to other contemporary examples in Sussex at North Bersted or Oving,

which survived as little more than ring-gullies (Bedwin & Pitts 1978; Bedwin & Holgate 1985).

Building orientation and layout

While roundhouses of the Bronze Age have been shown to be orientated predominantly towards the south or south-east (see above), those of the Iron Age appear to have shown a clear preference for an orientation between east and south-east (Oswald 1997; Pope 2007; Sharples 2010). Various reasons have been advanced over the years to explain this apparent standardisation in orientation. These can be defined very broadly in terms of those which favour environmental and practical reasons, such as a means of avoiding the prevailing wind or as a way of maximising light entering the building, or even both (eg Guilbert 1975; Lambrick 1978; Hingley & Miles 1984; Pope 2007), or those which prefer spiritual or cosmological themes, in which buildings are aligned on midwinter or equinoctial sunrise, as a means of structuring activities within the roundhouse (eg Oswald 1991; 1997; Fitzpatrick 1994; Parker Pearson 1999). Though such cosmological models have proved very popular, several archaeologists have rightly warned against over-reliance on such static or inflexible models which do not sufficiently accommodate changing use over time or the universality of environmental factors (Brück 1999; Pope 2007). Indeed, Pope's perhaps most comprehensive analysis of roundhouse orientation (2007) has effectively questioned several of the key tenets on which many cosmological theories are based, preferring to see building orientation largely as both a response to the need to avoid prevailing weather conditions and to maximise light, and an acknowledgement of the role of seasonality in building construction and orientation. Such an explanation is certainly attractive, based as it is on such a large data set, but it perhaps does not sufficiently account for the shift in orientation apparent in Bronze Age and Iron Age roundhouses.

The evidence from roundhouse B3 would certainly seem to indicate that the building conformed to this standardised south-eastern orientation that is so prevalent elsewhere in Britain at this time (see Fig 5.30). Furthermore, while many Bronze and Iron Age roundhouses exhibit a certain emphasis on their doorways, usually by means of larger posts to either side of the door (eg Fitzpatrick 1997; Brück 1999; see also above), this appeared to have been taken almost to the point of monumentality in respect of B3 through the use of significantly larger posts not only in the doorway but apparently in the wider frontage of the building as a whole. This was further emphasised by the doorway itself, which seemed to consist of a

Fig 5.31 Interpretative plan of Building 3

wide double-door entrance, some 2.45m in width, defined by postholes A[1696], A[1700] and the centrally placed posthole A[1698] (Fig 5.31).

The contrast between the almost monumental facade of roundhouse B3 and the various rectangular Iron Age buildings excavated at Keymer Avenue could not be greater. There was no evidence whatsoever for any additional emphasis on doorways in these buildings; indeed it is only possible to make some estimation of doorway position in respect of two of the five excavated rectangular buildings and even these remain rather speculative. In B12, for instance, there was some suggestion of opposing doorways in the south-eastern and north-western sides of the building, while in B13, which replaced it, the associated ditched track or avenue R11 suggested a shift in the position of the doorway to the shorter south-western side of the building. This in itself is unusual although not unprecedented and may have related more to a change in function, perhaps in connection with the rapid expansion of the enclosure complex, rather than with any changing attitudes to building orientation per se (see below). At any rate, despite the uncertainties over the exact orientation of most, if not all,

the rectangular buildings at Keymer Avenue, they can still be seen to have conformed to the wider patterns of orientation that typified roundhouses of the period. This was apparent not only in the orientation of these buildings, which all lay on similar south-east to north-west/north-east to south-west alignments, irrespective of the position of their doorways, but also in the linear arrangement of these buildings, along a single north-west to south-east line. Whether some or all of these buildings were ever permanent domestic dwellings remains a rather moot point but it seems clear that, whatever their function, they appeared to be subject to similar cultural rules as roundhouses in regards to orientation.

Much of the recent discussion concerning the internal layout and organisation of later prehistoric roundhouses has focused on aspects of axial symmetry, between front and rear or left and right or, in the case of those of post-ring construction, between the centre and periphery. Theories of front/back use in particular have often focused on a division between public (front) and private (rear) spaces or between activity areas requiring good light (front) and storage and/or sleeping (rear). Similar themes have been applied

to concepts of central spaces around the hearth in areas of good light provided by the doorway, and peripheral, more poorly lit, areas, which may similarly have been used for storage, sleeping or stalling animals (Pope 2007, 215–20). In either case, hearth position in Iron Age roundhouses was usually towards the centre or front of centre of the building, in contrast to those of Bronze Age roundhouses which were often clearly positioned closer to the door (eg Drewett 1982a; Brück 1999). While there is very little by way of finds or associated features within roundhouse B3 to help discern such patterns of organisation, the application of these principles to the surviving structural elements is nonetheless a useful exercise. In particular, the layout of the building appeared to incorporate aspects both of front/rear and centre/periphery organisation. Thus, while there seemed to be a broad front/public/activity versus rear/private division of space, each side of a central hearth, the boundary between these two zones appeared to be defined principally by the roof supports, which almost described an arc around the central hearth in a manner more typical of the demarcation between centre and periphery (Fig 5.31).

In terms of the rectangular buildings at Keymer Avenue, the clearest evidence for internal organisation was apparent in relation to B12. Here, the suggestion of an internal partition and opposing doorways was strongly suggestive of a byre dwelling, similar to the Continental examples of the same period discussed above which were almost invariably divided in two by means of a cross passage, with domestic accommodation at one end and animal byres at the other (eg Waterbolk 1995; Webley 2003). Comparable patterns of organisation are also evident at Goldcliff, where building 1 and building 6 were similarly subdivided, although in these cases access appears to have been via doors in the short ends of the buildings. More importantly, however, the sum of the environmental and structural data from Goldcliff, including the presence of animal dung, cattle lice and human fleas, as well as a hearth at one end and possible cattle stalls at the other, provides compelling evidence for shared domestic and byre accommodation in a British context (Bell et al 2000, 342). While unequivocal evidence for a comparable twofold function in B12 has not been forthcoming, it is possible to perceive a slight concentration of finds at the south-western end of the building which may correspond to the suggestion that this end of the building was used as a domestic dwelling (Figs 5.32–5.33). Admittedly, there was no evidence for a hearth here but in view of the fact that some of the Middle Bronze Age roundhouses in the study area similarly did not preserve evidence for hearths, this could quite conceivably be a consequence of preservation. Alternatively, it is possible, given the suggestion above that the early phases of occupation in the study area may have been seasonal, that the building was never furnished with a permanent hearth.

B13 on the other hand, though apparently a replacement for B12, did not appear to be similarly divided internally. Together with the suggestion of the relocation of the doorway to one of the short end walls this might imply a certain element of reconfiguration in the layout of this building, as a replacement of B12, which may reflect a change of use. The lack of any evidence for internal subdivision in particular suggests that the building may have been given over to a single purpose, as opposed to the presumed dual function of its predecessor. What that function might have been is not at all well understood, though it is probable that the construction of B13 can be tied into the wider remodelling of settlement 3 as a whole, as evinced through the rapid expansion of the enclosure system during period 7, phases 2b and 2c.

Fig 5.32 Distribution of finds in Building 12 features

Fig 5.33 Interpretative plan of Building 12 showing possible functional arrangement

The internal organisation and layout of B10, B11 and B14 are, perhaps, even less well understood. B14 was almost certainly incomplete as it survived and while it is possible that B10 and B11 were originally intended to be open-ended, the balance of probabilities suggests that the poorly defined south-eastern and north-western ends respectively of these two buildings was a consequence of truncation by the ditches of the later enclosure system. As a result, the axial posts in B11 and B14 could be interpreted as suggesting either internal subdivision or structural roof supports similar to those in evidence at Goldcliff, or even, in the case of B11, both.

Overview: rectangular buildings and roundhouses in the British Iron Age

The roundhouse is often regarded as the ‘norm’ of later prehistoric domestic architecture, synonymous with the identification of an Insular Iron Age that can be contrasted with the long house tradition of the Continent. Rectangular buildings, on the other hand, though often identified on Iron Age sites, are usually assumed to have been non-domestic in function, used either as workshops, granaries or stores, or as shrines. The ubiquity of roundhouses in the British Iron Age is clearly beyond question but the extent to which round or rectangular building plans represent a clear-cut division between domestic versus non-domestic use is, in some senses, rather more ambivalent. We have already seen, for instance, that in the Middle Bronze Age roundhouses were used for a variety of functions, both domestic and non-domestic, and a similar range of uses has been proposed for Iron Age roundhouses in Scotland (Armit 1997). More recently, a review of the evidence for rectangular buildings in Iron Age Britain suggests a similar range of uses may apply to rectangular structures, perhaps including their use as dwellings (Moore 2003).

In this context, the excavation of a well-preserved group of five rectangular Iron Age buildings in the study area undoubtedly constitutes a valuable contribution to a poorly represented building type in Iron Age Britain. Despite this, however, the exact nature of their use remains imperfectly understood. None can be unequivocally demonstrated to have been domestic in use, nor is their role as workshops or byres readily apparent. In the final analysis, it may well be that such clear-cut distinctions between these two disparate building types are not necessarily the most appropriate way in which to frame discussions of their use. Such polarised and rigid classification certainly does not sufficiently account for changing use over time, or even, as in the case of B12, for the possibility of a duality of function within a single building.

More nuanced approaches are required if we are to understand more clearly the attitudes of Iron Age communities to the configuration and organisation of space within their buildings, whether they be round or rectangular.

Perhaps the best way to understand the rectangular buildings at Keymer Avenue is from the viewpoint of the changing character of occupation at the site. It has been suggested above, for instance, that early, unenclosed, phases of occupation there may have been seasonal and it is possible that rectangular buildings were considered quite adequate as dwellings in the context of impermanent settlement of the site. Perhaps only in later, enclosed, stages of occupation, when commitment to the site necessitated permanent occupation, was the construction of a roundhouse (B3) considered either necessary or desirable. In this way, the roundhouse, with its south-easterly orientation to face sunrise on the midwinter solstice, may indeed have been linked to certain cosmological themes (contra Pope 2007), in the sense of encompassing or expressing the importance of the annual agricultural cycle within a framework of year-round occupation.

The construction of roundhouse B3 may well have prompted a change in use of the various earlier rectangular buildings, which were so clearly retained into later phases of occupation. This is best seen in the replacement and reconfiguration of B12 with the construction of B13, which, as discussed above, may well have been given over to a single purpose. In view of the presumed existence of a roundhouse at this time, it is tentatively suggested that B13 may have functioned primarily as a byre during this later phase of occupation, albeit one with direct links to the settlement-related Enclosure (EN2) to the west. There was little evidence to indicate the precise function of B10, B11 or B14 at any point during their life cycles, but it is considered likely that they functioned primarily as ancillary buildings such as workshops or sheds during later, enclosed, phases of settlement. At any rate, B10 and B11 were clearly considered surplus to requirements at some point in the later life of settlement 3 and duly demolished.

Activities associated with settlement 3

Pits and pit storage

While there is now ample experimental and ethnographic evidence to demonstrate the efficacy of underground pit storage for a variety of foodstuffs (eg Bowen & Wood 1968; Reynolds 1974; 1979; Fenton 1983), the technique has been proven to be especially suitable for the bulk storage of seed grain, as opposed to grain for consumption, as this method results in significantly

higher germination rates (Reynolds 1974, 124–6). In essence, the technique relies on an airtight seal, so that the natural respiration cycle of the stored grain gradually replaces oxygen with carbon dioxide within the sealed pit. Once a sufficiently anaerobic level has been reached, the stored grain enters a state of stable dormancy. The carefully controlled experiments undertaken at Butser have provided good benchmark data for a range of optimum criteria required for grain storage in pits, including pit size and shape, methods of lining and sealing and sterilisation for reuse (Reynolds 1974; 1979).

Undoubtedly, the results of these experiments are of inestimable value in understanding the mechanics and practice of underground pit storage, although their practical application to the reality of most Iron Age pits is rather less certain. The use of standardised pit sizes and shapes in particular, while essential for ensuring consistent and replicable results within the parameters of the Butser experiments, is often difficult to apply to the reality of many Iron Age features, which can prove highly variable in width, depth and shape. The issue is further compounded by the considerable uncertainties regarding the original size, shape and capacity of such features and thus their suitability as storage receptacles. The reworking of storage pits during their lifetime, as well as later processes of erosion and slumping have been shown to alter their profiles significantly (eg Reynolds 1974; Shackley 1976; Fasham 1983), while any estimates of pit volume – including those in the study area – must necessarily take into account subsequent truncation of the feature.

The Iron Age pits in the study area were certainly no exception and significant variation was evident in size, shape and profile. In Open Area 40 (OA40), for instance, which might reasonably be regarded as the most likely contender for a zone of specialised storage pits associated with the settlement, pit size varied from 0.4m to 2.3m across and from 0.10m to 1.7m deep, while only three of the 28 excavated pits (pits A[64], A[80] and A[92]) preserved the cylindrical or beehive-shaped profiles that are widely considered optimal for grain preservation (eg Reynolds 1974; Fenton 1983). Of course, in view of the various factors affecting pit shape outlined above, it is highly unlikely that vertical-sided or undercut pits dug into the soft, sandy geology of the Lambeth Group would retain their original profile for long and perhaps pit volume might be considered a more reliable indicator of the use of pits for grain storage. Reynolds, for instance, assumed that a grain storage pit needed to be a minimum of 1.0m deep and/or 1.0m³ in capacity to work effectively. While this remains unproven (Hill 1995b, 18; Robinson & Lambrick 2009, 275), it nonetheless offers a useful starting point for the identification of potential

grain stores in the study area. The vagaries inherent in estimating the original capacity of pits aside, however, it is clear that the majority of pits in OA40 were never of any appreciable size. Estimated volumes, based on the same criteria used for the pits at the extensive pit cluster site of Gravelly Guy (Lambrick & Allen 2004, 112), range from just 0.06m³ to over 4.20m³; just 20% measured over 1.0m³. This relative proportion of pits measuring over 1.0m³ is not inconsistent with some sites in the Thames valley, such as Brooklands (26%) or Mount Farm (18%) but it clearly falls towards the lower end of the range, with other sites demonstrating a significantly higher proportion of pits of this size, including Bourton-on-the-Water (65%), Woodcote Road (55%) and Gravelly Guy (40%) (Robinson & Lambrick 2009, 276). Even if one broadens the criteria by assuming a minimum capacity of 0.5m³ for a grain storage pit, only 40% of features in OA40 met these requirements. Elsewhere in the study area, other potential storage pits can be tentatively identified in OA44 and OA45 (pits A[14], A[18], A[30] and A[43]), OA20 in EN2 (pits B[944] and B[992]) and perhaps OA13 and OA17 (pits B[519] and B[417] and pits B[1486] and B[1331] respectively).

Even the extent to which grain storage in pits would actually work on the sandy geology which underlies most of the Iron Age settlement in the study area remains uncertain, although in the absence of good experimental data to the contrary it might be unwise to assume that pit storage is not practicable on such geologies. Nonetheless, it is of interest that in no instances can any of these features be directly linked to grain storage by means of associated charred plant remains. Macroplant remains were scarce in these features, and probably represented background scatters of crop waste from accidental burning during the final stages of crop processing or food preparation. Nor did any of the features contain any unequivocal evidence for the highly distinctive forms of structured deposition so often associated with grain storage pits in Wessex (eg Cunliffe 1992; Hill 1995b).

Moreover, direct comparison of potential storage pits in the study area with those of extensive pit cluster sites in the Upper Thames valley may not be entirely appropriate. The sheer scale of some of these sites, such as Gravelly Guy (*c* 800 pits) or Great Western Park, Didcot (*c* 900 pits), marks them out as sites with a major stakeholding in cereal production and storage. By way of contrast, there were only 27 pits in OA40, and only 107 pits in total could be associated with Iron Age occupation in the study area generally. The implication is that grain storage did not form a particularly significant component of the local economy in the study area. This might be best

regarded in terms of providing sufficient seed grain storage for the needs of the local community, rather than any concerted attempt at the creation of a substantial surplus.

In summary, therefore, although the exact extent to which the pits in the study area were used for grain storage remains uncertain, even before taking into consideration the potential use of such features – a topic of considerable debate in itself (cf Reynolds 1974; Cunliffe & Poole 1991) – it seems likely that a certain proportion would have functioned as such. This does, of course, beg the question of what the remainder were used for, if not for the storage of grain. One possibility is that they were used for storage of a variety of other foodstuffs, perhaps including fodder crops or vegetables (Reynolds 1979, 77–9; Fenton 1983, 582, 586). Another is that some of the pits were never intended for storage at all. This is well illustrated by the related pits A[30] and A[38], which might be better understood in terms of food preparation rather than storage. The use of some other smaller pits for activities such as salting meat (Reynolds 1979, 78) or even short-term safe storage of other more valuable items (Lambrick & Robinson 2009, 278) should not be discounted out of hand, particularly given the evidence for small-scale salt production within the settlement 3 enclosure complex at this time.

Livestock management

As stated above, much of the enclosure complex at Keymer Avenue appeared to have functioned primarily in terms of the corralling, management and perhaps the over-wintering of livestock, with the creation of EN3 as an adjunct to EN1 attesting to a significant increase in the handling capacity of the enclosure system for livestock over the course of the period. The short, curving lengths of ditch and related gates Structures 2 and 3 (S2 and S3) at the junction between these two enclosures in particular recall the earlier livestock management facilities associated with the Bronze Age field system, albeit probably on a much larger scale. Here, it seems probable that this arrangement served initially to funnel livestock into EN1 prior to their twofold separation either into EN3 or back out to pasture OA18 (Fig 5.34). The parallel linear boundaries Ditches 4 and 9 (D4 and D9) within EN3 are similarly interpreted, as controlling the circulation and segregation of livestock around and within the enclosure.

Industry and craft activities

The artefactual assemblages recovered from settlement 3 indicate a fairly typical range of domestic, craft and industrial activities carried out within and around the settlement. Textile production

is suggested by a small assemblage of five triangular loom weights, for instance, recovered from both the unenclosed and enclosed phases of settlement. This type of object, ubiquitous on Iron Age and Romano-British sites, has been widely discussed but its function remains problematic (eg Poole 1995; Lambrick & Robinson 2009, 194–5). They have never been found *in situ* and large groups are extremely rare. Together with the problem of likely reuse this means there is at present no conclusive evidence as to their function (ibid). However, although a reinterpretation as ‘oven bricks’ has become more popular, they are still commonly identified as loom weights, used on vertical, warp-weighted looms. The assemblage from the study area contributes little or no significant data to this discussion. Thread wear is visible on one of the perforations of near-complete weight RF<8>, suggesting suspension and perhaps supporting its identification as a loom weight. The lack of any wear on many weights has often been used as evidence against such an interpretation but the presence or absence of wear patterns may in fact not be significant in the ongoing discussion: the lack of wear does not of itself necessarily rule the objects out as loom weights, since they could have been distributed in rows on rods to distribute the weight (ibid). Other suggestions include the use of two holes at the same time not only to weight down the warp threads, but also to space them in order to prevent entanglement (Sudds 2006, 71). From nearby sites come two triangular weights found in Early Iron Age contexts at Bishopstone (Bell 1977, 119) and there are numerous examples from the West Sussex coastal plain (eg Oving: Bedwin & Holgate 1985, 234; Goring-by-Sea: Raemen 2010).

Cereal processing is indicated by a small rotary quern fragment within pit B[1486] in EN1, while salt production within the settlement is suggested by a small assemblage of some 45 pieces of briquetage, many of which were recovered from the EN1 ditches. Where identifiable, much of this material is related to the production of salt as opposed to its transportation but in view of the small quantities involved, salt production at Keymer Avenue is probably best seen as a small-scale enterprise, sufficient to provide for the needs of the immediate community, rather than for wider distribution. As with preceding periods, the location of the study area in an upland location certainly does not preclude the final stages of salt extraction, and evidence for Iron Age salt extraction at clifftop sites has come from Hobarrow Bay and Kimmeridge on the Isle of Purbeck (Calkin 1949; Farrar 1975). It is notable that the briquetage associated with settlement 3 derives from the later enclosed phase of the settlement, suggesting little or no engagement with salt production during earlier, unenclosed phases on the site. While

Fig 5.34 Interpretative plan of suggested livestock management strategies associated with Enclosures 1 and 3

this may be a reflection on the character of settlement during this early phase of occupation in the study area, the suggestion of seasonal occupation during that time (see above) is hard to reconcile with the posited link between pastoralism and salt extraction outlined in Chapter 3. The abundance of quartzite pebbles associated with settlement 3 may also be related to specific craft activities, either as polishing or burnishing

stones or hammers (Chapter 6.6), while a single fragment of Kimmeridge shale alludes to the possibility of the manufacture of bracelets or similar items of jewellery.

Possible industry associated with the unenclosed phase of occupation in settlement 3 was suggested by the working hollow OA14. The hollow was superficially similar to that excavated on the Late Iron Age site at Oving on the coastal

plain (Bedwin & Holgate 1985), although it lacked the evidence for metalworking that was associated with this latter site. The abundant quantities of fire-cracked flint within the various features in the hollow are usually interpreted in terms of the indirect transmission of heat through liquids, in terms of cooking or brewing, fulling or dyeing or even for use in saunas or baths (O'Kelly 1954; Jeffrey 1991; Hodder & Barfield 1991; Pitts 2010). The absence of evidence for any associated clay-lined pits or tanks of any kind might rule out some of the more intensive processes outlined above, although the heating of flint for cooking purposes is not necessarily untenable. An alternative interpretation might be along the lines either of parching grain on skins over spreads of heated flints (Cunliffe 2005, 411), or even, given the highly fragmented nature of the calcined flint, of an early stage in the production of flint temper for potting, similar to that seen at Runnymede (Needham & Spence 1996). That at least a proportion of this flint was simply discarded after use is, however, indicated by the distribution of fire-cracked flint within the OA15 midden, which showed a clear concentration of calcined flint adjacent to the OA14 working hollow.

Settlement composition and organisation

A clear trend towards enclosure and an increasing emphasis on the spatial segregation of activities within settlements and enclosure complexes are both important traits in Later Iron Age settlement, well documented not only in Britain but in the near Continent as well (eg Hill 1995a; Haselgrove 2007; Knight 2007; Haselgrove & Moore 2007b; Lambrick & Allen 2009). Both are clearly observable in the development and organisation of settlement 3 at Keymer Avenue but while the layout of the settlement throughout its evolution certainly suggests the segregation and organisation of activities around the settlement, the precise character of individual activity areas is often frustratingly ill defined. Indeed, while the various artefact categories discussed above certainly indicate that particular activities were carried out in and around the settlement, they were usually too infrequent or too evenly distributed across the settlement to enable meaningful observations regarding the function of any particular area on the basis of associated finds. Only the briquetage showed any clear concentration, within the EN1 ditch. This is not entirely unexpected; the extent to which associated artefacts indicate locations of deposition as opposed to activities has long been recognised (eg Schiffer 1987) and, in the context of Iron Age settlements, these issues have been thrown into sharp relief by Hill's meticulous work on Iron Age depositional practice

(Hill 1995b). Indeed, in view of this, even the concentration of briquetage within the EN1 ditch should be treated with caution as an indicator of the presence of salt extraction activities within EN1. Accepting, then, that any statements regarding the specific function of particular areas of the site should be regarded as highly speculative, some general observations on the broad character of various areas of the settlement are nonetheless useful.

It is certainly possible to discern several functionally distinct areas, defined either by ditches or fences, within the early, unenclosed settlement of period 7, phase 1. At the core of this settlement were the rectangular B10–B12 and B14 and the associated OA16, OA27 and OA9 (Fig 5.35). Though the exact functions of all but B12 remain conjectural, the area as a whole can probably be considered in terms of a settlement 'core', consisting of a possible byre house (B12) and a range of probable ancillary agricultural buildings, such as sheds, additional byres and perhaps workshops. To the south and east of this settlement core were specific areas of industry (OA14) and associated refuse disposal (OA15 and OA24). The nature of the activities carried out in OA13 to the north-east of the settlement is less certain, although in view of the range of features present, among them various pits, lines of postholes and seemingly blank areas, which may represent small lightweight structures that have left no trace, it seems probable that the area was given over to a range of craft activities, possibly including some or all of those described in the preceding section. This basic settlement layout remained relatively unchanged in the subsequent phase 2a, apart from the creation of EN1, which is interpreted as a specific area for holding livestock. The composition of the settlement at this time, which consisted of an open settlement accompanied by the single enclosure EN1, was not dissimilar to the so-called house, pen and paddock settlements in the Thames valley (Lambrick & Allen 2009, 109–15).

Detailed understanding of the relative functional composition of the settlement in later phases is somewhat clouded by the rapid development of the enclosure complex, accompanied by associated changes of use and/or adaptation of certain areas. However, the broad patterns are nonetheless readily apparent, so that in its final configuration the settlement consisted of a continued 'core' of buildings in the western half of the enclosure complex, within EN2, with EN1 and EN3 related primarily to livestock management (Fig 5.36). To the north of the enclosures, a possible zone of pit storage and/or related activities is suggested by the well-defined area of pitting OA40, with roundhouse B3 representing living accommodation a little

Fig 5.35 Interpretative plan showing possible organisation of the unenclosed settlement (period 7, phase I)

further to the north. Though differing in exact configuration, similar patterns of enclosure composition and use, incorporating specific enclosures for domestic purposes while other enclosures were dedicated to livestock, are apparent at a number of Later Iron Age sites in Britain, such as Worthy Down or Owlesbury, Hampshire, Casterley Camp, Wiltshire and Old Shifford Farm, Oxfordshire (Hey 1995; Cunliffe 2005, 248). Likewise, the subsequent development of house, pen and paddock settlements similar to the period 7, phase 2a settlement at Keymer Avenue into more extensive enclosure complexes is widely reported in the Thames valley (Lambrick & Allen 2009, 115). It is also interesting to note that the frequent recutting of some of the enclosure ditches seen at Keymer Avenue has been noted too at many broadly contemporary enclosures in the Thames valley, where it is considered to denote predominantly pastoral settlements, or the pastoral components of a mixed farming settlement (*ibid.*, 117–18).

As emphasised above, B13, though physically outside EN2, appeared to be more closely related to that enclosure, as suggested by the linking Trackway 11 (R11), than with the livestock-related EN3 in which it is situated. Given that EN2 appeared to have been laid out around and in relation to the other buildings at Keymer Avenue, it seems reasonable to assume that this exclusion was deliberate, rather than simply an accident of enclosure, and it is tempting to view this as signifying in some way a certain difference in this building in relation to its counterparts inside EN2. In this respect, it is interesting to note that the arrangement of a short length of trackway, extending into the interior of a larger enclosure and leading towards a building, was similar in some ways to that noted at some Middle Iron Age enclosures elsewhere, such as that at Watkins Farm in the Thames valley (Allen 1990; Lambrick & Allen 2009, 121).

DEPOSITIONAL PRACTICE

Deposition in middens

The formation of midden deposits, comprising the deliberate and sequential accumulation of the detritus of occupation at a specific location (Needham & Spence 1996), is well attested in Britain from the Mesolithic onwards, although it is not until the Early Neolithic that such deposits began to attain monumental proportions. The extensive midden deposits investigated at Eton Rowing Course (Allen *et al.* 2004) probably provide the best evidence for such large-scale middening during the Early Neolithic although, as discussed in Chapter 3, broadly analogous surface deposits of Neolithic and Early Bronze Age date can be inferred elsewhere – including

the study area – on the basis of the specific character of pit deposits. Middens also appear to have been an important component of Middle Bronze Age settlement, as attested at sites such as Down Farm, Dorset (Barrett *et al.* 1991). It was during the Late Bronze Age and Early Iron Age, however, that midden deposits reached their fullest expression, as evinced by the massive midden complexes at sites such as East Chisenbury, Potterne and Runnymede, some of which can reach as much as 3.5 to 4ha in size (Lawson 1994; Brown *et al.* 1994; McOmish 1996; Needham & Spence 1997). Later Iron Age middens, broadly contemporary with those associated with settlement 3, were less common but are known at several sites, including, for instance, Castle Hill and Woodeaton in Oxfordshire (Goodchild & Kirk 1954; Allen *et al.* *in prep.*).

Recent discussions of Late Bronze Age and Iron Age midden sites have done much to tease out and better define many of the subtleties at play in midden formation, which is now regarded as the result of highly complex and dynamic systems of use, discard and reuse (eg Needham & Spence 1997). More often than not, these involved input from a variety of sources including, for instance, ritual and/or structured deposition, and specific production or processing activities, as well as the more mundane and routine discard of domestic debris (McOmish 1996; Needham & Spence 1997). In particular, the importance of middens as ‘banks’ of provisional refuse for later reuse is a theme that has been taken up by many archaeologists (eg Schiffer 1987; Needham & Spence 1997; Woodward 2002; Thomas 2012).

The midden deposits associated with the unenclosed phase of settlement 3 certainly conformed to Needham and Spence’s definition, in that they appeared to represent the repetitive and deliberate deposition of refuse in a specific location. Perhaps more importantly, however, their relative composition suggests input from specific sources or activities, primarily activities involving heat, as demonstrated by the prevalence of fire-cracked flint across both midden deposits, and as such is comparable to many burnt mounds. Indeed, as outlined above, it seems likely that much of the calcined flint in midden Open Area 15 (OA15) was directly derived from the adjacent OA14 working hollow, given the clear clustering in its distribution (Fig 5.37). Input from other, unspecified, craft activities is also suggested by the prodigious number of quartzite pebbles, both worked and unmodified, within OA15, amounting to some 60% of all the imported quartzite pebbles from across the study area. The suggestion of a functional link between the OA14 working hollow and the OA15 midden is further strengthened by the very low quantities of Iron Age pottery present in

Fig 5.36 Interpretative plan showing possible layout of the enclosed settlement (period 7, phase 2)

this deposit, and the complete absence of briquetage; these materials, it seems, were disposed of in quite different ways, as outlined below. This suggests that, far from being simply the consequence of the wholesale and indiscriminate dumping of domestic refuse on the perimeters of the settlement, these middens were formed as a result of the deliberate selection/exclusion of material for incorporation.

Deposition in pits and ditches

Diccon Hart and Anna Doherty

Probably the most striking aspect of Iron Age pit deposition in the study area was the apparent absence of the highly distinctive form of structured deposition in redundant grain storage pits which is such a feature of Wessex settlements (eg Cunliffe 1992; Hill 1995b) and which certainly exists elsewhere in Sussex. At St Anne's Road, Eastbourne, for instance, partially complete vessels were often deposited alongside artefacts of highly unusual character including Iron Age coins, metalwork, foreign stone and human bone (Brookes et al in prep). Some pit groups at Rookery Hill, Bishopstone were of similar character (Bell 1977, 63) and at Norton, even though the idea of structured deposition was strongly questioned (Seager Thomas 2005, 89, 94), there was still a clear trend towards the deposition of large parts of vessel profiles, sometimes alongside non-local or high-status finds, including a potin coin and sherd of Italian wine amphora (ibid). At Lewes House there was less evidence for direct forms of deposition or for other high-status finds but, at least in the main phase of pottery deposition, mean sherd weight was over 16g and deposition was almost exclusively within pits (Doherty in prep). Elsewhere, structured deposition within storage pits has been noted at hillfort sites such as The Caburn or The Trundle (Hamilton 2003).

The absence of particular elements of this depositional tradition, most notably partial or complete human or animal skeletons, could simply be a consequence of poor bone preservation. The dearth of animal or human bone from the study area in general has already been noted and the acidic nature of the sandy geology which underlies settlement 3 at Keymer Avenue is reflected in a total absence of bone from this particular site. Yet one might reasonably expect at least some sign of such burials were they present, even if only teeth survived. Similarly, while the deposition of intact, near-complete or smashed pottery vessels is also sometimes a trait of pit deposition elsewhere, as noted above, the Middle Iron Age pottery assemblage from the study area in general and from settlement 3 and Enclosure 6 (EN6) in particular, was notable for being highly abraded and severely fragmented, with a mean

sherd weight of less than 6g. This suggests that the assemblage may have been subjected to repeated reworking before deposition. It is also interesting to note that less than 20% of the Middle Iron Age pottery assemblage was recovered from pits, the vast majority coming from ditches, particularly from EN1 and EN3. Those pits which did contain pottery contained low numbers of sherds with a similar mean weight to those from the enclosures.

Together, this suggests a very real difference in the approaches to deposition in and around settlement 3 from that outlined above. That is not to say, however, that this ritual tradition was entirely absent. It is possible to discern evidence for certain other elements of this depositional practice, including the presence of incomplete loom weights in several pits in OA13, OA21 and OA26 and the occurrence of quern fragments, associated with burnt flint and charcoal in pit B[1486] in OA17. In this respect, the poor condition of the pottery assemblage may also be important: the repeated reworking of the pottery indicated by the high levels of abrasion and low sherd weights is not inconsistent either with the incorporation of midden material into features – a trait in itself which may be a significant aspect of Iron Age ritual pit deposition (eg Cunliffe 1992, 76; Hill 1995b, 110) – or with the accidental incorporation of material strewn across contemporary ground surfaces (eg Hill 1995b, 43). In the final analysis, however, the absence of any clear evidence for the kind of structured pit deposition in former grain storage pits may simply be a reflection of the relative dearth of storage pits in the study area, particularly in view of Hill's assertion of the relative rarity of this type of deposition – perhaps consisting of one depositional event every 10–20 years or more (ibid, 75).

This absence may also be a function, in part at least, of an apparent emphasis on the deposition of particular materials within enclosure ditches. This is most clearly seen in the fired clay assemblage, which shows a clear concentration in the EN1 ditch, while some 80% of the Middle Iron Age pottery was also recovered from enclosure ditches, the majority from the EN1 and EN3 ditches. Again, Hill has clearly shown in his meticulous analysis that structured deposition in ditches formed an important element of Iron Age depositional practice (ibid, 76–83). Admittedly there is no good evidence for structured deposition within any of the Iron Age enclosure ditches in the study area but nonetheless the concentration of particular materials such as pottery and fired clay within those ditches is considered to reflect deliberate depositional choices, rather than simple discard. Indeed, this may be further borne out by the apparent selection of particular enclosure ditches as

Fig 5.37 Distribution of calcined flint within midden Open Area 15

the recipients of this selected material, in this case the ditches of enclosures associated principally with livestock management, rather than those associated with settlement-related activities.

Deposition associated with buildings

There is little to differentiate the patterns of deposition in and around the various buildings of settlement 3 from that seen in pits associated with the settlement. The pottery in particular is characterised by low sherd counts and sherd weight and high levels of abrasion, suggesting derivation from a similar source as that found in pits, while other associated finds include little more than occasional fragments of fired clay and, more frequently, fire-cracked flint. The overall picture, therefore, is of one of similar processes of incorporation into features as occurred in pits. It is particularly notable that this material was almost exclusively found in association with the rectangular buildings at the core of the settlement, rather than with the outlying roundhouse Building 3 (B3), although this may simply reflect the fact that the former buildings were located within an area of more intensive and prolonged occupation than were the latter. Nevertheless, the absence of any evidence for structured deposition, comparable either to that seen in earlier buildings in the study area (Chapter 4) or indeed to some Iron Age roundhouses elsewhere (eg Hill 1995b, 87), is notable. Again, this would appear to have been a reflection of the specific character of depositional practice during the Middle Iron Age in the study area.

PERIOD 8: LATEST IRON AGE/EARLY ROMAN, c AD 10–150

THE CHARACTER OF OCCUPATION IN SUSSEX AND THE STUDY AREA

There was a distinctly localised character to the settlement patterns and economy of Sussex during the Roman period. While small native farmsteads were fairly ubiquitous across the South Downs and coastal plain, for instance, the distribution of villas appears to have been rather more selective, concentrated in more favourable locations on the south-facing slopes of the South Downs, the coastal plain and the Upper Greensand ridge (Rudling 2003b, 115). Further to the north, the Weald was dominated by the iron industry. Occupation here was much more sparse and while this was probably to some extent owing to the heavier, more intractable soils of this zone, which are less conducive to cultivation, it has been suggested that the relative rarity of rural settlement could be a consequence of the administration of some of this iron-rich area as part of an imperial estate (Cleere & Crossley 1985).

Within the context of the study area, the character of occupation appears to have been very much consistent with that of one of the small native farmsteads which so liberally populated the landscape of the South Downs. This is certainly reflected in the pottery of the period, which is dominated by jar forms, with relatively few tablewares or imported fabrics. The ceramic evidence points to reoccupation in the early decades of the 1st century AD after a brief period of abandonment. However, the decision to site this new farmstead within part of the pre-existing Middle Iron Age enclosure system is wholly consistent with Cunliffe's suggestion of a strong element of continuity in rural settlement from the preceding Iron Age (Cunliffe 1973, 74). This period of occupation does not seem to have lasted for much longer than a century or so, however, with little to suggest either occupation or cultivation beyond the early 2nd century AD.

AGRICULTURE AND SUBSISTENCE

The composition of the agricultural landscape

Extensive areas of stock poaching in and around Enclosure 4 (EN4) and the retention or readoption of a number of pre-existing trackways in the wider agricultural landscape all point to a continued emphasis on pastoralism in the 1st century AD. In particular, the active maintenance of ditches at the western terminus of the formative Trackway 1 (R1) suggests the continued movement of livestock between upland and lowland pasture, and similar patterns of maintenance of trackway ditches were evident on the south side of the valley. That farming strategies in the study area were not simply limited to reuse of prehistoric field systems, is, however, suggested by apparent creation of new boundaries in the far north-east of the study area during this period. Again, this would seem to be consistent with the evidence from elsewhere in the South Downs and similar patterns of Roman reuse, expansion and development of prehistoric field systems has been noted at Eastwick Barn and Bullock Down (Rudling 1982; Barber et al 2002). A continued arable component to the local economy is clearly indicated by the macrobotanical evidence from the study area (see below) but again, the relative composition of the agricultural landscape and the extent to which individual fields were given over to either arable or pasture remains unknown.

The arable economy

Macroplant remains from the Roman period came from the Lower Hoddern Farm site. The samples produced moderate to large quantities of material, but the density of material was mainly low. The assemblage was nonetheless typical of a

small traditional Roman farming community. The cereal crops cultivated during the Middle Iron Age (glume wheat and barley) were still exploited during the Roman period. Although spelt was tentatively identified amongst the assemblage of chaff, numerous chaff components were too poorly preserved to be identified, hinting at the possibility that both spelt and emmer could have been grown during this period. Although grains of bread-type wheat were better represented, they were present in low numbers and, given the fact that they were mixed with grains of glume wheat and barley, may simply have represented impurities in these crops. Cultivated pulses were also recorded, including Celtic/broad beans as well as large round seeded pulses representing either vetches, beans or garden peas. Although the majority of samples represented background scatters of crop waste from accidental burning during the final stages of crop processing or food preparation, the larger assemblage of crop remains present in pit [1095] may be dated to this period. Oeliferous/fibre crops were represented by a single seed of flax. There was no direct evidence for the use of wild food nor for exotic plant food.

The weed flora was very similar to that recovered from the Middle Iron Age. The noticeable difference was the presence of sedge and potential rush (*Juncus* sp), although these were not very common. The presence of seeds from a wetland environment may provide evidence for the added cultivation of damper ground. This might also have been exploited as pasture for sheep or cattle, and the seeds could have been brought back to the site by grazing animals. The plants could have been gathered for various uses such as tinder, bedding, thatching or flavouring.

SETTLEMENT

Settlement composition and character

The limited exposure of the Enclosures 4 and 5 (EN4 and EN5) enclosures at Lower Hodder Farm necessarily restrict any discussion of the exact character of settlement in the study area during this period. The sum of the evidence suggests that, initially, occupation may have been restricted to EN4, during which time land use within the enclosure seems to have been essentially settlement-related, given the evidence for internal subdivision in the south-east corner and the scatter of pits over the remainder of the area. The relatively large assemblage of briquetage from this phase of occupation, which includes fragments from probable hearths or ovens, may indicate a greater engagement with salt production within the settlement at this time, while its concentration in the south-eastern corner of the enclosure suggests that activities within the enclosure were subject to an element of spatial organisation. At any

rate, the evidence of the stock poaching within this enclosure suggests a certain change of use within EN4. This may have been related to a shift in the focus of settlement to the smaller EN5, at which time EN4 was apparently given over primarily to livestock.

Buildings

It is significant that there was no clear evidence for buildings within settlement 4. This may simply be a consequence of preservation: clear structural evidence for Romano-British buildings has proved hard to define on similar farmstead sites elsewhere in Sussex and it has been suggested that this may, in part, reflect certain building methods such as the use of cob walls or timber frames, which leave little or no trace in the archaeological record (Rudling 2003b, 116–17). It is certainly possible that the archaeological evidence for any such building within the subdivided south-eastern corner of the enclosure would not have survived the deleterious effects of later stock poaching. However, the apparent lack of structural evidence may also be a function of the incomplete exposure of this enclosure complex and it is quite possible that associated buildings may have survived within the minimally investigated EN5, which seemed to form the core of the settlement in later phases of occupation at least.

FUNERARY ACTIVITY

The occurrence of Roman cremations in pottery urns is a relatively unusual phenomenon in East Sussex, and the current assemblage perhaps indicates greater cultural affinities with sites on the coastal plain to the west than with the Weald to the north; in fact two of the cremation vessels are probably products of the Arun valley. Perhaps of greater interest is the suggestion of the curation of these vessels, which may have been as much as 50 to 80 years old by the time of their final use as cinerary urns. Similar patterns of anachronistic pottery use have been noted at other Roman cemeteries, including Butt Road, Colchester (Going 1993), the eastern cemetery of London (Barber & Bowsher 2000) and the Pepper Hill cemetery at Northfleet (Biddulph 2006). Several explanations for this phenomenon have been proposed, including the deliberate retention of older vessels as heirlooms (Barber & Bowsher 2000, 122), the accidental disturbance and reinterment of vessels during later grave digging (Biddulph 2006, 27) or wider mechanisms of pottery supply in which recession-induced shortages led to the reuse of pottery taken from earlier graves (Going 1993, 49).

In the case of the four vessels within Enclosure 4 (EN4), the hypothesis of accidental disturbance can effectively be discounted, given that the cremations were not associated with a larger cemetery. An early 2nd-century AD date for their interment, on the other hand, would broadly correspond with a so-called lag phase of pottery supply (Going 1992), which may have encouraged the use of antique vessels for funerary deposition. However, the survival of these vessels as heirlooms within the household of settlement 4 seems perhaps the most appropriate interpretation, particularly in the context of the relatively late date of their interment, which appeared to represent the latest activity within the enclosure. In conjunction with the suggestion that these vessels may have contained a single, possibly male, adult, as discussed above, it is possible to put forward a scenario in which settlement 4 was abandoned on the death of its principal resident, the titular head of the household, who was subsequently interred with seemingly valued elements of the household pottery inventory.

quite possible that some of the field boundaries had earlier, medieval, origins. Twentieth-century activity was represented by the expedient disposal of farm machinery and bicycles in a series of pits in the far north of the Lower Hoddern Farm site, though these were not subject to detailed recording.

The absence of any convincing evidence for activity in the study area during the 1500 years or so following the abandonment of settlement 4 may be more apparent than real, perhaps reflecting a relatively static agricultural landscape subject to minimal modification until the 17th–19th centuries.

5.4 POST-ROMAN ACTIVITY

INTRODUCTION

The absence of evidence for any activity after the early 2nd century AD anywhere in the study area is striking in its totality. There was no evidence for any early medieval activity whatsoever, while the later medieval period was represented by a single sherd of green-glazed pottery recovered from a shallow lynchet feature on the north side of the valley at the Lower Hoddern Farm site.

PERIOD 9: POST-MEDIEVAL, AD 1539–PRESENT

There was slightly better evidence for the post-medieval period (period 9), including a series of field boundaries in the far south-west and south-east of the Lower Hoddern Farm site, Field Systems 5 and 6 (FS5 and FS6), and two quarry pits in the far south-west corner and south central area of the site, Open Areas 71 and 72 (OA71 and OA72), which probably represented a post-medieval marl pit and chalk pit respectively (Fig 5.38). Evidence for marling was also intermittently observed on the Lower Hoddern Farm site during trial trenching and at Keymer Avenue, in the form of several extensive spreads of subsoil with frequent chalk flecking (OA35). The available dating evidence from these features was generally from the 17th–19th centuries, although it is of course

Fig 5.38 Plan of post-medieval features across study area (period 9)

CHAPTER 6 SPECIALIST REPORTS

6.1 STRUCK FLINT

Hugo Anderson-Whymark

INTRODUCTION

Excavations at the three sites yielded a substantial assemblage of 5909 flint artefacts that demonstrate intermittent activity from the early Mesolithic to the Late Bronze Age (Table 6.1). The greater part of the assemblage is residual, contained within the fills of later archaeological deposits or soil horizons, but sealed contemporary assemblages were recovered from 30 Early Neolithic to Early Bronze Age pits, an Early Bronze Age tree throw hole and five Late Neolithic/Early Bronze Age ditches (Table 6.2).

Owing to the high incidence of residuality and the large scale of the excavations this report is written as a broad chronological narrative, describing key technological attributes and distinctive artefact types, with particular focus on *in situ* deposition contexts and diagnostic artefacts.

METHODOLOGY

The lithics from Keymer Avenue (SKP06) were initially assessed by Butler (2008) and from Seaview Avenue (SVP10) by Marples (2011). During assessment of the flintwork from the Lower Hoddern Farm site (BHT09), the assemblages from Seaview Avenue and Keymer Avenue were recatalogued to ensure consistent recording and to record additional attributes (eg condition). The flints were catalogued according to broad artefact/debitage type and retouched pieces were classified following standard morphological descriptions (Bamford 1985; Healy 1988; Bradley 1999; Butler 2005). Additional information was recorded on the condition of the artefacts, including burning, breakage, the degree of edge damage and the degree of cortication (Tables 6.3–6.5). The assemblage was catalogued directly on to a Microsoft Access database and data manipulated in Microsoft Excel. A copy of the data set has been deposited with the archive.

RAW MATERIALS

The struck lithics were all manufactured from flint. The vast majority of this flint was obtained from the local landscape, where flint is a readily available resource, but differences in the raw materials indicate that several sources were exploited. The most commonly encountered raw material was a grey-brown

flint with grey cherty inclusions and a weathered or eroded buff-coloured cortex. This material is readily available from superficial deposits that are present on site and in the landscape around Peacehaven, such as Clay-with-Flints. Less common materials include Bullhead Bed flint, which exhibits an olive-green cortex with an underlying orange band, and beach cobbles. The former is available on site in the form of derived nodules, while the latter are available from the nearby coastline. The polished implements, flakes from polished implements and a small number of flakes (including some axe-thinning flakes) were manufactured from a distinctive opaque whitish-grey chalk flint, with frequent cherty inclusions. Neolithic polished implements were commonly manufactured from this flint and it is frequently suggested that this raw material originated from the Early Neolithic flint mines on the South Downs. However, further work on the mines is required to confirm this attribution.

In addition, a hammerstone of Upper Greensand chert was recovered. The source of this material is not known, but it may be local.

THE ASSEMBLAGE

MESOLITHIC

No *in situ* Mesolithic deposits were identified during the excavations, but evidence for Mesolithic activity is attested to by a small number of lithic artefacts recovered from later archaeological deposits. Because of significant admixing with Neolithic and Bronze Age artefacts, it is not possible accurately to quantify the Mesolithic component of the assemblage, but a small number of diagnostic artefacts were recovered (eg microliths, microburins, tranche axes and tranche axe-sharpening flakes) along with cores and blades that were the productions of a blade-orientated industry. Approximately 100 artefacts have been identified as Mesolithic, but this total must be considered as a minimum figure as it was not possible confidently to distinguish less diagnostic debitage, such as flakes, from later flintwork. Mesolithic artefacts are, however, unlikely to account for more than 2–5% of the total assemblage (ie fewer than 300 flints).

The Mesolithic flintwork was unevenly distributed across the excavation areas and the vast majority of diagnostic artefacts (c 85 pieces) were recovered from Keymer Avenue, with approximately half of these flints coming from the Middle Iron

Type	Site code						Total
	BHT09	BHT09 evaluation	PWTW04	SKP06	SVP10	SVP10 evaluation	
Flake	2186	36	33	2277	200	97	4829
Blade	84		1	80	3		168
Bladelet	19			36	1		56
Blade-like	80		4	74	6		164
Irregular waste	46		2	32	1		81
Chip	10			4			14
Sieved chip 4–10mm				14			14
Microburin				5			5
Rejuvenation flake core face/edge				1			1
Rejuvenation flake tablet	2			2			4
Crested blade				1			1
Levallois flake	1						1
Thinning flake	7			4			11
Flake from ground implement	6			5			11
Single-platform blade core	1			11			12
Opposed-platform blade core	1			3			4
Blade core preform				1			1
Tested nodule/bashed lump	20			26	2	2	50
Single-platform flake core	20			23	2	2	47
Multi-platform flake core	40			50	4	2	96
Levallois/other discoidal flake core	3			3			6
Unclassifiable/fragmentary core	3			3			6
Core on a flake	7			8	2		17
Microlith				2	1		3
Burin	1			2			3
Leaf arrowhead	1			1			2
Chisel arrowhead	1						1
Oblique arrowhead				1			1
Unfinished barbed & tanged arrowhead	1						1
End scraper	22			52	6	1	81
Side scraper	5			10		1	16
End & side scraper	1			18	2		21
Disc scraper	2			1			3
Thumbnail scraper				1	1		2
Concave scraper?	1						1
Denticulated scraper	1			3			4
Nosed scraper	1			1			2
Double-end scraper	1						1
Awl	2			5			7
Piercer	2			8		1	11
Spurred piece	3			7		1	11
Serrated flake	13			3		1	17
Denticulate	3			5			8
Notch	8			5	2	2	17
Backed knife				2		1	3
Other knife	6			3			9
Retouched flake	14			12	2		28
Fabricator	1						1
Fabricator?				1			1
Miscellaneous retouch	1						1
Mace-head				1			1
Polished axe	1			3			4
Flaked axe	1						1
Tranchet axe				1			1
Tranchet axe-sharpening flake				1			1
Pick				1	1		2
Chisel	1						1
Other core tool	1						1
Unfinished core tool	1			1	1		3
Hammerstone	15			22	2		39
Total	2647	36	40	2836	239	111	5909

Table 6.1 The struck flint assemblage by excavation/fieldwork

Type	Period										Total
	1	2	2/3	3	4	5	6	7	8	Other*	
Flake	328	54	29	115	207	297	318	1470	334	1677	4829
Blade	32	3	1	7	6	6	9	57	7	40	168
Bladelet	12	1		2	3	2		21		15	56
Blade-like	25	6		11	6	8	2	46	15	45	164
Irregular waste	13		1		2	4	2	26	10	23	81
Chip	2			2	2		3	5			14
Sieved chips 4–10mm								14			14
Microburin								2		3	5
Rejuvenation flake core face/edge								1			1
Rejuvenation flake tablet	2							1		1	4
Crested blade								1			1
Levallois flake										1	1
Thinning flake	5							3	1	2	11
Flake from ground implement	4					1		5	1		11
Single-platform blade core								8		4	12
Opposed-platform blade core								2	1	1	4
Blade core preform								1			1
Tested nodule/bashed lump	3		1	1		3		17	6	19	50
Single-platform flake core	3	1		3	2	2	1	18	3	14	47
Multi-platform flake core	3	1	2	3	5	7		43	4	28	96
Levallois/other discoidal flake core					1			1	1	3	6
Unclassifiable/fragmentary core					1			2		3	6
Core on a flake	1	1	1		1	1		6	1	5	17
Microlith						1		1		1	3
Burin								1	1	1	3
Leaf arrowhead	1							1			2
Chisel arrowhead									1		1
Oblique arrowhead								1			1
Unfinished barbed & tanged arrowhead				1							1
End scraper	5	1		3	2	3	2	35	3	27	81
Side scraper				1	1	1		11	1	1	16
End & side scraper						1		12		8	21
Disc scraper			1					1		1	3
Thumbnail scraper						1		1			2
Concave scraper?								1			1
Denticulated scraper								1	1	2	4
Nosed scraper								2			2
Double-end scraper										1	1
Awl			1					5		1	7
Piercer				1			1	5		4	11
Spurred piece	1		1	1				4		4	11
Serrated flake	10	1					1	3	1	1	17
Denticulate			1		1			3		3	8
Notch			1			2	1	1	1	11	17
Backed knife								3			3
Other knife	1			5				3			9
Retouched flake	6		1	2	1	1		10	1	6	28
Fabricator							1				1
Fabricator?								1			1
Miscellaneous retouch								1			1
Mace-head								1			1
Polished axe					1			3			4
Flaked axe					1						1
Tranchet axe								1			1
Tranchet axe-sharpening flake								1			1

*Unstratified, unphased and modern contexts.

Table 6.2 The struck flint assemblage from all sites by phase

Type	Period																			Total
	1		2		2/3		3		4		5		6		7		8		Other*	
Pick															1				1	2
Chisel																			1	1
Other core tool													1							1
Unfinished core tool													2		1					3
Hammerstone	1										2		1		14		3		18	39
Total	458		69		41		158		243		343		345		1880		397		1976	5909
	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%
Burnt	7	1.5	2	2.9			6	3.8	8	3.3	9	2.6	7	2	57	3.1	8	2	40	2
Broken	117	2.5	17	24.6	4	9.8	21	13.3	44	18.1	46	13.4	77	22.3	361	19.2	76	19.1	312	15.8
Retouch tools	24	5.2	2	2.9	6	14.6	14	8.9	7	2.9	10	2.9	9	2.6	113	5.9	10	2.5	74	3.7

Table 6.2 continued

Post-depositional damage	Site code												Total	
	BHT09		BHT09 evaluation		PWTW04		SKP06		SVP10		SVP10 evaluation			
	No	%	No	%	No	%	No	%	No	%	No	%	No	%
Unclassifiable					I	2.5	43	1.5	2	0.8			46	0.8
Fresh	704	26.6			I	2.5	49	1.7			3	2.7	757	12.8
Slight	752	28.4	3	8.3	6	15.0	594	20.9	58	24.3	5	4.5	1418	24.0
Moderate	760	28.7	32	88.9	25	62.5	1532	54.0	166	69.5	19	17.1	2534	42.9
Heavy and/or rolled	431	16.3	I	2.8	7	17.5	618	21.8	13	5.4	84	75.7	1154	19.5
Total	2647	100	36	100	40	100	2836	100	239	100	111	100	5909	100

Table 6.3 Condition of the flint assemblage by site

Post-depositional damage	Period												Total	
	I		2		2/3		3		4/5		6+ and unphased			
	No	%	No	%	No	%	No	%	No	%	No	%	No	%
Unclassifiable											46	1.0	46	0.8
Fresh	295	64.4	21	30.4	23	56.1	114	72.2	99	16.9	205	4.5	757	12.8
Slight	153	33.4	26	37.7	13	31.7	41	25.9	202	34.5	983	21.4	1418	24.0
Moderate	9	2.0	22*	31.9	5	12.2	2	1.3	220	37.5	2276	49.5	2534	42.9
Heavy and/or rolled	I	0.2					I	0.6	65	11.1	1087	23.6	1154	19.5
Total	458	100	69	100	41	100	158	100	586	100	4597	100	5909	100

*Percentage elevated by a single feature: pit C[2019], associated with Peterborough Ware, yielded 21 flints with moderate edge damage and ten with slight edge damage

Table 6.4 Condition of the flint assemblage by phase

Surface condition	Site code												Total	
	BHT09		BHT09 EV		PWTW04		SKP06		SVP10		SVP10 EV		No	%
	No	%	No	%	No	%	No	%	No	%	No	%		
No cortication	2030	76.7	35	97.2	12	30.0	2330	82.2	187	78.2	105	94.6	4699	79.5
Light cortication	418	15.8			5	12.5	107	3.8	33	13.8	6	5.4	569	9.6
Moderate cortication	193	7.3			23	57.5	83	2.9	18	7.5			317	5.4
Heavy cortication	6	0.2	I	2.8			9	0.3	I	0.4			17	0.3
Iron-stained							307	10.8					307	5.2
Total	2647	100	36	100	40	100	2836	100	239	100	111	100	5909	100

Table 6.5 Surface condition of the flint assemblage by site

Age midden Open Area 15 (OA15) located towards the south of the excavation area. The Lower Hodder Farm and Seaview Avenue excavations each yielded no more than a few flints.

The Mesolithic assemblage consists of a small number of diagnostic artefacts and various cores and flakes dated on the basis of technological attributes; the latter are described further below. Three microliths were recovered: an obliquely blunted

point (Fig 6.1, no 1), an exceptionally large edge-blunted point (Fig 6.1, no 2) and a burnt and broken fragment probably from an obliquely blunted point. These microliths probably date from the early Mesolithic, but the assemblage is too small to date with confidence. All three examples were produced by the microburin technique: the proximal bulbar ends were removed with a right-hand notch. The production of microliths is attested by the presence of five microburins: two exhibit proximal notches on the right-hand side (Fig 6.1, no 3), one exhibits a notch on the distal left-hand side, one exhibits a failed snap notched on the distal right-hand side and the final example is on an irregular shard of flint. An edge-retouched blade and three burins were also assigned a Mesolithic date. The burins comprise an example struck from a distal truncation (A[2055]), an example on a blade-like flake struck from a distal retouched truncation towards a notch in a retouched edge (Fig 6.1, no 4) and a blade-like flake with a simple angle burin on a break (B[549]). In addition, a small number of scrapers were assigned a broad Mesolithic or Neolithic date.

Mesolithic core tools were also found – a tranchet adze, two picks and one or two unfinished core tools. A classic tranchet axe-sharpening flake was also recovered (Fig 6.2, no 5). The tranchet adze was manufactured on a nodule of mottled grey flint with an abraded cortex and it was knapped with some proficiency to make the most of an irregular nodule (Fig 6.2, no 6). The butt end is broken but subsequent minor modifications indicate that this break occurred during the use-life of the tool. The two picks differ in form. The first is manufactured from Bullhead Bed flint and is an irregular tool of small proportions, exhibiting a minor break to its tip (Fig 6.2, no 7). The second pick is much larger and manufactured from an irregular nodule of opaque grey flint with a water-worn cortex. This tool is exceptionally irregular, although the butt end has been carefully shaped to facilitate hafting (Fig 6.2, no 8). The distal end has a strong asymmetric point that may once have been sharpened by a tranchet removal, but secondary flaking has removed all but a limited area of this flake scar and created a strong point of triangular cross-section. The two unfinished core tools are comparatively irregular and differ in size and form. An example from Middle Iron Age midden OA15 exhibits minimal flaking at each end of an irregular elongated nodule measuring 190 × 60mm; one end has seemingly been flaked in preparation for a tranchet removal, with a series of flakes struck from the blade edge and another removed to establish a platform for the tranchet blow (Fig 6.2, no 9). The other example exhibits haphazard bifacial flaking (A[232]) and can be assigned only a broad Mesolithic/Neolithic date. In relation to the former tool,

it may also be significant that three axe-thinning flakes and *c* 240 moderately to heavily edge-damaged, orange iron-stained, large hard-hammer flakes were recovered from midden OA15. These flints cannot be definitively dated to the Mesolithic, but the flakes are in notably poorer condition than most of the diagnostic Neolithic flintwork in this horizon, with the notable exception of a flake struck from a polished implement and a fragment of a polished axe-head. It is therefore possible that these flakes related to the production of Mesolithic core tools, although the possibility of a Palaeolithic date for some of the more heavily damaged flakes and a Neolithic date for some of the moderately damaged flakes cannot be entirely excluded. One large (120 × 53mm) moderately damaged, iron-stained, hard-hammer flake from midden OA15, characteristic of the flakes discussed above, exhibits heavy proximal use-abrasion typical of use as a fabricator and slight, abrupt, retouch along both sides (Fig 6.2, no 10).

A small number of cores, blades, bladelets and flakes deriving from a carefully controlled blade-orientated industry were assigned a Mesolithic date. The technological attributes of these flints were readily distinguished from the later flake-orientated assemblages, although it should be noted that less diagnostic flake debitage will not have been recognised. The *c* 35 blades assigned a Mesolithic date are typically prismatic in section, with parallel sides and dorsal blade scars, and most are 40–60mm long; the longest measures 95mm. The platform-edges of these blades have frequently been abraded and most exhibit diffuse bulbs on their ventral surfaces indicating that they were struck using a soft-hammer percussor, such as antler or wood. The technology of these flakes is consistent with their production from single- and opposed-platform blade cores. Twelve single-platform blade cores and four opposed-platform blade cores were recovered, along with a blade core preform. These cores are all considered to date from the Mesolithic and it should be noted that the stratified Early Neolithic flintwork is flake-orientated and does not include any blade cores. The blade cores exhibit many attributes typical of the Mesolithic, including acute platform angles, flat back faces which often retain cortex, platform-edge abrasion, evidence for the initiation/rejuvenation of blade production through the removal of a crested blade and evidence of rejuvenation by removal of a platform tablet. The majority of these blades and blade cores were recovered from Keymer Avenue (Table 6.1).

Fig 6.1 Struck flint nos 1–4

CATALOGUE

1. Broken obliquely blunted point, probably of Jacobi's type 1bC (1978). Late Bronze Age pit C[174], fill C[175]. Residual Mesolithic (Fig 6.1).
2. Edge-blunted point with minimal break to base: 42.2mm long, 8.1mm wide, 2.6mm thick. SKP06, field walking, grid square 21. Residual early Mesolithic (Fig 6.1).
3. Proximal microburin notched on right-hand side. Topsoil B[101], test pit 12. Residual Mesolithic (Fig 6.1).
4. Burin on retouched truncation, struck toward retouched notch. SKP06, unstratified. Residual Mesolithic (Fig 6.1).
5. Tranchet axe-sharpening flake. Middle Iron Age ditch B[1228], fill B[1229]. Residual Mesolithic (Fig 6.2).
6. Tranchet adze with a butt end broken in use. Wt 356g. Middle Iron Age ditch B[546]. Residual Mesolithic (Fig 6.2).
7. Crude pick manufactured from Bullhead Bed flint, which has a slight break to tip. Wt 227g. Middle Iron Age B[970]. Residual Mesolithic (Fig 6.2).
8. Pick, possibly manufactured from a tranchet axe. The tool has been knapped with a waist, presumably to facilitate hafting. Wt 477g. Subsoil C[102]. Residual Mesolithic (Fig 6.2).
9. Unfinished core tool. An elongated nodule of flint with flaking at each end, probably an unfinished tranchet axe. Wt 779g. Iron-staining orange. Middle Iron Age B[970]. Residual Mesolithic (Fig 6.2).
10. A hard-hammer flake with proximal abrasion possibly resulting from use as a fabricator. Both sides exhibit slight abrupt edge retouch. Iron-staining orange. Moderate edge damage. Middle Iron Age B[970]. Residual Mesolithic (Fig 6.2).

EARLY NEOLITHIC (STRATIFIED)

In total, 458 flints were recovered from 18 Early Neolithic pits located towards the north-east of the Lower Hodder Farm excavation area (Fig 6.3; Table 6.6). Most of these pits were located in an irregular cluster (A:G245, pits A[635] and A[1202]; A:G246, pit A[648]; A:G247, pits A[644], A[720], A[729] and A[766]; A:G248, pits A[633] and A[724]), but six pits containing flints were located to the south-west of the main cluster (A:G245, pit A[786]; A:G246, pits A[774], A[777] and A[783]; A:G247 pit A[768]; A:G249, pit A[784]), one was located to the east of the main cluster (A:G247, pit A[21]) and an isolated pit was located to the north (A:G254, pit A[297]).

The flints contained within the pits were in very good condition with 97.8% recorded as fresh or exhibiting slight edge damage (Table 6.4). This indicates that the flints were broadly contemporary with the features and were probably deposited only a short period of time after they were used and discarded. The size of the lithic assemblage in each pit was exceptionally variable, with individual features yielding between 1 and 150 flints. The majority of pit assemblages were comparatively small, however, with the notable exceptions of pits A[21], A[766] and A[1202], which yielded 150, 76 and 50 flints respectively.

The Early Neolithic flint assemblage is dominated by thin, regular, unretouched flakes, including many that exhibit platform-edge abrasion. Among the unretouched flakes are a small number of blades (flakes with a length to breadth ratio >2:1) and bladelets (blades under 40mm in length), accounting for c 11% of the flake assemblage. This proportion is comparatively low for the Early Neolithic, where between 13% and 36% is more typical (Ford 1987), but it should be noted that the proportion of blades in Early Neolithic assemblages is frequently low in regions with a plentiful supply of raw materials. Early Neolithic assemblages in the Stonehenge landscape, for example, are almost entirely flake-orientated. The presence of seven flake cores and three test nodules confirms the flake-orientated reduction strategies. The three tested nodules exhibit only a few flake removals and were abandoned at 58g, 11g and 260g respectively. Six of the cores have been extensively worked and were abandoned weighing between 93g and 222g (average 113g), while a 941g single-platform core from pit A[1202] was only partly worked (Fig 6.4, no 11). A flint hammerstone weighing 457g (Fig 6.4, no 12) was also deposited in pit A[1202], raising the possibility that these two artefacts represent a deliberate offering related to flint knapping.

Fig 6.2 Struck flint nos 5–10

Fig 6.3 Distribution of flints in Early Neolithic pits

Group no	A:G245			A:G246			A:G247						A:G248			A:G249			A:G254		
Context no	A[635]	A[786]	A[1202]	A[648]	A[774]	A[777]	A[783]	A[211]	A[644]	A[720]	A[729]	A[766]	A[768]	A[633]	A[724]	A[23]	A[784]	A[297]			
Type	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	Total
Flake	39	3	21	2	1	1	7	124	26	11	12	51	2	2	23	1	1	1	328		
Blade	5		6	1			2	2	7		2	7							32		
Bladelet	1		1	1			4	3	1						1				12		
Blade-like	3		5	1			2	6	4	2		2							25		
Irregular waste			6				1	1		1		4							13		
Chip								2											2		
Rejuvenation flake tablet			1							1									2		
Thinning flake	1		1					3											5		
Flake from ground implement	1							3											4		
Tested nodule/bashed lump												3							3		
Single-platform flake core	1		1							1									3		
Multi-platform flake core								2				1							3		
Core on a flake							1												1		
Leaf arrowhead				1															1		
End scraper								1	2			1			1				5		
Spurred piece															1				1		
Serrated flake	2		4					1	2			1							10		
Other knife			1																1		
Retouched flake	1		2					2				1							6		
Hammerstone			1																1		
Total	53	4	50	5	2	1	17	150	42	16	14	71	2	2	26	1	1	1	458		
	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	
Burnt			1	2			2	1.3				2	2.8						7	1.5	
Broken	12	22.6	4	8	1		3	60	40	12	28.6	2	14	19.7	4	15.4	1		117	25.5	
Retouch tools	3	5.7	7	14	1			4	2.7	4	9.5	3	4.2		2	7.7			24	5.2	

Percentage not shown when grand total is fewer than 20 pieces

Table 6.6 The flint assemblage from Early Neolithic features at Lower Hodderm Farm by group and feature

The presence of numerous flakes and cores, along with 13 pieces of irregular knapping waste, may, at first sight, be taken to indicate that knapping debitage represents a significant component of the assemblage. However, the vast majority of unretouched flakes exhibit use-damage on their edges, indicating that they were employed as tools before deposition. Moreover, a refitting exercise that sought to locate refits within and between the pits identified only four short refitting sequences in two pits (see details below). In pit A[21] a flake was refitted to an expedient flake core (Fig 6.4, no 13) and a second pair of refits was located between two flakes of a similar raw material. In pit A[21] a further refit was made between two flakes struck from a polished implement (Fig 6.4, no 14), while in pit A[766] a sequence of three flakes was refitted (Fig 6.4, no 15). These results indicate that comparatively little primary knapping debris was present within these features. The absence of refits between features also potentially has a bearing on the temporal sequence of the features: this issue is explored above in Chapter 3.

The recovery of a refit between two polished flakes in pit A[21], together with the recovery of three further flakes from polished implements, indicates that (presumably broken) polished implements were reworked as cores on or close to this location. The reworking of these polished implements at the end of their uselives can be viewed as part of an ongoing cycle since these pits also contained five thinning flakes (Fig 6.4, no 16), reflecting the production of new core tools. The thinning flakes (and flakes from polished implements) were all of a distinctive opaque, light grey, flint perhaps imported from the mines on the South Downs. Too few thinning flakes were present to suggest the production of a flaked core tool in its entirety, but two possible explanations for their presence may be offered. First, the few thinning flakes may have been imported from another location as simple flake tools (eg from a site of core tool manufacture) or, second, the flakes may reflect minor modifications to a rough-out produced elsewhere potentially before the artefact was finished by grinding and polishing. It is therefore probable that polished axes and adzes were finished, used and broken within the Peacehaven landscape.

Twenty-four formally retouched tools were recovered, representing 5.2% of the assemblage: a broken leaf arrowhead (Fig 6.4, no 17), ten serrated flakes (Fig 6.4, nos 18 and 19), six minimally edge-retouched flakes, five end scrapers (Fig 6.4, no 20), a knife (Fig 6.4, no 21) and a spurred piercing point. The presence of ten serrated flakes is particularly notable as these tools relate to the working of silica-rich plants, such as nettles,

into fibres for cordage or textiles (Juel Jensen 1994; Hurcombe 2007). This function is confirmed by the presence of a thin band of silica gloss on the rear of the teeth of six examples.

CATALOGUE

11. Partially worked single-platform flake core. Wt 941g. Early Neolithic pit A[1202], fill A[1203] (Fig 6.4).
12. Hammerstone. Wt 457g. Early Neolithic pit A[1202], fill A[1203] (Fig 6.4).
13. Refit between an expedient flake core and a flake. Early Neolithic pit A[21], fill [22] (Fig 6.4).
14. Two refitting flakes struck from the side of a polished implement of mid grey flint. Early Neolithic pit A[21], fill A[22] (Fig 6.4).
15. Three refitting flakes struck from a single platform flake core. Early Neolithic pit A[766] (Fig 6.4).
16. Axe-thinning flake of a non-local, opaque, mid grey flint with cherty inclusions. Early Neolithic pit A[635], fill A[640] (Fig 6.4).
17. Leaf arrowhead with a broken base. Early Neolithic pit A[648], fill A[650] (Fig 6.4).
18. Serrated flake. Early Neolithic pit A[1202], fill A[1204] (Fig 6.4).
19. Serrated flake. Silica gloss on the back of the teeth (ventral surface). Early Neolithic pit A[1202], fill A[1204] (Fig 6.4).
20. End scraper with spur on left-hand side. Early Neolithic pit A[21], fill A[22] (Fig 6.4).
21. Knife backed at the proximal end and along its right hand side. Early Neolithic pit A[1202], fill A[1203] (Fig 6.4).

Refitting exercise by pit

Pit A[21], fill A[22]

Three pairs of refits and one conjoin were identified in pit A[21]. The raw material for two pairs of refits was of a mid brown flint with a c 5mm white/buff cortex; several other flakes of this raw material were present in the pit, but no further refits could be made. The first refit was between a flake and an expedient flake core manufactured on a large flake, while the second refit was between two flakes (one in spit 1 and the other in spit 2). These flints resulted from an episode of expedient flake production, presumably for ad hoc tools. Two further expedient flake cores of different raw materials and numerous flakes of squat proportions were also recovered from the pit, further highlighting unspecialised flake production. Many of the flakes in this pit exhibit use-damage.

The final refit was made between two flakes struck from the side of an opaque grey polished implement; a further polished flake recovered from the pit may derive from the same implement. These flakes indicate the reduction of a polished implement, such as an axe or adze. Although it is not possible to determine the state of this artefact when it was flaked, the recycling of broken polished implements for regular flakes is a common feature of the Neolithic. Although potentially unrelated, it may be significant that two axe-thinning flakes of opaque light grey flint and a third possible example of mottled mid grey flint were recovered from the pit. These flakes were struck from a rough-out core tool, such as an axe or adze, at an advanced stage of manufacture. There were not sufficient flakes present in this pit to suggest that a rough-out was

Fig 6.4 Struck flint nos 11-21

manufactured at this location, but two explanations may be offered. First, the flakes may have been imported from a site of axe manufacture (eg the South Downs), possibly for use in another activity, or, second, they may reflect the final modification of an axe or adze rough-out produced at another location, possibly prior to polishing. In the latter scenario it is possible to envisage the reworking of a broken polished implement and the production of a replacement from a blank held in reserve. The conjoin was between two halves of a flake broken during excavation.

Pit A[635], fills A[636], A[639], A[640] and A[641]

No refits identified. The majority of the flint in pit A[635] was recovered from fill A[640]. This fill contained four exceptionally large flakes (c 80mm) struck from a grey flint cobble with a chattered cortex. These flakes do not refit, but each exhibits heavy use-damage. Two axe-thinning flake were recorded, both of a distinctive fine opaque mottled grey flint (this material is distinct from the other material in the assemblage); one of these is a particularly good example. A flake struck from a highly polished implement was also noted.

The flake debitage is typically of broad proportions with few blades. Many of the flakes exhibit slight edge damage and most appear to have been utilised. Two serrated blades are present.

Pit A[644], fill A[645]

No refits identified. The pit typically contained large, broad, partly cortical flakes, but few blades were present. Most flakes appear to have been used. Two large flake scrapers were recorded.

Pit A[720], fill A[721]

No refits identified. The pit contained one exceptionally regular exhausted core of a distinctive grey mottled flint, but no flakes of this flint were present in this pit or any other pit. The flakes in this pit appear to have been utilised.

Pit A[724], fills A[722] and A[723]

No refits identified. The flints from both fills are very similar, but the overall composition of the assemblage is noticeably different from that of the other pits. The most distinctive feature is the presence of large flakes with 50–75% cortex. Most of these flakes come from a nodule or nodules of flint with a thick buff cortex. The flakes appear to result from the early stages of core preparation, but a few pieces exhibit use damage and one scraper was present.

Pit A[729], fill A[730]

No refits identified. The flints in pit A[729] were typically broad, partly cortical flakes. Most have edge damage and/or use damage; the former indicates that some of these flakes may have been exposed for a period before deposition.

Pit A[766]

Pit A[766] contained a large assemblage of flint with a broad range of artefacts, including three crude tested nodules, a wide range of flakes and blades and a few retouched tools. Raw materials were varied and could have originated from several different nodules. Three flakes were refitted in a short sequence, demonstrating hard-hammer reduction from a plain platform. A flaw in the core was exposed by the two final removals and it is possible that it was abandoned at this point, although the core was not found.

One serrated blade was recovered and a similar blade exhibited a few nicks, suggesting it may have been used for this purpose too. Many of the other flakes and blades in the pit exhibited use wear and some were extensively used. The end scraper is a fine example with a spur; intriguingly this flint is more corticated than the rest of the assemblage, indicating that either the raw material is more susceptible to cortication or that the tool underwent a different depositional history.

A conjoin was also made between two fragments of a burnt blade (modern).

Pit A[783], fill A[782]

Fresh group of flints but no refits identified. Slight use damage is present on some of the flakes.

Pit A[1202], fills A[1203] and A[1204]

No refits identified. Fill A[1203] produced a very substantial partially worked core and a small number of flakes, while fill A[1204] contained a large hammerstone, of the type that might be used to knap the core from fill A[1203], and a distinctive group of largely non-cortical blades including four that were serrated. The blades and flakes from this pit are in reasonably fresh condition, but virtually all exhibit use wear. The blades are not the product of the core in the pit and the flakes struck from the core are notably absent from this pit, and from any other pit on site. Fill A[1203] contained one axe-thinning flake of the distinctive grey flint previously noted. This flake exhibited slight edge damage and use wear, showing that it was used for a task before deposition. The presence of this flint does not therefore indicate axe production at this location.

LATER NEOLITHIC AND LATER NEOLITHIC/EARLY BRONZE AGE (STRATIFIED)

Five pits dated to the Later Neolithic (Table 6.7) and three pits and three ditches dated to the Later Neolithic/Early Bronze Age (Table 6.8) yielded lithic assemblages. The assemblages from each feature are comparatively small, with the largest consisting of 31 flints from the Peterborough Ware-associated pit C[2019]. In general the flintwork from these features was in fresh or slightly edge-damaged condition, but the flintwork from pit C[2019] was in noticeably poorer condition (Table 6.4). This indicates that the flints deposited in this pit were probably exposed on the ground surface for a period of time before deposition.

The lithics from the Later Neolithic and Later Neolithic/Early Bronze Age features are broadly comparable to those recovered from the Early Neolithic features. The assemblages are dominated by unretouched flakes with a few flake cores and simple flake tools. None of the tools are particularly notable, but silica gloss was observed on the back of the teeth of one serrated flake.

EARLY BRONZE AGE (STRATIFIED)

Lithics were recovered from four pits, three ditches and a tree throw hole phased to the Early Bronze Age (Table 6.9). The lithics were typically in good condition (Table 6.4), probably indicating that they were rapidly deposited into the features from which they were recovered. Most of the assemblages are comparatively small; the largest assemblage, from pit A[1195], comprises 53 flints.

The composition of the Early Bronze Age flint assemblage is broadly comparable to that from Neolithic features: it is dominated by unretouched flakes, with a small number of flake cores and flake tools. However, the range of flake tools is subtly different with a significant increase in the number of knives (five in total) and the occurrence of an unfinished barbed and tanged arrowhead (Fig 6.5, no 22). The knives were all manufactured on flakes and exhibit low-angle semi-abrupt to invasive retouch (Fig 6.5, no 23).

The unfinished or rough-out arrowhead, from pit A[1195], is at an advanced stage of manufacture, exhibiting extensive bifacial retouch, but it has not been notched at its base and the edges are slightly irregular and require additional retouching to form a regular outline. Part-manufactured or rough-out arrowheads are comparatively common in the early Bronze Age and frequently occur within grave assemblages – for example, Wellington Quarry, Marden, Herefordshire (Harrison et al 1999). The occurrence of these rough-outs reflects a change in

the chaîne opératoire for arrowhead manufacture between the Neolithic and the Early Bronze Age. In the Neolithic arrowheads were typically manufactured from flake to arrowhead in single event, as demonstrated by the leaf arrowhead manufacture site at Dorney Lake, Buckinghamshire (Lamdin-Whymark 2001). In contrast, barbed and tanged arrowheads were commonly manufactured in two stages. The first stage produced a rough-out or blank, from which a finished arrowhead was easily attainable, while the second stage represented finishing and notching. These two stages of manufacture frequently took place at different locations, as demonstrated by the occurrence of blanks and rough-outs in graves and, as in the current case, as isolated finds. It is unclear why practices changed, particularly as in the author's experience it is only likely to take 15–30 minutes to make an arrowhead in its entirety. One may, however, speculate that by transporting a rough-out

Group no	B:G110	C:G129	A:G156	A:G172	A:G279	
Context no	B[764]	C[2019]	A[1907]	A[674]	A[711]	
Type						Total
Flake	9	25	11	1	8	54
Blade	1	2				3
Bladelet	1					1
Blade-like	2	2			2	6
Single-platform flake core			1			1
Multi-platform flake core			1			1
Core on a flake		1				1
End scraper		1				1
Serrated flake			1			1
Total	13	31	14	1	10	69
	No	%	No	%	No	%
Burnt					2	2.9
Broken	2		1		2	10.1
Retouch tools		1	1			2.9

Percentage not shown when grand total is fewer than 20 pieces

Table 6.7 The flint assemblage from Later Neolithic pits by group and feature

Group no	Ditch A:G1						A:G5		A:G6		A:G84		A:G85					
Context no	A[362]		A[396]		A[398]		Ditch A[1900]		Quarry pit A[1890]		Ditch A[1156]		Pit A[1158]		Pit? A[1136]			
Type																	Total	
Flake			7		2		2		12				1		5		29	
Blade			1														1	
Irregular waste															1		1	
Tested nodule/ bashed lump									1								1	
Multi-platform flake core									1						1		2	
Core on a flake			1														1	
Disc scraper									1								1	
Awl	1																1	
Spurred piece									1								1	
Denticulate											1						1	
Notch									1								1	
Retouched flake															1		1	
Total	1		9		2		2		17		1		1		8		41	
	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%
Burnt																		
Broken			1		2		1										4	9.5
Retouch tools	1								3		1				1		6	14.3

Percentage not shown when grand total is fewer than 20 pieces

Table 6.8 The flint assemblage from Later Neolithic/Early Bronze Age features at Lower Hoddern Farm by group and feature

Group no	C:G13		Ditch A:G109						A:G223		A:G238		A:G250		A:G251		A:G252		A:G253			
Context no	Quarry pit C[240]		A[1468]		A[1470]		A[1472]		Ditch A[910]		Ditch A[1195]		Tree throw hole A[1734]		Pit A[733]		Pit A[715]		Pit A[323]			
Type																					Total	
Flake	13				2		2		5		39		31				7		16		115	
Blade									1				4						2		7	
Bladelet											1						1				2	
Blade-like	2		1								4		1		1		1		1		11	
Chip													1		1						2	
Tested nodule/ bashed lump											1										1	
Single-platform flake core													3								3	
Multi-platform flake core											1		1				1				3	
Unfinished barbed & tanged arrowhead											1										1	
End scraper											2						1				3	
Side scraper																			1		1	
Piercer																	1				1	
Spurred piece											1										1	
Other knife											2						1		2		5	
Retouched flake											1						1				2	
Total	15		1		2		2		6		53		41		2		14		22		158	
	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%	No	%
Burnt											4	7.5					1	7.1	1	4.5	6	3.8
Broken	1		1				1		1		4	7.5	9	22			3	21.4	1	4.5	21	13.3
Retouch tools											7	13.2					4	28.6	3	13.6	14	8.9

Percentage generally not shown when grand total is fewer than 20 pieces

Table 6.9 The flint assemblage from Early Bronze Age features by group and feature

Fig 6.5 Struck flint nos 22–23

or blank the knapper is almost guaranteed to be able to make an arrowhead, whereas if selected flakes were carried some might fail to produce arrowheads. Finished arrowheads also have delicate tips and barbs that are prone to breakage, which might make it desirable to carry more durable rough-outs. Finishing arrowheads as required might therefore represent a pragmatic option for a mobile community.

CATALOGUE

22. Rough-out barbed and tanged arrowhead. Early Bronze Age ditch A[1195], fill A[1199] (Fig 6.5).
23. Knife manufacture on a broken flake by the application of semi-invasive pressure flaking along its left hand side. Early Bronze Age pit A[323], fill A[324] (Fig 6.5).

NEOLITHIC/EARLY BRONZE AGE (RESIDUAL/UNSTRATIFIED)

A significant proportion of the flintwork from post-Early Bronze Age features, unphased features and unstratified contexts probably dates from the Neolithic to Early Bronze Age. However, as the flintwork is admixed with both Mesolithic and Middle to Late Bronze Age artefacts it is not possible to quantify the assemblage accurately. A number of datable and intrinsically interesting artefacts were identified. Three residual arrowheads were recovered, including an Early Neolithic leaf-shaped form (Fig 6.6, no 24), a Middle Neolithic chisel arrowhead and a Late Neolithic British oblique arrowhead (Fig 6.6, no 25).

A burnt and broken 139g fragment of a flaked Later Neolithic mace-head with a natural perforation was recovered from Middle Iron Age midden B[970] (Fig 6.6, no 25b). Neolithic mace-heads are exceedingly uncommon discoveries and most known examples were recovered from dredging operations in the River Thames in the late 19th and early 20th centuries. Comparable naturally perforated flaked mace-heads were, however, recovered from excavations at Imperial College Sports Ground, Harlington and a fragment of a polished mace-head was recovered from a Later Neolithic pit at Yarnton, Oxfordshire (K Cramp, pers comm). The presence of further Later Neolithic flintwork is demonstrated by a Levallois-style flake and discoidal flake cores.

Other diagnostic artefacts include two substantial reworked fragments of Neolithic polished axe-heads (Fig 6.6, no 26), seven flakes from polished implements, a flaked flint chisel with a broken blade end (102+mm long by 29 mm wide and 15mm thick) and the butt end of a light grey flint axe-head rough-out which exhibits slight polishing on a couple of flake ridges. A further polished axe fragment and a fragment of a flaked axe-head were retrieved as placed deposits in Bronze Age features (see below).

The only additional diagnostic Early Bronze Age artefacts were a small, neatly retouched thumbnail scraper (24 × 23mm), with a slight notch in one side from Seaview Avenue (Fig 6.6, no 27) and an invasively pressure-flaked knife from Middle Iron Age palaeosol B[970] (Fig 6.6, no 28).

Fig 6.6 Struck flint nos 24–28

CATALOGUE

24. Minimally retouched leaf-shaped arrowhead. Middle Iron Age ditch A[1271], fill A[1272]. Residual Early Neolithic (Fig 6.6).

25. British oblique arrowhead. Middle Iron Age pit B[1331], fill B[1332]. Residual Late Neolithic (Fig 6.6).

25b Broken Later Neolithic flint mace-head. This artefact was manufactured on a naturally perforated pebble by carefully flaking the pebble to shape around the naturally hourglass-shaped hole. The hole is largely unmodified, but some striations in the cortex indicate minimal shaping, probably with a flint; a slight internal polish probably results from wear against the haft. The original form of the artefact is difficult to determine owing to breakage,

but the hole appears to have been offset towards the butt and the sides appear to have been straight and near parallel; the butt end is convex. The artefact was burnt at a low temperature, probably for a prolonged period, generating a glossy deep blood-red surface on opaque mottled grey flint with a buff-coloured cortex. This surface finish is very striking and it is likely that the artefact was intentionally burnt during manufacture. The break occurred at some point after burning. 67.5+mm long by 65mm wide and 34.2mm thick; perforation 18.4 × 15mm. Wt 140.1g. B[1807], square J4; part of Iron Age midden B[970] (Fig 6.6).

26. Butt end of a polished implement of opaque mid grey flint. Middle Iron Age ditch B[1262], fill B[1263]. Residual Neolithic (Fig 6.6).

27. Thumbnail scraper with a spur on its right-hand side. Late Bronze Age ditch C[28], fill C[26]. Residual Early Bronze Age (Fig 6.6).
28. Knife manufactured on a cortical hard-hammer flake by the application of invasive pressure flaking. Middle Iron Age B[970]. Residual Early Bronze Age (Fig 6.6).

MIDDLE TO LATE BRONZE AGE

The Middle to Late Bronze Age flintwork is characterised by large, broad and thick flakes manufactured by hard-hammer percussion without preparation of the core edge. Retouched tools are comparatively scarce and, excluding residual Neolithic–Early Bronze Age tools, only 13 artefacts are present (2.2% of the assemblage): eight scrapers, two notched flakes, two edge-retouched flakes and a denticulate. This limited range of tools and the dominance of scrapers is typical of these periods. In addition to the retouched tools, two well-used hammerstones, weighing 190g and 467g, were recovered from Late Bronze Age Building 8 (B8), layer A[1198].

Two Neolithic axe-head fragments were recovered from pits associated with B7 and it appears probable that they were deliberately deposited in the Late Bronze Age. Accidental incorporation appears unlikely as axe-heads are not only rare, but these are the largest and most obvious fragments from the entire excavation. Moreover, both fragments exhibit two episodes of cortication, suggesting that they were already of some antiquity by the time they were broken and modified. The polished axe fragment from pit A[835] (Fig 6.7, no 29) exhibits a moderate white cortication on the polished surface and a number of flake removals from the blade edge, but a break across the middle of the implement and two flake removals are more recent and exhibit only a light bluish-white cortication. Similarly, the flaked axe from pit A[810] (Fig 6.7, no 30) exhibits a heavy white cortication, but both ends of the axe were broken after this cortication formed; these ‘fresh’ surfaces subsequently developed a light white cortication. It is therefore possible that these artefacts were deliberately broken before burial in the Late Bronze Age, possibly as part of a ritual or because of superstitious beliefs relating to these ancient tools.

No substantial fresh or sealed assemblages solely of Middle to Late Bronze Age date were identified and much of the flintwork is in poor condition, reflecting a change in deposition practices whereby material culture was apparently left exposed, probably in midden-type deposits, rather than being rapidly deposited into open features as was the case in the Neolithic and Early Bronze Age. This change in deposition practices has homogenised flintwork from different Middle to Late Bronze Age activities and resulted in admixing with significant quantities of Neolithic to Early Bronze Age flintwork. The Middle to Late Bronze Age flint assemblage has therefore not been subject to detailed analysis.

A small number of probably Middle to Late Bronze Age retouched artefacts were recovered as residual finds. These include a coarse denticulate (Fig 6.7, no 31), four denticulated scrapers and a possible concave scraper.

The Middle to Late Bronze Age flint assemblage is characterised by simple reduction techniques, based on unsystematic hard-hammer direct percussion, the production of broad hard-hammer flakes, mostly probably used as ad hoc cutting tools, and a very limited number and range of simple retouched tools, predominantly scrapers. The poor standard of flintworking, along with the absence of evidence for careful deposition, indicates that in the Middle to Late Bronze Age flint tools were probably considered to be mundane artefacts of little significance. In contrast, the treatment of the two fragments of Neolithic axe-heads that were deposited in pits in B7, probably following deliberate breakage, indicates that these objects were imbued with distinct and potentially more potent properties. A parallel for these acts of deposition can be found at Stansted, where a polished flint axe-head was found in a Middle Bronze Age waterhole. It had clearly been flaked, perhaps shortly before deposition, as a refitting flake was recovered from the feature (Cramp *nd*).

FLINTWORK FROM POST-LATE BRONZE AGE FEATURES, UNPHASED FEATURES AND SUPERFICIAL DEPOSITS

The vast majority of the flintwork from the excavations at Peacehaven was recovered from post-Late Bronze Age features, unphased features and surface deposits (4598 flints, 78% of the total assemblage). No convincing evidence for Iron Age flintworking was identified (eg artefact groups in fresh condition or distinctive technology), indicating that the lithics from these contexts are residual from earlier phases of activity, with the possible exception of the hammerstones. This view is supported by the high proportion of artefacts from these contexts that exhibit moderate to heavy edge damage (73.1%, see Table 6.4), which typically results from prolonged exposure to trampling, agricultural disturbance and other forms of soil/ artefact movement.

In contrast to the struck flint, many of the hammerstones may date from the Iron Age. Only three were recovered from stratified Neolithic–Late Bronze Age features but 36 from post-Bronze Age contexts, including 14 from Middle Iron Age contexts (11 of which were from Keymer Avenue; Fig 6.7, nos 32–34). Thirty-two of these hammerstones were complete, weighing between 20g and 1009g (average 316g). Considering the absence of evidence for Iron Age flintworking, it may be

concluded that these hammerstones were used for activities other than flint knapping. The diversity of forms represented would support this assertion and potentially indicate that flint

hammerstones were employed for a variety of tasks (see Fig 6.7, nos 32–34 for a representative selection).

Fig 6.7 Struck flint nos 29–34

CATALOGUE

29. Blade edge of Neolithic polished axe. Differential cortication indicates breakage and flaking occurred sometime after the artefact was originally deposited, and possibly in the Bronze Age. A Neolithic artefact intentionally deposited in Middle Bronze Age pit A[835], fill A[836] (B7) (Fig 6.7).
30. Butt end of a flaked axe. Differential cortication indicates breakage occurred sometime after the artefact was originally deposited, and possibly in the Bronze Age. A Neolithic artefact intentionally deposited in Middle Bronze Age pit A[810], fill A[809] (B7) (Fig 6.7).
31. Denticulate manufactured on a thick hard-hammer flake. Middle Iron Age pit B[524]. Residual Middle to Late Bronze Age (Fig 6.7).
32. An unusual hammerstone exhibiting wear on all visible ends and edges, including two concave edges. The artefact was manufactured on a broad flake with some shaping by flaking. Wt 115g. Middle Iron Age ditch B[931], fill B[930]. Middle Iron Age? (Fig 6.7).
33. Hammerstone/processor on a beach cobble that exhibits distinct facets resulting from use at each end. Wt 703g. Early Iron Age pit B[443], fill B[444]. Early Iron Age? (Fig 6.7).
34. Large flattened ovate hammerstone which exhibits heavy battering at each end and slight battering on both sides. This tool has a natural waist that may have facilitated hafting. Wt 1009g. Middle Iron Age pit B[1502], fill B[1503]. Middle Iron Age? (Fig 6.7).

6.2 STONE

Luke Barber

Aside from the quernstones and quartzite pebbles discussed below (section 6.6), the only other stone of note is a single piece of Kimmeridge shale (Wt 2g) from Middle Iron Age ditch A[599], fill A[599], part of Enclosure 3 (EN3). The piece is not water-worn and must have been deliberately brought in. Shale is quite a common find on Iron Age sites along the south coast, where it appears to have been primarily used for bracelets. Kimmeridge shale was recovered from Iron Age deposits at Bishopstone and Bullock Down, Eastbourne to the east (Bell 1977, 288; Bedwin 1982, 88) and Slonk Hill to the west (Hartridge 1978, 95).

6.3 PREHISTORIC AND ROMAN POTTERY

Anna Doherty

INTRODUCTION

The three phases of excavation produced a very large and diverse assemblage, quantified by period in Table 6.10. The largest excavations, at Lower Hodder Farm (BHT09), produced examples of almost every major pottery tradition from the Early Neolithic to the earlier Roman period, including one of the largest regional pit assemblages of Early Neolithic Plain and Decorated Bowl pottery. Also of particular note is the Deverel-Rimbury pottery, which is associated with a series of Middle Bronze Age domestic structures and

includes a number of placed vessels and other probable structured deposits. Significant pottery use continued into the Late Bronze Age and a large post-Deverel-Rimbury plain ware assemblage from the site includes an exceptionally large stratified group from a single pit, which exhibits evidence for pottery production in the vicinity. The Late Iron Age/Early Roman period also produced a fairly large assemblage that included a group of Early Roman cremation vessels. Material at Seaview Avenue and Keymer Avenue (SKP06) was mostly attributable to the Middle Iron Age (period 7). However, of some note is a small quantity of Peterborough Ware, stratified in a single pit in the Seaview Avenue excavation area, as well as a similar residual assemblage found in deposits to the south-east of the Keymer Avenue excavations. Only a limited quantity of pottery was recovered during the 2010 Seaview Avenue excavations (SVP10), including a few possible residual sherds of Early Neolithic Plain Bowl pottery as well as a tiny stratified assemblage of Beaker pottery. A large proportion of the sherds from this area derive from a single Middle Bronze Age vessel possibly deposited in a complete or semi-complete state.

The information presented below represents an overview of the pottery by period and excavation area. The ceramic evidence has also been used to discuss wider themes, including site function, depositional practice and chronology, but this information has been integrated into the main period narratives in the preceding chapters.

METHODOLOGY

The pottery was examined using a ×20 binocular microscope and quantified by sherd count, weight and estimated vessel number (ENV). Estimated vessel equivalent (EVE) measurements were also recorded for Late Iron Age and Roman pottery. Prehistoric fabrics were recorded using a site-specific fabric type-series which was used consistently across the assemblages from all three phases of excavation (SKP06, BHT09 and SVP10). The fabric definitions, set out below, were formulated following the guidelines of the Prehistoric Ceramics Research Group (PCRG 2010). In the absence of a regional Roman fabric and form type-series for Sussex, Southwark/Museum of London codes have been used for Roman fabrics and forms (Marsh & Tyers 1978; Davies et al 1994). Where relevant reference has been made in the text to other typologies of grog-tempered pottery from the south-east (Hawkes & Hull 1947; Thompson 1982).

	Site code	BHT09			SKP06			SVP10		
Period	Principal pottery tradition	Sherd count	Wt (g)	ENV	Sherd count	Wt (g)	ENV	Sherd count	Wt (g)	ENV
1	Plain and Decorated Bowl	938	9548	517						
2	Peterborough Ware, Grooved Ware	42	166	5	34	332	24			
3	Beaker, Collared Urn	37	516	15				5	10	3
4	Deverel-Rimbury	1507	23982	255				106	790	2
5	Post-Deverel-Rimbury (plain ware)	1217	20352	621	14	158	1	25	68	11
6	Post-Deverel-Rimbury (plain ware)	190	1444	159	80	272	6	97	460	77
7	Middle Iron Age	129	474	104	2009	12186	1447	15	32	10
8	'East Sussex' grog-tempered wares, Early Roman pottery	1413	12433	732	21	56	1	16	116	8
Unphased/ unstratified/ residual		198	1748	124	610	3854	358	264	1476	111
Total		5671	70663	2532	2768	16858	1837	528	2952	222

Table 6.10 Overview of assemblage size and principal periods/pottery traditions represented

FABRIC TYPE-SERIES

C1

Moderate calcareous inclusions of between 0.5mm and 1.5mm, often giving a soapy grog-like texture.

C2

Sparse ill-sorted chalk between 0.5mm and 5.0mm in a matrix with a somewhat soapy texture (there may be rare grog although it is difficult to distinguish from the background matrix).

FL1

Sparse, angular, calcined flint, generally well sorted and in a size range between 0.5mm and 1.0mm, occasionally up to 2.0mm. The fabric also is defined by moderate or common quartz varying between 0.1mm and 0.5mm. There may be rare voids either from leached shell or organic matter.

FL2

Moderate to common calcined flint, generally quite ill sorted, ranging in size from 0.5mm to 3.0mm. The fabric is also differentiated from FL1 by a lack of quartz.

FL3

Sparse to moderate well-sorted, fine, calcined flint mostly between 0.4mm and 0.7mm in size with moderate fine quartz mostly around 0.1mm.

FL4

Sparse to moderate, very ill-sorted flint, mostly between 0.5mm and 3.0mm. The flint is often not fully calcined and appears more flaked than angular. There are sparse, occasionally moderate, quantities of fine quartz mostly of 0.1mm or less.

FL5

Moderate flint in the size range 2.0–6.0mm which, although not well sorted, appears more uniform than FL4. Again the flint often has a flaked rather than crushed appearance. The fabric tends to be slightly sandier than FL4 but this is still only moderate in frequency and usually 0.1mm or less.

FL6

Common ill-sorted, angular flint between 0.5 and 4.0mm (but mostly towards the coarser end of this range) in a dense, fairly high-fired matrix with few other visible inclusions.

FL7

Moderate, moderately sorted flint mostly of <0.7mm with some examples of up to 2.0mm in a non-sandy matrix. A post-Deverel-Rimbury fine ware, often with well-burnished surfaces which mask the frequency of flint on surfaces.

FL8

On a continuum with FL2 but with sparse to moderate flint, mostly of 0.5–1.5mm, with only rare larger examples. The matrix tends to feel siltier than FL2.

FL9

On a continuum between FL2 and FL10 with moderate to common, poorly

sorted, flint, usually between 0.5mm and 3.5mm, with rare examples up to 4.0–5.0mm. Sand-free to slightly silty matrix.

FL10

Common ill-sorted, angular flint usually ranging from 0.5mm to 6.0mm (although rare fragments may be larger). The matrix is sand-free or slightly silty.

FL11

Moderately to well-sorted flint, mostly between 0.5mm and 1.5mm with rare examples up to 2.5mm in a slightly silty matrix

FL12

Subgroup of fabric FL10 with sparser flint in a bimodal size distribution. The smaller pieces range from 0.1mm to 2.0mm, the larger pieces from 4.0 to 7.0mm.

FL13

Original fabric grouping subsequently merged into above description with FL2.

FL14

On a continuum between FL8 and FL1. Sparse to moderate flint, fairly ill sorted in a range between 0.5mm and 2.0mm. The matrix is silty with sparse or moderate larger grains up to 0.3mm.

FL15

On a continuum with FL5 but with rare/sparse flint. It may also contain sparse organic voids and often has well-burnished surfaces.

FL16

A similar sandy matrix to FL5/FL15 but with moderate to common, unusually well-sorted, flint, mostly of 1.0–2.0mm.

FL17: less sandy than most other Early Neolithic fabrics with a very laminar matrix and moderate, extremely ill-sorted, flint between 2.0 and 10mm.

FLSH1

Similar to FL2 in terms of flint inclusions but with sparse, occasionally moderate, shell or plate-like voids. These are usually quite fine, of up to 2.0mm in length, and are often difficult to distinguish without magnification.

FLSH2

On a continuum between FLSH1 and SH1. Shell inclusions are moderate or common in frequency and the matrix may contain more quartz than FLSH1.

GFL1

Common to abundant glauconite, which is usually very well-sorted and around 0.1mm in size, although larger grains are present in some examples. There is also sparse flint, generally around 0.5mm, sometimes up to 1.0mm, in size. There is usually very little or no quartz visible in the fabric.

GFL2

Sparse/moderate glauconite between 0.1mm and 0.2mm and sparse flint of 0.5–2.0mm.

GFL3

Flint in a similar size and sorting to FL5 in matrix also containing moderate

glaucanite of 0.2–0.3mm.

GQ1

Moderate to common quartz in a variable size range, generally around 0.2–0.4mm. Moderate to common glauconite is also present, and is usually slightly less coarse than the quartz in the fabric (typically 0.1–0.2mm).

GR1

Moderate to common grog which is quite well sorted and often unusually well rounded; most examples are around 1.0mm in size. Few other inclusions are visible except for possible iron-rich inclusions which are difficult to distinguish from the matrix itself.

GR2

A slightly silty matrix but less sandy and less iron-rich than the other Beaker fabric. It is flint-free with moderate, moderately sorted, grog of 1.0–3.0mm.

GR3

Similar to Beaker fabric GR2 but with larger grog of *c* 2.0–5.0mm.

GR4

Common to abundant grog of 2.0–4.0mm, which are difficult to pick out from the surrounding matrix. May contain rare fine voids, possibly from leached shell.

GRFL1

Sparse fine grog, between 0.2 and 0.7mm, and sparse flint, mostly of 0.5–2.0mm with occasional larger fragments. The matrix contains moderate quartz of silt-size up to 0.1mm and rare, large, red, iron-rich inclusions.

GRFL2

The frequency and size of flint inclusions is similar to FL9 but it also contains moderate, well-sorted, rounded, orange/buff, soft sedimentary or grog-like inclusions.

GRSH1

Common grog of *c* 1.0–2.0mm, sparse to moderate, quite large shell fragments of 2.0–4.0mm.

ORG1

Sparse linear voids of 3.0–5.0mm in a matrix with moderate quartz of silt-size to 0.1mm.

Q1

Common, well-sorted, medium fine quartz (mostly between 0.1mm and 0.2mm), often in a micaceous matrix. This fabric frequently appears slightly higher fired and better finished than the more common Q2 fabric.

Q2

Common, typically quite well-rounded, moderately sorted quartz, generally ranging between 0.2mm and 0.5mm in size. There may be rare inclusions of calcined flint or voids from leached shell or organic inclusions.

QSH1

A similar fabric to Q1 but containing sparse voids from leached shell up to 2.0mm in size.

SH1

Moderate plate-like voids, from leached shell, mostly of around 3.0–5.0mm. Generally contains sparse or moderate quartz of varying size (*c* 0.1–0.5mm). There may be rare flint inclusions of around 0.5–1.0mm.

SH2

Common, very large, voids of up to 10mm, from leached shell. The matrix is otherwise dense and fairly inclusionless.

SH3

Moderate shell of 0.5–3.0mm in a non-sandy matrix.

SH4

Moderate to common shell of 0.5–4.0mm in a matrix with moderate quartz of silt-size to 0.1mm.

PERIOD 1: EARLY NEOLITHIC, *c* 3700–3300 BC

The Early Neolithic assemblage is derived from pits clustered in the north-eastern corner of the Lower Hodder Farm site (BHT09). Seventeen of the pits contained pottery, many including substantial assemblages, usually associated with flintwork and sometimes with evidence for crop cultivation in the form of macrobotanical remains and quern fragments. Fourteen residual small body sherds in similar probable Early Neolithic fabrics were also noted in one feature at Seaview Avenue (C[236], an intervention through the period 5 ditch C:G15, Trackway 10 (R10)). It seems possible that they were redeposited from a pre-existing Early Neolithic feature or deposit but as no diagnostic feature sherds were present this material is not further discussed.

FABRIC

The vast majority of the assemblage is flint-tempered with two-thirds of estimated vessels made up by two fabrics: FL5 and FL17 (Table 6.11). The latter, a particularly coarse flint-tempered ware, is the most frequent by both sherd count and weight. Although very coarse fabric types are often a feature of Early Neolithic assemblages, the dominance of this ware is striking. A single Accelerator Mass Spectrometry (AMS) date on a carbonised residue on a sherd of FL17 from pit A[1204] returned a date of 3640–3370 cal BC (SUERC-30735, 4730±35BP), well within the expected date range for Plain Bowl assemblages, and there is no evidence to suggest that the frequency of this fabric type is a chronologically early trait. Instead it is perhaps associated with a functional preference for larger, thick-walled vessels (see below).

Fabric	Sherd count	Wt (g)	ENV	% Sherd count	% Wt	% ENV
FL4	5	18	2	0.5	0.2	0.4
FL5	213	1686	173	22.7	17.7	33.5
FL7	1	<1	1	0.1	0.1	0.2
FL15	127	690	73	13.5	7.2	14.1
FL16	122	1018	79	13.0	10.7	15.3
FL17	419	5976	181	44.7	62.6	35.0
GFL3	1	6	1	0.1	0.1	0.2
ORG1	36	98	2	3.8	1.0	0.4
SH4	14	56	5	1.5	0.6	1.0
Total	938	9548	517	100.0	100.0	100.0

Table 6.11 Quantification of fabrics in period 1 deposits at Lower Hodder Farm (for codes see Chapter 6.3, 'Methodology')

Fabric FL5 is a more typical, moderately coarse but ill-sorted, flint-tempered fabric. A single AMS date on a sherd of FL5 from pit A[635] produced a date range of 3710–3530 cal

BC (SUERC-30726, 4855±35BP). Two other flint-tempered fabrics are present in much smaller quantities. One, FL15, is a finer ware on a continuum with FL5, sometimes featuring finely burnished surfaces. The remaining flint-tempered fabric, FL16, is of note because its inclusions are unusually well sorted.

A few organic-tempered and shell-tempered wares were also identified. Shell-tempered wares make up a minor component in Neolithic assemblages on the south side of the Downs (Drewett 1978b, 27) and organic-tempered wares, although not specifically recognised as a Sussex Neolithic fabric type by Drewett, are a minor element elsewhere in the south-east, for example at Shepperton and Kingsborough Farm (Jones 2008, 24; Gibson & Leivers 2008, 245).

A single ill-sorted flint-tempered sherd contains moderate glauconite inclusions (fabric GFL3). It was suggested by Drewett (1978b, 26) that the Downs formed a significant barrier in terms of pottery production, with sites like Bury Hill being supplied by potters from the Greensand ridge. This sherd therefore provides one of the few pieces of evidence for longer-distance trade or exchange. The more general picture of an entirely local mode of production is in keeping with fabric evidence from other sites both in the local region, for example at Bishopstone (Bell 1977, 17–18), and more widely in southern Britain (eg Hey et al 2011, 457).

FORM

Despite the size of the assemblage, only a moderate number of feature sherds were recovered. Fifty-three rims or decorated sherds can be assigned as unique vessels, but some of these include one or more non-cross-fitting sherds, which are only possibly of the same vessel (suffixed with a, b etc in the catalogue). Very few of the feature sherds represent substantial parts of vessel profiles, meaning that in many cases the overall vessel form is uncertain. Nevertheless, some general trends can be asserted. Table 6.12 shows that there was a clear preference for vessels of open or neutral profile, closed vessels being much less of a feature.

Vessel profile	ENV
Closed	1
Neutral	7
Open	7
Slightly closed	2
Slightly open	11
Uncertain	25
Total	53

Table 6.12 Overview of vessel profiles in period I at Lower Hodder Farm

Rim forms are notably simple: of 37 rim sherds, 31 are completely plain, although this figure encompasses variation between very squared rims (eg Fig 6.8, nos 13 and 51a) and more rounded or pointed examples (eg Fig 6.8, nos 2, 30 and 43). Even rim forms which are not plain tend to be only slightly beaded or weakly everted (eg Fig 6.8, nos 28 and 32). There are single examples of triangular or more strongly everted forms (not illustrated: see below, cat nos 14 and 46).

Where larger parts of vessel profiles are present they tend to be simple hemispherical shapes (eg Fig 6.8, no 1a). However, body carinations were seen on a small number of examples, chiefly consisting of bowls with sharply carinated shoulder and long flaring rim (eg Fig 6.8, nos 18 and 20a). In one case a similar shoulder carination seems to have been formed by an applied cordon (Fig 6.8, no 31); another small body sherd also features an applied cordon (Fig 6.8, no 33).

Another consideration is vessel size. In terms of diameter there is clearly quite a range, from small cups to very large vessels of over 300mm diameter (Fig 6.9). However, although there seems to have been a slight preference for vessels larger than 200mm in diameter, it is hard to detect any meaningful patterns because of the difficulty of measuring small rim sherds. It should be noted that there is a strong correlation between vessels of large diameter and the coarsest flint-tempered ware FL17. This fabric type is frequently associated with very thick-walled sherds, often of >10mm. The fact that this fabric type accounts for roughly a third of estimated vessels in period 1 suggests that large, heavy-duty vessels are perhaps a more important component than might be assumed from the measurable rim sherds.

Lug handles are also a feature of the assemblage, and are represented by eight examples. These seem to fall into two main categories: very small, rounded, lugs of c 15mm across, often associated with quite thin-walled vessels; and much larger, oval-shaped, lugs, frequently associated with very large thick-walled vessels. One example of each of these types is pierced. Large oval-shaped lugs merging gradually into the vessel wall are a common feature of the Whitehawk assemblage, and have been particularly associated with sites on the south side of the Downs (Whittle 1977, 92; Drewett 1980, 27).

SURFACE TREATMENT AND DECORATION

Very few certain examples of decoration were recorded, and many of these are quite subtle types, some of which could arguably fall under the heading of surface treatment (Table 6.13). A number of vessels feature short burnished lines or dots along the rim (eg Fig 6.8, nos 5a, 21, 31 and 41) and/or

Fig 6.8 Pottery vessels nos 1–6, 12–13, 17–18, 20–23, 25–33, 35, 37–39, 41–44, 51

Fig 6.9 Distribution of vessel rim diameter in period I, Lower Hoddern Farm

Type of decoration/treatment	ENV
Impressed	
Bird-bone impressions	3
Fingernail impression	1
Applied	
Cordon	2
Large lug/boss	1
Large lug with faceted burnish	1
Large lug	2
Large pierced lug	1
Small lug	2
Small pierced lug	1
Burnished/tooled	
Burnished decoration along rim	4
Tooled/burnished lines on body	2
Complex geometric burnished decoration	1
Vertical faceted burnish	1
Vertical faceted burnish and burnished decoration on rim	1
Perforation	
Post-firing perforations	1
Pre-firing perforation and pre-firing perforation (incomplete)	1
Pre-firing perforation (incomplete)	2
Total	26

Table 6.13 Summary of period I decoration, surface treatment and other features at Lower Hoddern Farm

faceted burnish over a wide area of the body (eg Fig 6.8, nos 20a, 21 and 23). This style of burnish appears to be associated with a specific form type: a bowl with a strongly carinated shoulder and an open flaring rim (eg Fig 6.8, no 20a).

In terms of more deliberately decorative schemes, one vessel (Fig 6.8, no 6) stands out from the others as having a very complex motif which uses short burnished dashes to make up an intricate pattern of rectangles across a body carination. This is also one of the most highly burnished vessels in the assemblage and is particularly thin walled.

Other deliberate decorative marks tend to be represented by isolated examples on individual body sherds, including deeply tooled/burnished lines (Fig 6.8, nos 17 and 42), and possible bird-bone and fingernail impressions (not illustrated; see below, cat nos 15, 16, 50 and 53).

Perforations on Early Neolithic pottery vary from small multiple drilled holes at the edges of breaks (Fig 6.8, no 13), which might represent attempts at repair in antiquity, to examples of very large pre-firing perforations which sometimes do not fully penetrate the vessel wall, and which create a positive impression of pushed in clay on the vessel interior (Fig 6.8, nos 4 and 37a); this trait was also noted in the assemblage from The Trundle (Curwen 1929, fig 9, 52). One rim sherd (Fig 6.8, no 37a) features a series of evenly spaced near-perforations of this type around 20mm below the rim, whilst another non cross-fitting sherd of near identical profile and fabric (Fig 6.8, no 37b) has a full perforation of similar dimensions and position.

CATALOGUE

Pit A[21], fill A[22], A:G247, OA43; 187 sherds, 1012g, 115 ENV (possible sherd link with pit A[766]) (Fig 6.8)

- 1a. Distinctive lug-handled neutral hemispherical vessel c 20% complete but highly fragmented. Fabric ORG1.
- 1b. Smaller rim and body sherds of very similar profile and fabric to no 1a but not cross-fitting; also of slightly differing firing colour perhaps indicating they are from a different side of the same vessel (not illustrated).
2. Thick-walled slightly open plain-profile bowl. Large individual rim sherd. Fabric FL17.
3. Slightly open plain-profile bowl with slightly beaded rim. Six fairly small sherds totalling <5% of a whole vessel. Fabric FL16.
4. Neutral thick-walled plain-profile bowl with pre-firing perforation not fully penetrating vessel wall. Large individual rim sherd. Fabric FL16.
- 5a. Tall neutral-profile vessel with faceted burnish along the top of the rim. Large sherds from one vessel probably totalling c 10% of the whole vessel. Fairly distinctive and possibly of the same vessel as 5b, a small rim sherd found in A[766]. Fabric FL15.
6. Highly decorated sherds from the shoulder of a hemispherical bowl; the decoration consists of a geometric motif formed from short burnished dashes. Several very small cross-fitting sherds. Fabric FL16.
7. Partial rim from plain neutral-profile bowl. Fabric FL17 (not illustrated).
8. Partial rim from neutral-profile bowl with slight internal bead. Small individual rim. Fabric FL16 (not illustrated).
9. Partial rim from neutral-profile bowl with slight external bead. Small individual rim. Fabric FL5 (not illustrated).
10. Partial rim from plain neutral-profile bowl. Small individual rim. Fabric FL5 (not illustrated).

Pit A[23], fill A[24], A:G249, OA43; 1 sherd, <2g, 1 ENV
No diagnostic sherds.

Pit A[297], fill A[298], A:G254, OA43; 3 sherds, 18g, 1 ENV
11. Body sherd with small applied boss. Fabric FL4 (not illustrated)

Pit A[635], fill A[636], A:G245, OA43; 12 sherds, 46g, 2 ENV
No diagnostic sherds.

Pit A[635], fill A[639], A:G245, OA43; 8 sherds, 28g, 2 ENV (cross-fit with A[641]) (Fig 6.8)
18. Open carinated bowl. Small body sherds cross-fitting with rim sherds in fill [641]. Fabric FL5.

- Pit A[635], fill A[640], A:G245, OA43; 58 sherds, 364g, 49 ENV (Fig 6.8)**
 12. Plain closed vessel of small diameter. Small individual rim sherd. Fabric FL5.
 13. Neutral-profile plain bowl with very squared rim, featuring multiple post-firing perforations. A number of large cross-fitting rim sherds and a single body sherd almost certainly of the same vessel. Probably <5% of the whole vessel. Fabric FL15.
 14. Partial rim of triangular profile. Small individual rim sherd. Fabric FL15 (not illustrated).
 15. Small body sherd with well-defined bird-bone impressions. Fabric FL15 (not illustrated).
 16. Small body sherd with poorly defined possible bird-bone impressions. Fabric FL17 (not illustrated).
 17. Small individual carinated body sherd with tooled decoration. Fabric FL15.

Pit A[635], fill A[641], A:G245, OA43; 3 sherds, 50g, 1 ENV (cross-fit with A[639]) (Fig 6.8)
 18. Open carinated bowl. Two rim sherds, cross-fitting with body sherds in A[639]. Fabric FL5.

Pit A[644], fill A[645], A:G247, OA43; 31 sherds, 262g, 25 ENV (possible sherd link with pits A[729] and A[766])
 19a. Partial open vessel with slightly beaded rim, possibly but not certainly from the same vessel as no 19b in fill A[730]. Fabric FL5 (not illustrated).

Also contains a group of body sherds in a distinctive fabric with a very consistent pinkish oxidised firing colour which may be part of no 30 from pit A[766].

Pit A[644], fill A[656], A:G247, OA43; 18 sherds, 276g, 16 ENV (probable sherd links with pit A[648]) (Fig 6.8)
 20a. Open carinated bowl with distinctive faceted burnish on exterior surface. Large rim sherds, <5% of a whole vessel. Very distinctive vessel profile and decoration, almost certainly the same vessel as no 20b from fill A[649]. Fabric FL16.

One group of body sherds was also thought likely to be from the same vessel in fill A[649].

Pit A[648], fill A[649], A:G246, OA43; 11 sherds, 100g, 6 ENV (probable sherd links with pit A[644])
 20b. Small rim sherd with distinctive profile and decoration, almost certainly the same vessel as no 20a in fill A[656]. Fabric FL16 (not illustrated separately from no 20a).

One group of body sherds was also thought likely to be from the same vessel in fill A[656].

Pit A[648], fill A[650], A:G246, OA43; 10 sherds, 56g, 8 ENV (probable sherd link with pit A[766])
 21. Open bowl with faceted burnish on exterior surface on along the top of the rim. Large conjoining rim sherds, <5% of whole vessel. Distinctive profile and decoration. Fabric FL16.
 31b. Small rim sherd considered fairly likely to be from the same distinctive vessel as no 31a from pit A[766]. Fabric FL16 (not illustrated separately from no 31a).

Pit A[720], fill A[721], A:G247, OA43; 15 sherds, 116g, 12 ENV (Fig 6.8)
 22a. Large applied lug handle on thick-walled vessel, probably the same vessel as no 22b. Fabric FL5.
 22b. Plain rim from thick-walled vessel. Small non-cross-fitting rim sherd, probably same vessel as no 22a. Fabric FL5.
 23. Large applied lug handle with faceted burnish. Fabric FL16.
 24. Partial rim from plain neutral-profile bowl. Small rim sherd. Fabric FL5 (not illustrated).

Pit A[724], fill A[722], A:G248, OA43; 4 sherds, 36g, 4 ENV
 25. Partial rim from plain neutral-profile bowl. Small individual rim sherd. Fabric FL15.

Pit A[729], fill A[730], A:G247, OA43; 12 sherds, 82g, 11 ENV (possible sherd link with pit A[644])
 19b. Small rim sherd, possibly but not certainly from the same vessel as no 19a from A[645]. Fabric FL5 (not illustrated).
 26. Plain neutral-profile bowl. Small individual rim sherd. Fabric FL16.

Pit A[766], fill A[767], A:G247, OA43; 118 sherds, 930g, 85 ENV (possible sherd links with pits A[21], A[783], A[648]) (Fig 6.8)
 5b. Small rim sherd, possibly the same as sherds from a large vessel found in fill A[22]. Fabric FL15 (not illustrated separately to no 5a).
 27a and b. Two non-cross-fitting rim sherds from a thick-walled neutral-profile vessel with slightly everted rim. Similar to sherd nos 27c–f from A[782] (although admittedly this rim profile is highly variable so it is difficult to say with much certainty whether they are all the same vessel. Fabric FL17).
 28. Thick-walled neutral-profile bowl with slightly beaded rim. Large individual rim sherd. Fabric FL17.
 29. Large applied lug handle. Individual body sherds. Fabric FL17.
 30. Plain neutral- to slightly open-profile bowl. A number of small sherds from one vessel, <5% of the whole. Fabric FL15.
 31a. Open carinated bowl, faint faceted burnish along rim. Large rim and body sherds (c 10% of a whole vessel). Probably the same as small rim sherd no 31b from fill A[650]. Fabric FL16.
 32. Partial slightly beaded rim with faceted burnish along rim top. Small individual rim sherd. Fabric FL16.
 33. Cordoned/carinated body sherd. Fabric FL5.
 34. Partial rim from plain neutral-profile bowl. Fabric FL5 (not illustrated).

Pit A[768], fill A[769], A:G247, OA43; 18 sherds, 282g, 6 ENV (Fig 6.8)
 35. Plain open bowl. There is a possible partial perforation although this could just be the impression of a large dislodged piece of temper. Large individual rim sherd. Fabric FL16.
 36. Large applied boss on thick-walled vessel. Fabric FL17 (not illustrated).

Pit A[774], fill A[772], A:G246, OA43; 23 sherds, 260g, 3 ENV (possible sherd link with A[783])
 37a. Thick-walled plain neutral-profile bowl with very squared rim profile. A few cross-fitting rim sherds, featuring a series pre-firing perforations which do not fully penetrate the vessel wall (a very similar but slightly variable from no 37b found in fill A[782]). Fabric FL17.

Pit A[774], fill A[773], A:G246, OA43; 3 sherds, 40g, 2 ENV
 No diagnostic sherds.

Pit A[778], fill A[779], A:G247, OA43; 1 sherd, 4g, 1 ENV
 No diagnostic sherds.

Pit A[780], fill A[781], A:G247, OA43; 2 sherds, <2g, 1 ENV
 No diagnostic sherds.

Pit A[783], fill A[782], A:G246, OA43; 138 sherds, 3036g, 46 ENV (possible sherd links with A[766] and A[774]) (Fig 6.8)
 27c–f. Four groups of non-cross-fitting sherds of fairly variable rim profile but considered quite likely to be from one non-uniform, thick-walled, slightly everted-rimmed vessel. The majority of the body sherds in this context are probably also from the same vessel, which is up to half-complete; however, most of these sherds had quite rounded edges and few cross-fits were located; also very similar to nos 27a and b from A[766]. FL17 (not illustrated separately from 27a).
 37b. Individual vessel of similar profile, wall-thickness and firing colour to 37a in A[772]. Features a single pre-firing perforation which goes all the way through the wall. Fabric FL17.
 38a and b. Plain closed-profile bowl. A number of fairly large rim sherds (one not cross-fitting), in total up to c 10% of a complete vessel. Fabric FL5.
 39a and b. Thick-walled plain closed-profile bowl. Two non-cross-fitting rim sherds of similar type. Fabric FL17 (no 39b not illustrated separately to no 39a).
 40. Small applied lug-handle. Fabric FL17 (not illustrated).

Pit A[786], fill A[787], A:G245, OA43; 6 sherds, 84g, 2 ENV
 No diagnostic sherds.

Pit A[1202], fill A[1203], A:G245, OA43; 43 sherds, 276g, 36 ENV (Fig 6.8)
 41. Partial plain-profile bowl with faceted burnish along the top of the rim. Small individual rim sherd. Fabric FL15.
 42. Two body sherds with distinctive tooled decoration. Fabric FL5.

Pit A[1202], fill A[1204], A:G245, OA43; 179 sherds, 1960g, 60 ENV (probable sherd link with A[1205]) (Fig 6.8)

43. Plain open-profile bowl. Large number of sherds from one vessel, which is very fragmented but approximately half-complete. Fabric FL17.
44. Pierced lug handle on tall thick-walled vessel. Fabric FL17.
45. Partial slightly beaded rim. Small individual rim sherd. Fabric FL17 (not illustrated).
46. Partial strongly everted rim Small individual rim sherd. Fabric FL5 (not illustrated).
47. Partial rim from neutral-profile bowl. Small individual rim sherd. Fabric FL5 (not illustrated).
48. Partial rim from neutral-profile bowl, with very squared rim profile. Small individual rim sherd. Fabric FL15 (not illustrated).
49. Small sherd with applied lug or carination. Fabric FL5 (not illustrated).
50. Small sherd with single fingernail impression. Fabric FL5 (not illustrated).
- 51a. Neutral- to slightly open-profile plain bowl, with squared rim profile. Individual rim sherd (quite a distinctive profile and fabric, probably the same as no 51b from A[1205]). Fabric FL15.

Pit A[1202], fill A[1205], A:G245, OA43; 34 sherds, 230g, 22 ENV (probable sherd link with A[1204])

- 51b. Group of small cross-fitting rim sherds (quite a distinctive profile and fabric, probably the same as no 51a from A[1204]). Fabric FL15 (not illustrated separately to no 51a).
52. Partial rim from neutral bowl. Small individual rim sherd. Fabric FL5 (not illustrated).
53. Small body sherd with poorly defined possible bird-bone decoration. Fabric FL5 (not illustrated).

PERIOD 2: LATER NEOLITHIC, c 3500–2250 BC LOWER HODDERN FARM

Lower Hoddern Farm produced a very small stratified assemblage of Later Neolithic pottery amounting to just five estimated vessels. Another diagnostic group of Peterborough Ware has been interpreted as being residual but is also considered below.

Pit A[1638] in Open Area 52 (OA52) in the south-western quarter of the site produced eight small sherds from a single Peterborough Ware vessel in fabric FL4 with close vertical alignments of twisted cord impressions (Fig 6.10, no 54). Its rim looks much less heavy than was typical for the later Mortlake or Fengate substyles, and it is relatively thin walled; however, as the neck zone of the vessel is missing it cannot be attributed to the earliest Ebbsfleet style with certainty. The decoration on this vessel, consisting of vertical cord impressions, appears to cover quite an extensive area of the vessel body – a less typical Ebbsfleet trait. However, the sherds are too small to confirm that decoration reached below the shoulder (which would probably rule out this attribution). One of the vessels in the Ebbsfleet assemblage from Combe Hill, Eastbourne may be a good parallel for the vessel from the study area, since it also features vertical impressed cord decoration extending to just below the shoulder (Musson 1950, fig 3, 16 and pl 1, bottom right-hand corner).

Also of note is a small assemblage (5 sherds, Wt 30g) of Peterborough Ware found in probable barrow Structure 5 (S5), in the north-eastern part of the site in the area of previous Early

Neolithic activity. Two small undecorated sherds from A[733], the central pit of the barrow, are, like all the sherds from A[1470], in flint-tempered fabric FL4, and are also considered of possible Middle Neolithic date. Three feature sherds were identified: two of them rim sherds from very similar vessels which exhibit incised diagonal lines that alternate across carinations in the vessel wall. One of these has a pronounced triangular rim (Fig 6.10, no 55), with a hollow neck featuring finger indents, whilst the other is somewhat thinner walled with an internally hollow rim (Fig 6.10, no 56). Both are typical of the Mortlake substyle.

A short distance to the north-west of barrow S5, in OA50, pit A[711] produced a small assemblage of probable Grooved Ware. This is of some interest because very little pottery of this tradition is known locally. A gazetteer from 1999 records only two find-spots in Sussex, both from West Sussex (Longworth & Cleal 1999).

Sherds in grog-tempered fabric GR4 probably derive from at least two similar vessels, including part of a base. Neither vessel is complete enough to infer the overall scheme of decoration or to which of the substyles of Grooved Ware the assemblage belongs. Both, however, feature a chevron-like pattern formed by alternating grooved diagonal lines (Fig 6.10, no 58). Interestingly, this pottery was stratified alongside a single fragment from a Mortlake-style triangular rim with incised diagonal lines alternating across the rim in shell-tempered fabric SH1 (Fig 6.10, no 59). Although shelly wares are fairly rarely associated with Peterborough Ware, a single Mortlake-style rim was recorded in a similar fabric at Crowlink (Hamilton 2001, 54).

CATALOGUE

Pit A[1638], fill A[1639], A:G156, OA52 (Fig 6.10)

54. Possible Ebbsfleet bowl, with closely spaced vertical columns of twisted cord decoration. Fabric FL4.

Ditch A[1470], fill A[1471], A:G109, S5 (Fig 6.10)

55. Mortlake-style bowl with impressed diagonal lines across heavy triangular rim. The concave neck features finger indents. Fabric FL4.
56. Partial rim from Mortlake-style bowl with incised diagonal lines. Fabric FL4.

Pit A[711], fill A[712], A:G279, OA50 (Fig 6.10)

58. Probable Grooved Ware body sherd with a chevron-like pattern formed by alternating grooved diagonal lines. Fabric GR4.
59. Peterborough Ware rim sherd with incised diagonal line decoration. Fabric SH1.

SEAVIEW AND KEYMER AVENUES

The largest stratified assemblage of Middle Neolithic pottery from the Peacehaven excavations came from a single isolated pit, to the south of the Seaview Avenue excavation, C[2019] in Open Area 10 (OA10). Whilst no Neolithic pottery was

Fig 6.10 Pottery vessels nos 54–56, 58–59

found in well-stratified deposits on the main Keymer Avenue site, a concentration of Plain Bowl and Peterborough Ware was also found in probable Iron Age contexts in the south-east of this area. None of the Keymer Avenue Neolithic pottery was found directly in the same context as diagnostic later material but palaeosol layers in OA15 and the fills of Ditch 3 (D3) produced a significant amount of Iron Age pottery in other interventions. Possible Neolithic pottery was also found in one discrete feature, pit B[957] in OA14. Again this was not directly associated with Iron Age pottery but was of a similar character to other Iron Age pits in the vicinity and, like many of the later prehistoric features, contained some hard-hammer flakes and fire-cracked flint.

The Neolithic pottery from the two cut features at Keymer Avenue both produced small fragmentary sherds from single vessels. Pottery from pit B[957] consists of small undecorated body sherds in a fabric type, FL4, often associated with Neolithic pottery. Small conjoining sherds from B[421], part of D3, are also probably of Middle Neolithic date; these form a carinated shoulder with frequent stabbed impressions on the lower body (not illustrated).

The material from the OA15 midden (B[1088] and B[1089], grid squares B5 and B15) amounts to a slightly larger mixed sherd assemblage (18 sherds, Wt 180g) that is in good condition with a reasonably large average sherd size. This tends

to suggest that the pottery had not been circulating in soils or on ground surfaces over an extended period. Rather, it seems likely to have been fairly directly redeposited, perhaps as a result of the truncation of pre-existing features or layers during the Iron Age.

A small rim sherd with a characteristically crudely folded-over rim can almost certainly be assigned to the Plain Bowl tradition on the basis that its upper profile completely lacks decoration (Fig 6.11, no 125). Alongside this was a typical Mortlake-style Peterborough Ware sherd with a thick triangular rim, well-defined neck and impressed cord decoration (Fig 6.11, no 126). The remainder of the assemblage consists of undecorated body sherds, mostly in fabric FL5, with one example in FL4. The former is considered more typical of Plain Bowl fabrics, but it should be noted that the lower profile of Peterborough Ware bowls may be undecorated so it remains possible that these sherds are of the latter tradition.

The single well-stratified Neolithic assemblage from the SKP06 excavations comes from the primary and upper fills of pit C[2019] near the southern extent of the Seaview Avenue area. This group amounts to 34 sherds, weighing 332g and dominated by Mortlake-style Peterborough Ware. Almost all sherds are in fabric FL4 with a few examples in FL5.

The six sherds from the primary fill C[2021] are all decorated but only one rim sherd is present (Fig 6.11, no 127). Although this has a somewhat simple rim profile, it also features a well-defined hollow neck with finger indents, and extensive use of whipped cord 'maggots' along the external rim and shoulder, suggesting it should be attributed to the Mortlake style. Longer diagonal twisted cord impressions cover much of the upper interior surface. The remaining body sherds have a similar range of decorative traits and it is possible that some may be non-conjoining sherds of one vessel. A shoulder sherd featuring whipped cord 'maggots' and perforations on the neck (Fig 6.11, no 128) could, for example, be from the same vessel as a rim sherd (Fig 6.11, no 127) although its internal cord impressions are horizontal and it seems to lack extensive use of whipped cord impression above the shoulder carination. It also features full perforations rather than finger indents and has no internal cord impressions. Two conjoining sherds from a vessel with a thinner shoulder profile and better finished surfaces also show evidence of a defined neck with whipped cord impressions on the exterior and longer cord impressions on the interior, in this case criss-crossing each other diagonally (Fig 6.11, no 129). This example also displays neat rows of finger-pinching on the lower body. Some

evidence of finger-pinching was also noted on the final sherd in this group (not illustrated).

Although the upper fill C[2020] produced a slightly larger assemblage, this was more fragmented and noticeably more abraded, perhaps suggesting some difference in depositional conditions. Whilst undecorated pottery was absent in the primary fill, 14 plain body sherds were present here. Some of these are so small and/or heavily abraded that the decoration may have been obscured, or they could represent undecorated lower portions of Peterborough Ware vessels; however, some undecorated examples are in the in sandier flint-tempered fabric FL5, which tends to be more strongly associated with Plain Bowl pottery in the study area. One of the sherds is extremely thick-walled (*c* 20mm across), a trait which is particularly prevalent in the Plain Bowl assemblage from Lower Hoddern Farm.

The most complete rim sherd in this group (Fig 6.11, no 130) is hard to place stylistically. Like the example from the primary fill, the rim is slightly less heavy than typical in the Mortlake tradition; it also has a weakly defined neck. Although the decoration is difficult to make out because of surface abrasion, it appears more sparsely decorated than most of the other Peterborough Ware vessels. On the other hand, its rim has been thickened into a slightly triangular profile and long corded impressions are visible along its flattened top. There is also some evidence of impressions above the shoulder and perhaps below it. This vessel is therefore probably closer to the Mortlake than the Ebbsfleet style.

A second rim sherd in this group is much more clearly attributable to the Mortlake style, featuring a heavier triangular rim with finger indents on a well-defined neck zone (Fig 6.11,

no 131). Very fine corded impressions are present on the rim exterior whilst there are heavier whipped cord 'maggots' on the rim interior. Other feature sherds include a shoulder (Fig 6.11, no 132) possibly from the same vessel as no 127 from the primary fill and also featuring whipped cord on the exterior and long horizontal twisted cord on the interior. On this example, indents have been made in the same place from both the interior and exterior surfaces although they do not perforate the wall fully. Two other larger body sherds show long horizontal cord impressions, in one case alternating with short incised vertical lines (Fig 6.11, no 133) and, in another, above a zone of finger-pinching (Fig 6.11, no 134).

CATALOGUE

Layer B[1088], square B5, B:G1, OA15 (Fig 6.11)

125. Plain bowl with crudely folded-over rim. Fabric FL4.

126. Mortlake-style bowl with impressed cord decoration. Fabric FL4.

Pit C[2019], fill C[2021], C:G129, OA10 (Fig 6.11)

127. Mortlake-style bowl with short whipped cord 'maggots' on exterior, finger indents on neck and longer twisted cord impressions on vessel interior. Fabric FL4.

128. Mortlake-style bowl with short whipped cord 'maggots' on shoulder exterior, a perforation on the neck and longer horizontal cord impressions on vessel interior. Fabric FL4.

129. Shoulder of Mortlake-style bowl with whipped cord 'maggots' on shoulder and with rows of finger pinches below. Fabric FL4.

Pit C[2019], fill C[2020], C:G129, OA10 (Fig 6.11)

130. Rim from thinner-walled Peterborough Ware vessel with twisted cord along the top of the rim and on shoulder. Fabric FL4.

131. Mortlake-style bowl with fine cord impressions on rim, finger indents on neck and whipped cord 'maggots' on the rim interior. Fabric FL4.

132. Shoulder of Mortlake-style bowl with whipped cord 'maggots' on vessel exterior and longer twisted cord impressions on vessel interior. Corresponding indents on both interior and exterior surfaces not fully perforating the vessel wall. Fabric FL4.

133. Body sherd with long twisted cord impressions alternating with short incised lines. Fabric FL5.

134. Body sherd with finger indents/pinched and long twisted cord impression. Fabric FL4.

Fig 6.11 Pottery vessels nos 125–134

PERIOD 3: EARLY BRONZE AGE, *c* 2250–1500 BC LOWER HODDERN FARM

Only four contexts at Lower Hoddern Farm produced contemporary stratified pottery in period 3. Although mostly assigned to Open Area 53 (OA53) in the north-eastern quarter of the site, these features were relatively distant from one another and may not have been directly associated.

The biggest group came from the secondary fill of the shaft-like feature A[1195] and consists of large sherds from four Beaker vessels. Three of the vessels are in a grog-tempered fabric, GR2, whilst another is grog-free and contains large ill-sorted chalk inclusions of up to 5mm in size (fabric C2). The only diagnostic feature sherd is a rim from a short-necked globular form with a large undecorated zone below the rim and rusticated/fingernail impressed decoration below the

shoulder (Fig 6.12, no 60). Considering the large average sherd size in this group, the absence of other decoration is of note, suggesting a very plain Beaker group. One of the plain body sherds in this group, in fabric GR2, features a substantial burnt food residue which was radiocarbon-dated to 2281–2039 cal BC (SUERC-43290, 3751±29BP); however, a separate date on a fragment of pig mandible from the same context produced a significantly later date range, with no overlap with that from the pottery, of 2015–1776 cal BC (SUERC-43291, 3561±28BP).

A number of sherds from three Beaker vessels were also recovered from the fills of pit A[323]. The fabrics in this group are notably sandier and contain sparse flint. No form elements are discernible but one of the vessels exhibits rusticated fingernail decoration whilst a large base fragment has neat horizontal comb impressions on the lower body (Fig 6.12, no 61). The only other possibly contemporary sherd is an isolated thick-walled sherd from ditch A[1294] within Field System 4 (FS4) that appears to have had a long uselife, mainly spanning the Later Bronze Age and Iron Age. This is an undecorated sherd in a grog-with-flint fabric similar to that from the Beaker group from pit A[323]. It is unusually thick-walled, however, for Beaker pottery, perhaps suggesting that it belongs to one of the Early Bronze Age Urn traditions.

A small Collared Urn assemblage was recovered from a single pit, A[1135], amounting to 25 sherds, weighing 204g, from six vessels. Almost all sherds are in a similar grog-tempered fabric, GR3, although small sherds from a single vessel are in a grog-with-shell fabric (GRSH1). Only two diagnostic feature sherds were recovered, both of which are incomplete fragments from collars. One of these has horizontal rows of twisted cord impressions, whilst the other is plain (Fig 6.12, nos 62 and 63). Too little of these vessels survives to place them very precisely within the Collared Urn tradition, which is broadly dated to around 2000–1500 BC.

SEAVIEW AVENUE

Pottery was also recovered from the upper fill of an isolated Beaker pit, C[240]. This material amounts to just five small sherds, representing three vessels. All are in fabric GRFL1, a grog-tempered ware with rare flint, which was also the only fabric type represented in pit A[323] at the adjacent Lower Hodder Farm site. Diagnostic sherds include the rim of a possible globular S-profile form with paired ‘crow’s feet’ fingernail impressions extending up to the rim (not illustrated). Another small rim is probably of a similar vessel but no decoration is visible.

Fig 6.12 Pottery vessels nos 60–63

CATALOGUE

Cut A[1195], fill A[1199], A:G238, OA53 (Fig 6.12)

60. Short neck globular beaker with fingernail decoration on shoulder. Fabric GR2.

61. Base/lower wall of beaker with horizontal comb-impressed decoration. Fabric GRFL1.

Cut A[1135], fill [A1136] (no group or land use assigned) (Fig 6.12)

62. Collar fragment from Collared Urn with twisted cord decoration. Fabric GR3.

63. Plain collar fragment from Collared Urn. Fabric GR3.

PERIOD 4: MIDDLE BRONZE AGE, c 1500–1150 BC

In terms of sherd count, the Middle Bronze Age represents the period which is richest in pottery, with ceramic assemblages found in widely dispersed areas of Lower Hodder Farm. That having been said, much of the assemblage came from a relatively small number of pits, particularly in the vicinity of Buildings 2 and 6–8 (B2, B6–B8) and in Open Area 56 (OA56). Overall, the number of estimated vessels is quite low (see Table 6.14), reflecting a high proportion of semi-complete vessels, including a number placed *in situ* in pits. Despite the large scale of the Middle Bronze Age landscape, medium and large mixed sherd assemblages were relatively rare away from the main domestic structures. No pottery from the 2006 Seaview Avenue and Keymer Avenue sites (SKP06) were attributed to this period although a single fragmented but partially complete vessel in pit C[167], OA3 was noted in the 2010 Seaview Avenue excavations (SVP10). This perhaps represented a structured deposit (for discussion on placed pottery vessels see Chapter 4).

Fabric	Sherd count	Wt (g)	ENV	% Sherd count	% Wt	% ENV
FL2	91	610	43	6.0	2.5	16.9
FL4	1	6	1	0.1	0.0	0.4
FL5	8	22	1	0.5	0.1	0.4
FL6	114	1080	12	7.6	4.5	4.7
FL8	10	42	4	0.7	0.2	1.6
FL9	480	9310	54	31.9	38.8	21.2
FL10	632	10718	126	41.9	44.7	49.4
FL11	35	136	3	2.3	0.6	1.2
FL12	10	248	3	0.7	1.0	1.2
FLSH1	2	20	2	0.1	0.1	0.8
GFL1	1	<2	1	0.1	0.0	0.4
GR2	1	4	1	0.1	0.0	0.4
GRFL2	21	544	2	1.4	2.3	0.8
SAMLG	1	2	1	0.1	0.0	0.4
SH2	100	1240	1	6.6	5.2	0.4
Total	1507	23982	255	100.0	100.0	100.0

Table 6.14 Quantification of fabrics in period 4 deposits at Lower Hoddern Farm (for codes see Chapter 6.3, 'Methodology')

UNUSUAL VESSEL IN SHELLY FABRIC

One unusual vessel from pit A[269] in OA59 has been assigned to period 4, although this attribution is open to interpretation. Placed upright and *in situ* and containing some fire-cracked flint, it certainly has some similarities in its mode of deposition to other Middle Bronze Age vessels from the site (see discussion). It was also sealed by a layer assigned to period 7 (A:G142). Unfortunately, owing to the loose sandy surrounding soil and the extremely friable nature of the ceramic, the vessel fragmented severely on attempted block-lifting but when *in situ* the truncated vessel appeared to have a tall urn-like profile and a diameter of c 300mm. Surviving body sherds show a row of rounded indentations of uncertain orientation (Fig 6.13, no 64), a trait very typical of the Deverel-Rimbury tradition. However, the shelly fabric of the vessel (SH2) is entirely atypical of the Middle Bronze Age in Sussex (Seager-Thomas 2008, 31). There are some instances of shell appearing in Early Bronze Age fabrics in the region, including one example in the Collared Urn group from the current assemblage, but it should be noted that these tend to be in fabrics also containing grog. The uniform, slightly oxidised, appearance of the vessel is, however, quite reminiscent of Early Bronze Age urns and it is possible that it represents an early Deverel-Rimbury vessel still retaining some elements of Early Bronze Age potting traditions.

Nevertheless, it should be borne in mind that the vessel could be later. Although the profile, which lacks any evidence of a shoulder, appears atypical of the Early/Middle Iron Age, large thick-walled vessels in shelly fabrics are known in this

period, as are large rounded indentations. In Kent, they were particularly a feature of Early/Middle Iron Age sites to the north-west of the High Speed 1 route, for example in assemblages from West of Northumberland Bottom, Tollgate and White Horse Stone (Morris 2006b, figs 3.7a–c).

FABRICS

With the exception of the vessel discussed above, fabrics in period 4 are almost exclusively flint-tempered. The very coarse flint-tempered ware FL10 accounts for over 40% of sherds (almost half when quantified by estimated vessel number). This fabric, together with a variant containing coarse inclusions in a bimodal size distribution (FL12), is primarily associated with shapes related to the Bucket and Barrel Urn traditions. Together, moderately coarse fabric types, including FL2, FL6 and FL9, are almost as common as these 'heavy-duty' wares. Also amongst the slightly less coarse wares was a fabric type which included grog-like inclusions (GRFL2), associated with an *in situ* vessel that contained cremated human bone. Fine wares, however, represented solely by fabric FL11, are very uncommon with only three estimated vessels recorded, one of them a partially complete Globular Urn.

None of the other fabric types noted in period 4 deposits are considered likely to have been contemporary with the Middle Bronze Age. These include fabrics FL4, FL5 and GR2, which are probably/possibly Neolithic or Early Bronze Age wares. Fabrics FLSH1, GFL1 are generally more typical of late post-Deverel-Rimbury or Iron Age assemblages and were isolated sherds in poorly dated features, phased to this period primarily for stratigraphic and spatial reasons. A single sherd of samian ware (SAMLG) is also clearly intrusive.

FORM AND DECORATION

Owing to the relatively small number of estimated vessels and the truncation of many of the *in situ* vessels, only 17 feature sherds diagnostic of form were recorded. It is striking how homogeneous these are. Where enough of the profile survives to be able to tell, almost all the recorded forms appear to be variants on tall urn shapes, most being of neutral to slightly closed or barrel-shaped profile (Fig 6.13, nos 65–73), with one Bucket Urn (Fig 6.13, no 74). It should be noted, however, that there is some variation in coarseness of fabric and wall thickness. Some of these are heavy-duty vessels, often associated with the coarsest fabric type FL10 (eg Fig 6.13, nos 71–72). Other forms of a broadly similar profile are thin walled in relation to their size and are made in relatively fine and well-finished fabrics (eg Fig 6.13, nos 74–75), although none are in true fine wares.

The urn shapes are associated with a narrow range of decoration, mostly consisting of plain or finger-impressed horizontal cordons (Fig 6.13, nos 72–74). Vessel no 73 from pit A[508] features a cordon with a series of fingernail impressions, which is overlain by at least one pierced lug

handle. Small bosses were also noted on body sherds from another vessel (not illustrated). One of the very thick-walled vessels exhibits deep finger impressions along the top of the rim and a series of pre-firing holes just below it (Fig 6.13, no 71). At Itford Hill, such perforations were interpreted either

Fig 6.13 Pottery vessels nos 64–77

as decorative features or as part of repairs (Ellison 1972, 111–12). Alternatively, the regularity and position of the holes, just below the rim, might suggest they were used to secure coverings, possibly to preserve food or to aid the cooking process, as suggested at Christ Church College, Canterbury (Macpherson-Grant 1992, 55–7).

Although few of the profiles are complete, there is a notable absence of clear examples of coarse squat globular vessels, which were noted by Ellison as a common component of Sussex assemblages (eg Ellison 1978, types 1, 5 and 17). However, an apparently squatter form with a pierced lug handle (Fig 6.13, no 77) was recovered from layer A[118], actually phased to period 5 but within the backfill of a Middle Bronze Age working hollow, A:G164. A single possible example of a fine ware Globular Urn, in fabric FL11, was also noted in the assemblage (Fig 6.13, no 75).

CATALOGUE

Cut A[269], fill A[270], A:G265, OA59 (Fig 6.13)

64. Truncated urn-like vessel placed in the ground whole and upright though heavily fragmented during the process of lifting. Featuring a row of finger impressions of uncertain orientation. Fabric SH2.

Pit A[1099], fill A[1100], A:G217, OA75 (Fig 6.13)

65. Plain Barrel Urn. Fabric FL10.

Cut A[973], fill A[974], A:G91, B6 (Fig 6.13)

66. Plain Barrel Urn. Fabric FL2.

67. Plain Barrel Urn. Fabric FL9.

Pit A[945], fill A[946], A:G220, B2 (Fig 6.13)

68. Plain Barrel Urn. Fabric FL9.

Cut A[503], fill A[505], A:G173, OA56 (Fig 6.13)

69. Plain Barrel Urn. Fabric FL9.

Cut A[521], fill A[522], A:G173, OA56 (Fig 6.13)

70. Urn of neutral profile. Fabric FL9.

Deposit A[795], A[794], A:G241, S9 (Fig 6.13)

71. Neutral-profile urn with deep finger impressions along the top of the rim and a series of pre-firing holes just below it. Fabric FL10.

72. Large body sherd from heavy-duty vessel with applied finger-impressed horizontal cordon. Fabric FL10.

Pit 508, fill A[510], A:G173, OA56 (Fig 6.13)

73. Thin-walled Barrel Urn with low fingernail-impressed horizontal cordon and pierced lug handles. Fabric FL9.

Pit A[521], fill A[522], A:G173, OA56 (Fig 6.13)

74. Thin-walled Bucket Urn with plain applied cordon. Fabric FL9.

Pit A[559], fill A[560], A:G163, OA57 (Fig 6.13)

75. Relatively fine Globular Urn. Fabric FL11.

?Residual in working hollow layer A[528], A:G164, OA57 (Fig 6.13)

76. Thick-walled Barrel Urn-like form with evidence of poorly joined coil/strap building technique. Fabric FL10.

?Residual in fill B[118], pit/posthole B[117], B:G113, OA36 (Fig 6.13)

77. Squat possibly globular-shaped urn with pierced lug handles and finger impressions along the top of the rim. Fabric FL2.

PERIOD 5: LATE BRONZE AGE, c 1150–800 BC

There is clear ceramic evidence for continuity between periods 4 and 5 at Lower Hodder Farm. Although the more substantial buildings appeared to have gone out of use by the end of period 4, there was continued deposition of pottery in some Middle Bronze Age areas of activity, particularly near the southern limit of Lower Hodder Farm, in Open Areas 57 and 61 (OA57 and OA61). It should also be noted that the proportions of wares from period 5 may be somewhat distorted by one unusually large group from pit A[1576], which seems to represent waste associated with pottery production nearby. Only a single feature – posthole A[647], which formed part of the structure of the period 5 Building 9 (B9) – produced pottery of likely Late Bronze Age date, consisting of a number of body sherds from a single vessel in a coarse flint-tempered fabric. This seems to form part of a trend for the deposition of complete, or partially complete, vessels, which have been further considered above (Chapter 4). Although a very small amount of pottery from the 2010 Seaview Avenue excavations (SVP10) was phased to period 5 this was fairly undiagnostic and is not further discussed below.

FABRICS

As shown in Table 6.15, pottery remained almost entirely flint-tempered in period 5. Overall, extremely coarse flint-tempered wares (FL10), which are strongly identified with the Middle Bronze Age, still make up a significant proportion of fabric types. However, this is not universally the case. Almost half the sherds in fabric FL10 from period 5 came from three vessels, each placed intact in pits within an open area which is otherwise of Late Bronze Age character: A[2179] in OA61, A[1606] in OA62 and A[2008] in OA77. Although truncation has removed the upper profile of all three vessels, each is relatively thin walled with a flint-gritted base, which are traits more strongly associated with post-Deverel-Rimbury rather than Deverel-Rimbury assemblages. Other period 5 features which produced large quantities of fabric FL10 may have contained fairly high levels of residual pottery. These include layer A[528], another infilling layer of Middle Bronze Age working hollow A:G164, and features associated with later elements of the Middle Bronze Age B1 and B8. If we discount these individual features then fabric FL10 is actually a very minor element in other period 5 assemblages. The coarse to medium flint-tempered fabric FL9, which makes up a significant element in period 4, is present in reduced quantities in period 5 but is much more evenly distributed across all the features. By far the most prevalent fabric is FL2, a flint-

tempered ware of medium coarseness, which accounts for over 40% of sherds and almost half of estimated vessels. Also well represented is medium fine flint-tempered ware FL8 and fine ware fabric FL7.

As in period 4, there is some uncertainty about whether other minor fabric types should be considered contemporary with period 5. Several flint-tempered fragments may be considered residual: FL5 and FL17 are usually associated with the Neolithic, whilst several examples of FL11, a fine ware associated with Middle Bronze Age Globular Urns, were found in the same features that contained high concentrations of the Middle Bronze Age coarse ware, FL10. Fabrics FL1, FL3 and FL14 all have slightly sandier matrixes than might be expected in this period and could therefore have been intrusive, although they were found across quite a number of different features and it is possible that they were contemporary.

A tiny number of sherds are in fabric types considered fairly atypical of plain ware assemblages, including flint-with-shell, quartz-rich and shelly fabrics (FLSH1, Q1, Q2 and SH1). These were usually tiny sherds that could certainly have been intrusive elements. That having been said, two slightly larger sherds in quartz-rich fabric Q1 were found in the apparently well-sealed and closely dated undeveloped plain ware pit group A[1576]. Since all these fabric types are known to be elements of later decorated post-Deverel-Rimbury assemblages, it is possible that they occurred very occasionally earlier on.

Fabric	Sherd count	Wt (g)	ENV	% Sherd count	% Wt	% ENV
FL	4	24	4	0.3	0.1	0.6
FL1	6	22	5	0.5	0.1	0.8
FL2	524	7666	303	43.1	37.7	48.7
FL3	6	18	3	0.5	0.1	0.5
FL5	2	14	2	0.2	0.1	0.3
FL6	17	208	13	1.4	1.0	2.1
FL7	121	1816	38	9.9	8.9	6.1
FL8	123	1140	104	10.1	5.6	16.7
FL9	101	4782	46	8.3	23.5	7.4
FL10	268	4436	78	22.0	21.8	12.5
FL11	5	22	4	0.4	0.1	0.6
FL14	21	142	10	1.7	0.7	1.6
FL17	1	10	1	0.1	0.0	0.2
FLSH1	6	24	5	0.5	0.1	0.8
Q1	2	18	2	0.2	0.1	0.3
Q2	3	6	3	0.2	0.0	0.5
SH1	7	4	1	0.6	0.0	0.2
Total	1217	20352	622	100.0	100.0	100.0

Table 6.15 Quantification of fabrics in period 5 deposits at Lower Hodderm Farm (for codes see Chapter 6.3, 'Methodology')

FORMS

The majority of diagnostic forms from period 5 came from a large pit assemblage, which is addressed separately below. As already noted, there was obviously some residuality in specific features assigned to period 5 because a few diagnostically Middle Bronze Age forms were present. The fills of working hollow A:G164 produced a small rim sherd from a thick-walled vessel in coarse flint-tempered fabric FL10 (Fig 6.13, no 76) and a squat vessel with pierced lug handles (Fig 6.13, no 77). Several other vessels are hook-rimmed jars that clearly have their origins in the Deverel-Rimbury tradition but which would not necessarily be out of place in a plain ware post-Deverel-Rimbury group (eg Fig 6.14, no 78). A number of smaller rim sherds are apparently from vessels with restricted necks/shoulders (Fig 6.14, nos 79–84). Some of these have bipartite forms with well-defined necks and carinated shoulders (eg Fig 6.14, no 83), whilst others have a rounder shoulder profile (Fig 6.14, no 84). A single vessel with a possibly hemispherical profile and a short but pronounced neck (Fig 6.14, no 85) may be a bowl but in general the assemblage is rather lacking in non-jar forms. Fine wares also appear to be poorly represented amongst the diagnostic feature sherds although fine ware fabric (FL7) was consistently present in period 5.

PIT GROUP A[1576]

An unusually large pottery group (393 sherds, Wt 8.7kg) was recovered from pit A[1576], in Open Area 61 (OA61). Several attributes of this group may suggest that it derives, at least in part, from a pottery production site in the vicinity, although the brokenness of the assemblage and the presence of use-wear evidence, such as sooted residues, suggests that this material was mixed in with domestic waste.

A relatively large quantity of sherds (almost a quarter of the group) appear to have been misfired. These are generally fully oxidised and have clearly been exposed to very high temperatures, giving a characteristically light feel. Most exhibit signs of deep cracks all over their surfaces and many (all in fabric FL2) are severely warped. Two rim sherds, for example, are possibly from bipartite jars whose walls collapsed outwards before they had been fully chemically altered to ceramic during the firing process (Fig 6.14, nos 86 and 87). Three further rims from hook-rimmed or bipartite jars forms are warped to a lesser degree (Fig 6.14, nos 88–90). Aside from the more obvious wasters, many other vessels seem to have cracked or broken because of very minor shrinkage. It was often difficult to reconstruct these for illustration because there were slight

gaps left between sherds which had once obviously cross-fitted, suggesting that the breakage was often partly down to faults in the structure of the vessel rather than just physical impact.

In general, the mix of fabrics in this group is similar to that from period 5 as a whole, although there is a much more specific concentration on the overlapping medium flint-tempered fabrics FL2 and FL8, which together account for about 70% of sherds and 80% of estimated vessels. Coarser fabrics are notably almost absent from this group: fabric FL10 does not appear at all and only one vessel was recorded in fabric FL9, which is probably at the finer end of that fabric grouping. A large body sherd in fabric FL2 with an internal carbonised residue produced a determination of 1380–1020 cal BC (SUERC-30734, 2965±50BP).

The overall appearance of the wares is strikingly similar, from the range of firing colours to the smoothed surfaces and appearance of slight, vertical, finger-smearing below the carination on bipartite vessels. These attributes could suggest that many of the vessels are the work of a single potter producing a batch of them. Similarities in construction method can also be seen: joins were often noted on internal surfaces at the shoulder or out-turning rim, perhaps suggesting that component parts of vessels were built as separate elements.

The forms associated with these medium coarse fabrics are also of a clearly limited repertoire. At least 11 examples of a very specific version of a bipartite jar were recorded. They feature a pronounced shoulder about a third of the way down the body, a slightly hollow neck above the carination and a rim that turns gently outwards (eg Fig 6.14, nos 91–96). Two fairly complete examples of pinched flint-gritted bases are thought likely to belong to one of these vessels or to a similar form, although no cross-fitting sherds from the upper bodies have been identified (eg Fig 6.14, no 97). Although rim sherds in the rest of the period 5 assemblage tend to be fairly fragmentary, this specific combination of fabric and form was not particularly common elsewhere in the assemblage. However, two similar examples were found in A[1496], an adjacent pit also within A:G18.

Amongst the coarse wares a few substantial profiles stand out as different from the main form type. For example, there are two examples of jars with a slightly higher shoulder (Fig 6.14, nos 98 and 99); the former features a much less constricted upper profile than most other jars in the assemblage though it is too tall to be considered a bowl. Another vessel has a completely plain, slightly open, profile (Fig 6.14, no 100). Although differing slightly from the main bipartite jar group,

these vessels are again of generally similar fabric and surface treatment and could well be of the same clay source.

Fine wares, represented by fabric FL7, are significantly more common in this group than in period 5 as whole; however, they tend to be associated with smaller rims from shouldered forms of slightly uncertain overall profile (eg Fig 6.14, nos 101–104). None of these wares appear to have been fired at unusually high temperatures or to show extensive signs of warping or surface cracking. Two fine ware vessels do, however, show slightly different signs of faults in manufacture. One vessel is a shape not dissimilar to the main bipartite jar form (Fig 6.14, no 105). Large parts of the upper body and of the base were recovered although no cross-fits between the two parts of the body were identified, as severe damage had occurred at the shoulder. The detaching of flat disc-shaped spalls from the vessel wall, as seen on this vessel, is characteristic of spikes in temperature during open bonfire firings when chemically combined water expands too rapidly and cannot escape (Tite 1999, 188; Gibson 2002, 36). Similar spall-marks were seen on another semi-complete fine ware vessel with a more sinuous globular profile (Fig 6.14, no 106).

CATALOGUE

Layer A[1276], A:G79, R1 (Fig 6.14)

78. Hook-rimmed jar. Fabric FL9.

Pit A[2123], fill A[2124], A:G129, OA77 (Fig 6.14)

79. Shouldered jar. Fabric FL2.

84. Jar with rounded shoulder. Fabric FL9.

Fill A[2172], pit A[2171], A:G11, B15 (Fig 6.14)

80. Shouldered jar. Fabric FL7.

81. Shouldered jar. Fabric FL2.

Pit A[1496], fill A[1492], A:G18, OA61 (Fig 6.14)

82. Shouldered jar. Fabric FL2.

Pit A[1496], fill A[1494], A:G18, OA61 (Fig 6.14)

83. Shouldered bipartite jar. Fabric FL8.

Layer A[1276], A:G79, R1 (Fig 6.14)

85. Bowl with short well-defined neck and probable hemispherical body profile. Fabric FL2.

Pit A[1576], fill A[1578], A:G18, OA61 (Fig 6.14)

86. Severely over-fired with a warped profile and cracked surfaces. The original intended profile is uncertain – possibly a bipartite jar which collapsed outward before it was fully fired. Fabric FL2.

87. Severely over-fired with a warped profile and cracked surfaces. The original intended profile is uncertain – possibly a bipartite jar which collapsed outward before it was fully fired. Fabric FL2.

88. Possible hook-rimmed jar – fairly severely over-fired, warped and cracked. Fabric FL2.

89. Possible hook-rimmed jar – fairly severely over-fired, warped and cracked. Fabric FL2.

90. Probable bipartite jar – slightly over-fired, with cracked surfaces. Fabric FL2.

91. Bipartite jar. Fabric FL9 (similar though marginally coarser fabric to the majority of vessels in the group).

92. Bipartite jar. Fabric FL2.

93. Bipartite jar. Fabric FL2.

94. Bipartite jar. Fabric FL2.

Fig 6.14 Pottery vessels nos 78–106

95. Bipartite jar. Fabric FL8.
96. Bipartite jar. Fabric FL8.
97. Example of pinched flint-gritted base – probably from a vessel of similar type to P91–97. Fabric FL2.
98. High-shouldered bipartite jar. Fabric FL8.
99. High-shouldered bipartite jar. Light sooting on exterior. Fabric FL2.
100. Plain-rimmed vessel with slightly open profile. Light sooting on exterior. Fabric FL7.
101. Bipartite bowl/jar with well-burnished surfaces. Fabric FL7.
102. Bipartite bowl/jar with well-burnished surfaces. Fabric FL7.
103. Bipartite bowl/jar with well-burnished surfaces. Fabric FL7.
104. Shouldered bowl/jar with well-burnished surfaces. Fabric FL7.
105. Non-cross-fitting sherds from upper and lower body – probably from the same vessel. Bipartite jar with well-burnished surfaces. Evidence of detached spalls around shoulder area. Fabric FL7.
106. Non-cross-fitting sherds from upper and lower body – probably from the same vessel. Jar with rounded shoulder and well-burnished surfaces. Evidence of detached spalls on lower body. Fabric FL7.

PERIOD 6: TRANSITIONAL LATE BRONZE AGE AND EARLY IRON AGE, c 800–400 BC

Only a small quantity of pottery could be assigned to period 6, and both Lower Hoddern Farm and the Seaview Avenue and Keymer Avenues sites each produced only one relatively well-dated context assemblage. As in period 5, pottery was found in features phased to period 6 at the 2010 Seaview Avenue excavations (SVP10); however, this material was very undiagnostic.

LOWER HODDERN FARM

Pottery from layer A[1056], which represents a later infilling of a working hollow or hut platform (A[2292], OA60), is quantified by fabric type in Table 6.16. Because the pottery from this period is generally undiagnostic, this period has been assigned a very broad date range (c 950–400).

Although the purely flint-tempered wares FL2 and FL8, which characterised the preceding period, are still dominant fabric types, period 6 sees the appearance of slightly finer and, in some cases, sandier flint-tempered wares (FL1, FL4 and FL14). The key distinguishing feature of this period is the appearance of quite substantial quantities of flint-with-shell wares (FLSH1), which make up about 30% of the assemblage. There are also a few sherds in glauconitic (GFL1, GFL2), quartz-rich (Q1, Q2) and shelly wares (SH1).

Although a number of feature sherds were found in the group from A[1056], they are all fairly fragmentary. A slightly broader range of forms appears to be represented in comparison to period 5. There are two fragmentary but strongly everted-rimmed profiles: one is extremely thin walled and might either be a fine ware jar with a very long flaring rim or a shallow open form akin to the *assiette tronconique* (Fig 6.15, no 107). The other strongly everted-rimmed profile is associated with a shell-tempered fabric (Fig 6.15, no 108). Two small, slightly beaded rims are of uncertain overall profile but of fairly different character from those in period 5 (not illustrated), whilst

another two body sherds feature finger-tipping on the shoulder (Fig 6.15, nos 109 and 110): a decorative trait that began in decorated post-Deverel-Rimbury assemblages but persisted into the Early Iron Age.

Fabric	Sherd count	Wt (g)	ENV
FL13	1	12	1
FL14	9	68	9
FL2	47	262	46
FL3	8	20	8
FL5	2	24	2
FL7	1	6	1
FL8	13	162	13
FL9	1	16	1
FLSH1	39	224	35
GFL2	6	40	6
SH3	1	6	1
Total	128	840	123

Table 6.16 Quantification of fabrics in layer A[1056] (for codes see Chapter 6.3, 'Methodology')

KEYMER AVENUE

A single feature, pit B[443] in OA12, produced an assemblage of moderate size phased to period 6. The majority of it is made up by sherds from a fragmented but semi-complete tripartite bowl form in fabric FL3 (Fig 6.15, no 135). The pit also contained a few other body sherds in the sandy flint-tempered ware FL1 and in non-flint-tempered quartz-rich ware Q1.

Fig 6.15 Pottery vessels nos 107–110, 135

CATALOGUE

Layer A[1056], A:G228, OA60 (Fig 6.15)

107. Shallow flaring plate/dish-like form. Fabric FL2.
108. Partial rim from form with strongly everted rim. Fabric SH3.
109. Finger-tipped body sherd. Fabric FL2.
110. Shoulder of vessel with fine finger-tipped decoration. Fabric GFL2.

Fill B[444], pit B[443], B:G81, OA12 (Fig 6.15)

135. Tripartite, bowl with long flaring neck. Fabric FL3.

PERIOD 7: MIDDLE IRON AGE, c 400–100/50 BC

By far the largest quantity of pottery from the Seaview Avenue and Keymer Avenue excavations belongs to the Middle Iron Age (see Table 6.10). This assemblage is generally quite heavily

fragmented with a relative paucity of substantial rim profiles or other feature sherds. It also tended to come from smaller context groups, widely distributed over the various enclosures, open areas, buildings and trackways. The main exception is Enclosure 1 (EN1), from which nearly half the period 7 assemblage derives. A large proportion of this was concentrated in ditch group B:G49.

In some cases, pottery groups could be assigned to a specific stratigraphic phase within period 7, but differences in assemblage composition between phases 1, 2a, 2b and 2c are very slight. The phases also proved difficult to compare meaningfully, because only about 100 sherds were positively assigned to period 7, phase 1, whilst the vast majority of the period 7, phase 2 assemblage could not be assigned with certainty to any of the subphases. The assemblage has not therefore been quantified separately by phase although, where relevant, any possible chronological variation has been noted.

Although Lower Hoddern Farm and the 2010 Seaview Avenue excavation produced small stratified groups likely to date to period 7, these amounted to a small number of sherds spread over many features. They lacked diagnostic feature sherds but were largely comparable in fabric composition to those from the larger Keymer Avenue assemblage. As they contribute little to our understanding of ceramic developments in this period they have been omitted from the overview below.

FABRICS

As shown in Table 6.17, the period 7 assemblage is characterised by four main fabric groupings: flint-tempered, glauconitic, shelly and quartz-rich wares. Of these, the quartz-rich fabrics are the most numerous contributing *c* 40% of fabrics with the other three groups each making up *c* 15–20%.

There is possible evidence that quartz-rich wares increased in frequency over time as flint-tempered wares declined slightly. In the limited assemblage from period 7, phase 1 quartz-rich fabrics make up only 20% of sherds (about half the proportion in period 7 as a whole), whilst flint-tempered wares account for about a third. However, it is not entirely certain that this is a chronological trend. For example, the *c* 300 sherds assigned to period 7, phase 2c also feature a lower-than-average proportion of quartz-rich wares and a higher proportion of flint-tempered wares. It is also notable that grog-tempered wares (likely to have developed later in the Middle Iron Age than the other fabrics types) occur sparsely across most of the feature groups including those from phase 1.

Fabric type	Sherd count	Wt (g)	ENV	% Sherd count	% Wt	% ENV
Residual (Neolithic) flint-tempered						
FL4	50	156	17	2.5	1.3	1.2
FL5	15	152	3	0.7	1.2	0.2
Flint-tempered						
FL1	267	1830	210	13.3	15.0	14.5
FL2	43	302	28	2.1	2.5	1.9
FL3	23	74	17	1.1	0.6	1.2
Grog-tempered						
GRI	41	336	24	2.0	2.8	1.7
Glauconitic						
GFL1	94	742	55	4.7	6.1	3.8
GQ1	222	1622	203	11.1	13.3	14.0
Quartz-rich						
Q1	58	302	42	2.9	2.5	2.9
Q2	744	4270	597	37.0	35.0	41.3
Shelly						
SH1	452	2400	251	22.5	19.7	17.3
Total	2009	12186	1447	100.0	100.0	100.0

Table 6.17 Quantification of fabrics in period 7 (for codes see Chapter 6.3, 'Methodology')

FORMS

The brokenness of the assemblage means that most of the rims are quite partial profiles. Few contexts produced more than one diagnostic feature sherd and the vast majority of sherds have been assigned broadly to period 7, phase 2. For this reason forms are presented as type-series rather than by group or phase.

Although many of the fabric types typical of the period 7 assemblage first occurred in period 6 at Lower Hoddern Farm, there is relatively little evidence for transitional Early–Middle Iron Age activity at Seaview Avenue and Keymer Avenue. Two forms both from deposits assigned to the earliest period 7, phase 1 could possibly fit into this category: both feature weakly shouldered profiles with crudely formed upright rims and one is finger-tipped along the rim (Fig 6.16, nos 136 and 137). Other slightly necked/shouldered forms recur in the assemblage (eg Fig 6.16, nos 138–140). Although internal patterns of burnish on body sherds are quite common, rims from vessels of open profile are uncommon but include a vessel with a slight internal bead rim (Fig 6.16, no 141). Saucepan forms also seem to be poorly represented although one vessel has a well-defined double bead rim (Fig 6.16, no 142), which is fairly typical of later decorated

Saucepans of the Caburn-Cissbury group. No decoration is evident on this sherd but only a relatively small part of the profile is present and the surfaces are heavily abraded. Another larger undecorated sherd (Fig 6.16, no 143) has a profile not dissimilar to bead-rimmed saucepans although it is slightly

ovoid in form and is rather crudely formed with no evidence of either decoration or surface treatment. Other more strongly incurving forms also have well-defined bead rims (eg Fig 6.16, no 144) and plain-rimmed ovoid forms are one of the better-represented form types (eg Fig 6.16, nos 145–147). Rim sherds from jars with well-defined S-profiles are also in evidence (eg Fig 6.16, nos 148 and 149); these were probably associated with footring bases (eg Fig 6.16, no 150).

In three cases, jars with sinuous-necked profiles and well-burnished surfaces were associated with grog-tempered fabrics (Fig 6.16, nos 151–153). In the latter example, this was associated with burnished arcs typical of the East Sussex grog-tempered tradition (Green 1980). These specific vessels seem unlikely to have been produced much before the 1st century BC but they came from enclosures (EN1 and EN3) which produced relatively large quantities of pottery dominated by more typically Middle Iron Age fabrics, with little grog tempering. Perhaps then, these vessels represent the very late or even intrusive elements of an essentially Middle Iron Age phase of activity.

CATALOGUE

Posthole B[524], fill B[525], B:G79, OA13 (Fig 6.16)

136. Shouldered jar with finger indents along rim (may also have some shoulder decoration although this is obscured by surface damage). Fabric FL1.

Pit/posthole B[372], fill B[373], B:G78, OA13 (Fig 6.16)

137. Shouldered jar with crudely folded-over rim. Fabric SH1.

Ditch B[812], fill B[813], B:G21, R12 (Fig 6.16)

138. Necked jar with sinuous profile. Fabric Q2.

Pit B[1568], fill B[1569], B:G76, OA19 (Fig 6.16)

139. Necked jar with sinuous profile. Fabric Q2.

Pit B[992], fill B[993], B:G86, OA20 (Fig 6.16)

140. Thick-walled necked jar. Fabric SH1.

Posthole B[1783], fill B[1782] (Fig 6.16)

141. Flaring rim of open vessel with slight internal bead rim. Fabric FL1.

Ditch B[1411], fill B[1412], B:G53, D5 (Fig 6.16)

142. Partial rim from probable Saucepan form with double bead rim. Fabric SH1.

Ditch B[562], fill B[563], B:G25, R12 (Fig 6.16)

143. Ovoid jar with bead rim formed by well-defined groove. Fabric Q2.

Pit B[1331], fill B[1332], B:G61, OA17 (Fig 6.16)

144. Bead-rimmed jar. Fabric SH1.

Ditch B[768], fill B[769], B:G13, EN3 (Fig 6.16)

145. Ovoid profile jar with open profile, highly burnished on upper internal surface. Fabric Q2.

Ditch B[1271], fill B[1272], B:G49, EN1 (Fig 6.16)

146. Ovoid closed-profile jar. Fabric Q1.

Ditch B[626], fill B[627], B:G49, EN1 (Fig 6.16)

147. Ovoid closed-profile jar. Fabric Q2.

148. S-profile jar. Fabric GQ1.

149. S-profile jar. Fabric GQ1.

150. Footring base. Fabric GQ1.

Fig 6.16 Pottery vessels nos 136–153

Ditch B[475]/[477], fill B[476]/[478]/[480] B:G43/44, EN1 (Fig 6.16)
151. Simple necked jar. Fabric GR1.

Ditch B[1546], fill B[1547], B:G43, EN1 (Fig 6.16)
152. Simple necked jar. Fabric GR1.

Ditch B[1146], fill B[1145], B:G13, EN3 (Fig 6.16)
153. Simple necked jar with burnished arc on shoulder. Fabric GR1.

PERIOD 8: LATEST IRON AGE/EARLY ROMAN, c AD 10–150

LOWER HODDERN FARM

A reasonably large assemblage of over 1000 sherds from Lower Hoddern Farm was phased to period 8 (quantified by fabric type in Table 6.18). Much of it, however, came from the south-eastern part of the site, which had been a focus for activity over many of the preceding periods, so that these groups suffer severely from problems of residuality.

Nearly 40% of fabrics assigned to this phase are flint or flint-with-shell fabrics and a further 6% are in other fabrics, including

the glauconitic, shell-tempered and quartz-rich wares which had been prevalent in period 7. However, none of the individual context groups look convincing as well-stratified transitional assemblages. The majority of the flint-tempered wares found in period 8 contexts are in fact coarse Deverel-Rimbury/post-Deverel-Rimbury-type fabrics probably belonging to periods 4–6. The proportion of likely residual fabric types is distorted by a few features that displayed very high levels of residuality. Features in Open Area 46 (OA46), for example, produced over 200 sherds that are almost entirely in fabric types characteristic of periods 5–6. This may be because the majority of this material comes from layers of trample associated with stock erosion, a process which is likely to have churned up earlier stratified material.

If we exclude feature groups where residual material predominates, specifically those from land-use elements Open Area 46 (OA46), Trackway 8 (R8) and Structure 1 (S1), a slightly clearer picture of contemporary fabric composition emerges. Grog-tempered wares make up about two-thirds of the pottery from the remaining period 8 deposits and Roman fabric types account for nearly 20% (by sherd count), though this figure is distorted by a few complete but fragmented cremation vessels and Roman fabric types more generally make up under 10% of ENV in these groups.

It is worth noting that only 6% of the remaining sherd total is made up by probable Middle Iron Age fabric types, including shelly, quartz-rich, glauconitic and sandy flint-tempered wares (FL1, GFL1, GFL2, GQ1, Q1, Q2, QSH1, SH1). Given that redeposition of earlier material has demonstrably taken place in areas of Late Iron Age/Early Roman settlement, it is reasonable to assume that many of these types are also residual, though it is possible that a few were still in contemporary use. This point is underlined by the fact that these wares tend to be present in very small amounts even in groups which appear to be least affected by redeposition.

The Roman pottery is largely composed of local sandy wares. Peacehaven is located at a considerable distance from any known kilns of Early Roman date, the nearest industry being located over 30km to the west in the Arun valley. Although products of this industry are not always particularly distinctive, many of the Roman fabrics and forms represented are consistent with this kiln source.

A few sherds are in regionally traded fabrics from the Alice Holt and north Kent industries or imported ones, including samian and Baetican amphora fabrics. The only sherds which could be conclusively assigned to the 2nd century AD were two examples of central Gaulish samian, one in the early 2nd-century AD Les Martres-de-Veyre fabric. Both were found

Fabric	Sherd count	Wt (g)	ENV	% Sherd count	% Wt	% ENV
Deverel-Rimbury/post-Deverel-Rimbury flint-tempered wares	411	3266	327	29.1	26.3	44.7
GR1	610	5642	253	43.2	45.4	34.6
GRSH1	1	2	1	0.1	0.0	0.1
GRFL1	1	18	1	0.1	0.1	0.1
CI	3	36	2	0.2	0.3	0.3
FL1	136	646	30	9.6	5.2	4.1
GFL1	12	138	7	0.8	1.1	1.0
GFL2	3	28	2	0.2	0.2	0.3
GQ1	5	30	5	0.4	0.2	0.7
Q1	7	36	3	0.5	0.3	0.4
Q2	23	78	17	1.6	0.6	2.3
QSH1	13	70	13	0.9	0.6	1.8
SH1	28	92	21	2.0	0.7	2.9
AHSU	10	44	2	0.7	0.4	0.3
BAETE	1	12	1	0.1	0.1	0.1
FINE	22	118	2	1.6	0.9	0.3
FMIC	2	8	2	0.1	0.1	0.3
NKGW	4	20	3	0.3	0.2	0.4
OXID	52	546	15	3.7	4.4	2.0
OXIDF	3	16	2	0.2	0.1	0.3
RWS	3	8	2	0.2	0.1	0.3
SAMCG	1	12	1	0.1	0.1	0.1
SAMLG	2	4	2	0.1	0.0	0.3
SAMMV	1	14	1	0.1	0.1	0.1
SAND	59	1549	17	4.2	12.4	2.3
Total	1413	12433	732	100	100	100

Table 6.18 Quantification of fabric types from period 8 deposits at Lower Hoddern Farm (for codes see Chapter 6.3, 'Methodology')

within a single small group: pit A[2087] in OA42. Although this assemblage is probably too small to analyse meaningfully (25 sherds), it is one of the only groups where Roman fabric types slightly outnumber grog-tempered ones, suggesting that it may be of marginally later date than the rest of the assemblage.

Forms

Forms are, as would be expected on a Late Iron Age/Early Roman rural settlement, completely dominated by jars. Discounting clearly residual prehistoric forms, these account for 88% by EVE, although only 71% by estimated vessel number. Among them are examples of grog-tempered plain-rimmed forms (cf Thompson 1982, C3) (Fig 6.17, no 111). Simple necked jars in the same fabric type are by far the most common form type (eg Fig 6.17, nos 112 and 113). In most cases these have plain profiles although occasional examples have slight cordons (eg Fig 6.17, no

114). A single example of a large grog-tempered storage jar was also recorded (Fig 6.17, no 115). Jars in Roman fabrics are not dissimilar to the grog-tempered versions but tend to have slightly better-defined necks/higher shoulders (eg Fig 6.17, no 116).

Most other form types are represented by one or two individual vessels and include examples of platters both in samian forms (Dragendorff 18) and in local grog-tempered wares imitating terra nigra forms (Hawkes & Hull 1947, Camulodunum forms 14 and 16) (Fig 6.17, nos 117 and 118). Beakers are not generally well represented but a few examples of thin-walled beakers/jars may have been influenced by the butt-beaker tradition (eg Fig 6.17, no 119). Also of note is a single example of a hooked-rimmed mortarium in a coarse orange fabric with white slip and only very rare flint grits. This is of unknown origin and quite dissimilar to most of the major mortarium-producing industries in the south-east (Fig 6.17, no 120).

Fig 6.17 Pottery vessels nos 111–124

Cremation group

Of particular note in this phase is a group of four vessels associated with cremation group A[49] in OA42, datable to around AD 40/50–70. Three of the vessels contained human bone, whilst the other (Fig 6.17, no 121) appears to be an accessory vessel. Vessel nos 122 and 123 (Fig 6.17) are similar jars in grog-tempered fabrics. Vessel no 122 is a wider-necked jar with a burnished lattice decoration on a zone between two neck cordons, whilst vessel no 123 is almost identical but with a much narrower neck. Both types were widespread in the 1st century AD throughout the south-east and can be paralleled by Thompson (1982) form B3 and Camulodunum forms 218 and 230 (Hawkes & Hull 1947). Vessel no 124 is a necked jar in a Romanised greyware fabric similar to that used for the accessory vessel, a globular beaker (Fig 6.17, no 121).

CATALOGUE

Ditch A[31/001], fill A[31/002], A:G47, OA41 (Fig 6.17)

111. Plain rim ovoid jar (cf Thompson 1982, C3). Fabric GR1.

Ditch A[2034], fill A[2021], A:G41, D10 (Fig 6.17)

112. Simple necked jar. Fabric GR1.

Ditch A[6/013], A:G55, EN5 (Fig 6.17)

113. Simple necked jar A[6/013]. Fabric GR1.

114. Necked jar with low cordon A[6/016]. Fabric GR1.

Ditch A[2111], fill A[2112], A:G33, EN4 (Fig 6.17)

115. Storage jar with incised short diagonal lines on neck. Fabric GR1.

Pit A[2216], fill A[2217], A:G132, OA41 (Fig 6.17)

116. Necked jar with high, well-defined shoulder. Fabric SAND.

Tree throw A[2048], fill A[2049], A:G137, OA39 (Fig 6.17)

117. Platter probably loosely based on Camulodunum form 14 (Hawkes & Hull 1947). Fabric SAND.

118. Platter probably loosely based on Camulodunum form 16. Fabric GR1.

Ditch A[2069], fill A[2070], A:G33, EN4 (Fig 6.17)

119. Thin-walled necked jar/beaker possibly influenced by the butt-beaker tradition. Fabric GR1.

Ditch A[31/001], fill A[31/002], A:G47, OA41 (Fig 6.17)

120. Mortarium with hooked flange. Fabric RWS.

Cremation group A[49] (Fig 6.17)

121. Globular beaker (A[49]). Fabric FINE.

122. Wide-necked cordoned jar with lattice decoration on shoulder (A[51]). Fabric GR1.

123. Narrow-necked cordoned jar with lattice decoration on shoulder (A[49]). Fabric GR1.

124. Necked jar with strongly carinated shoulder (A[50]). Fabric SAND.

KEYMER AVENUE

A single feature, pit B[701] in OA30, produced sherds from the lower portion of a white ware flagon. Otherwise, the evidence for Iron Age or Roman activity on this site was fairly scant. Although some grog-tempered forms found in period 7 features could be of Late Iron Age/Early Roman date, the absence of groups where grog is a dominant fabric type suggest that these

may have been casual losses incorporated into the top of earlier features rather than indicators of any significant continuity of activity into the Late Iron Age.

CONCLUSIONS

The Peacehaven excavations have added to our understanding of prehistoric and Early Roman ceramic studies in Sussex, although some periods have clearly contributed more significant evidence than others. In particular the Early Neolithic Plain and Decorated Bowl pottery from Lower Hodder Farm is important because it represents the only large regional assemblage from associated pit contexts on a non-monumental site. The assemblage has allowed a consideration of the chronology, duration and nature of activity (Chapter 3), but direct comparison with causewayed enclosure sites has been hampered by the fact that most of these assemblages were published before the advent of modern standards of pottery recording and publication. The ceramic evidence from the Middle Neolithic to Early Bronze Age is slightly less substantial and more dispersed across the excavation areas. It does, however, seem to suggest a continued tradition of pottery deposition in pits over a long chronological span (Chapter 3).

The Middle Bronze Age is the next significant period represented and the emphasis here seemed to be on the importance of buildings as foci for pottery deposition (Chapter 4), a scenario that appeared to continue to some extent into the Late Bronze Age. The evidence for pottery-production waste and its association with briquetage material in one particularly large pit group is one of the more significant elements from the ceramic assemblage as a whole.

In keeping with a more general regional picture, there appears to have been a contraction in pottery use and deposition during the decorated phase of the post-Deverel-Rimbury tradition, during the period 800–600 BC and into the Early Iron Age proper. Although some pottery from this date range (c 800–400 BC) was found during the excavations, this period remains poorly understood (see Chapter 4). By contrast Middle Iron Age pottery was fairly well represented in the Seaview Avenue and Keymer Avenue excavations, although the site seemed to lack the rich pit deposits seen on other sites in the region (Chapter 5). The Late Iron Age/Early Roman assemblage is relatively small in scale and lacks large diagnostic groups, although it appears typical of rural assemblages in this period. The urned cremation group is of note since it is one of the few examples from this area of Sussex (Chapter 5).

6.4 POST-ROMAN POTTERY

Luke Barber

Virtually no post-Roman pottery was recovered from the study area. A single, slightly abraded, body sherd from a fine, buff, sand-tempered jug was recovered from A[1433]. The sherd, which has vertical incised line decoration under a dull green glaze, is of mid 13th- to 14th-century date. The only other post-Roman pieces are two mid/late 19th-century sherds from subsoil: a refined white earthenware bowl rim with red band decoration and a transfer-printed bowl with blue floral/foilage design.

6.5 FIRED CLAY

Elke Raemen

INTRODUCTION

Both principal sites, Lower Hoddern Farm and Keymer Avenue, contained fired clay (473 fragments, Wt 11469g). The largest group came from Lower Hoddern Farm (365 fragments, Wt 7821g), recovered from 49 individually numbered contexts, all in the southern half of the site. The fired clay from Keymer Avenue (108 pieces, Wt 3648g) came from 32 contexts. Briquetage forms the bulk of the assemblage, although structural clay/daub was also recovered (Table 6.19). The assemblage is in fair condition, though few complete or sizable pieces survive.

METHODOLOGY

Pieces were counted and weighed by context and examined macroscopically. Surface finishes and residues were described where present, as well as variations in colour and level of firing. Measurements were taken where appropriate. Full records have been deposited with the archive.

FABRICS

Four broad fabric groups can be distinguished. The basic clay matrix is similar in all groups and distinguishing characteristics of subgroups are often insignificant, with coarse components indicating differentiations within the raw material. Tertiary

deposits are found on and near the site so clay for use in structures and manufacture of objects could be sourced locally. Tempering agents were also readily available within the study area.

GROUP A: UNTEMPERED

F1
Sparse to moderate fine sand. Some with occasional quartz inclusions to 1mm or rare iron oxide inclusions to 1mm.

F8
Sparse fine sand.

GROUP B: ORGANIC TEMPER

F3
Sparse fine sand with abundant organic tempering. Corky texture.

F5A
Sparse fine sand with moderate to abundant organic tempering.

F5B
Sparse fine sand with occasional organic temper. Some with angular flint to 9mm.

F6A
Sparse fine sand with occasional chalk temper to 2mm as well as rare iron oxide inclusions to 2mm. Moderate organic temper.

F6B
Sparse fine sand with occasional quartz inclusions to 2mm. Occasional chalk temper to 14mm as well as occasional organic temper.

F6C
Sparse fine sand with abundant organic temper and occasional chalk temper to 2mm.

GROUP C: SAND TEMPER

F4A
Moderate medium sand temper with occasional quartz to 2mm.

F4B
Coarse fabric with sparse medium sand temper and moderate quartz to 1mm. Occasional annular flint to 5mm. Rare to occasional organic temper.

F4C
Abundant fine to coarse sand temper with moderate organic inclusions and voids. Some pieces with occasional annular flint to 11mm, occasional flint pebbles to 14mm. Moderate quartz inclusions to 1mm.

GROUP D: FLINT TEMPER

F2
Sparse fine sand with rare to occasional iron oxide inclusions to 3mm. Some contain rare flint pebbles or calcinated flint to 6mm or rare quartz inclusions to 1mm. Rare organic inclusions and some voids possibly representing more organic material.

F7
Sparse fine sand with moderate calcinated flint temper to 4mm.

Site	Lower Hoddern Farm				Keymer Avenue				
Class	Fragment count	% Fragment count	Wt (g)	% Wt	Fragment count	% Fragment count	Wt (g)	% Wt	Total fragment count
Briquetage	165	45.2	2685	34.3	45	41.6	2468	67.6	210
Structural clay/daub	48	13.1	4172	53.3	22	20.4	536	14.7	70
Miscellaneous/undiagnostic	152	41.7	964	12.4	41	38	644	17.7	193
Total	365	100.0	7821	100.0	108	100.0	3648	100.0	473

Table 6.19 Quantification of fired clay by general class and by site

The assemblage from Lower Hoddern Farm showed a greater variation in fabrics. This probably bears little significance, as differentiations within the clay matrices largely reflect natural variation. The assemblage is too small to establish any spatial concentrations of certain fabrics. Likewise, the group is too small to draw any conclusions on chronological distribution of temper use. It is, however, noticeable that most flint temper is encountered in the Middle Iron Age (Table 6.20).

Fabric group	Period						Total
	4	5	6	7	8	Undated	
A	24	7		17	1	1	50
B	38	4	6	11	22	2	83
C		37	12	12	155	33	249
D	2	3		73		13	91
Total	64	51	18	113	178	49	473

Table 6.20 Overview of number of pieces of fired clay by period and by broad fabric group

STRUCTURAL FIRED CLAY AND DAUB

Structural fired clay or daub was recovered from both Lower Hoddern Farm and Keymer Avenue. The assemblage is small, with a wide chronological and spatial distribution and few pieces retaining wattle impressions (Table 6.21). The group is not substantial enough to make meaningful observations on the fabrics used, although it is noticeable that flint temper (fabric group D, 18 fragments) was used exclusively during period 7. The only group of note was recovered from pit A[1576] (fill A[1578], OA61), dating to the Late Bronze Age (period 5). Among it are 18 fragments retaining wattle imprints that range in diameter from 6mm to 31mm, including some fairly substantial pieces weighing up to 667g. Although multiple impressions are visible on some, little survives of the pattern and it cannot be established whether the rods were woven around roundwood sails or squared timber.

Form	Corner	Smoothed surface	Wattle imprint	Total
Site/period				
Lower Hoddern Farm				
4	1	1		2
5	2	9	18	29
6		2		2
7	2	1		3
8	1	11		12
Keymer Avenue				
7	2	16	4	22
Total	8	40	22	70

Table 6.21 Quantification of structural clay pieces by number, form, site and period

BRIQUETAGE

Forty-five fragments of briquetage were recovered from Keymer Avenue, and a further 165 pieces from Lower Hoddern Farm. Small amounts are dated to periods 4 and 5; period 7 is represented by only 45 pieces from Keymer Avenue; the largest assemblage, 125 pieces, is of Roman date. Sand-tempered fabrics dominate the briquetage, with a much lower occurrence of organic- and flint-tempered wares (F2). The occurrence of sandy clay amongst briquetage is not uncommon, but flint-temper seems to be rare (Morris 2001a, table 98), though it has previously been recovered in small quantities, for example on the Isle of Grain (Clifford in prep). Other Sussex sites appear to favour either shelly (Bishopstone) or organic fabrics (Portsmouth-Langstone Harbour; Morris 2001a, table 98). The typical range of colours associated with salt production is largely absent from the assemblage from the study area, perhaps suggesting lower temperature conditions as well as an absence of salt in the raw clay (Morris 2001b, 41).

Of 210 briquetage pieces, 161 are amorphous. Despite their undiagnostic nature, they clearly form part of the briquetage assemblage, because of both their fabric and their association with briquetage within the same context.

FORMS

Supports

The most commonly encountered form is the bar support (Table 6.22). The assemblage from the study area is fragmentary and no complete examples survive. Fragments are rectangular-sectioned and, judging from the sections, bars are mostly fairly small (25 × 40mm to 37 × 41mm). A fragment with a section measuring 64 × 55mm may be classified as a brick (Fig 6.18, no 3). Too little survives to establish their form and therefore their function, but most would have lain flat to provide a platform to elevate the evaporation containers above the heat source (Crosby 2001, 124) and/or to aid air circulation beneath the container. Most are of Middle Iron Age (period 7) date, with only two Roman examples. Nearly all the bar fragments were recovered from the Keymer Avenue site. They are fairly common finds on Iron Age and Roman salt production sites (eg Chidham, West Sussex: Bradley 1992, fig 8, 37; Lincolnshire: Crosby 2001, figs 34–35, 120–121).

Four pedestals were recovered, all from Lower Hoddern Farm. Two pedestal fragments were found in possible eaves drip gully A:G220, associated with roundhouse Building 2 (B2), and in pit group A:G89, associated with B6. Both features date to period 4. One fragment appears to be from a round-sectioned base (Fig 6.18, no 5), whereas the other (Fig 6.18, no 6) consists

of a terminal fragment with subrectangular plan and flat top, the latter demonstrating the idiosyncratic nature of briquetage.

The other two pedestals, found in structural deposit A[2024] (fill A[2025], A:G131, OA77), have a distinctive hourglass-shape (Fig 6.18, nos 7 and 8) that is paralleled in Morton Fen, Lincolnshire (Crosby 2001, fig 33, 26). Pottery from the same context is of Late Bronze Age date (period 5). Their flat end was most probably designed to support the base of a container.

Part of a probably fan-shaped wedge (Fig 6.18, no 10) was recovered from linear feature A[1118] (fill A[1119], A:G71, R3), dated to period 8. Wedges are fairly common finds amongst briquetage of this period (eg Sawdon's Marsh, Essex: de Brisay 1978, 45). A rounded slab fragment (Fig 6.18, no 9) from pit A[1095] (fill A[1097], A:G205, FS4) is likely to represent another wedge.

Form	Period					Total
	4	5	7	8	Undated	
Brick/bar			23	2		25
Pedestal	2	2				4
Heating system				5		5
Container	1	1	7			9
Slab/wedge				4	2	6
Miscellaneous	7		15	116	23	161
Total	10	3	45	127	25	210

Table 6.22 Quantification of briquetage by number, form and period

Structural material

Various edges (F4C) from a single structure, in addition to amorphous fragments probably from the same structure, were recovered from Ditch 10 (D10) (fill A[2021], A:G41). They may represent the lining and edge of a saltern hearth, dated to period 8. Fragments are comparable to pieces found in Lincolnshire (eg Percival 2001, figs 63 and 64).

Containers

Eight container fragments were recovered, mostly from the Keymer Avenue site. Diagnostic pieces derive from vessel bases and only broad forms can be established. However, it is probable that the pieces from linear feature B[562] (fill B[563], B:G25, R12) are from a square or rectangular vessel. The fragment from linear feature B[1447] (fill B[1446], B:G53, D5) is possibly from a thick-walled vessel, the form of which cannot be established. The latter fragments are all of Middle Iron Age (period 7) date. The earliest fragment consists of a base fragment (Fig 6.18, no 12), probably deriving from a rectangular evaporation tray and dating to period 4 (B[752], B:G101, S8).

Of interest are four conjoining fragments of a trough (Fig 6.18, no 13), which were recovered from a period 5 refuse pit, A[1576] (fill [1578], OA61). The end of the trough, in F7 (pottery fabric FL2), was cut after light firing. This type of pan, with a U-shaped section, is known from Late Bronze Age to Early Roman briquetage groups, for example in Lincolnshire (Crosby 2001, fig 36, 124; Morris 2007, 435–6).

It should also be noted that it is entirely possible to use domestic pottery for transportation and storage of brine, as well as for the actual salt production. However, at the current sites there is no indication that any of the pottery was used for this purpose.

CHRONOLOGICAL OVERVIEW

The earliest evidence for salt production within the study area dates to period 4. Only ten pieces were recovered, all from the northern half of Lower Hoddern Farm. Nine of these, two pedestals (Fig 6.18, nos 5 and 6) and seven undiagnostic pieces, were recovered from roundhouses B2 and B6, with a further container fragment found associated with possible stock sorting complex (S8) (Fig 6.18, no 12).

The Late Bronze Age (period 5) is represented by three objects from only two contexts: the conjoining trough fragments (above; Fig 6.18, no 13) as well as the two complete hourglass-shaped pedestals (Fig 6.18, nos 7 and 8). Both features were located in the south-western corner of Lower Hoddern Farm (OA61 and OA77).

Activity in the Iron Age was limited to period 7, phase 2, and evidence was found solely at the Keymer Avenue site. Here, 45 pieces were recovered from across the site, largely concentrated in Enclosure 1 (EN1). The assemblage from the latter area includes 15 out of 23 bar fragments. No other evidence is however apparent from the enclosure, although a few vessel fragments from rectangular containers were found elsewhere on the site.

Evidence for Roman salt production was concentrated again in the south-western corner of Lower Hoddern Farm. Characteristic are the two wedges. Additionally, hearth rims and lining, possibly from a saltern hearth, were recovered from D10 (Fig 6.18, no 11). The majority of briquetage, however, is undiagnostic of function (116 out of 125 fragments).

CATALOGUE

Abbreviations used are L (length), H (height), Di (diameter) and T (thickness). Measurements are all in mm; where followed by '+', this indicates the incompleteness of the object.

Supports (Fig 6.18)

1. RF<54> Ceramic bar
B[903], B:G116, EN1; period 7, phase 2
Incomplete. Tapering, subrectangular-sectioned bar fragment with rounded corners. Section measures 48 × 47mm, L 67mm+. Fabric group B, F5A.

2. RF<55> Ceramic bar (not illustrated)
B[903], B:G116, EN1; period 7, phase 2
Incomplete. Rectangular-sectioned bar fragment measuring 41 × 36.5mm, L 63.5mm+. Fabric group B, F5A.
3. RF<56> Ceramic bar
B[1332], B:G61, OA17; period 7, phase 2
Incomplete. Subrectangular-sectioned fragment measuring 64 × 55mm. Fabric group D, F2.
4. RF<53> Ceramic bar
A[2244], A:G38, R8; period 8
Incomplete. Square-sectioned bar end measuring 38 × 38mm. L 64mm+. Fabric group B, F5A.
5. RF<11> Ceramic pedestal
A[946], A:G220, B2; period 4
Incomplete. Crudely finished circular-sectioned base fragment. Maximum Di 73mm, H 31.7mm+. Pink/purple surface. Fabric group B, F5B.
6. RF<12> Ceramic pedestal
A[1041], A:G89, B6; period 4
Incomplete. Crude pedestal with oval terminal measuring c 80+ × 39.15mm. Fabric group D, F7.
7. RF<13> Ceramic pedestal
A[2025], A:G131, OA77; period 5
Incomplete. Hourglass-shaped fragment. Finger impressions. H 80mm+, terminal Di 64.4mm. Fabric group D, F2.
8. RF<14> Ceramic pedestal
A[2025], A:G131, OA77; period 5
Complete. Hourglass-shaped pedestal. Finger smoothing marks. H 80mm, terminal Di 69mm, base Di 76.4mm. Fabric group D, F2.
9. RF<50> Ceramic slab
A[1097], A:G205, FS4; periods 4–8
Incomplete. Two conjoining fragments of rounded edge from slab. T 33.7 to 40.5mm. Fabric group C, F4A.
10. RF<51> Ceramic wedge
A[1119], A:G71, R3; period 8
Incomplete. Fan-shaped fragment. T 18.3mm. Fabric group C, F4A. Structural material
11. RF<52> Ceramic ?hearth rim
A[2021], A:G41, D10; period 8
Incomplete. Possible lining rim from saltern hearth. Fabric group C, F4C.

Containers

12. RF<57> Ceramic container
A[753], A:G101, S8; period 4
Incomplete. Base fragment possibly from rectangular evaporation tray. Pale blue/pink surface. Fabric group D, F7.
13. RF<10> Ceramic trough
A[1578], A:G18, OA61; period 5
Incomplete. Four conjoining trough fragments with cracked internal surface. One end cut after light firing. L 141mm+. Fabric group D, F7.

Fig 6.18 Briquetage fragments nos 1–13

6.6 REGISTERED FINDS

Elke Raemen

INTRODUCTION

A small assemblage consisting of 42 objects was recovered from the two main sites of Lower Hoddern Farm and Keymer Avenue. The briquetage has been discussed above (Chapter 6.5) and is not incorporated in the total given. Table 6.23 shows the wide chronological span of the group. Amongst the objects from undated contexts are three late post-medieval objects, a knife, handle and chain fragment. These are not considered further.

Category	Period							Total
	1	3	4	5	7	8	Undated	
Textile production				2	5		4	11
Personal adornment			3					3
Household equipment	2		3		1	1	1	8
Tools	1	1		1	11	1	1	16
Miscellaneous					1		3	4
Total	3	1	6	3	18	2	9	42

Table 6.23 Summary of the registered finds

TEXTILE PRODUCTION

SPINNING

Two spindle whorls were found, both in contexts attributed to period 5. Included is a partially surviving (*c* 20%) fragment (no 1) recovered from Trackway 1 (R1; layer A[984]), probably from a biconical spindle whorl. A complete biconical spindle whorl (Fig 6.19, no 2) with fingernail impressions along the body was recovered from Open Area 16 (OA16; period 5).

This type of decoration is not uncommon and is recorded on a Bronze Age spindle whorl from Runnymede Bridge, Berkshire (Needham & Spence 1996, fig 99, C35).

1. RF<16> Ceramic spindle whorl (not illustrated)
A[984], A:G79, R1; period 5
Incomplete. ?Biconical, undecorated (three conjoining fragments, *c* 20% surviving). Reduced, fabric group B, F5B. Undiagnostic of type.
2. RF<9> Ceramic spindle whorl (Fig 6.19)
A[1578], A:G18, OA61; period 5.
Complete. Biconical spindle whorl with fingernail-impressed decoration. Relatively small piercing (Di 4.1–5.2mm). Indentations at each end around the perforation may suggest it was originally intended to be larger. Reduced, fabric undiagnostic. H 20mm, Di 36.8mm, Wt 28g. Type B2 (Walton Rogers 2007, 24)

WEAVING

A small group of eight triangular weights was recovered from Keymer Avenue, with a further example found at Lower Hoddern Farm. Two of these are near complete (Fig 6.19, nos 3–4); of the remainder, less than 50% of each survives and most are abraded. Nonetheless, all could be identified as examples of Danebury type

1, which is the most common group (Poole 1984). All surviving corners are pierced; however, as often only one corner survives, the quantity is insignificant. Most are in fabric 2 (fabric group D), although a few are in fabric 1 (fabric group A) and a single example is in fabric 5B (fabric group B) (Fig 6.19, no 3) (see Chapter 6.5 for fabric descriptions). In addition, weight RF<40> is in a fabric which does not appear elsewhere on site: abundant to medium sand-tempered with occasional shell tempering and occasional chalk inclusions to 2mm. Clay would have been sourced on or very near the site, as plenty of tertiary deposits were available. Five examples were recovered from period 7 contexts (mostly pits), the remainder from undated features. No significant distribution pattern is apparent.

This type of object, ubiquitous on Iron Age and Romano-British sites, has been widely discussed and its function remains problematic (eg Poole 1995; Lambrick & Robinson 2009, 194–5). The fact that they have never been found in situ and large groups are extremely rare. Together with the problem of likely reuse this means there is at present no conclusive evidence as to their function (*ibid*). However, although a reinterpretation as ‘oven bricks’ has become more popular, they are still commonly identified as loom weights, used on vertical, warp-weighted looms.

The assemblage from these current sites contributes little or no significant data to this discussion. Thread wear is visible on one of the perforations of near-complete weight RF<8> (Fig 6.19, no 3), suggesting suspension, and perhaps supporting identification as a loom weight. The lack of thread wear on many weights has often been used as evidence against the latter interpretation, but the presence or absence of wear patterns may in fact not be significant in the ongoing discussion: the lack of wear does not of itself necessarily rule the objects out as loom weights, since they could have been distributed in rows on rods to distribute the weight (*ibid*). Other suggestions include the use of two holes at the same time not only to weight down the warp threads, but also to space them in order to prevent entanglement (Sudds 2006, 71).

From nearby sites come two triangular weights found in Early Iron Age contexts at Bishopstone (Bell 1977, 119) and there are numerous examples from the West Sussex coastal plain (eg Oving: Bedwin & Holgate 1985, 234; Goring-by-Sea: Raemen 2010).

3. RF<8> Ceramic weight (Fig 6.19).
A[1097], A:G205, FS4; periods 4–8
Incomplete. Piercings, one with possible wear, laterally across all three corners. H 132mm, W 75mm, Wt 1074g. One corner broken. Fabric group B, F5B.
4. RF<46> Ceramic weight (Fig 6.19).
B[954], undated
Incomplete. All three corners broken at piercing. H 93mm+, W 46mm, Wt 282g. Fabric group D, F2.

Fig 6.19 Registered finds nos 2–7

PERSONAL ADORNMENT

Three whitish-grey beads were recovered from environmental residues. They were probably manufactured from a coral fossil, with one (Fig 6.19, no 5) showing a characteristic vesicular surface. The remaining two beads (Fig 6.19, nos 6–7) are likely to be of coral as well, but their surfaces are heavily worn and identification is therefore less certain. A bead of coral fossil and

of similar proportions was recovered from an Early Iron Age context at Basingstoke, Hampshire (Barclay 2009, 41).

5. RF<5> Coral bead (Fig 6.19)
A[809], A:G210, B7; period 4
Incomplete. Approximately 60% surviving of spherical bead. Di 5.75mm, Di piercing 2.2mm.

6. RF<6> Coral bead (Fig 6.19)
A[510], A:G173, B16; period 4
Complete. Spherical. Di 4.45mm, Di piercing 1.6mm.
7. RF<7> Coral bead (Fig 6.19)
A[993], A:G216, B2; period 4
Complete. Oblong bead, L 11mm, max Di 6.7mm, Di piercing 1.8–2mm (irregular).

HOUSEHOLD EQUIPMENT

QUERNSTONES

Luke Barber

A surprisingly small quantity of definite quern fragments was recovered from the excavations: 11 pieces, weighing 69,674g, from seven individually numbered contexts. With one exception, all were recovered from the Lower Hoddern Farm excavation area but only two stone types were utilised.

The majority of the quern fragments are of Sarsen sandstone (9 pieces/68,164g), a well-known stone type occurring naturally as boulders on the downs in the Brighton area (Young & Lake 1988). Indeed, eight additional pieces of Sarsen with no apparent working were recovered, although some of these could be undiagnostic fragments of querns. The earliest Sarsen quern fragments are from Neolithic contexts (3 pieces/5362g). These are not particularly diagnostic of form and although they are likely to be from saddle querns, the more primitive ‘grain-rubbers’, alluded to by Curwen, cannot be ruled out (Curwen 1937). The 2210g fragment from pit A[720] (fill A[721], A:G247, OA43) appears to be from a lower stone (RF<1>) and is of a light grey type with some dull pink patches and occasional coarse flint inclusions. Of the two fragments (RF<3>) from pit A[635] (fill A[640], A:G245, OA43) one is in a similar stone variant with flint inclusions, undiagnostic as to whether it came from an upper or lower stone (1496g), while the other is a light grey D-sectioned upper stone fragment (1656g). The latter could equally be used with a ‘grain-rubber’ or developed saddle quern. There is nothing to suggest anything other than natural breakage/wastage with these stones.

Structured deposit pit A[503] (fill A[505], A:G173, B16), dated to the Middle Bronze Age, provided the only notable concentration of querns on the site. Three well-developed Sarsen saddle querns appear to be represented, including an essentially complete lower stone (RF<67>; Fig 6.20, no 8). The two conjoining pieces that make up RF<68> (6000g) are from another lower stone of similar type to RF<67> but, with the exception of a thickness of 80mm, no complete dimensions are present. The final fragment from A[505] is also in light grey Sarsen (3090g) and, although it could have been used as an upper stone, it appears to be the tapering end from another lower stone (RF<69>).

Of particular note is the massive (43.5kg) dull orange/light grey Sarsen stone from the related structured deposit A[521] (RF<71>; fill A[673], A:G173, B16). Although its single smoothed side has the characteristic longitudinal concave profile of the grinding face of a saddle quern’s lower stone, it is unusually large, and would require extreme effort to move around. None of the other sides of this stone have been humanly modified. Although at 480 × 300mm the grinding face is large, it is still comparable to the largest of the shaped saddle querns (eg RF<67> at 420 × 200mm). However, at 240mm thick it is notably thicker, and as a result much heavier, than all the other saddle querns, which rarely exceed a thickness of 80mm. An interesting parallel is the roughly rectangular sandstone block with single partly dressed face that was discovered in cut 601 at Mile Oak, associated with Middle Bronze Age features (Russell 2002, 14). The Mile Oak stone, probably a Sarsen, despite the contradictory identifications within the report (cf *ibid*, 15; Laughlin et al 2002, 60), measured 630 × 320 × 240mm. This is very similar to, if longer than, the current example though no weight is given for the Mile Oak stone. However, the Mile Oak piece does not appear to have a concave grinding face typical of a quern, although it could very easily have functioned as one judging from the section (Russell 2002, fig 2.43). The example from Mile Oak had been set into a cut not much larger than the stone itself, suggesting it had been deliberately set upright. The meaning behind this setting is uncertain, as is the deliberate facing of one side of the boulder. These large stones could be seen as ‘representative’ saddle querns rather than normal domestic examples – they would have been very difficult to move around for everyday use in a domestic context. Alternatively, the current example may simply be a convenient boulder that was adapted for use as a saddle quern, but seldom moved. Whatever the case, the presence of this concentration of quern fragments, particularly considering that at least two were still serviceable, does suggest that something more than simple domestic discard was occurring.

The remaining Sarsen quern fragment consists of an unstratified light purple-grey ‘grain-rubber’/saddle quern piece from Lower Hoddern Farm (512g). Sarsen querns are arguably the earliest types seen in Sussex, with nearby Neolithic examples coming from Whitehawk Hill (Curwen 1934a) and Bishopstone (Bell 1977, 39). They also make up the most common downland quern type in the Bronze Age, by now of usually developed saddle quern types (Curwen 1934b), though most fragments are too small to establish exact type with certainty (Barber 1997 and 2002). Although many of these querns show signs at having been burnt, this is not the case with the current assemblage.

The other type of stone used for querns is Lower Greensand (2 pieces/1510g), a well-known and widespread type originating from the Lodsworth quarries of West Sussex (Peacock 1987). Further west, the Lower Greensand querns were common from the Bronze Age onwards (Mephram 2012; Barber in prep b), only spreading eastward in notable quantities by the Iron Age. Both the current pieces are from rotary querns, the earliest dating to the Middle Iron Age – a fragment weighing 88g (RF<65>) from cooking pit B[1486] (fill B[1485], B:G60, OA17). The other piece is larger, and from an upper stone of Early Roman date (Fig 6.19, no 9, RF<4>).

Fig 6.20 Quernstone fragments nos 8–9

8. RF<67> Sarsen saddle quern (Fig 6.20)

Structured deposit A[503], fill A[505], A:G173, B16; period 4
Near-complete lower stone (9700g) measuring 420mm long, by 200mm wide and with a maximum thickness of 75mm. A light grey Sarsen with rare flint inclusions.

9. RF<4> Rotary quern (Fig 6.20)

Ditch A[161], fill A[163], A:G33, EN4; period 8
Fragment from an upper stone of a rotary quern in Lodsworth-type Lower Greensand (1422g). The quern would have been approximately 340mm in diameter and 60mm thick at its outside edge. Such a thickness is in keeping with the Early Roman date of the deposit

TOOLS

OTHER UTILISED STONE

The excavations produced a significant quantity of quartzite beach pebbles (125 pebbles/8332g). These far outnumber the scatter of other water-worn beach pebbles in flint, Wealden sandstone, Upper Greensand, diorite and granite. The quartzite, although almost certainly originating in the south-west (along with the granite and diorite), would have been naturally transported eastward by longshore drift and, as a result, would have been available locally on the beach. The pebbles were obviously sought out for their hard-wearing properties and brought up to the site. The finer quartzite pebbles (stone 3a in the archive) are by far the most common (119 pebbles/7810g) but there are a number of problems in their interpretation. This is a result of their context – often from deposits devoid of datable artefacts and allocated to a phase based on morphology/spatial distribution – the danger of residuality and the fact that the hard-wearing nature of the quartzite does not lend itself to visible use wear.

Nevertheless, five quartzite pebbles do show definite signs of human modification/wear. Three of these relate to either completed but broken, or unfinished, mace-heads. Such pebbles with hour-glass perforations have been noted in Sussex from an early date (Rankine 1949). However, they are better classified as pebble hammers than mace-heads, as their exterior shape has not been adapted from the natural pebble form, and they do not possess the bulk of true mace-heads (Roe 1979, 36). Such tools are common in Mesolithic deposits/associations (Rankine 1949; Seager Thomas 2007), but may well also have been made much later in the prehistoric period (Roe 1979). Fragments were recovered from Neolithic contexts at Bishopstone (Bell 1977, 39) and the examples from the study area are from contexts of later date still, though the presence of Mesolithic flintwork (predominantly residual) on the current site means caution is needed. The earliest example in the current assemblage was recovered from a Late Bronze Age pit in A:G232, associated with Building 8 (B8) (Fig 6.21, no 10). This piece is interesting in representing an unfinished pebble hammer, clearly indicating these implements were being made on site. Another unfinished example was recovered from Middle Iron Age ditch A[990] in A:G42, EN3 (Fig 6.21, no 11). The only complete pebble hammer, broken in half, was also from a Middle Iron Age context (Fig 6.21, no 12).

The other utilised quartzite consists of two elongated pebbles with clear signs of battering on one of their apex edges. These have plainly been used as hammerstones of sorts but are of similar proportions to the hafted pebble hammers

noted above. Both hammerstones are from contexts allocated to the Middle Iron Age (B[1005] and B[1787], B:G1, OA15 – RF<63> and RF<64> respectively). Interestingly, there is an elongated cobble in a fine grey micaceous ?Tertiary sandstone (760g) with notable flattening of its end through grinding, from Neolithic pit A[766] (fill A[766], A:G247, OA43, RF<2>), and at least one flint beach cobble hammerstone from a Middle Iron Age deposit. Too few definitely modified beach pebbles are present to produce any reliable distribution.

The remaining quartzite pebbles are also flattened ovals in form, typically measuring 63–79mm long by 45–60mm wide and 12–22mm thick – a size that comfortably fits in the hand. These are more problematic in their interpretation as only one or two show any potentially man-made polish on their surfaces. However, considering the fine texture and hardness of the stone, a considerable period of polishing use would be needed to ‘burnish’ further the natural water-worn surface. Indeed, some uses, such as burnishing unfired fine-tempered ceramics may leave no trace at all. Finds of quartzite pebbles on prehistoric sites in the general area are common and they are normally interpreted as polishing stones. Small quantities were recovered from the Early Bronze Age funerary monument at Crowlink (Barber 2001) and Later Bronze Age settlements at Varley Halls and Downsvew (Barber 1997 and 2002) but quantities are nowhere near those found on the current site. The Middle Bronze Age site at Black Patch produced a notable assemblage of 160 beach pebbles, mostly from hut 4 (124 examples), and although they have not been specified as to stone type (most probably being flint) their presence does indicate the deliberate procurement of marine geological resources (Cartwright 1982). Although these pebbles may have been collected in order to be used as polishing/burnishing stones, some appear to have been pressed into service as hammerstones and some may have been stockpiled for either use, or indeed as blanks to be turned into perforated pebble hammers. The quantities involved may well hint that this site was one involved with production.

If one takes all the fine quartzite pebbles together, both definitely humanly modified and not, only three were recovered from Neolithic deposits (406g), all from OA43. All three appear to have slight traces of polish suggesting they were actually used at this time. The six quartzite pebbles (986g) recovered from Middle Bronze Age contexts were notably widely distributed (one from B6, three from B7, one from OA55 and one from OA58) but four show some signs of having been used for polishing. The five Late Bronze Age examples (388g) were all from B1, with the exception

of the worked piece already noted from B8. However, by far the majority of the quartzite pebbles were recovered from contexts ascribed a Middle Iron Age date (86 pebbles/5341g), virtually all coming from Keymer Avenue and including definite worked as well as apparently unmodified pieces. The Keymer Avenue material was widely distributed, coming from ten different land uses, but there was a marked concentration in OA15, which produced 74 examples, including modified examples such as the hammerstone noted above. The quantities for the Middle Iron Age strongly suggest that these are not solely residual earlier prehistoric pieces. It would appear that such stones have been used in Sussex from at least the Mesolithic to the Iron Age. Too few of the hafted pebble hammers are present to be certain, but it is quite possible they could have been made and used as a long-lived tool type for the majority of later prehistory.

CATALOGUE

10. RF<70> Unfinished pebble hammer (Fig 6.21)
Pit A[1450], fill A[1451], A:G232, B8; dated to the Late Bronze Age
Flattened pink-grey oval quartzite pebble, measuring 90 × 64 × 18mm thick; Wt 184g. Each opposing face has the start of a centrally placed pecked hole measuring c 17mm in diameter by 3mm deep.
11. RF<31> Unfinished pebble hammer (Fig 6.21)
Ditch B[990], fill B[991], B:G42, EN3; dated to the Middle Iron Age
Flattened orange-brown oval quartzite pebble, measuring 85 × 58 × 25mm thick; Wt 212g. Each opposing face has the start of a centrally placed pecked hole measuring c 15–17mm in diameter by 1mm deep.
12. RF<25> Broken pebble hammer (Fig 6.21)
Ditch B[749], fill B[750], B:G287, R12; dated to the Middle Iron Age
Flattened orange-brown oval quartzite pebble, originally measuring c 100 × 54 × 18mm thick; Wt 80g (c 160g originally). Slight hour-glass central perforation 18mm in diameter, tapering to 12mm diameter at the centre. Slight battering at the surviving end.

METAL TOOLS

A fragment of an iron tool of Roman date (period 8) was recovered from linear feature A[161]. Only a small blade fragment and tang survive, too little to establish function.

- RF<17> Iron ?tool.
Linear feature A[161], fill A[163], A:G33, EN4; period 8
Incomplete. Rectangular-sectioned strip (W 14mm, T 4mm) with fragments of square-sectioned tang (4.7 × 6mm). L 31.25mm+.

THE ANTLER PICK

Gemma Ayton

A large fragment of worked antler recovered from the base of pit A[910] has been identified as a long-handled pick (RF<18>, Fig 6.22). The absence of the pedicle implies that the antler was shed and not removed from a slain deer. With reference to the development stage, the antler is at least stage 5 (Schmid 1972) as, although it has broken, it is clear that the bez tine had formed. Only the base of the brow, trez and bez tines remain. Evidence of working has been noted on the base of the trez tine

Fig 6.21 Quartzite pebbles nos 10–12

in the form of small, smoothed grooves, which give this area of the antler a chiselled appearance, suggesting that the crown was purposefully removed, a frequently occurring characteristic of antler picks (Clutton-Brock 1984). No evidence of working or scorching has been noted at the base of the brow and bez tines. The antler has been divided after the trez tine and is therefore classed as a long-handled pick similar to those recovered from Grimes Graves (ibid) and Stonehenge (Serjeantson & Gardiner 1995). Metrical data have been recorded in accordance with Clutton-Brock (1984) and presented below (Table 6.24).

The circumference of the burr is similar to the mean circumference of the antlers from Stonehenge (Serjeantson & Gardiner 1995), Grimes Graves and Durrington Wells

(Clutton-Brock 1984), which measured 222mm, 212mm and 198mm respectively. The length of the pick also falls within the range of the picks from these three sites, being 418mm at Stonehenge, 419mm at Grimes Graves and 315mm at Durrington Wells.

Context no	Period	Feature	Species	Element	1	9	12
A[911]	3	pit	red deer	antler	229	161	371

Table 6.24 Antler pick measurements in mm

(1 = circumference of the burr; 9 = circumference of the beam where trez tine starts; 12 = total length of the antler pick (measured from the base of the burr to the most proximal point))

The pick displays a considerable amount of wear, being much worn and smooth on certain parts of the beam, particularly on the lateral sides. Small, irregular cut marks have been noted on the beam. Similar marks were noted on antler picks from Grimes Graves and may have resulted from attempts to extract flint from the chalk (ibid).

13. RF<18> Antler ?pick (Fig 6.22)

A[911], A:G223, R1; period 3

Incomplete. Diagonal cuts and signs of wear along the beam. L 371mm.

Fig 6.22 Photograph of antler pick

MISCELLANEOUS OBJECTS

No parallels were found for the following objects and they remain unidentified.

14. RF<15> Ceramic object (Fig 6.23)

A[32], A:G141, OA40; period 7, phase 2c

Incomplete. Domed object with vitrified external surface. Fabric group C, F4A. Di 45mm, H 45mm+.

15. RF<36> Iron object (Fig 6.23)

B[1537], B:G19, undated

Incomplete. Rod fragment with spiralling terminal. Rectangular-sectioned. 10 × 13mm, L246 mm+.

Fig 6.23 Miscellaneous objects nos 14–15

6.7 CHARRED PLANT REMAINS

Karine Le Hégarat

INTRODUCTION

A total of 337 bulk soil samples were taken from the three sites, the vast majority (246) originating from Lower Hoddern Farm. The remaining 91 came from two phases of work at Keymer Avenue (68 samples) and Seaview Avenue (23 samples). A further 17 samples were extracted from cremations and associated accessory vessels lifted intact during excavation at Lower Hoddern Farm. For each site, samples were processed in a flotation tank with the flots and residues retained on 250µm and 500µm meshes respectively. Residues were passed through geological sieves (4, 2 and 1mm) and each fraction sorted. Following assessment of all flots (Allott 2008; 2010; Le Hégarat & Allott 2011) 117 samples representing about 3235 litres of processed soil were chosen for further analysis. The samples derived from contexts dated to the Early Neolithic period as well as contexts ranging in date from the Early Bronze Age to the

Roman period. Table 6.25 shows the quantity of samples selected for analysis as well as their chronological coverage by site. The samples originated from a range of features, the majority of which were pits, postholes and ditches. While some samples were selected on the basis of the abundance and range of material present, others with a limited assemblage of charred macroplant remains were chosen because, given the rarity of early sites in Sussex, the assemblage presented potential to contribute to our interpretation of the site as well as providing information on plant resources of early communities in this region.

Site code	Date range	Periods	No of samples	Total volume (l)
BHT09	Early Neolithic to Roman	1, 2, 4, 5, 6, 7 and 8	92	2552
SKP06	Middle Iron Age	7	14	390
SVP10	Middle Bronze Age to Early Iron Age	4, 5 and 6	11	293
Total			117	3235

Table 6.25 Numbers of samples selected for analysis of charred macroplant remains

Few published reports regarding plant resources of prehistoric and Roman communities in Sussex are available (particularly for the early prehistoric period). These shortcomings in the study of the archaeobotany and arable history of the area were noted as much as a decade ago by Campbell and Straker (2003). While Bronze Age sites such as Black Patch, Alfriston (Hinton 1982), Itford Hill (Burstow & Holleyman 1957a), Clay Pit Lane, Westhampnett (Hinton 2006) and Westhampnett Bypass (Hinton 2008) have produced significant assemblages of charred macroplant remains, there are still only limited data for the area.

Several research questions were posed following the assessment. With these in mind it was intended that analysis of the charred macroplant remains should:

- characterise the natural vegetation in the site vicinity and document potential food resources;
- characterise agricultural practices, by establishing the types of crop cultivated and used at the site and by trying to establish how this changed over 4000 years;
- examine evidence for cultivation techniques which could provide an indication of where and when the cereal and leguminous crops were cultivated and how they were harvested;
- characterise agricultural activities with specific reference to crop processing and storage;
- examine aspects of ceremonial and ritual activities involving the use of plants.

METHODOLOGY

Flots were measured, and subsamples of 100ml were extracted from large flots prior to being sieved through 4mm, 2mm, 1mm, 500µm and 250µm geological sieves. Charred macroplant remains were extracted under a stereozoom microscope at $\times 7$ – 45 magnifications. Sorting and identification of the material from Seaview Avenue and Keymer Avenue was carried out by the author. For Lower Hodder Farm, while initial sorting of macrobotanical remains into broad taxonomic groups was carried out by the author, these groups were subsequently refined, identified and quantified by Lucy Allott.

QUANTIFICATION

For most grains, chaff and seeds, every recognisable item was counted as one. In the case of hazelnut, the number of broken shells recovered was small, and no attempt was made to calculate the absolute number of nuts. In the case of Celtic/broad beans a distinction has been made in the tables between whole beans,

half beans and fragments. Several samples contained moderate to large quantities of poorly preserved and sometimes vesicular and vitrified charred matter. A large proportion of this material appeared organic in origin, but it was difficult to establish whether the items derived from charred macrobotanical remains or whether they were predominantly from wood charcoal. Therefore, although these assemblages are still listed in the tables (under indeterminate charred plant remains), they are not quantified in the total counts.

In the cases when the flots were large and subsamples of 100ml were extracted, the number of items in the whole sample was estimated from the subsample examined. This value necessarily assumes equal distribution of botanical remains within the flots, which may in some instances distort the true quantity of remains present. It does, however, provide a better indication of fragments per litre of soil for the largest flots. Estimated counts are indicated in the tables by an asterisk (*) after the scores. In several instances, the residues produced very large assemblages of charred macroplant remains ([775] <117>; [164] <29> and <30>; [118] <31>). Owing to time constraints, however, no counts or identifications were undertaken on this material, and the figures are based entirely on the flots. Nonetheless, estimates of the charred macroplant remains present in these residues are indicated in the tables using the following rating system: + = 1–10; ++ = 11–50; +++ = 51–250; ++++ = > 250 items.

IDENTIFICATION

Taxa have been identified through comparison with reference collections held at Archaeology South-East and at the UCL Institute of Archaeology, as well as with standard reference texts (Berggren 1969; 1981; Anderberg 1994; Zohary & Hopf 2000; Jones 2004; Cappers et al 2006; Jacomet 2006; Neef et al 2012). Habitat information and nomenclature used follows Stace (1997) for native species and Zohary and Hopf (2000) for macrobotanical remains of cultivated taxa.

The term 'seed' is used in the text to encompass a range of fruiting bodies such as nutlets and achenes as well as true seeds. They have been recorded as single entities although many derive from multi-seeded fruits. In several instances further qualitative descriptions have been provided in the results to clarify the nature of the material present. Where possible identifications are given to the highest possible level, but in some instances, either where there is significant overlap between taxa or where preservation is poor, identifications are made to the generic or family level only. Cereal grains that appear most consistent with glume wheats, for example, are

recorded as emmer/spelt wheat and only where identifiable elements of chaff are evident it is suggested that one taxon may be present over another. It remains possible, of course, that both grain types are present but only one type represented in the chaff. The term 'cf' ('compares with') precedes identifications that are considered most similar to a specific taxon but that do not display sufficient anatomical features for secure identification.

RESULTS

The 117 samples analysed produced a substantial quantity of macroplant remains with an estimate of 35,317 items (Table 6.26). The material was entirely preserved by charring. Charred macroplant remains principally provide evidence for economic plants such as crop remains with their associated weeds. Unlike assemblages preserved by waterlogging or mineralisation they are less likely to provide significant information regarding the local environment and detailed information about diet. The overall projected count is relatively high; it averaged at 10.85 items per litre of processed soil, although the results varied greatly from one sample to another (from 0.03 to 729.48 items per litre) and from one period to another (from 0.48 to 35.79 items per litre). Five samples stood out with concentrations of over 50 items per litre: from Early Neolithic pit A[777] (at a projected density of 729.48 items per litre); Middle Bronze Age hearth/furnace A[165] (65.61 items per litre); Late Bronze Age working hollow A[117] (55.95 items per litre); Late Bronze Age refuse pit A[1576] (103.81 items per litre); and Middle Iron Age/Roman pit B[1095] (83.64 items per litre). Five samples produced between 10 and 50 items per litre (one from period 1, one from period 4 and three from period 5). The remaining 107 samples did not exceed 10 items per litre (77 of which produced fewer than 3 items per litre), which is in fact a typical result for prehistoric sites in a dry context.

PRESERVATION

The remains were entirely preserved by carbonisation.

Preservation of the cereal grains varied from fair to poor. The level of fragmentation varied but, overall, it was particularly high, suggesting post-depositional erosion. A large proportion of the grains could only be classified as unidentifiable (*Cerealia*) because they were heavily abraded or distorted. While some were fused into an amorphous mass of starchy material, others were heavily pitted. These modifications relate to the charring process; it is mainly linked to the temperatures, but also to the heating duration, the oxygen intake and the initial moisture content of the grains (Ruas & Bouby 2010). The preservation of the chaff assemblages was variable. Overall, a large proportion of chaff was in a fragmentary state making identification to species level difficult. Differential destruction creates biases in the charred assemblages (Boardman & Jones 1990; van der Veen & Jones 2006). For instance, fragile chaff components are less likely to survive charring than the more resilient grains and pulses. Also, while cereal grains are rapidly carbonised (between 200°C and 400°C), cultivated leguminous seeds such as broad beans start to become carbonised only at 500°C because of their thick seed coat (testa) (Ruas & Bouby 2010). These biases should be taken into consideration. The pulses were in varying states of preservation; several seeds had suffered from splitting. Others were more fragmented which could be a result of high temperatures rather than post-depositional erosion. Overall, the small weed seeds were less abraded, although in some instance charring had resulted in the loss of their seed coats.

Results are presented below by site and by period (Tables 6.27–6.28). Full taxonomic results of the macrobotanical analysis by individual feature are available in the site archive.

	Period										Overall
	1	2	3	4	5	6	7	8	4–6 SVP<2>	7–8 BHT09<177>	
Total samples	16	-	4	30	20	8	24	13	1	1	117
Total volume (l)	430	-	130	825	570	290	695	275	20	20	3255
Total counted	4071	-	18	3041	4288	524	1079	752	130	615	14,518
Total count (estimates)	15,393	-	63	5725	9816	538	1207	772	130	1673	35,317
Count density (items per litre of processed soil)	35.79	-	0.48	6.93	17.22	2.83	1.73	2.80	6.5	83.64	10.85

Table 6.26 Summary of the charred macroplant remains by period (samples SVP<2> and BHT09<177> derive from features that can be only broadly dated)

PERIOD 1: EARLY NEOLITHIC, c 3700–3300 BC

Open Area 43 (OA43)

A:G245: pit A[786], A<120>, fill A[787]; pit A[635], A<104>, fill A[641], A<103>, fill A[640], A<102>, fill A[639], A<101>, fill A[636]; pit A[1202], A<189>, fill A[1205]
 A:G246: pit A[774], A<115>, fill A[772], A<116>, fill A[773]; pit A[783], A<119>, fill A[782]; pit A[777], A<117>, fill A[775]; pit A[648], A<100>, fill A[650], A<106>, fill A[649]
 A:G247: pit A[21], A<6>, A<7> and A<8>, fill A[22]; pit A[766], A<118>, fill A[767]

All the samples selected for analysis from the Early Neolithic period came from three groups of pits (A:G245, A:G246 and A:G247) which are part of a larger cluster (OA43) in the north-east corner of the site. Sixteen samples from the fills of nine pits were further analysed. An overall description of the content of the features is followed by presentations of individual assemblages.

Overall description

While the samples from pit group A:G247 contained small quantities of charred macrobotanical remains, these were more frequent in the samples from group A:G245 and even more numerous in the samples from group A:G246, with abundant assemblages in pits A[635], A[774] and A[783] and a very rich assemblage in pit A[777]. Charred grains dominated all the studied samples (99.07% of the total macroplant remains), and chaff and weed seeds were very uncommon. Preservation was variable. A third of the grains were poorly preserved preventing identifications to genus or species levels. The overall figure indicates that wheat grains were best represented amongst the identified grains. However, the figures varied between samples. In fact, in almost all samples, barley made up the vast number of the identified grains with glume wheat (either emmer or spelt) and free-threshing bread-type wheat also present. The exception is grain-rich pit A[777], for which glume wheat appeared to be the most common cereal occurring amongst the identified grains.

While several grains of barley displayed a fine transverse wrinkling on the dorsal surface characteristic of naked barley, others exhibited a more or less angular shape typical of hulled barley. Amongst the assemblage, several grains were shorter and rounded in cross-section, and a few twisted asymmetrical lateral grains provided evidence for the six-row form of this cereal. Based on the morphology of the grains, many of the wheat caryopses were more characteristic of glume wheat species, either emmer or spelt wheat, although distinguishing these based on the grains alone is unreliable. Nonetheless, the majority of chaff, which was only evident in samples from pit group A:G246, was tentatively identified as emmer wheat. They lacked the classic strong veins visible on chaff of spelt and exhibited a slight angular appearance with a strong primary

keel and a slight secondary keel. This suggests that emmer was almost certainly represented amongst the assemblage of charred hulled wheat grains.

Several samples provided limited evidence for pulses including Celtic/broad beans and occasional vetch/bean/pea. Seeds of flax were also evident. They were uncommon and recorded only in one sample (pit A[783], A<119>). The ovate seeds with apexes displaying hooked tips were consistent with the cultivated species. Although the quantity of seeds was insufficient to demonstrate the cultivation of flax at the site, their presence at least indicates the use of this oiliferous/fibre crop.

Fragments of hazelnut shell present in pits A[635] and A[648] almost certainly related to the use of this species for food. A possible cherry/plum/blackthorn seed fragment was also present, suggesting that fruits were gathered from the wild. The samples contained relatively few weed seeds, including goosefoot, knotgrass/dock, vetch/vetchling/tare and sedge. They also produced limited evidence for grass seeds, including potential sweet-grass and oat, which was almost certainly wild oat.

Pit A[777]

Pit A[777] differed from the majority of the other pits in OA43 in that while the fills from the other pits contained pottery and flint material as well as saddle querns and rubbing stones, it produced no artefacts. The feature was also shallower – although the subcircular pit was fairly large, measuring almost 0.80m in diameter, it was only 0.18m deep. It is, however, probable that the feature was originally deeper but had been truncated by later agricultural activities. The sample examined from the pit came from fill A[775]. The basal fill A[776], which was 0.07m deep, was similar to the natural and formed the pit interface. Two radiocarbon-dating measurements were carried out on two grains from the sample. They produced results which are in agreement with the chronology inferred from the artefacts recovered from the other pits;

- datation on a grain of hulled wheat (*Triticum dicoccum/spelta*): 3645–3522 cal BC (SUERC-43285, 4793±28 BP);
- datation on a grain of barley (*Hordeum vulgare* cf var *nudum*): 3696–3531 cal BC (SUERC-43286, 4838±29 BP).

Fill A[775] produced a substantial concentration of charred macroplant remains with an estimate of over 14,500 items and a projected density of 729.48 items per litre of processed soil (the highest of all the analysed samples). A large assemblage of charred macroplant remains weighing 12g was also recovered from the residue. However, owing to time

restrictions no identifications were carried out on this material, and the figures are based entirely on the flot. Charred grains dominated the assemblage, representing 99.50% of the total macroplants, with a very small amount of chaff (0.28%) and other macroplant remains (0.22%). The sample composition appeared different from that of the other pits. Wheat represented the major cereal (73% of the identified grains) with barley accounting for 27%, rather than a predominance of barley. This preponderance may, however, be exaggerated, given that a third of the grains could not be identified. Glume wheat species (either emmer or spelt) were best represented amongst the assemblage of wheat, with chaff tentatively identified as emmer although a very small amount of free-threshing wheat was also recorded. The assemblage of barley comprised possibly naked barley, and there was evidence for the six-row variety. A small amount of pulses and weed seeds consisting of seeds of grass and knotgrass/dock was recorded.

Pit A[783]

Fill A[782] produced much fewer macroplant remains than the previous pit. However, in terms of density the sample was quite rich for the site and the period (projected density of 10.23 items per litre of processed soil). Cereal grains dominated (92.90% of the total macroplant remains) with barley accounting for the best-represented grains amongst those that could be identified followed by glume wheat (either emmer or spelt) and a very small amount of free-threshing wheat. Seeds of flax were also represented in this sample. A small amount of pulses and weed seeds consisting of seeds of grass and vetch/vetchling/tare was recorded.

Pit A[774]

Macroplant remains were slightly less numerous in both fills of this pit, with 136 items counted and a density of 6.80 items per litre. Interestingly, the material in the uppermost fill [A[772] was denser (9.30 items per litre) than in the basal fill A[773] (4.30 items per litre). The composition of the assemblage of macroplants was similar to that from pit A[783]. Cereal grains were predominant in both upper and lower fills, representing respectively 93.54% and 97.67% of the total macroplant remains, and consisted principally of barley. While there was no chaff in either fill, a very small amount of pulses and weed seeds was evident.

Pit A[635]

Although this pit also produced a relatively rich concentration of charred macroplants, the density in the four sampled

fills was low, ranging from 0.25 to 2.44 items per litre. Half of the items originated from the lower fill, A[641]. The assemblage was dominated by cereal grains (94.68% of the total macroplant remains), and although barley and wheat were again mixed, there was a significant preponderance of barley. Similarly to the previous sample, no chaff was recorded and pulses and weed seeds were very sparse. In addition, there were a few hazelnut shell fragments. A wheat grain from the lowest of the secondary fills, A[640], produced a radiocarbon date of 3660–3520 cal BC (SUERC-30727, 4815±35 BP). This fill contained remains of artefacts, including a saddle quern fragment and a D-sectioned upper rubbing stone fragment (see Chapter 6.6, 'Quernstones').

PERIOD 2: LATER NEOLITHIC, c 3500–2250 BC

This period was characterised by sporadic pit digging, and no charred macroplant remains were recovered from the two samples taken from features assigned to period 2 land use.

PERIOD 3: EARLY BRONZE AGE, c 2250–1500 BC

Four samples were analysed from features grouped within occupation in period 3: one sample came from barrow ditch A[356] and three from two pits related to drove road Trackway 1 (R1).

Barrow Structure 6 (S6)

A:G1, ditch A[356], A<65>, fill A[357]

The analysed sample from barrow ditch A[356] in the south-west corner of the site produced very few macroplant remains with only a very small amount of seeds of the weed bedstraw. A few indeterminate poorly preserved charred plant remains were also evident.

Trackway 1 (R1)

A:G223, pit A[910], A<163>, fill A[912]

Charred macroplant remains were also sparse in the sample from pit A[910] situated by trackway R1. The small assemblage consisted of infrequent poorly preserved cereal grains including glume wheat species (either emmer or spelt) and a small amount of indeterminate charred plant remains.

Open Area 53 (OA53)

A:G238, pit A[1195], A<188>, fill A[1199], and A<187>, fill A[1194]

The assemblage of mammal bones present in pit A[1195] indicates potential feasting. Although cereal grains and other plants may have been used as raw materials, once transformed, prepared food is unlikely to survive. Furthermore, no remains

from gathered plants providing evidence of food consumption such as fruit stones or hazelnut shells were recorded in the samples. Both fills produced a very low concentration of macroplant remains with very few charred grains, which were poorly preserved and could not be identified to genus or species level, as well as a few weed seeds of knotgrass/dock and a small amount of indeterminate charred plant remains. The remains probably represented small scatters of domestic debris accidentally burnt.

PERIOD 4: MIDDLE BRONZE AGE, c 1500–1150 BC

Twenty-eight samples were analysed from features attributed to period 4 from Lower Hodder Farm, a period during which two field systems were laid out, Field System 4 (FS4) on the north side of the valley and FS1 on the south side. Samples came from distinct settlement sites including three roundhouses positioned close to each other, Buildings 6, 7 and 2 (B6, B7 and B2), and six-post B1 in the south-west of the site. Other samples came from clusters of pits and hearths/furnaces reflecting agro-industrial activities in the far south of the site (OA57), from storage and 'structured' deposition activities in the south of the valley (B16) and from a refuse pit (OA58) which could be related to possible raised storage structure B5.

Building 6 (B6)

A:G89: pit A[1032], A<171>, fill A[1033]; pit A[1038], A<172>, fill A[1039]; pit A[1040], A<168>, fill A[1041]; pit A[1044], A<169>, fill A[1045]; pit A[1105], A<179>, fill A[1106])

A:G90: pit A[1107], A<182>, fill A[1108]; pit A[1109], A<183>, fill A[1110]

Five of the six pits (A:G89) situated around the hut platform and between the roof-support posts, as well as two of the three pits (A:G90) found in the centre of the roundhouse, were examined. While pit group A:G89 has been interpreted as a possible cluster of storage pits, the function of pit group A:G90 is unclear, and the latter could be associated with a hearth. The pits contained small assemblages of charred macroplant remains. Pit A[1105] produced a larger concentration of material with an estimate of over 184 items and a projected density of 4.61 items per litre of processed soil. All the pits contained small assemblages of cereal remains, most of which were in a poor condition. They provided limited evidence for glume wheat (either emmer or spelt) and barley, which dominated the assemblage of identified grains. A possible emmer spikelet base was found in pit A[1038]. The features also produced large-sized pulses, including a Celtic/broad bean, and a moderate quantity of vetch/bean/pea. A possible seed of flax was present in pit A[1109]. Charred weed seeds included

mainly common arable species such black bindweed, dock, vetch/vetchling/tare, medick/clover and goosefoot.

Pit A[1105]

Pit A[1105], which was subsequently used for the interment of a human cremation, contained more macroplant remains than the other pits. Only barley was identified amongst the assemblage of identified grains, and no chaff was present. Remains of vetch/bean/pea provided evidence for leguminous food plants. In addition to weed seeds, including black bindweed, dock and medick/clover, pit A[1105] produced moderate quantities of tubers of false oat-grass (*Arrhenatherum elatius*) (estimate of 43 tubers) and potential tubers or rhizomes (estimate of 21 tubers/rhizomes). A large quantity of amorphous and mainly vesicular charred matter was also recorded. At first, the shapeless morphology of some of this material together with the absence of epidermis and other diagnostic anatomical features appeared inconsistent with macrobotanical remains; nonetheless, given the presence of tubers/rhizomes in the sample, it is difficult to establish whether this assemblage derived from charred macrobotanical remains, or whether it was predominantly from wood charcoal, or whether it represented bran.

Building 7 (B7)

A:G213: possible cremation pit A[813], A<91>, fill A[814]

A:G212: pit A[824], A<136>, fill A[826]

A:G211: pit/cremation pit A[987], A<158>, A[1006], and A<159>, A[988]

Few charred macroplant remains recorded from the four analysed samples associated with B7 were identifiable. Nonetheless, they produced a small quantity of charred cereal remains providing some evidence for glume wheat and barley. No chaff was present. A small quantity of pulses including vetch/bean/pea was recorded in pit A[987]. A human cremation was found in this feature, and again a moderate amount of tubers of false oat-grass (estimate of 61 tubers) and potential tubers or rhizomes (estimate of 5 tubers/rhizomes) were evident in the pit. Overall, charred weed seeds were very uncommon including vetch/vetchling/tare, medick/clover and some grass seeds. Assemblages of charred matter of possible organic origin similar to the material found in pit A[1105] were also recorded in these features.

Building 2 (B2)

A:G216: pit A[992], A<157>, fill A[993]

A:G220: drip gully A[945], A<155>, fill A[946]

Pit A[992] and drip gully A[945] were associated with B2. Indeterminate charred plant remains were relatively frequent

in pit A[992]. Overall, the cereal assemblage was small. Unlike the previous samples, it comprised only glume wheat (either emmer or spelt), which was represented by grain and chaff. Large-seeded pulses were uncommon, including Celtic/broad beans and vetch/bean/pea. The samples produced a high proportion of weed seeds. The most abundant of these were seeds of medick/clover but fat hen, possible common chickweed, dock, possible plantain and small and medium seeds of grass were also evident.

The majority of the macroplant remains recovered from the roundhouses appeared to have derived from general domestic waste accumulated in features over time. They probably represented an amalgam of food-processing waste, fodder, plants used for thatching, flooring and/or bedding and possibly plants used for fuel. Some remains may have been accidentally or incidentally deposited with the cremated burials.

Building 1 (B1)

A:G116: pottery vessel A[1990], A<222>, fill A[1991]

The sample from pottery vessel A[1990], placed within the footprint of six-post structure B1, produced a single wheat chaff: a spikelet fork which could be from either spelt or emmer.

Open Area 57 (OA57)

*A:G165: hearth/furnace A[107], A<26>, fill A[106]; hearth/furnace A[116], A<25>, fill A[115]; hearth/furnace A[165], A<29> and A<30>, fill A[164]
A:G163: pit A[671], A<85>, fill A[672]*

A:G166: possible refuse pit A[97], A<23>, fill A[98], and A<24>, fill A[99]

This area, in the south of Lower Hoddern Farm, consisted of a cluster of pits and hearths/furnaces reflecting agro-industrial activities. Four samples from three hearth/furnaces (A:G165), one sample from pit A[671] and two samples from possible refuse pit A[97] were further analysed. An overall description of the content of the features is followed by presentation of selected individual assemblages.

Overview of land use

The pits and hearths/furnaces contained moderately large to substantial quantities of charred macroplant remains, with the largest quantities recorded in hearth/furnace A[165] and associated refuse pit A[97]. The projected density of material was very variable, ranging from 0.87 to 65.61 items per litre of soil processed. Charred cultivated pulses dominated all the studied samples. While charred cereal remains were recorded in small to moderate amounts, weed seeds were relatively frequent. Celtic/broad beans dominated the assemblage of cultivated pulses, although large-seeded vetch/bean/pea was also present. The remains of Celtic/broad beans were poorly

to moderately well preserved. Seed coats (testae) tended to be undamaged, suggesting little movement post-charring. Nonetheless, while several whole grains were present, fragments of beans were more recurrent. Given their large size, these may be more susceptible to fracturing. A possible garden pea was recorded in hearth/furnace A[165]. The cereal assemblage consisted largely of glume wheat (either emmer or spelt) with two glume bases, tentatively recorded as emmer. Barley and oat were also recorded amongst the identified grains. The latter was represented by fewer than five items and it is most likely that the infrequent grains represented wild oat. Free-threshing bread-type wheat was absent. A wide range of weed seeds was recorded, including species from disturbed and cultivated ground but also species from a grassland environment. Scentless mayweed, knotgrass/dock and fat hen were the best represented, but seeds of vetch/vetchling/tare, medick/clover, campion, stitchwort, black bindweed, violet, possible rose, plantains, bedstraw, elder, chamomiles and mayweeds as well as seeds of grass were also present.

Hearth/furnace A[165]

Charred macroplant remains were very abundant in the hearth/furnace with an estimate of over 2839 items, a figure based entirely on the flot. A large concentration of charred macroplant remains weighing 132g was also recovered from the residues. However, the material could not be counted or identified owing to time constraints. Two samples were extracted from the feature and the concentration of remains recorded in the flots is 12 times greater in the lower part of the feature (A<30>). The density in this sample was very high (65.61 items per litre of soil processed) in comparison with the higher part (5.35 items per litre of soil processed). Charred cultivated pulses dominated the assemblage representing 88.10% of the total macroplants, with a small quantity of cereal grains (4.10%), chaff (0.10%) and weed seeds (7.70%). Two radiocarbon-dating measurements were carried out on a cereal grain and on a Celtic/broad bean from the sample extracted from fill A[164]. Both results are consistent: the wheat grain produced a date of 1440–1260 cal BC (SUERC-30724, 3095±35 BP) and the Celtic/broad bean indicated a date of 1420–1210 cal BC (SUERC-30725, 3060±35 BP). The assemblage of pulses comprised largely Celtic/broad beans although large round seeds more than 3mm in diameter represented a moderate component. For many of the round pulses, hila and seed coats were insufficiently preserved to identify the type of cultivated pulses present and the assemblage of large-sized pulses may have included vetches,

beans and garden pea. The cereals consisted of glume wheat and barley with wheat recorded in slightly higher numbers. The weed seeds indicated a mixture of species from cultivated or otherwise disturbed ground. The hearth/furnace contained a large quantity of poorly preserved amorphous vesicular charred matter, the origin of which is unclear. These remains appeared organic, but possibly indicated the presence of bran.

Possible refuse pit A[97]

Both fills of this possible refuse pit also produced large quantity of macroplant remains (estimate of 1021 items) although they were slightly less numerous than in the previous feature. The material in the basal fill (A[98]) was far denser (24.87 items per litre) than in the uppermost fill (A[99]) (0.87 items per litre). The composition of the assemblage of macroplants was similar to that from heart/furnace A[165]. Charred cultivated pulses dominated the assemblage representing 97.94% of the total macroplants with a high preponderance of Celtic/broad bean. The remaining material comprised a small quantity of cereal grains (0.88%), chaff (0.10%) and weed seeds (1.08%). The quantity and range of charred weed seeds were smaller than in the previous feature.

Building 16 (B16)

A:G174: pit/structured deposit A[661], A<84>, fill A[662]

A:G173: storage pit A[482], A<74>, fill A[480]; pit A[508], A<82> and A<83>, fill A[510]; pit/structured deposit A[521], A<86>, fill A[673], A<76>, fill A[522]

B16 was located on the south side of the valley. Six samples from pits including a storage pit as well as pits with structured deposits were analysed. The quantities of charred macroplant remains varied from nine items in pit A[661] to an estimated 494 items (and a projected density of 9.88 items per litre of processed soil) in pit A[521]. A mixture of charred cereal grains, chaff, cultivated pulses and weed seeds were present in all the examined samples. Cereal grains were the most abundant crop, but pulses were also well represented. A large quantity of cereal grains could not be identified. Nonetheless, glume wheats were best represented amongst the assemblage of identified grains, and not only emmer but also spelt was tentatively recorded in the chaff assemblage. The grain assemblage consisted also of barley, including hulled barley, and small quantities of free-threshing bread-type wheat. Vetch/bean/pea was predominant among the large-seeded pulses although Celtic/broad beans were also evident. The samples contained a wide range of weed seeds commonly associated with arable fields or ruderal habitats but also species from grassland environment. Infrequent hazelnut shell fragments were also evident. The mixed composition of

the material suggested domestic debris from various sources. It may have become accidentally incorporated in the features over time or, as is the case of the larger assemblage in pit A[521], could have represented a series of intentional depositions. Pit A[503], also from pit group A:G173, contained four large saddle quern fragments from at least three lower stones, one of which was still serviceable (see Chapter 6.6, 'Quernstones'). Although the sample from pit A[503] was not selected for analysis it is interesting to note that no charred cereal remains were recorded in the sample, which produced only infrequent pulses.

Open Area 58 (OA58)

A:G207: pit A[1427], A<131>, fill A[1428]

B5 was interpreted as a potential post-built structure (A:G202) which may have represented a raised storage structure for agricultural produce, and the sample from pit A[1427] was selected for further study because of its proximity to this building. The pit contained very few charred macroplant remains, including very occasional cereal grains and chaff, some of which were identified as glume wheat. Weed seeds were also uncommon, including black bindweed, dock and a grass seed.

Open Area 3 (OA3)

C:G22: pits with structured deposits C[164], C<10>, fill C[163], and C[167], C<21>, C[165]

Both samples examined from period 4 came from two isolated features (A:G22) located in the far north-east corner of the site. They originated from fill C[165] of a vessel placed within pit C[167] and from fill C[163] of an adjoining structural deposition feature, C[164]. They produced only three charred grains. Two were identified as wheat, one of which exhibited a rounded morphology typical of bread/club wheat. The remaining grain was too poorly preserved to be identified. Seventeen wheat chaff components were recorded, one of which was identified to spelt wheat. Sparse weed seeds included orache, goosefoot and brome grass (cf *Bromus* sp.).

PERIOD 5: LATE BRONZE AGE, c 1150–800 BC

Seventeen samples were selected from features assigned to period 5 activity. This period was characterised by a shift in settlement location. Almost half the samples originated from these new settlements sited in the south-west of the site, including OA61. The remaining samples came from B8 and trackway R1 on the north side of the valley, as well as from deposits associated with salt production in the south-west of the site, Ditch 17 (D17) and OA77, and agro-industrial activities in the south-east of the site (OA57).

Open Area 61 (OA61)

A:G10: cooking pit A[2171], A<245>, fill A[2172]

A:G11: cooking or storage pit A[2015], A<229>, fill A[2018]

A:G18: pit A[1576], A<200>, fill A[1746], A<193>, fill A[1578], and A<192>, fill A[1577]

A:G20: storage pit A[1537], A<191>, fill A[1539]

A:G19: pit/structured deposit A[1630], A<197>, fill A[1623]

A:G14: pit/structured deposit A[2179], A<246>, fill A[2180]

The six pits associated with settlement OA61 produced different charred macroplant assemblages in terms of quantity and density. Storage pit A[1537] contained a very small amount of remains, but there were slightly more frequent remains in cooking or storage pit A[2015] and pit/structured deposit A[2179]. Although cooking pit A[2171] and pit/structured deposit A[1630] produced relatively large assemblages of charred plant remains the item density was fairly low. The exception was pit A[1576], which contained a rich assemblage of charred macroplant remains with an estimated 6032 items and a projected density of 50.26 items per litre of processed soil. The samples produced large quantities of charred grains representing 47.80% of the total macroplant remains as well as significant amounts of weed seeds and tubers (41.80% of the total macroplant remains). Chaff represented 9.77% and pulses were less common (0.63%). Preservation was relatively poor and, overall, half of the grains could not be identified to genus or species level. The overall figure indicates that wheat grains were best represented amongst the identified grains followed by barley. Oat was also tentatively identified although the grains probably represented wild oat. Glume wheat dominated the assemblage of wheat grains, with just a few free-threshing bread-type wheat grains recorded. Although the grains of hulled wheat could not be identified to species level, the chaff assemblage produced very low occurrences of emmer chaff and consisted of a large quantity of glume bases more typical of spelt, suggesting that spelt was possibly the main cereal. Barley rachis fragments and several indeterminate chaff fragments were also evident. Weed seeds were well represented with a relatively wide diversity of taxa. Seeds of grasses including oat/brome, possible oat, fescue/ryegrass (*Festuca* sp/ *Lolium* sp), goosefoot and knotgrass/dock were more numerous but the assemblage also included small seeded leguminous seeds such as vetch/vetchling/tare and medick/clover as well as seeds of bedstraw, black bindweed, plantains, mayweeds, sedges, stinging nettle and a potential whitebeam. Several tubers of false oat-grass were also present.

Building 8 (B8)

A:G232: probable storage pit A[1114], A<180>, fill A[1117]

Probable storage pit A[1114] produced a rich assemblage of charred macroplant remains with an estimated 1248 items and a projected density of 31.21 items per litre of processed soil. The assemblage consisted of cereal grains (43.30% of the total macroplant remains), chaff (32.60%), large-seeded pulses (1.20%) and weed seeds (22.90%). The remains were in a poor state of preservation and over 70% of the grains could not be identified. Nonetheless glume wheat dominated the assemblage of identifiable grains with barley also well represented. Amongst the small assemblage of chaff which could be tentatively identified, both emmer and spelt were recorded. Vetch/bean/pea made up the majority of the pulses. A wide range of weed seeds was present including species from disturbed and cultivated ground. Seeds of goosefoot were numerous, but black bindweed, knotgrass/dock, cleaver (*Galium aparine*) and bedstraw were also well represented.

Trackway 1 (R1)

A:G79: metalling A[985], A<152>

The sample selected from road metalling A[985] revealed occasional occurrence of charred macroplants including infrequent grains of wheat and barley, chaff and weed seeds, which probably represented small background scatters of charred waste.

Ditch 17 (D17), Open Area 61 (OA61)

A:G32: ditch slot A[54], A<20>, fill A[55]

Ditch A[54], excavated within north–south ditch D17 in the south-west of the site, contained a small assemblage of charred cereal remains and weeds seeds. Several cereal grains were not identifiable, but grains of wheat were tentatively identified and caryopses of oat were evident. The presence of spelt was confirmed by the identification of a single glume base amongst the chaff of glume wheat. The grains of oat probably represented wild oat.

Open Area 77 (OA77)

A:G129: pit/postholes A[2199], A<247>, fill A[2197], and A[2013], A<231>, fill A[2014]

Charred macroplant remains were also uncommon in pit/posthole features A[2199] and A[2013], which lay to the east of the north–south D17. The assemblage consisted of a low number of cereal grains of barley and wheat as well as grains that were too poorly preserved to be identified to genus or species level. Nonetheless, glume wheat (either spelt or emmer) was identified from chaff components. Pulses were scarce

including infrequent large-seeded vetch/bean/pea. The weed seed assemblage consisted of seeds of grass, including oat/brome, as well as goosefoot and black bindweed. A very small amount of tubers of false oat-grass was also recorded.

The samples from D17 and OA17 contained a mixture of remains which probably represented background scatters of detritus from a number of different activities. The general paucity of macroplant remains is not surprising given that this part of the site may have been used primarily for salt production.

Open Area 57 (OA57)

A:G164: working hollow layer A[528], A<78> and A<77>, and working hollow A[117], A<28> and A<31>, fill A[118]

Deposits A[528] and A[117] were both close to Middle Bronze Age features (A:G165, A:G166 and A:G163), two of which (hearth/furnace A[165] and possible refuse pit A[97]) produced large assemblages of charred macroplants and, more precisely, large assemblages of Celtic/broad beans. Although working hollow layer A[528] contained a small amount of material with infrequent leguminous remains, working hollow A[117] produced a substantial assemblage of plant remains amounting to an estimated more than 2063 items and a high projected density of 34.38 items per litre of soil processed. Two samples were recovered from working hollow A[117]. Although they produced assemblages of charred macroplant remains which did not vary considerably in terms of item quantity, they differed considerably in terms of item density and mainly in terms of category of charred material. Both samples originated from the basal fill (A[118]) of the working hollow; however, the differences in the assemblage composition suggest that the charred remains related to separate events, providing evidence for two distinct phases of deposition within the working hollow.

The charred macroplant assemblage in A<28> consisted of a large percentage of weed seeds (53.90% of the total macroplant remains) with cereal grains representing 17.56%, chaff 22.20% and pulses accounting for only 6.34% of the total macroplant remains. The assemblage in A<31> was very different, consisting principally of large-seeded pulses (86.32% of the total macroplants). There was a small amount of cereal grains (4.38%), no chaff, and weed seeds accounted for 9.30%. While the cereal grains in A<31> were dominated by barley, wheat was more commonly identified in A<28>. Grains of glume wheat were best represented but grains of free-threshing bread-type wheat were also evident. Chaff consisted mainly of glume wheat (emmer and spelt) and emmer was best represented amongst the glume bases and spikelet forks which were tentatively identified. A large proportion of the

cultivated pulses in A<31> consisted of Celtic/broad beans although large-seeded vetch/bean/pea was also numerous. In addition, a large assemblage of charred macroplants consisting mainly of leguminous plants (132g) was present in the residue. There were differences in the weed seed assemblages between both samples. While seeds of goosefoot, black bindweed and sedges were recorded only in A<28>, hoary plantain, scentless mayweed and stitchworts were present only in pulse-rich A<31>. Other taxa were evident in both samples but best represented in only one of them. This is the case for the seeds of grass and the small leguminous seeds (medick/clover and vetch/vetchling/tare) which were more numerous in A<28>. The remains present in the basal fill of working hollow A[117] were interesting – they consisted of two distinct assemblages of waste deliberately discarded. The charred macroplant remains represented crop waste which became incidentally or accidentally burnt either before or during storage or during the final stages of crop processing. Their presence in the same fill demonstrates that both pulses and cereals were cultivated at this time.

Trackway 10 (R10) and Open Area 4 (OA4)

C:G7: ditch slot C[150], C<7>, fill C[148]

C:G15: ditch slot C[236], C<17>, fill C[235]

C:G19: cooking pit C[174], C<9>, fill C[175]

Three samples originated from features dated to period 5, of which two came from the fills C[148] and C[235] of two slot trenches C[150] and C[236], excavated through driveway R10. The third came from fill C[175] of cooking pit C[174], related to a possible settlement in the north-west of the site. Charred grains were present in small amounts (fewer than 25 grains) in these features. Grains of wheat were best represented, one of which resembled bread/club wheat. Three grains of barley were also present. The other grains were too fragmentary to be identified. No wheat glumes or spikelets were noted, but a fragmented barley rachis node and a cereal or large grass culm node were evident. Charred weed seeds were also uncommon. Knotgrass/dock, black bindweed, bedstraw and goosefoot are common weeds of cultivation or waste/disturbed ground. Three tubers of false oat-grass indicate ungrazed grassland.

PERIOD 6: TRANSITIONAL LATE BRONZE AGE AND EARLY IRON AGE, c 800–400 BC

Open Area 60 (OA60)

A:G226: pit A[1080], A<124>, fill A[1081]

A:G228: occupation layer A[1056], A<121>

Structure 12 (S12)

A:G277: structural cut feature A[1349], A<195>, fill A[1347]

Three samples from deposits dated to period 6 land use were examined. They were associated with possible working hollow OA60 and possible pyre feature S12 in the north of the valley. The samples contained moderate amounts of charred macroplant remains, with pit A[1080] producing more substantial remains including cereal grains, chaff and weed seeds. The cereal assemblage consisted of grains of barley, possible oat and wheat including glume wheat (either emmer or spelt) and free-threshing bread-type wheat. Based on the chaff, emmer was tentatively identified through the presence of spikelet forks and spelt through the presence of glume bases. Occasional pulses including large-seeded vetch/bean/pea were recorded. The small weed flora consisted of species associated with disturbed ground and arable cultivation including knotgrass/dock, black bindweed, scentless mayweed, possible ribwort plantain, nettle, vetch/vetchling/tare and seeds of grass. The remains probably represented background scatters of crop waste from accidental burning during the final stages of crop processing or food preparation. The assemblage from pit A[1080] was too small to consist of waste deliberately discarded.

Open Area 5 (OA5)

C:G4: intervention C[117], C<4>, fill C[114] and C<5>, fill C[115]; intervention C[11/004], C<1E>, fill C[11/005]; intervention C[46], C<1>, fill C[47]; intervention C[91], C<3>, C[89]

Charred macroplant remains were slightly more numerous in the five samples taken from four interventions excavated through the large elongated pit C:G4 cutting into the northern routeway R9. Wheat dominated the assemblage of identified grains. Thirteen grains of hulled wheat of possible emmer/spelt and one grain which displayed characteristics of bread/club wheat were recorded amongst the assemblage of wheat. Grains of barley were more abundant than in the previous samples. Ten wheat chaff elements were recorded including one spelt glume base and one possible spelt glume base. Two fragmented barley rachis nodes were noted. The samples contained a small quantity of wild weed seeds including weeds of cultivation and waste/disturbed ground. The small assemblage consisted of knotgrass/dock, black bindweed, bedstraw, goosefoot, medick/clover, orache, scentless mayweed as well as some grass caryopses. Four tubers of false oat-grass were also recorded.

PERIODS 4–6

Field System 1 (FS1)

C:G2: ditch slot [C69], C<2>, fill C[71]

Ditch slot C[69], part of FS1, could be only broadly dated. It contained a small amount of charred grains. While barley dominated the assemblage of identified grains, a possible grain of spelt was recorded within the assemblage of glume wheat. No chaff elements were present but a small quantity of weed seeds was recovered, including goosefoot, knotgrass/dock, medick/clover as well as grass seeds. A tuber of false oat-grass was also present.

PERIOD 7: MIDDLE IRON AGE, c 400–100/50 BC

Introduction

The Middle Iron Age period has been divided into two phases (period 7, phases 1 and 2) with phase 2 being further divided into three subphases (2a, 2b and 2c), based principally on evidence from Keymer Avenue. The period is associated with the reorganisation of the agrarian landscape on the south side of the valley, with the new Field System 3 (FS3) laid out during phase 2. Evidence from Lower Hoddern Farm was limited but a sample from FS3 was analysed. Eight samples were also examined from four groups of pits forming part of a larger cluster (OA40). They represented a northward expansion of Enclosure 1 (EN1) in the south-west corner of FS3 during phase 2c. The remaining sample came from holloway/drove road R8 in the west of the enclosure complex.

Field System 3 (FS3)

A:G153: possible cremation feature A[1843], A<214>, fill A[1844]

Although possible cremation A[1843] uncovered within ditch slot A:G56 produced a moderately large assemblage of charred wood fragments, charred macrobotanical remains were infrequent. The small assemblage of cereal remains was limited to uncommon poorly preserved grains of wheat and barley. Seeds of goosefoot dominated the small weed flora, although redshank/pale persicaria (*Persicaria maculosallapathifolia*) and several indeterminate charred fragments which appeared to derive from plant material were also recorded.

Open Area 40 (OA40)

A:G141: refuse pit A[30], A<13>, fill A[32], and A<12>, fill A[31]

A:G140: storage pit A[33], A<15>, fill A[35]

A:G214: pit A[2272], A<258>, fill A[2273]

A:G143: pit A[64], A<19>, fill A[65]; pit A[211], A<33>, fill A[212]; pit A[213], A<34>, fill A[214]; storage pit A[80], A<21>, fill A[84]

The eight samples examined from four groups of pits produced small to good quantities of charred macroplant remains made

up of a mixture of grains, chaff, pulses and weed seeds. Storage pit A[80] contained the largest assemblage of material with 111 items counted. However, the density varied from 0.38 items per litre of processed soil in pit fill A[65] to a projected density of 6.33 items in the basal fill A[32] of refuse pit A[30]. In most samples grains and chaff were recorded in similar proportion with smaller quantities of pulses and weed seeds. Wheat was identified in all the pits including occasional grains of glume wheat (either emmer or spelt) and free-threshing bread-type wheat. Spelt was tentatively identified through the presence of glume bases. Other grains provided limited evidence for barley and oat although the latter may be wild oat. Non-cereal crops comprised uncommon seeds of Celtic/broad beans and large-seeded vetch/bean/pea. The remaining charred macroplants included a wide range of weed seeds representing principally species of arable ground as well as tubers. The assemblage comprised goosefoot, black bindweed, knotgrass/dock, wild radish, scentless mayweed, vetch/vetchling/tare, nettle and grasses including false oat-grass.

Trackway 13 (R13)

A:G35: ditch slot A[2254], A<257>, fill A[2253]

The examined sample from ditch slot A[2254], excavated through holloway/drove road R8, contained a relatively small concentration of charred macroplant remains. The assemblage consisted of infrequent poorly preserved cereal grains including wheat/barley and grains which could not be identified. Chaff was also sparse and consisted of glume wheat species (either emmer or spelt). The weed seed flora included uncommon seeds of goosefoot and dock as well as grass seeds.

Ditch 1 (D1)

B:G29: ditch slot B[298], B<1003>, fill B[299]; ditch slot B[350], B<1004>, fill B[351]

Open Area 15 (OA15)

B:G1: midden B[970], B<1061>; midden B[1015], B<1067>

Open Area 14 (OA14)

B:G4: external occupation layer B[963], B<1053>

Building 10 (B10)

B:G69: posthole B[1504], B<1125>, fill B[1505]

Enclosure 2 (EN2)

B:G35: ditch slot B[608], B<1020>, fill B[609]

Trackway 12 (R12)

B:G22: ditch slot B[696], B<1036>, fill B[697]

Ditch 4 (D4)

*B:G16: ditch slot B[829], B<1031>, fill B[830]
B:G14: ditch slot B[863], B<1032>, fill B[864]*

Enclosure 3 (EN3)

B:G20: ditch slot B[173], B<1001>, fill B[174]; ditch slot B[195], B<1002>, fill B[197]

Open Area 17 (OA17)

B:G62: pit B[449], B<1014>, fill B[450]

B:G60: possible cooking pit B[1615], B<1131>, fill B[1616]

Two samples originated from slots B[298] and B[350], excavated through the boundary Ditch 1 (D1) which may have been part of an early field system. Two samples from midden layers B[970] and B[1015] (B:G1) and a sample from occupation layer B[963] were also selected. One sample came from posthole B[1504], which formed part of a series of posts dividing rectangular structure B10. Another came from slot B[696] excavated through drove road R12. The remaining samples came from features associated with three ditched enclosures. Two samples originated from features (OA17) within the original enclosure (EN1), from pit B[449] and possible cooking pit B[1615]. A third sample came from slot B[608] excavated through enclosure ditch B:G35, associated with the second phase of enclosure (EN2). Finally four samples came from features related to the final phase of enclosure (EN3). Two came from sections B[173] and B[195] excavated through enclosure ditch B:G20, and two more came from slot B[829] and slot B[863], excavated through a ditch which formed a partition through the enclosure (EN3).

The samples contained small quantities of charred macroplant remains, with the density of the samples varying from 0.40 items per litre of soil processed in ditch slot B[696] to 6.55 items per litre (possible cooking pit B[1615]). The remains were poorly preserved. The charred macroplant assemblage consisted of a large percentage of cereal grains (60.12% of the total macroplant remains) with chaff representing 16.13% and weed seeds accounting for 23.75%. Wheat accounted for the majority of the identified grains, but small quantities of barley and possible oat were also present. A large proportion of the grains of wheat was either too pitted or fragmentary to be identified to species level. Small grains with a rounded morphology characteristic of bread/club wheat were recorded in two samples – a single grain in ditch fill B[299] and a single grain in posthole fill B[1505]. Thirteen grains more typical of glume wheat species, either emmer or spelt, were also found. Wheat chaff elements were present in ten samples, though fewer than five glumes and spikelet forks were recorded in eight of them. Posthole fill B[1505] produced the largest assemblage with just over 50 wheat chaff fragments. Thirteen were identified to spelt and four could be either spelt or emmer. The remaining wheat chaff components were too badly preserved to be identified. Fourteen grains of hulled

barley and two fragmented barley rachis nodes were recorded. Single grains of possible oat were also evident in three samples. However, no diagnostic floret bases were found, so it was impossible to confirm if the grains represented the wild or the cultivated taxa. No pulses were recorded in these samples.

Wild plant seeds were infrequent and a very limited species range was recorded. The small assemblage was made up mainly of weeds of cultivation or waste/disturbed ground and included knotgrass/dock, black bindweed, wild radish, vetch/vetchling/tare, medick/clover and goosefoot. Black bindweed is a typical arable weed. Ditch fill B[830] contained a small amount of whole and fragmented capsules of wild radish. Although the plant is a likely weed from cultivated or disturbed ground, it could also have been consumed. Infrequent tubers of false oat-grass, which indicate ungrazed grassland, as well as a seed of ribwort plantain, could represent plants growing in the vicinity of the site. A single hazelnut shell fragment might indicate food gathered from the wild. However, hazel was identified amongst the assemblage of wood charcoal fragments, and the nut could have been brought back to the site amongst the collected fuel wood.

The presence of chaff fragments and seeds is indicative of cereal-processing waste in the vicinity of the features. However, given that the remains were present in such a low concentration, it is not possible to interpret the specific type of activities to which they relate. It is likely that the remains represent a background of domestic detritus. Some could have derived from accidental burning, such as the small assemblage of grain recovered in potential cooking pit fill B[1616]. Some of the crop-processing waste could have also been deliberately used as fuel. The remains were poorly preserved, suggesting that they were not intentionally placed but that they accumulated over time in the features.

PERIODS 7–8

Field System 4 (FS4)

A:G205: pit A[1095], A<177>, fill A[1097]

The isolated pit A[1095] was related to FS4 and located at the head of the valley. It contained a rich assemblage of charred macroplant remains with an estimated 1673 items and a high projected density of 83.64 items per litre of soil processed. Cereal grains made up 71.79% of the total macroplant remains with cultivated pulses accounting for 27.68%. No chaff was present and weed seeds were very sparse (0.53%), including seeds of bedstraw, grass and possible buttercup. Half the cereal grains could not be identified. Nonetheless, wheat represented the major cereal with both glume wheat and free-threshing bread-type wheat recorded. Barley accounted for a smaller

proportion of the grains. The cultivated pulses consisted almost entirely of Celtic/broad beans.

PERIOD 8: LATEST IRON AGE/EARLY ROMAN,
c AD 10–150

Introduction

Although the chronology of period 8 is not all clear, it has been separated into two phases (phases 1 and 2). Twenty-eight samples were analysed from features attributed to period 8, a period associated with the establishment of a new enclosure (EN4) in the south-west corner of the site during phase 1, followed by its extension (EN5) during phase 2.

Enclosure 4 (EN4), Ditches 10–12 (D10–D12)

A:G52: ditch slot A[7/011], A<53>, fill A[7/015]

A:G41: ditch slot A[2034], A<230>, fill A[2021]

A:G39: ditch slot A[2221], A<251>, fill A[2220]; ditch slot A[2242], A<256>, fill A[2243]

A:G134: ditch slot A[2108], A<234>, fill A[2107]

Five samples were examined from ditch slots associated with EN4, including east–west ditch A:G52 and ditches forming various internal divisions, such as ditch A:G41, ditch A:G39 and ditch A:G134. Although charred macroplant remains were commonly found in the samples, the item density was small, ranging from 1.80 to 4.20 items per litre of processed soil. Cereal grains dominated the assemblage (55.75% of the total macroplant remains) with a mixture of barley and wheat, including free-threshing bread-type wheat. Glume wheat (including possible spelt) was recorded through the presence of chaff. The assemblage of pulses, which accounted for 9.80% of the total macroplant remains, consisted of Celtic/broad beans, possible garden pea and some indeterminate vetch/bean/pea. Charred weed seeds and tubers were relatively numerous (25.77%); the assemblage consisted mainly of seeds from plants from disturbed (including cultivated places) ground, including goosefoot, black bindweed, knotgrass/dock, wild radish, scentless mayweed, vetch/vetchling/tare, nettle and grasses, including false oat-grass. Possible seeds of rush suggest a wetland environment.

Open Areas 38, 41 and 46 (OA38, OA41 and OA46)

A:G136: pit A[2226], A<254>, fill A[2226]

A:G138: pit A[2022], A<240>, fill A[2023]

A:G47: ditch slot A[31/001], A<52>, fill A[31/002]

A:G132: pit A[2134], A<238>, fill A[2134]

A:G15: erosion deposit A[2118], A<237>, fill A[2068]

Four samples from features related to various activities, including salt production, within EN4 as well as a sample originating from an eroded area at the entrance of EN4

contained small to moderate quantities of charred macroplant remains consisting of charred cereal remains (grains and chaff) and charred weed seeds. The density was again small, ranging from 1.4 to 4.8 items per litre of processed soil. The material was similar to the previous samples with the exception that cultivated pulses were less frequently recorded in these samples.

Enclosure 5 (EN5), Open Areas 47 and 42 (OA47 and OA42)

A:G53: ditch slot A[6/018], A<55>, fill A[6/018]

A:G289: ditch slot A[6/012], A<54>, fill A[6/011]

A:G133: pit A[2087], A<233>, fill A[2095]

Three samples were analysed from features located within EN5. While two samples came from ditch slots, the third originated from cremation pit A[2087]. The item density in these samples was again low, and the array of charred macroplant remains emulated the previous samples. The cereal assemblage was made up of grains of wheat, including glume wheat (either emmer or spelt) and free-threshing bread-type wheat, as well as possible barley. Based on the chaff, spelt was tentatively identified through the presence of glume bases. Occasional pulses, including large-seeded vetch/bean/pea and possible garden pea, were recorded. The small weed flora consisted of species associated with disurbed ground and arable cultivation, including fat hen, knotgrass/dock, black bindweed, scentless mayweed, plantain, vetch/vetchling/tare and seeds of grass. Possible seeds of rush suggest a wetland environment.

The remains probably represented background scatters of crop waste from accidental burning during the final stages of crop processing or food preparation.

CONCLUSIONS

The analysis of the macroplant remains, carried out on a selection of Early Neolithic as well as Later Neolithic to Roman samples, was intended to characterise agricultural practices by establishing the range of crops cultivated and used and how this changed over time. It also aimed to examine the natural vegetation and to document potential wild food resources.

The analysis has yielded an enormous amount of information. It has provided a panorama of the plants – cultivated and wild plants – exploited by the inhabitants of the site in a region not well published for most of these periods. Overall, the plants were similar to the species recorded on other contemporary sites located in south-east England. Nonetheless, given the small amount of available documented results on plant resources of prehistoric and Roman communities in Sussex, the findings from the study area are very important.

The best-represented periods in term of macroplant remains are the Early Neolithic and the Middle and Late Bronze Ages. The evidence for the Early Neolithic period indicates that the crop economy was not entirely dependent on a single cereal. The pit deposits produced grains of wheat (mostly glume wheat, including emmer) and barley (including both naked and hulled varieties). Large legumes, seeds of flax and hazelnut shell fragments were also recorded. Pit A[777] differed from the other pits in that it produced a very large assemblage of grain, perhaps representing a deliberate deposit.

It appears that during the Late Neolithic and Early Bronze Age periods, cultivation of cereals was largely abandoned – or at least was not represented in the study area – a trend observed in many part of the British Isles during this period.

The evidence for the Middle Bronze Age demonstrates a well-established agricultural economy. The results showed the reintroduction of cereals (wheat and barley) and the appearance of new crops, with large amounts of cultivated pulses (mostly Celtic/broad beans). This practice of mixed farming, with a range of crops cultivated, continued during the Late Bronze Age.

Although the environmental evidence for the transitional Late Bronze Age and Early Iron Age period and the Middle Iron Age periods was less significant than for the Late Bronze Age, a new field system dating to the Middle Iron Age showed that involvement with farming was still important. Spelt was now cultivated and, although commitment to pulse farming seems to have ceased with the beginning of the Iron Age, the activity would have been reintroduced sometime during the Middle Iron Age and Roman period. The material from Roman contexts was as not as dense. Nonetheless, the results are typical of a small traditional Roman community with the cultivation of hulled wheat, barley and leguminous plants.

In conclusion, the evidence from the samples has enabled us to build up an impressive picture of the arable history of the site. Furthermore, it has allowed us to characterise agricultural activities such as crop processing and potential storage, and to make comparisons with contemporary assemblages. It has also, however, highlighted certain gaps in our knowledge. To improve the picture, sampling should now target periods for which the records regarding plant resources are either lacking or limited. This includes the Middle Neolithic to Early Bronze Age and the Iron Age and Roman periods. Samples dated to the Early Neolithic as well as the Middle and Late Bronze Age have produced rich assemblages of macroplant remains; sampling should now target deposits rich in well-preserved chaff and weed seeds as these will help to identify more precisely the types of cereals cultivated and the agricultural practices followed.

	Period	1			3			4			5		
Taxonomic identifications	English names	NI	AF	%	NI	AF	%	NI	AF	%	NI	AF	%
Cereal grains		15,251	15	99.07	56	3	89.00	672	28	11.73	3838	18	39.10
<i>Hordeum vulgare</i> L	barley – hulled	10	1					6	2		3	2	
<i>Hordeum vulgare</i> L	barley – possible hulled	4	1								1	1	
<i>Hordeum vulgare</i> L	barley – possible naked	119	2										
<i>Hordeum vulgare</i> L	barley	1672	7					27	4		374	10	
cf <i>Hordeum</i> sp	possible barley	1105	5					59	10		13	3	
<i>Hordeum</i> sp	barley – sprouted										9	1	
<i>Hordeum</i> sp/ <i>Triticum</i> sp	barley or wheat	20	5					6	3		211	8	
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt wheat	5138	6		2	1		95	12		610	7	
<i>Triticum</i> cf <i>dicoccum</i> Schübl/ <i>spelta</i> L	possible emmer/spelt wheat												
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt wheat – sprouted										13	1	
<i>Triticum aestivum</i> type	free-threshing bread-type wheat	58	2					4	3		36	5	
<i>Triticum</i> sp	wheat	956	7					82	10		300	12	
cf <i>Triticum</i> sp	possible wheat	1045	3					6	6		83	6	
Cerealia indet	indet cereal	5124	13		54	3		387	23		2185	18	
Cereal chaff		46	2	0.30				85	13	1.50	1266	17	12.90
<i>Hordeum vulgare</i> sp	barley – rachis frag										16	2	
<i>Triticum</i> cf <i>dicoccum</i> Schübl	possible emmer wheat	20	1					13	5		44	3	
<i>Triticum spelta</i> L	spelt wheat							2	2		1	1	
<i>Triticum</i> cf <i>spelta</i> L	possible spelt wheat							7	3		144	10	
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt	26	2					59	13		909	14	
Cerealia indet/Poaceae								4	1		152	11	
Cereal coleoptile/detached embryo								1	1	0.01			
Cerealia indet	indet cereal – detached embryo							1	1				
Oleiferous/fibre crop		15	1	0.10				1	1	0.01			
<i>Linum usitatissimum</i> L	flax	12	1										
cf <i>Linum usitatissimum</i> L	possible flax	3	1					1	1				
Edible pulses		17	6	0.11				3829	16	66.89	1091	11	11.11
cf <i>Pisum sativum</i> L	possible garden pea							1	1		12	3	
<i>Vicia faba</i> L	broad bean/Celtic bean – halves or less	4	1					1376	13		446	5	
<i>Vicia faba</i> L	broad bean/Celtic bean – whole							740	6		46	1	
cf <i>Vicia faba</i> L	broad bean/Celtic bean – frag							1412	8		189	2	
<i>Vicia</i> sp/ <i>Pisum</i> sp	vetch/bean/pea	8	4					300	15		398	11	
Fabaceae	Pea family – most likely cultivated	5	1										
Weeds		64	8	0.42	7	2	11	1137	26	19.86	3621	19	36.89
Total		15393	16	100	63	4	100	5725	30	100	9816	20	100

Table 6.27 Abundance of macroplant remains from Lower Hoddern Farm, Keymer Avenue and Seaview Avenue, periods 1–5. NI = number of items (in the cases when the flots were large, the number of items is estimated from the subsample examined); AF = absolute frequency of taxa in the samples

	Period	6			7			8			4–6 SVP10<2>		7–8 BHT09<177>	
Taxonomic identifications	English names	NI	AF	%	NI	AF	%	NI	AF	%	NI	%	NI	%
Cereal grains		282	8	52.41	553	24	45.82	420	13	54.40	82	63.08	1201	71.78
<i>Hordeum vulgare</i> L	barley – hulled	25	7		21	9					18			
<i>Hordeum vulgare</i> L	barley – possible hulled	12	4		7	4					11			
<i>Hordeum vulgare</i> L	barley – possible naked													
<i>Hordeum vulgare</i> L	barley							34	4				57	
cf <i>Hordeum</i> sp	possible barley							5	3				98	
<i>Hordeum</i> sp	barley – sprouted													
<i>Hordeum</i> sp/ <i>Triticum</i> sp	barley or wheat				16	4		35	4				6	
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt wheat	4	3		11	6		6	4					
<i>Triticum</i> cf <i>dicoccum</i> Schübl/ <i>spelta</i> L	possible emmer/spelt wheat	11	5		10	5					1			
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt wheat – sprouted												310	
<i>Triticum aestivum</i> type	free-threshing bread-type wheat	2	2		4	3		13	6				33	
<i>Triticum</i> sp	wheat	42	8		40	14		36	11		4			
cf <i>Triticum</i> sp	possible wheat	30	6		43	11		8	2		5		93	
Cerealia indet	indet cereal	156	8		401	19		283	13		43		604	
Cereal chaff		57	6	10.60	271	19	22.45	111	10	14.38				
<i>Hordeum vulgare</i> sp	barley – rachis frag	2	2		4	3								
<i>Triticum</i> cf <i>dicoccum</i> Schübl	possible emmer wheat	3	1		8	4								
<i>Triticum spelta</i> L	spelt wheat	1	1		13	4								
<i>Triticum</i> cf <i>spelta</i> L	possible spelt wheat	5	3		35	6		26	5					
<i>Triticum dicoccum</i> Schübl/ <i>spelta</i> L	emmer/spelt	46	5		155	18		56	7					
Cerealia indet/Poaceae					56	9		29	7					
Cereal coleoptile/ detached embryo		1	1	1.19										
Cerealia indet	indet cereal – detached embryo	1	1											
Oeliferous/fibre crop				0				1	1					
<i>Linum usitatissimum</i> L	flax													
cf <i>Linum usitatissimum</i> L	possible flax							1	1					
Edible pulses		7	2	1.30	8	4	0.66	47	8	6.09		0.00	463	27.68
cf <i>Pisum sativum</i> L	possible garden pea							9	4				3	
<i>Vicia faba</i> L	broad bean/Celtic bean – halves or less				2	2		3	2				228	
<i>Vicia faba</i> L	broad bean/Celtic bean – whole							1	1				101	
cf <i>Vicia faba</i> L	broad bean/Celtic bean – frag							1	1				125	
<i>Vicia</i> sp/ <i>Pisum</i> sp	vetch/bean/pea	7	2		6	4		32	7				3	
Fabaceae	Pea family – most likely cultivated							1	1				3	
Weeds		191	8	35.50	375	23	31.07	193	13	25.00	48	36.92	9	0.54
Total		538	8	100	1207	24	100	772	13	100	130	100	1673	100

Table 6.28 Abundance of macroplant remains from Lower Hoddern Farm, Keymer Avenue and Seaview Avenue, periods 6–8, estimated after the number of items. NI = number of items (in the cases when the flots were large, the number of items is estimated from the subsample examined); AF = absolute frequency of taxa in the samples. Samples SVP<2> and BHT09<177> derive from features that can be only broadly dated

6.8 CHARCOAL

Dawn Mooney

INTRODUCTION

On the basis of the post-excavation assessment of the charcoal remains from the site (Allott 2010), 66 samples from the three main excavations (BHT09, SKP06 and SVP10) were selected for charcoal analysis, representing the following periods:

- Early Neolithic (c 3700–3300 BC): 10 samples
- Early Bronze Age (c 2250–1500 BC): 4 samples
- Middle Bronze Age (c 1500–1150 BC): 23 samples
- Late Bronze Age (c 1150–800 BC): 10 samples
- Transitional Late Bronze Age and Early Iron Age (c 800–400 BC): 7 samples
- Middle Iron Age (c 400–100/50 BC): 7 samples
- Roman (c AD 10–150): 4 samples
- Unphased: 1 sample

The samples examined were associated with a range of features including Neolithic and Early Bronze Age pits, Middle Bronze Age dwellings, cremations, storage pits and cooking pits, Late Bronze Age hearths, Iron Age and Roman activity areas, along with droveway and field system ditches and other pits from all periods of the site. This wide range of features was chosen in order to give insights both into everyday life and into ritual and religious practices throughout the occupation of the site, as well as to contribute to a discussion of the environment and environmental change. The analysis of these samples was undertaken with the aim of contributing to the discussion of the following research questions:

- which woods were selected for fuel use, were different taxa selected for use as fuel in domestic and industrial hearths, and did these practices change over time? How were the local woodland resources utilised and managed during the different phases of occupation?
- what was the character of the wooded environments in the vicinity of the site, and how did these change over the period of occupation? For example, is there evidence of woodland clearance which could be linked to an intensification of settlement and/or agriculture?
- was there a clear selection of particular woody taxa for use as fuel in the Middle Bronze Age cremations, and how does this compare to other similarly dated cremation cemeteries in the region?

METHODOLOGY

All samples were processed in their entirety in a flotation tank, and the residues and flots were retained on 500µm and 250µm meshes respectively. These were air-dried prior to sorting. Both flots and residues were passed through geological sieves (4mm, 2mm, 1mm, 500µm and 250µm) and were scanned at low magnification using a stereozoom microscope in order to separate the charcoal from other macrobotanical, biological and artefactual remains. Charcoal fragments of greater than 4mm in size from both the residues and flots were selected for analysis.

One hundred charcoal fragments, or the full quantity of remains where the total number of fragments of suitable size was less than 100, were analysed from each sample. Fragments of charcoal were fractured along three planes (transverse, radial and tangential) following standardised methodology (Gale & Cutler 2000). Specimens were viewed under a stereozoom microscope at ×5–×45 magnification for initial grouping, and an incident light microscope at magnifications up to ×400 to facilitate identification. Taxonomic identifications were assigned by comparing suites of anatomical characteristics visible with those documented in reference atlases (Hather 2000; Schoch et al 2004), and by comparison with modern reference material held at the UCL Institute of Archaeology. Identifications have been given to species where possible, but genera, family or group names have been given where anatomical differences between taxa are not significant enough to permit satisfactory identification. Where identifications were uncertain owing to poor preservation or limited size of charcoal specimens the identification is preceded by ‘cf’, denoting ‘compares with’. Nomenclature used follows Stace (1997).

RESULTS

PRESERVATION

While the quantities of charcoal recovered from the samples varied from small quantities in several samples to well in excess of 100 fragments in others, the preservation of the charred wood remains was in general fair to good. Charcoal remains from the earliest periods of the site suffered deterioration commensurate with their age, and in general the preservation of charcoal fragments improved in later contexts. Across all periods, low levels of mineralisation and sediment accretion were observed, but this rarely limited the identification potential of the assemblage. Further to this, some of the charcoal remains exhibited distortion linked to the process of charring, which precluded the possibility of identification of some specimens. The quantity of unidentifiable fragments in each sample is recorded in Table 6.29.

SUMMARY OF RECORDED TAXA

Table 6.29 records the fragment frequencies of each taxon observed in the assemblage per sample, while Table 6.30 records the periods of the site in which these taxa were present. The charcoal assemblage was dominated by hardwood species, with only one softwood species present (*Taxus baccata*, yew). The anatomical structure of the charcoal fragments analysed from the Peacehaven excavations was consistent with the following taxa:

Identified to species:

Aceraceae: *Acer campestre*, field maple

Betulaceae: *Carpinus betulus*, hornbeam; *Corylus avellana*, hazel

Celastraceae: *Euonymus europaeus*, spindle tree

Fagaceae: *Fagus sylvatica*, beech

Oleaceae: *Fraxinus excelsior*, ash

Rosaceae: *Prunus spinosa*, blackthorn

Taxaceae: *Taxus baccata*, yew

Identified to genus:

Betulaceae: *Alnus* sp, alder; *Betula* sp, birch

Fagaceae: *Quercus* sp, oak

Rosaceae: *Rosa* sp, rose; *Prunus* sp, wild cherry, blackthorn

Ulmaceae: *Ulmus* sp, elm

Identified to subfamily:

Rosaceae: Maloideae, including *Crataegus monogyna*, hawthorn; *Malus* sp, apple; *Pyrus* sp, pear; *Sorbus* sp, rowan, whitebeam

Identified to higher classification:

Oleaceae/Caprifoliaceae: *Ligustrum/Lonicera* – no distinction possible between *Ligustrum* sp, privet, and *Lonicera* sp, honeysuckle.

Salicaceae: *Salix/Populus* – no distinction possible between *Salix* sp, willow, and *Populus* sp, poplar.

As has been stated in the method section above, in some cases the differences between genera are not significant enough to identify wood remains conclusively to genus level. For this reason, wood of the Salicaceae family is referred to here as *Salix/Populus* (willow/poplar), and no further division is given of the subfamily Maloideae (hawthorn, apple, pear, rowan, whitebeam). In the following text, taxa are referred to by their English common names, with the exception of the Maloideae which are given their subfamily name.

PERIOD 1: EARLY NEOLITHIC, c 3700–3300 BC

Open Area 43 (OA43)

A:G245: pit A[635], A<102> and A<104>; pit A[786], A<120>; pit A[1202], A<189>

A:G246: pit A[648], A<100>; pit A[774], A<115>; pit A[783], A<119>

A:G247: pit A[21], A<7> and A<8>; pit A[644], A<105>

Ten samples were analysed from this period, representing three groups of Early Neolithic pits in the north-east of the site: A:G245, large pits with burnt primary fills; A:G246, small pits with burnt primary fills; and A:G247, other small pits. In general these samples produced low quantities of charcoal, with no more than 72 fragments of suitable size for identification (A<8>). A<105> produced only five fragments of charcoal. Oak and Maloideae charcoal was recorded in all samples from this period. In addition, a wide range of taxa were recorded across all the samples, with no clear patterns corresponding with the groupings of the pits. Wild cherry/blackthorn and alder were also frequently identified. Other taxa recorded comprised beech, ash, hazel, rose, privet/honeysuckle, hornbeam and willow/poplar. Numerous fragments from the Early Neolithic samples were distorted by the charring process to the extent that identifications could not be made, accounting for up to 50% of the assemblage (in A<104>).

PERIOD 2: LATER NEOLITHIC, c 3500–2250 BC

No samples were analysed from this period for charcoal identification.

PERIOD 3: EARLY BRONZE AGE, c 2250–1500 BC

Open Area 53 (OA53)

A:G238: shaft pit A[1195], A<187> and A<188>

A:G253: pit A[323], A<62>

The Early Bronze age period of occupation at the site was represented in the charcoal analysis by four samples, each containing 50–100 fragments of suitable size for identification. Two samples were analysed from the secondary and tertiary fills of an Early Bronze Age shaft pit, A[1195]. The majority of the charcoal assemblage from this pit was composed of oak, with small quantities of ash, Maloideae, wild cherry/blackthorn, alder and birch also present. One sample from the primary fill of an Early Bronze Age pit, A[323], also contained a majority of oak, in addition to ash, Maloideae and alder fragments.

Trackway 1 (R1)

A:G223: pit A[910], A<163>

The assemblage from pit A[910], a deposit with placed cattle bones in a pit cut by a driveway ditch, contained large quantities of both Maloideae and oak fragments, with wild cherry/blackthorn and hazel also present.

Site code	Land use	Group no	Feature type	Parent context no	Context no	Sample no	Quercus sp	Fagus sylvatica	Fraxinus excelsior	Ulmus sp	Rosaceae cf Rosa sp	cf Maloideae group	Prunoidae Prunus sp	Prunus cf spinosaldomestica	cf Corylus avellana	Alnus sp	Betula sp	Ligustrum vulgare/Lonicera	Corylus/Alnus	cf Carpinus betulus	Salix/Populus	Acer cf campestre	Taxus baccata	cf Euonymus europaeus	Indeterminate distorted	Total	
Early Neolithic	BHT09	A:G245	P	A[635]	A[639]	A<102>	22	2	2	1		6	1			1									16	51	
			P		A[641]	A[641]	A<104>	6			1	4	2				1							16	30		
			P	A[786]	A[787]	A<120>	3					27	13	7			3								15	68	
			P	A[1202]	A[1204]	A<189>	14					2													4	20	
		A:G246	P	A[648]	A[650]	A<100>	4		6			20				5	6	1			3	1			6	52	
			P	A[774]	A[772]	A<115>	2					6							1						1	10	
			P	A[783]	A[782]	A<119>	16		2			2					1								6	27	
		A:G247	P	A[21]	A[22]	A<7>	9		2			11				2	2			1					15	42	
Late Neolithic/ Early Bronze Age	BHT09		P		A[22]	A<8>	19		2			28		4	1	2	1								15	72	
			P	A[644]	A[645]	A<105>	1						2											2	5		
		OA53	SD	A[1195]	A[1194]	A<187>	69					9					2	1							9	90	
			SD		A[1199]	A<188>	80		1			5	1				1									17	105
		A:G253	PR	A[323]	A[325]	A<62>	34		5			7					5								5	56	
		R1	SD	A[910]	A[912]	A<163>	20					39	3		6										4	72	
Middle Bronze Age	BHT09																										
		B2	A:G216	PT	A[992]	A[993]	A<157>	42					2											4	48		
		B6	A:G89	PT?	A[1105]	A[1106]	A<179>	3				84	8											5	100		
		B7	A:G211	P/CR	A[987]	A[1006]	A<158>	70				22		1											7	100	
				P/CR	A[987]	A[988]	A<159>	81				27													2	110	
			A:G213	CR?	A[813]	A[814]	A<91>	-				106	1												3	110	
				CR?	A[813]	A[816]	A<92>	-				52													5	57	
				CR?	A[817]	A[819]	A<135>	-				84	9									3			12	108	
SVPI0	FS1	C:G2	D	C[69]	C[71]	C<2>	-					17											2	19			

Feature type codes: CR = cremation; EO = external occupation; F = furnace/kiln/oven; P = pit (unspecified); PK = pit (cooking); PQ = pit (quarry); PR = pit (refuse/rubbish); PT = pit (storage); R = road; SD = structured deposit; SN = non-structural cut; SP = structural cut (posthole); TH = tree hole/bole

Table 6.29 Fragment frequencies of each taxon observed in the assemblage per sample

Site code	Land use	Group no	Feature type	Parent context no	Context no	Sample no	Quercus sp	Fagus sylvatica	Fraxinus excelsior	Ulmus sp	Rosaceae cf Rosa sp	cf Maloideae group	Prunoideae Prunus sp	Prunus cf spinosa/domestica	cf Corylus avellana	Alnus sp	Betula sp	Ligustrum vulgare/Lonicera	Corylus/Alnus	cf Carpinus betulus	Salix/Populus	Acer cf campestre	Taxus baccata	cf Euonymus europaeus	Indeterminate distorted	Total
BHT09	OA3	C:G25	TH	C[177]	C[178]	C<13>	1			90														9	100	
			TH	C[217]	C[216]	C<15>	2					2													4	
	OA56	A:G173	SD	A[521]	A[522]	A<76>	5	1				2	3										3	14		
	OA57	A:G163	P	A[671]	A[672]	A<85>	9					2													11	
		A:G165	F	A[165]	A[164]	A<29>	74								2	2							2	80		
			F		A[164]	A<30>	75						1		1	1								11	89	
		A:G166	PR?	A[97]	A[98]	A<23>	51																	2	53	
			PR?		A[99]	A<24>	1					13													14	
	OA66	A:G189	CR	A[595]	A[596]	A<96>	82	17															9	108		
			CR	A[601]	A[602]	A<97>	60	2				32												7	101	
		A:G192	CR	A[592]	A[593]	A<95>	55	3				21	1	1				1						22	103	
		A:G197	CR	A[609]	A[610]	A<98>	55	1												4				16	76	
		A:G256	CR	A[629]	A[630]	A<99>	86				2		1							2				9	100	
	S9	A:G240	SD?	A[1011]	A[1012]	A<161>	17							1	1	9								12	39	
			SD?	A[1013]	A[1014]	A<162>	15	10			1					25								5	56	
Late Bronze Age																										
BHT09	B8	A:G232	PR?	A[1114]	A[1117]	A<180>	54						6											6	66	
	OA57	A:G164	SN	A[117]	A[118]	A<28>	92				2	7												5	106	
			SN	A[528]	A[528]	A<77>	37						3											2	42	
			SN		A[528]	A<78>	7				4														11	
	OA61	A:G10	PK	A[2171]	A[2172]	A<245>	13				18	9		5			4					6		8	63	
		A:G 8	PR	A[1576]	A[1577]	A<192>	58				8			9	14						1			10	100	
		A:G18	PR		A[1578]	A<193>	55	4					3			29						3		6	100	
			PR		A[1746]	A<200>	71							20										8	99	
	OA77	A:G129	SP	A[2199]	A[2197]	A<247>	5					5	11						4					2	27	

Feature type codes: CR = cremation; EO = external occupation; F = furnace/kiln/oven; P = pit (unspecified); PK = pit (cooking); PQ = pit (quarry); PR = pit (refuse/rubbish); PT = pit (storage); R = road; SD = structured deposit; SN = non-structural cut; SP = structural cut (posthole); TH = tree hole/bole

Table 6.29 continued

Site code	Land use	Group no	Feature type	Parent context no	Context no	Sample no	Quercus sp	Fagus sylvatica	Fraxinus excelsior	Ulmus sp	Rosaceae cf Rosa sp	cf Maloideae group	Prunoidae Prunus sp	Prunus cf spinosaldomestica	cf Corylus avellana	Alnus sp	Betula sp	Ligustrum vulgare/Lonicera	Corylus/Alnus	cf Carpinus betulus	Salix/Populus	Acer cf campestre	Taxus baccata	cf Euonymus europaeus	Indeterminate distorted	Total
Early Iron Age	R I	A:G79	R	A[985]	A[985]	A<152>	8					57	2			1				1	1			8	78	
	OA5	C:G4	PQ	C[46]	C[47]	C<1>	2					9	9				13	11					5	49		
			PQ	C[91]	C[89]	C<3>	19					4	8				3						5	39		
BHT09			PQ	C[117]	C[114]	C<4>	17					1	17				1	3					4	43		
			PQ	C[11/005]	C[11/005]	C<1E>	20					5	37				12	14		1			11	100		
	OA60	A:G226	P	A[1080]	A[1081]	A<124>	-					1	7											8		
		A:G226	SP	A[1078]	A[1079]	A<173>	-						28			3							17	48		
Middle Iron Age			EO	A[1056]	A[1056]	A<121>	3					29	49									2	9	1	7	100
	OA14	B:G4	EO?	B[971]	B[972]	B<1051>	66		2			12			3		5							12	100	
		B:G2	P	B[1050]	B[1051]	B<1098>	23					24			40		0						4	9	100	
BHT09			P	B[1050]	B[1052]	B<1099>	57			1		24	1				2	3						12	100	
	FS3	A:G153	CR?	A[1843]	A[1844]	A<214>	67					32	4				4						3	110		
	OA40	A:G141	PR	A[30]	A[31]	A<12>	97																2	99		
			PR	A[30]	A[32]	A<13>	108																2	110		
Late Iron Age/Early Roman		A:G143	PT	A[80]	A[84]	A<21>	3					7						1					3	14		
	OA41	A:G138	P	A[2022]	A[2023]	A<240>	44					15						1				1		15	76	
	R8	A:G35	D	A[2254]	A[2253]	A<257>	108					2													110	
Unphased	D11	A:G39	D	A[2221]	A[2220]	A<251>	43									2									45	
			D	A[2242]	A[2243]	A<256>	56											1							57	
	FS4	A:G205	P	A[1095]	A[1097]	A<177>	2					14	21	11		4								12	64	

Feature type codes: CR = cremation; EO = external occupation; F = furnace/kin/oven; P = pit (unspecified); PK = pit (cooking); PQ = pit (quarry); PR = pit (refuse/rubbish); PT = pit (storage); R = road; SD = structured deposit; SN = non-structural cut; SP = structural cut (posthole); TH = tree hole/bole

Table 6.29 continued

	Period						
	2	2/3	4	5	6	7	8
Taxa recorded							
<i>Quercus</i> sp	X	X	X	X	X	X	X
<i>Fagus sylvatica</i>	X						
<i>Fraxinus excelsior</i>	X	X	X	X		X	
<i>Ulmus</i> sp	X		X			X	
Rosaceae cf <i>Rosa</i> sp	X						
cf Maloideae group	X	X	X	X	X	X	X
Prunoideae <i>Prunus</i> sp	X	X	X	X	X	X	
<i>Prunus</i> cf <i>spinosa</i> /domestica	X		X				
cf <i>Corylus avellana</i>	X	X	X	X		X	
<i>Alnus</i> sp	X	X	X	X	X		X
<i>Betula</i> sp	X			X	X	X	
<i>Ligustrum vulgare</i> / <i>Lonicera</i>	X						
<i>Corylus/Alnus</i>	X			X	X	X	X
cf <i>Carpinus betulus</i>	X			X			
<i>Salix/Populus</i>	X		X	X	X		
<i>Acer</i> cf <i>campestre</i>				X	X		X
<i>Taxus baccata</i>					X	X	
cf <i>Euonymus europaeus</i>					X		

Table 6.30 Presence of woody taxa by period

Levels of distorted fragments in the Early Bronze Age samples were much lower than in the previous phase, accounting for a maximum of 15% of the samples (in A<188>).

PERIOD 4: MIDDLE BRONZE AGE, c 1500–1150 BC

Twenty-three samples were analysed from the Middle Bronze Age period of the site, by far the largest number of samples examined from any period of occupation. These samples represented a variety of activities, including domestic features from roundhouses, cremations both within structures and in the cremation cemetery OA66, tree clearance, and storage, refuse and cooking pits. The majority of the samples analysed produced at least 50 charcoal fragments of suitable size for identification, although a few produced fewer than 20. Generally only a small number of fragments per sample were unidentifiable owing to distortion during charring.

Buildings 2, 6 and 7 (B2, B6 and B7)

A:G216: A[992], A<157>

A:G89: A[1105], A<179>

A:G211: A[987], A<158> and A<159>

A:G213: A[813], A<91> and A<92>; A[817], A<135>

Samples were analysed from features within three Middle Bronze Age roundhouses. Samples from storage pits A[992] and A[1105] produced very dissimilar assemblages. The assemblage from A[992] was dominated by oak, with only a very small amount of wild cherry/blackthorn charcoal also recorded. A small quantity of oak fragments were also recovered from the material from feature A[1105], but the vast majority of the assemblage comprised Maloideae fragments, with wild cherry/blackthorn also present. The remaining five samples associated with the roundhouses were from cremations, including a pit containing a human cremation (A[987]). In samples belonging to A:G213 the dominant taxon in the assemblage was Maloideae, to the almost complete exclusion of other taxa. Samples from A[987] also produced a substantial quantity of Maloideae charcoal, but in these cases oak made up the majority of the assemblage. There was little further variation in the composition of these assemblages, with wild cherry/blackthorn and willow/poplar also recorded.

Open Area 66 (OA66)

A:G189: A[595], A<96>; A[601], A<97>

A:G192: A[592], A<95>

A:G197: A[609], A<98>

A:G256: A[629], A<99>

In addition to the cremation deposits within the roundhouses, five samples were analysed from cremations in a Middle Bronze Age cremation cemetery centred on a junction of three droveways in the west of the site. Three of the samples originated from cremations in the centre of the cemetery (A:G189 and A:G192), while features A[609] and A[629] were outlying burials. In all five samples, oak was the dominant taxon identified, with Maloideae and ash also present. As has been observed above in the cremations within the roundhouses, the range of taxa recovered from these samples was limited, with the only further taxa recorded being small quantities of blackthorn, privet/honeysuckle and willow/poplar.

Building 16 (B16), Open Area 57 (OA57) and Structure 9 (S9)

A:G173: A[521], A<76>

A:G163: A[671], A<85>

A:G165: A[165], A<29> and A<30>

A:G166: A[97], A<23> and A<24>

A:G240: A[1011], A<161>; A[1013], A<162>

Eight samples from working areas and their associated storage, refuse and cooking pits were analysed in addition to those from ritual deposits dating from the Middle Bronze Age occupation of the site. All these samples produced fewer than 100 fragments of charcoal suitable for analysis. Oak charcoal

was present in all samples, and was the dominant taxon in many. Maloideae charcoal made up the majority of the assemblage from the fill of refuse pit A[97]. While alder was found only in small amounts in the fire or cooking pit A[165], this taxon accounted for a larger proportion of the charcoal fragments identified from samples from the probable pond barrow S9 in the east of the site. Hazel, Maloideae and ash were also identified in these samples. Ash was also found in the assemblage from A[521], and hazel in the fire pit fill samples. Fragments of Maloideae and wild cherry/blackthorn charcoal were also recorded.

Open Area 3 (OA3) and Field System 1 (FS1)

C:G25: C[177], C<13>; C[217], C<15>

C:G2: C[69], C<2>

Two samples from tree throws at Seaview Avenue were analysed, representing Middle to Late Bronze Age tree clearance of the site. Feature C[177], interpreted as a burnt-out tree stump, yielded an assemblage almost entirely composed of elm charcoal, with a very small amount of oak also present. Material analysed from tree throw C[217], which did not display evidence of burning, yielded only a very small quantity of charcoal, comprising oak and Maloideae fragments. A further sample from the fill of a field system ditch, C[69], in this area also produced a limited quantity of charcoal of suitable size for identification, resulting in a small assemblage composed solely of Maloideae fragments.

PERIOD 5: LATE BRONZE AGE, *c* 1150–800 BC

The Late Bronze Age occupation of the site was represented in the charcoal analysis by ten samples, which produced variable quantities of charcoal fragments of suitable size for identification.

Building 8 (B8), Trackway 1 (R1)

A:G232: A[1114], A<180>

A:G79: A[985], A<152>

The assemblage from the fill of refuse pit A[1114] in roundhouse B8 was mostly composed of oak, with wild cherry/blackthorn also present. A further sample was analysed from A[985], the metalling of the driveway R1 which ran south-east to north-west across the site to the south of roundhouse B8. The charcoal assemblage from this sample consisted mostly of Maloideae, with fragments of oak, wild cherry/blackthorn, alder, hornbeam and willow/poplar.

Open Area 57 (OA57)

A:G164: A[117], A<28>; A[528], A<77> and A<78>

These samples were taken from fills of a Middle Bronze Age working hollow in the south-east of the site, which appeared to have been infilled by being used for refuse disposal in the Late Bronze Age. The charcoal assemblage from these samples consisted mostly of oak charcoal, although Maloideae and wild cherry/blackthorn were also recorded.

Open Areas 61 and 77 (OA61, OA77)

A:G10: A[2171], A<245>

A:G18: A[1576], A<192>, A<193> and A<200>

A:G129: A[2199], A<247>

In the Late Bronze Age settlement area in the south-west of the site, samples from a hearth, A[2171], and a refuse pit, A[1576], were analysed. The hearth material contained oak, Maloideae and wild cherry/blackthorn charcoal, along with smaller quantities of hazel, birch and field maple. The refuse pit samples were very similar to one another in composition, producing mostly oak and alder fragments. Field maple was also recorded in both samples, and Maloideae, hazel, ash and wild cherry/blackthorn were observed. A sample from the fill of storage pit A[2199] in the area to the east of this settlement area produced fragments of oak, Maloideae, wild cherry/blackthorn and hazel/alder charcoal.

PERIOD 6: TRANSITIONAL LATE BRONZE AGE AND EARLY IRON AGE, *c* 800–400 BC

Open Area 5 (OA5)

C:G4: C[46], C<1>; C[91], C<3>; C[117], C<4>; C[11/005], C<1E>

These samples came from the fills of an elongated possible quarry pit cut into the northern ditch of driveway R9, in which a fire had been set and subsequently raked out. The charcoal analysis of samples from this feature produced a varied assemblage, composed of oak, Maloideae, wild cherry/blackthorn and birch. These taxa were recorded in all four samples, and were found in relatively even proportions. Hazel/alder fragments were also recovered from three of the samples.

Open Area 60 (OA60)

A:G226: A[1080], A<124>; A[1078], A<173>

A:G228: A[1056], A<121>

This material was recovered from a working hollow to the north of driveway R1, representing the fills of pits within the working hollow (A:G226) and the disuse and infilling of the feature (A:G228). The fill of a pit of unknown function, A[1080], produced a very small quantity of charcoal, identified as Maloideae and wild cherry/blackthorn. Maloideae charcoal was also found in the fill of another pit in this area, feature

A[1078], along with alder, although a large quantity of charcoal remains from this sample were unidentifiable owing to distortion during charring. A wider range of taxa was recorded in the assemblage from A[1056], representing the disuse of the working hollow. The material from this sample was composed mostly of *Maloideae* and wild cherry/blackthorn, but also contained oak, field maple, yew and spindle tree fragments.

PERIOD 7: MIDDLE IRON AGE, c 400–100/50 BC
Seven samples from the Middle Iron Age occupation of the site were analysed for charcoal identification, and six of these were split into a sequence of phases. Samples from the working hollow OA14 in the Keymer Avenue excavation area were assigned to period 7, phases 1–2a, while samples from OA40 were assigned to period 7, phase 2c. Field System 3 (FS3) was in use throughout this period.

Open Area 14 (OA14)

B:G4: B[971], B<1051>

B:G2: B[1050], B<1098> and B<1099>

All three samples contained both oak and *Maloideae* charcoal. Hazel was also found, and B<1098> produced a relatively large quantity of hazel fragments, of which a proportion was identified as small roundwood. Other taxa found in these samples included ash, elm, wild cherry/blackthorn, birch and yew.

Open Area 40 (OA40) and Field System 3 (FS3)

A:G141: A[30], A<12> and A<13>

A:G143: A[80], A<21>

A:G153 A[1843], A<214>

Both of the samples from refuse pit feature A[30] contained only oak charcoal. Analysis of material from storage pit A[80] recorded a small assemblage comprising oak, *Maloideae* and birch fragments. A further sample from this area was analysed, taken from a possible cremation inserted into a field system ditch, A[1843]. The main taxa identified in this sample were oak and *Maloideae*, with wild cherry/blackthorn and birch also noted.

PERIOD 8: LATEST IRON AGE/EARLY ROMAN, c AD 10–150

Open Area 41 (OA41), Trackway 8 (R8) and Ditch 11 (D11)

A:G138: A[2022], A<240>

A:G35: A[2254], A<257>

A:G39: A[2221], A<251>; A[2242], A<256>

The Late Iron Age/Early Roman period of use of the site was represented in the charcoal analysis by four samples, three of which were taken from features within EN4 (from the fill of

pit A[2022], and from D11, which divided the interior of the enclosure). A further sample was taken from the disuse fill of one of the ditches of driveway R8, feature A[2254]. All four of these samples contained mostly oak charcoal fragments. *Maloideae* charcoal was also recorded, as were hazel/alder and field maple.

DISCUSSION

The samples analysed from the Peacehaven excavations for the most part comprised charcoal remains from contexts other than those representing primary burning events, and as such were likely to consist of amalgams of remains resulting from fuel wood used in domestic and or industrial hearths. While this does not lend itself to a discussion of the selection of wood taxa as fuel for specific purposes, it does allow for a broad discussion of the general use of wood as fuel at the site, and the composition of local wooded environments being exploited for firewood. However, there are exceptions to this from the Middle Bronze Age occupation of the site, where primary burning events were represented by cooking or fire pits, a burnt tree stump, and several cremations. A further possible cremation dates from the Middle Iron Age. Below, the results presented by period above are discussed thematically, focusing on fuel wood procurement and management, woodland clearance and environmental change, and the use of wood in funerary practices.

FUEL WOOD SELECTION

Neolithic and Early Bronze Age

The composition of the Early Neolithic charcoal assemblage shows that a wide range of fuel woods were selected in this period, probably encompassing a large proportion of the woody taxa that made up the local woodland and woodland margin environments. These samples contained the widest range of taxa found in any period at the site. The majority of the woody taxa observed in the samples are good fuel woods, and it is possible that other native woods which are not as suitable for fuel have been selected against. Elm and lime were not represented in the assemblage, despite the fact that these samples pre-date the decline of these taxa in the region (Somerville 2003). Alder, however, which is generally considered to be a poor firewood because of its high moisture content (Edlin 1949), was present in five of the samples analysed. This indicates the exploitation of damp, wetland margin environments for fuel procurement purposes, as well as dry woodland and woodland margins. The proportions of different taxa found in the Early Neolithic samples indicate that oak, *Maloideae* and wild cherry/

blackthorn were the most commonly used fuel woods, with other woods represented by only a few fragments, such as rose, privet/honeysuckle, hornbeam and willow/poplar. Some taxa, such as hazel and willow, and possibly also oak, may represent the remains of structural elements such as wattle screens, but the evidence in these samples alone is insufficient to identify this wood use conclusively.

A very similar assemblage of wood charcoal was found in the Late Neolithic/Early Bronze Age samples, suggesting continuity in both the composition of local wooded environments and the selection of woody taxa for fuel use between these two periods. A single sample from this period originated from a possible ritual context, a deposit of placed cattle bones in a pit cut by a driveway ditch. However, the charcoal assemblage from this sample did not provide evidence for any change in selection of firewood, and as such is unlikely to result from any ritual burning activity associated with the placing of the bones. The range of woody taxa recovered from the Neolithic and Early Bronze Age samples is comparable with other local sites from the same period, such as Redhill (Berzins 2002a), Saltwood Tunnel (Alldritt 2006c), Mile Oak Farm (Berzins 2002b), Bullock Down (Drewett 1982b) and Westhampnett (Gale 2006).

Middle and Late Bronze Age

The majority of Middle and Late Bronze Age material analysed originated from contexts representing either refuse dumps or infilling of pits and ditches, and the resultant charcoal assemblages were likely to consist of assorted remains of fuel from a variety of domestic and industrial purposes. Across these samples, oak remained the dominant taxon, as was observed in the Neolithic and Early Bronze Age charcoal remains. Again, the exploitation of taxa including *Maloideae*, wild cherry/blackthorn, hazel and ash was evidenced. During the Late Bronze Age, a greater range of taxa was observed in the assemblage, with alder, hornbeam, willow/poplar and field maple present. Of these, only field maple was not present in the earlier samples from the site, although there was an increase in the frequency of alder and willow/poplar, two wood types known for their poor burning qualities (Edlin 1949). These woods thrive in damp environments, and their presence here suggests that damp woodland and wetland margin environments were increasingly exploited for fuel wood during the Bronze Age in the study area. In general, however, there was much continuity in the most common fuel woods in the Neolithic and Bronze Age at the site.

Several samples from this period were taken from fire or cooking pits and hearths. The assemblages from the fire or cooking pits in the working hollow S9 produced a mixed assemblage dominated by oak, though also containing hazel, *Maloideae* and ash. One sample from a Late Bronze Age hearth produced a similar assemblage, in which wild cherry/blackthorn, birch and field maple were also recorded. While these samples were taken from primary burning contexts, their mixed nature cannot engender a discussion of specific fuel wood selection in these contexts. Rather, they indicate that the assemblages recovered from instances of secondary deposition of fuel remains are indicative of the woods used for fuel in the study area.

Iron Age and Roman period

Into the Iron Age and Roman phases of use of the site, the charcoal assemblage continued to be dominated by oak, *Maloideae* and wild cherry/blackthorn, with a similar range of species present in smaller quantities. This is consistent with charcoal remains from this period from other sites in the area (eg Drewett 1982b). With the exception of one possible cremation, discussed below, all the samples analysed from this period again represented secondary deposition of fuel wood remains. However, while the species composition of these remains was consistent with the remains from earlier periods, there was an increase in the quantity of birch and hazel/alder charcoal recorded. A proportion of the hazel/alder charcoal recovered consisted of small roundwood, indicating the possible management of local hazel stands through coppicing, but the predominance of other taxa suggests that any woodlands managed in this way were maintained for the production of wood for structural purposes rather than for firewood. It was only in the Iron Age phases that yew and spindle tree were recorded in the charcoal remains from the study area. These species have not been identified in many previous analyses of charcoal remains from Iron Age/Roman sites in the area (eg Challinor 2006a; 2006b; Barnett 2009), and the absence of yew in archaeological charcoal remains compared to its presence in the modern downland environment, along with beech and juniper, has been noted by Berzins (2002c). The yew tree is known to have had symbolic associations throughout history, particularly with death and immortality (Baker 1996), and as such its presence in these contexts could have resulted from a religious or ritual burning event. However, the nature of the assemblage originating from contexts not representing primary burning limits the significance of this find.

ENVIRONMENT AND WOODLAND CLEARANCE

The predominance of oak in the charcoal assemblage throughout the occupation of the site indicates that local woodland resources were plentiful. Oak was often reserved for construction purposes because of its strength and durability (Taylor 1981), and its utilisation here as fuel indicates that this tree was abundant in the landscape. As well as large trees such as oak and ash, it seems that woodland margin and hedgerow taxa were also common in the area. However, other taxa often associated with hedgerows and woodland margins, such as dogwood (*Cornus sanguinea*) and buckthorn (*Rhamnus cathartica*/*Frangula alnus*), were absent from the charcoal assemblage, which may indicate either their absence or rarity, or negative selection of these species during fuel wood procurement. The presence of alder and willow/poplar charcoal in samples from various phases suggests that damp woodland and/or wetland margin environments were also exploited for fuel procurement. However, considering the abundance of wood charcoal from woods with better burning qualities it is possible that these taxa arrived in the charcoal assemblage as remains of structural elements or artefacts which were burnt at the end of their useful life, rather than as woods which were collected for fuel use. The presence of alder charcoal in much smaller quantities in the Middle Bronze Age cooking/fire pits than in deposits from refuse and storage pits could be seen to support this hypothesis.

Middle to Late Bronze Age tree clearance in the study area was indicated by a number of tree throws in the south of the excavation area. While one of the two samples taken yielded very little charcoal, a sample from a burnt-out tree throw produced an assemblage composed almost entirely of elm, with one fragment of oak. This certainly indicates the presence of an elm tree, but it should be noted that in the charcoal assemblage from all periods of the site elm was represented by only two fragments outside this context. This suggests that while elm was present in the landscape, it was actively not selected for fuel use owing to its inferior status as a firewood (Edlin 1949). The single fragment of oak in this sample probably represented kindling used to set fire to the tree stump. Although it is likely that some clearance of trees for settlement and agricultural purposes took place at the site, as evidenced by the accumulation of colluvium in local dry valleys (Green et al 2010), there was no evidence in the wood charcoal remains to suggest that this practice limited access to woodlands for fuel wood procurement in the study area, again indicating that wood resources in the local area were abundant. As can be

seen in Table 6.30, a range of woody taxa representing different wooded environments was present in all periods of the site, with the variation in trees represented decreasing only in the Roman deposits. Studies of colluvial deposits and molluscan remains from nearby sites in Sussex have suggested that woodland clearance in the area began in the Bronze Age, but only became widespread in the Early Iron Age (Rudling 2002c; Somerville 2003), and it is likely that the limited tree flora observed in the Roman period samples from the study area is related to this process of environmental change. Unfortunately, however, the small Roman charcoal assemblage from the study area precludes a more detailed examination of this landscape development.

CONCLUSION

The wood charcoal assemblage from the study area indicated that both the local wooded environment and the woody taxa exploited for fuel changed little over several thousand years of occupation and land use at the site. Dry woodlands, woodland margins and damp woodland or wooded wetland margins existed within the local environs and were utilised for fuel procurement from the Neolithic to Roman periods. Oak, which is a valuable construction material, was commonly used as fuel in all periods, indicating that local woodland resources were not under such pressure as to limit this taxon to use for construction alone. Furthermore, it appears that taxa known to make poor firewood, such as elm, were avoided despite their presence in the landscape. Evidence of woodland management was not forthcoming from the data recorded, but it is possible that woods such as hazel and willow were managed through coppicing or pollarding for the construction of hurdles and/or wattle and daub structures. Charcoal remains from cremations dating to the Bronze Age and Iron Age indicated that a much narrower range of taxa was utilised in pyre construction than was used as fuel for other purposes. Although the woods found in cremation samples were also used for fuel across a variety of contexts, it is the almost complete exclusion of any other taxa in the cremation samples which lends itself to a ritual or religious interpretation of the choice of these woods in pyre construction. Oak dominated most of the cremation samples, as was the case in most analyses of charcoal remains from cremation pyres of this period, but the almost complete predominance of *Maloideae* taxa in three cases adds weight to the argument that these woods were also used as a primary element in pyre construction, rather than as kindling or an accidental inclusion.

6.9 CREMATED HUMAN BONE

Lucy Sibun

INTRODUCTION

Burnt human bone was recovered from five cremation burials. Two – A:G211, A[988] and A:G89, A[1106] – have been dated to period 4 (Middle Bronze Age) and three – A:G133, A[49], A[50] and A[51], located within a single cut – to period 8 (Early Roman).

METHODS

Recording and analysis of the bone followed the procedures outlined by McKinley (2004). Age estimations were carried out with reference to Bass (1987) and Buikstra and Ubelaker (1994). Age estimations were possible only as adult (A). Sex was estimated from the sexually dimorphic traits of the skeleton (Buikstra & Ubelaker 1994).

RESULTS

The results of analysis are tabulated below (Tables 6.31 and 6.32) and summarised by period. Further details are housed in the archive.

PERIOD 4: MIDDLE BRONZE AGE, c 1500–1150 BC

The first of the cremations burials dating to this period, A:G211, A[988], was located within a large pit, cut into the base of a hut platform. The second, A:G89, A[1106], was recovered from one of a series of pits, located around the periphery of a hut platform. In both cases the pits containing the burials have been interpreted as storage pits, with subsequent use for internments.

These cremation deposits were collected and processed as environmental samples, with sieve fractions of <4mm, 4–8mm and >8mm presented for analysis.

Demographic and pathological data

Both burials appeared to contain the remains of single adult individuals. Unfortunately, it was not possible to estimate age more precisely. The assemblages did not contain any sexually dimorphic fragments and no pathological lesions were noted.

Pyre technology and cremation ritual

The fragments from both burials were charred black, with none of the off-white calcined fragments present that are indicative of an efficient cremation process (Holden et al 1995a; 1995b). An inefficient cremation can result from a shortfall in the quantity of wood used for pyre construction, which affects both the temperatures achieved and the time taken for cremation (McKinley 2010, 16).

The larger of the two cremated bone assemblages was recovered from A[988], and weighed 943.5g. Cremation burial A[1106] produced slightly less at 731.8g. These weights compare well to assemblages recovered from Bronze Age cremation burials from Westhampnett, which weighed between 450g and 978g (McKinley 2006, 35). Cremations commonly average between 500g and 800g but larger quantities are more consistently found in the Bronze Age and it has been suggested that time taken for the collection of bone for burial may reflect the status of the individual (ibid, 26). A procedure that involves raking off the upper levels of the burnt-out pyre to aid bone recovery has also been suggested (ibid, 35). The 943.5g recovered from A[988] represented approximately 58% of the expected weight of cremated bone produced by an adult, whilst the fragments from A[1106] represented approximately 45% (McKinley 1993, 285). The quantities recovered from both burials may indicate that the pit fills had not been excessively truncated or disturbed.

Unurned cremation burials, without

the protection of a vessel, are usually highly fragmented, with large percentages of the bone assemblage being recovered from the smaller fractions. However, in both these assemblages, the larger fractions produced the majority. In A[988] most (43.3%) came from the 9–20mm fraction and in A[1106] the majority was present in the 21–30mm fraction (41.1%). This perhaps supports the idea that the pits suffered from minimal disturbance after the internment of the cremations.

Context no	Fragment size (mm)	Wt per skeletal element (g)					% Whole assemblage	Total Wt(g)
		Skull	Axial	Upper limb	Lower limb	Unidentified		
A[988]	0-4	3.5				39.7	4.6	943.5
	5-8	28.6	18.9	27.2	48.1	146.2	28.5	
	9-20	31.7	27.1	64.2	61	224.1	43.3	
	21-30	19.2	4.5	40.9	61.9		13.4	
	>30	7.9	4.3	18.6	65.9		10.2	
% Identifiable material		17.0	10.3	28.3	44.4			
A[1106]	0-4					37.4	5.1	731.8
	5-8	40.7	16.4	52.9	49.1	71.5	31.5	
	9-20	13.1		18.7	44.8	23.9	13.7	
	21-30	58.5	38.8	83.5	110.1	10.2	41.1	
	>30				62.2		8.4	
% Identifiable material		19.1	9.4	26.3	45.2			

Table 6.31 Summary of results from analysis of Middle Bronze Age cremation burials

Both burials contained fragments identifiable to skeletal area and in both cases the proportions represented by each skeletal area were very similar. Skull fragments accounted for 17.0% (A[988]) and 19.1% (A[1106]), whereas fragments of the less robust axial skeleton constituted 10.3% (A[988]) and 9.4% (A[1106]). In fact, very little of the less dense trabecular bone that constitutes the majority of the axial skeleton was present and this may have resulted from the on-site preservation conditions. Upper limb fragments were slightly better represented, accounting for 28.3% of A[988] and 26.3% of A[1106], and lower limb fragments were predominant in both, 44.4% of A[988] and 45.2% of A[1106]. The largest single fragment was from a femur recovered from A[988], measuring 519mm in length. Smaller elements of the skeleton – tooth roots, for example – were recovered from both assemblages. This may be a reflection of the burial ritual, suggesting *en masse* collection, rather than hand selection (McKinley 2006, 29), and has been noted elsewhere (*ibid*, 35). No animal bone or other pyre debris was present in the assemblages.

Bronze Age cremations are not uncommon in the south-east of England but many of these, as for example at Westhamnett (Chadwick 2006, 12) and Pagham (Kirk 1996), are associated with urns. However, despite this basic difference, similarities are evident in both pyre technology and assemblage composition.

PERIOD 8: LATEST IRON AGE/EARLY ROMAN,
c AD 10–150

A group of four pots was located in the upper fill of the single pit A[133]. Three of these pots, corresponding to contexts A[49], A[50] and A[51], contained human cremated material.

Demographic and pathological data

The cremated bone from all three pots was analysed separately, but there were no repeated elements present and it is possible that all three assemblages derived from one individual. The fragments from all three pots appeared to be from adult individuals but it was not possible to estimate age more precisely. A single fragment of cranium from A[51] displayed male characteristics. No pathology was noted on any fragments.

Spatial distribution

The three pots were removed from the field and subjected to careful recording and excavation in spits. Bone fragments were collected per spit and accurate plans drawn at each stage of the excavation. The excavated fill underwent flotation and all additional bone fragments recovered were included in the analysis.

Pot 1 (A[51]) was complete. The top 80mm of fill was almost completely devoid of bone, with a concentration of fragments in the lower fills. The bone appeared to be randomly spread across the base of the pot, with no distinct patterns evident.

The remaining pots (pot 2, A[49], and pot 4, A[50]) had both suffered from truncation. In pot 2, bone was recovered

Context no	Fragment size (mm)	Wt per skeletal element (g)					% Whole assemblage	Total Wt (g)
		Skull	Axial	Upper limb	Lower limb	Unidentified		
A[49] Pot 2	0-4	10.8				68.4	14.8	
	5-8	24.6	7.5	26.1	31.4	71.5	30.1	
	9-20	46.6	7.8	30.4	29.6	28.2	26.6	535.9
	21-30	42.2	13.5	29.5	30.9		21.7	
	>30	4.1		8.8	24		6.9	
% Identifiable material		34.9	7.8	25.8	31.5			
A[50] Pot 4	0-4	16.3			100.8		19.7	
	5-10	27.9	11.1	30.8	38.2	99	34.8	
	11-20	35	21.6	15.2	17.2	16.3	17.7	593.3
	21-30	51.9	16	38.6	25.9		22.3	
	>30	5.7	2.6		23.2		5.3	
% Identifiable material		28.6	10.7	17.6	42.9			
A[51] Pot 1	0-4	2.4				46.7	11.6	
	5-8	27	16.2	32.9	36.9	56.9	40.1	
	9-20	46	15.8	28.2	34.9	4	30.4	423.4
	21-30	20.5		4.8	22.4		11.3	
	>30	5.4		7.9	14.5		6.6	
% Identifiable material		32.1	10.1	23.4	34.4			

Table 6.32 Summary of results from analysis of Romano-British cremation burial

throughout the fill but there was noticeably less towards the top. The lowest two spits (3 and 4) contained the majority of the assemblage with spit 3 producing approximately 65% of it. In a similar way to pot 1, the bone was not concentrated in specific areas but randomly spread.

Despite pot 4 having suffered a small degree of truncation, it produced the largest of the three assemblages of burnt bone. The smallest quantities of bone were recovered from the upper and lower spits (approximately 7% and 10% of the total assemblage respectively). Spits three and four (of five) produced the largest quantities with approximately 30% of the assemblage each, and also contained the largest concentration of larger fragments. No other obvious distribution patterns were evident.

Given the relatively small degree of truncation evident in the burials and the fact that in all three instances the bone was concentrated towards the base of the pots, it is probable that little bone was lost as a result of post-depositional disturbance.

Pyre technology and cremation ritual

Approximately 99% of the assemblage was calcined, indicating an effective cremation process (Holden et al 1995a; 1995b). Considered separately, the weight of cremated bone present in the three pots (535.9g, 593.3g and 423.4g) represented approximately 33%, 39% and 26% respectively of the expected weight of cremated bone produced by an adult. If they are considered as a single individual, the total 1552.86g would represent 96% of the expected weight (McKinley 1993, 285). At Westhampnett, the weight of bone recovered from undisturbed, urned cremations ranged from 190.0g to 618.3g (McKinley 1997, 250). The weights above would fit well within this range, but at Westhampnett, these figures were considered slightly lower than contemporaneous sites which produced averages of 899.6g and 619.2g from similar deposits (ibid). Whilst some variation is inevitable, it may be that on-site preservation conditions were partly responsible for the differences. If, however, the three pots contained the remains of a single individual the weight would be comparatively high.

In all three pots, the majority of the bone (30.1%, 34.8% and 40.1%) was recovered from the 5–8mm fraction. These figures are not dissimilar to those noted in comparable 1st-century AD Kentish cremation burials, which range from 37.6% to 63.5% in the 10mm fraction, but are lower than the average of approximately 50% (McKinley 2010, 18). At Westhampnett, however, the degree of fragmentation was considerably higher, with an average of 55.7% recovered from

the 10mm fraction, a figure that rises to 69.8% if only the undisturbed burials are included.

All skeletal areas were represented in the three pots and in similar proportions. The axial skeleton was the least well represented in all cases, whilst the majority was formed of skull fragments in A[49] and A[51] and lower limb fragments in A[50]. The relatively low proportion of fragments from the axial skeleton is expected and common to most cremations, owing to the fact that a high percentage of it consists of the less dense trabecular bone, which is more susceptible to poor preservation conditions. The smaller elements of the skeleton, for example tooth roots or the small bones of the hands and feet, were absent. This may reflect the method of bone collection and this scarcity of smaller elements was noted in assemblages from 1st-century AD burials in Kent by McKinley, who suggested that it resulted from hand-recovery of fragments, rather than any form of *en masse* collection (2010, 18).

6.10 ANIMAL BONE

Gemma Ayton

INTRODUCTION

A small assemblage of animal bone, 344 fragments, was recovered from the excavations at Lower Hoddern Farm; no animal bone was recovered from either Seaview Avenue or Keymer Avenue. The majority of the specimens were collected by hand and a small number of fragments were retrieved from soil samples. The assemblage was in a moderate condition with many specimens showing clear evidence of surface erosion; some large but no complete fragments were recovered.

THE ASSEMBLAGE

Of the 344 fragments recovered, 228 were identified and the number of identifiable species (NISP) counts reveal the presence of an array of taxa, including cattle (*Bos taurus*), sheep/goat (*Ovis/Capra*), pig (*Sus scrofa*), red deer (*Cervus elaphus*), roe deer (*Capreolus capreolus*) and greylag goose (*Anser anser*) (Table 6.33).

METHODOLOGY

The assemblage was recorded and each fragment identified to taxon where possible. Ribs and vertebrae fragments were recorded according to size and classed as 'large mammal', 'medium mammal' or 'small mammal'. The part and proportion of bone remaining was noted along with the state of fusion and

Period	3		4	5	7	8	9
Taxon	A:G223	A:G238					
Cattle	61	8	1			1	
Sheep/goat		18					
Pig		11				3	
Red deer	5						
Roe deer		1					
Rodent		5					
Large mammal				35			2
Medium mammal		58			1	1	2
Small mammal		6					
Greylag goose		1					
Bird		3	1				
Anuran	4						
Total	70	111	2	35	1	5	4

Table 6.33 NISP count for all periods

any evidence of burning, gnawing, butchery or pathology. Tooth eruption and wear was recorded according to Grant (1982). The assemblage did not contain any measurable bones.

RESULTS

The majority of the assemblage derived from period 3 (Early Bronze Age). The assemblages from the later periods were small, composed of unidentifiable bone fragments and teeth, and will not be considered further. The period 3 assemblage was recovered from groups A:G223 and A:G238, two, large, shaft-like pits situated on the north side of the Upper Piddinghoe valley. The primary fill of pit A[1195], A:G238, consisted of sterile chalk overlain by charcoal ash and animal bone and capped with a further layer of sterile chalk (Hart 2010). The animal bone assemblage was dominated by bones of sheep/goat, the majority of which were unfused and derived from a single, neonatal animal. Cattle were represented by teeth and mandible fragments only and pigs primarily by mandibles, though one fragment of fibula was also recovered. A single fragment of femur was identified as greylag goose. No evidence of butchery was noted though three fragments of unidentifiable bones were calcified and the assemblage may have represented the remains of small-scale feasting.

The backfill of pit A[910] consisted of redeposited chalk alongside an assemblage of cattle bones, including the cranium, vertebrae, ribs, a complete right femur and the proximal end and shaft of a right tibia. Close examination of the assemblage revealed that the cattle bones probably derived from one animal and they have been identified as an associated bone group (ABG). ABGs can be full or partial articulated skeletons or disarticulated remains of the same animal, and are defined as deposits with an associated nature (Morris 2010). ABGs

have been recovered from sites dating from the Neolithic onwards, though they are relatively rare from the Neolithic and Bronze Age periods when compared to the numbers recovered from later periods (Morris 2008). Contemporary ABGs are primarily recovered from round barrows (Bullock & Allen 1997; Clutton-Brock & Jewell 2005). Cattle are the most commonly occurring taxon in terms of ABGs in the Neolithic whilst sheep/goat are more frequently found in the Bronze Age (Morris 2008). ABGs are often interpreted as having a symbolic meaning and disarticulated remains have sometimes previously been interpreted as evidence of feasting (Maltby 1990). In this case, no evidence of butchery was noted on the cattle skeleton though the partial carcass must have been dismembered before burial. This ABG may have represented a foundation deposit since pit A[910] was overlain by a stock route or droveway, and the alignment of the two suggests a deliberate association (Hart 2010). A large fragment of worked antler was recovered from the base of the pit and has been identified as a long-handled pick (RF<18>; see detailed discussion in Chapter 6.6, 'Tools').

Serjeantson's review of Neolithic and Early Bronze age faunal remains in southern Britain (Serjeantson 2011) noted that red deer antler was often recovered from the base of archaeological features. The antlers had frequently been modified into picks or rakes that were utilised whilst digging pits and ditches on Neolithic monumental sites. The presence of ABGs and worked antler strongly suggests that during the Late Neolithic/Early Bronze Age period the site had a symbolic significance, a theory strengthened by the presence of round barrow Structure 6 (Barrow 1) in the south-west corner of the site.

6.11 RADIOCARBON DATING

Peter Marshall

INTRODUCTION

Twenty-eight samples were submitted for radiocarbon dating: 27 were submitted to the Scottish Universities Environmental Research Centre, East Kilbride (SUERC) and one to Beta Analytic.

METHODOLOGY

Samples at SUERC were pre-treated using a modified Longin method (Longin 1971) (animal bone), the acid-base-acid protocol (Stenhouse & Baxter 1983) (charred plant remains and food residues adhering to the interior of pottery sherds) and following the method outlined in Lanting et al (2001)

(cremated bone). All the samples were converted to carbon dioxide in pre-cleaned sealed quartz tubes (Vandeputte et al 1996), graphitised as described by Slota et al (1987) and measured by Accelerator Mass Spectrometry (AMS) (Xu et al 2004; Freeman et al 2010).

Four submitted samples failed in pre-treatment as a result of insufficient carbon being obtained (Table 6.34).

The single sampled of charred material dated at Beta Analytic was pre-treated using the acid/alkali/acid procedure (Mook & Waterbolk 1985) and measured by radiometric methods as outlined at <http://www.radiocarbon.com/>.

QUALITY ASSURANCE

Both laboratories maintain continual programmes of quality assurance procedures, in addition to participating in international inter-comparison exercises during the period when the measurements were made (Scott 2003; Scott et al 2010).

RESULTS

The radiocarbon results are given in Table 6.34, and are quoted in accordance with the international standard known as the Trondheim convention (Stuiver & Kra 1986). They are conventional radiocarbon ages (Stuiver & Polach 1977). These ages have been calculated using the fractionation correction provided by the $\delta^{13}\text{C}$ values measured on the dated material in the AMS. These values include both the natural isotopic composition of the sample and fractionation that occurs during laboratory processing. They are not reported. The $\delta^{13}\text{C}$ values reported in Table 6.34 are those measured on subsamples of the combusted CO_2 by conventional mass spectrometry. In the case of cremated bone, the meaning of this value is currently unclear, as the natural isotopic ratio of the original bone has been fractionated during both the ancient cremation process and by the selective acid digestion of the bone used during pre-treatment. It is reported, however, in the hope that its meaning will become clear in the future.

CALIBRATION

The calibrations of the results, relating the radiocarbon measurements directly to calendar dates, are given in Table 6.34 and in Fig 6.24. All have been calculated using the calibration curve of Reimer et al (2009) and the computer program OxCal v4.1.7 (Bronk Ramsey 1995; 1998; 2001; 2009). The calibrated date ranges cited in the text are those for 95% confidence. They are quoted in the form recommended by Mook (1986), with the end points rounded outwards to ten years. The ranges quoted in italics are *posterior density estimates*

derived from mathematical modelling of archaeological problems (see below). The ranges in plain type in Table 6.34 have been calculated according to the maximum intercept method (Stuiver & Reimer 1986). All other ranges are derived from the probability method (Stuiver & Reimer 1993).

METHODOLOGICAL APPROACH

A Bayesian approach has been adopted for the interpretation of the chronology from the Early Neolithic and period 4 activity in the study area (Buck et al 1996). Although the simple calibrated dates are accurate estimates of the dates of the samples, this is usually not what archaeologists really wish to know. It is the dates of the archaeological events represented by those samples which are of interest. In the case here, it is the chronology of the Neolithic and Bronze Age activity on the site that is under consideration, not the dates of the samples themselves. The dates of this activity can be estimated by using not only the scientific dating information from the radiocarbon measurements on the samples but also the archaeological information about the relationships between samples.

Fortunately, methodology is now available which allows the combination of these different types of information explicitly, to produce realistic estimates of the dates of interest. It should be emphasised that the *posterior density estimates* produced by this modelling are not absolute. They are interpretative *estimates*, which can and will change as further data become available and as other researchers choose to model the existing data from different perspectives.

The technique used is a form of Markov Chain Monte Carlo sampling, and has been applied using the program OxCal v4.1.7 (<http://c14.arch.ox.ac.uk/>). Details of the algorithms employed by this program are available from the online manual or in Bronk Ramsey (1995; 1998; 2001; 2009). The algorithm used in the models described below can be derived from the structures shown in Figs 6.25, 6.27 and 6.29 – 6.34.

OBJECTIVES

The radiocarbon programme was designed to achieve the following objectives:

- to provide a date for the Early Neolithic activity;
- to provide dates for roundhouses;
- to provide dates for pits;
- to provide a date for the use of legume/Celtic beans;
- to provide dates for cremations;
- to provide dates for the ceramic assemblages.

Laboratory code	Sample ID	Material & context	$\sigma^{13}\text{C}$ (‰)	Radiocarbon age (BP)	Calibrated date (95% confidence)
Period 1					
SUERC-30726	ASE_DS_00009	carbonised residue from a Plain Bowl sherd in secondary fill A[640] of pit A[635]	-28.4	4855 ±35	3710–3530 cal BC
SUERC-30727	ASE_DS_00010	charred <i>Triticum</i> sp in secondary fill A[640] of pit A[635]	-23.0	4815 ±35	3660–3520 cal BC
SUERC-30735	ASE_DS_00016	carbonised residue from a Plain Bowl sherd in fill A[1204] of pit A[1202]	-25.9	4730 ±35	3640–3370 cal BC
SUERC-43285	ASE_DS_00157	charred <i>Triticum dicoccum/spelta</i> from fill A[775] of pit A[777]	-24.3	4793 ±28	3650–3520 cal BC
SUERC-43286	ASE_DS_00158	charred <i>Hordeum vulgare</i> cf var <i>nudum</i> from fill A[775] of pit A[777]	-25.6	4838 ±29	3660–3530 cal BC
Period 2					
SUERC-26247		carbonised residue on a Mortlake-style Peterborough Ware sherd from fill C[2020] of pit C[2019]	-27.1	4565±30	3490–3120 cal BC
Period 3					
SUERC-30716	ASE_DS_00001	cattle bone from the secondary fill A[911] of grave-shaped pit A[910]	-22.4*	3465 ±35	1890–1680 cal BC
SUERC-43290	ASE_DS_00159	carbonised residue on an undecorated body sherd of probable Beaker pottery from A[1199] the secondary fill of shaft-like feature A[1195]	-31.2	3751±29	2280–2040 cal BC
SUERC-43291	ASE_DS_00160	pig mandible teeth from A[1199] the secondary fill of shaft-like feature A[1195]	-21.3**	3561±28	2020–1780 cal BC
SUERC-43292	ASE_DS_00161	carbonised residue on a body sherd of the moderately coarse fabric FL6 within a relatively large broken sherd assemblage of Deverel-Rimbury from A[795], the possible layer of metallurgy within the possible pond barrow S9	-28.3	3240±29	1610–1430 cal BC
Period 4					
SUERC-30717	ASE_DS_00002	charred <i>Triticum</i> sp in fill A[1039] of pit A[1038]	-22.9	3015 ±35	1400–1120 cal BC
SUERC-30718	ASE_DS_00003	charred <i>Hordeum</i> sp in fill A[1045] of pit A[1044]	-23.6	3070 ±35	1430–1260 cal BC
SUERC-30719	ASE_DS_00004	carbonised residue from the base of an urn-like vessel of a similar type to those seen in other Middle/Late Bronze Age groups but in a slightly unusual fabric – possibly non-local Deverel-Rimbury – in fill A[951]=A[1006] of pit A[987]=A[952]	-26.1	3115 ±35	1450–1300 cal BC
SUERC-30720	ASE_DS_00005	calcined cf human bone from fill A[1006] of pit A[987]=A[952]	-21.0	3045 ±35	1420–1210 cal BC
SUERC-30724	ASE_DS_00007	charred <i>Triticum</i> sp from primary fill A[164] of pit A[165], a 'single-event deposit'	-24.0	3095 ±35	1440–1260 cal BC
SUERC-30725	ASE_DS_00008	charred <i>Vicia faba</i> from primary fill A[164] of pit A[165], a 'single-event deposit'	-24.4	3060 ±35	1420–1210 cal BC
SUERC-30729	ASE_DS_00013	charcoal, <i>Ligustrum/Lonicera</i> sp, in fill A[593] of cremation A[592]	-27.0	3000 ±35	1390–1120 cal BC
SUERC-30730	ASE_DS_00014	charcoal, cf Maloideae, in fill A[602] of cremation A[601]	-26.9	3065 ±35	1420–1220 cal BC
SUERC-30736	ASE_DS_00017	charcoal, cf Maloideae, in fill A[1033] of pit A[1032]	-26.3	3015 ±35	1400–1120 cal BC
SUERC-30737	ASE_DS_00018 CONTINGENCY	charred plant remains, <i>Pisum</i> sp, in fill A[510] of pit A[508]	-25.1	3020 ±35	1400–1130 cal BC
Period 5					
SUERC-30734	ASE_DS_00015	carbonised residue from a post-Deverel-Rimbury Plain Ware pottery sherd in A[1578] of pottery dump pit A[1576]	-26.0	2965 ±50	1380–1010 cal BC
Period 7, ph 2b					
SUERC-26246		carbonised residue on a pottery sherd (quartz-rich fabric Q2 from a broken sherd assemblage of small/moderate size) from B[862]	-27.5	2260±30	400–200 cal BC
Period 7, ph 2c					
SUERC-30728	ASE_DS_00011	charred <i>Triticum</i> sp in the fill A[1693] of a posthole A[1692]	-25.8	4890 ±35	3720–3630 cal BC
Evaluation					
Beta-192615	PTW04-70	charred material from fill A[70] of ditch A[71]	-25.0 (assumed)	2190±120	520 cal BC – cal AD 60
Failures					
GU22072	ASE_DS_00012	cremated bone from fill A[1697] of posthole A[1696]		failed insufficient carbon	
GU22066	ASE_DS_00006	carbonised residue on a pottery sherd from fill A[522] associated with the Deverel-Rimbury structured deposit from cut A[521]		failed insufficient carbon	
GU28831	ASE_DS_000162	carbonised residue on a pottery sherd from layer A[1056], a later infilling of a working hollow or hut platform.		failed insufficient carbon	
GU22079	ASE_DS_00019 CONTINGENCY	charred <i>Vicia</i> sp from fill A[510] of pit A[508]		failed insufficient carbon	

*other isotopic measurements on sample include: $\sigma^{15}\text{N}$ (‰) = 4.0‰ and C:N = 3.8**other isotopic measurements on sample include: $\sigma^{15}\text{N}$ (‰) = 7.3‰ and C:N = 3.2

Table 6.34 Radiocarbon results from the study area

Fig 6.24 Probability distributions of radiocarbon dates from the study area. The distributions are the result of simple radiocarbon calibration (Stuiver & Reimer 1993)

RESULTS

PERIOD 1: EARLY NEOLITHIC, c 3700–3300 BC

Five measurements (Table 6.34) from four contexts provide a basis for dating the Early Neolithic activity in the study area. The five measurements (SUERC-30726–7, SUERC-30735 and SUERC-43285–6) from Open Area 43 (OA43) are statistically consistent ($T'=8.1$; $v=4$; $T'(5\%)=9.5$; Ward & Wilson 1978) and could therefore all be of the same actual age.

The residual single charred grain of *Triticum* sp (SUERC-30728) from the fill A[1693] of posthole A[1692]

from Iron Age roundhouse Building 3 is also probably part of this episode of activity although the six Early Neolithic determinations are not statistically consistent ($T'=12.9$; $v=5$; $T'(5\%)=11.1$).

The model in Fig 6.25 shows good agreement ($A_{\text{model}}=116$) between the radiocarbon dates and the prior information – in this case that the results come from a single phase of activity (Buck et al 1992). It provides an estimate for the start of Neolithic activity of 3770–3630 cal BC (91% probability, Fig 6.25, *start_Neolithic*) and probably 3690–3640 cal BC (68%

Fig 6.25 Probability distributions of radiocarbon dates from the Early Neolithic activity in the study area. Each distribution represents the relative probability that an event occurred at a particular time. For each of the radiocarbon dates two distributions have been plotted, one in outline, which is the result of simple calibration, and a solid one, which is based on the chronological model used. Distributions other than those relating to particular samples correspond to aspects of the model. For example, the distribution Boundary start_Neolithic is the estimated date when that activity began at the site. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 6.26 Probability distribution showing the number of calendar years during which Early Neolithic activity occurred in the study area. The distribution is derived from the model shown in Fig 6.25

probability). This activity ended in 3645–3470 cal BC (95% probability; Fig 6.25, *end_Neolithic*) and probably in 3640–3595 cal BC (50% probability). The overall span of Neolithic activity may have been as much as 1–260 years (95% probability; Fig 6.26, *Span Neolithic*), but given the low number of results this is probably an overestimate (Steier & Rom 2000) and the actual span may lie closer to 1–150 years (68% probability).

PERIOD 2: LATER NEOLITHIC, c 3500–2250 BC

The date (SUERC-26247) on a carbonised residue from a Mortlake-style Peterborough Ware sherd from fill C[2020] of pit C[2019] suggests that infilling of the feature took place in 3490–3120 cal BC (95% confidence).

PERIOD 3: EARLY BRONZE AGE, c 2250–1500 BC

Although not directly dated, the establishment of the Bronze Age Field System 4 (FS4) occurred after the infilling of the possible pond barrow Structure 9 (S9) (SUERC-43292) and deposition of the structured deposit in A[911] (SUERC-30716) beneath Trackway 1 (R1). The later of these, SUERC-43292, provides a *terminus post quem* for the field system of 1610–1430 cal BC (95% confidence).

The two measurements (SUERC-43290–1) from the secondary fill of shaft-like feature A[1195] are not statistically consistent ($T'=22.3$; $v=1$; $T'(5\%)=3.8$) and show that its infilling incorporated material of different ages. The discrepancy between the ages, one on a tooth from a pig mandible (SUERC-43291) and the other from a residue on a sherd of Beaker pottery (SUERC-43290), highlights the problems of dating ceramic assemblages and the need to target residues rather than material from the same context.

PERIOD 4: MIDDLE BRONZE AGE, c 1500–1150 BC

Ten results from eight contexts form a coherent group of Bronze Age activity associated with period 4.

Four results are available from three cremations. A single fragment of *Maloideae* charcoal was dated (SUERC-30730) from fill A[602] of cremation A[601]. A single fragment of *Ligustrum/Lonicera* sp charcoal was dated (SUERC-30729) from fill A[593] of cremation A[592]. Finally, two results are available on a fragment of calcined bone (SUERC-30720) and a carbonised pottery residue (SUERC-30719) from fills A[1006] and A[951]=[1006], respectively, of cremation pit A[987]=A[952]. These two results are statistically consistent

($T'=2.0$; $v=1$; $T'(5\%)=3.8$), which could indicate the two results are the same age.

Two samples were submitted from fill A[164] of pit A[165], which contained a 'single-event deposit' and also contained Celtic bean (*Vicia faba*). A single *Vicia faba* bean produced one result (SUERC-30725), while a single grain of charred *Triticum* sp produced the second (SUERC-30724). These two results are statistically consistent ($T'=0.5$; $v=1$; $T'(5\%)=3.8$), which could indicate the two results are the same age.

Three results are available from as many pits associated with roundhouse Building 6 (B6). A single fragment of Maloideae charcoal was dated (SUERC-30736) from fill A[1033] of pit A[1032]. A single grain of charred *Hordeum* sp was dated (SUERC-30718) from fill A[1045] of pit A[1044], while a single grain of charred *Triticum* sp was dated (SUERC-3071) from fill A[1039] of pit a[1038].

The model in Fig 6.27 shows good agreement (Amodel=98) between the radiocarbon dates and the prior information – in this case that the results come from a single phase of activity (Buck et al 1992). It provides an estimate for the start of Bronze Age activity of 1440–1305 cal BC (95% probability; Fig 6.27, *start_period_4*) and probably in

1410–1340 cal BC (68% probability). This activity ended in 1375–1210 cal BC (95% probability; Fig 6.27, *end_period_4*) and probably in 1360–1255 cal BC (68% probability).

The overall span of Bronze Age activity may have been as much as 1–195 years (95% probability; Fig 6.28, *Span period 4*) but, given all the dates are statistically consistent ($T'=10.5$; $v=9$; $T'(5\%)=16.9$) and could be the same actual age, the span is probably much closer to 1–95 years (68% probability).

THE WIDER PICTURE

EARLY NEOLITHIC

A model for the chronology of Early Neolithic activity in Sussex suggests that new practices began here in 3950–3710 cal BC (95% probability; Fig 6.29, *start_Sussex_Neolithic*). The activity in the study area would therefore seem to be contemporary with the main phase of causewayed enclosure activity across southern Britain that took place in the 37th century BC (Bayliss et al 2011) and not the initial spread of Neolithic things that occurred from the 41st century BC.

Fig 6.27 Probability distributions of radiocarbon dates from the Middle Bronze Age activity in the study area. The model is as described in Fig 6.25. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 6.28 Probability distribution showing the number of calendar years during which Middle Bronze Age activity occurred in the study area. The distribution is derived from the model shown in Fig 6.27

Fig 6.29 Probability distributions of radiocarbon dates with diagnostically Early Neolithic associations. The format is the same as for Fig 6.25. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

CERAMICS

In order to place the pottery chronology obtained in the study area within a wider context, a review of existing radiocarbon determinations relating to Early Neolithic Plain Bowl, Deverel-Rimbury and post-Deverel-Rimbury plain ware ceramics in central southern England was undertaken. This work follows on from recent syntheses to provide chronological models for these ceramic traditions – Early Neolithic Plain Bowl (Bayliss et al 2011), Deverel-Rimbury (Ladle & Woodward 2009) and post-Deverel-Rimbury plain wares (Best & Woodward 2012). In addition, work on Beakers (Marshall in prep) and Peterborough Ware (Marshall et al in prep) was used to provide a national context for these traditions.

Early Neolithic Plain Bowl

The Early Neolithic sherds from A[640] and A[1204] are both large unabraded body sherds, but ones from very substantial pottery groups with diagnostic Plain Bowl sherds in very similar fabric types. The estimated dates for these two sherds (SUERC-30735 and SUERC-30726) is within the currency for Plain Bowl in southern Britain (Bayliss et al 2011) (Fig 6.30).

Peterborough Ware

The carbonised residue on a Mortlake-style Peterborough Ware sherd from fill C[2020] of pit C[2019] is the earliest scientifically dated example of this style from England and Wales (Fig 6.31).

Beakers

A carbonised residue on an undecorated body sherd of probable Beaker pottery from secondary fill A[1199] of shaft-like feature A[1195] is important for three reasons: first, it is the first Beaker sherd to be directly dated (residues are extremely uncommon on Beakers); second, it is from a non-

funerary context; third, it is the first Beaker from East Sussex to be radiocarbon-dated. The date for this sherd is within the currency for Beakers in England (Marshall in prep) (Fig 6.32).

Deverel-Rimbury wares

The dates from A[951] (SUERC-30719) – an intact base of a deliberately placed but truncated vessel (probably of a Deverel-Rimbury style urn) – and A[795] (SUERC-43292) a body sherd of the moderately coarse fabric FL6 within a relatively large broken sherd assemblage of Deverel-Rimbury vessels are consistent with the currency of Deverel-Rimbury-style vessels from central southern England (Ladle & Woodward 2009) (Fig 6.33).

Post-Deverel-Rimbury plain wares

The residue on a large body sherd (SUERC-30734) from a pit containing a huge dump of post-Deverel-Rimbury plain ware pottery in pit A[1576], much of which showed evidence of being production waste, was of a similar fabric type to the probable kiln products but, unlike most of the sherds, it showed evidence of use. The date for this sherd is in agreement with the currency for post-Deverel-Rimbury plain wares in central southern England (Best & Woodward 2012) (Fig 6.34).

CONCLUSIONS

Radiocarbon dating has provided a broad chronological framework for interpreting activity in the study area. The direct dates on residues adhering to ceramics are extremely important for developing precise chronologies for the currency of prehistoric ceramic styles both on a regional and national scale.

Fig 6.30 Probability distributions of radiocarbon dates associated with Plain Bowl pottery from southern Britain. The format is the same as for Fig 6.25. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 6.31 Probability distributions of radiocarbon dates associated with Peterborough Ware from England and Wales. The format is the same as for Fig 6.25. The component sections of this model are shown in detail in the site archive. The large square brackets down the left hand-side along with the OxCal keywords define the model exactly

Fig 6.32 Probability distributions of radiocarbon dates associated with Beakers from England. The format is the same as for Fig 6.25. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 6.33 Probability distributions of radiocarbon dates associated with Deverel-Rimbury ceramics from central southern England. The format is the same as for Fig 6.25. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

Fig 6.34 Probability distributions of radiocarbon dates associated with post-Deverel-Rimbury plain ware ceramics from central southern England. The format is the same as for Fig 6.25. The component sections of this model are shown in detail in the site archive. The large square brackets down the left-hand side along with the OxCal keywords define the model exactly

CHAPTER 7 CONCLUSIONS

7.1 INTRODUCTION

During the course of the detailed period-based descriptions and discussions presented so far, it has been possible to tease out a number of overarching social, cultural and economic themes that transcend period-specific narratives of human occupation in the study area. It seems appropriate here, therefore, to close with a brief reconsideration of the evidence from a thematic viewpoint the better to identify the direction and structure of future research in the wider area.

7.2 LANDSCAPE AND ENVIRONMENT

The natural topography of the study area can be seen to have exerted an influence on activity throughout the area's occupation. At a very broad level, the unique geological and topographic aspects that characterise the environs of the study area may have proved attractive to settlement from the Mesolithic onwards. Early Neolithic occupation appears to have favoured a strategic upland position, overlooking the Upper Piddinghoe valley, in the bend between the east–west and north–south sections of the valley. Even the rigid alignments of the Later Neolithic and Early Bronze Age monumental landscape, which at first glance appear to have taken no account of the natural topography whatsoever, may have made subtle use of the natural valley form to manipulate monument visibility from different parts of the site.

Subsequently, during the Later Bronze Age, Iron Age and Roman periods, settlement and cultivation appear to have been concentrated on the uplands and the shallower slopes of the upper margins of the valley system, although there is convincing evidence for a certain symmetry in the layout of the Later Bronze Age field systems and settlements on either side of the valley. By contrast, there is very little evidence for activity either on the steep flanks of the valley itself or in the valley floor. Admittedly, this might be a factor, in part at least, of the nature of the investigations at Lower Hodder Farm, with examination of the deep colluvial sequences within the main dry valley necessarily limited to trenching. Previous work on colluvial sequences in the South Downs has highlighted a particular potential for Beaker occupation in valley floor locations (eg Bell 1983; Allen 2005b). In view of the relatively limited investigation of the dry valley sequences within the

study area, it is impossible categorically to discount the possibility of settlement of any period on the floor of the valley itself. However, the sum of the available evidence suggests that the valleys within the study area may have been given over principally to pasture throughout the duration of occupation.

In terms of the local environment, analysis of the mollusca recovered from colluvial sequences demonstrated that a relatively stable, dry, calcareous grassland environment persisted within the study area throughout much of its occupation. This almost certainly reflects an anthropogenically modified environment, largely cleared of trees, although the charcoal assemblage certainly indicated a range of wooded habitats in the wider environs of the study area, including dry woodlands, woodland margins and damp woodland or wooded wetland margins. Geoarchaeological analysis of the dry valley sediments contained within the Upper Piddinghoe valley indicated the presence of a small stream channel in the floor of the valley although unfortunately this channel can only be very broadly dated to the Early Neolithic–Roman periods on the basis of associated molluscan assemblages.

While both the rate and date of tree clearance within the study area remains very poorly defined, the balance of the evidence suggests clearance was under way during the third millennium BC, perhaps gaining pace during the Later Iron Age and Roman periods, on the basis of the more limited woodland taxa evident in the charcoal assemblages in Roman contexts.

7.3 CEREMONY AND RITUAL

DEPOSITION

Undoubtedly the most persistent and pervasive of ritual traditions present in the study area is that of structured deposition, defined here very broadly in terms of the deliberate deposition of selected material for demonstrably non-utilitarian purposes. The tradition is certainly well attested in the study area from the Early Neolithic onwards and appears to have persisted throughout the Bronze Age, although there is significantly less evidence for comparable forms of structured deposition in Iron Age and Roman contexts. Quite different depositional preferences appear to be at work during these later periods. Throughout both the Neolithic and the Bronze

Age structured deposition appeared to consist primarily of deposition in pits. It is important, however, to recognise that the apparent predominance of below-ground pit deposition may well be a consequence of archaeological survival as much as of particular and deliberate depositional preference. Other forms of structured deposition, on contemporary ground surfaces, for instance, would remain entirely unrepresented in the archaeological record in all but the most extraordinary of circumstances. At any rate, while the general mode of deposition within pits appeared to remain relatively constant throughout the Neolithic and the Bronze Age, significant variation in the specific manner of pit deposition is evident within the excavated corpus of such features in the study area. To an extent, some of these apparent differences may reflect chronological variation. The gradual trend towards increasing formalisation in structured pit deposition, for example, has already been touched upon and such patterns are certainly evident in the study area. Similarly, it appears that, on the whole, Neolithic and Early Bronze Age pits were excavated specifically for acts of deliberate deposition, while Later Bronze Age depositional practice seemed to revolve around the reuse of pre-existing features such as storage pits. In this respect, the suggestion that Early Neolithic pit deposition involved a similar reuse of pre-existing pits is certainly interesting but further research is required to counter some of the arguments to the contrary, which are based on demonstrable differences in comparison to later grain storage pits in pit size, shape, condition and methods of infilling (Thomas 1999, 64–74).

Issues of initial pit function aside, it may be more appropriate to view the discernible differences in the relative composition and method of infilling of Neolithic and Bronze Age pits as a reflection of the intended purpose of specific depositional acts. Early Neolithic and Later Bronze Age pit deposits in the study area, for example, appear to have functioned primarily in terms of marking particular events in life cycles of occupation and this may be reflected in the choice of material for incorporation in pit deposits, which is dominated by domestic items such as pottery or querns. Early Bronze Age pit deposits in the study area, on the other hand, appear to have functioned principally within the context of changing approaches to land division and ownership and the fills of these features contrast sharply with those of both earlier and later periods, being dominated by the deliberately selected elements of particular animals, with little or no pottery or similar items of a household inventory such as typify earlier or later pit deposits. Another notable aspect of Neolithic and Bronze

Age pit deposition is the apparently deliberate incorporation of older material. This is most clearly seen in the incorporation of material from surface middens within pits of Neolithic and Early Bronze Age date but also includes the burial of curated Neolithic axe fragments in Middle Bronze Age depositional contexts.

MORTUARY RITUAL

Evidence for mortuary practice in the study area was limited, consisting of a small number of cremations of Middle Bronze Age and Roman date. The extant cremations from both periods can be fairly confidently related to settlements within the study area. The majority of Middle Bronze Age cremations, for instance, can be directly related to settlement 1 and occurred both within houses in that settlement and within a small cemetery a short distance away. There were clear differences in the composition of the cremations in these two depositional contexts: those within buildings produced significantly more calcined bone than those within the associated cemetery, which may be better interpreted as token deposits of pyre material. It seems probable, therefore, that the cemetery and the buildings were the focus of quite different practices concerning the collection and deposition of cremated human remains and it is at least possible that elements of the same cremations were present in both locations. At any rate, it is interesting to note that those cremations associated with buildings occurred within defunct storage pits and can therefore be related to the long-standing traditions of pit deposition discussed above.

The Roman cremations were located within the Early Roman farmstead represented by Enclosures 4 and 5 (EN4 and EN5). Unlike the Middle Bronze Age cremations, which were exclusively unurned, they occurred within small cremation vessels of some antiquity, probably drawn from the household inventory. In both periods, the cremations appeared to represent final acts of deposition, either within individual buildings, as in the Middle Bronze Age or, in the context of the Roman cremations, within the settlement as a whole. It would appear that the death of individuals and the end of the buildings and settlements that they inhabited were seen as inextricably linked.

The absence of any burial evidence during the Late Bronze Age or Iron Age within the study area is entirely consistent with the wider evidence, which suggests the disappearance of archaeologically visible burial rites between the end of the Middle Bronze Age and the beginning of the Late Iron Age (Brück 1995; Hill 1995a), but the character of Neolithic

and Early Bronze Age burial traditions is rather less well understood. There was certainly no good evidence to suggest that either of the two round barrows excavated in the study area were specifically intended as funerary monuments. Indeed, within the context of organisation of the wider monumental landscape of the study area, these particular monuments might perhaps be better interpreted as essentially non-funerary in function, possibly as markers or cenotaphs.

MONUMENTS, MEMORY AND TRADITION

The existence of an extensive and highly organised monumental landscape across the study area, maintained and modified over a millennium or more, is a clear testament to the continued importance of ritual and ceremony to the communities which used it, despite the fact that the nature of the rituals represented both by the individual monuments and the wider landscape as a whole remains frustratingly elusive. Extensive plough truncation and an almost total absence of associated finds or environmental evidence has inevitably limited considerations of monument date, form and function to very general descriptions, largely based on analogy with other equally poorly dated and preserved monuments elsewhere. Nonetheless, the organisation and evolution of the Later Neolithic and Early Bronze Age landscape remains a key aspect in the history of occupation in the study area and a welcome contribution to our understanding of the organisation of the wider monumental landscape of Sussex and the South Downs. Of particular significance are the ways in which the individual components of this organised landscape articulated not only with one another but with the remains of earlier periods and the profound developments of the subsequent Later Bronze Age. Overall, the impression is of a deep-rooted respect for tradition and history in which earlier points in the landscape were continually referenced and retained by later activity. The zone of Early Neolithic pitting in the far north-east of the Lower Hodder Farm site, for example, appeared to act as a focus in the development and alignment of the Later Neolithic and Early Bronze Age monumental landscape. Similarly, the placement of Early Bronze Age pit deposits in relation to pre-existing monument alignments and the subsequent placement of the Middle Bronze Age settlement 1 around ring-ditch Structure 7 (S7) represented deliberate attempts to reference the earlier monumental landscape, even while it was in the process of being carved up by new forms of permanent land division.

7.4 SETTLEMENT AND SUBSISTENCE

SUBSISTENCE AND FARMING

Diccon Hart with a contribution by Karine Le Hégarat

The earliest evidence for subsistence dates to the Early Neolithic and consists of charred plant remains within a group of Early Neolithic pits. The evidence from these pits indicates that the crop economy was not entirely dependent on a single cereal – wheat (mostly glume wheat, including emmer) and barley (including both naked and hulled varieties) were represented in the Early Neolithic assemblages of charred plant remains, as well as legumes, flax seeds and hazelnut shell fragments. The Early Neolithic is associated with the adoption of farming and a major change in diet, although archaeological evidence for Neolithic plant resources remains uncommon. As a result, it is difficult to overestimate the importance of the findings from the study area.

Arguably one of the most significant aspects of the archaeology of the study area is the way in which the results of the project contribute to our understanding of the origins of permanent land division in southern Britain. In this respect, it is perhaps not so much the exceptionally early date for the appearance of land division in the study area that is of greatest significance but rather the fact that this merely marked the culmination of long-term processes of change in the way land ownership was organised and agreed, processes which spanned the first few centuries of the second millennium BC. Similar processes of change have been observed elsewhere, most notably at Heathrow Terminal 5 (Lewis 2010), but it remains the case that sites with taphonomically secure radiocarbon dates confirming the early origins of land division in Britain are exceptionally rare.

From the Middle Bronze Age onwards, settlement and subsistence came to the forefront of archaeological visibility in the study area, largely at the expense of the organised monumental landscape of the preceding periods, although, as stated above, certain individual monuments appeared to be retained. There is little doubt that the communities of the Neolithic and Early Bronze Age were farmers but there was very little direct evidence for farming strategies at this time. Even if the subsistence base remained relatively unchanged between the Early and Middle Bronze Ages, the appearance of large-scale field systems across the study area by the middle of the second millennium BC certainly indicates a profound and permanent change in the ways in which the exploitation of the landscape was managed. The arable economy of the Later Bronze Age included wheat, barley and pulses, while

the dominance of trackways and stock-sorting complexes within the associated field systems attested to the importance of animal husbandry during this period. The almost complete absence of any animal bone from Later Bronze Age contexts necessarily limits any discussion of the precise composition of the pastoral economy, though the size and layout of the stock-sorting complexes, perhaps coupled with the absence of any good evidence for watering holes in the Later Bronze Age landscape, might suggest a predominantly sheep-based pastoral regime. The Later Iron Age and Early Roman periods were characterised by an increasing emphasis on the pastoral economy and this was reflected in the large-scale reorganisation of the agricultural landscape, marked by the creation of new enclosures and trackways capable of handling large herds. By contrast, the arable component of the Later Iron Age and Roman economy seemed to be slightly more restricted: wheat and barley continued to dominate, although recorded quantities were smaller than those of the Later Bronze Age, and there was no evidence for the cultivation of other crops such as pulses.

BUILDINGS AND SETTLEMENT

There was no good evidence for buildings or settlement within the study area before the Middle Bronze Age, though it must be said that settlement evidence for these periods remains exceptionally rare nationally. By contrast, five roundhouses of Middle Bronze Age date were excavated across the study area. The Middle Bronze Age settlement pattern was entirely consistent with the wider evidence, consisting of a small settlement of three buildings with further isolated outliers, all situated within a wider field system. Many of these buildings survived only in fragmentary form but in construction and layout they all generally conformed to the evidence from elsewhere, both in Sussex and further afield, consisting of roundhouses with internal post-ring roof construction. Only Building 16 (B16) may have represented a variation on this typically 'Sussex style' of construction, with possible external roof-support posts, although the only partial exposure of this building necessarily limits any discussion of its specific construction. Settlement composition in the Middle Bronze Age landscape was again consistent with the evidence from elsewhere (eg Ellison 1981), consisting of a main residential unit with one or more ancillary buildings, set within a small ditched compound.

Late Bronze Age building evidence was, by contrast, significantly less well represented though this, again, is consistent with the wider evidence (Hamilton 2003). The only building that could be positively assigned to this period

was a rare example of a D-shaped structure which may or may not have represented a workshop associated with pottery production (see below).

In view of the exceptional rarity of Middle Iron Age buildings in Sussex (Hamilton 2003), it is difficult to overestimate the importance of the six well-preserved buildings of this date excavated at Keymer Avenue. Perhaps of even greater significance, however, is the fact that, while the roundhouse is often regarded as the archetypal Iron Age building type, five of the six excavated Middle Iron Age buildings in the study area were rectangular structures. These generally consisted of post-built rectangular or square buildings, measuring between $7.6 \times 7.4\text{m}$ and $14.45 \times 8.4\text{m}$ across, often with bowed ends and occasionally with internal subdivision and roof supports. Broadly speaking, the buildings were comparable in construction and layout to contemporary structures excavated in the Severn Estuary (Bell et al 2000) and perhaps with some Continental long houses of the period. They appeared to represent byre houses, providing accommodation for both livestock and humans, and may have been related to seasonal occupation within the study area. Only when the commitment to farming in the study area necessitated permanent occupation was a roundhouse considered necessary and desirable, perhaps as a means of negotiating year-round occupation and the annual agricultural cycle by using the circular form and specific orientation of the roundhouse to embody certain cosmological themes. While the difference between round and rectangular buildings has been interpreted chiefly in terms of the changing nature of occupation in the study area, it is notable that a number of Early Iron Age rectangular buildings are known elsewhere in the South Downs and a localised tradition of rectangular building construction in the Iron Age remains a distinct possibility.

If the rectangular Middle Iron Age buildings within the study area were examples of a rare and unusual type for the period, the evolution and composition of Middle Iron Age settlement as a whole compared rather better to contemporary settlements elsewhere. This consisted of several functionally distinct areas, including dedicated areas for industry, crafts, refuse disposal, accommodation, food storage and livestock. In particular, the transition from unenclosed to enclosed settlement is a common trait observed across Britain during this time.

Roman settlement in the study area was consistent with that of the small native farmsteads which were such a common feature of the rural landscape of the South Downs during the Roman period. The evidence points to the partial reoccupation

of elements of the pre-existing Iron Age enclosure system following a brief period of abandonment during the Late Iron Age. However, this period of occupation appeared to be relatively short-lived, for there was no good evidence for occupation in the study area beyond the earlier 2nd century AD. The partial preservation of the main area of Roman settlement *in situ* necessarily limits discussion of the finer points of Roman settlement and no good evidence for any buildings was apparent anywhere in the study area.

7.5 PRODUCTION AND INDUSTRY

Evidence for production and industry in the study area was limited and, where present, appeared to be entirely consistent with small-scale production within the context of domestic settlement. Evidence for textile production, for instance, was apparent during the Late Bronze Age and Middle Iron Age periods in the form of occasional spindle whorls and loom weights, while small-scale salt production was attested from the Middle Bronze Age onwards. Given the inland location of the site, this latter activity would appear to have represented the final stage of salt production only, with much of the initial reduction of seawater undertaken in an off-site location, presumably closer to the coast or the estuary of the Ouse. Pot production was particularly well attested during the Late Bronze Age in settlement 2 and included misfired wasters, significant quantities of calcined flint, which may or may not be evidence for the production of flint temper, and the D-shaped B15, which may have been a workshop or similar building. Likewise, the abundance of calcined flint within the Open Area 14 (OA14) working hollow associated with the unenclosed phase of the Middle Iron Age settlement 3 may have represented activities associated with the production of potting temper, although this remains uncertain, given that much of the fire-cracked flint from this working area was apparently discarded on the adjacent middens of OA15. It may be more likely that this material was the by-product of other activities relating to the heating or evaporation of liquids and/or food preparation.

7.6 FUTURE RESEARCH

The examination of some 32ha of a prehistoric downland landscape has answered many questions about the changing character of human occupation through time in this area of

the South Downs but the story is far from complete. There are not only significant gaps and uncertainties in the present evidence, but ongoing fieldwork and research continues to contribute new data by which we can reassess the evidence garnered so far. It is interesting to note, for example, that at the time of writing additional excavations are in progress on two further sites, immediately to the east and west of the Middle Iron Age enclosure complex at Keymer Avenue. The following paragraphs, therefore, attempt to identify some fruitful avenues for future research, in order both to contextualise the archaeology of the study area better and to improve understanding of the archaeology of the wider region.

Although a significant group of Early Neolithic pits was present within the study area, the precise character of Early Neolithic occupation, both within the study area and in Sussex generally, remains very poorly understood. In particular, understanding the ways in which archaeologically observable pit deposits articulate with less easily defined elements of Neolithic occupation is a key priority for future research. This is a subject that has received considerable attention in recent years (eg Anderson-Whymark & Thomas 2012; Munnery 2013) but much remains to be done. For example, the extent to which Neolithic pits were excavated specifically for depositional purposes or represented utilitarian features subsequently reused for ritual purposes may well prove a fruitful avenue of research. The ways in which pit cluster sites such as that excavated within the study area compare and relate to broadly contemporary activities at nearby causewayed enclosure sites such as Whitehawk Camp is also a subject which would benefit from further research, especially in light of the apparent differences in pottery use and deposition noted above.

The Later Neolithic was very poorly represented in the study area and the character of occupation in general and of certain activities in particular, such as pit deposition, remains imperfectly understood. The ongoing excavations to the east of Keymer Avenue appear, however, to have identified a significant number of Peterborough Ware pit deposits which will form a valuable contribution to our understanding of the character of Middle Neolithic activity in the wider vicinity of the study area. Specifically, there is a very real potential to examine more thoroughly the nature of depositional practice as related to Peterborough Ware, both in itself and as part of broader trends in Neolithic and Bronze Age depositional practice.

The ways in which the articulated and organised landscapes of the Later Neolithic and Early Bronze Age worked and were used by the communities that built and maintained them should be a clear priority for future work. Refining the

chronologies of monument construction and use and the ways in which past communities interacted with their own historic landscapes have both been highlighted in reassessments of the regional evidence for these periods (Garwood 2008). Within the conceptual framework of the development and organisation of landscapes during the later third and earlier second millennium BC, the role of changing approaches to land division and ownership is of particular importance and further, well-dated, examples of Early Bronze Age boundaries and pit deposits comparable to those identified within the study are essential to understanding processes of change in the organisation of the landscape during this period. In view of this, great emphasis must be placed on the importance of large-scale exposures of prehistoric landscapes in order not only to see better how they worked but, perhaps more importantly, to identify the exceptionally rare instances of taphonomically secure dating evidence for the establishment of individual components of these extensive landscapes.

The specific composition and development of Later Bronze Age settlements is also a subject which would benefit from further work. In terms of Middle Bronze Age settlement, more data are needed regarding the exact function of the various buildings which make up these settlements and their relationships, both functional and temporal, to one another. The character of the Middle–Late Bronze Age transition has also been highlighted as a research priority, as has the nature of Later Bronze Age occupation beyond the South Downs in Sussex (Hamilton 2003). Late Bronze Age buildings and settlement are also poorly represented in Sussex and further data are required to place the nature of Late Bronze Age settlement and architecture within the study area more firmly in context.

The available evidence suggests that occupation of the South Downs during much of the Iron Age may have been quite uneven in its distribution but significantly more data are needed to test this assertion. Further fieldwork is certainly necessary to elucidate the specific character of Early Iron Age occupation in the downland block defined by the rivers Adur and Ouse (in which the study area lies) and a similar case can be made for Middle Iron Age activity. Presently, the extensive enclosure complex uncovered at Keymer Avenue stands in relative isolation in the context of a downland landscape only minimally occupied at this time. The extent to which the Middle Iron Age of eastern Sussex can be described in terms of a dire lack of dynamism (Hamilton 2003, 78) can now surely be questioned, but the wider implications of the Middle Iron Age activity revealed at Keymer Avenue remain difficult

to appreciate fully without further comparative evidence. The role of seasonality and the impermanence of settlement at this time are also aspects which should be further investigated. In particular, the suggestion that differences in building form may be related to differences in settlement and occupation is interesting but requires more data either to prove or disprove it. Indeed, many more examples of Middle Iron Age buildings in Sussex and the South Downs are critical to our understanding of local building traditions at this time, which, on the face of it, seem to be quite different to the apparent ubiquity of roundhouse construction seen elsewhere in Britain at this time.

The apparent absence in the study area of evidence for the distinctive forms of Iron Age structured deposition in grain storage pits, so well documented elsewhere, also requires clarification, although this may be a consequence, in part at least, of poor bone preservation. The sum of the data available suggests tangible differences in approaches and attitudes to deposition in the study area but the way in which these practices relate to more overt expressions of structured deposition remains unexplained. The nature of Late Iron Age occupation in the wider vicinity of the study area is also very poorly understood; more detailed work on wider settlement patterns at this time may well be the key to understanding why some Middle Iron Age settlements appear to continue into the Late Iron Age, while others seemingly do not.

7.7 FINAL THOUGHTS

The South Downs have played a long and prominent role in the study of later prehistory in southern Britain. At times, perhaps, this has been to the detriment of the archaeology of surrounding zones such as the Weald or the Sussex coastal plain, although some two decades of development-led archaeology are beginning to counter this historic bias towards the Downs in narratives of prehistoric Sussex. Certainly, the rich archaeological resources of the coastal plain are now widely appreciated, even if the Weald in some ways still remains something of an enigma. Even here, however, large-scale investigations at sites at Horley and Broadbridge Heath, near Horsham (Margetts 2013; Swift in prep a) are beginning to challenge some long-held preconceptions regarding the character of prehistoric occupation in the Weald. It is essential, however, that a holistic approach to the archaeology of the county be maintained. Only developer-led fieldwork can hope to furnish us with the large-scale exposures so necessary in the examination of past human activity at a landscape scale,

but with the recent designation of the South Downs as a National Park it seems unlikely that the pace of development in the Downs will continue to match that of surrounding areas. Building for the future may indeed be the best means of reaching back into antiquity but opportunities for the large-scale excavation of prehistoric landscapes in the South Downs, on a scale similar to that of the study area, may well prove to be a thing of the past.

BIBLIOGRAPHY

Abbreviations

Journal title abbreviations generally follow those of the Council for British Archaeology, except for:

SAC *Sussex Archaeological Collections*

SyAC *Surrey Archaeological Collections*

Place of publication given where outside Britain

- ADS, 2006 Channel Tunnel rail link section 1, reference list, <http://archaeologydataservice.ac.uk/archives/view/ctrl/reference.cfm> (accessed 18 March 2015)
- Alldritt, D, 2006a *Wood charcoal from White Horse Stone, Aylesford, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Alldritt, D, 2006b *The wood charcoal from Beechbrook Wood, Hothfield, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Alldritt, D, 2006c *The wood charcoal from Saltwood Tunnel, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Allen, M J, 1988 Archaeological and environmental aspects of colluviation in south-east England, in *Man-made soils* (eds W Groenmann-van Waateringe & M Robinson), BAR Int Ser, **410**, 69–92
- Allen, M J, 2005a Beaker settlement and environment on the chalk downs of southern England, *Proc Prehist Soc*, **71**, 219–45
- Allen, M J, 2005b Beaker occupation and development of the Downland landscape at Ashcombe Bottom, near Lewes, East Sussex, *SAC*, **143**, 7–33
- Allen, M J, 2005c Beaker and Early Bronze Age activity, and a possible Beaker valley entrenchment, in Cuckoo Bottom, near Lewes, East Sussex, *SAC*, **143**, 35–45
- Allen, M J, & Fitzpatrick, A P, 2008, Neolithic and Bronze Age activity, in Fitzpatrick et al, 91–140
- Allen, T G, 1990 *The Windrush valley: Vol 1, An Iron Age and Romano-British enclosed settlement at Watkins Farm, Northmoor, Oxon*, Thames Valley Landscapes Monogr Ser, **1**
- Allen, T G, 2006 *Oxfordshire later Bronze Age and Iron Age Historic Environment Resource Assessment*, Solent Thames Research Framework, http://oxfordarchaeology.com/images/pdfs/Solent_Thames/County_resource_assessments/LBA_IA_Oxon.pdf (accessed 18 March 2015)
- Allen, T G, Barclay, A, & Lamdin-Whymark, H, 2004 Opening the wood, making the land: the study of a Neolithic landscape in the Dorney area of the Middle Thames valley, in *Towards a new Stone Age: aspects of the Neolithic in south-east England* (eds J Cotton & D Field), 82–98
- Allen, T G, & Robinson, M A, 1993 *The Windrush valley: Vol 2, The prehistoric landscape and Iron Age enclosed settlement at Mingies Ditch, Hardwick-with-Yelford, Oxon*, Thames Valley Landscapes Monogr Ser, **2**
- Allen, T G, Cramp, K, Lamdin-Whymark, H, & Heatley, L, in prep *Castle Hill and the surrounding landscape, Little Wittenham, Oxfordshire, 2002–2006*, Thames Valley Landscapes Monogr Ser
- Allott, L, 2008 Bulk and environmental samples, in Riccoboni, 54–7
- Allott, L, 2010 The environmental remains, in A post-excavation assessment and updated project design for excavations at the Brighton & Hove Wastewater Treatment Works, Lower Hodder Farm, Peacehaven, East Sussex (ed D Hart), unpub ASE rep no 2010098, 68–80, http://archaeologydataservice.ac.uk/archiveDS/archiveDownload?t=arch-1352-1/dissemination/pdf/East_Sussex/GL7006.pdf (accessed 18 March 2015)
- Allott, L, in prep a The charred plant remains, in Doherty, A, Dunkin, D, & Sygrave, J, *The archaeology of the West Sussex coastal plain*, SpoilHeap Monogr Ser
- Allott, L, in prep b The charred plant remains, in Swift in prep b
- Anderberg, A-L, 1994 *Atlas of seeds and small fruits of north-west European plant species (Sweden, Norway, Denmark, East Fennoscandia, and Iceland): with morphological descriptions: Part 4, Resedaceae–Umbelliferae*, Stockholm
- Anderson-Whymark, H, & Thomas, J (eds), 2012 *Regional perspectives on Neolithic pit deposition: beyond the mundane*
- Andrews, P, Egging Dinwiddy, K, Ellis, C, Hutcheson, A, Phillpotts, C, Powell, A B, & Schuster, J (eds), 2009 *Kentish sites and sites of Kent: a miscellany of four archaeological excavations*, Wessex Archaeol Rep, **24**
- Angel, D, 2007 Neolithic implements in the landscape of Peacehaven and their wider context, unpub MA dissertation, Unive Sussex
- Archaeoscape, 2004 A borehole survey within a dry valley at Peacehaven, East Sussex, UK, unpub Archaeoscape rep
- Archaeoscape, 2005 A reconstruction of the environmental history of a dry valley at Peacehaven, East Sussex, UK, unpub Archaeoscape rep
- Armit, I, 1997 *Celtic Scotland*
- Arnold, D E, 1985 *Ceramic theory and cultural process*
- Arthur, J R B, 1970 Appendix I. Plant remains in the pottery, in Bradley, 373–5
- Arthur, J R B, 1977 Plant remains, in Bell, 273–5
- Atkinson, R J C, 1951 The excavations at Dorchester, Oxon, 1946–51, *Archaeol News*, **4**, 56–9
- Atkinson, R J C, Brailsford, J W, & Wakefield, H G, 1951 A pond barrow at Winterbourne Steepleton, Dorset, *Archaeol J*, **108**, 1–24
- Avery, M, 1982 The Neolithic causewayed enclosure, Abingdon, in Case & Whittle, 10–50
- Baker, M, 1996 *Discovering the folklore of plants*
- Ballouche, A, & Marinval, P, 2006 Données palynologiques sur la domestication des plantes et l'agriculture dans le Néolithique ancien du Maroc septentrional (Site de Kaf Taht El-Ghar), *Revue d'Archéométrie*, **27**, 49–54
- Bamford, H, 1985 *Briar Hill: excavation 1974–1978*
- Barber, B, & Bowsher, D, 2000 *The eastern cemetery of Roman London*, MoLAS Monogr Ser, **4**
- Barber, L, 1997 The geological material, in Greig, 51
- Barber, L, 2001 Geological material, in Greatorex, C, Evidence of Sussex prehistoric ritual traditions: the archaeological investigation of a Bronze Age funerary monument situated on Baily's Hill near Crowlink, Eastbourne, *SAC*, **139**, 69
- Barber, L, 2002 The geological material, in Rudling 2002b, 186–8
- Barber, L, in prep a The pottery, in Brookes et al
- Barber, L, in prep b The geological material, in Doherty et al
- Barber, L, Gardiner, M, & Rudling, D, 2002 Excavations at Eastwick Barn, in Rudling 2002a, 107–40
- Barclay, A J, 1999 Final Neolithic/Early Bronze Age, in Barclay & Halpin, 35–148
- Barclay, A J, 2002 Ceramic lives, in Woodward & Hill, 85–95
- Barclay, A J, 2008 Ceramics of the south-east: new directions, South-East Research Framework resource assessment seminar, <https://shareweb.kent.gov.uk/Documents/Leisure-and-culture/heritage/serf-seminar-papers-neolithic-and-early-bronze-age/alistair-barclay.pdf> (accessed 19 March 2015)
- Barclay, A J, 2009 Coral bead, in Wright, J, Powell, A, & Barclay, A, *Excavation of prehistoric and Romano-British sites at Marnel Park and Merton Rice (Popley) Basingstoke, 2004–8: specialist reports*, 41
- Barclay, A, & Edwards, E, 2006 Earlier prehistoric pottery, in Barclay et al, 10–33
- Barclay, A J, & Halpin, C, 1999 *Excavations at Barrow Hills, Radley*

- Oxfordshire: Vol 1, *The Neolithic and Bronze Age monument complex*, Thames Valley Landscapes Monogr Ser, **11**
- Barclay, A J, & Thomas, R, 1995 Prehistoric features, in Boyle, A, Dodd, A, Miles, D, & Mudd, A, *Two Oxfordshire Anglo-Saxon cemeteries: Berinsfield and Didcot*, Thames Valley Landscapes Monogr Ser, **8**, 11
- Barclay, A J, Lambrick, G, Moore, J, & Robinson, M, 2003 *Lines in the landscape: cursus monuments in the Upper Thames valley. Excavations at the Drayton and Lechlade cursuses*, Thames Valley Landscapes Monogr Ser, **15**
- Barclay, A J, Booth, P, Edwards, E, Mepharm, L, & Morris, E L, 2006 *Ceramics from Section 1 of the Channel Tunnel Rail Link, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Barnes, I, & Cleal, R M J, 1995 Neolithic and Bronze Age settlement at Weir Bank Stud Farm, Bray, in Barnes, I, Boismier, W A, Cleal, R M J, Fitzpartick, A P, & Roberts, M R, *Early settlement in Berkshire: Mesolithic–Roman occupation sites in the Thames and Kennet valleys*, Wessex Archaeol Rep, **6**, 1–51
- Barnett, C, 2009 Wood charcoal, in Ellis, C, *Archaeology of the West Malling and Leybourne bypass*, in Andrews et al, 48–51
- Barrett, J C, 1980 The evolution of later Bronze Age settlement, in Barrett & Bradley 1980a, 77–100
- Barrett, J C, 1994 *Fragments from antiquity: an archaeology of social life in Britain, 2900–1200 BC*
- Barrett, J C, & Bradley, R (eds), 1980a *Settlement and society in the British Later Bronze Age*, BAR Brit Ser, **83**
- Barrett, J C, & Bradley, R, 1980b The later Bronze Age in the Thames valley, in Barrett & Bradley 1980a, 247–65
- Barrett, J C, & Needham, S P, 1988 Production, circulation and exchange: problems in the interpretation of Bronze Age metalwork, in *The archaeology of context in the Neolithic and Bronze Age: recent trends* (eds J C Barrett & I A Kinnes), 127–40
- Barrett, J C, Bradley, R, & Green, M, 1991 *Landscape, monuments and society: the prehistory of Cranbourne Chase*
- Bass, W M, 1987 (1971) *Human osteology: a laboratory and field manual*, 3rd edn, Missouri Archaeol Soc Spec Pap, **2**, Columbia, Mo
- Bayliss, A, & Jones, P, 2008 Radiocarbon dating, in Jones, 73
- Bayliss, A, Healy, F, Whittle, A, & Cooney, G, 2011 Neolithic narratives: British and Irish enclosures in their timescapes, in Whittle et al, 682–847
- Beadsmoore, E, Garrow, D, & Knight, M, 2010 Refitting Etton: space, time and material culture within a causewayed enclosure in Cambridgeshire, *Proc Prehist Soc*, **76**, 115–34
- Beck, M E, 2009 Residential mobility and ceramic exchange: ethnography and archaeological implications, *J Archaeol Method Theory*, **16**, 320–56
- Bedwin, O, 1978 Excavations inside Harting Beacon hillfort, 1976, *SAC*, **116**, 225–40
- Bedwin, O, 1981 Excavations at Lancing Down, West Sussex, 1980, *SAC*, **119**, 37–55
- Bedwin, O, 1982 The pre-Roman Iron Age on Bullock Down, in Drewett 1982b, 73–96
- Bedwin, O, & Holgate, R, 1985 Excavations at Copse Farm, Oving, West Sussex, *Proc Prehist Soc*, **51**, 215–45
- Bedwin, O, & Pitts, M, 1978 Excavation of an Iron Age settlement at North Bersted, Bognor Regis, West Sussex: excavations 1982–83, *SAC*, **116**, 45–101
- Bell, M, 1976 The excavation of an early Romano-British site and Pleistocene landforms at Newhaven, Sussex, *SAC*, **114**, 218–305
- Bell, M, 1977 Excavations at Bishopstone, Sussex, *SAC*, **115**, 1–299
- Bell, M, 1983 Valley sediments as evidence of prehistoric land-use on the South Downs, *Proc Prehist Soc*, **49**, 119–50
- Bell, M, 1990 *Brean Down excavations 1983–1987*, Engl Heritage Archaeol Rep, **15**
- Bell, M, Caseldine, A, & Neumann, H, 2000 *Prehistoric intertidal archaeology in the Welsh Severn estuary*
- Bennett, P, Clark, P, Hicks, A, Rady, J, & Riddler, I, 2008 *At the great crossroads: prehistoric, Roman and medieval discoveries on the Isle of Thanet, 1994–95*, Canterbury Archaeol Trust Occas Pap, **4**
- Berggren, G, 1969 *Atlas of seeds and small fruits of north-west European plant species (Sweden, Norway, Denmark, East Fennoscandia and Iceland) with morphological descriptions: Part 2, Cyperaceae*, Stockholm
- Berggren, G, 1981 *Atlas of seeds and small fruits of north-west European plant species (Sweden, Norway, Denmark, East Fennoscandia and Iceland) with morphological descriptions: Part 3, Salicaceae–Cruciferae*, Stockholm
- Bersu, G, 1940 Excavations at Little Woodbury, Wiltshire (1938–39), *Proc Prehist Soc*, **6**, 30–111
- Berzins, V, 2002a The wood charcoal, in Barber, L, & Bennell, M, *Excavations at Redhill*, in Rudling 2002a, 104–5
- Berzins, V, 2002b The wood charcoal, in Russell, 66–8
- Berzins, V, 2002c The wood charcoal, in Barber et al, 126–7
- Best, J, & Woodward, A, 2012 A late Bronze Age pottery production site and settlement at Foster's Field, Tinney's Lane, Sherborne, *Proc Prehist Soc*, **78**, 207–61
- Bevan, B, 2007 The early Iron Age of the Peak District: re-reading the evidence, in Haselgrove & Pope 2007a, 248–58
- BGS 2012 <http://mapapps.bgs.ac.uk/geologyofbritain/home.html> (accessed 19 March 2015)
- Biddulph, E, 2006 *The Roman pottery from Pepper Hill, Southfleet, Kent (ARC PHL97, ARC NBR98)*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Biddulph, E, Foreman, S, Stafford, E, Stansbie, D, & Nicholson, R 2012 *London gateway: Iron Age and Roman salt making in the Thames estuary. Excavation at Stanford Wharf Nature Reserve, Essex*, Oxford Archaeol Monogr Ser, **18**
- Blaker, R, 1902 Ancient cultivations, *SAC*, **45**, 199–203
- Boardman, S, & Jones, G, 1990 Experiments on the effects of charring on cereal plant components, *J Archaeol Sci*, **17**, 1–11
- Booth, P, Champion, T, Foreman, S, Garwood, P, Glass, H, Munby, J, & Reynolds, A, *On track. The archaeology of High Speed 1 Section 1 in Kent*, Oxford Wessex Archaeol Monogr Ser, **4**
- Bouby, L, 2003 De la récolte au stockage éclairages carpologiques sur les opérations de traitement des céréales à l'âge du Bronze dans le sud de la France, in *Le traitement des récoltes: un regard sur la diversité, du Néolithique au présent. XXIIIe rencontres internationales d'archéologie et d'histoire d'Antibes* (eds P C Anderson, L S Cummings, T K Schippers & B Simonel), 21–46, Antibes
- Bowen, H C, & Smith, I F, 1977 Sarsen stones in Wessex: the Society's first investigations in the Evolution of the Landscape project, *Antiq J*, **57**, 185–96
- Bowen, H C, & Wood, P D, 1968 Experimental storage of corn underground and its implications for Iron Age settlements, *Univ London, Inst Archaeol Bull*, **7**, 1–14
- Bradbury, F, nd Flax culture and preparation, <http://biodiversitylibrary.org/page/18414697> (accessed 19 March 2015)
- Bradley, P, 1999 Worked flint, in Barclay & Halpin, 211–27
- Bradley, R, Cook, M, & Barclay, A, 1999 The segmented ring-ditch, in Barclay & Halpin, 44–5
- Bradley, R, 1968 Roman salt-boiling near Eastbourne, *Sussex Notes Queries*, **17**, 23–4
- Bradley, R, 1970 The excavation of a Beaker settlement at Belle Tout, East Sussex, *Proc Prehist Soc*, **36**, 312–79
- Bradley, R, 1975 Salt and settlement in the Hampshire Sussex borderland, in de Brisay & Evans, 20–6
- Bradley, R, 1978 Prehistoric field systems in Britain and north-west Europe: a review of some recent work, *World Archaeol*, **9**(3), 265–80
- Bradley, R, 1982 Belle Tout – revision and re-assessment, in Drewett 1982b, 12–20
- Bradley, R, 1992 Roman salt production in Chichester harbour: rescue

- excavations at Chidham, West Sussex, *Britannia*, **23**, 27–44
- Bradley, R, 2007 *The prehistory of Britain and Ireland*
- Bradley, R, & Chambers, R, 1988 A new study of the cursus complex at Dorchester on Thames, *Oxford J Archaeol*, **7**(3), 271–89
- Brady, K, 2006a *The prehistoric landscape at Tutt Hill, Westwell, Kent*, CTRL Integrated Site Rep Ser (available online; see ADS 2006)
- Brady, K, 2006b *The prehistoric and Roman landscape at Beechbrook Wood, Westwell, Kent*, CTRL Integrated Site Rep Ser (available online; see ADS 2006)
- Brisay, K W de, 1978 The excavations of a red hill at Peldon, Essex, with notes on some other sites, *Antiq J*, **58**, 31–60
- Brisay, K W de, & Evans, K A (eds), 1975 *Salt: the study of an ancient industry. Report on the Salt Weekend held at the University of Essex, 20, 21, 22 September 1974*
- Bronk Ramsey, C, 1995 Radiocarbon calibration and analysis of stratigraphy: the OxCal program, *Radiocarbon*, **37**, 425–30
- Bronk Ramsey, C, 1998 Probability and dating, *Radiocarbon*, **40**, 461–74
- Bronk Ramsey, C, 2001 Development of the radiocarbon calibration program, *Radiocarbon*, **43**, 355–63
- Bronk Ramsey, C, 2009 Bayesian analysis of radiocarbon dates, *Radiocarbon*, **51**, 337–60
- Brookes, S, Doherty, A, Greatorex, C, & Harrington, S, in prep *The archaeological excavation of a Late Iron Age Site and Anglo-Saxon cemetery at St Anne's Road, Eastbourne, East Sussex*, SpoilHeap Monogr Ser
- Brophy, K, & Noble, G, 2012 Within and beyond pits: deposition in lowland Neolithic Scotland, in Anderson-Whymark & Thomas, 63–76
- Brossler, A, Early, R, & Allen, C, 2004 *Green Park (Reading Business Park). Phase 2: excavations 1995. Neolithic and Bronze Age sites*, Thames Valley Landscapes Monogr Ser, **19**
- Brown, A, 2007 Dating the onset of cereal cultivation in Britain and Ireland: the evidence from charred cereal grains, *Antiquity*, **81**, 1042–52
- Brown, F, Cramp, K, & Leivers, M, 2002 Hunter-gatherers, in Framework Archaeology, *From hunter gatherers to huntsmen: a history of the Stansted landscape*, Framework Archaeol Monogr Ser, **2**, 18–31
- Brown, G, Field, D, & McOmish, D, 1994 East Chisenbury midden complex, in Fitzpatrick & Morris, 46–9
- Brück, J, 1995 A place for the dead: the role of human remains in Late Bronze Age Britain, *Proc Prehist Soc*, **61**, 245–77
- Brück, J, 1999 Houses, lifecycles and deposition on Middle Bronze Age settlements in southern England, *Proc Prehist Soc*, **65**, 145–77
- Brück, J, 2000 Settlement, landscape and social identity: the Early–Middle Bronze Age transition in Wessex, Sussex and the Thames valley, *Oxford J Archaeol*, **19**(3), 273–300
- Brück, J, 2006a Fragmentation, personhood and the social construction of technology in Middle and Late Bronze Age Britain, *Cambridge Archaeol J*, **16**(2), 297–315
- Brück, J, 2006b Death, exchange and reproduction in the British Bronze Age, *European J Archaeol*, **9** (1), 73–101
- Buck, C E, Litton, C D, & Smith, A F M, 1992 Calibration of radiocarbon results pertaining to related archaeological events, *J Archaeol Sci*, **19**, 497–512
- Buck, C E, Cavanagh, W G, & Litton, C D, 1996 *Bayesian approach to interpreting archaeological data*
- Buikstra, J E, & Ubelaker, D H, 1994 *Standards for data collection from human skeletal remains*, Arkansas Archaeol Survey Res Ser, **44**, Indianapolis, Ind
- Bullock, A E, & Allen, M J, 1997 Animal bones, in *Excavations along the route of the Dorchester by-pass, Dorset, 1986–1988* (eds R Smith, F Healy, M Allen, E Morris, I Barnes & P Woodward), Wessex Archaeol Rep, **11**, 190–99
- Burgess, C B, 1985 Population, climate and upland settlement, in *Upland settlement in Britain: the second millennium BC and after* (eds D Spratt & C Burgess), 195–231
- Burstow, G P, & Holleyman, G A 1957a Late Bronze Age settlement on Itford Hill, Sussex, *Proc Prehist Soc*, **23**, 167–212
- Burstow, G P, & Holleyman, G A 1957b Excavations at Muntham Court, Findon, Sussex, *Archaeol Mag*, **6**(4), 101–2
- Butler, C, 1991 The excavation of a Beaker bowl barrow at Pyecombe, West Sussex, *SAC*, **129**, 1–28
- Butler, C, 2005 *Prehistoric flintwork*
- Butler, C, 2008 The worked flint and stone, in Riccoboni, 45–9
- Calkin, J B, 1924 Pygmy and other flints found at Peacehaven, *SAC*, **65**, 224–41
- Calkin, J B, 1949 The Isle of Purbeck in the Iron Age, *Proc Dorset Natur Hist Archaeol Soc*, **70**, 29–59
- Campbell, G, 2000 Plant utilisation: the evidence from charred plant remains, in Cunliffe, B, *The Danebury Environs Programme. The prehistory of a Wessex landscape: Vol 1*, Engl Heritage / Oxford Univ Comm Archaeol Monogr Ser, **48**, 45–9
- Campbell, G, & Robinson, M, 2007 Environment and land use in the valley bottom, in Harding, J, & Healy, F, *The Raunds Area Project: a Neolithic and Bronze Age landscape in Northamptonshire*, 18–36
- Campbell, G, & Straker, V, 2003 Prehistoric crop husbandry and plant use in southern England: development and regionality, in *Archaeological Sciences 1999* (ed K Robson Brown), Proceedings of the Archaeological Sciences Conference, University of Bristol, 1999, BAR Int Ser 1111, 14–30
- Canham, R, 1978 Excavations at London (Heathrow) Airport 1969, *Trans London Middlesex Archaeol Soc*, **29**, 1–44
- Cappers, R T J, Bekker, R M, & Jans, J E A, 2006 *Digital seed atlas of the Netherlands*, Groningen Archaeol Ser, **4**, Barkhuis, Netherlands
- Carew, T, Bishop, B, Meddens, F, & Ridgeway, V, 2006 *Unlocking the landscape: Archaeological excavations at Ashford Prison, Middlesex*
- Carr, G, & Knusel, C, 1995 The ritual framework of excarnation by exposure as the mortuary practice of the early and middle Iron Ages of central southern Britain, in Gwilt & Haselgrove, 167–73
- Carruthers, W, 1991 The carbonised plant remains from Rowden, in Woodward, P, *The South Dorset Ridgeway. Survey and excavations 1977–84*, Dorset Natur Hist Archaeol Soc Monogr Ser, **8**, 106–11
- Cartwright, C, 1982 Geological resources, Drewett 1982a, 390–91
- Case, H, 1969, Neolithic explanations, *Antiquity*, **43**, 176–86
- Case, H, 1977 The Beaker culture in Britain and Ireland, in *Beakers in Britain and Europe*, (ed R Mercer), BAR Brit Ser, **26**, 71–101
- Case, H, 1993 Beakers: deconstruction and after, *Proc Prehist Soc*, **59**, 241–68
- Case, H, & Whittle, A W R (eds), 1982 *Settlement patterns in the Oxford region: excavations at the Abingdon causewayed enclosure and other sites*, CBA Res Rep, **44**
- Catt, J A, 1978 The contribution of loess to soils in lowland Britain, in *The effect of man on the landscape: the lowland zone* (eds S Limbrey & J G Evans), CBA Res Rep, **21**, 12–20
- Chadwick, A, 2006 Bronze Age burials and settlement and an Anglo-Saxon settlement at Claypit Lane, Westhamptnett, West Sussex, *SAC*, **144**, 7–50
- Chadwick, A, 2012 Routine magic, mundane ritual: towards a unified notion of depositional practice, *Oxford J Archaeol*, **31**(3), 283–315
- Challinor, D, 2006a *The wood charcoal from Leda Cottages, Westwell, Kent (ARC 430/83+200)*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Challinor, D, 2006b *The wood charcoal from Thurnham Roman Villa, Kent (ARC THM 98)*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Challinor, D, 2006c *The wood charcoal from Pepper Hill, Northfleet, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Champion, T, 2011 Later prehistory, in Booth et al, 151–241
- Childe, V G, 1931 The Continental affinities of British Neolithic pottery, *Archaeol J*, **88**, 37–66
- Clark, J G D, Higgs, E, & Longworth, I, 1960 Excavation at the Neolithic site at Hurst Fen, Mildenhall, Suffolk (1954, 1957 and 1958), *Proc*

- Prehist Soc*, **26**, 202–45
- Clarke, C, 2010 Early Neolithic activity near Compton, Guildford, *Surrey Archaeol Collect*, **95**, 297–9
- Clarke, S, 1882 St Nicholas Church, Brighton, *SAC*, **32**, 34
- Cleal, R M J, 1984 The later Neolithic in the east of England, in *Neolithic studies: a review of some current research* (eds R Bradley & J Gardiner), BAR Brit Ser, **133**, 135–58
- Cleal, R M J, 1992 Significant form: ceramic styles in the earlier Neolithic of southern England, in *Vessels for the ancestors: essays on the Neolithic of Britain and Ireland in honour of Audrey Henshall* (eds N Sharples & A Sheridan), 286–304
- Cleere, H F, & Crossley, D W, 1985 *The iron industry in the Weald*
- Clifford, T, in prep The fired clay, in Dawkes, G, *Archaeological investigations at Grain-Shorne pipeline, Isle of Grain, Kent*
- Clutton-Brock, J, 1984 *Excavations at Grimes Graves, Norfolk, 1972–1976. Fascicule 1: Neolithic antler picks from Grimes Graves, Norfolk, and Durrington Walls, Wiltshire: a biometrical analysis*
- Clutton-Brock, J, & Jewell, P, 2005 Remains of wild and domestic animals, in Thomas, N, *Snail Down, Wiltshire: the Bronze Age barrow cemetery and related earthworks in the parishes of Collingbourne Ducis and Collingbourne Kingston: 1953, 1955 and 1957*, Wiltshire Archaeol Natur Hist Soc Monogr Ser **3**, 236–43
- Cole, J, 2007 A fluxgate gradiometer survey on land at Seaview Avenue, Peacehaven, East Sussex, unpub ASE rep no 2007116
- Coles, S, Ford, S, & Taylor, A, 2008 An Early Neolithic grave and occupation, and an Early Bronze Age hearth on the Thames foreshore at Yabsley Street, Blackwall, London, *Proc Prehist Soc*, **74**, 215–33
- Collard, M, Edinborough, K, Shennan, S J, & Thomas, M G, 2010 Radiocarbon evidence indicates that migrants introduced farming to Britain, *J Archaeol Sci*, **37**, 866–70
- Colledge, S, & Conolly, J (eds), 2007 *The origin and spread of domestic plants in south-west Asia and Europe*
- Cotton, J, Elsdon, N, Pipe, A, & Rayner, L, 2006 Taming the wild: a final Neolithic/earlier Bronze Age aurochs deposit from west London, in *Animals in the Neolithic of Britain and Europe* (eds D Sergeantson & D Field), Neolithic Stud Grp Seminar Pap, **7**, 149–67
- Cotswold Archaeology, 2004 Abingdon pipeline, Oxfordshire. Archaeological evaluation and programme of archaeological recording, unpub client rep 04010
- Cramp, K, nd Flint, in Framework Archaeology, *Excavations at Stansted Airport*, http://archaeologydataservice.ac.uk/archiveDS/archiveDownload?t=arch-342-1/dissemination/pdf/SpecialistReports/24_-_Flint.pdf (accessed 19 March 2015)
- Crockett, A, 2001 The archaeological landscape of Imperial College sports ground: Part 1, Prehistoric, *London Archaeol*, **9**(11), 295–9
- Crosby, A, 2001 Briquetage, in, *A millennium of saltmaking: prehistoric and Romano-British salt production in the Fenland* (eds T Lane & E L Morris), Lincolnshire Archaeol Heritage Rep Ser, **4**, 106–33
- Cunliffe, B, 1973 *The Regni*
- Cunliffe, B, 1988 Romney Marsh in the Roman period, in *Romney Marsh: evolution, occupation, reclamation* (eds J Eddison & C Green), Oxford Univ Comm Archaeol Monogr Ser, **24**, 83–7
- Cunliffe, B, 1992 Pits, preconceptions and propitiation in the British Iron Age, *Oxford J Archaeol*, **11**(1), 69–83
- Cunliffe, B, 2005 *Iron Age communities in Britain: an account of England, Scotland and Wales from the seventh century BC until the Roman conquest*, 4th edn
- Cunliffe, B, & Poole, C, 1991 *Danebury: an Iron Age hillfort in Hampshire: Vol 5, The excavations 1979–1988: the finds*, CBA Res Rep, **73b**
- Curwen, E, & Curwen, E C, 1924 The Hove tumulus, *Brighton Hove Archaeol*, **2**, 20–28
- Curwen, E, & Curwen, E C, 1927 Excavations at The Caburn, near Lewes, *SAC*, **68**, 1–56
- Curwen, E, Curwen, E C, & Hawkes, C F C, 1931 Prehistoric remains from Kingston Buci, *SAC*, **72**, 185–217
- Curwen, E C, 1927 Prehistoric agriculture in Britain, *Antiquity*, **1**, 261–89
- Curwen, E C, 1929 Excavations in The Trundle, Goodwood, 1928, *SAC*, **70**, 33–85
- Curwen, E C, 1931 Excavations in The Trundle, *SAC*, **72**, 100–50
- Curwen, E C, 1934a A Late Bronze Age farm and a Neolithic pit-dwelling on New Barn Down, Clapham, near Worthing, *SAC*, **75**, 153–7
- Curwen, E C, 1934b Excavations in Whitehawk Neolithic Camp, Brighton, 1932–33, *Antiq J*, **14**, 99–133
- Curwen, E C, 1936 Excavations in Whitehawk Camp, Brighton, third season, 1935, *SAC*, **77**, 60–92
- Curwen, E C, 1937 Querns, *Antiquity*, **11**, 133–51
- Curwen, E C, 1954 *The archaeology of Sussex*
- Darvill, T, 1996 Neolithic buildings in England, Wales and the Isle of Man, in Darvill & Thomas, 77–112
- Darvill, T, & Thomas, J (eds), 1996 *Neolithic houses in north-west Europe and beyond*
- Darvill, T, Hingley, R, Jones, M, & Timby, J, 1986. A Neolithic and Iron Age site at The Lodgers, Lechlade, Gloucestershire, *Trans Bristol Gloucestershire Archaeol Soc*, **104**, 27–48
- Davenport, C, 2003 The late pre-Roman Iron Age of the West Sussex coastal plain: continuity or change?, in Rudling 2003a, 101–10
- Davies, B J, Richardson, B, & Tomber, R S, 1994 *The archaeology of Roman London: Vol 5, A dated corpus of early Roman pottery from the City of London*, CBA Res Rep, **98**
- Dinn, J L, & Hemingway, J, 1996 Archaeology on the Blackstone to Astley aqueduct, *Trans Worcestershire Archaeol Soc*, **14**, 105–19
- Doherty, A, in prep The prehistoric and Roman pottery, in Swift in prep b
- Down, A, & Welch, M, 1990 Chichester Excavations: Vol 7, Apple Down and The Mardens
- Drewett, P L, 1975a A Neolithic pot from Selmeaton, East Sussex, *SAC*, **113**, 193–4
- Drewett, P L, 1975b The excavation of a turf barrow at Minsted, West Sussex, 1973, *SAC*, **113**, 54–65
- Drewett, P L, 1976 The excavation of four round barrows of the second millennium BC at West Heath, Harting, 1973–75, *SAC*, **114**, 126–50
- Drewett, P L, 1977 The excavation of a Neolithic causewayed enclosure on Offham Hill, East Sussex, 1976, *Proc Prehist Soc*, **43**, 201–42
- Drewett, P L (ed), 1978a *Archaeology in Sussex to AD 1500*, CBA Res Rep, **29**
- Drewett, P L, 1978b Neolithic Sussex, in Drewett 1978a, 23–9
- Drewett, P L, 1979 New evidence for the structure and function of Middle Bronze Age roundhouses in Sussex, *Archaeol J*, **136**, 3–11
- Drewett, P L, 1980 Neolithic pottery in Sussex, *SAC*, **118**, 23–30
- Drewett, P L, 1982a Later Bronze Age downland economy and excavations at Black Patch, East Sussex, *Proc Prehist Soc*, **48**, 321–400
- Drewett, P L, 1982b *The archaeology of Bullock Down, Eastbourne, East Sussex: the development of a landscape*, Sussex Archaeol Soc Monogr Ser, **1**
- Drewett, P L, 1985 The excavation of barrows V–IX at West Heath, Harting 1980, *SAC*, **123**, 35–60
- Drewett, P L, 1986 The excavation of a Neolithic oval barrow at North Marden, West Sussex, *Proc Prehist Soc*, **52**, 31–52
- Drewett, P L, 2003 Taming the wild: the first farming communities in Sussex, in Rudling 2003a, 39–46
- Drewett, P L, & Hamilton, S, 1999 Making space and marking time; excavations and landscape studies at The Caburn hillfort, East Sussex, *SAC*, **137**, 7–36
- Drewett, P L, Rudling, D, & Gardiner, M, 1988 *The south-east to AD 1000*
- Edlin, H L, 1949 *Woodland crafts in Britain: an account of the traditional uses of trees and timbers in the British countryside*
- Edwards, B, 2012 Social structures: pits and depositional practice in Neolithic Northumberland, in Anderson-Whymark and Thomas, 77–99

- Egging Dinwiddy, K, & McKinley, J I, 2009 A potentially mortuary-related deposit at Star Lane, Manston, in Andrews et al, 81–2
- Ellis, C S, 1983, Dry-valley fills at Asham and the Devil's Dyke, in *Fourth International Flint Symposium, Brighton, England, 10–15 April, 1983: excursion guide* (ed R N Mortimore), 9–23
- Ellison, A, 1972 The Bronze Age pottery, in Holden, 104–13
- Ellison, A, 1978 The Bronze Age of Sussex, in Drewett 1978a, 30–37
- Ellison, A, 1980 Sussex pottery symposium: the Bronze Age, *SAC*, **118**, 31–42
- Ellison, A, 1981 Towards a socioeconomic model for the Middle Bronze Age in southern England, in *Pattern of the past* (eds I Hodder, G Isaac, & N Hammond), 413–38
- Ellison, A, & Drewett, P L, 1971 Pits and postholes in the British Early Iron Age: some alternative explorations, *Proc Prehist Soc*, **37**, 183–94
- English, J, 2013 *Pattern and progress: field systems of the second and early first millennia BC in southern Britain*, BAR Brit Ser, **587**
- English Heritage, 1989 Monuments protection programme monument class description: pond barrows, <http://www.eng-h.gov.uk/mpp/mcd/pb.htm> (accessed 20 March 2015)
- Entwistle, R, & Grant, A, 1989 The evidence for cereal cultivation and animal husbandry in the southern British Neolithic and Bronze Age, in Milles et al, 203–16
- Evans, C, & Knight, M, 1996 An Ouse-side longhouse: Barleycroft Farm, Cambridgeshire, *PAST*, **23**, 1–2
- Evans, C, & Knight, M, 1997 The Barleycroft Paddocks excavations, Cambridgeshire, unpub Cambridge Archaeol Unit rep
- Evans, C, & Knight, M, 2001 The 'community of builders': the barleycroft post alignments, in *Bronze Age landscapes: tradition and transformation* (ed J Brück), 83–98
- Every, R, & Mepharm, L, 2006 Pottery, in Chadwick, 24–31
- Fairbairn, A S (ed), 2000a *Plants in Neolithic Britain and beyond*, Neolithic Stud Grp Seminar Pap, **5**
- Fairbairn, A S, 2000b On the spread of crops across Neolithic Britain: with special reference to southern Britain, in Fairbairn 2000a, 107–21
- Fairweather, A D, & Ralston, I B M 1993 The Neolithic timber hall at Balbridie, Grampian Region, Scotland: the building, the date, the plant macrofossils, *Antiquity*, **67**, 313–23
- Farrar, R A H, 1975 Prehistoric and Roman saltworks in Dorset, in de Brisay & Evans, 14–20
- Fasham, P, 1983 Fieldwork in and around Micheldever Wood, Hampshire, 1973–1980, *Proc Hampshire Fld Club*, **39**, 5–45
- Fenton, A, 1983 Grain storage in pits: experiment and fact, in *From the Stone Age to the Forty Five* (eds A O'Connor and D V Clark), 567–88
- Field, D, 1998 Round barrows and the harmonious landscape: placing Early Bronze Age burial monuments in south-east England, *Oxford J Archaeol*, **17**, 309–26
- Field, N H, Matthews, C L, & Smith, I F, New Neolithic sites in Dorset and Bedfordshire, with a note on the distribution of Neolithic storage pits in Britain, *Proc Prehist Soc*, **30**, 352–81
- Fisk, P M, 2003 An examination of the excavated ring-ditch enclosures on the Isle of Thanet, unpub BA dissertation, Univ Kent Canterbury
- Fitzpatrick, A P, 1994 Outside in: the structure of an early Iron Age house at Dunston Park, Thatcham, Berkshire, in Fitzpatrick & Morris, 68–72
- Fitzpatrick, A P, 1997 Everyday life in Iron Age Wessex, in Gwilt & Haselgrove, 73–86
- Fitzpatrick, A P, & Morris, E L (eds), 1994 *The Iron Age in Wessex: recent work*
- Fitzpatrick, A P, Powell, A B, & Allen, M J (eds) *Archaeological excavations on the route of the A27 Westhampnett bypass, West Sussex, 1992*, Wessex Archaeol Rep, **21**
- Fleming, A, 1988, *The Dartmoor reaves: investigating prehistoric land divisions*
- Ford, S, 1987 Chronological and functional aspects of flint assemblages, in *Lithic analysis and later British prehistory: some problems and approaches* (eds A G Brown and M R Edmonds), BAR Brit Ser, **162**, 67–81
- Ford, S, & Pine, J, 2003 Neolithic ring-ditches and Roman landscape features at Horton (1989–1996), in *Prehistoric, Roman and Saxon sites in eastern Berkshire: excavations 1989–1997* (ed S Preston), TVAS Monogr Ser, **2**, 13–85
- Fox, C F, & Wolseley, G R, 1928 The Early Iron Age site at Findon Park, *Antiq J*, **8**, 449–60
- Freeman, S P H T, Cook, G T, Dougans, A B, Naysmith, P, Wicken, K M, & Xu, S, 2010 Improved SSAMS performance, *Nucl Inst Meth B*, **268**, 715–17
- Fuller, D Q, & Harvey, E L, 2006 The archaeobotany of Indian pulses: identification, processing and evidence for cultivation, *Environ Archaeol*, **11**(2), 219–46
- Framework Archaeology, 2006 *Landscape evolution in the Middle Thames valley. Heathrow Terminal 5 excavations: Vol 1*, Perry Oaks, Framework Archaeol Monogr Ser, **1**
- Framework Archaeology, 2010 *Landscape evolution in the Middle Thames valley. Heathrow Terminal 5 excavations: Vol 2*, Framework Archaeol Monogr Ser, **3**
- Funnell, J, 2004 Fieldwalking at Peacehaven – interim report March 2004, *Brighton Hove Archaeol Soc Field Notebook 2004*, 42–5
- Gale, R, 2006 Charcoal, in Chadwick, 39–41
- Gale, R, 2009 Charcoal, in Hutcheson, A, & Andrews, P, A Late Bronze Age, Anglo-Saxon and Medieval settlement site at Manston Road, Ramsgate, in Andrews et al, 236–7
- Gale, R, & Cutler, D, 2000 *Plants in archaeology*
- Gallois, R W, 1965 *British regional geology: the Wealden district*
- Gardiner, M, & Hamilton, S, 1997 Knapp Farm Bosham: a significant find of Late Bronze Age pottery, *SAC*, **126**, 53–76
- Gardner, O W, & Moody, G A, 2006 Land adjacent to the Queen Elizabeth the Queen Mother Hospital, St Peter's Road, Margate, Kent, unpub TTA rep
- Garland, N, & Anderson-Whymark, H, in prep Mesolithic and Late Neolithic/Bronze Age activity on the site of the American Express Community Stadium, Falmer, East Sussex, *SAC*
- Garland, N, Pope, M I, & Allen, M J, 2008 An archaeological and geoarchaeological evaluation at Woollards Field, Falmer, East Sussex, unpub ASE rep no 2008076
- Garrow, D, 2006 *Pits, settlement and deposition during the Neolithic and Early Bronze Age in East Anglia*
- Garrow, D, 2007 Placing pits: landscape occupation and deposition practices during the Neolithic in East Anglia, *Proc Prehist Soc*, **73**, 1–25
- Garrow, D, & Sturt, F, 2011 Grey waters bright with Neolithic argonauts? Maritime connections and the Mesolithic–Neolithic transition within the 'western seaways' of Britain, c 5000–3500 BC, *Antiquity*, **85**, 59–72
- Garrow, D, Beadsmoore, E, & Knight, M, 2005 Pit clusters and the temporality of occupation: an earlier Neolithic site at Kilverstone, Thetford, Norfolk, *Proc Prehist Soc*, **71**, 139–57
- Garrow, D, Lucy, S, & Gibson, D, 2006 *Excavations at Kilverstone, Norfolk: an episodic landscape history*, E Anglian Archaeol Rep, **113**
- Garwood, P, 1999a, Grooved Ware in southern Britain: chronology and interpretation, in *Grooved Ware in Britain and Ireland* (ed R M J Cleal), Neolithic Stud Grp Seminar Pap, **3**, 145–76
- Garwood, P, 1999b The chronology of depositional contexts and monuments, in Barclay & Halpin, 275–93
- Garwood, P, 1999c Radiocarbon dating and the chronology of the monument complex, in Barclay & Halpin, 293–309
- Garwood, P, 2003 Round barrows and funerary traditions in Late Neolithic and Bronze Age Sussex, in Rudling 2003a, 47–68
- Garwood, P, 2007 Before the hills in order stood: chronology, time and history in the interpretation of early Bronze Age round barrows, in Last 2007a, 30–52

- Garwood, P, 2008 Landscapes, monuments and social practices in the late 4th and 3rd millennia BC: a survey, In South-East Research Framework (SERF), Neolithic and Early Bronze Age seminar papers (ed P Garwood), http://www.kent.gov.uk/leisure_and_culture/heritage/south_east_research_framework/serf_seminar_papers.aspx (accessed 20 March 2015)
- Garwood, P, 2011 Early prehistory: hunter-gatherers and early agriculturalists, in Booth et al, 37–150
- Garwood, P, Hey, G, & Barclay, A, 2011 Ritual, ceremony and cosmology, in Hey et al, 331–82
- Gent, H, 1983 Centralised storage in late prehistoric Britain, *Proc Prehist Soc*, **49**, 249–68
- Germany, M, 2007 *Neolithic and Bronze Age monuments and Middle Iron Age settlement at Lodge Farm, St Osyth, Essex*, E Anglian Archaeol Rep, **117**
- Gibson, A, 2002 The technology of prehistoric pottery, in Woodward & Hill, 34–7
- Gibson, A, & Kinnes, I, 1997 On the urns of a dilemma: radiocarbon and the Peterborough problem, *Oxford J Archaeol*, **16**(1), 65–72
- Gibson, A, & Leivers, M, 2008, Neolithic pottery, in Allen, M J, Leivers, M, & Ellis, C, Neolithic causewayed enclosures and later prehistoric farming: duality, imposition and the role of predecessors at Kingsborough, Isle of Sheppey, Kent, UK, *Proc Prehist Soc*, **74**, 245–53
- Gingell, C, 1992 *The Marlborough Downs: a later Bronze Age landscape and its origins*, Wiltshire Archaeol Natur Hist Soc Monogr Ser, **1**
- Giorgi, J, 2006 *The plant remains from White Horse Stone, Pilgrim's Way and Boarley Farm, Aylesford and Boxley, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Godwin, H, 1975 (1956) *The history of the British flora: a factual basis for phytogeography*, 2nd edn
- Going, C J, 1992 Economic 'long waves' in the Roman period? A reconnaissance of the Romano-British ceramic evidence, *Oxford J Archaeol*, **11**(1), 93–115
- Going, C J, 1993 Pottery vessels, in Crummy, N, & Crossan, C, Excavations at Butt Roman cemetery, 1976–9, 1986 and 1989, in Crummy, N, Crummy, P, & Crossan, C, *Excavations of Roman and later cemeteries, churches and monastic sites in Colchester, 1971–88*, Colchester Archaeol Rep, **9**, 44–50
- Goodchild, R, & Kirk, J R, 1954 The Romano-Celtic temple at Woodeaton, *Oxoniensia*, **19**, 15–37
- Grant, A, 1982 The use of toothwear as a guide to the age of domestic ungulates, in *Ageing and sexing animal bones from archaeological sites* (eds B Wilson, C Grigson & S Payne), BAR Brit Ser, **109**, 91–108
- Grant, K, 2010 An archaeological evaluation on land at Seaview Avenue, Peacehaven, East Sussex, unpub ASE rep no 2010014
- Greatorex, C, 2002 Appendix 3. Excavations at Patcham Fawcett: a summary, in Rudling 2002a, 271–6
- Greatorex, C, 2003 Living on the margins? The Late Bronze Age landscape of the Willingdon Levels, in Rudling 2003a, 89–101
- Green, C, 1980 Handmade pottery and society in Late Iron Age and Roman East Sussex, *SAC*, **118**, 68–86
- Green, C P, Swindle, G E, Branch, N P, Palmer, A P, Vaughan Williams, A, Austin, P, & Keen, D, 2005 A reconstruction of the environmental history of a dry valley at Peacehaven, East Sussex, UK, unpub ArchaeoScape rep
- Green, C P, Young, D, & Morgan, P, 2010 The colluvium, in Hart, D, A post-excavation assessment and updated project design for excavations at the Brighton & Hove Wastewater Treatment Works, Lower Hodder Farm, Peacehaven, East Sussex, unpub ASE rep no 2010098
- Green, M, 2000 *A landscape revealed: 10,000 years on a chalkland farm*
- Greig, I M, 1997 Excavations of a Bronze Age settlement at Varley Halls, Coldean Lane, Brighton, East Sussex, *SAC*, **135**, 7–58
- Greig, J R A, 1991 The British Isles, in *Progress in Old World palaeoethnobotany: a retrospective view on the occasion of 20 years of the International Work Group for Palaeoethnobotany* (eds W van Zeist, K Wasylkova & K E Behre), 299–334, Rotterdam
- Grinsell, L V, 1934 Sussex barrows, *SAC*, **75**, 217–75
- Grinsell, L V, 1940 Sussex barrows: supplementary paper, *SAC*, **81**, 210–14
- Grinsell, L V, 1941 Sussex barrows, *SAC*, **82**, 115–23
- Guilbert, G C, 1975 Planned hillfort interiors, *Proc Prehist Soc*, **41**, 203–21
- Guilbert, G C, 1982 A 'Sussex style' of post-ring layout in Bronze Age roundhouses, *SAC*, **120**, 209–13
- Gwilt, A, & Haselgrove, C (eds), 1997 *Reconstructing Iron Age societies*
- Hamilton, S, 1977, The Iron Age pottery, in Bell, 83–117
- Hamilton, S, 2001, Sussex later Neolithic and earlier Bronze Age pottery: the East Sussex Crowlink Barrow assemblage, its implications and regional context, in Greatorex, C, Evidence of Sussex prehistoric ritual tradition: the archaeological investigation of a Bronze Age funerary monument situated on Bailly's Hill near Crowlink, Eastbourne, *SAC*, **139**, 49–62
- Hamilton, S, 2002a The Mile Oak pottery assemblage – its stratigraphic context, forms, fabrics, chronology and regional significance, in Russell 2002, 36–54
- Hamilton, S, 2002b The Downsview pottery with specific reference to the Bronze Age assemblage: its forms, dating and regional implications, in Rudling 2002b, 170–82
- Hamilton, S, 2003 Sussex not Wessex: a regional perspective on southern Britain c 1200–200 BC, in Rudling 2003a, 69–88
- Hamilton, S, 2007 Cultural choices in the British Eastern Channel Area, in Haselgrove & Moore 2007a, 81–106
- Hamilton, S, & Manley, J, 1999 Regional traditions c 1000–100 BC, in *An historical atlas of Sussex* (eds K Leslie & B Short), 20–21
- Hamilton, S, & Manley, J, 2001 Hillforts, monumentality and place: a chronological and topographic review of first millennium BC hillforts of south-east England, *European J Archaeol*, **4**(1), 7–42
- Harding, D W, 1987 Excavations in Oxfordshire 1964–66. University of Edinburgh Department of Archaeology Occasional Paper **15**.
- Hart, D, 2006 Excavations at Bradstow School, Dumpton Park Drive, Broadstairs, Kent. A post-excavation assessment report & proposals for publication, unpub ASE rep
- Hart, D, 2008 Excavations at the former Ford Airfield, Ford, West Sussex. Post-excavation assessment and project design for publication, unpub ASE rep no 2008114
- Hart, D, 2010 A post-excavation assessment and updated project design for excavations at the Brighton & Hove Wastewater Treatment Works, Lower Hodder Farm, Peacehaven, East Sussex (Stage 3), unpub ASE rep no 2010098
- Hart, D, 2011 A post-excavation assessment and updated project design for excavations at Seaview Avenue, Peacehaven, East Sussex, unpub ASE rep no 2010083
- Hart, D, in prep a, Excavations at Seaview and Keymer Avenues, Peacehaven, unpub ASE rep
- Hart, D, in prep b, Excavations at Seaview Avenue, Peacehaven, unpub ASE rep
- Harrison, R J, Jackson, R, & Napthan, M, 1999 A rich Bell Beaker burial from Wellington Quarry, Marden, Herefordshire, *Oxford J Archaeol*, **18**(1), 1–16
- Hartridge, R, 1978 The excavation of a prehistoric and Romano-British site on Slonk Hill, Shoreham, *SAC*, **116**, 69–142
- Haselgrove, C, 1982 Wealth, prestige and power: the dynamics of Late Iron Age political centralization in south-east England, in *Ranking, resource and exchange* (eds A C Renfrew & S Shennan), 79–88
- Haselgrove, C, 1984 Romanisation before the conquest: Gaulish precedents and British consequences, in *Military and civilian in Roman Britain* (eds T Blagg & A King), BAR Brit Ser, **136**, 5–63
- Haselgrove, C, 1989 The later Iron Age in southern Britain and beyond, in *Research on Roman Britain: 1960–89* (ed M Todd), 1–18
- Haselgrove, C, 2007 The age of enclosure: later Iron Age settlement and society in northern France, in Haselgrove & Moore 2007a,

492–522

- Haselgrove, C, & Moore, T 2007a *The later Iron Age in Britain and beyond*
- Haselgrove, C, & Moore, T, 2007b New narratives of the later Iron Age, in Haselgrove & Moore 2007a, 1–15
- Haselgrove, C, & Pope, R (eds), 2007a *The earlier Iron Age in Britain and the near Continent*
- Haselgrove, C, & Pope, R, 2007b Characterising the earlier Iron Age, in Haselgrove & Pope 2007a, 1–23
- Haselgrove, C, Armit, I, Champion, T, Creighton, J, Gwilt, A, Hill, J D, & Woodward, A, 2001 *Understanding the British Iron Age: an agenda for action*
- Hather, J G, 2000 *The identification of the northern European woods: a guide for archaeologists and conservators*
- Hawkes, C F C, & Hull, M R, 1947 *Camulodunum: first report on the excavations at Colchester, 1930–1939*, Rep Res Comm Soc Antiq London, **14**
- Hawley, W, 1927 Further excavations at Park Brow, *Archaeologia*, **76**, 30–40
- Healey, E, & Robertson-Mackay, R, 1983 The lithic industries from Staines causewayed enclosure and their relationship to other earlier Neolithic industries in southern Britain, *Lithics*, **4**, 1–27
- Healy, F, 1988 *The Anglo-Saxon cemetery at Spong Hill, North Elmham: Part VI, Occupation in the seventh to second millennia BC*
- Healy, F, Bayliss, A, & Whittle, A W R, 2011 Sussex, in Whittle et al, 226–62
- Hearne, C M, & Adam, N, 1999 Excavation of an extensive Late Bronze Age settlement at Shorecote Quarry, near Cirencester, 1995–6. *Trans Bristol Gloucestershire Archaeol Soc*, **117**, 35–73
- Hearne, C M, & Heaton, M J, 1994 Excavations at a Late Bronze Age settlement in the Upper Thames valley at Shorecote Quarry near Cirencester, 1992, *Trans Bristol Gloucestershire Archaeol Soc*, **112**, 17–57
- Hedges, R E M, Housely, R A, Bronk-Ramsey, C R, & Klinken, G J van, 1991 Radiocarbon dates from the Oxford AMS system. Archaeometry datelist 13, *Archaeometry*, **34**, 279–96
- Henderson, J C, 2007 The Atlantic west in the Early Iron Age, in Haselgrove & Pope 2007a, 306–27
- Hewson, M, 2006 *Excavations at Whitemoor Haye Quarry, Staffordshire, 2000–2004*, BAR Brit Ser, **478**
- Hey, G, 1995 Iron Age and Roman settlement at Old Shifford Farm, *Oxoniensis*, **60**, 93–176
- Hey, G, & Barclay, A, 2011 Inscribing the landscape: Neolithic funerary and ceremonial monuments, in Hey et al, 261–310
- Hey, G, & Robinson, M, 2011 Neolithic communities in the Thames valley: the creation of new worlds, in Hey et al, 221–260
- Hey, G, Garwood, P, Robinson, M, Barclay, A, & Bradley, P, 2011 Part 2, The Mesolithic, Neolithic and early Bronze Age and the establishment of permanent human occupation in the valley, in *The Thames through time: the archaeology of the gravel terraces of the Upper and Middle Thames. Early prehistory to 1500 BC* (eds A Morigi, D Schreve, M White, G Hey, P Garwood, M Robinson, A Barclay & P Bradley), Thames Valley Landscapes Monogr Ser **32**, 151–461
- Hill, J D, 1995a The pre-Roman Iron Age in Britain and Ireland (ca. 800 BC to AD 100): an overview, *J World Prehist*, **9**(1), 47–98
- Hill, J D, 1995b *Ritual and rubbish in the Iron Age of Wessex: a study on the formation of a specific archaeological record*, BAR Brit Ser, **242**
- Hill, J D, 2007 The dynamics of social change in later Iron Age eastern and south-eastern England, in Haselgrove & Moore 2007a, 16–40
- Hillman, G C, 1981 Reconstructing crop husbandry practices from charred remains of crops, in *Farming practice in British prehistory* (ed R Mercer), 123–62
- Hillman, G C, 1982, Appendix 6. Charred plant remains, in Britnell, W, The excavation of two round barrows at Trelyston, Powys, *Proc Prehist Soc*, **48**, 133–201
- Hillman, G C, 1984 Interpretation of archaeological plant remains: the application of ethnographic models from Turkey, in *Plants and ancient man* (eds W van Zeist and W A Casparie), 1–42, Rotterdam
- Hingley, R, & Miles, D, 1984 Aspects of Iron Age settlement in the Upper Thames valley, in Cunliffe, B, & Miles, D, *Aspects of the Iron Age in central southern Britain*, 52–71
- Hinton, P, 1982 Carbonised seeds, in Drewett 1982a, 382–90.
- Hinton, P, 1984 Seeds from archaeological excavations: results from Sussex, *SAC*, **122**, 3–11
- Hinton, P, 2002a Charred plant remains, in Russell 2002, 68–71
- Hinton, P, 2002b Charred plant remains, in Rudling 2002b, 197
- Hinton, P, 2006 Charred plant remains, in Chadwick, 7–50
- Hinton, P, 2008 Charred plant remains, in Fitzpatrick et al, 112–14
- Hinton, P, in prep, Charred plant remains, in Brookes et al
- Hodder, I, & Barfield, L H (eds), 1991 *Burnt mounds and hot stone technology. Papers for the Second International Burnt Mound Conference*
- Holden, E W, 1972 A Bronze Age cemetery-barrow on Itford Hill, Beddington, Sussex, *SAC*, **110**, 70–117
- Holden, J L, Phakley, P P, & Clement, J G, 1995a Scanning electron microscope observations of incinerated human femoral bone: a case study, *Forensic Sci Int*, **74**, 17–28
- Holden, J L, Phakley, P P, & Clement, J G, 1995b Scanning electron microscope observations of heat-treated human bone, *Forensic Sci Int*, **74**, 29–45
- Holmes, J, 1984 Excavations at Hollingbury Camp, Sussex, 1967–9, *SAC*, **122**, 29–52
- Horsfield, T W, 1824 *The history and antiquity of Lewes and its vicinity*
- Humphrey, J (ed), 2003 *Re-Searching the Iron Age*, Leicester Univ Monogr Ser, **11**
- Hurcombe, L, 2007 Plant processing for cordage and textiles using serrated flint edges: new chaînes opératoires suggested by ethnographic, archaeological and experimental evidence for bast fibre processing, in Beugnier, V, & Crombé, P, *Plant processing from a prehistoric and ethnographic perspective/Préhistoire et ethnographie du travail des plantes: proceedings of a workshop at Ghent University (Belgium) November 28, 2006*, BAR Int Ser, **1718**, 41–66
- Jackson, R, & Ray, K, 2012 Place, presencing and pits in the Neolithic of the Severn–Wye region, in Anderson-Whymark & Thomas, 144–70
- Jacobi, R M, 1978b The Mesolithic of Sussex, in Drewett 1978a, 15–22
- Jacomot, S, 2006 Identification of cereal remains from archaeological sites, 2nd edn, https://ipna.unibas.ch/archbot/pdf/Cereal_Id_Manual_engl.pdf (accessed 23 March 2015)
- Jeffery, P, 1991 Burnt mounds, fulling and early textiles, in Hodder & Barfield, 97–107
- Jessen, K, & Helback, H, 1944 *Cereals in Great Britain and Ireland in prehistoric and early historic times*, Det Kongelige Danske Videnskabernes Selskab: Biologiske Skrifter, **3**
- Jones, G, & Legge, A J, 2008 Evaluating the role of cereal cultivation in the neolithic: charred plant remains from Hambledon Hill, Dorset, in Mercer & Healy, 469–76
- Jones, G, & Rowley-Conwy, P, 2007 On the importance of cereal cultivation in the British Neolithic, in Colledge & Connolly, 391–419
- Jones, J, 2003 Analysis of charred plant macrofossil remains from Mitchell to Newlyn East Pipeline, unpub Cornwall Archaeol Unit rep
- Jones, J, 2009 Plant macrofossils, in Best, J, A Late Bronze Age pottery production site and settlement at Foster's Field, Tinney's Lane, Sherborne, Dorset, http://archaeologydataservice.ac.uk/archiveDS/archiveDownload?t=arch-910-1/dissemination/pdf/specialist/plant_macrofossils/PLANT_MACROFOSSIL.pdf (accessed 23 March 2015)
- Jones, M K, 1985 Archaeobotany beyond subsistence reconstruction, in *Beyond domestication in prehistoric Europe* (eds G W Barker & C Gamble), 107–28
- Jones, P, 2008 *A Neolithic ring-ditch and later prehistoric features at Staines*

- Road Farm, Shepperton, Spoilheap Monogr Ser, **1**
- Jones, S, 2004 *Seed identification handbook: agriculture, horticulture and weeds*
- Juel Jensen, H, 1994 *Flint tools and plant working: hidden traces of Stone Age technology: a use wear study of some Danish Mesolithic and TRB implements*, Aarhus
- Kenny, J, 1993 Lavant: the reservoir site at Chalkpit Lane, in *The Archaeology of Chichester and district, 1993* (ed S Woodward), 26–30
- Kenward, R, 1982 A Neolithic burial enclosure at New Wintles Farm, Eynsham, in Case & Whittle, 51–4
- Kerney, M P, 1977 A proposed zonation scheme for Late-glacial and Post-glacial deposits using land Mollusca, *J Archaeol Sci*, **4**, 387–90
- Kerney, M P, & Cameron, R A D, 1979 *A field guide to the land snails of Britain and north-west Europe*
- King, R, & King, D, 2010 St Richard's Hospital, Chichester, West Sussex: archaeological evaluation and watching brief, unpub Foundations Archaeology rep
- Kirk, L, 1996 An archaeological excavation at St Thomas a Becket church, Pagham, West Sussex, South Eastern Archaeol Services, unpublished grey lit rep
- Kirleis, W, Kloof, S, Kroll, H, & Müller, J, 2012 Crop growing and gathering in the northern German Neolithic: a review supplemented by new results, *Vegetation History Archaeobotany*, **21**, 221–42
- Knight, D, 2007 From open to enclosed: Iron Age landscapes of the Trent valley, in Haselgrove & Moore 2007a, 190–218
- Knight, M, 2006 Mildenhall pottery, in Garrow et al, 29–52
- Knight, M, 2009 Excavating a Bronze Age platform at Must Farm, Whittlesey, near Peterborough, *PAST*, **63**, 1–4
- Kristiansen, K, 1998 Centre and periphery in Bronze Age Scandinavia, in *Centre and periphery in the ancient world* (eds M Rowlands, M Larsen & K Kristiansen), 74–85
- Ladle, L, & Woodward, A, 2009 *Excavations at Bestwall Quarry, Wareham 1992–2005: Vol 1, The prehistoric landscape*, Dorset Natur Hist Archaeol Soc Monogr Ser, **19**
- Lambert, R, Margetts, A, & Robertson, J, 2013 *Prehistoric, Roman and Saxon discoveries near Thorpe and Virginia Water*, Spoilheap Occas Pap, **3**
- Lambrick, G, 1978 Iron Age settlements in the Upper Thames valley, in *Iron Age communities in Europe* (eds B Cunliffe & T Rowley), BAR Int Ser, **48**
- Lambrick, G, 2009a Dividing up the countryside, in Lambrick & Robinson, 53–80
- Lambrick, G, 2009b Hearth and home: buildings and domestic culture, in Lambrick & Robinson, 133–78
- Lambrick, G, & Allen, T G, 2004 *Gravelly Guy, Stanton Harcourt, Oxfordshire: the development of a prehistoric and Roman-British community*, Thames Valley Landscapes Monogr Ser, **21**
- Lambrick, G, & Allen, T G, 2009 Settlements and settlement patterns, in Lambrick & Robinson, 91–132
- Lambrick, G, & Robinson, M, 2009 *The Thames through time. The archaeology of the gravel terraces of the Upper and Middle Thames: the Thames valley in late prehistory, 1500 BC – AD 50*, Thames Valley Landscapes Monograph Ser, **29**
- Lamdin-Whymark, H, 2001 Neolithic activity on the floodplain of the river Thames at Dorney, *Lithics*, **22**, 22–36
- Lamdin-Whymark, H, 2008 The residue of ritualised action: Neolithic deposition practices in the Middle Thames valley, BAR Brit Ser, **466**
- Lane, T, & Morris, E L, 2001 *A millennium of saltmaking: prehistoric and Romano-British salt production in the Fenland*, Lincolnshire Archaeol Heritage Rep Ser, **4**
- Lanting, J N, Aerts-Bijma, A T, & van der Plicht, J, 2001 Dating of cremated bones, *Radiocarbon*, **43**, 249–54
- Last, J (ed.), 2007a *Beyond the grave: new perspectives on round barrows*
- Last, J, 2007b Covering old ground: barrows as enclosures, in Last 2007a, 156–75
- Laughlin, A, Laughlin, M, & Russell, M, 2002 Geological material, in Russell 2002, 60–62
- Lawson, A J, 1994 Potterne, in Fitzpatrick & Morris, 42–6
- Le Hégat, K, & Allott, L, 2011 Environmental remains, in Hart, 20–23
- Leivers, M, The emergence of the agricultural landscape and its development (2nd and 1st millennia BC), in Framework Archaeology, 135–214
- Lewis, J, 2010 Hunter-gatherers and first farmers 500,000 to 1700 BC, In Framework Archaeology, 30–134
- Lewis, J, & Blatt, A, 2006 The emergence of the agricultural landscape from the early-middle Bronze Age to the end of the early Iron Age (c 1700 BC – 400 BC), in Framework Archaeology, 95–166
- Lewis, J, & Brown, F, 2006 Hunter-gatherers and first farmers: the Mesolithic wildwood to the end of the monumental landscape of the Neolithic (10,000 BC – 1700 BC), in Framework Archaeology, 28–94
- Longin, R, 1971 New method of collagen extraction for radiocarbon dating, *Nature*, **230**, 241–2
- Longworth, I, & Cleal, R M J, 1999 Grooved Ware gazetteer, in Cleal, R, *Grooved Ware in Britain and Ireland*, Neolithic Stud Grp Seminar Pap, **3**, 177–206
- Lubbock, J, 1865 *Pre-historic times*
- McKinley, J I, 1993 Bone fragment size and weights of bone from modern British cremations and their implications for the analysis of archaeological cremations, *Int J Osteol*, **3**, 283–7
- McKinley, J I, 1997 Bronze Age 'barrows' and the funerary rites and rituals of cremation, *Proc Prehist Soc*, **63**, 129–45
- McKinley, J I, 2004 Compiling a skeletal inventory: cremated human bone, in *Guidelines to the standard for recording human remains* (eds M Brickley & J I McKinley), IFA Pap, **7**, 8–12
- McKinley, J I, 2006 *Human remains from Section 1 of the Channel Tunnel Rail Link, Kent*, CTRL Scheme-wide Specialist Rep Ser (available online; see ADS 2006)
- McKinley, J I, 2010 *Kentish sites and sites of Kent: a miscellany of four archaeological excavations. Human bone from the route of the Waterlees–Margate–Broadstairs wastewater pipeline*, <http://www.wessexarch.co.uk/projects/kent/margate/pipeline/specialist-reports> (accessed 13 April 2015)
- McOmish, D, Field, D, & Brown, G, 2002 *The field archaeology of the Salisbury Plain Training Area*
- McOmish, D, 1996 East Chisenbury: ritual and rubbish at the British Bronze Age–Iron Age transition, *Antiquity*, **70**, 68–76
- Macpherson-Grant, N, 1977 *Excavation of a Neolithic/Bronze Age site at Lord of the Manor, Haine Road, Ramsgate*, Isle of Thanet Archaeol Unit Publ, **1**
- Macpherson-Grant, N, 1992 A review of Late Bronze Age pottery in Kent, *Canterbury Archaeol Trust Annu Rep*, **16**, 55–63
- Macpherson-Grant, N, 2002 The pottery, in Proctor, J, Late Bronze Age/Early Iron Age placed deposits from Westcroft Road, Carshalton: their meaning and interpretation, *SyAC*, **89**, 75–85
- Maltby, M, 1990 Animal bones, in *The Stonehenge Environs Project* (ed J Richardson), Engl Heritage Archaeol Rep, **16**, 57–61
- Margetts, A 2013 A post-excavation assessment and updated project design report: 'Wickhurst Green', Broadbridge Heath, West Sussex, unpub ASE rep no 2013198
- Marples, N, 2011 The struck flint, in Hart, 14–19
- Marsh, G, & Tyers, P, 1978 The Roman pottery from Southwark, in *Southwark excavations 1972–4* (eds J Bird, A H Graham, H Sheldon & P Townend) (2 vols), Joint Publ London Middlesex Archaeol Soc/Surrey Archaeol Soc, **1**, 533–82
- Marshall, P D, in prep Bayesian modelling of dates, in *The Beaker People: isotopes, mobility and diet in prehistoric Britain* (eds M Parker Pearson, M Richards, A Chamberlain & M Jay), Prehist Soc Monogr

- Marshall, P D, Hamilton, W D, Woodward, A, & Beamish, M, in prep *A precise chronology for Peterborough Ware?*
- Martin, J, Schuster, J, & Barclay, A, 2012 Evidence of an Early Bronze Age field system and spelt wheat growing, together with an Anglo-Saxon sunken featured building, at Monkton Road, Minster in Thanet, *Archaeol Cantiana*, **132**, 43–53
- Masefield, R, with Woodley, K, & Lawrence, S, 2013 Great Western Park, Didcot: interim summary of archaeological results within Phases 1–5 north of Wantage Road, unpub RPS & OA South rep
- Masefield, R, Branch, N, Couldry, P, Goodburn, D, & Tyers, I 2003 A Late Bronze Age well complex at Swalecliffe, Kent, *Antiq J*, **83**, 47–121
- Mears, R, & Hillman, G C, 2007 *Wild food*
- Mellars, P A, & Reinhardt, S C, 1978 Patterns of Mesolithic land-use in southern England: a geological perspective, in *The early postglacial settlement of northern Europe* (ed P Mellars), 243–93
- Mephram, L, 2012 Other finds in Dinwiddy, M, A multi-period site at Eden Park (former Toddington Nurseries), Littlehampton, West Sussex, *SAC*, **150**, 59–61
- Mercer, R J, & Healy, F, 2008 *Hambledon Hill, Dorset, England: excavation and survey of a Neolithic monument complex and its surrounding landscape*
- Milles, A, Williams, D, & Gardner, N (eds), 1989 *The beginnings of agriculture*, BAR Int Ser, **496**
- Milner, N, 2010 Subsistence at 4000–3750 cal BC: landscapes of change or continuity?, in *Landscapes in transition* (eds B Finlayson & G Warren), 46–54
- Moffett, L, 1991 Pignut tubers from a Bronze Age cremation at Barrow Hills, Oxfordshire, and the importance of vegetable tubers in the prehistoric period, *J Archaeol Sci*, **18**(2), 187–91
- Moffett, L, Robinson, M, & Straker, V, 1989 Cereals, fruits and nuts: charred plant remains from Neolithic sites in England and Wales and the Neolithic economy, in Milles et al, 243–61
- Mook, W G, 1986 Business meeting: recommendations/resolutions adopted by the Twelfth International Radiocarbon Conference, *Radiocarbon*, **28**, 799
- Mook, W G, & Waterbol, H T, 1985 *Radiocarbon dating*, Handbooks for Archaeologists, **3**, Strassburg
- Moore, C, 2002 Late Bronze Age, Romano-British and Early/Middle Saxon features at Hoo St Werburgh, *Archaeol Cantiana*, **122**, 259–74
- Moore, J, & Jennings, D, 1992 *The Kennet valley: Vol 1, Reading Busnes Park: a Bronze Age landscape*, Thames Valley Landscapes Monogr Ser, **3**
- Moore, T, 2003 Rectangular buildings in the British Iron Age? – ‘squaring the circle’, in Humphrey, 47–58
- Morris, E L, 2001a Briquetage and salt production and distribution systems: a comparative study, in Lane & Morris, 389–404
- Morris, E L, 2001b Briquetage, in Lane & Morris, 33–63
- Morris, E L, 2006a The briquetage, in Keily, J, Morris, E, Samuel, M, & Shaffrey, R, *Small finds Cobham Golf Course, Cobham, Kent (ARC CGC 98, ARC 33098D)*, CTRL Specialist Report Series, 9–13 (available online; see ADS 2006)
- Morris, E L, 2006b Later prehistoric pottery, in Barclay et al, 34–119 (available online; see ADS 2006)
- Morris, E L, 2007 Making magic: later prehistoric and early Roman salt production in the Lincolnshire Fenland, in Haselgrove & Moore 2007a, 430–43
- Morris, J, 2008 Re-examining associated bone groups from southern England and Yorkshire, c 4000 BC to AD 1550, unpub PhD thesis, Univ Bournemouth
- Morris, J, 2010 Associated bone groups, beyond the Iron Age, in *Integrating social and environmental archaeologies: reconsidering deposition* (eds J Morris, and M Maltby), BAR Int Ser, **2077**, 12–23
- Mortimore, R N, Lawrence, J, Pope, D, Duperret, A, & Genter, A, 2004 Coastal cliff geohazards in weak rock: the UK chalk cliffs of Sussex, in *Coastal chalk cliff instability* (eds R N Mortimore & A Duperret), Geol Soc Spec Publ, **20**, 3–33
- Munnery, T, 2010 An archaeological watching brief of the installation of an artificial pitch at the Matthew Arnold School, Staines, Surrey, unpub SCAU rep
- Munnery, T, 2013 A study of Neolithic pits in south-east England: shifts in deposition, farming and self-perception, unpub MA thesis, Univ Leicester
- Munsell, 1992 *Munsell soil color charts*, rev edn, New York
- Murphy, P A, 1977 Early agriculture and environment on the Hampshire chalklands, c 800 BC – 400 AD, unpub MPhil thesis, Univ Southampton
- Murray, H, 1999 Realising the round house: inside Archaeolink, lecture given to the Scottish Archaeological Forum 1999 conference, *Circular arguments: the archaeology of roundhouses*, abstracts at http://www.scottisharchaeologicalforum.org.uk/roundhouses_conf.html (accessed 24 March 2015)
- Musson, C, 1970 House-plans and prehistory, *Curr Archaeol*, **2**(10), 267–75
- Musson, R, 1950 An excavation at Combe Hill Camp, near Eastbourne, August 1949, *SAC*, **89**, 105–16
- Neal, D, Wardle, A, & Hunn, J, 1990 *Excavation of the Iron Age, Roman and medieval settlement at Gorbambury, St Albans*, Engl Heritage Archaeol Rep, **14**
- Needham, S, 1996 Chronology and periodization in the British Bronze Age, *Acta Archaeologica*, **67**, 121–40
- Needham, S, 2005 Transforming Beaker culture in north-west Europe: processes of fusion and fission, *Proc Prehist Soc*, **71**, 171–217
- Needham, S, 2007 800 BC: the great divide, in Haselgrove & Pope 2007a, 39–63
- Needham, S, & Spence, T, 1996 *Runnymede bridge research excavations: Vol 2, Refuse and disposal at area 16, East Runnymede*
- Needham, S, & Spence, T, 1997 Refuse and the formation of middens, *Antiquity*, **71**, 77–90
- Neef, R, Cappers, R T J, & Bekker, R M, 2012 *Digital atlas of economic plants in archaeology*, Groningen Archaeol Stud, **17**, Barkhuis, Netherlands
- O’Kelly, M J, 1954 Excavations and experiments in ancient Iron Age cooking places, *J Roy Soc Antiq Ireland*, **84**, 105–55
- Oswald, A, 1991 A doorway on the past: roundhouse entrance orientation and its significance in Iron Age Britain, unpub BA dissertation, Univ Cambridge
- Oswald, A, 1997 A doorway on the past: practical and mystical concerns in the orientation of roundhouse doorways, in Gwilt & Haselgrove, 87–95
- Oxford Archaeology, 2005 Land adjacent to Tesco Extra, Margate Road, Broadstairs, Kent, unpub OA rep
- Pannett, A, 2012 Pits, pots and plant remains: trends in Neolithic deposition in Carmarthenshire, South Wales, in Anderson-Whymark & Thomas, 126–45
- Parfitt, K, 2006 Ringlemere and ritual and burial landscapes of Kent, in *The Ringlemere Cup: precious cups and the beginning of the Channel Bronze Age* (eds S Needham, K Parfitt & G Varndell), Brit Mus Res Publ, **163**, 7–30
- Parker Pearson, M, 1999 Food, sex and death: cosmologies in the British Iron Age, with particular reference to East Yorkshire, *Cambridge Archaeol J*, **9**(1), 43–69
- Parker Pearson, M, & Richards, C, 1994 Architecture and order: spatial representation and archaeology, in Parker Pearson, M, & Richards, C, *Architecture and order: approaches to social space*, 38–72
- Parsons, W J, & Curwen, E C, 1933 An agricultural settlement on Charleston Brow, near Firls Beacon, *SAC*, **74**, 164–80
- Patten, R, 2002 An archaeological excavation at Tanholt Farm, Eyebury Quarry, Eye, Peterborough: phase 1, unpub Cambridge Archaeol

- Unit rep
- Patten, R, 2003 Eye, Tanholt Farm, unpub Cambridge Archaeol Unit rep
- PCRG, 2010 *The study of later prehistoric pottery: general policies and guidelines for analysis and publication*, Prehistoric Ceramic Research Group Occas Pap 1 & 2, 3rd edn, http://www.pcr.org.uk/News_pages/PCRG%20Guidelines%203rd%20Edition%20%282010%29.pdf
- Peacock, D, 1987 Iron Age and Roman quern production at Lodsworth, West Sussex, *Antiq J*, **67**, 61–85
- Pelling, R, 2003 Charred plant remains, in Hutchings, P, Ritual and riverside settlement: a multi-period site at Princess Road, Dartford, *Archaeol Cantiana*, **123**, 41–79
- Pelling, R, 2011 Charred plant remains, in *Prehistoric activity and a Romano-British settlement at Poundbury Farm, Dorchester, Dorset* (eds K Egging Dinwiddy & P Bradley), 142–58
- Pelling, R, 2012a Charred and waterlogged plant remains, in *Landscape and prehistory of the East London Wetlands: investigations along the A13 DBFO roadscheme, Tower Hamlets, Newham and Barking and Dagenham, 2000–2003* (eds E Stafford, D Goodburn & M Bates), Oxford Archaeology Monogr Ser, **17**, 244–59
- Pelling, R, 2012b Charred plant remains, supplement to Clelland, S E, Prehistoric to post-medieval occupation at Dowd's Farm, Hedge End, Hampshire, *Hampshire Studies*, **67**(1), http://www.wessexarch.co.uk/system/files/Dowds_Farm_CharredPlant.pdf (accessed 24 March 2015)
- Pelling, R 2013 Charred plant remains, in De'Athe, R, Early Iron Age metalworking and Iron Age/early Romano-British settlement evidence along the Barton Stacey to Lockerley gas pipeline: Finds and environmental reports, *Hampshire Studies*, **68**, <http://www.wessexarch.co.uk/system/files/Barton%20Stacey.pdf> (accessed 24 March 2015)
- Percival S, 2001 Briquetage, in Lane & Morris, 182–202
- Phillips, B, 1857 Discovery of a tumulus at Hove, near Brighton, *SAC*, **9**, 119–24
- Piggott, S, 1931 The Neolithic pottery of the British Isles, *Archaeol J*, **88**, 67–159
- Piggott, S, 1936 The pottery, in Curwen, 75–80
- Pitts, M, Burnt mound theory tested to perfection, *Brit Archaeol*, **110**, 6
- Place, C, 2004 *Excavations at Ford Airfield, Yapton, West Sussex, 1999*
- Pollard, J, 1999 These places have their time, in Brück, J, & Goodman, M, *Making places in the prehistoric world: themes in settlement archaeology*, 77–93
- Pollard, J, 2001 The aesthetics of depositional practice, *World Archaeol*, **33**, 315–33
- Pollard, J, 2002 The ring-ditch and hollow: excavation of a Bronze Age 'shrine' and associated features at Pampisford, Cambridgeshire, *Proc Cambridge Antiq Soc*, **91**, 5–21
- Poole, C, 1984 Objects of baked clay, in Cunliffe, B, *Danebury: an Iron Age hillfort in Hampshire: Vol 2, The excavations 1969–1978: the finds*, CBA Res Rep, **52**, 398–407
- Poole, C, 1995 Loomweights versus oven bricks, in Cunliffe, B, *Danebury: an Iron Age hillfort in Hampshire: Vol 6, A hillfort community in perspective*, CBA Res Rep, **102**, 285–6
- Poole, C, 2011a Fired clay, in Simmonds, A, Wenban-Smith, F, Bates, M, Powell, K, Sykes, D, Devaney, R, Stansbie, D, & Score, D, *Excavations in north-west Kent, 2005–2007: one hundred thousand years of human activity in and around the Darent valley*, Oxford Archaeol Monogr Ser, **11**, 136–43
- Poole C, 2011b Fired clay, in Simmonds, A, Wenban-Smith, F, Bates, M, Powell, K, Sykes, D, Devaney, R, Stansbie, D, & Score, D, *Excavations in north-west Kent, 2005–2007: one hundred thousand years of human activity in and around the Darent valley*, Oxford Archaeol Monogr Ser, **11**, 231–2
- Pope, M I, 2001 New investigations at Slindon Bottom Lower Palaeolithic site, West Sussex, *Lithics*, **22**, 3–10
- Pope, M I, in prep a Geoarchaeological observations, in Garland, N & Anderson-Whymark, H, *Mesolithic and Late Neolithic/Bronze Age activity on the site of the American Express Community Stadium, Falmer, East Sussex*
- Pope, M I, in prep b Evidence for mid-Devensian occupation from dry valley sediments at Woollards Field, Moulsecoomb, East Sussex, *Proc Geol Soc*
- Pope, M I, & Maxted, A, 2008 A refitting biface reduction scatter from Newhaven, East Sussex, *Lithics*, **29**, 55–63
- Pope, R, 2007 Ritual and the roundhouse: a critique of recent ideas on the use of domestic space in later British prehistory, in Haselgrove & Pope 2007a, 1–23
- Poucher, P, 2011 Possible pond barrows near Llanfyrnach, Pembrokeshire: geophysical survey and archaeological evaluation, unpub Dyfed Archaeol Trust Rep no 2010/26
- Pryor, F, 1996 Sheep stockyards and field systems: Bronze Age livestock populations in the Fenlands of eastern England, *Antiquity*, **70**, 313–24
- Pryor, F, 1998 *Farmers in prehistoric Britain*
- Pryor, F, 2001 *The Flag Fen Basin: archaeology and environment of a fenland landscape*
- Puisségur, J J, 1976 *Mollusques continentaux quaternaires de Bourgogne: significations stratigraphiques et climatiques, rapports avec d'autres faunes boréales de France*, Paris
- Rady, J, 2010 Excavations at Thanet Earth 2007–2008: assessment report, unpub Canterbury Archaeol Trust rep no 2010/78
- Rady, J, Holman, J, Masefield, R, Henshaw, R, & Weekes, J, in prep Beneath the seamar: 6000 years of an island's history, in *Archaeological Investigations at 'Thanet Earth', Kent, 2007–2012* (ed P Clark), Canterbury Archaeol Trust Occas Pap, **12**
- Raemen, E, 2010 The fired clay, in Clarke, C, Exploration of the Sussex coastal plain through time. Excavations at Titnore Lane, Goring-by-Sea, West Sussex, unpub AOC rep
- Rankine, W, 1949 Stone maceheads with Mesolithic associations from south-eastern England, *Proc Prehist Soc*, **15**, 70–76
- Ratcliffe-Densham, H B A, & Ratcliffe-Densham, M M, 1961 An anomalous earthwork of the Late Bronze Age on Cock Hill, Sussex, *SAC*, **99**, 78–101
- Ratcliffe-Densham, H B A, & Ratcliffe-Densham, M M, 1966 Amberley Mount: its agricultural story from the Late Bronze Age, *SAC*, **104**, 6–25
- Reeves, A, 1995 Romney Marsh: fieldwalking evidence, in *Romney Marsh: the debatable ground* (ed J Eddison), Oxford Univ Comm Archaeol Monogr Ser, **41**, 78–91
- Reid, C, 1887 On the origin of dry Chalk valleys and of Coombe Rock, *Q J Geol Soc*, **43**(1–4), 364–73
- Reimer, P J, Baillie, M G L, Bard, E, Bayliss, A, Beck, J W, Blackwell, P G, Bronk Ramsey, C, Buck, C E, Burr, G, Edwards, R L, Friedrich, M, Grootes, P M, Guilderson, T P, Hajdas, I, Heaton, T J, Hogg, A G, Hughen, K A, Kaiser, K F, Kromer, B, McCormac, F G, Manning, S W, Reimer, R W, Richards, D A, Southon, J R, Talamo, S, Turney, C S M, van der Plicht, J, & Weyhenmeyer, C E, 2009 IntCal09 and Marine09 radiocarbon age calibration curves, 0–50,000 years cal BP, *Radiocarbon*, **51**, 1111–50
- Reynolds, P J, 1974 Experimental Iron Age storage pits: an interim report, *Proc Prehist Soc*, **40**, 118–31
- Reynolds, P J, 1979 *Iron Age farm: the Butser experiment*
- Riccoboni, P, Archaeological investigations at Keymer and Seaview Avenues, Peacehaven, East Sussex. Post-excavation assessment and project design for publication, unpub ASE rep no 2008029
- Rice, P M, 1996 Recent ceramic analysis: 2, composition, production and theory, *J Archaeol Method Theory*, **4**(3), 165–202
- Rice, P M, 1999 On the origins of pottery, *J Archaeol Method Theory*, **6**(1), 1–54
- Richards, M P, 2000 Human consumption of plant foods in the British Neolithic: direct evidence from bone stable isotopes, in Fairbairn 2000a, 123–55

- Richards, M P, & Hedges, R E M, 1999 A Neolithic revolution? New evidence of diet in the British Neolithic, *Antiquity*, **73**, 891–97
- Robb, J, & Miracle, P, 2007 Beyond 'migration' versus 'acculturation': new models for the spread of agriculture, in Whittle & Cummings, 99–115
- Robertson-Mackay, R, 1987 The Neolithic causewayed enclosure at Staines, Surrey: excavations 1961–63, *Proc Prehist Soc*, **53**, 23–128
- Robinson, M, 1988 The significance of the tubers of *Arrhenatherum elatius* (L.) Beauv. from site 4, Cremation 15/11, in *The Rollright Stones: megaliths, monuments and settlements in the prehistoric landscape* (ed G Lambrick), HBMC Archaeol Rep, **6**, 102
- Robinson, M A, 2000 Further considerations of Neolithic charred cereals, fruits and nuts, in Fairbairn 2000a, 85–90
- Robinson, M A, & Lambrick, G, 2009 Living off the land: farming, water, storage and waste, in Lambrick & Robinson, 237–82
- Roe, F, 1979 Typology of stone implements with shaftholes, in *Stone axe studies: archaeological, petrological, experimental and ethnographic* (eds T McClough & W Cummins), CBA Res Rep, **23**, 23–48
- Roehrs, H, Klooss, S, & Kirleis, W, 2012 Evaluating prehistoric finds of *Arrhenatherum elatius* var. *bulbosum* in north-western and central Europe with an emphasis on the first Neolithic finds in northern Germany, *Archaeological and Anthropological Sciences*, **5**(1), 1–15
- Rowlands, M, 1980 Kinship, alliance and exchange in the European Bronze Age, in Barrett & Bradley, 1980a, 15–56
- Rowley-Conwy, P, 2003 No fixed abode? Nomadism in the north-west European Neolithic, in *Stone and bones: formal disposal of the dead in Atlantic Europe during the Mesolithic–Neolithic interface 6000–3000 BC* (ed G Burenhult), BAR Int Ser, **1201**, 115–43
- Rowley-Conwy, P, 2004 How the west was lost: a reconsideration of agricultural origins in Britain, Ireland and southern Scandinavia, *Curr Anthropol*, **45**, 83–113
- RPS, 2008a Cultural heritage, in Brighton & Hove Wastewater Treatment Project: Environmental Statement (Southern Water), ch 6, unpub environmental statement
- RPS, 2008b Written scheme of investigation for archaeological mitigation during the construction phase of the Brighton & Hove WTW/ SRC site, unpub RPS method statement
- Ruas, M-P, & Bouby, L, 2010 Carbonization, preservation and deformation of carpological remains, in *The taphonomy of burned organic residues and combustion features in archaeological contexts* (eds L Théry-Parisot, L Chabal & S Costamagno), P@lethnologie, **2**, 69–78
- Rudling, D, 1982 The Romano-British farm on Bullock Down, in Drewett 1982a, 97–142
- Rudling, D, 1987 The excavation of a Late Bronze Age site at Yapton, West Sussex, *SAC*, **125**, 51–67
- Rudling, D, 2001 Chanctonbury Ring revisited. The excavations of 1988–1991, *SAC*, **139**, 75–121
- Rudling, D (ed), 2002a *Downland settlement and land-use: the archaeology of the Brighton bypass*, UCL Field Archaeol Monogr Ser, **1**
- Rudling, D, 2002b Excavations adjacent to Coldean Lane, in Rudling 2002a, 141–203
- Rudling, D, 2002c Summary and discussion, in Rudling 2002a, 253–7
- Rudling, D (ed), 2003a *The archaeology of Sussex to AD 2000*
- Rudling, D, 2003b Roman rural settlement in Sussex: continuity and change, in Rudling 2003a, 111–26
- Russell, M, 1996a *A reassessment of the Bronze Age cemetery-barrow on Itford Hill, East Sussex*, Bournemouth Univ School Conservation Sciences Res Rep, **2**
- Russell, M, 1996b Problems of phasing: a reconsideration of the Black Patch Middle Bronze Age 'nucleated village', *Oxford J Archaeol*, **15**(1), 32–8
- Russell, M, 2002 Excavations at Mile Oak Farm, in Rudling 2002a, 5–82
- Saville, A, 1983 *Excavations at Norbury Camp, Gloucestershire*, Western Archaeol Trust Monogr Ser, **5**
- Schiffer, M B, 1987 *Formation processes of the archaeological record*, Albuquerque, N Mex
- Schmid, E S, 1972 *Atlas of animal bones for prehistorians, archaeologists and Quarternary geologists*, Amsterdam
- Schoch, W, Heller, I, Schweingruber, F H, & Kienast, F, 2004 *Wood anatomy of central European species*, www.woodanatomy.ch (accessed 24 March 2015)
- Scott, E M, 2003 The Third International Radiocarbon Intercomparison (TIRI) and the Fourth International Radiocarbon Intercomparison (FIRI) 1990–2002: results, analysis and conclusions, *Radiocarbon*, **45**, 135–408
- Scott, E M, Cook, G, & Naysmith, P, 2010 The Fifth International Radiocarbon Intercomparison (VIRI): an assessment of laboratory performance in stage 3, *Radiocarbon*, **53**, 859–65
- Seager Thomas, M, 1998 New evidence for a Late Bronze Age occupation of Selsey Bill, *SAC*, **136**, 7–22
- Seager Thomas, M, 1999 Stone finds in context, *SAC*, **137**, 39–48
- Seager Thomas, M, 2001 Two early first millennium wells at Selsey, West Sussex and their wider significance, *Antiq J*, **81**, 15–50
- Seager Thomas, M, 2005 Understanding Iron Age Norton, *SAC*, **143**, 83–115
- Seager Thomas, M, 2006 The pottery, in Carew et al, 22–4, 34, 56–68
- Seager Thomas, M, 2007 Foreign stone, in Butler, C, A Mesolithic site at Streat Lane, Streat, East Sussex, *SAC*, **145**, 26–7
- Seager Thomas, M, 2008 From potsherds to people: Sussex prehistoric pottery, *SAC*, **146**, 19–52
- Seager Thomas, M, 2010 Peterborough Ware from Westborne: a rare Middle Neolithic 'ritual' (?) deposit from the West Sussex coastal plain, *SAC*, **148**, 7–15
- Serjeantson, D, 2011 Review of animal remains from the Neolithic and Early Bronze Age of southern Britain (4000 BC–1500 BC), Engl Heritage Res Dept Rep Ser, **29–2011**
- Serjeantson, D, & Gardiner, J, 1995 Red deer antler implements and ox scapula shovels, in Cleal, R M J, Walker, K E, & Montague, R, *Stonehenge in its landscape: twentieth-century excavations*
- Shackley, M, 1976 The Danebury project. An experiment in site sediment recording, in *Geoarchaeology* (eds D A Davidson & M L Shackley), 9–21
- Shand, P, Henderson, E, Henderson, R, & Barclay, A, 2003 Corporation Farm, Wilsham Road, Abingdon: a summary of the Neolithic and Bronze Age excavations, in Barclay et al 2003, 31–40
- Sharples, N, 2010 *Social relations in late prehistory. Wessex in the first millennium BC*
- Sheridan, A, 2000 Achnacreebeag and its French connections: vive the 'auld' alliance, in *The prehistory and early history of Atlantic Europe* (ed J Henderson), BAR Int Ser, **861**, 1–16
- Sheridan, A, 2003 French connections I: spreading the marmites thinly, in *Neolithic settlement in Ireland and western Britain* (eds E Armit, E Nelis & D Simpson), 3–17
- Sheridan, A, 2007 From Picardie to Pickering and Pencraig Hill? New information on the 'carinated bowl Neolithic', in Whittle & Cummings, 441–92
- Slota Jr, P J, Jull, A J T, Linick, T W, & Toolin, L J, 1987 Preparation of small samples for ^{14}C accelerator targets by catalytic reduction of CO , *Radiocarbon*, **29**(2), 303–6
- Smith, I F, 1956 The decorative art of Neolithic ceramics in south-eastern England, unpub PhD thesis, Univ London
- Smith, I F, 1974 The Neolithic, in *British prehistory* (ed C Renfrew)
- Smith, R A, 1927 Park Brow, the finds and foreign parallels, *Archaeologia*, **76**, 14–29
- Smith, W, 2010 The charred plant remains, in Mullin, D, Biddulph, E, & Brown, M, A Bronze Age settlement, Roman structures and a field system at Hassocks, West Sussex, *SAC*, **148**, 17–46
- Somerville, E, 2003 Sussex: from environmental change to landscape history, in Rudling 2003a, 235–46
- Stace, C, 1997 *New flora of the British Isles*
- Stanford, S, 1966 Croft Ambrey excavations 1960–66. Fifth interim

- report, *Trans Woolhope Natur Fld Club*, **38**, 7–8
- Stanford, S, 1970 Credenhill Camp, Herefordshire: an Iron Age hillfort capital, *Archaeol J*, **127**, 82–129
- Steier, P, & Rom, W, 2000 The use of Bayesian statistics for ^{14}C dates of chronologically ordered samples: a critical analysis, *Radiocarbon*, **42**, 183–98
- Stenhouse, M J, & Baxter, M S, 1983 ^{14}C dating reproducibility: evidence from routine dating of archaeological samples, *PACT*, **8**, 147–61
- Stevens, C J, 2003 An investigation of agricultural consumption and production: models for prehistoric and Roman Britain, *Envir Archaeol*, **8**, 61–76
- Stevens, C J, 2006 *The charred plant remains from Saltwood Tunnel, Kent*, CTRL Specialist Rep Ser (available online; see ADS 2006)
- Stevens, C J, 2007 Reconsidering the evidence: towards an understanding of the social contexts of subsistence production in Neolithic Britain, in Colledge & Conolly, 375–90
- Stevens, C J, 2008 Cereal agriculture and cremation activities, in Allen, M J, Leivers, M, & Ellis, C, Neolithic causewayed enclosures and later prehistoric farming: duality, imposition and the role of predecessors at Kingsborough, Isle of Sheppey, Kent, UK, *Proc Prehist Soc*, **74**, 296–303
- Stevens, C J, 2011 An Early Neolithic charred cereal deposit from Westwood Cross, Thanet, *Canterbury's Archaeology 2009–2010*, **34**, 44
- Stevens, C J, & Challinor, D, 2009 Environmental evidence, in Egging Dinwiddy, K, & Schuster, J, Thanet's longest excavation: archaeological investigations along the route of the Weatherlees–Margate–Broadstairs wastewater pipeline, in Andrews et al, 91–2
- Stevens, C J, & Fuller, D Q, 2012 Did Neolithic farming fail? The case for a Bronze Age agricultural revolution in the British Isles, *Antiquity*, **86**(333), 707–22
- Stevens, T, 2003 Drayton sand and gravel pit, Oving, Chichester, West Sussex, excavation area 1, unpub AOC rep
- Stevenson, J, 2013 Living by the sword: the archaeology of Brisley Farm, Ashford, Kent. Spoilheap Monograph no. 6
- Stratascan, 2004a Geophysical survey report. Peacehaven, East Sussex, unpub Stratascan rep
- Stratascan, 2004b Geophysical survey report. Marine Gate Shaft (Black Rock, Brighton), Brighton & Hove Waste Water Treatment Works, unpub Stratascan rep
- Stratascan, 2004c Geophysical survey report. Roedean Way Shaft, Brighton & Hove Waste Water Treatment Works, unpub Stratascan rep
- Stuiver, M, & Kra, R S, 1986 Editorial comment, *Radiocarbon*, **28**, ii
- Stuiver, M, & Polach, H A, 1977 Reporting of ^{14}C data, *Radiocarbon*, **19**, 355–63
- Stuiver, M, & Reimer, P J, 1986 A computer program for radiocarbon age calibration, *Radiocarbon*, **28**, 1022–30
- Stuiver, M, & Reimer, P J, 1993 Extended ^{14}C data base and revised CALIB 3.0 ^{14}C calibration program, *Radiocarbon*, **35**, 215–30
- Sudds, B, 2006 The clay objects, in Carew et al, 68–73
- Suggate, R P, & Almond, P C, 2005 The last glacial maximum (LGM) in western South Island, New Zealand: implications for the global LGM and MIS 2, *Quat Sci Rev*, **24**(16), 1923–40
- Swift, D, 2009 A post-excavation assessment and updated project design on excavations on land at north-east Horley, Surrey, unpub ASE rep no 2009002
- Swift, D, in prep a *Excavations at Horley, Surrey: prehistoric and Roman findings*
- Swift, D in prep b *Recent excavations in Lewes*, SpoilHeap Monogr Ser
- Swindle, G E, Green, C P, Branch, N P, & Gale, R, 2003 Interim environmental archaeological assessment: proposed Brighton & Hove Waste Water Treatment Works, unpub ArchaeoScape rep
- Swindle, G E, Green, C P, & Branch, N P 2004 A reconstruction of the formation history of subsurface sediments and soils within a dry valley at Peacehaven, East Sussex, UK, unpub ArchaeoScape rep
- Taylor, M, 1981 *Wood in archaeology*, Shire Archaeology, **17**
- Thomas, J, 1991 *Rethinking the Neolithic*
- Thomas, J, 1996 Neolithic houses in mainland Britain and Ireland – a sceptical view, in Darvill & Thomas, 1–12
- Thomas, J, 1999 *Understanding the Neolithic*
- Thomas, J, 2003 Thoughts on the ‘repacked’ Neolithic revolution, *Antiquity*, **77**, 67–74
- Thomas, J, 2012 Introduction: beyond the mundane?, in Anderson-Whymark & Thomas, 1–12
- Thomas, N, 2005 *Snail down, Wiltshire. The Bronze Age barrow cemetery and related earthworks in the parishes of Collingbourne Ducis and Collingbourne Kingston: excavations 1953, 1955 and 1957*, Wiltshire Archaeol Natur Hist Soc Monogr, **3**
- Thompson, I, 1982 *Grog-tempered ‘Belgic’ pottery of south-eastern England*, BAR Brit Ser, **108**
- Timby, J, & Stansbie, D, 2005 Excavations along the Newbury reinforcement pipeline: Iron Age–Roman activity and a Neolithic pit group, *Oxoniensia*, **70**, 203–308
- Tite, M S, 1999 Pottery production, distribution and consumption: the contribution of the physical sciences, *J Archaeol Method Theory*, **6**(3), 181–233
- Toms, H S, 1911 The problem of ancient cultivations, *The Antiquary*, **47**, 411–17
- Toms, H S, 1927 Sarsens in Sussex, *Sussex County Mag*, **1**, no 12
- Toms, H S, 1932 The Goldstone, Hove Park, *Sussex County Mag*, **6**, no 11
- Towers, J, Montgomery, J, Evans, J, Jay, M, & Parker Pearson, M, 2010 An investigation of the origins of cattle and aurochs deposited in the Early Bronze Age barrows at Gayhurst and Irthlingborough, *J Archaeol Sci*, **37**(3), 508–15
- Ulliyott, J S, Nash, D J, & Shaw, P A, 1998 Recent advances in silcrete research and their implications for the origin and palaeoenvironmental significance of sarsens, *Proc Geol Assoc*, **109**(4), 255–70
- Ulliyott, J S, Nash, D J, Whiteman, C A, & Mortimore, R N, 2004 Distribution, petrology and mode of development of silcretes (sarsens and puddingstones) on the eastern South Downs, UK, *Earth Surface Processes and Landforms*, **29**(12), 1509–39
- Vandeputte, K, Moens, L, & Dams, R, 1996 Improved sealed-tube combustion of organic samples to CO₂ for stable isotopic analysis, radiocarbon dating and percent carbon determinations, *Analytical Letters*, **29**, 2761–74
- Veen, M van der, & Jones, G, 2006 A reanalysis of agricultural production and consumption: implications for understanding the British Iron Age, *Vegetation Hist Archaeobotany*, **15**, 217–28
- Wainwright, G J, 1970 An Iron Age promontory fort at Budbury, Bradford on Avon, Wilts, *Wiltshire Archaeol Natur Hist Mag*, **65**, 108–66
- Wainwright, G J, 1972 The excavation of a Neolithic Settlement on Broome Heath, Ditchingham, Norfolk, England, *Proc Prehist Soc*, **38**, 1–97
- Walton Rogers, P, 2007 *Cloth and clothing in early Anglo-Saxon England, AD 450–700*, CBA Res Rep, **145**
- Ward, G K, & Wilson, S R, 1978 Procedures for comparing and combining radiocarbon age determinations: a critique, *Archaeometry*, **20**, 19–32
- Waterbolk, H T, 1995 Patterns of the peasant landscape, *Proc Prehist Soc*, **61**, 1–36
- Watts, V E, with Insley, J, & Gelling, M, 2004 *The Cambridge dictionary of English place-names: based on the collections of the English Place-Name Society*
- Weale, A, 2011 Neolithic occupation, with an early date for Mortlake Ware, at Parsons Mead School, Ashted, *SyAC*, **96**, 215–25
- Webley, L, 2003 Iron Age houses and social space. A case study of the three-aisled longhouses of northern Europe during the pre-Roman and early Roman Iron Age, in Humphrey, 59–68
- Westman, A, & Shepherd, L, 1992 From city site to research archive,

- London Archaeol*, **6**(16), 435–43
- Whittle, A, 1977 *The earlier Neolithic of southern England and its Continental background*, BAR Brit Ser, **35**
- Whittle, A, 1997 Moving on and moving around: Neolithic settlement mobility, in *Neolithic landscapes* (ed P Topping), 15–22
- Whittle, A, & Cummings, V (eds), 2007 *Going over: the Mesolithic–Neolithic transition in north-west Europe*, *Proc Brit Acad*, **144**
- Whittle, A, Atkinson, R J C, Chambers, R, & Thomas, N, 1992 Excavations in the Neolithic and Bronze Age complex at Dorchester-on-Thames, Oxfordshire, 1947–1952 and 1981, *Proc Prehist Soc*, **58**, 143–201
- Whittle, A W R, Healy, F & Bayliss, A, 2011 *Gathering time: dating the early Neolithic enclosures of southern Britain and Ireland*
- Wilkinson, K, Barber, L, & Bennell, M, 2003 The excavation of six dry valleys in the Brighton area: the changing environment, in Rudling 2002a, 203–38
- Wilkinson, T, & Murphy, P, 1995 *Archaeology of the Essex coast: Vol 1, The Hullbridge survey*, E Anglian Archaeol Rep, **71**
- Williams, A, 1951 Excavations at Beard Mill, Stanton Harcourt, Oxon, 1944, *Oxoniensia*, **16**, 5–22
- Williamson, R P R, 1930, Excavations in Whitehawk Neolithic Camp, near Brighton, *SAC*, **71**, 57–96
- Wolseley, G R, Smith, R A, & Hawley, W, 1927 Prehistoric and Roman remains on Park Brow, *Archaeologia*, **76**, 1–40
- Woodward, A, 2000a *British barrows: a matter of life and death*
- Woodward, A, 2000b When did pots become domestic? Special pots and everyday pots in British prehistory, *Medieval Ceram*, **22–23**, 3–11
- Woodward, A, 2002 Beads and Beakers: heirlooms and relics in the British Early Bronze Age, *Antiquity*, **76**, 1040–47
- Woodward, A, & Hill, J D (eds), 2002 *Prehistoric Britain: the ceramic basis*, Prehist Ceram Res Grp Occas Publ, **3**
- Worrall, S, 2004a Fieldwalking at Peacehaven, East Sussex, unpub ASE rep
- Worrall, S, 2004b An archaeological evaluation on land at Lower Hoddern Farm, Peacehaven, East Sussex, unpub ASE rep
- Worrall, S, 2004c An archaeological evaluation on the Brighton to Peacehaven transfer route, A259 Coast Road, East Sussex (Brighton Marina to Saltdean Lido), unpub ASE rep
- Worrall, S, 2004d An archaeological evaluation on the Brighton to Peacehaven transfer route, A259 Coast Road, East Sussex (Hamsey Road to Friar's Bay), unpub ASE rep
- Worsfold, F H, 1943 A report on the Late Bronze Age site excavated at Minnis Bay, Birchington, Kent, 1938–40, *Proc Prehist Soc*, **9**, 28–47
- Xu, S, Anderson, R, Bryant, C, Cook, G T, Dougans, A, Freeman, S, Naysmith, P, Schnabel, C, & Scott, E M, 2004 Capabilities of the new SUERC 5MV AMS facility for ¹⁴C dating, *Radiocarbon*, **46**, 59–64
- Yates, D, 2001 Bronze Age agricultural intensification in the Thames valley and estuary, in *Bronze Age landscapes: tradition and transformation* (ed J Brück), 65–82
- Yates, D, 2007 *Land, power and prestige. Bronze Age field systems in southern England*
- Young, B, & Lake, R, 1988 *Geology of the country around Brighton and Worthing*, Memoir Brit Geol Survey, sheets 318 and 333 (England and Wales)
- Zohary, D, & Hopf, M, 2000 *Domestication of plants in the Old World: the origin and spread of cultivated plants in West Asia, Europe and the Nile valley*

INDEX

Page numbers in bold are references to figures, t indicates a table

Numbers

4Delivery Ltd, 1

A

agricultural economy, Middle Bronze Age, 125–28
Allott, Lucy, 247
archaeological background, 7–12
analysis & report, structure of, 12–13
Late Bronze Age/Early Iron Age, 10–11
Late Neolithic/Early Bronze Age, 9–10
Middle Bronze Age, 10
Middle/Late Iron Age, 11–12
Neolithic, 7–8
Roman, 12

B

BHT09 *see* Brighton & Hove Water Treatment Works
Black Rock, 1
dry valley, observations of, 18
bone finds *see also* cremation burials
animal bone, 274–75, 275t
demographic & pathological data, 273
human bone, cremated, 272–74, 272t, 273t
Latest Iron Age/Early Roman cremation burials, 273–74, 273t
methodology & results, 272, 274
Middle Bronze Age cremation burials, 272–73
rituals, 272, 274
spatial distribution, 273–74
Bovis Homes Ltd, 1
Brighton & Hove Water Treatment Works (BHT09), 1
Environmental Impact Statement, 4
planning permission, 3
site evaluation works, 3
tunnel construction, 15
Brighton and Hove Archaeological Society, 3
Bronze Age/Early Iron Age
agricultural landscape, 114
Field System FS4, 114
plan of features, **115**
Structure 12, grain-drying kiln? 114–15, **116**
Brück, J, 118
buildings, 288–89
agricultural (Middle Bronze Age), 131–32
B1 & B5 (Middle Bronze Age), 95, **95, 96**, 131–32, 141
charred plant remains, 252
B2 Roundhouse (Middle Bronze Age), 101–02, **101, 102**, 132, 136, 141
charcoal remains, 267
charred plant remains, 251–52
B3 Roundhouse (Middle Iron Age), 162–64, **164, 165**, 177–78, **178**
B4 (Middle Bronze Age), **97, 98**
B6 Roundhouse (Middle Bronze Age), 98–99, **99, 100, 102**, 132, 134, 136, 137, 139
charcoal remains, 267
charred macroplant remains, 251
B7 Roundhouse (Middle Bronze Age), 99–100, **100, 102**, 131–32, 135, 136, 137, 139, 140–41, 211
charcoal remains, 267

charred plant remains, 251
B8 Roundhouse (Middle Bronze Age), 104, **105**, 108, 132, 134–35, 136, 137, 140, 141, 211, 243
charcoal remains, 268
B9 Granary Structure (?), 112, **114**, 131–32
B10 & B11 (Middle Iron Age), 148–49, **151**, 180
B12 (Middle Iron Age), 147–48, **149**, 173, 178–79, **179**
B13 (Middle Iron Age), 158, 159, **160**, 179, 180, 186
B14 (Middle Iron Age), 148, **150**, 180
B15 (Late Bronze Age), 108–09, **109**, 138, 141
B16 Roundhouse (Middle Bronze Age), 102–04, **103**, 132–33, 134–35, 137, 139, 140, 288
charcoal remains, 267–68
charred plant remains, 253
building construction & form
British Iron Age, 175–77, 180
Middle Iron Age, **176**
domestic (Middle Bronze Age), 132–34
orientation & layout (Middle Iron Age), 177–80
roundhouses, 98–102, **99, 101, 102**, 132–34, **133**

C

Calkin, J B, 57
cemetery, cremation *see also* funerary activity, 104–06, **106**
Middle Bronze Age, 104–06, **106**, 138–39
Open Area 66 (Middle Bronze Age), 104–06, **106**, 139
wood, for fuel (Middle Bronze Age), 139–40
charcoal remains, 262–71, 264t–67t
Building B2, B6, B7 (Roundhouses), 267
Building B8 Roundhouse, 268
Building B16 Roundhouse, 267–68
Ditch D11, 269
Early Neolithic period, 263
Field System FS1 (Early/Middle Bronze Age), 268
Field System FS3 (Early/Middle Bronze Age), 269
Late Bronze Age/Early Iron Age, 268–69
Late Neolithic/Early Bronze Age, 263–67
Latest Iron Age/Early Roman, 269
methodology, 262
Middle Bronze Age, 267–68
Middle Iron Age, 269
Open Area 3 (Seaview Avenue), 268
Open Area 5 (Early Iron Age), 268
Open Area 14, working hollow (Keymer Avenue), 269
Open Area 40 (Lower Hoddern Farm), 269
Open Area 41, 269
Open Area 43 (Lower Hoddern Farm), 263
Open Area 53, Pit A[1195], 263
Open Area 57 (Middle Bronze Age), 268
Open Area 60 (working hollow), 268–69
Open Area 61 (Late Bronze Age), 268
Open Area 66 (Middle Bronze Age), 267
Open Area 77 (Late Bronze Age), 268
preservation, 262
taxa, summary of, 263
Trackway R1 (Lower Hoddern Farm), 263, 268
Trackway R8, 269
chronological framework, 13–14, 13t

radiocarbon dating, 13
coastal dry valleys, landscape context, 30–31, **31**
Black Rock, 18
Marine Drive, 18, 18t
Ovingdean, 18, 18t
Portobello, 19, 19t
Rottingdean, 19, 19t
sediment fills, composition, 16
cremation burials, 272–73
Latest Iron Age/Early Roman, 273–74, 273t
Middle Bronze Age, 272–73
Pit A[133], Latest Iron Age/Early Roman, 273–74
Pit A[521], cremation deposit, 104, **105**
Pit A[987], cremation deposit, 100
Pit A[988], Middle Bronze Age, 272–73
Pit A[1105], cremation deposit, 99, 251
Pit A[1106], Middle Bronze Age, 272–73
pond barrow structure (S9), 80
pottery associated with (Latest Iron Age/Early Roman), 235
rituals, 272

D

depositional practices *see also* structured depositions
buildings, associated with, 190
Enclosure EN6 (Middle Iron Age), 188
Open Area 14 & 15, 186–88, **189**
pits & ditches, 188–90
Settlement S3 (Middle Iron Age), 186–90
ditches
D1–D3 (Middle Iron Age), Keymer Avenue, 145–46, 147
D10–D12 (Latest Iron Age/Early Roman), 168, 238, 258, 269
D14–16 (Middle Bronze Age), 100–01
D17 (Open Area 61), 254
dry valley trench, 21–26, **22**
lithostratigraphic description, 23t, 24t, 25t
molluscan fauna, analysis of, 26–30, 28t–29t
Trench C1, 25–26, 26t
Trench C7, 26

E

Early Iron Age
grain-drying kiln (Structure 12), 114–15, **116**, 144, 256
Keymer Avenue (SKP06), activity at, 116
occupation, character of, 143–44
open areas
OA5 (Seaview Avenue), 116–17, **117**, 268
OA12 (Keymer Avenue), 116, **116**
subsistence & economy, 144
Early Neolithic period, 33–39
Britain, pits & pit deposition, 62–63
charcoal remains, 263
charred macroplant remains, 67–70, 249–50
chronology, 59–60
fabric, pottery finds (Early Neolithic), 215–16
Lower Hoddern Farm, activity at, 33–39, **37**
occupation, character of, 64–67
Open Area 43, pits, 34–39, 36t, **38, 39, 40**
pits

- Pit A[777], special deposit(?), 64, 69, 70, 248, 249–50
 pit deposition, 60–63
 summary of, 58t
 Sussex & the south-east, pit sites, 63–64
 Plain Bowl pottery, 60–62, **61**
 plan of features, **34**
 pottery finds, 215–20, 216t, **217**, 218t
 vessels, pottery finds (nos. between 1–51), 216t
 radiocarbon dating, 60
 struck flint finds, 200–04, **202**, 203t
 study of, 57–59
 wood for fuel, 70
 Early/Middle Bronze Age
 field systems
 FS1, 93, **94**, 256, 268
 FS3, 92–93, **93**, 122, 256, 269
 FS4, 90–92, **91**, **92**, 93, 123, 258
 open areas
 OA69, 92, **92**
 OA70, 92, **92**
 East Sussex County Council Archaeology Section, 4, 6
 Ellison, A, 136, 138
 enclosure system
 EN1 (Middle Iron Age), 152–56, **154–55**, 175, 184
 EN2 (Middle Iron Age), 158, 159–60, **159**
 EN3 (Middle Iron Age), 158–59
 EN4 & EN5 (Middle Iron Age), 160, 167–68, **169**
 charred macroplant remains, 258–59
 EN6 (Middle Iron Age), 160–62, **163**
 funerary activity (EN4), 168–70, **170**
 English Channel River, 17
- F**
 fences, Fence Structure 1 (S1), 150–51, **153**
 field systems
 buildings associated with (Middle Bronze Age), 95, **95**
 composition & layout (Middle Bronze Age), 122–23
 dating of (Middle Bronze Age), 93–94, 121–22
 emergence of (Middle Bronze Age), 117–18
 FS1 (Seaview Avenue), 93, **94**, 256, 268
 FS2 (Seaview Avenue), 145–46, 173, 175
 FS3 (Early/Middle Bronze Age), 92–93, **93**, 122, 156, 256, 269
 FS4 (Early/Middle Bronze Age), 90–92, **91**, **92**, 93, 114, 123, 258
 FS7 (Latest Iron Age/Early Roman), 171
 function of (Middle Bronze Age), 123–25
 Late Bronze Age, 108
 livestock management, 123, **124**
 Middle Bronze Age, 89, **91**, 95–97
 Sussex, Bronze Age, 121–25
 fired clay, 236–39, 236t
 briquettage, 237–39, 238t, **239**
 catalogue of finds, 238–39
 chronological overview, 238
 fabrics, 236–37, 237t
 forms, 237–38, 238t
 methodology, 236
 structural fired clay & daub, 237–38, 237t
 flint assemblage
 semi-mobile communities (Early Neolithic), use of, 65–66
 site duration (Early Neolithic), indicator of, 67
 funerary activity *see also* cremation burials
 Latest Iron Age/Early Roman, 168–70, **170**, 191–92
 Middle/Late Bronze Age practices, 138–41
- G**
 geoarchaeological investigations
 dry valley trench, 21, **22**, 23t
 Lower Hoddern Farm, 19–26, **20**
 Portobello, 15
 Upper Piddinghoe valley, 19–26
 grain-drying kiln? (Structure 12), 114–15, **116**, 144, 256
 Grinsell, L V, 78
- H**
 Hamilton, S, 137
 Haselgrove, C, 172
 Hill, J D, 184, 188
 human remains, 272–74, 272t, 273t
 Enclosure EN4 (Latest Iron Age/Early Roman), 168–70, **170**
 Lower Hoddern Farm, 99, 100
 Pit A[987], cremation deposit, 100
 Pit A[1105], cremation deposit, 99
 Pit A[2087], cremation vessels, 170, **170**
- I**
 industry, 289
 Middle Iron Age, evidence for, 182–83
 salt production, 136, 182–83
 Middle & Late Bronze Age, 130–31, 143
 Middle Iron Age, 156
- K**
 Keen, Professor David, 26, 27
 Kerney, Michael, 29
 Keymer Avenue (SKP06), **2**
 building construction & form (Middle Iron Age), 175–77, **176**
 buildings
 B9 (Late Bronze Age), 112, **114**
 B10 & 11 (Middle Iron Age), 148–49, **151**, 180
 B12 (Middle Iron Age), 147–48, **149**, 173, 178–79, **179**
 B13 (Middle Iron Age), 158, 159, **160**, 179, 180, 186
 B14 (Middle Iron Age), 148, **150**, 180
 charred macroplant remains, 246
 Ditches D1–D3 (Middle Iron Age), 145–46, 147
 Early Iron Age activity, 116
 enclosures (Middle Iron Age)
 EN1, 152–56, **154–55**, 184
 EN2, 158, 159–60, **159**
 EN3, 158–59
 evaluation trenches, previous work, **9**
 excavations at, 6–7, **11**
 Fence Structure 1 (Middle Iron Age), 150–51, **153**
 Field System FS3, 256
 re-use of, 156
 fired clay finds, 236–39, 236t
 geophysical survey, previous work, **8**
 Late Bronze Age activity, 112
 Latest Iron Age/Early Roman, activity, 171
 Mesolithic material, residues of, 33, 57
 Middle Iron Age
- activity, 145, **146**, **147**
 plan of features, **146**, **147**, **153**, **161**
 open areas
 OA6, 164
 OA9, 147–48
 OA11, 164, **166**
 OA13, 149–51, **152**, 184
 OA14, working hollow, 149, **151**, **152**, 183–84, 269
 OA15 & 24, 149–50, **152**, 221–22
 OA16, 148–49, **151**
 OA18, 152–56, **154–55**
 OA27, 148
 OA29, 164
 Pit A[43], 162
 Pit B[1331], 154, 156, **156**
 pits (Open Area 8) Later Neolithic, 42–44, **44**
 plan of features, **148**, **154**, **157**, **159**, **161**, **162**
 planning permission, 6
 pottery finds
 Late Bronze Age/Early Iron Age, 230
 Later Neolithic, 220–22
 Latest Iron Age/Early Roman, 235
 Middle Iron Age, 230–33
 registered finds, 240–45, 240t, **241**
 Settlement S3 (Middle Iron Age), 146, **148**, 149–51, 180–86, **185**, **187**
 struck flint finds (Mesolithic), 195–98, 196t, 199
 tool finds, 244
 Trackway R11 (Middle Iron Age), 158
 Kilverstone (Norfolk), 65, 66–67
 Knight, M, 141
- L**
 land division (Early Bronze Age), 53–54, 84, 87, 287–88
 landscape context
 coastal dry valleys, 15–18
 and environment, 285
 sarsen stones, 18
 Tertiary deposits, 17–18
 topography of East Sussex downs, **16**
 Late Bronze Age
 agricultural economy, 128–29
 agricultural landscape, 107–08
 buildings
 B8 Roundhouse, 108
 B9 (Granary Structure?), 112, **114**
 B15, D-shaped, 108–09, **109**, 138
 charcoal remains, 268
 charred macroplant remains, 253–55
 field systems, maintenance of, 108
 industry, 143
 Keymer Avenue (SKP06), activity at, 112
 open areas
 OA4 (Seaview Avenue), 113, **114**
 OA36, 112, **114**
 OA60 (working hollow), 112, **113**, 115–16, 142, 255–56
 OA61, 110, 143, 227–28, 254, 268
 OA77, 111, 254–55, 268
 pits
 A[117], charred macroplant remains, 248
 A[1576], pottery dump, 110, **111**, 131, 227–28, 248
 A[1606], 111, **111**, **112**

- A[2015], **110**
A[2024], **111**, **111**
C[167], **113**
C[174], fire pit/hearth, **113**
placed vessels, **111**
plan of features, **107**
pottery finds, 226–30, 227t, **229**
salt production, 130–31
Seaview Avenue (SVP10), activity at, **113**, **114**
settlement evidence, 108–10, **109**, **111**, 137–38
Settlement S2, 108–10, **109**, **111**, 138
struck flint finds, **211**
Trackway R1, 107–108, **108**
vessels
A[1193], B8, 108, **108**
A[2179], B15, **110**, **110**
wood, for fuel, 129–30
Late Bronze Age/Early Iron Age
archaeological background to, 10–11
charcoal remains, 268–69
charred macroplant remains, 255–56
pottery finds, 230, 230t, **230**, 231t
Structure 9 (pond barrow), 52–53, **53**, 80–81, 82, 84, 90, **94**, 129
Structure 16 (ring-ditch), 82, 84
transitional period, 143–44
Late Neolithic/Early Bronze Age
archaeological background to, 9–10
Beaker pottery, 72, **73**
charcoal remains, 263–67
charred macroplant remains, 73–74, 250
chronology, 71–72
Grooved ware pottery, 72
Keymer Avenue (SKP06), activity at, 42–44, **44**
land division (Early Bronze Age), 53–54, 84, **87**, 287–88
landscape, organization of, 81–86, **83**
Lower Hoddern Farm, activity at, **42**
monuments (Lower Hoddern Farm), 44–52, **46**, 75–81, 82–84, **83**, **85**
Mortlake-style Peterborough Ware pottery, 71–72, **71**, 221
occupation, character of, 73
pits
A[715], 75, 82, 84, 86
A[910], structured deposit, 53–54, **56**, 74–75, 82, 86
A[1195], structured deposit, 74, 82, 84, 86, 263
F87, Beaker pit, 84
Open Area 50–52, 41–42
Open Area 53, 54–56, **56**
pit deposition, 74–75
plan of features, **42**
pottery finds, 220–23
ritual landscape, 82–84
round barrow structures, 78–80
Seaview Avenue (SVP10), activity at, 42–44, **45**, 56–57
segmented ring-ditches, 76–78
struck flint finds, 207–09, 207t, 208t
structures
S5 (round barrow), 45–46, **47**, **48**, **57**, 79–80, 82, 90
S6 (round barrow), 46–47, **48**, **49**, 79–80, 90
S7 (ring-ditch), 47–50, **51**, 84, 90, **102**
S9 (pond barrow), 52–53, **53**, 80–81, 84, **94**
S16 (ring-ditch), 51–52, **52**, 90
trackways
R1, 53–54, **55**, 93
R5, 84, 90
wood, for fuel, 73–74
Latest Iron Age/Early Roman
agricultural landscape, 170–71, 190
arable economy, 190–91
charcoal remains, 269
charred macroplant remains, 258–59
ditches D10–D12 (Lower Hoddern Farm), 168, 238, 258, 269
Enclosure EN4 & 5 (Lower Hoddern Farm), 167–68, **169**
Field System FS7 (Lower Hoddern Farm), 171
funerary activity, 168–70, **170**, 191–92, 286
human bone, cremated, 273–74, 273t
Keymer Avenue (SKP06), activity at, 171
occupation in Sussex, character of, 190
Pit A[2087], cremation vessels, **170**
plan of features, **167**
pottery
chronology of, 171–72
finds, 233–35, 233t, **234**
settlement, composition & character, 191
Settlement S4 (Lower Hoddern Farm), 167–68
subsistence & agriculture, 190–91
Trackway R1 (Lower Hoddern Farm), 170
wood, for fuel, 270
livestock management, 159
evidence for? (Middle Iron Age), 175
Middle Iron Age, 156, 159, 182, **183**
Lower Hoddern Farm, 1, **2**
animal bone finds, 274–75
buildings
B1 & 5 (Middle Bronze Age), 95, **95**, **96**, 131–32, 141, 251–52
B2 Roundhouse (Middle Bronze Age), 101–02, **101**, **102**, 136, 141, 251–52
B3 (Middle Iron Age), 162–64, **164**, **165**, 177–78, **178**
B4 (Middle Bronze Age), 97, **98**
B6 (Middle Bronze Age), 98–99, **99**, **100**, **102**, 136, 137, 139, 251
B7 (Middle Bronze Age), 100, **100**, **102**, 136, 137, 139, 140–41, 251
B8 Roundhouse (Middle Bronze Age), 104, **105**, 108, 132, 134–35, 136, 137, 140, 141, 243, 254, 268
B15 (Late Bronze Age), 108–09, **109**, 138, 141
B16 (Middle Bronze Age), 102–04, **103**, 137, 139, 140, 253, 267–68
cemetery, cremation (OA66), 104–06, **106**, 139
charred macroplant remains, 246
colluvium, location of, **6**
ditches
D10–D12 (Latest Iron Age/Early Roman), 168, 238, 258, 269
D14–16 (Middle Bronze Age), 100–01
Early Bronze Age activity, **86**
Early Neolithic activity, 33–39, **40**
enclosures
EN4 & 5 (Mid-Late Iron Age/Early Roman), 160, **169**, 258–59
EN6 (Middle Iron Age), **163**, 188
evaluation trenches, previous work, **9**
excavations at, 3–5, **10**
field systems
Early/Middle Bronze Age, 90–95, **91**, **92**, **94**
FS4, 114
FS7 (Latest Iron Age/Early Roman), 171
fired clay finds, 236–39, 236t, 237t
geoarchaeological investigations, 19–26, **20**
geophysical survey, previous work, **8**
grain-drying kiln? (S12), 114–15, **116**, 256
human remains, 99, 100
land division (Early Bronze Age), 53–54, **87**
Late Neolithic activity, 40–44, **42**
local topography of, **5**
Middle Bronze Age activity, 89–90, **89**
Middle Iron Age, 145
plan of features, **146**, **147**, **153**
molluscan fauna, analysis of, 26–30, 28t–29t
monuments, Late Neolithic/Early Bronze Age, 44–52, **46**, 75–81, **83**, **85**
Open Area 5 (Early Iron Age), 256
Open Area 40 (Middle Iron Age), 162–64, **164**, 181, 256–57, 269
Open Area 43, 34–35, **34**, **37**, 244
charcoal remains, 263
charred macroplant remains, 249–50
Open Area 46 (Middle Iron Age), 156, 158, 233
Open Area 49 & 54, 51–52
Open Area 50–52, 41–42, 220
Open Area 53, 54–56, **56**, 222–23
Open Area 55 (Middle Bronze Age), 99, 100–01
Open Area 57 (Middle Bronze Age), 95–97, **96**, **97**, 142, 252, 255
Open Area 58 (Middle Bronze Age), 95, **95**, 253
Open Area 60 (working hollow), 112, **113**, 115–16, 142, 255–56
Open Area 61 (Late Bronze Age), 110, 143, 254
Open Area 73 (Middle Bronze Age), 97, **98**
Open Area 75 (Middle Bronze Age), 101–02
Open Area 77 (Late Bronze Age), 111, 254–55
Pit A[1195], structured deposit, 250–51
pond barrow structure (S9), 52–53, **53**, 82, 84, 90, **94**
pottery finds
Early Bronze Age, 222–23
Early Neolithic, 215–20
Late Bronze Age, 226–30, 227t, **229**
Late Bronze Age/Early Iron Age, 230, 230t, **230**
Later Neolithic, 220–23
Latest Iron Age/Early Roman, 233–35
Middle Bronze Age, 223–26, 224t, **225**
radiocarbon dating, **13**
registered finds, 240–45, 240t, **241**, **243**
ring-ditch structures, 90
structures (S7 & S16), 47–52, **51**, **52**, 76–78, 82, 84, 90, **102**
round barrow structures, 45–47, **47**, **48**, **49**, 79–80, 82, 84, 90
roundhouses, 132–34, **133**
settlements
S1 (Middle Bronze Age), 97–105, 137
S2 (Late Bronze Age), 108–10, **109**, **111**, 138
S4 (Latest Iron Age/Early Roman), 167–68
specialist activity areas (Late Bronze Age), 112, **113**
struck flint finds (Early Neolithic), 200–04, **202**, 203t

- trackways
 R1, 53–54, **55**, 74–75, 89, 93, 107–08, **108**,
 142, 170, 250, 254, 263, 268
 R2, 123–24, **124**
 R5, 90
 R15 & R16, 123–24, **124**
- M**
- macroplant remains (charred), 260t–61t
 background & methodology, 246–47
 buildings
 B1, 252
 B2 Roundhouse, 251–52
 B6 Roundhouse, 251
 B7 Roundhouse, 251
 cultured plants, 125–26, 128–29
 dating of, 70, 97
 ditches
 D10–D12 (Latest Iron Age/Early Roman), 258
 D17 (Open Area 61), 254
 Early Neolithic period, 67–70
 Enclosure EN4 & 5 (Lower Hoddern Farm),
 258–59
 field systems
 FS1 (Early/Middle Bronze Age), 256
 FS3 (Early/Middle Bronze Age), 256
 FS4, 258
 flax, 68
 gathered plants, 126, 129
 grain-drying kiln (Structure 12), 256
 hearth/furnace, A[165], 252–53
 identification, 247–48
 interpretation of finds, 69–70
 land use, overview, 252
 Late Bronze Age, 128–29, 253–55
 Late Bronze Age/Early Iron Age, 255–56
 Late Neolithic/Early Bronze Age period, 73–74
 Latest Iron Age/Early Roman, 258–59
 Middle Bronze Age, 97, 125–26, 251
 Middle Iron Age, 173–74, 256–58
 Middle/Late Iron Age, 258
 open areas
 OA3, 253
 OA4 (Seaview Avenue), 255
 OA5 (Early Iron Age), 256
 OA40 (Lower Hoddern Farm), 256–57
 OA43 (Early Neolithic), 249
 OA53, Pit A[1195], 250–51
 OA57 (Middle Bronze Age), 127–128, 129,
 252, 255
 OA58 (Middle Bronze Age), 253
 OA60 (Late Bronze Age), 255–56
 OA61 (Late Bronze Age), 254
 OA77 (Late Bronze Age), 254–55
 pits
 A[97], refuse pit? 253
 A[774], 250
 A[777], special deposit(?), 250
 A[783], 250
 A[1095], 258
 A[1105], 251
 plant consumption, 68
 preservation, 248
 quantification, 247
 results of analysis, 248, 248t
 round barrow (S6), 250
- trackways
 R1 (Lower Hoddern Farm), 250, 254
 R10, 255
 R13, 257
 tubers, 126
 wild plants, 126–27, 129, 174
 Marine Drive/Roedean, 1
 dry valley, observations of, 18, 18t
- Mesolithic
 material, residues of, 33, 57
 struck flint finds, 195–99
- Middle Bronze Age
 agricultural buildings, 131–32
 agricultural economy, 125–28
 background to, 117–18
 archaeological background, 10, 89–90
 buildings
 B1 & 5, 95, **95**, **96**, 141, 252
 B2 Roundhouse, 101–02, **101**, **102**, 132, 136,
 141, 251–52
 B4, 97, **98**
 B6 Roundhouse, 98–99, **99**, **100**, **102**, 132,
 134, 136, 137, 139, 251
 B7 Roundhouse, 100, **100**, **102**, 131–32, 135,
 136, 137, 139, 140–41, 211, 251
 B8 Roundhouse, 104, **105**, 132–33, 134–35,
 136, 137, 140, 211, 243, 268
 B16 Roundhouse, 102–04, **103**, 132–33,
 134–35, 137, 139, 140, 253, 288
 ceramics, dating, 119–21, 281, **282–83**
 charred macroplant remains, 251–53
 cremation cemetery, 104–06, **106**, 138–39, 286
 ditches D14–16, 100–01
 features from, **89**
 field systems, 89, **91**, **94**, 95–97, 121–25
 human bone, cremated, 272–73, 272t
 open areas
 OA55, 99, 100–01
 OA57, 95–97, **96**, **97**, 127–28, 142, 252, 255,
 268
 OA58, 95, **95**, 142, 253
 OA59, 224
 OA66 (cremation cemetery), 104–106, **106**,
 139, 267
 OA73, 97, **98**
 OA75, 101–02
- pits
 A[165], 248
 A[503], structured deposit, 104
 A[508], 104, **105**
 A[521], structured deposit, 104, **105**
 A[987], cremation deposit, 100
 A[988], cremation burial, 272–73
 A[1105], cremation deposit, 99, 251
 A[1106], cremation burial, 272–73
 pottery finds, 223–26, 224t, **225**
 radiocarbon dating, 118–19, **119**
 salt production, 130–31
 settlement evidence, 97–100, 134–37
 Settlement S1, 97–105, 135, 136, 137
 struck flint finds, 211
 transition, from Early Bronze Age, 90
 wood, for fuel, 129–30, 139–40, 270
- Middle Iron Age
 activities (S3 area), 149–51, 180–86
 agricultural landscape, 156–60, 174–75
- buildings
 B3 (Lower Hoddern Farm), 162–64, **164**, **165**,
 177–78, **178**
 B10 & 11 (Keymer Avenue), 148–49, **151**, 180
 B12 (Keymer Avenue), 147–48, **149**, 173,
 178–79, **179**
 B13 (Keymer Avenue), 158, 159, **160**, 179,
 180, 186
 B14 (Keymer Avenue), 148, **150**, 180
 construction & form, 175–77, **176**
 orientation & layout, 177–80
 charcoal remains, 269
 charred macroplant remains, 256–58
 ditches, D1–D3 (Keymer Avenue), 145–46, 147
 enclosures
 EN1 (Keymer Avenue), 152–56, **154–55**, 175,
 184
 EN2 (Keymer Avenue), 158, 159–60, **159**
 EN3 (Keymer Avenue), 158–59
 EN4 & 5 (Lower Hoddern Farm), 160, 167–68,
169, 258–59
 EN6 (Lower Hoddern Farm), **163**, 188
 enclosure system, development of, 152–56
 Fence Structure 1 (Keymer Avenue), 150–51, **153**
 field systems
 FS2 (Seaview Avenue), 145–46, 175
 FS3, re-use of, 156
 Keymer Avenue (SKP06), activity at, 145
 Open Area 6, 164
 Open Area 9, 147–48
 Open Area 11, 164, **166**
 Open Area 13, 149–51, **152**, 184
 Open Area 14, working hollow, 149, **151**, **152**,
 183–84, 269
 Open Area 16, 148–49, **151**
 Open Area 18, 152–56, **154–55**
 Open Area 27, 148
 Open Area 29, 164
 livestock management, 156, 159, 182, **183**
 Lower Hoddern Farm, activity at, 145
 Open Area 40, 162–64, **164**, 181, 269
 Open Area 46, 156, 58
 macroplant remains (charred), 173–74
 occupation, nature of, 145, 172–73
 Open Area 15 & 24, 149–50, **152**
 Pit A[43], Keymer Avenue, 162
 Pit B[1331], Keymer Avenue, 154, 156, **156**
 plan of features, **146**, **147**, **153**, **161**
 pottery finds, 230–33, **232**
 salt production, 156, 182–83
 Seaview Avenue (SVP10), activity at, 145–46
 Settlement S3 (Keymer Avenue), **148**, 149–51,
 180–86, **185**, **187**
 Settlement S3 (Middle Iron Age), 146
 subsistence & agriculture, 173–74
 Trackway R11 (Keymer Avenue), 158
 trackways, development of, 156–58, **157**
- Middle/Late Iron Age
 archaeological background to, 11–12
 charred macroplant remains, 258
 occupation, nature of, 172–73
 molluscan fauna, analysis of, 26–30, 28t–29t
 dry valley trench, 26–30, 28t–29t
 ecological reconstructions, 27–29, 29t
 interpretation of evidence, 29–30
 methodology, 26

Portobello, 26–30, 28t–29t
Trench C1 (Upper Piddinghoe Valley), 26–30, 28t–29t

Zone e, 29–30
monuments (Lower Hoddern Farm), 287
Moore, T, 175, 176
mortuary ritual *see also* cremation burials, 286–87

N

Neolithic period
archaeological background to, 7–8
causewayed enclosures (Sussex), 7
Pit C[2019], structured deposit, 74–75
Neville, Charles, 18

O

occupation, nature of
Early Neolithic period, 64–67
semi-mobile communities (Early Neolithic), 65
site duration (Early Neolithic), 66–67
Open Area 2 (Seaview Avenue), Early Bronze Age Activity, 56–57
Open Area 3 (Seaview Avenue), charcoal remains, 268
Open Area 4 (Seaview Avenue), 113, **114**, 142
charred macroplant remains, 255
Open Area 5 (Early Iron Age), 116–17, **117**
charcoal remains, 268
charred macroplant remains, 256
Open Area 6 (Keymer Avenue), 164
Open Area 9 (Keymer Avenue), 147–48
Open Area 10 (Seaview Avenue), pottery finds (Later Neolithic), 220
Open Area 11 (Keymer Avenue), 164, **166**
Open Area 12 (Early Iron Age), 116, **116**
Open Area 13 (Keymer Avenue), 149–51, **152**, 184
Open Area 14, working hollow (Keymer Avenue), 149, **151**, **152**, 183–84
charcoal remains, 269
pottery finds (Later Neolithic), 221
Open Area 15 & 24 (Keymer Avenue), 149–50, **152**
pottery finds (Later Neolithic), 221–22
struck flint finds, 198, 199
Open Area 16 (Keymer Avenue), 148–49, **151**
Open Area 18 (Keymer Avenue), 152–56, **154–55**
Open Area 27 (Keymer Avenue), 148
Open Area 29 (Keymer Avenue), 164
Open Area 36 (Keymer Avenue), 112, **114**
Open Area 40 (Lower Hoddern Farm), 162–64, **164**
charcoal remains, 269
charred macroplant remains, 256–57
pits & pit storage, 181
Open Area 41, charcoal remains, 269
Open Area 43 (Lower Hoddern Farm)
charcoal remains, 263
charred macroplant remains, 249
Early Neolithic activity, 34–39, **34**, **37**, **40**
environmental evidence from, 38–39
A:G245 pit group, 34, 35, 36t, 38–39, **38**
A:G246 pit group, 35, 36t, 38–39, **38**
A:G247 pit group, 35, 36t
A:G254 pit group, 35, 36t
patterns of deposition, Early Neolithic, 35–37
radiocarbon dating, 39
tool finds, 244
Open Area 46 (Lower Hoddern Farm), 156, 158

pottery finds, Latest Iron Age/Early Roman, 233
Open Area 49 & 54 (Lower Hoddern Farm), 51–52
Open Area 50–52 (Lower Hoddern Farm)
Later Neolithic pits, 42–44, **45**
pits & tree clearance, 41–42, **43**
pottery finds (Later Neolithic), 220
Open Area 53 (Lower Hoddern Farm), Pit A[1195], 54–56, 222–23, 250–51, 263
Open Area 55 (Lower Hoddern Farm), 99, 100–01
charred macroplant remains, 255
Open Area 57 (Middle Bronze Age), 95–97, **96**, **97**, 142
Celtic/broad beans, remains of, 127–28, 129
charcoal remains, 268
charred macroplant remains, 252
macroplant remains, 97
Structure 10, 95–97, **96**
Open Area 58 (Middle Bronze Age), 95, **95**, 142
charred macroplant remains, 253
Open Area 59 (Middle Bronze Age), 224
Open Area 60 (working hollow), 112, **113**, 142
charcoal remains, 268–69
charred macroplant remains, 255–56
infilling of, 115–16
Open Area 61 (Late Bronze Age), 110, 143, 227–28
charcoal remains, 268
charred macroplant remains, 254
Open Area 66 (Middle Bronze Age), 104–06, **106**
charcoal remains, 267
Open Area 69 (Early/Middle Bronze Age), 92, **92**
Open Area 70 (Early/Middle Bronze Age), 92, **92**
Open Area 73 (Lower Hoddern Farm), 97, **98**
Open Area 75 (Lower Hoddern Farm), 101–02
Open Area 77 (Late Bronze Age), 111
charcoal remains, 268
charred macroplant remains, 254–55
Ouse, River, 1, 19
Ovingdean, 1
dry valley, observations of, 18, 18t

P

paleographic context, 16–18
Peacehaven
foundation of, 18
geology of, **4**
Pelling, R, 144
pits, 131–32
A[21], flint refitting exercise, 204–06
A[43] Middle Iron Age, 162
A[97], refuse pit? 253
A[117], working hollow, 248
A[165], charred macroplant remains, 248
A[503], structured deposit, 104, 242
A[508], 104, **105**
A[521], structured deposit, 104, **105**, 242, 253
A[635], charred macroplant remains, 250
A[635], flint refitting exercise, 206
A[644], flint refitting exercise, 206
A[715], 75, 82, 84, 86
A[720], flint refitting exercise, 206
A[724], flint refitting exercise, 206
A[729], flint refitting exercise, 206
A[766], flint refitting exercise, 206
A[774], 250
A[777], special deposit(?), 64, 69, 70, 248, 249–50

A[783], charred macroplant remains, 250
A[783], flint refitting exercise, 206
A[810], struck flint finds, 211
A[835], struck flint finds, 211
A[910]
animal bone finds, 275
structured deposit, 53–54, **55**, **56**, 74–75, 82, 86
A[1095], 248
charred macroplant remains, 258
A[1105], cremation deposit, 99, 251
A[1195]
animal bone finds, 275
pottery finds, 222–23
struck flint finds, 207
structured deposit, 54–56, **56**, 74, 84, 86, 250–51
A[1202], flint refitting exercise, 206
A[1576], pottery dump, 110, **111**, 131, 143, 227–28, 237, 248
A[1606], 111, **111**, **112**
A[2015], **110**
A[2024], 111, **111**
B[1331], Middle Iron Age, 154, 156, **156**
Britain, pits & pit deposition, 62–63, 74–75
C[167], vessel deposited in, 113
C[174], fire pit/hearth, 113
C[2019]
pottery finds, 220
struck flint finds, 207
structured deposit, 74–75
charred macroplant remains from (Middle Bronze Age), 126–27
environmental evidence from, Early Neolithic, 38–39
FS7, Beaker pit, 84
Keymer Avenue (SKP06), Later Neolithic, 42–44, **44**
Late Neolithic/Early Bronze Age, 74–75, 82
open areas
OA43 (Lower Hoddern Farm), Early Neolithic, 34–39, 36t, **38**, **39**, **40**
OA50–52 (Lower Hoddern Farm), Late Neolithic, 41–42
OA53 (Lower Hoddern Farm), Early Bronze Age, 54–56
patterns of deposition, Early Neolithic, 35–37, 60–63
pottery deposits, 74
Seaview Avenue (SVP10), Later Neolithic, 42–44, **45**
Settlement S3 (Middle Iron Age), pits & pit storage, 180–182
storage pits, 181–182
Sussex & the south-east, pit sites, 63–64
pond barrow structures
dating of, 80
funerary activity, 80
Structure 9, 52–53, **53**, 80–81, 82, 84, 90, **94**, 129
Pope, R, 177
Portobello, 1
dry valley, observations of, 19, 19t
geoarchaeological investigations at, 15
molluscan fauna, analysis of, 26–30
valley system, 17
Post-Medieval, activity, 192, **193**

- Post-Roman, activity, 192
pottery finds, 236
pottery
 assemblage overview, 214t
 Beaker tradition, 72, **73**, 281, **283**
 Bronze Age structures, association with, 110, **111**, 131
 Caburn-Cissbury Saucpan tradition, 171
 catalogue of finds
 Early Bronze Age, 223
 Early Neolithic, 218–20
 Late Bronze Age, 229–30
 Late Bronze Age/Early Iron Age, 230
 Later Neolithic, 220, 222
 Latest Iron Age/Early Roman, 235
 Middle Bronze Age, 226
 Middle Iron Age, 232–33
 chronology & dating (Middle Bronze Age), 119–21
 cremation group (Latest Iron Age/Early Roman), 235
 Deverel Rimbury/post-Deverel Rimbury tradition, 120, 226–27, 233, 281, **283**
 Early Bronze Age finds, 222–23
 Early Neolithic finds, 215–20
 fabric
 Early Neolithic, 215–16, 215t
 Late Bronze Age, 226–27, 227t
 Late Bronze Age/Early Iron Age, 230t
 Latest Iron Age/Early Roman, 233t
 Middle Bronze Age, 224, 224t
 Middle Iron Age, 231, 231t
 type-series, 214–15
 form & decoration
 Late Bronze Age, 226–27
 Latest Iron Age/Early Roman, 234
 Middle Bronze Age, 224–26
 Middle Iron Age, 231–32
 Grooved ware (Late Neolithic/Early Bronze Age), 72
 Keymer Avenue, finds, 220–22, 230–33, 235
 Late Bronze Age finds, 226–30, **229**
 Late Bronze Age/Early Iron Age finds, 230, 230t, **230**, 231t
 Later Neolithic finds, 220–22
 Latest Iron Age/Early Roman
 chronology, 171–72
 finds, 233–35, **234**
 methodology, 213
 Middle Bronze Age finds, 223–26, **225**
 Middle Iron Age, finds, 230–33, 230t
 Mortlake-style Peterborough Ware pottery, 71–72, **71**, 79–80, 221, 281, **282**
 open areas
 OA10 (Later Neolithic), 220
 OA14 (Later Neolithic), 221
 OA15 & 24 (Later Neolithic), 221222
 OA46 (Latest Iron Age/Early Roman), 233
 OA53, Pit A[1195], 222223
 OA59, vessel find, 224
 OA60 (working hollow), infill, 115116
 OA61 (Late Bronze Age), 227228
 Pit A[1576], pottery dump, 110, **111**, 131, 143, 227–28, 237
 Pit C[2019], 220
 placed vessels *see also* structured deposits, 111, 113, 141
 Plain Bowl pottery, 60–62, **61**, 221, 281, **282**
 Post-Roman finds, 236
 radiocarbon dating, 281, **282–83**
 Seaview Avenue, finds, 220–22, 230–33
 semi-mobile communities (Early Neolithic), use of, 65
 and settlement research, 136, 137
 site duration (Early Neolithic), indicator of, 66–67
 structured deposits, 74, 111, 113, 141
 surface treatment & decoration (Early Neolithic), 216–18, 218t
 vessels
 finds (nos. 64–77), **225**
 finds (nos. 78–106), **229**
 finds (nos. 111–124), **234**
 finds (nos. between 1–51), 216t, **217**
 finds (nos. between 54–59), **221**
 finds (nos. between 136–153), **232**
 finds (nos. 107–110, 135), **230**
- Q**
Quaternary Scientific (QUEST), 19
- R**
radiocarbon dating, 13, **277**, **278**
 Building 6 Roundhouse, 99
 Building 7 Roundhouse, 100
 calibration, 276
 ceramics, 281, **282–83**
 dating (Middle Bronze Age), 119121
 cremation cemetery (OA66), 104–06
 Early Bronze Age, results, 279
 Early Neolithic, results, 278–79, **279**, 280–81, **281**
 foundation deposit (A[910]), Trackway R1, 54
 Later Neolithic, results, 279
 Lower Hoddern Farm, **13**
 macroplant remains (Early Neolithic), 70
 methodology & results, 275–76, 277t
 Middle Bronze Age activity, 118–19, **119**
 results, 279–80, **280**
 Open Area 43 (Lower Hoddern Farm), 39
 pottery finds (Early Neolithic), 60, **60**, **61**
 structured pit deposit, A[1195], 54–56
 Radley Barrow Hills group, 78, 82
 registered finds, 240–45, 240t, **241**
 antler pick, 244–45, 245t, **245**
 Building 8 Roundhouse, tool finds, 243
 catalogue of finds, 244
 household equipment, 242–43, **243**
 Keymer Avenue, tool finds, 244
 miscellaneous objects, 245, **246**
 Open Area 43, tool finds, 244
 personal adornment, 241–42
 textile production, 240
 tools, 243–45, **245**
 Reid, Clement, 16
 Reynolds, P J, 181
 ring-ditch structures
 comparisons in southern Britain, 76
 segmented (Late Neolithic/Early Bronze Age), 76–78
 Structure 7 (Late Neolithic/Early Bronze Age), 47–50, **51**, 77–78, 84, 90, **102**
 Structure 16 (Late Neolithic/Early Bronze Age), 51–52, **52**, 77–78, 82, 84, 90
 Roman period, archaeological background to, 12
 Rottingdean, 1
 dry valley, observations of, 19, 19t
 round barrow structures
 Structure 5 (Late Neolithic/Early Bronze Age), 45–46, **47**, **48**, **57**, 79–80, 82, 90
 Structure 6 (Late Neolithic/Early Bronze Age), 46–47, **48**, **49**, 79–80, 82, 90, 250
 Rowlands, M, 118, 121
 RPS Planning and Environmental Ltd, 1, 4
 Written Scheme of Investigation, 5
- S**
salt production, 136, 182–83
 Middle & Late Bronze Age, 130–31
 Middle Iron Age, 156
Saltdean, valley system, 17
sarsen stones, 18
 quern fragments, 34, 242–43, **243**
Seaview Avenue (SVP10), **2**
 charred macroplant remains, 246
 evaluation trenches, previous work, **9**
 excavations at, 6–7, **11**
 field systems
 FS1 (Early/Middle Bronze Age), 93, **94**, 256, 268
 FS2 (Middle Iron Age), 145–46, 173, 175
 geophysical survey, previous work, **8**
 open areas
 OA2 (Early Bronze Age activity), 56–57
 OA3, 268
 OA4, 113, **114**, 142, 255
 OA5 (Early Iron Age), 116–17, **117**, 268
 OA10, 220
 Pit C[167], vessel deposited in, 113
 Pit C[174], fire pit/hearth, 113
 pits (Open Area 10) Later Neolithic, 42–44, **45**
 planning permission, 6, 7
 pottery finds
 Early Bronze Age, 223
 Later Neolithic, 220–22
 Middle Iron Age, 230–33
Serjeantson, D, 275
settlements *see also* buildings, 288–89
 abandonment (S1), 102
 boundaries (S1), 135
 chronology & composition (S1), 135–38
 composition & layout (S3), 184–86, **185**
 evidence for & interpretation, 136
 Late Bronze Age, 137–38
 location & layout, 137–38
 Middle Bronze Age, 134–37
 S1 (Middle Bronze Age), 97–105, 135, 136, 137
 S2 (Late Bronze Age), 108–10, **109**, 111, 138
 S3 (Middle Iron Age), 146, **148**, 149–51, 180–86, **185**, **187**
 S4 (Latest Iron Age/Early Roman), 167–68
SKP06 *see* Keymer Avenue
Southern Water Ltd, 1
stone finds, 213
struck flint finds, 196t–98t
 Building 7 (Middle Bronze Age), 211
 Building 8 (Middle Bronze Age), 211

Early Neolithic (stratified), 200–04, **202**, 203t
 Flint nos.
 1–4, **200**
 5–10, **201**
 11–21, **205**
 22–23, **209**
 24–28, **210**
 29–34, **212**

Late Neolithic/Early Bronze Age (stratified),
 207–09, 207t, 208t

Mesolithic deposits, 195–99

methodology, 195

Middle/Late Bronze Age, 211

Neolithic/Early Bronze Age (residual &
 unstratified), 209

Open Area 15 (Keymer Avenue), 198, 199

pits

 A[810], 211

 A[835], 211

 A[1195], 207

 C[2019], 207

from Post-Late Bronze Age features, 211–12

raw materials, 195

refitting exercise (by pit), 204–06

Structure 7 (Late Neolithic/Early Bronze Age), 287

structured deposits, 285–86

 Building 1, 141

 Building 2 Roundhouse, 141

 Building 16 Roundhouse, 104, **105**, 140

 Open Area 53, Pit A[1195], 54–56, **56**, 82, 84,
 86, 250–51

 Open Area 60 (working hollow), 142

 patterns of deposition, 62–63, 140–42

 pits

 A[503], B16, 104, 242

 A[508], B16, 104, **105**

 A[521], B16, 104, **105**, 242, 253

 A[777], special deposit(?), plant remains, 64,
 69, 70

 pottery, 111, 113, 141

 radiocarbon dating, 54–56

 Trackway R1, A[910], 53–54, **55**, **56**, 82, 84,
 86, 142

 Vessel A[1193], B8, 108, **108**, 141

 Vessel A[2179], B15, 110, **110**, 141

subsistence & farming *see also* agricultural economy,
 287–88

SVP10 *see* Seaview Avenue

T

Tertiary deposits, Upper Piddinghoe valley, borehole
 survey, 20–21

Thomas, J, 62

Trackway R1 (Lower Hoddern Farm), 53–54,
 74–75, 89, 93

 charcoal remains, 263, 268

 charred macroplant remains, 250, 254

 Latest Iron Age/Early Roman, use of, 170

 metalling (Late Bronze Age), 107–08, **108**

 structured pit deposit, A[910], 53, **55**, **56**, 74–75,
 82, 84, 142

trackways

 Latest Iron Age/Early Roman, use of, 170

 Middle Iron Age, development of, 156–58, **157**

 R2 (Lower Hoddern Farm), 123–24, **124**

 R5 (Lower Hoddern Farm), 84, 90

R8, charcoal remains, 269

R10, charred macroplant remains, 255

R11 (Keymer Avenue), 158

R13, charred macroplant remains, 257

R15 & R16, 123–24, **124**

Trench C1 (Upper Piddinghoe Valley), 25–26, 26t

 molluscan fauna, analysis of, 26–30

Trench C7 (Upper Piddinghoe Valley), 26

U

Upper Piddinghoe valley, 1

 dry valley trench, 22, **22**, 23t, 24t, 25t

 field system, 89, **91**

 geoarchaeological investigations, 19–26

 Middle Iron Age activity, 145

 Trench C1, 25–26, 26t

 Trench C7, 26

W

windbreak structure (post-built), S10, 95–97, **96**

Winterbourne stream, 17

wood, for fuel, 267t

 cremation burials, 139–40

 Early Neolithic period, 70

 environment & woodland clearance, 271

 Latest Iron Age/Early Roman, 270

 Middle Iron Age, 174

 Middle/Late Bronze Age, 129–30, 270

 Neolithic/Early Bronze Age, 73–74, 269–70

Y

Yates, D, 118, 121

Between 2006 and 2010, Archaeology South-East carried out a series of large-scale excavations in advance of development to the north-east of the coastal town of Peacehaven, East Sussex. The excavations, which amount to some 36.2 hectares, have provided a rare opportunity to examine prehistoric and Roman landuse in the South Downs on an unprecedented scale.

Key findings from earlier periods include one of the largest groups of Early Neolithic pits in Sussex and an extensive, organised Later Neolithic and Early Bronze Age monumental landscape, including important new evidence for the emergence of land division in Sussex during the earlier second millennium BC. Later Bronze Age evidence includes extensive field systems, a complete Middle Bronze Age settlement and associated cemetery, and a rare Late Bronze Age D-shaped building.

An important aspect of the Iron Age evidence comprises an extremely unusual group of Middle Iron Age rectangular buildings which may be related to the seasonal upland pasturing of livestock, following a period of abandonment. These buildings became the core of an extensive network of enclosures and trackways used for the corralling and management of livestock. Elements of this enclosure system survived into the early Roman period, when a small farmstead was established within one of the enclosures.

This volume includes a consideration of the wider palaeogeographic context of the excavations, followed by detailed description of the results by period and discussion of their significance in a local, regional and national context.

Archaeology South-East
2 Chapel Place
Portslade
East Sussex BN41 1DR
www.ucl.ac.uk/archaeologyse

ISBN: 978-0-9576509-4-7 (Pbk)
ISBN: 978-1-912331-24-6 (PDF)

A SpoilHeap publication for