THE MEDIEVAL HOSPITAL OF ST MARY'S AND OTHER FEATURES

Excavations at Friary Place, Strood, Kent

Giles Dawkes

**THE MEDIEVAL HOSPITAL OF ST MARY
AND OTHER FEATURES:
EXCAVATIONS AT FRIARY PLACE, STROOD, KENT**

by

Giles Dawkes

with contributions by

Gemma Ayton, C R Batchelor, Luke Barber, Trista Clifford, Anna Doherty,
Kristina Krawiec, Sue Pringle, Elke Raemen, Lucy Sibun, Mariangela Vitolo,
John Whittaker and Damian Woodburn

Occasional Paper 11

SPOILHEAP PUBLICATIONS

A joint venture of Archaeology South-East (UCL Institute of Archaeology)
and Surrey County Archaeological Unit (Surrey County Council)

2020

Produced by SPOILHEAP PUBLICATIONS

a joint venture of Archaeology South-East (UCL) and Surrey County Archaeological Unit (Surrey County Council)
intended to provide a publication outlet for the results of archaeological investigation
and research from across south-east England

First published in 2020 by
Archaeology South-East, UCL Institute of Archaeology
2 Chapel Place, Portslade, East Sussex, BN41 1DR

Available to download free: <https://www.ucl.ac.uk/archaeology-south-east/publications>

Text © Archaeology South-East, UCL Institute of Archaeology and the authors, 2020

Images © Archaeology South-East, UCL Institute of Archaeology, authors and copyright holders named in captions, 2020

Modern map bases and outlines used in this volume are reproduced based on Ordnance Survey data © crown copyright and database right
2019.

This book is published under a Creative Common 4.0 International license (CC BY-NC-ND 4.0). This license allows you to share, copy
and distribute the material in any medium or format in unadapted form only, for non-commercial purposes only, providing attribution is
given to the authors.

Attribution should include the following information: Giles Dawkes, The medieval hospital of St Mary's and other features: excavations at
Friary Place, Strood, Kent. Portslade, SpoilHeap Publications, 2020. <https://doi.org/10.14324/000.bk.10135942>

Further details about CC BY-NC-ND 4.0 licenses are available at <https://creativecommons.org/about/cclicenses/>

ISBN: 978-1-912331-13-0 (Pbk)

ISBN: 978-1-912331-22-2 (PDF)

DOI: <https://doi.org/10.14324/000.bk.10135942>

Edited by Louise Rayner

Copy editing by Anne Marriott

Designed and typeset by Fiona Griffin

Front cover: Excavating medieval wall [213], post-medieval wall rebuild [63] and post-medieval brick floor [207]

Back cover: (clockwise from the top right) Drawing of a decorated early post-medieval purse bar from OA6; Photograph of medieval ridge
tile [1] from Building 3; photograph of a timber post-medieval pile tip with surviving axe marks; photograph showing the
recording of 18th-century Building 5.

CONTENTS

CONTENTS.....	iii
LIST OF FIGURES.....	iv
LIST OF TABLES	vi
SUMMARY	vii
ACKNOWLEDGEMENTS.....	viii
1 INTRODUCTION	1
1.1 Circumstances and site location.....	1
1.2 Archaeological method.....	1
1.3 Historical and archaeological background.....	1
1.4 Structure of analysis and report	5
2 ARCHAEOLOGICAL RESULTS.....	7
2.1 Period 1: Late Bronze Age	7
2.2 Period 2: Roman	7
2.3 Period 3: medieval.....	11
2.4 Period 4: post-medieval	21
3 SPECIALIST REPORTS.....	27
3.1 Geological material.....	27
3.2 Ceramic building material.....	27
3.3 Fired clay.....	31
3.4 Clay tobacco pipe.....	33
3.5 Prehistoric and Roman pottery.....	34
3.6 Post-Roman pottery	36
3.7 Registered finds.....	42
3.8 Glass	44
3.9 Waterlogged worked wood	46
3.10 Plant remains	48
3.11 Animal bone.....	51
3.12 Human skeletal remains	54
3.13 Palaeoenvironmental and radiocarbon dating	55
4 DISCUSSION	61
4.1 Period 1: Late Bronze Age	61
4.2 Period 2: Roman	61
4.3 Period 3: medieval.....	61
4.4 The end of the hospital.....	64
4.5 Conclusion.....	65
BIBLIOGRAPHY.....	67

LIST OF FIGURES

Fig 1.1 Site location and areas of archaeological investigation.....	2
Fig 1.2 Location of HER finds in relation to the current site.....	3
Fig 1.3 Photograph of the southern excavation trench facing south.....	3
Fig 1.4 Maps showing the location of ‘Smetham’s’ building.....	5
Fig 2.1 Plan of Late Bronze Age features.....	7
Fig 2.2 Plan of Early Roman features.....	9
Fig 2.3 Photograph of Early Roman ditch G3 of Enclosure 1.....	10
Fig 2.4 Section through Early Roman ditch G3 of Enclosure 1.....	10
Fig 2.5 Section of Roman palaeochannel G6 and medieval deposits.....	10
Fig 2.6 Photograph of column sample <27> through Roman palaeochannel G6.....	11
Fig 2.7 Section and photograph of column samples <7> and <8>.....	11
Fig 2.8 Sections of alluvial saltmarsh deposits, reclamation dumps G22 and Building 8.....	12
Fig 2.9 Plan of mid/Late Roman features.....	12
Fig 2.10 Plan of medieval features.....	13
Fig 2.11 Plan of medieval reclamation dumps G22.....	14
Fig 2.12 Plan and photograph of timbers <34a>/<34b> and <35>.....	15
Fig 2.13 Plan of medieval levelling dumps G15 and G23.....	16
Fig 2.14 Plan of medieval hospital building and external features.....	17
Fig 2.15 Photograph of wall [213] and rebuild [63].....	18
Fig 2.16 Photograph of wall [173].....	18
Fig 2.17 Photograph of stone drain G33 under excavation.....	19
Fig 2.18 Section of ditch [129].....	19
Fig 2.19 Plan of skeleton [94] in ditch [129].....	20
Fig 2.20 Photograph of skeleton [94] under excavation.....	20
Fig 2.21 Plan of medieval post-demolition and disuse features.....	21
Fig 2.22 Plan of 16th- and 17th-century features.....	22
Fig 2.23 Plan of 18th-century Building 5.....	23
Fig 2.24 Photograph of 18th-century Building 5.....	24
Fig 2.25 Plan of 19th-century features.....	25
Fig 2.26 The locations of Building 7 and Building 8 on the Ordnance Survey map of 1894.....	25
Fig 3.1 Ceramic building material, tiles nos 1–3.....	32
Fig 3.2 Briquetage fragments nos 1–2.....	33
Fig 3.3 Clay pipe bowls nos 1–3.....	34
Fig 3.4 Early Roman pottery P1–P4.....	35
Fig 3.5 Post-Roman pottery P5–P9.....	41
Fig 3.6 Registered finds RF<2>, <11>, <12>, 106>, <107>, <300>, <305> and <307>–<312>.....	45
Fig 3.7 Registered finds RF<10>, <14>, <108>, <302>–<304a/b> and <306>.....	46
Fig 3.8 Photographs of elevations and cross-section of timber <34a>.....	47
Fig 3.9 Photographs of elevations and cross-section of timber <34b>.....	47
Fig 3.10 Photographs of elevations and cross-section of timber <35>.....	48
Fig 3.11 Photographs of elevations and cross-section of timber <38>.....	49

Fig 3.12 Photographs of elevations and cross-section of timber <36>49

Fig 3.13 Illustrated elevations and cross-sections of timbers <34a>, <34b>, <35>, <38> and <36>50

Fig 3.14 Pollen percentage diagram58

Fig 4.1 Comparative plans of Kentish medieval hospitals63

LIST OF TABLES

Table 3.1 Summary of ceramic building material.....	27
Table 3.2 Roman tile fabrics.....	28
Table 3.3 Medieval and early post-medieval roof tile fabrics	29
Table 3.4 Pantile fabrics.....	29
Table 3.5 Brick samples	30
Table 3.6 Overview of the tobacco pipe bowl forms	33
Table 3.7 Quantification of prehistoric and Roman pottery fabrics.....	35
Table 3.8 Characterisation of post-Roman pottery assemblage by period.....	36
Table 3.9 Summary of the medieval pottery	38
Table 3.10 Summary of the early post-medieval pottery	39
Table 3.11 Summary of the late post-medieval pottery	40
Table 3.12 Plant remains species list	52–53
Table 3.13 Quantification of animal bone by period	53
Table 3.14 Number of identifiable specimen (NISP) counts by period	53
Table 3.15 Lithostratigraphic description of column <7>	55
Table 3.16 Lithostratigraphic description of column <8>	55
Table 3.17 Results of organic matter determinations	56
Table 3.18 Radiocarbon dating results.....	56
Table 3.19 Details of samples processed for ostracods and foraminifera	57
Table 3.20 Microfaunal analysis of column <7>.....	58
Table 3.21 Microfaunal analysis of column <8>.....	58

SUMMARY

The archaeological investigations at Friary Place, Strood, Kent, identified four main periods of archaeological activity from the Late Bronze Age to the 19th century. The most significant findings were evidence of Bronze Age and Roman salt working, a Roman and early medieval palaeochannel and saltmarsh deposits, the remains of the medieval hospital of St Mary, and 17th-century and later post-medieval buildings. In addition, a moderate assemblage of finds and environmental evidence was recovered.

ACKNOWLEDGEMENTS

Archaeology South-East ASE would like to thank The Harris Partnership Ltd for commissioning the archaeological work on behalf of their client Aldi Stores Ltd, who funded all fieldwork and post-excavation work through to publication. In particular Gary Humphreys and Russell O'Donoghue of The Harris Partnership Ltd are thanked for their support throughout the project. Simon Mason and Ben Found of Kent County Council Heritage Conservation Group are thanked for their monitoring of the project and guidance throughout. The evaluation stage was supervised in the field by David Jamieson and managed by Diccon Hart, with post-excavation management by Louise Rayner. The excavation project was managed in the field by Darryl Palmer and in post-excavation by Jim Stevenson and Dan Swift. This volume was edited for publication by Louise Rayner and Andrew Margetts.

The excavation field team was supervised by Giles Dawkes and comprised Nicola Bennett, Lesley Davidson (survey), Shelley Dootson, Guy Seddon, Ben Sharp, Rob Tutt and Richard Ward.

CHAPTER 1 INTRODUCTION

1.1 CIRCUMSTANCES AND SITE LOCATION

The site is located in Friary Place, to the east of the centre of Strood, c 300m from the present edge of the River Medway (NGR 573770 169270; Fig 1.1). At the time of the excavation the site was relatively level and had been recently used for car parking.

The archaeological work was commissioned in advance of construction for a new Aldi retail store. Three stages of archaeological work were undertaken: an 11-trench evaluation undertaken between November 2007 and January 2008 (ASE 2008); and an excavation and watching brief between April and May 2012 (HCG KCC 2008). The site straddles the interface between the brickearth deposits to the north-west and the alluvium to the south-east.

1.2 ARCHAEOLOGICAL METHOD

The methodology for the archaeological investigations was complex and as this significantly impacted the nature of the results, it is worth outlining in detail. The complexity arose principally from the need to excavate archaeologically the footprint of the below-ground foundations and services of the new building, at a site known to contain deeply stratified archaeological deposits.

In essence, the extent of the archaeological mitigation was limited to areas of the new building with a below-ground impact; elsewhere the archaeological deposits remain preserved *in situ*. The principal elements of the investigation were the hand excavation of the building's foundation beams and pile caps, and monitoring of the machine excavation of the new drainage services (also known as a watching brief). By coincidence, the two different methods, hand excavation and watching brief, ended up investigating archaeology of two different chronological periods: the former on the area of medieval hospital buildings and the latter on the peripheral areas of earlier archaeological deposits and a former river channel.

Archaeological hand excavation was undertaken using the single-context planning method. The required depth for the foundation beam varied across the site and increased in depth from east (2.85m OD) to west (1.50m OD). The individual pile cap locations were dug an additional 600mm deeper than the foundation beams. Some archaeological masonry structures, such as wall [213], were exposed but not excavated as they lay

below construction impact depths. Similarly, walls identified in the evaluation trenches were left *in situ*, and in both cases the absence of archaeological excavation meant that stratigraphic relationships were not investigated.

An advantage of the watching brief on the new services was its great depth (c 3–5m). This allowed for a significant amount of the alluvial sequence to be investigated and sampled in section in this area. However, this depth did mean that for safety reasons much of the recording was undertaken from the top of the trench. Where access was afforded, to take samples and excavate timbers, a steel-framed trench box system was used to support the sides. Changes were made to the design of the drainage system during the works and in some areas, such as the trench near the southern boundary of the site (Box 4) archaeological investigation was curtailed before the investigation of the stratigraphic sequence was complete.

The major disadvantage arising was that only the smallest portions of archaeological features were exposed in plan by these 'keyhole' investigations, and the overall layout of the buildings could not be properly understood. Complex, deeply stratified urban sites can only really be understood by open-area excavation techniques, and repeated keyhole investigations of a single site inevitably lead to denigration of the archaeological record without any real development in our understanding.

The sitecode FPS07 was used for all the archaeological work.

1.3 HISTORICAL AND ARCHAEOLOGICAL BACKGROUND THE ARCHAEOLOGY OF STROOD BEFORE THE MEDIEVAL PERIOD

Strood, like its larger neighbour on the opposite bank of the River Medway, Rochester, has never witnessed any large-scale archaeological excavations, and the majority of the archaeological remains known to us were identified by antiquarians in the 19th century. The lack of published, modern archaeological data for any chronological period remains the fundamental obstacle to interpretation of the development of the town.

A Bronze Age socketed axe found near Darnley Road (Kent HER reference TQ 76 NW 4) is the earliest recovered artefact and the only evidence for any prehistoric activity within the town, although other finds of Bronze Age metalwork have been recovered in Rochester (eg, Kent HER reference TQ 76 NW

Fig 1.1 Site location and areas of archaeological investigation

5). A few finds of possible Iron Age date have been recovered from within Strood, including a bone comb from the cemetery (Kent HER reference TQ 76 NW 4) and possible pottery sherds from the Zoar Chapel (Kent HER reference TQ 76 NW 322). Across the Medway, evidence for the minting of coins at the Late Iron Age settlement of Rochester indicates it was of some significance (Detsicas 1983, 59).

Strood lay across the River Medway from the Roman walled town of Rochester, probably Durobrivae ('low-lying fort by the bridges'; Rivet & Smith 1979, 346–8). Rochester is, unfortunately, one of the least-investigated towns in Roman Britain, with so little being known about its occupation that it has been termed a Roman 'ghost town' (Detsicas 1983, 58). Of the limited archaeological work that has been undertaken, the majority has concentrated on the defences, although there is some evidence for a precursor in the shape of a Late Iron Age settlement (Burnham & Wachter 1990, 76–81). At Strood, from what little has been identified, the character of the Roman occupation was essentially typical of an extramural settlement: ribbon development along a road surrounded by extensive cemeteries.

While the remains of the Roman bridge have never been archaeologically identified, a large timber structure and stone piers were apparently observed during the construction of the modern crossing in the 1850s (Detsicas 1983, 35). On the Strood side, moreover, a 'causeway' dated by finds of Roman coins was found during the digging of a drain in 1897 under the modern A2 road (Kent HER reference TQ 76 NW 269; Fig 1.2). This is the only evidence for the location of the potential Roman river crossing, and the initial point of development for the extramural settlement. The course of Roman Watling Street seems to have approximately mirrored that of the modern A2 road and High Street. The only evidence for Roman buildings were [floor](#) surfaces seen in the cellars of 97, 107 and 109 High Street (Kent HER reference TQ 76 NW 261; Fig 1.2) and at the Zoar Chapel (Kent HER reference TQ 76 NW 322; Fig 1.2), all fronting on to the south side of Watling Street. Elsewhere, numerous Roman inhumation and cremation burials have been discovered on both sides of Watling Street (principally Kent HER references TQ 76 NW 30; TQ 76 NW 23; TQ 76 NW 106; Fig 1.2), often with grave goods, and dating between the 1st and 4th centuries AD. A particularly notable collection of pits was also found on the High Street at the Budden and Biggs brewery in 1899 (Kent HER reference TQ 76 NW 24; Fig 1.2). These shaft-like pits were over 3m deep and, based on the large and diverse finds

assemblages, are considered ritual in nature. The finds included pottery, glass, jewellery fragments and the skeletal remains of both humans and animals. These pits may indicate the presence of a roadside shrine on the north side of Watling Street within sight of the river crossing.

Fig 1.2 Location of HER finds in relation to the current site

THE MEDIEVAL HOSPITAL OF ST MARY AT STROOD

The High Street was also the principal focus for the settlement which developed in the medieval period. Immediately to the north of the High Street lay the medieval hospital of St Mary. The remains of the hospital buildings, which have been identified archaeologically, lay within and to the immediate south of the site boundary (Fig 1.3).

Fig 1.3 Photograph of the southern excavation trench facing south. The site of the hospital's hall and chapel, excavated in the 1960s, is beneath the Nationwide Building Society

The hospital of St Mary at Strood was founded in 1193 by the bishop of Rochester, Gilbert de Glanville, and can be considered as part of the great monastic house-building boom (Prescott 1992, 6–7). It was ideally located to display its founder's charity publicly, being immediately outside the city of Rochester and beside the timber bridge over the River Medway on the London to Canterbury road, a popular pilgrimage route.

The organisation and layout of early hospitals were much influenced by monasteries, and often followed the rules of the Augustinian order (ibid, 7). By the end of the 13th century there were over 500 hospitals in England, which can be divided into three main types: leper houses, non-leper houses and almshouses (ibid, 1; Sweetinburgh 2004, 22). St Mary at Strood was a non-leper house, able to collect alms and offer accommodation to travellers, the majority of whom were pilgrims. It was one of four such institutions in and around the city of Rochester, including another one in Strood, St Nicholas, of which nothing is known (Sweetinburgh 2004, 80).

When considering the role of medieval hospitals it must be borne in mind that these were ecclesiastical, not medical, institutions. They were for care, not cure, of the body, and were concerned primarily with the salvation and remembrance of the soul (Clay 1909, 1; Prescott 1992, 3). As well as housing the sick, medieval hospitals fulfilled a variety of other functions, such as accommodating travellers, a role that became increasingly important and was a much-needed source of income. Other roles included providing charitable education to poor children and orphans, and collecting alms (ibid, 2; Sweetinburgh 2004, 28).

The principal income for hospitals, however, came from gifts and benefactions made by the institution's founders, donors and patrons. In return for these gifts, the brethren would perform chantry services of commemoration and devotion on their behalf. Religious institutions all participated in this 'spiritual economy' and often had to adapt their services to gain patronage in an increasingly competitive environment (ibid, 96). Hospitals, as a stage for display and public munificence, were along with monasteries the main link between parochial networks and the central diocesan organisation (Weekes 2012, 16).

Never a large nor a wealthy institution, St Mary at Strood suffered constant impoverishment, mainly as a result of ill fortune and mismanagement. The hospital buildings were first damaged during Simon de Montfort's attack on Rochester in 1264, and in the late 14th century the chapel and most

of the infirmary hall collapsed, probably because of lack of maintenance (Prescott 1992, 14, 137).

The hospital brethren were regularly accused of neglecting their duties and were also involved in a bitter, long-running, dispute with Rochester Priory over the appropriation of churches, culminating in a brawl between the brethren and the monks within the hospital grounds. Although the hospital won the dispute, its reputation suffered and in the long term alienated wealthy patrons (Sweetinburgh 2004, 92). Its wealth was also adversely affected by the building of a new stone bridge over the River Medway upstream, causing fewer travellers to pass their way (ibid).

The hospital's poverty necessitated the reduction of its brethren from seven to four, but this evidently did little to alleviate the situation and in the early 15th century the bishop of Rochester was forced to take over its administration (Prescott 1992, 136). This change appears to have ensured its survival until the Reformation, when it was surrendered to the Crown in 1549 (ibid). Many of Kent's hospitals managed to survive the Reformation since, being perceived as valuable town assets, they received strong support from wealthy citizens (Sweetinburgh 2004, 77). Perhaps understandably, this perception of being a local asset did not extend to St Mary at Strood.

THE CURRENT UNDERSTANDING OF THE HOSPITAL SITE

The vast majority of our knowledge of the hospital of St Mary is derived from an archaeological excavation undertaken in the summer of 1966 by the Lower Medway Archaeological Research Group (LMARG) and published in *Archaeologia Cantiana* (Harrison 1969, 139–60).

In summary, the excavation exposed most of the ground plan of the infirmary hall and adjacent chapel and three main constructional phases. The first of these was represented by the buildings of the original late 12th-century foundation; the second involved a late 14th-century rebuilding after an apparent collapse; and the third was concerned principally with the conversion of the hall into an ante-chapel by inserting portioning walls. This change of use necessitated the creation of infirmary hall facilities elsewhere, and these were probably located in the buildings to the immediate north (ibid).

In common with other early Kentish hospitals, St Mary's had an unusual layout: the chapel was set at right angles to the infirmary hall and in the centre of one side (Prescott 1992, 10). At the east end of the chapel was an altar. The hall was also originally divided into two to ensure separation between males

and females whilst allowing a view of the chapel (Harrison 1969, 147). The first phase was built chiefly in Ragstone with Upper Greensand quoins. The second phase was largely built over the same footprint as the earlier phase but in a different style, consisting of Ragstone with tile courses. In addition, the floor level was raised and laid with plain tiles (*ibid*, 145). A central brickwork tomb, possibly for William of Basing or Thomas Bromelegh, was inserted into the hall in either the second or third phase (*ibid*, 149).

Little is known about the wider environs of the hospital although the presence to the south of the hospital of various skeletons, discovered mostly in the 19th century, suggests, unusually, that this was the location of the cemetery (*ibid*, 144). In most cases, archaeological investigation of hospitals has concentrated on hall and chapel, so that other domestic buildings remain relatively unknown (Prescott 1992, 6).

With regard to the later use of the site, it is worth noting that the buildings demolished on the site before the 1966 excavation were probably of 17th-century date and, as time was limited, the structural remains overlying the hospital foundations were removed by mechanical excavator (Harrison 1969, 139). There was, therefore, little recorded evidence for the demolition of the hospital and the later use of the site: a situation which, it was hoped, would be redressed by this recent investigation.

There are historical references to some of the hospital buildings surviving the Reformation and not being demolished until the 19th century. The earliest reference, from 1772, states:

The scite [*sic*] of the hospital is so covered with modern buildings, that very little of the ancient fabric is to be seen. Behind the houses which now occupy this spot, are two arches of the Caen stone, one of which appears to have led from the hospital to the chapel; some thick walls of that part of the building, which it may be conjectured was appropriated to this use, are still remaining (Fisher 1772, 245).

This clearly was not the remains of the chapel and hall, which were buried beneath buildings from the 17th century onwards, but some other building in the complex. A second reference, from 1899, mentions that some 25 years previously the last surviving portion of the medieval hospital was demolished and includes a sketch of a crown post, which was saved and now resides in Rochester Museum (Smetham 1899, 134; Harrison 1969, 149). As Harrison originally pointed out, the location of this building can be pinpointed by comparing

the 1864 and 1897 Ordnance Survey maps – it lay behind the hall and chapel, near the southern boundary of the Friary Place site (Fig 1.4). Harrison goes on to say that he believes that this may have been a late 14th-century building representing the last phase of the use of the hospital before the Dissolution in the mid 15th century (*ibid*, 150–1).

Fig 1.4 Maps showing the location of 'Smetham's' building. Demolished between 1864 and 1894, it probably represented the last surviving upstanding elements of the hospital. On the top is the 1864 Ordnance Survey map and on the bottom that of 1894. Courtesy of Kent Archives Service

1.4 STRUCTURE OF ANALYSIS AND REPORT

A hierarchical context, group, and land-use framework was used to structure the data. This framework is summarised below.

CONTEXT

A unique number was assigned to each archaeological context in the field. Context numbers are shown in square brackets: [000].

GROUP

Group numbers (shown as G000) are an interpretative structuring of the context data and are made up of a number (sometimes many) of interrelated contexts. For example, all the individual context numbers associated with a single phase of a ditch are grouped together under a single group number. The same applies to all other features (eg, a cluster of associated pits or postholes has been assigned a single group number).

LAND USE

Each group has been assigned to a land use, which encompasses many separate features. These numbers are used to characterise broadly the function of the land for a given period. The following land-use classifications have been used:

- B Building
- ENC Enclosure
- OA Open Area (open fields, yards etc)

As far as possible, an integrated approach has been followed, with relevant finds (RF<0> = Registered Find number) and environmental information included as part of the narrative.

CHAPTER 2 ARCHAEOLOGICAL RESULTS

The archaeological investigations identified four main periods of archaeological activity dating from the Late Bronze Age to the 19th century. The most significant findings were evidence of Roman salt working, Roman and medieval alluvial deposits, the remains of the medieval hospital of St Mary, and 17th-century and later post-medieval buildings.

The natural geology of orange-brown brickearth was seen only in the watching-brief areas, in the northern corner (Boxes 9 and 11) at 1.9m OD and in the pipe trench adjacent to southern boundary (Box 4) at 1.75m OD. The edge of a possible flood plain was located in the approximately 70m-wide gap between these two areas and was defined by alluvium between at least -0.3m OD and 1.0m OD.

2.1 PERIOD 1: LATE BRONZE AGE OPEN AREA 1

Two features, ditch G1 and clay layer [141], in the northern corner of the watching-brief area (Fig 2.1) contained finds of

Late Bronze Age pottery sherds. The disjointed nature of the pipeline excavations did not allow both features to be seen at the same time and no stratigraphic relationship between them was established.

A c 2m-long section of east–west-aligned ditch G1 was exposed at the base of the corner of Boxes 7 and 11. Its function was not readily apparent. The ditch was cut into natural alluvium, [157], and may have terminated before the limit of clay layer [141]. The south-west end was truncated by a later feature. The ditch was filled by grey silt-clay, [198], and produced two sherds of Late Bronze Age pottery (c 1150–850 BC) and a flint flake.

Stiff red clay layer [141] was c 0.15m thick and was only seen over an area measuring c 2m × 3m. The deposit was truncated by a later feature to the south, and extended to the north and west beyond the limits of the watching-brief excavation. The six large unabraded sherds of Late Bronze Age pottery recovered from it were perhaps associated with salt working (see Chapter 3.5). Layer [141] may have represented an occupation horizon.

Fig 2.1 Plan of Late Bronze Age features (period 1)

2.2 PERIOD 2: ROMAN

PERIOD 2, PHASE 1: EARLY ROMAN (c AD 50–150)

Early Roman features were found almost exclusively in the northern part of the site in the deeper watching-brief excavations. Features of this period almost certainly survive elsewhere to the south, but owing to the shallower foundation depths at this location the Roman horizons were not reached.

ENCLOSURE 1 (ENC1)

Only part of ENC1 was seen, with the rest lying beyond the limits of the investigation to the north or truncated to the south (Fig 2.2). The full extent and function of the enclosure is therefore unknown. It may have fulfilled a salt-working function and it included one possible building (B1). ENC1 consisted of at least two ditches (G3, G4).

Ditch G3 was aligned broadly north–south and terminated in the south (Figs 2.2–2.4). It was 1.6m wide and 0.4m deep, with steep sides and a flat base. It had been filled with a series of dumped burnt fills that contained lumps of non-magnetic ferruginous concretions, sherds of Early Roman pottery and charcoal fragments of oak (*Quercus* sp), possible hazel (*Alnus* sp, *Corylus/Alnus*), ash (*Fraxinus excelsior*) and pine (*Pinus sylvestris/mugo*). Also recovered were fragments of fired clay, among them a possible daub fragment with the remains of a carbonised withy attached as well as 19 pieces of briquetage including a base fragment from a possible container vessel. A Colchester two-piece bow brooch in a very poor state of preservation of 1st-century AD date (Hattat 1989, 297) was also recovered from fill [1/12] of [1/11].

Ditch G4 was aligned east–west and was probably contemporary with ditch G3 (Fig 2.2). Ditch G4 had been partially truncated by the edge of possible palaeochannel G6, but was at least 2.4m wide and 0.32m deep. The brown silt-clay fill, [202], contained fragments of burnt clay and two sherds of Early Roman pottery.

OPEN AREA 2 (OA2)

Six postholes, [1/05], [1/07], [1/09], [205], [259] and [261], and pit [1/43] were scattered around ENC1. These features contained few finds and their function is uncertain (Fig 2.2).

BUILDING 1 (B1)

To the east of ditch G3 was rammed clay surface [140], measuring at least 3 × 2m in area and extending north and east beyond the limits of excavation (Fig 2.2). The surface did not have a stratigraphic relationship with ditch G3, although the

features may have been contemporary. The surface contained a sherd of Early Roman pottery, a sherd of residual Late Bronze Age pottery and possible fragments of briquetage. This constructed surface was probably a working area associated with the production of salt, possibly representing the floor of a building (B1). The surface directly overlay Late Bronze Age occupation horizon [141] (period 1), but this seems to have been a simple coincidence of no inherent significance.

OPEN AREA 3 (OA3): SALT MARSH

To the south-east was an expanse of alluvial deposits filling what appeared to be a broad palaeochannel, G6, or edge of the saltmarsh (Figs 2.2 and 2.5–2.8). Two ¹⁴C radiocarbon dates were obtained on samples from deposit [25], broadly dated to the Roman period, and finds of Roman pottery and ceramic building material were recovered from the lower deposits in the north adjacent to the ‘dryland shoreline’ of ENC1 and B1. The bottom of the alluvial sequence was not reached by the groundworks, but this area was almost certainly a saltmarsh in the later prehistoric and Early Roman period.

Palaeochannel G6 was generally orientated east–west, although only the north side was identified; it was at least 0.7m deep and had a shallow concave side. The infilling deposits were characterised by a series of stiff, mottled, blue-brown clays (G85 in the south and [235], [237], [234], [200] further north).

Three column samples were taken through the palaeochannel fills: in the north, sample <27> was taken through deposits [234], [235] and [237]; and in the south-east samples <7> and <8> were taken through deposits [24], [25], [26] and [43] (Figs 2.2 and 2.5–2.8). The microfaunal and pollen evidence from these samples indicated a saltmarsh environment within the lowest available deposits, with vegetated freshwater pools. Pollen analysis identified a sequence of initial deposition of fine-grained sediments in a low-energy alluvial environment, succeeded by peat accumulation, [25], in a semi-aquatic to semi-terrestrial environment, subject to periods of flooding. The peat was sealed by another episode of fine-grained sedimentation in a return to a low-energy alluvial environment. A sample for ¹⁴C radiocarbon dating was taken from deposit [25], producing an overall date range of 1930–1525 BP (20–425 cal AD) (cal AD 20–130, Beta-438602; cal AD 340–425, Beta-438603), indicating that these deposits were forming through the Roman period (see Chapter 3.13).

To the south-east, in the eastern foundation of the new building, brown clay [45] (Fig 2.2), located at 2.48m OD, yielded 31 sherds of Early Roman pottery (not illustrated).

Fig 2.2 Plan of Early Roman features (period 2, phase 1)

There are difficulties with the interpretation of this deposit, as it was seen only in a pilecap location and its full extent is unknown. It may have been at the top of an alluvial sequence, akin to clay [131] to the north-west.

PERIOD 2, PHASE 2: MID/LATE ROMAN (*c* AD 150–400)

OPEN AREA 3 (OA3): SALTMARSH CONTINUES

The saltmarsh remained but there was scarce evidence for Roman activity later than *c* AD 150 (Fig 2.9). Only a single layer was identified, [219], which produced seven late 2nd-century pottery sherds. A small assemblage of residual Late Roman finds was recovered from other, later, features.

Fig 2.3 Photograph of Early Roman ditch G3 of Enclosure I, facing north (1.0m scale bar)

Fig 2.4 Section through Early Roman ditch G3 of Enclosure I

Fig 2.5 Section of Roman palaeochannel G6 and medieval deposits

Fig 2.6 Photograph of column sample <27> through Roman palaeochannel G6

section 3

Fig 2.7 Section and photograph of column samples <7> and <8> facing south-west (1.0m scale bar)

2.3 PERIOD 3: MEDIEVAL

PERIOD 3, PHASE 1: MEDIEVAL (c 5TH–LATER 12TH CENTURIES)

OPEN AREA 3 (OA3): SALT MARSH CONTINUES

The later alluvial sequence G86, G87 and G89 overlay the Late Roman alluvium and probably dated to the early medieval period, although no dating evidence was recovered (Fig 2.10). This period was poorly understood, and there were no contemporary features.

It is likely that the saltmarsh remained in existence until the building of the hospital in the later 12th century, but there was evidently relatively little or no occupation on or in the vicinity of the site in the early medieval period.

PERIOD 3, PHASE 2: MEDIEVAL (LATER 12TH–14TH CENTURIES)

OPEN AREA 4 (OA4): RECLAMATION AND LEVELLING

The hospital building was located on an area of at least partially reclaimed saltmarsh, with a series of deposits of chalk and flint rubble, silt and clay, G22, dumped over much of the north-east of the site (Figs 2.8 and 2.11). These deposits, which elevated the foreshore area from between c 0.3–1.0m OD to a height of around 1.7m OD, were seen only in the deeper investigations of the watching-brief area and evaluation Trenches 10 and 11 but may also have been present in the south-west, where the shallower depth of excavation precluded investigation. The few finds from these dumps consisted mostly of a small assemblage of peg tile fragments, with the best dated coming from the latter half of the 12th century, as well as pieces of worked timber, <34a>/<34b> and <35>, from deposit [24] (Fig 2.12).

The worked timbers (<34a>/<34b> and <35>) were jointed oak elements with two hafting lap joints and one to possibly three mortises (Chapter 3.9; Figs 3.8–3.10 and 3.13). The exact function of these timbers is unknown, but they probably derived from a building or waterfront structure. It is clear, though, that these timbers were not *in situ* elements of a revetment, but rather had been dumped as waste in amongst the reclamation deposits.

Above the reclamation dumps were two separate sequences of deposits: in the north-east were alluvial clays G23, and in the south-west were compacted clay layers G15 (Fig 2.13). The alluvial clays, G23, located adjacent to the former riverside, may have been dumped as further reclamation layers, or may have represented a separate period of overbank deposition. These deposits were largely devoid of finds, although a piece of

section 4

Fig 2.8 Sections of alluvial saltmarsh deposits (period 2, phase 1), reclamation dumps G22 (period 3, phase 2) and Building 8 (period 4, phase 3)

Fig 2.9 Plan of mid/Late Roman features (period 2, phase 2)

Fig 2.10 Plan of medieval features (period 3, phase I)

Fig 2.11 Plan of medieval reclamation dumps G22 (period 3, phase 2)

elm planking, <38>, was recovered from [5/055] in evaluation Trench 5 (see Chapter 3.9).

In the south and west foundation trenches, at between c 2.50m OD and c 1.90m OD, was a series of well-compacted, mostly mottled green, grey and brown clay layers G15 (Fig

2.13). The dating evidence from these layers was sparse, consisting only of a few fragments of ceramic peg tile, best dated to the second half of the 12th century. However, these layers, where they had a stratigraphic relationship, were all

Fig 2.12 Plan and photograph of timbers <34a>/<34b> and <35> facing north-west (0.5m scale bar)

below the walls and floors of the hospital building and can perhaps therefore be best interpreted as levelling layers dumped immediately before the building's construction. There was a noticeable absence of cut features from this period, with only single, solitary pit [227] cut into layer [228] (Fig 2.13).

HOSPITAL BUILDINGS

Elements of the structural remains of the hospital buildings were identified in the south-west of the site (Fig 2.14) but the keyhole nature of the investigations inevitably caused difficulties in their interpretation, especially in determining the contemporaneity of physically separated portions of walls and floors.

The hospital's chapel and hall had been previously identified in the 1960s excavation to the immediate south of the site, and the structural remains found here lay on near-identical alignments, clearly representing other adjacent buildings in the precinct. The hospital was on a different alignment to, and set back from, the existing High Street to the south. This may suggest that the medieval route contemporary with the hospital was on a different alignment to the present course of the High Street.

Buildings 2 and 3 (B2, B3)

The portions of the wall foundations seen were fragmentary, and it is not certain whether they represented a single, very large building with an L-shaped plan, *c* 50 × 40m, or a range of smaller structures. However, the differing ceramic building material fabrics recovered from the two buildings suggest that they were separate buildings, possibly built at different times (Chapter 3.2).

The building had several types of contemporary flooring, undoubtedly relating to separate rooms, although the nature of the investigations made the identification of individual spaces impossible. The main structural elements identified were wall foundations of flint cobbles, chalk and Ragstone rubble bonded in a soft brown lime mortar. The walls were up to 0.6m wide and no faced courses were found. The walls of the north-south range (B2) were [8/023], [8/027], and possibly [270] and wall [173]; those of the east-west range (B3) were [213], G75, [6/015], [6/019] and [10/070] (Figs 2.15 and 2.16).

The internal surfaces were, in the north-south range, flagstones [8/026] and glazed ceramic tile floor [8/032]; and in the east-west range, rammed chalk floor [4/059], mortar floors G97 ([209] and [193]), [271]) and metal surfaces, [134] (G47), [149]/[150] and [93]. The floors were located between

Fig 2.14 Plan of medieval hospital building and external features (period 3, phase 2)

2.80m OD and 2.10m OD, suggesting the presence of internal steps between some rooms.

Later additions and possible rebuilding

Later additions to the building(s) were identified, including the insertion of wall [96] and the relaying or repair of chalk floors [114] with metalling [113] in B3. Wall G29 was also rebuilt along a similar alignment as masonry wall G75. Running north–south through the centre of the building(s) was stone drain G33, built of roughly tooled stone blocks and capped with a reused block of chamfered stone, [143] (Figs 2.14 and 2.17). The drain had an internal bore of $0.22 \times 0.2\text{m}$, and presumably drained north towards the former river channel/saltmarsh. Another internal feature was a possible beam slot, [154]. This feature lay below the required depth and was not excavated, but may have represented an internal timber wall division. In B2, mortar floor [209] was repaired with additional mortar [186]. A rammed chalk floor, [4/059], [4/071] and [4/072], was located at the northern end of B2 and the western end of B3, but it was not certain to which building it related. Either way, it seemed to represent a later remodelling of this area, although interpretation is limited by the small amount exposed.

Fig 2.16 Photograph of wall [173], facing north-east (1.0m scale bar)

PERIOD 3, PHASE 2: EXTERNAL FEATURES

OPEN AREA 4 (OA4)

Features external to the hospital building were identified chiefly in the watching-brief areas to the north and south-east (Fig 2.14). There was scant dating evidence from these features, but they were most likely contemporary with the use of the hospital. In the north part of the site, in the watching-brief area and northern foundation of the new building, was a series of buried soil layers, G19, G66 and G17 ([68], [139],

Fig 2.15 Photograph of wall [213] and rebuild [63] (period 4, phase 1), facing west

Fig 2.17 Photograph of stone drain G33 under excavation, facing west

[217], [218], [106] and [231], [1/082], [1/083]), all c 1m thick and located approximately between 2.6m and 1.6m OD (Fig 2.5). These orange-brown silt-clays generally produced few finds, with a small assemblage of medieval tile from [217] and residual Roman finds from the others. The most notable environmental sample, <17> from [139], contained a moderately large assemblage of macrobotanical remains, including grains of wheat (*Triticum* spp), barley (*Hordeum* sp) and oat (cf *Avena* sp). Wild/weed seeds were also present, among them elder (*Sambucus nigra*), sedges (*Carex* spp), buttercup (*Ranunculus* sp) and blackberry/raspberry (*Rubus fruticosus agg/idaeus*).

Cutting the buried soil layers were pit [233], ditch G7 and large pit G83 (Fig 2.14). Subcircular pit [233] was filled with grey-brown silt-clay [232], which contained ceramic tile fragments dating to c 1135–1220. Ditch G7 was only partially seen in both the evaluation trench and watching-brief area, and its full extent is not known. It seemed to be aligned from south-west to north-east, and was filled with brown silt-clays containing relatively few finds. It may have drained water away from the hospital building towards an adjacent watercourse.

Less well understood was large pit G83, with only the west side seen in the watching-brief area (Box 6) and evaluation Trench 2.

While ditch G7 and large pit G83 may have been dug for drainage, they may alternatively have related to fish ponds, a common feature on medieval monasteries. However, there was no evidence of a clay lining or waterlogged material to confirm this possible interpretation.

OPEN AREA 5 (OA5): YARD

Located between B2, B3 and the buildings excavated in the 1960s was an area of hardstanding representing a yard surface. This rammed chalk and metallised surface, [36], [75], [93] and

[7/052], was seen only intermittently because of the keyhole nature of the work, but seemed to be delineated in the east by ditch [129] (Fig 2.14). There was also evidence of repair with metalling [73] laid over [75].

BOUNDARY DITCH [129]

In the watching brief on the pipe trench adjacent to the southern boundary, natural brickearth was encountered at c 1.75m OD, with an overlying deposit of brown clay, [50], which was not excavated. This deposit was cut by north–south ditch [129], although only the western side was seen and the excavation was curtailed before the feature was fully investigated (Figs 2.18 and 2.19). The lowest ditch fill identified was dark grey silt-clay [128], containing a small assemblage of medieval tile and residual Roman pottery. Above, in the partially filled ditch, was adult skeleton [94] with the head to the north-west and the arms at the side. The legs, [257], were recovered at a later date after the trench had been backfilled. Three iron nails (RF<3>, RF<4> and RF<5>) were recovered from around the body and it may well have been interred in a wooden coffin or covered by a wooden board. There was no evidence of any grave cut but the presence of a skeleton interred in a coffin in an open ditch is unusual. A ^{14}C radiocarbon date from the skeleton produced a result of 900 ± 30 BP (cal AD 1035–1215, Beta-440140). Above skeleton [94] the upper ditch fill, dark grey silt-clay [70], contained a small assemblage of medieval tile and residual Roman pottery.

PERIOD 3, PHASE 3: MEDIEVAL (?14TH CENTURY)

OPEN AREA 6 (OA6): DEMOLITION AND DISUSE

A series of demolition layers, G16, G78 and G81, were seen throughout the area of the hospital building overlying the various floors and walls (not illustrated). These layers were up to 0.6m thick and included dumped chalk and flint rubble although, as noted above, worked stone blocks were absent, suggesting the buildings had been thoroughly robbed out

Fig 2.18 Section of ditch [129]

Fig 2.19 Plan of skeleton [94] in ditch [129] (period 3, phase 2)

Fig 2.20 Photograph of skeleton [94]. Top: under excavation. Bottom: detailed view (0.5m scale bar)

and reused in antiquity. However, large amounts of peg tile fragments were recovered (over 130kg) and evidently the roofing material was not suitable for reuse. An additional roofing material present was slate, which occurred in small fragmented amounts.

The finds from the demolition deposits were primarily building materials used in the initial construction of the building(s) and these provide no information on the date of the disuse. Although there were some domestic finds from these deposits, such as an abundance of fish bone in layer [71], there was a notable dearth of pottery from the later medieval period (*c* 1325–1550). The largest assemblage consists of a mere three sherds (from layer [67]) and the exact date of the demise of this part of the hospital therefore remains unclear.

Other than the demolition dumps, a number of other features relating to the subsequent post-demolition use were cut through the remains of the hospital (Fig 2.21). Cutting through wall [173] was shallow metallised holloway G46, which was aligned from north-east to south-west. Pottery sherds recovered from beneath metallised surface [111] date to *c* 1250–1375, suggesting that the routeway was in use during the 14th/15th centuries, and that at least the northern part of the hospital had been levelled by this time. After the holloway had fallen out of use and silted up, ditch [97] was dug cutting through its southern portion.

Three postholes [166], [192] and [84], possibly representing a fence line, were cut through the floors of the demolished building(s) and may well have been a land division associated with holloway G46 or ditch [97] although they are on a different alignment. Elsewhere, pit [156] cut through the floor of the building(s).

Fig 2.21 Plan of medieval post-demolition and disuse features (period 3, phase 3)

2.4 PERIOD 4: POST-MEDIEVAL

PERIOD 4, PHASE 1: POST-MEDIEVAL (16TH–17TH CENTURIES)

REFORMATION DEMOLITION DEPOSITS?

Open Area 6 (OA6)

Occasional deposits relating to a second episode of demolition were also recorded. These contained relatively few finds but appeared to date to between the late 15th and the middle of the 16th century, and may potentially have related to the Dissolution (1530–40).

Demolition deposits G67 were identified in evaluation Trenches 6 and 10, and in the southern excavation trench, [77] and [162] (not illustrated). Deposit [77] contained a small assemblage of pottery dating to *c* 1475–1575, while [162] contained mainly residual medieval pottery, as well as a 14th-/15th-century copper-alloy buckle (RF<108>).

Buildings 4, 5 and 6 (B4, B5, B6)

After the hospital had been demolished, at least three buildings were constructed. These almost certainly utilised existing building materials on the site (Fig 2.22). The fragmentary remains of the buildings were identified in the west, south and east. The evidence for each consisted of a single wall foundation and associated flooring, although too little was seen to venture any interpretation of the likely form and layout.

Building 4 (B4)

In the east was north–south wall foundation [61], mostly of red brick and peg tile, dating to *c* 1630–1800, as well as

some stone blocks. Abutting the wall to the east was a chalk and cobble floor, [62]. To the south of the wall were further chalk floors [54] and [53], which were only partially seen. Their relationship with wall [61] is unknown. Floor [54] was constructed above make-up layer [58]/[59], which produced 17th-century pottery, and both floors were overlain by thin occupation layers [47] and [46], containing both residual medieval finds and post-medieval pottery. Cut into floor [54] were two stakeholes, [57] and [51], which were probably contemporary with its use.

Building 5 (B5)

To the west of this, wall [63] was a red brick wall built along the top of the period 3, phase 2 wall [213], the lower courses of which were retained (Figs 2.15 and 2.22). The ceramic building material used in this rebuild dated to *c* 1640–60, and although no contemporary 17th-century internal floor was found the building was refloored during the 18th century (see below, ‘Period 4, phase 2: post-medieval (18th century)’), a process that may have removed the contemporary period 4, phase 1 floor. To the west a metallised surface, [76], probably represented part of an external yard (Fig 2.22).

Building 6 (B6)

In the west a small portion of a chalk rubble wall, [212], containing finds of pottery dating to *c* 1600–1750 was recorded. There was no evidence of any contemporary flooring associated with this wall, and exactly what it represented is not certain.

Fig 2.22 Plan of 16th- and 17th-century features (period 4, phase I)

Fig 2.23 Plan of 18th-century Building 5 (period 4, phase 2)

Immediately to the north of wall [212] was east–west ditch [171], filled with blue–green clays. To the north–west of the ditch was a larger east–west ditch, [214], filled with similar blue–green clays. Two conifer pile tips, <36> and <37> (Chapter 3.9), had been driven vertically into the base of ditch [214] when it had partly silted up. These were presumably the remnants of some form of fence or ditch-crossing structure. The exact relationship between ditch [171] and ditch [214] is unknown, but their differing sizes suggest they may not have been associated.

A cluster of four small pits, G53, were probably contemporary with this period, although no finds were recovered. Elsewhere pit [103] was located immediately south of wall [212] near the southern boundary of the site. To the west of wall [63] was buried soil layer [35] (not illustrated). While this layer did contain intrusive material, it also contained 18 clay pipe bowls, the majority of which date to *c* 1660–80, as well as glazed floor tiles and 24 sherds of 17th-century pottery. In Box 4 in the south was buried soil layer [49], with a find of a lead cube, RF<9>, and a 15th-century purse bar, RF<10> (Chapter 3.7).

PERIOD 4, PHASE 2: POST-MEDIEVAL (18TH CENTURY)

This period is represented only by the continued occupation of B5, identified in the south trench. Abutting 17th-century wall [63] was 18th-century red brick floor [207], laid on face

in stretcher courses (Figs 2.15, 2.23 and 2.24). Overlying the floor was thin wood chip layer [206], apparently the waste from working timber within the room. Directly above the wood chips was make-up layer [175] and roughly laid brick floor [178], which was covered by another spread of wood chips, [179]. Above, chalk floor [172] contained pottery sherds dating to *c* 1760–1810. Sealing the sequence of floors was a series of dumps, G48, representing the disuse of the building. There was no evidence that the other buildings, in the east and west trenches, still existed in the 18th century.

PERIOD 4, PHASE 3: POST-MEDIEVAL (19TH CENTURY)

In the east of the site were the red brick wall foundations of two 19th-century buildings (B7 and B8; Fig 2.25).

BUILDING 7 (B7)

This building was only partially seen but was represented by wall footings [6/090] in the west and [3] and [61] in the east. Two floors, both probably external were identified: cobbled floor [2] abutting the south side of wall [3], and cobbles and rammed chalk floor [5] abutting wall [61]. This building is identifiable on the Ordnance Survey Map of 1894 as fronting on Newark Yard (Fig 2.26), and later maps indicate this building survived until the 1940s (not shown).

Fig 2.24 Photograph of 18th-century Building 5, facing north

BUILDING 8 (B8)

Wall [12] was part of a cellared building with two separate rooms that both had brick floors, [15] and [9] (see Fig 2.8). The east room had been used as a coal store, with coal and cinders [11] overlying floor [15], up to 0.6m thick. On the Ordnance Survey Map of 1894 this building is shown as part of a row of terrace houses formerly fronting Friary Place and surviving until the 1960s (Fig 2.26).

OPEN AREA 7 (OA7)

To the west was a scatter of small pits, G50. These cut through B5, suggesting that it had fallen out of use by the 19th century.

Fig 2.25 Plan of 19th-century features (period 4, phase 3)

Building 7 Building 8

Fig 2.26 The locations of Building 7 and Building 8 on the Ordnance Survey map of 1894. Map courtesy of Kent Archives Service.

CHAPTER 3 SPECIALIST REPORTS

3.1 GEOLOGICAL MATERIAL

Luke Barber

Seven small (10g) pieces of West Country roofing slate were recovered from a bulk sample from reclamation levelling layer [210] (G15). Such roofing material was common on buildings of some substance during the 12th and 13th centuries, particularly if they were favourably situated for the importation of materials via waterborne trade. However, the roof slate cannot have related to the hospital buildings as layer [210] predated their construction.

Stone likely to be related to the hospital buildings included pieces of the local Kentish Ragstone for rubble walling as well as two pieces from ashlar blocks (one with vertical tooling), probably from quoins. These ashlar fragments are both in a much finer Greensand, most probably from the Upper Greensand series around Reigate. Reigate stone enjoyed a wide distribution along the Thames and its tributaries during this period (Tatton-Brown 2001).

3.2 CERAMIC BUILDING MATERIAL

Susan Pringle

INTRODUCTION

A total of 1687 fragments of Roman, medieval and post-medieval ceramic building materials from 83 contexts, weighing 136.423kg, was examined. The material was predominantly of medieval date with a small amount of Roman and post-medieval tile; its condition was generally good although some of the Roman tile was abraded. The total weight and number of fragments from each period are set out in Table 3.1.

Material	Fragment count	Wt (kg)
Roman brick and tile	42	5.776
Medieval roof tile	1247	89.407
Medieval floor tile	4	0.988
Medieval brick	1	1.058
Late medieval/early post-medieval roof tile	331	25.902
Post-medieval roof tile	14	2.072
Post-medieval brick	16	6.568
Post-medieval glazed pipe	18	1.148
Lime mortar and concrete	14	3.504
Total	1687	136.423

Table 3.1 Summary of ceramic building material

METHODOLOGY

The tile was quantified by fabric and form. Tile fabrics were cross-referenced to the Museum of London (MoL) type-series for tile fabrics, which is kept at the Museum of London Archaeological Archive, and the Canterbury Archaeological Trust (CAT) type-series for tile fabrics (Harrison 1998). For fabric descriptions the following conventions were used: the frequency of inclusions was described as being sparse, moderate, common or abundant; the size categories for inclusions was very fine (up to 0.125mm), fine (between 0.125 and 0.25mm), medium (between 0.25 and 0.5mm), coarse (between 0.5 and 1mm) and very coarse (greater than 1mm).

SUMMARY OF THE MATERIAL

ROMAN

Tile of Roman date occurred in deposits of period 2, phase 2 to period 4, phase 1. All the tile was fragmentary and to a varying degree abraded. Of the identifiable tiles, 18 were bricks ranging in thickness from 30mm to 47mm, with 13 tegulae and one imbrex.

The predominant fabric types were in the red- or orange-red-firing clays typical of the London Clay beds which provided brickearths for kilns in London, Canterbury and parts of north Kent (Table 3.2). Textures varied from fine with few inclusions (fabrics R1 and R2) to sandy (fabrics R3 and R4). These fabric types resembled both in geology and texture those of the 2815 fabric group in the MoL type-series. Two orange-red fabrics with a distinctive fine black iron-oxide speckle were also well represented: fabric R5 contained large yellowish silty inclusions; fabric R6, a coarser variant, had numerous poorly sorted siltstone inclusions. The only tiles made from Gault clays were in a pale yellow fabric with sparse clear or rose quartz, fabric R7, which closely resembled the products of the later Roman kiln from Eccles villa, MoL fabric 2454 and CAT fabric 8.

None of the Roman tile appeared to represent primary deposition. It was most abundant in the palaeochannel, G6, and in the pre-hospital levelling deposits, G15, which yielded 17 fragments of brick and tegula in all the identified fabrics.

Fabric code	Description	Notes
R1	orange-red with very fine background quartz; sparse fine to medium quartz (up to 0.5mm), calcium carbonate, siltstone and iron oxide	cf MoL fabric 2452; CAT fabric 2
R2	red with fine background quartz giving a granular appearance; sparse medium quartz, calcium carbonate and iron oxide (up to 1mm); some examples had fine moulding sand	cf MoL fabrics 2459A and 2459B; CAT fabrics 7 and 24
R3	orange-red sandy fabric; common medium to coarse quartz; sparse iron oxide and calcium carbonate	cf MoL fabric 3004
R4	orange-red with fine background quartz; moderate fine to medium quartz, sparse iron oxide and calcium carbonate	cf MoL fabric 3006; CAT fabric 1?
R5	orange-red fabric; common fine quartz, moderate to common black iron oxide (up to 0.1mm); moderate medium to coarse red iron oxide (up to 1mm); sparse to moderate yellowish silty inclusions (usually up to 6mm) in the clay matrix	cf MoL fabrics 3023/3060 and 3023B/3060B
R6	orange-red fabric; abundant fine quartz, moderate fine black iron oxides and medium quartz; moderate to common medium to very coarse siltstone (up to c 7mm); sparse medium to very coarse dark red iron-rich inclusions	
R7	yellow to light orange; sparse to common fine to medium clear or rose quartz; moderate iron oxides and calcium carbonate; sparse very coarse flint	cf MoL fabric 2454, CAT fabric 8

Table 3.2 Roman tile fabrics

MEDIEVAL AND EARLY POST-MEDIEVAL ROOF TILES

The medieval roof tile fabrics reflected the two types of geology in the area: the smooth, calcareous light red, pink or cream fabrics utilised the Gault clays associated with the North Downs, and the red or orange-red fabrics the red-firing clays typical of the London Clay beds which extend along the Thames estuary. By period 4, however, the assemblage was dominated by the well-fired, fine-textured, light red calcareous tiles, fabric T14, which were used widely in Kent from at least the 16th century.

The textures of the medieval fabrics varied from fine red fabric T4 to the sandy fabrics T6, T7 and T8 and the very coarse sandy fabric T5 which resembled and probably had the same early date range as MoL fabric 2273 and CAT fabric 38. The Gault Clay fabrics, many of which were poorly mixed and contained very coarse siltstone or mudstone inclusions, showed a similar range of textures. Fabrics T2 and T9 were fine textured. Fabrics T10, T12 and T13 were sandier, usually containing rose quartz; the coarsest version of fabric T10 was a rose-quartz version of fabric T5. The later medieval and early post-medieval fabrics T1, T11 and T14 were all fine textured. Fabric descriptions for the medieval and early post-medieval roof tile are set out in Table 3.3.

Glaze, usually green but occasionally brown, was noted on the lower end of tiles in fabrics T2, T3, T4, T5, T6, T7, T8 and the coarse variant of T10, on the surface of the tile which would have been exposed in use. This common, although not universal, feature of medieval tiles seems to have been abandoned by the end of the 15th century as firing technology improved.

No complete peg tiles were present although a number of complete width dimensions were preserved. Most peg tiles in fabrics T2, T4, T7, T8, T10 and T14 were between 149mm

and 163mm in width; the tiles in fabric T5, however, were considerably wider, ranging from 163mm to 199mm and generally tapered from a wide base to a narrower top. A less distinct taper was also noted on tiles in fabric T7. Tapering roof tiles in a coarse fabric were used on high-status buildings in south-east England between the late 11th/12th and early 13th centuries; in London they seem to have fallen out of use by c AD 1220.

A range of types of nail hole was noted: circular holes tended to be more common in the early period and square holes set diagonally in the late medieval and early post-medieval period, but there was considerable variation and some polygonal and rounded square holes were present in the earlier periods.

Glazed ridge tiles were noted in fabrics T3, T5, T7 and the coarse variant of T10. A smashed, but near-complete, glazed ridge tile in fabric T3 was 327mm in length (Fig 3.1, no 1). Small nail holes were noted on the crests of a ridge tile in the coarse version of T10, [82], and an unusual glazed hip tile in fabric T5, [81] (Fig 3.1, no 2). Unglazed ridge tiles in fabric CAT32 were noted in period 4, phase 1 associated with B4, OA6 and OA7.

PANTILES

The use of pantiles in south-eastern England dates from approximately 1630. Fourteen fragments of pantile in three different fabrics were recorded. The first occurrence was a fragment in fabric P3, a calcareous pinkish-red fabric resembling fabric T14, in association with B4. In period 4, phase 3, seven fragments in fabric P1 were associated with B7 and four fragments in fabric P2 came from 19th-century pits in OA7. The pantile fabrics are described in Table 3.4.

Fabric code	Description	Notes
T1	orange-red matrix, fine with silt-sized background quartz; sparse medium dark red iron-rich material; fine moulding sand	near T14 but lacks calcium carbonate inclusions.
T2	fine, smooth, orange fabric, well fired; lenses of fine white grains of calcium carbonate; sparse coarse red iron-rich and calcium carbonate; poorly sorted medium to coarse rose quartz moulding sand; glaze	cf CAT fabric 32
T3	light orange; fine texture, lightly marbled with paler clay; moderate medium to coarse rose quartz; sparse blocky siltstone (up to 8mm); coarse rose quartz moulding sand; glaze	
T4	orange or brown with reduced core; sparse to moderate quartz and lenses of poorly sorted quartz and white shell; coarse moulding sand; glaze	cf MoL fabric 2271
T5	brown with reduced core; abundant poorly sorted quartz, medium to very coarse; moderate calcium carbonate; sparse flint; medium moulding sand; glaze	cf MoL fabric 2273; CAT fabric 38
T6	light orange, fine texture, poorly mixed; lenses and very coarse rounded or blocky cream and red iron-rich clays; moderate medium to coarse mainly rose quartz, often in bands; coarse rose quartz moulding sand; glaze	similar geology to T3 but more clay inclusions
T7	brownish-orange, sandy; reduced core; abundant fine to medium quartz; fine black iron oxide and white ?calcium carbonate speckle; moderate orange siltstone (up to c 2mm); fairly fine moulding sand; glaze	
T8	brownish-orange, sandy; abundant fine quartz, fine black iron oxides and white grains; sparse coarse to very coarse rounded white quartz, iron-rich material or calcium carbonate; variable moulding sand, fine to coarse; glaze	finer version of T7?
T9	light orange, smooth fine-textured matrix, marbled with cream and red; sparse to moderate red iron-rich material; fine rose quartz moulding sand	similar to T11 but with more cream banding and inclusions
T10	light orange to cream; smooth texture with moderate to common fine to very coarse rose quartz; sparse fine calcium carbonate and flint; medium grade moulding sand	some examples are near T5
T11	light orange; smooth, fine-textured matrix lightly streaked with paler clay; sparse medium calcium carbonate and coarse to very coarse red iron-rich clays; medium rose quartz moulding sand	
T12	light orange with fine calcareous speckle; moderate to common poorly sorted fine to coarse quartz and fine to very coarse pale cream ?mudstone (up to c 10mm); sparse white flint; medium moulding sand	
T13	pale yellow; common fine to medium quartz and fine red iron-rich material; sparse calcium carbonate; medium moulding sand, rose or white quartz	cf CAT fabric 37
T14	fine orange matrix with abundant fine white calcium carbonate inclusions and voids; smooth flat underside with fine whitish moulding sand	cf MoL fabric 3201; CAT fabric 32

Table 3.3 Medieval and early post-medieval roof tile fabrics

Fabric code	Description
P1	orange matrix, fairly smooth with sparse fine white marbling; sparse to moderate medium white quartz, sparse calcium carbonate and red iron-rich inclusions; some examples have lenses of quartz and calcium carbonate; medium moulding sand
P2	orange-red; abundant very fine to fine quartz; common very fine calcium carbonate and mica; sparse coarse orange-red clay and red iron-rich inclusions; fine moulding sand
P3	pink fabric; abundant fine calcareous speckle, with coarser calcium carbonate and cream silty marbling; sparse coarse red iron and quartz; fine moulding sand

Table 3.4 Pantile fabrics

FLOOR TILES

Four fragmentary glazed floor tiles were recorded, all in a similar fabric with a poorly mixed pinkish-orange matrix with a very fine calcareous speckle, lenses of fairly coarse rose and clear quartz and calcareous material and very coarse rounded orange and dark red iron-rich inclusions. Two came from period 4, phase 1 buried soil deposit [35]. One of these was glazed green, the other yellow over white slip; both were approximately 20mm thick with no visible nail holes. The other tiles, from period 4, phase 1 ditch fill [105] and period 4, phase 2 dump [127], had plain yellow glaze over white slip and were respectively 19mm and 25mm thick. The tile from [127]

was the only one with complete dimensions: it was 138mm square and had an unusually deep knife-cut bevel (Fig 3.1, no 3). These tiles were of fairly basic quality, and well worn; they could not be closely dated but were likely to date between 1200 and 1500.

BRICK

A fragment of medieval Flemish-type brick in MoL fabric 3031/CAT fabric 35 came from OA7 in period 4, phase 1; its surviving dimensions were 120mm wide and 56–59mm thick. The type dates from the 14th or 15th century (Table 3.5).

Post-medieval brick types first occurred in period 4 deposits associated with B4, B5 and OA7. Most was in the soft, fine sandy, red or orange-red fabrics typical of the early post-medieval bricks from much of the Thames valley as seen in MoL fabric 3033 and CAT fabric 34. Two bricks were sampled from floors in B4: the one in wall [61] was unfrogged with smooth faces and sharp arrises typical of production from c 1650 to 1800; the other, which was reduced and vitrified, appeared to have a basal frog, suggesting a date later than c 1750. Two bricks were sampled from brick floor [207] in the period 4, phase 2 B5. Neither was frogged and both had the sharp arrises, smooth surfaces and fine moulding sand typical of late 17th- or 18th-century bricks. One was worn smooth on

the top surface, the other, which was probably reused, had wear on the base and mortar on the top bedface.

Period	Land use	Context no	Dimensions (mm)	Date range (approx)
4.1	OA7	[35]	140+ × 120 × 56–59	1350–1450
4.1	B4	[61]	c 225 × 100 × 62	1650–1800
4.1	B4	[62]	240 × 103 × 61	1750–1950
4.2	B5	[207]	222 × 109 × 58	1650–1800
4.2	B5	[207]	230 × 105 × 57	1650–1800

Table 3.5 Brick samples

SALT-GLAZED STONEWARE PIPES

Stoneware pipes of 19th- or 20th-century date, salt-glazed internally and externally, came from period 4 deposits. The largest number, 16, came from 17th-century period 4, phase 1 buried soil layer [35] in OA7, where they were presumably intrusive. Others were noted from period 4, phase 3 deposits associated with B7, and from 19th-century pits in OA7.

PLASTER, MORTAR AND CONCRETE

White lime mortar was recorded from five contexts. Some of the samples had smooth flat faces consistent with use as a wall render, as in samples <12> and <13> from period 3, phase hospital demolition debris (G16, G52, [69] and [71]) and sample <15> from 19th-century demolition deposits (G31, [77], [65]). Modern cement concrete was intrusive in deposit [35].

DISCUSSION

PERIOD 2: ROMAN

Most of the Roman tile was relatively abraded. The tile types present, mainly brick and tegula, did not suggest the presence nearby of major or high-status Roman structures. The fabric range present in periods 2 and 3 indicates that tile was coming into the area from various sources, possibly including Londinium as parallels were noted for a number of the common London fabrics in the MoL 2815 fabric group. However, the dates for the London fabrics do not necessarily apply to this part of Kent; the use of similar clays does not imply a similar date of production.

Of interest was the predominance of fabrics R5 and R6, distinguished by the presence of moderate to common

fine black iron oxides and siltstone inclusions, in the palaeochannel G6. It produced nine fragments of brick and tegula, predominantly in fabrics R5 and R6 with one example each of R1 and R2, compared with the much wider range of fabrics in the later pre-hospital levelling deposits, G15, which contained brick and tegula in seven of the identified fabrics. This suggested that fabrics R5 and R6 may have been made at local kilns, and that much dumping of demolition material from a range of structures had taken place between the infilling of the palaeochannel and the construction of the hospital. It may also be of interest that only two tiles in fabric T7 were noted, both from period 3 deposits. This fabric closely resembles the tiles made at the later Roman kiln at Eccles villa, on the River Medway approximately 8km upstream from the site. Tiles thought to have been made at Eccles have a wide distribution in north Kent, London and Essex and the comparative scarcity of a tile fabric of probable local manufacture is not easily explained.

PERIOD 3: MEDIEVAL

The wide range of fabrics from the medieval period suggests that a number of separate structures and phases were represented. There were only four fragments of medieval peg tile from OA4 saltmarsh deposits, in fabrics T2, T3 and T4. The first occurrence of medieval tile in any quantity was in the pre-hospital levelling layers comprising G15. The 19 fragments of tile in fine red fabric T4 and 17 in coarse sandy fabric T5 made up 46% of the assemblage. Twelve Roman tiles contributed a further 15%. Fabric T10 accounted for another 12%, and lesser numbers of tiles in Gault fabrics T2, T3, T9 and T13 and in red fabrics T7 and T8 made up the rest of the assemblage.

Building 2 (B2)

Fabric T5 was the most abundant in all the deposits relating to B2, occurring in floors G97 and [186] and in wall [173]. Tile in fabric T4 was also present in floor [193]. There were smaller quantities of another very coarse fabric, with a light-coloured clean fabric and rose quartz (designated T10 variant). The matrix and coloration of the quartz was very similar to that of the Roman kilns at Eccles villa, some 8km up the Medway valley from Strood, where the remains of a medieval tile kiln have also been discovered (Detsicas 1977, 19). However, the mid 13th-century date attributed to the Eccles kiln could be too late for fabric T10v, which appears to be a 12th- to early 13th-century type.

Building 3 (B3)

The only assemblage directly associated with B3 came from chalk and metallised floor G47, which produced 39 fragments of peg tile, 26 of which (67%) were in fabric T2, with six fragments of fabric T5. This suggests that B2 and B3 may have been separate, and possibly of different dates.

OA4 and OA5 both contained substantial amounts of peg tile in medieval fabrics. Fabric T5 was the major component in both areas, accounting for 25% of tiles in OA4 and 38% of tiles in OA5. Roman tile, residual or reused, featured in both areas, with OA4 having 14% and OA5 6%. However, fabric T4 was more abundant in OA4, making up 19% of the assemblage compared with 4% in OA5. Conversely, fabric T2 tiles were more abundant in OA5, where they formed 22% of the assemblage compared with 9% in OA4. This suggests that although T5 seemed to be the major roof tile type associated with both B2 and B3, tiles from different sources were also used.

The predominance of tile in fabric T5 is reinforced by its abundance in demolition deposits from the hospital, where it made up 45% of the roof tile debris, followed by fabric T2 with 16%. Fabric T4 formed only 5% of these deposits, suggesting that the roof from which it came might have been demolished or replaced at an earlier date. Ditch [97], rich in tile, also contained a high percentage (63%) of tile in fabric T5, while iron-oxide speckled fabrics T7 and T8 accounted for 21%. Ditch [97] and holloway G46 seem to have been the site of primary deposition of the roof tile from the hospital as a large number of joining fragments and near-complete tiles were excavated (Fig 3.1, no 1).

Four tiled floors were identified by Harrison (1969, 144–6) in his phases I and II of the chapel, phase III of the hall and on the floor of the grave. A tiled floor was also uncovered in Trench 8 of the evaluation, although no dimensions were recorded at the time. Only one of the four glazed medieval floor tiles from period 4, phases 1 and 2 deposits had complete dimensions (Fig 3.1, no 3). It was 138mm square and 25mm thick, which was the approximate size of tiles from phase II of the chapel (Harrison 1969, 151). Harrison's tiles were green- and brown-glazed whereas the tile from [127] was yellow but the similarity in the dimensions suggests that it may have come from the same phase.

The medieval Flemish-type brick with surviving dimensions of 120mm in width and 56–59mm in thickness (MoL fabric 3031/CAT fabric 35) from OA7 in period 4, phase 1, was of a type that dates from the 14th or 15th century, at which time bricks were used for minor structural work such as paving, hearths and chimneys or for infilling vaulting. The

'yellow bricks' that were described by Harrison as being used in the construction of the grave at the entrance to the chapel were probably of this type (Harrison 1969, 146).

PERIOD 4: POST-MEDIEVAL

Period 4, phase 1 marked a distinct change in the building materials. Although the early roof tile fabrics persisted in small quantities, 60% of the tile assemblage from B4 was in well-fired calcareous fabric T14 (MoL fabric 3201/CAT fabric 32). This tile type, made at Wye, was widely used in Kent and the south-east in the late medieval and early post-medieval periods and also occurred in London. It occurred in B4 as peg and ridge tile together with a very similar pantile fabric, P3 [61]. The pantile dated the deposit in which it occurred to after *c* 1630. However, all the roof tile associated with it was of medieval date; dump [127] contained one of the medieval floor tiles so was presumably destruction material from the hospital.

The other innovation in period 4, phase 1 was the use of bricks for building construction. Sampled bricks from a wall in the period 4, phase 1 B4 wall [61] were unfrogged with smooth surfaces and sharp arrises; one brick had two different mortars and may have been reused. Possibly intrusive was a very reduced and vitrified brick from floor [62] with sharp arrises and a basal frog. This was a feature very rarely seen before *c* 1750. The bricks sampled from brick floor [207] in the period 4, phase 2 B5 were in a fine orange, slightly silty, fabric. Neither was frogged and both had sharp arrises, smooth surfaces and fine moulding sand. The unfrogged bricks from B4 and B5 had a probable date range of 1650–1800.

CATALOGUE (FIG 3.1)

- 1 Ridge tile in fabric T3; fragmentary but complete length present; [81]
- 2 ?Hip tile in fabric T5; one knife-cut edge and part of a small round nail hole; [81]
- 3 Floor tile; unusually deep knife-cut bevel; [127]

3.3 FIRED CLAY

Trista Clifford

A small assemblage of fired clay weighing 1260g was recovered from five contexts. The mean fragment weight of 35g indicates a fairly low degree of abrasion. The assemblage was retrieved predominantly from period 2 features.

The assemblage was examined using a $\times 10$ magnification hand lens and with the naked eye for diagnostic characteristics indicating form and/or function, and data were recorded on proforma archive sheets and a Microsoft Excel spreadsheet. The primary characteristics indicating function that were used in

Fig 3.1 Ceramic building material, tile nos 1–3

the analysis included: wattle impressions, smoothed surfaces, diagnostic piercings or being part of a known object form.

Three fabrics were identified.

F1

Abundant medium to coarse sand temper; micaceous.

F2

Fine sand temper with abundant coarse organics and occasional rounded quartz grains up to 1mm; micaceous. The fabric is notable for being particularly high-fired.

F3

Abundant medium to coarse sand temper with occasional organic voids and grog inclusions up to 5mm; micaceous.

PERIOD 1

Ditch G1 contained four small amorphous lumps in F1. They are undiagnostic of form or function.

PERIOD 2, PHASE 1

Clay floor [140] of B1 contained three fragments in F1, each exhibiting one flat surface. No other diagnostic features were present.

The fills of ditch G3 of ENC1 contained the largest assemblage of fired clay. Ditch fill [263] yielded the largest group, 19 pieces of briquetage in F2, including a base fragment (estimated diameter *c* 140mm; Fig 3.2, no 1) from

a ?transporting/container vessel with a splayed base and flared profile. Two possible rim fragments come from one or more vessels, possibly troughs or pans. The remaining pieces probably also derive from troughs with either straight or slightly concave walls; the lack of any conjoining sherds or complete vessel profile means that their exact form is uncertain. Wall thickness varies considerably from *c* 10mm up to *c* 20mm, sometimes across a single sherd. One piece (Fig 3.2, no 2) exhibits an incised horizontal line along the upper outer surface, perhaps a guidance line, above which is a small patch of white ?salt scale. Cut rims with guidance lines have been recovered from Late Iron Age saltern sites in Lincolnshire, where they are interpreted as lines made to guide the cutting of cylindrical containers into two evaporating pans (Morris 2001, 42). This example lacks the cut rim, which has broken off. One possible daub fragment in F3 from fill [196] retains the remains of a carbonised withy attached. Fill [262] also contained eight undiagnostic fragments in F1.

This small assemblage may provide evidence for primary salt working nearby, although it is also possible that salt was transported to the site within the evaporation containers for secondary working.

Fig 3.2 Briquetage fragments nos 1–2

3.4 CLAY TOBACCO PIPE

Elke Raemen

A medium-sized assemblage comprising 161 clay tobacco pipe fragments (*c* 812g) from 19 individually numbered contexts was recovered. The assemblage was recorded following guidelines set out by Higgins and Davey (2004). Bowls were classified according to Atkinson and Oswald's chronology of bowl types (prefix AO) (Atkinson & Oswald 1969, 177–80). Thanks are due to Brian Boyden for comments on the Medway clay pipe industry. A detailed tabulated register of the entire assemblage has been deposited as part of the archive, both in digital and hard-copy format.

Twenty-nine bowls, 119 stem fragments and 13 mouthpieces were recovered, ranging in date between *c* 1610 and 1840. Bowls (Table 3.6) often survived complete and unabraded. Buried soil deposit [35] produced the earliest examples, including a type AO4 and two type AO6 bowls (*c* 1610–40). The latest pieces found are spurred bowls of type AO27, dating to *c* 1800–40 (eg, pit [32], fill [31], G50, OA7).

Few stem fragments conjoin and no complete lengths can be reconstructed. Mouthpieces, 11 of which were found in layer [35] (G95, OA7), were all formed by a simple cut and no visible finish survives. The majority date to the second half of the 17th century.

While most contexts contained only small quantities of pipe fragments, buried soil deposit [35] (G95, OA7) contained a relatively large group, consisting of unabraded, fresh bowls

and stems, ranging in date between 1610 and 1680. Nearly all the 18 bowls date between 1660 and 1680. The same context also contained a number of stems probably from 'seconds', material containing small manufacturing faults. These include vitrified and underfired examples and an untrimmed fragment, as well as a piece with off-centre boor and fingerprints where the maker had tried to repair the stem. Sale of these seconds would likely have been unproblematic. There is currently little evidence for the 17th-century clay pipe industry in Strood and as such this group is of interest even though it lacks maker's marks. Documentary research has as yet yielded only two pipeworkers active during this period (eg, Williams 1979 and Cessford 2002).

Bowl type	Earliest date	Latest date	Total fragment count	Count in [35]
AO4	1610	1640	1	1
AO6	1610	1640	2	2
AO9	1640	1660	3	2
AO10	1640	1660	2	1
AO12	1640	1670	7	6
AO12/13	1640	1680	1	1
AO13	1660	1680	1	0
AO14	1660	1680	2	0
AO15	1660	1680	5	5
AO27	1780	1820	1	0
AO27/28 (spurred AO27)	1800	1840	2	0
Undiagnostic			2	
Total			29	18

Table 3.6 Overview of the tobacco pipe bowl forms

MAKERS

Only three decorated pipes were recovered, all of which had maker's marks ((Fig 3.3, nos 1–3). A fluted bowl of spurred AO27/28 type, dating to *c* 1800–40, was recovered from pit [32]. The initials RA were moulded in relief on the sides of the spur, referring to R Anderson, who was recorded in Rochester around 1850 (Williams 1979, 240). A bowl of AO27 type with masonic emblem moulded on the bowl and leaf-decorated seams was recovered from pit [187]. Maker's marks consist of SH moulded in relief on the spur sides. The pipe manufacturer remains unidentified. A partially surviving bowl with moulded initials TW on the spur was manufactured by Thomas Webb, active around 1780 in Rochester (Williams 1979, 239). The bowl, a type AO27 (*c* 1780–1820), displays wheatsheaf-decorated seams as well as possible Prince of Wales feathers.

Only a small number of pipeworkers are evidenced in Strood itself. However, many of the workers were quite mobile

within the Medway towns, and where an individual maker is recorded today is probably only a matter of chance (Brian Boyden, pers comm).

CLAY TOBACCO PIPE CATALOGUE

1. RF<406> (Fig 3.3, no 1)
OA27/28 (c 1800–40); [31], G50, OA7
Complete fluted bowl with maker's initials RA moulded in relief on the spur sides. They probably refer to R Anderson, who was active in Rochester around 1850 (Williams 1979, 240).
2. RF<407> (Fig 3.3, no 2)
OA27/28 (c 1800–40); [177] G36, OA7
Three conjoining fragments from an incomplete bowl with initials SH, of an unknown maker, moulded in relief on the sides of the spur. Masonic imagery moulded in relief on both sides of the bowl and moulded leaves on both front and back seam.
3. RF<408> (Fig 3.3, no 3)
OA27 (c 1780–1820); [178] G30, B5
Incomplete bowl with maker's initials TW moulded in relief on the sides of the heel. Wheat-sheaf-decorated back seam. Small fragment of moulding on the bowl facing the smoker, possibly Prince of Wales feathers. The initials are likely to refer to Thomas Webb, recorded around 1780 in Rochester (Williams 1979, 239)

3.5 PREHISTORIC AND ROMAN POTTERY

Anna Doherty

A small prehistoric and Roman pottery assemblage of 132 sherds, weighing 2700g, was recovered from the site, much of it found as residual material in post-Roman contexts.

The pottery was examined using ×20 binocular microscope.

Prehistoric fabrics have been defined according to a site-specific type-series (detailed below), following the guidelines of the Prehistoric Ceramic Research Group (PCRG 2010). In the absence of a local published type-series, fabrics and forms have been recorded using Museum of London codes (Marsh & Tyers 1978; Davies et al 1994). The assemblage is quantified by sherd count (SC), weight (Wt), estimated vessel equivalent (EVE) and estimated number of vessels (ENV) on pro forma sheets that have been retained for the archive. A summary of quantification by fabric type is provided in Table 3.7.

Fig 3.3 Clay pipe bowls nos 1–3

LATE BRONZE AGE

The earliest material consists of a small number of flint-tempered sherds probably of Late Bronze Age date (*c* 1150–800 BC). Two fabric variants were defined.

FLIN1

Moderate to common, ill-sorted flint in the range 0.5–2.5mm, in a non-sandy matrix sometimes containing rare linear voids from burnt-out organic matter.

FLIN2

Sparse/moderate, well-sorted flint in the range 0.2–1.0mm, in a silty background matrix.

A small group of relatively large unabraded Late Bronze Age sherds from [141] may represent a contemporary group. Apart from a small part of a flint-gritted base, no diagnostic sherds were recovered. Interestingly, most of the sherds in this group are fully oxidised and contain some rare organic inclusions, both traits which are sometimes indicative of an association with salt-working activities.

EARLY ROMAN TEMPERED WARES

The possible alluvial layer, [45], produced the only moderate-sized stratified group of Roman pottery from the site, 31 sherds weighing 650g (Fig 3.4). The group is almost entirely grog-tempered and contains four diagnostic feature sherds: two necked jars (P1, P2), a storage jar (P3) and a lid (P4). Although grog-tempered wares may pre- or post-date the Roman Conquest, all the examples represented in layer [45] are well-fired examples with grey cores and fairly evenly oxidised surfaces, analogous to Patch Grove ware. The group also contains a single body sherd in a moderately coarse Roman grey ware fabric of north Kent/Thameside origin. Together with the range of forms, this suggests a probable date of deposition in the Early Roman period (*c* AD 50–70/80).

CATALOGUE: POTTERY FROM LAYER [45]

P1 Grog-tempered necked jar with a flattened rim.

P2 Grog-tempered, thin-walled, simple necked jar.

P3 Grog-tempered necked storage jar.

P4 Grog-tempered plain lid.

Fig 3.4 Early Roman pottery P1–P4

OTHER ROMAN POTTERY

Many of the diagnostic sherds date to the late 1st–mid 2nd century and include samian from La Graufesenque and Les Martres-de-Veyre, a possible sherd of Cadiz amphora, Colchester colour-coated ware, a globular or poppy-head beaker in a local fine ware and a ring-necked flagon in an unsourced white ware, possibly also from Colchester. Late Roman material is also in evidence and includes examples of fabrics post-dating AD 270, such as Oxfordshire red-slipped ware and black-slipped Alice Holt Farnham ware. Most of the sherds either appear in larger groups of post-Roman pottery or in groups of one or two sherds which could also be residual.

Fabric code	Expansion	SC	Wt (g)
Prehistoric fabrics			
FLIN1	Late Bronze Age flint-tempered ware	6	102
FLIN2	Late Bronze Age flint-tempered ware	4	92
Roman fabrics			
BB2	black-burnished ware 2	1	12
BBS	black-burnished-style ware	1	48
COLCC	Colchester colour-coated ware	1	2
FINE	unsourced fine reduced ware	1	8
GROG	unsourced grog-tempered ware	30	784
HOO	Hoo ware	1	<2
NKGW	north Kent fine grey ware	2	8
NKOX	north Kent fine oxidised ware	1	20
OXID	unsourced oxidised ware	12	156
OXRC	Oxfordshire red-slipped ware	4	44
OXWS	Oxfordshire white-slipped ware	1	22
PATCH	Patchgrove ware	25	748
SAMLG	La Graufesenque samian ware	1	2
SAMLZ	Lezoux samian ware	6	64
SAMMV	Les Martres-de-Veyre samian ware	4	88
SAND	unsourced reduced coarse ware	21	146
SANDSH	unsourced reduced coarse ware with sparse shell	2	14
SHEL	shell-tempered ware	5	146
TSK	Thameside Kent ware	1	10
Total		132	2700

Table 3.7 Quantification of prehistoric and Roman pottery fabrics

3.6 POST-ROMAN POTTERY

Luke Barber

The archaeological work recovered 305 sherds of post-Roman pottery, weighing 5636g, from 53 contexts. Of these, two were from the evaluation with the remainder from the mitigation archaeological works. Although a few larger sherds (> 60mm across) are present the general trend is toward medium-sized sherds (30–60mm across). Despite this, most of the pottery is in reasonably good condition and exhibits no, or relatively little, abrasion. The most abraded material appears to derive from the early post-medieval periods, perhaps as a result of some reworking. However, on the whole most sherds do not appear to have been subjected to extensive reworking.

Although the pottery is on the whole in good condition, there is undoubtedly a significant amount of residuality or intrusiveness in many contexts (the total of unmixed, securely dated contexts on Table 3.8 falls well short of the total of 53 deposits producing post-Roman pottery). Indeed, there are a number of deposits where, according to the stratigraphy, all the associated pottery is residual or intrusive.

The assemblage has been fully quantified by fabric, form and decoration on pro forma sheets. The results of this work have been input on to a Microsoft Excel spreadsheet as part of the digital archive. The overall site assemblage is characterised at a basic level in Table 3.8 in order to give a rough idea of quantities by period. The exact division between periods is approximate, as some of the fabrics tend to cross the imposed chronological boundaries. Despite this Table 3.8 is deemed to give a reliable representation of assemblages from the different periods.

The main aims of this report are to give an overview of the pottery in use at the site through time and demonstrate the corresponding range of fabrics in use in Strood. There has been little archaeological work in Strood and, with the notable exception of Temple Manor (Rigold 1965), virtually

nothing published on the ceramics; the report on the earlier excavations at the hospital site barely mentions the pottery (Harrison 1969). More has been recovered from Rochester (eg, Tester 1972) but even here relatively little has been published on the medieval ceramics considering the historical importance of the settlement. Owing to the small size and high degree of chronological mixing of the current assemblage an overview of the whole is given in order to increase numbers by period to usable levels. Certainly there are no individual context groups of any size. The full fabric series for each period has been briefly summarised in Tables 3.9–3.11, with recourse to Canterbury Archaeological Trust (CAT) or Museum of London (MoL) codes where known.

PERIODS AND FABRICS

ANGLO-SAXON: 5TH–7TH CENTURIES

Two small, but quite fresh, body sherds in a reduced handmade fabric tempered with abundant fine sand and rare shell inclusions are considered to be of possible Early Saxon date (pit [205], fill [204]). However, certain Late Iron Age/Early Roman fabrics are very similar and more diagnostic sherds would be needed to confirm their date conclusively.

MEDIEVAL: 12TH–EARLY 13TH CENTURIES

A more significant assemblage came from this period (Fig 3.5; Tables 3.8 and 3.9). Although some of the material, usually consisting of smaller sherds, is clearly residual and sometimes apparently intrusive, there are a number of sherds from contemporary layers (eg, period 3, phase 2 levelling layer [208], G15). The presence of purely shell-tempered wares as well as a few shell-tempered with flint (fabrics EML 1 and EML 2) suggests some activity could be as early as the first half of the 12th century. However, these wares do continue in use beyond the mid 12th century and the presence of more significant

Period (century)	SC	Wt (g)	Average sherd Wt (g)	No of different fabric groups	Approximate no of contexts spot-dated to each period *
Anglo-Saxon? 5th–7th	2	13	6.5	local – 1	1?
Medieval 12th–early 13th	30	466	15.5	local – 3	2
Medieval early/mid 13th–mid/late 14th	68	1116	16.4	local – 10 regional – 5	9
Late medieval mid/late 14th–mid 16th	13	550	42.3	local – 4 regional – 2	2
Early post-medieval mid 16th–mid 18th	85	1690	19.9	local – 7 regional – 6 imported – 4	7
Late post-medieval mid/late 18th–mid 20th	107	1801	16.8	local – 2 regional – 10 imported – 1	14

Table 3.8 Characterisation of post-Roman pottery assemblage by period. *Totals include all residual/intrusive and unstratified material (SC = sherd count; Wt = weight; 'local' refers to Kent wares; 'regional' refers to other English wares)

quantities of EML 3 sand- and shell-tempered wares suggest activity may in fact have begun in the second half of the 12th century. In Rochester cooking pot forms of the later 11th to mid 12th century were often associated with sandy wares that may well have derived from Canterbury (CAT fabric EM1) either on their own, or with increasing quantities of shelly ware (Tester 1972). No such early Canterbury-type sandy wares are present in the current assemblage, again suggesting that activity began in the second half of the 12th century. All the current sherds appear to be from oxidised cooking pots with both the earlier beaded club rims of the mid/late 12th century and the later flat-topped everted types, which are more in keeping with a late 12th- to mid 13th-century date (P5 and P6). By far the largest group, consisting of 20 fresh shell-tempered sherds (170g), was recovered from levelling layer [223], G15. The EML 1 fabric dominates (SC 18; Wt 141g; ENV 3) but there are single sherds of EML 3 and HML 1a (P7). Single small sherds of HML 5 and HMR 5 jug (P8) may be contemporary early 13th-century vessels but are more likely to be intrusive pieces.

MEDIEVAL: EARLY/MID 13TH–MID/LATER 14TH CENTURIES

The assemblage from this period suggests a dramatic increase in refuse disposal, presumably associated with activity relating to the hospital (Fig 3.5). The assemblage is far more diverse than that of the early medieval period in the range of fabrics and of forms represented (Table 3.9: HM fabrics, though a few of the jugs could belong to the latter part of the preceding period). There are a number of sherds in well-fired sandy wares (HML 1) with sparse to common shell, undoubtedly a 13th-century development of the earlier sand- and shell-tempered wares noted above. These generally have more refined squared club or flat-topped everted rims, are thinner-walled and better-fired (P7). These more finely potted sandy-shelly wares dominate the 13th-century assemblages from Temple Manor, though the slightly mixed/open nature of many of the deposits there did not allow a tight chronology to be established (Rigold 1965). Although cooking pots are the most common, at least one jug/pitcher and a bowl are also represented. North or west Kent sandy grey wares are well represented, including a bowl with clubbed rim and a pitcher with stabbed strap handle. There are also a number of cooking pot sherds in an oxidised medium sand-tempered ware or a coarse sand-tempered ware, though no rims are represented. The majority of the remaining local sherds are from glazed jugs, in a range of fine/medium sand-tempered fabrics similar to wares from Maidstone. These commonly have

a white external slip, either as a coating or in lines, under a clear, or more commonly, green glaze. One example, which also has an applied vertical strip, came from ditch [97], fill [81], and another from levelling layer [223], G15 (P8). Taken together it would appear that the local potters were copying decorative traits common on the London-type ware jugs with which they were undoubtedly familiar.

Regional wares make up 13% of the medieval assemblage by sherd count. They are dominated by London-type ware and Surrey white ware jugs, the former type also being noted at Temple Manor (Rigold 1965). There are also two sherds of Scarborough-type ware from an evenly green-glazed jug (period 3, phase 2 yard surface repair [73]). Unsurprisingly the site appears to have received most of its pottery either via London and the Thames or locally via the Medway.

Jugs, many of which are well decorated, make up 66% of the medieval assemblage by sherd count (57% by ENV). Although some of this could be due to an emphasis in the late 13th to 14th centuries, when decorated jugs become more common, it does suggest a reasonable social status. It is unfortunate that the lack of published quantification of earlier assemblages from Rochester and Strood do not allow a detailed comparison of fabric ratios. By far the largest group of this period consists of just 25 sherds from period 3, phase 2 levelling layer [223], G15, which produced a few sandy coarse ware sherds but is otherwise dominated by jugs. The presence of a single HML 1a sandy-shelly sherd is notable, suggesting a later 13th-century date, clearly indicating this group was intrusive in this period 3, phase 2 deposit.

LATE MEDIEVAL: MID/LATER 14TH TO MID 16TH CENTURIES

The assemblage of this period is notably smaller and somewhat piecemeal with few particularly diagnostic pieces being present (Table 3.9: LM fabrics). A single sherd from a green-glazed coarse border ware jug and another jug sherd of Cheam-type white ware (both period 3, phase 3 dump [67], G16) suggest continued contact with Surrey during the later 14th to mid 15th centuries. A sherd of hard-fired LM 1 reduced local sandy ware may also be of this period (residual in period 4, phase 1 buried soil layer [35]). Although meagre these sherds do suggest continued activity between *c* 1350 and 1425/50 albeit on a much reduced scale, but a larger assemblage would be needed to confirm this as these vessels could still have been in circulation in the later 15th century. The bulk of the assemblage is composed of local hard-fired, oxidised, sparse,

Fabric code	Expansion	Date range (approx)	SC/Wt (g)	ENV
EML 1	north-west Kent shelly ware (CAT fabric EM35)	1050/1100–1200/25	22/214	CP × 7
EML 2	north-west Kent sandy-shelly ware with sparse subrounded flint grits (CAT fabric EM36 type)	1100/50–1200/25	1/33	handled CP × 1
EML 3	north-west Kent sandy-shelly ware (CAT fabric EM36)	1150–1225/50	7/219	CP × 5
HML 1a	fine/medium sandy with moderate shell; well fired	1200–1275	3/79	CP × 3
HML 1b	fine/medium sandy with sparse shell; well fired	1225–1300	5/187	B × 3, J × 1
HML 2	fine sandy grey ware with sparse sandstone inclusions; north-west Kent probably	1225–1425	1/215	J × 1
HML 3	miscellaneous medium sandy wares; oxidised and reduced	1225–1350	4/28	CP × 2, ? × 2
HML 4	fine/medium Maidstone-type sandy ware (CAT fabric M4)	1225–1400	4/12	J × 2
HML 5	fine Maidstone-type sandy ware (CAT fabric M4)	1225–1400	26/242	J × 7, ? × 1
HML 6	coarse Maidstone-type sandy ware (CAT fabric M4)	1225–1400	4/40	J × 3
HML 7	north-west Kent sandy grey ware (CAT fabric M38)	1225–1400	9/181	B × 1, P × 1, ? × 1
HML 8	coarse sandy oxidised ware (possibly Maidstone/close to HML 6)	1225–1400	2/15	CP × 1
HML 9	sparse/common fine/medium sandy ware (possibly Maidstone)	1225–1400	1/5	J × 1
HMR 1	Scarborough-type ware	1225–1350	2/25	J × 2
HMR 2	London-type ware	1175–1350	2/56	J × 1
HMR 3	London-type ware with some coarser quartz grains	1175–1350	1/9	J × 1
HMR 4	Surrey white ware	1225–1400	2/6	? × 1
HMR 5	fine buff sandy ware; possibly a Surrey white ware	1225–1400	2/16	J × 2
LM 1	hard-fired sandy earthenware (reduced); similar to CAT fabric LMI but undoubtedly from a closer source	1375–1500	1/7	? × 1
LM 2	very fine earthenware with sparse marl streaks (oxidised)	1450–1550	1/2	? × 1
LM 3	hard-fired rare/sparse fine sandy earthenware (mainly oxidised)	1425–1550	8/432	B × 1, C × 1, D × 1, P × 1, ? × 1
LM 4	hard-fired rare/sparse fine sandy earthenware (mainly oxidised) with very fine calcareous mottling	1425–1550	1/87	? × 1
LMR 1	coarse border ware	1350–1500	1/2	J × 1
LMR 2	Cheam-type white ware (a little coarser than usual)	1375–1500	1/20	J × 1

Table 3.9 Summary of the medieval pottery (B = bowl; C = colander; CP = cooking pot; D = dish; J = jug; P = pitcher; ? = uncertain form)

fine sand-tempered wares that are more likely to be of the mid/late 15th to mid 16th centuries (LM 1–4). The only forms noted in these wares are bowl, dish (P9 in LM 3, Fig 3.5), colander and pitcher. These types of ware extend beyond the mid 16th century and, when found as isolated sherds, as is often the case here, are difficult to date closely. However, similar wares made up the majority of Group IV from Temple Manor, dated to the second half of the 15th century, where many vessels could be illustrated (Rigold 1965, 130). A well group from Rochester, probably of mid 16th-century date, also produced a number of complete profiles in local earthenwares (Tester 1983). No mention is made of the calcareous flecking at either site and it is uncertain if this is simply an omission in the published descriptions or a chronological indicator, although it is quite possible that calcareous inclusions became more common throughout the 16th century. The largest group of late medieval wares from the current site, consisting of a mere three sherds, was recovered from period 3, phase 3 demolition layer [67], G16.

EARLY POST-MEDIEVAL: MID 16TH TO MID 18TH CENTURIES

The early post-medieval period produced the most diverse fabric series, with a notable proportion of the wares coming from regional and imported sources (Table 3.10: 34% and 9% respectively). The earliest local fabrics of this period are represented by six pieces of sparse, fine sand-tempered, hard-fired earthenware with notable fine calcareous inclusions (EPM 1a and 1b). Both oxidised and reduced sherds are present (jars). These fabrics, which develop from the late medieval fabrics LM 4, continue into the 17th century and are difficult to date closely without diagnostic sherds or associated well-dated fabrics. Glazed red earthenwares are typically well represented in a number of variants, some of which undoubtedly derive from the London industries. Most fall into either fine or coarse sandy types, the other three groups consisting of white-slipped and metallic or black-glazed subgroups. These earthenwares probably derive mainly from Kentish sources, though some almost certainly come from the London industries (Table 3.10). The red wares, which span the later 16th to early/mid 18th centuries, include a typical range of domestic forms for the storage, preparation and serving of food and drink, together with smaller quantities of sanitary vessels.

The six definite regional fabric groups cover the entire early post-medieval period. The earliest consist of later 16th- to 17th-century white wares from the Hampshire/Surrey border ware industry (10 sherds). There are also nine sherds of 17th- to mid 18th-century tin-glazed earthenware, all probably from London and including chargers, a plate, a chamber pot and an ointment jar. There are also a few sherds of London stoneware, whose forms suggest a date in the first half of the 18th century. The other source of supply for the latter part of this period is Staffordshire, with several sherds of combed slipware, plain yellow-glazed ware and white salt-glazed stoneware, the latter including one vessel with scratch blue decoration.

The eight imported sherds (Table 3.10) include the usual mix of German stonewares and Chinese porcelain, though the Spanish amphora sherd hints at wider trade networks (period 4, phase 1 ditch [48], G34). Contact with the Mediterranean was hinted at with the c 1670s group from Temple Manor, where north Italian marbled slipware was recorded (Rigold 1965). Despite the potential quality of the Temple Manor group its quantification by fabric was not included in the publication. Whatever the case, it would appear that Strood was well connected to external trade and commodities by

the Medway. The current assemblage once more suffers from having small and/or mixed groups – the largest consisting of 26 sherds from period 4, phase 1 buried soil layer [35], G95. This layer contained a further 13 sherds of residual late medieval or intrusive late post-medieval date.

LATE POST-MEDIEVAL: MID/LATE 18TH TO MID 20TH CENTURIES

A number of sherds of the later 18th to early 19th centuries are represented in the assemblage, suggesting the continuation of activity from the preceding period (Tables 3.8 and 3.11). These consist mainly of creamware and pearlware fine wares as well as local glazed red wares and Nottingham/Derby stoneware. The yellow ware, Sunderland-type slipware, unglazed earthenware and Chinese porcelain can only be dated generally to the 19th century. However, the mid–later 19th century is also well represented: the eight sherds of English stoneware, seven with Bristol glazes, are likely to be of the second half of the 19th century and the 29 sherds of transfer-printed tableware (TPW) belong to the mid to later part of the century. However, there is nothing in the assemblage that need post-date 1900.

Fabric	Expansion	Date range (approx)	SC/Wt (g)	ENV
EPM 1a	hard-fired earthenware (oxidised/reduced) with abundant very fine calcareous mottling; closely related to LM 4	1525–1700	2/110	Ja × 1, ? × 1
EPM 1b	hard-fired earthenware (oxidised/reduced) with common calcareous peppering (to 1mm) (CAT fabric PM64); closely related to EPM 1a	1525–1700	4/46	Ja × 1, ? × 3
EPM 2a	glazed red earthenware with sparse/moderate fine quartz	1600–1750	25/529	B × 4, Ja × 5, D × 1, P × 1, Cu × 1, Chp × 1, ? × 3
EPM 2b	as EPM 2a but with metallic glaze	1600–1750	5/58	Ja × 1, ? × 1
EPM 3	glazed red earthenware with abundant fine/medium quartz, white slip and green glaze; similar to MOLA PMSRG	1500–1650	1/12	D × 1
EPM 4	glazed red earthenware with abundant fine/medium quartz; similar to MOLA PMR	1580–1750+	10/274	B × 1, Ja × 1, P × 1, ? × 6
EPM 5	black-glazed fine red earthenware	1575–1750	1/4	? × 1
EPMR 1a	border ware (green glazed)	1550–1700	4/72	B × 1, Cu × 1, Chp × 1, ? × 1
EPMR 1b	border ware (clear/yellow glazed)	1550–1700	5/97	D × 2, ? × 1
EPMR 1c	border ware (brown glazed)	1550–1700	1/9	D × 1
EPMR 2a	tin-glazed earthenware (plain white)	1630–1750+	2/9	? × 2
EPMR 2b	tin-glazed earthenware (white with blue decoration)	1630–1750	3/47	Ja × 1, Charg × 1
EPMR 2c	tin-glazed earthenware (exterior lead glaze)	1570–1650	1/7	Pl × 1
EPMR 2d	tin-glazed earthenware (polychrome decoration)	1630–1750	2/6	Charg × 1
EPMR 2e	tin-glazed earthenware (late blue-tinged glaze)	1675–1750+	1/4	Oint × 1
EPMR 3	Staffordshire combed slipware	1660–1730	1/13	D × 1
EPMR 4	Staffordshire-type white salt-glazed stoneware	1720–1780	5/33	Pl × 2, J × 1, ? × 2
EPMR 5	Staffordshire white ware (trailed slip)	1660–1750	1/8	? × 1
EPMR 6	London stoneware	1670–1750+	3/157	Bot × 1, T × 1, ? × 1
EPMI 1	Frechen stoneware	1550–1700	4/86	Bot × 3
EPMI 2	Chinese porcelain	1580–1750+	1/31	B × 1
EPMI 3	Westerwald stoneware	1590–1750+	2/26	J × 1, M × 1
EPMI 4	Spanish amphora	1550–1750	1/52	A × 1

Table 3.10 Summary of the early post-medieval pottery (A = amphora; B = bowl; Bot = bottle; C = colander; Charg = charger; Cu = cup; Chp = chamber pot; D = dish; J = jug; Ja = jar; M = mug; Oint = ointment pot; P = pipkin; Pl = plate; T = tankard; ? = uncertain form)

The late post-medieval assemblage spans the late 18th to late 19th centuries and is essentially domestic in character. There is nothing to suggest a high social status: the assemblage is quite typical for low- to middle-class households. The largest context assemblage, consisting of a mere 30 sherds, was recovered from period 4, phase 3 pit [32], fill [31], G50, and was deposited around *c* 1830–60.

THE POST-ROMAN POTTERY BY PERIOD

PERIOD 3, PHASE 2

The deposits allocated to this period together produced 66 sherds weighing 858g. These sherds show chronological mixing from intrusive material of medieval (SC 38, Wt 375g) and late post-medieval date (SC 1, Wt 15g respectively), though some of the former may have been in contemporaneous use toward the end of the period. This is particularly the case with the pre-hospital levelling layers of G15 that produced 57 sherds (695g) from 20 different vessels. Of these, 25 sherds (360g) come from one of eight cooking pots in EML 1 shelly (ENV 3) or EML 3 sandy-shelly (ENV 5) ware. The presence of developed expanded rims (P5 and P6, Fig 3.5) and dominance of EML 3 would be in keeping with a later 12th- to early 13th-century date range. The presence of 32 sherds (335g) of medieval fabrics (HML 1a, HML 5, HML 7, HML 8, HML 9, HMR 4 and HMR 5) suggests that either some of these wares pre-date *c* 1225 or, more likely, were intrusions during the life of the hospital. Although the former suggestion would be very much in keeping with the London-type ware not all fabrics could comfortably sit that early. Unfortunately, few feature sherds are present for these later sherds. However, a well-developed HML 1a cooking pot with thin hooked expanded rim and an HML 5 jug with white slip

under a green glaze, applied vertical clay strips and internally beaded rim are present (P7 and P8, Fig 3.5).

The floor of B2, G97, produced a probably residual EML 1 cooking pot sherd with thickened everted rim, together with a more developed HML 1a cooking pot with flat-topped rim and a cooking pot in HML 3, together suggesting a 13th-century date.

The relaid yard surface [73], G99, produced just five sherds, all deriving from one of three decorated jugs in HML 5, HMR 1 and HMR 2. The first had conjoins with period 3, phase 3 demolition deposits [69] and [71].

PERIOD 3, PHASE 3

The deposits allocated to this period together produced 18 sherds weighing 382g. These sherds show chronological mixing from residual earlier medieval sherds. The only contemporary pottery consists of just three sherds from demolition dump G16 (LM 2, LMR 1 and LMR 2 sherd, the last being from a jug).

PERIOD 4, PHASE 1

The deposits allocated to this period together produced 65 sherds weighing 1444g. The assemblage includes a notable residual element of medieval and intrusive late post-medieval pieces. Perhaps the cleanest group, with no residual element, was recovered from ditch [48], fill [44], G34, which produced 10 sherds (257g) that can be placed in a *c* 1620–50 date range. Although small, the range of fabrics shows a little local material (EPM 1b: SC 1, Wt 28g) but otherwise the assemblage is dominated by regional (EPMR 1a, EPMR 1b, EPMR 2b: SC 4, Wt 91g) and imported wares (EPMI 1, EPMI 3, EPMI 4: SC 5, Wt 138g), suggesting a well-connected household.

Fabric code	Expansion	Date range (approx)	SC/Wt (g)	ENV
UE	unglazed earthenware	1750–1900+	7/135	Flp × 4
GRE	glazed red earthenware (late)	1750–1900+	9/414	Ja × 5
SUND	Sunderland slipware	1800–1900	6/67	B × 2
ROCK	Rockingham ware	1800–1900	1/17	L × 1
YELL	yellow ware	1800–1900	11/133	B × 3, Chp × 1, ? × 3
ENGs	English stoneware	1750–1900+	8/187	Bot × 2, Ja × 2, ? × 2
NOTS	Nottingham/Derby stoneware	1750–1900+	2/7	M × 1, ? × 1
CREA	creamware	1750–1830	15/230	B × 2, Pl × 5, D × 1; TB × 1, ? × 1
PEAR	pearlware	1770–1840	5/66	Pl × 2, TB × 1, Chp × 1
PEAR TR	pearlware (transfer printed)	1770–1840	5/44	B × 1, Pl × 1, S × 2
TPW2	transfer-printed white ware (blue)	1825–1900+	20/378	Ba × 1, B × 3, D × 1, J × 1, Pl × 3
TPW3	transfer-printed white ware (black/brown)	1825–1900+	2/39	Pl × 1, Tur × 1
TPW3	transfer-printed white ware (new colours)	1825–1900+	7/34	J × 2, ? × 2
REFW	refined white ware	1825–1900+	2/12	B × 2
ENPO	English porcelain (bone china)	1790–1900+	4/16	B × 1, Cu × 1, ? × 1
CHPO	Chinese porcelain (late)	1750–1900+	3/22	B × 1, Pl × 1

Table 3.11 Summary of the late post-medieval pottery (B = bowl; Ba = basin; Bot = bottle; Cu = cup; Chp = chamber pot; D = dish; Flp = flower pot; J = jug; Ja = jar; L = lid; M = mug; Pl = plate; S = saucer; TB = tea bowl; Tur = tureen; ? = uncertain form)

The largest period 4, phase 1 group was recovered from the buried soil [53], G95, which produced 39 sherds (698g), mainly spanning the years from *c* 1600 to 1680. Despite this there were five (63g) residual late medieval sherds, eight (133g) intrusive late post-medieval sherds and a number of late 17th- to mid 18th-century intrusive pieces in the deposit. The contemporary pottery shows a wide range of glazed red wares, border ware, tin-glazed earthenware and German stoneware (the last of Frechen and Westerwald origin). A full range of cooking, serving and sanitary forms is represented, suggesting a domestic source for the waste.

PERIOD 4, PHASE 2

The deposits allocated to this period together produced 64 sherds weighing 1053g. The assemblage includes a notable residual element of medieval (SC 6, Wt 76g) and early post-medieval (SC 36, Wt 675g) sherds, although a few of the latter could be contemporary in the 18th century (most notably the glazed red earthenwares).

The 18th-century floors of B5 produced 14 sherds (208g) including a Staffordshire white salt-glazed stoneware sherd (EPMR 4) and three tin-glazed sherds (EPMR 2a and 2d) as well as more contemporary creamware (SC 6, Wt 180g: from four dishes and a bowl), pearlware (SC 1, Wt 3g: a hand-painted tea bowl) and part of a Sunderland-type slipware bowl (SC 3, Wt 10g). Taken together a date at the end of the 18th century appears likely and it is quite possible the early post-medieval wares were still in contemporaneous use.

The 18th-century dumps, G48, associated with B5 produced a further 39 sherds. However, 27 of these (602g) consist of almost certainly residual sherds of the 17th to mid 18th centuries, though as with G30 the EPMR 4 salt-glazed white stoneware could still be in contemporaneous use (SC 3, Wt 17g). The 12 remaining sherds suggest a *c* 1790–1820 date range and include glazed red earthenware, unglazed red earthenware, yellow ware, Nottingham/Derby stoneware, creamware, pearlware and Chinese porcelain.

PERIOD 4, PHASE 3

The deposits allocated to this period together produced 83 sherds weighing 1684g. The assemblage includes a moderate residual element of medieval sherds.

External yard surface [174] (G37) produced just seven sherds (48g), roughly dated to between *c* 1810 and 1875. These consist of sherds from a plain pearlware chamber pot (SC 1, Wt 25g), a yellow ware vessel with industrial slip (SC 4, Wt 15g), a

blue transfer-printed white ware bowl with sheep design (SC 1, Wt 7g) and a chip of English porcelain (SC 1, Wt 1g).

Pit cluster G50 produced the largest assemblage of this period (SC 55, Wt 1206g). With the exception of three residual early post-medieval sherds (80g) the combined group includes 14 of the 16 late post-medieval wares listed in Table 3.11. Individually it is clear some of these pits belong earlier in the century than others, but functionally they are one, representing a range of horticultural, storage, serving and sanitary forms of a low- to middle-class household.

The floor of B7, G26, produced one of the latest ceramic assemblages despite having two residual EML 1 sherds (SC 2, Wt 12g). The four English stoneware sherds come from a tan-topped bottle and a preserve jar, both with Bristol glazes, and a tureen lid (TPW 3) with floral design. A date between *c* 1875 and 1925 is suspected.

Fig 3.5 Post-Roman pottery P5–P9

POST-ROMAN POTTERY CATALOGUE

P5 Cooking pot with flat-topped everted type rim; fabric EML3, [208] (period 3.2)

P6 Cooking pot with flat-topped everted type rim; fabric EML3, [210] (period 3.2)

P7 Cooking pit with thin hooked expanded rim; fabric HML 1a, layer [223] (period 3.2)

P8 Jug, with white slip under green glaze, applied vertical clay strips and internally beaded rim; fabric HMR 5, layer [223] (period 3.2)

P9 Bowl, yellow glaze on underside; fabric LM3, [35] (period 4.1)

3.7 REGISTERED FINDS

Trista Clifford

Thirty-four objects were assigned registered finds numbers from the site. A brief overview by period precedes the category discussion and catalogue. Abbreviations used in the catalogue are as follows: L (length), W (width), Th (thickness), Di (diameter), H (height) and Wt (weight), DAM (die axis measurement).

Finds were recovered from features of period 2, phase 1 to period 4, phase 3, and represent a fairly narrow range of activity. The largest functional category is that of fittings, followed by dress accessories. Few finds were recovered from Roman or medieval features, the majority deriving from 16th-century or later deposits. The assemblage overall is in good condition; although much of the iron was very corroded, the stratified copper alloy is well preserved.

OVERVIEW BY PERIOD

PERIOD 2: ROMAN

Two stratified objects derive from this period: a Colchester one-piece brooch (RF<2>, Fig 3.6) from ditch fill G8 and an L-shaped bracket (RF<5>) from pit fill G9, possibly relating to the structure associated with posthole [1005]. Also recovered unstratified from OA2 were three late Roman *nummi* dating to the 4th century AD; these are likely to be casual losses.

PERIOD 3, PHASE 1: MEDIEVAL (c 5TH–LATER 12TH CENTURIES)

A Saxon strap end with zoomorphic terminal (RF<14>) was recovered unstratified from Trench 1. It probably dates between the 6th and 9th centuries and is the only evidence of Saxon activity recorded; again it is likely to be a casual loss.

PERIOD 3, PHASE 2: MEDIEVAL (LATER 12TH–14TH CENTURIES)

Three objects were recovered from 12th- to 14th-century features related to the hospital buildings. Reclamation dump G15 produced a possible window catch and a copper-alloy ferrule (RF<311> and RF<312>, Fig 3.6) and relaid yard surface G99 produced an iron knife.

PERIOD 4, PHASE 1: POST-MEDIEVAL (16TH–17TH CENTURIES)

Of the nine objects from features of this period, five came from buried soil G95. Intrusive in this group is a halfpenny of George III (RF<301>). Demolition layer G54 contained a large annular buckle (RF<108>,) and a copper-alloy purse bar (RF<10>) came from demolition layer G67.

PERIOD 4, PHASE 2: POST-MEDIEVAL (18TH CENTURY)

Eight finds came from dumps G48, including a residual Jew's harp (RF<106>, Fig 3.6) and various structural fittings and tools associated with B5.

PERIOD 4, PHASE 3: POST-MEDIEVAL (19TH CENTURY)

A police whistle and part of a baby's rattle were among the finds retrieved from the 19th-century pits located in OA7.

OVERVIEW BY CATEGORY

PERSONAL ADORNMENT AND DRESS

Brooch

The only brooch recovered was a small copper-alloy Colchester brooch, RF<2>. It is similar in stature to 'miniature' brooches from Richborough (Bayley & Butcher 2004, cat nos 58 and 66). It is a 1st-century AD type with a date range of c AD 30–70; the form here is typical of British rather than Continental manufacture.

RF<2> Copper-alloy brooch (Fig 3.6)

Ditch fill [1012], G8, OA2; period 2, phase 1

Incomplete; bow and spring mechanism. Colchester one-piece brooch with spring of four remaining turns; oval-sectioned bow; Hull type T91B (Bayley & Butcher 2004, cat nos 58 and 66). L 30.3mm, W 10.8mm.

Buckles

Two buckles were recovered. The complete large copper-alloy annular buckle is a common medieval type of late 13th- to 15th-century date and is residual within its context. Shoe buckle RF<302> is also of a common form and was fashionable during the 18th century (Swann 1982, eg, 18, 24) worn with latchet-fronted shoes. The voids in the frame may originally have contained paste crystals.

RF<108> Copper-alloy buckle (Fig 3.7)

Layer [162], G54, OA6; period 4, phase 1

Complete; annular buckle with ovoid section; triangular sheet copper-alloy pin. Parallels from London are of 14th- to 15th-century date (Egan & Pritchard 1991, 64). Di 52mm, pin L 56mm.

RF<302> Copper-alloy shoe buckle (Fig 3.7)

Layer [127], G48, B5; period 4, phase 2

Incomplete; rectangular buckle frame with arched profile; central pin, tongue and chape missing. Openwork frame with diamond motifs. L 61.5mm, W 52.6mm, Th 2.65mm.

Strap fitting

A Saxon gilded strap fitting/terminal was recovered unstratified. The fitting is thus far unparalleled, but the nature of the bird decoration and zoomorphic terminal place it within a 6th- to 9th-century date range.

RF<14> Copper-alloy strap fitting (Fig 3.7)

Unstratified, OA2

?Complete. Consists of a circular panel with circular knobs at each corner

forming a square boss. Cast in relief within the circular border is a bird facing left with hooked beak and outstretched wings. A thin tongue protrudes from the boss, terminating in a zoomorphic head with eyes and snout. Traces of gilding remain within on the surface of the object; the reverse is plain with a central spike for attachment. The bird motif is a typical design in Continental metalwork of the 6th century – for example, brooches from Graves 25A and 61 at Mill Hill (Parfitt & Brugmann 1997, 44–5) and a Frankish bird-headed pin from Eastbourne (Ager 2016, 125) – that was subsequently copied in Britain, particularly in Kent, which was strongly influenced by Frankish styles at this time (ibid, 126). The zoomorphic terminal has parallels with spit-ended strap ends of later Saxon date, particularly Class B types, which have a higher length/width ratio (Thomas 2003, 5). L 29.4mm, W 12.9mm, Th 6.78mm.

Purse

Purses with metal bars and frames became fashionable during the late 15th century and could be worn by both men or women. The fashion seems to have been fairly short-lived, with the latest type, which had an integral fixed frame, falling out of favour by the mid 16th century (Ward Perkins 1940, 170).

This earlier type would have had two semicircular pendant

frames hanging from the constriction at either end of the bar.

RF<10> Copper-alloy purse bar (Fig 3.7)

Demolition layer [10049], G67, OA6; period 4, phase 1

Incomplete; suspension loop missing and one terminal missing. The purse bar has characteristics of both Type A1 and Type A2 (Ward Perkins 1940, fig 50). The bar is circular in section and decorated in a lattice-like pattern formed from paired incised lines of crosshatching, which may originally have contained niello inlay. Each diamond-shaped cell contains a zig-zag, rocker-arm incised decoration. The lattice decoration is also present on the globular central boss, which is flanked by incised horizontal lines rather than the stylised animal heads typical of Type A1. Plates with three attachment holes extend below the bar. L 147.22mm, Di 8.37mm, boss Di 13.88mm.

Dress pin

RF<304b> Copper-alloy dress pin (Fig 3.7)

Pit fill [31], G50, OA7; period 4, phase 3

Complete. Recovered with RF<304a>. Dress or dressmaking pin, small globular head. L 27mm.

Button

RF<8> Copper-alloy button

Pit fill [6002], G50, OA7; period 4, phase 3

Incomplete; highly corroded two-piece button with wire loop. Late post-medieval. H 8.7mm, loop Di 5.8mm.

HOUSEHOLD OBJECTS

RF<300> Bone brush (Fig 3.6)

Buried soil [35], G95, OA7; period 4, phase 1

Incomplete; bristles missing. Rectangular, with seven rows of bristle holes. The holes are funnel-shaped and linked by grooves on the reverse to accommodate wires which anchored the tufts. The bone is stained green in places, indicating the bristles were made of copper-alloy wire (MacGregor 1985, 183). Broadly post-medieval in date, possibly as late as 19th century. L 99.5mm, W 41.4mm, Th 7mm.

RECREATION

RF<106> Copper-alloy Jew's harp (Fig 3.6)

Layer [130], G48, B5; period 4, phase 2

Incomplete; tongue missing; frame rabbeted. The instrument was played by holding the circular end between the teeth and plucking the tongue whilst varying the pitch of the note by altering the shape of the mouth. Although some earlier, 14th-century, examples have been found (Wardle 1998, 284), this one is probably of later date. L 62.7mm, W 26.3mm, Th 7.65mm.

RF<304a> Silver-plated copper rattle (Fig 3.7)

Pit fill [31], G50, OA7; period 4, phase 3

Incomplete; solid cast spherical suspension loop and part of the upper part of a baby's rattle. The fragment is very similar to spherical, openwork rattles produced during the late 19th and early 20th centuries. An XRF analysis shows that it is made from copper with gold and silver plating, likely to be electroplated and not earlier in date than the 19th century (Jacqui Watson, pers comm). The rattle would have originally included an ivory or mother of pearl teething ring through the suspension ring. L 32.8mm.

BUILDINGS AND SERVICES

RF<5> Iron fitting

Pit fill [1004], G9, OA2; period 2, phase 1

?Complete; L-shaped bracket or tie-fitting. L 90mm, W 36.9mm, Th 8mm.

RF<309> Iron looped staple (Fig 3.6)

Layer [127], G48, B5; period 4, phase 2

Complete; looped staple with wide loop. Goodall (2011, 163) suggests looped staples were used to hold chains or handles possibly on furniture or doors. L 90mm, W 36.9mm, Th 8mm.

RF<308> Iron structural fitting (Fig 3.6)

Layer [127], G48, B5; period 4, phase 2

Complete; rectangular strap with five circular nail holes. Probably part of a strap hinge. L 153.2mm, W 31.8mm, Th 7mm.

RF<310> Iron structural fitting (Fig 3.6)

Layer [127], G48, B5; period 4, phase 2

Incomplete; joiner's dog or staple, one arm missing. L 61.8mm, W 42.5mm, Th 8.6mm.

FASTENERS AND FITTINGS

RF<312> Copper-alloy ferrule (Fig 3.6)

Layer [223], G15, OA4; period 3, phase 2

Incomplete; copper-alloy sheet rolled to form a tapering tube and folded to seal the end; opposite end flattened and edges broken. Undecorated. Possibly a crudely made dagger or lace chape of 13th- to 14th-century date (cf Egan & Pritchard 1991, 288). L 70mm, W 12.2mm tapering to 8.2mm.

RF<311> Lead alloy and iron ?sliding bolt handle (fig. 3.6)

Layer [255] G15 OA4 period 3 phase 2

Incomplete. Lead alloy decorative ?handle with oval collared plate; two horizontal straps on the reverse encase an iron strip, possibly evidence of a repair. The handle is attached to an iron rod of rectangular section via a thick, hooped shank; the rod would have passed through two hasps driven directly into the face of the door (Hall 2005, 63-4). The handle form is also reminiscent of window spring catches of early post medieval date therefore this function is also possible. L 75mm, Di 34mm.

RF<303> Copper-alloy stud (Fig 3.7)

Layer [35], G95, OA7; period 4, phase 1

Complete; dome-headed stud with square-sectioned shank. L 17.7mm, Di 23.7mm.

RF<101> Copper-alloy ring

Occupation layer [46], G44, B4; period 4, phase 1

Complete. Flat oval section. Di 24mm, Th 1.7mm.

RF<306> Copper-alloy stud (Fig 3.7)

Layer [130], G48, B5; period 4, phase 2

Complete. Oval dome-headed stud with square-sectioned shank. L 17.5mm, W 15.8mm, Th 9.8mm.

RF<107> Copper-alloy ?mount (Fig 3.6)

Layer [130], G48, B5; period 4, phase 2

?Complete; scallop-shaped openwork ?mount. L 65.6mm, W 49.7mm, Th 2.3mm.

RF<305> Iron hinge (Fig 3.6)

Pit fill [41], G50, OA7; period 4, phase 3

Incomplete; triangular hinge strap with circular terminal, probably from a box or casket. Single nail hole in terminal and at opposite end. Similar to 13- to 16th-century examples (Goodall 2011, fig. 9.22). L 96.9mm, W 25.42mm, Th 3.56mm, terminal Di 18mm.

RF<11> Lead ?mount (Fig 3.6)

Unstratified, OA2

Complete cast lead mount or plaque. Circular with floral motif within raised border. Di 44.5mm, Th 9.3mm.

TOOLS

RF<102> Iron ?knife

Layer [89], G99, OA5; period3, phase 2

Incomplete; straight-backed blade and part of tang. Similar to Goodall

Type D (Goodall 2011, 106). L 200mm, W 40mm.

RF<307> Iron spoon drill bit (Fig 3.6)

Layer [127], G48, B5; period 4, phase 2

Complete; large U-sectioned blade with very worn edge. L 215mm, W 31mm, Th 10.65mm.

WEIGHING AND MEASURING

RF<12> Lead ?weight (Fig 3.6)

Unstratified, OA2

Complete cast lead ?weight. Square with small rectangular raised central boss enclosing two pellets. L 16mm, H 6mm, Wt 8.80g.

COINS AND TOKENS

The three Roman coins are unstratified; the 1807 halfpenny of George III must be intrusive within its period 4, phase 1 context.

A lead token was found using a metal detector in Trench 1.

RF<7> Copper-alloy *nummus*, Valens (364–78 AD)

Unstratified, OA2

Obverse: DN VALENS PF AVG diademed bust right

Reverse: GLORIA ROMANORVM emperor right dragging captive;

[S—] in exergue

Di 18.32mm, Th 1.63mm, Wt 2.29g, DAM 12.

RF<13> Copper-alloy *nummus*, House of Constantine (306–64 AD);

contemporary copy

Unstratified, OA2

Obverse: Illegible; ?diademed bust right

Reverse: [SOL INVICTO] CO[MITI] figure standing left

Di 16.6mm, Th 1.38mm, Wt 1.37g, DAM 2.

RF<4> Copper-alloy *nummus*, House of Constantine (353–64 AD);

contemporary copy

Unstratified, OA2

Obverse: legend missing; bust right

Reverse: ?soldier spearing a barbarian fallen from horse (reduced flan; legend missing)

Di 9.1mm, Th 2mm, Wt 0.69g.

RF<6> Lead token

Unstratified, OA2

Obverse: crude grid of nine squares

Reverse: undecorated

Di 17.68mm, Th 2.5mm.

RF<301> Copper-alloy halfpenny, George III, 1807, London

Layer [35], G95, OA7; period 4, phase 1

Obverse: GEORGIUS III. D:G. REX. 1807 laureate, draped bust right

Reverse: Britannia seated left

Di 29.47mm, Th 2.55mm, Wt 8g, DAM 6.

WASTE

RF<313> Copper-alloy sheet

Layer [35], G95, OA7; period 4, phase 1

Fragment; rectangular sheet folded over at one end. L 48.27mm, W 20.55mm, Th 0.68mm.

RF<314> Lead strip

Layer [35], G95, OA7; period 4, phase 1

Fragment; long rectangular strip. Possibly associated with window leading. L 73.62mm, W 8mm, Th 2.37mm.

RF<9> Lead cuboid

Layer [49], G67, OA6; period 4, phase 1

?Fragment; roughly cuboid-shaped fragment. Possible waste. L 11mm, W 10.5mm, H 10mm.

OBJECT ASSOCIATED WITH SPECIFIC PROFESSIONS

RF<3> Police whistle

Pit fill [4057], G36, OA7; period 4, phase 3

Complete, iron pea present. Inscribed: THE METROPOLITAN/
PATENT/ [—] HUDSON & CO/ 244 BARR STREET/

BIRMINGHAM. This company was the leading manufacturer of police whistles from the 1880s and is still in existence. L 106mm, Di 19.5mm.

3.8 GLASS

Elke Raemen

A medium-sized assemblage of 100 fragments of glass was recovered from 18 contexts. Included are both hand-collected pieces and fragments recovered from environmental bulk sample residues. The earliest pieces are of 16th- and 17th-century date. Shaft-and-globe wine bottles dating from the second half of the 17th century to the mid 18th century were also found. The remainder of the assemblage was of 19th-century date. All glass was recorded in full on pro forma sheets for the archive and data were entered on to a digital spreadsheet. A brief summary of the early post-medieval assemblage is provided.

EARLY POST-MEDIEVAL GLASS

WINE BOTTLES

The bulk of the glass assemblage is made up of shaft-and-globe bottles (63 fragments in total), dating to between *c* 1650 and 1750. None of the bottles are complete and no complete profiles survive. The largest groups were recovered from layer [175] and brick floor [178], which produced 33 and 26 fragments respectively.

OTHER VESSELS

Of high status is the small fragment of mixed alkali or soda glass found in pit fill [31]. It is decorated with trails consisting of prefabricated white canes, probably *vetro a fili* trailing. The vessel form cannot be reconstructed as the fragment is too small. A beaker or goblet foot in mixed alkali or soda glass was recovered from rubble layer [109]. The fragment retains part of the base ring, which is turned in on itself, and is dated between the 17th and 18th centuries.

WINDOW GLASS

A pale green fragment from a small triangular quarry dating between the 16th and 17th centuries was recovered from layer [46].

OTHER VESSELS

Included is a shot glass fragment from pit fill [27] and a square pickle jar from layer [31]. Earlier pieces consist of two phial fragments, [91] and [127], as well as two conjoining hollow wine glass stem fragments in mixed alkali or soda glass, all dating between the 18th and mid 19th centuries.

Fig 3.6 Registered finds RF<2>, <11>, <12>, <106>, <107>, <300>, <305> and <307>–<312>

Fig 3.7 Registered finds RF<10>, <14>, <108>, <302>–<304a/b> and <306>

3.9 WATERLOGGED WORKED WOOD

Damian Goodburn

Finds of waterlogged wood were not unexpected given the location of the site near the west bank of the tidal River Medway and the depth of the archaeological sequence. The wood was not seen at first hand but was examined by detailed scale drawings and high-resolution photographs. As the wood had low to modest potential for tree-ring dating because of its decayed and fragmentary nature, it was recommended that this was not undertaken.

SUMMARY DESCRIPTIONS

TIMBER <34A>: ERODED, JOINTED OAK ELEMENT

This oak timber, measuring 220 × 180mm and *c* 12m long, had a rectangular cross-section with no clear sapwood survival and decayed broken ends (Figs 3.8 and 3.13). One of the ends has two eroded, intercutting joints, one a clear notch for a halving-type joint, or possibly some form of edge-halved scarf, the other possibly a small mortise, though this is not very clear. No tool marks or fastenings are visible owing to ancient decay. An origin in a timber-framed building of a possible waterfront structure seems likely.

Fig 3.8 Photographs of elevations and cross-section of timber <34a>

TIMBER <34B>: ERODED, JOINTED OAK ELEMENT

This timber was also of oak and resembled timber <34a> in general appearance, implying a similar origin (Figs 3.9 and 3.13). It measured 190×170 mm with a surviving length of ≈ 1.07 m to decayed ends. It had a rectangular cross-section and appeared to have a boxed-heart conversion, with no clear sapwood surviving. At one end a notch or halving-type joint was partially preserved, whilst near the other the remains of a decayed mortise joint could be seen. No tool marks survived.

TIMBER <35>: ERODED, JOINTED OAK ELEMENT

This timber resembles those above in very general terms, being decayed, of oak and of likely building-scale carpentry origin (Figs 3.10 and 3.13). Both ends were eroded and very decayed but one face retained a ≈ 40 mm-deep groove joint. The latter could have been a groove cut to retain wattle infill or an infill of boards in a timber-framed structure. The opposite face also had a narrow, less regular, groove in it but it is uncertain whether this was a result of decay or whether it had been cut out. Timber <35> survived to a length of ≈ 780 mm and was 210mm wide and 200mm thick. The section of the parent log used is not clear, and there is no trace of sapwood. In medieval structures, this timber would be considered an element of a 'stave' or 'bulwark' building tradition.

TIMBER <38>: SECTION OF ELM PLANKING

This timber, a short section of well-preserved planking, had a surviving length ≈ 0.5 m to its broken ends (Figs 3.11 and 3.13). It was ≈ 260 mm wide and 30mm thick. The distinctive

Fig 3.9 Photographs of elevations and cross-section of timber <34b>

Fig 3.10 Photographs of elevations and cross-section of timber <35>

tangential grain pattern of the elm family was clear in the photographs. One of the faces bore clear manual sawing striations, such as those left by a pit saw. Pit-sawn elm is most commonly found in 16th- and 17th-century structures in south-east England. There are, however, examples of late 15th-century date and it was used up to the early 20th century for specialist purposes, such as in barges and mills. This suggests that this timber was probably an intrusive find in the medieval deposit from which it was recovered.

TIMBER <36>: POST-MEDIEVAL PILE TIP

This timber is clearly a medium-sized pile tip, possibly from a fence line or some form of ditch-crossing structure (Figs 3.12 and 3.13). It survived to a length of ≈ 625 mm and was 180 mm wide by 125 mm thick, from the well-preserved tip to the decayed top. This pattern of decay strongly suggests that it was *in situ* when first exposed. In the detailed photograph it appeared to be of conifer timber, probably a pine. The records show that it was roughly cleft from a round timber or log. Imported conifer timber logs are known on the Greater London waterfront sites from the early 17th century and many were imported as part of the trade in ship spars and masts to

the dockyards. The square-sectioned tip was axe-hewn with a tool with nicks in the blade edge that are shown in the drawings and photographs as striations or 'signatures'.

3.10 PLANT REMAINS

Mariangela Vitolo

INTRODUCTION AND METHODOLOGY

Post-excavation assessment was carried out on 29 bulk soil samples (Le Hégarat & Mooney 2012), most of which were taken from Roman and medieval contexts. The samples originated from natural sedimentary deposits, such as alluvial deposits and natural channels, but also from ditches and pits. In general, the samples did not yield a large quantity of plant material and only two samples from period 3, phase 2 layers were selected for further analysis. The purpose of the analysis was to investigate diet and agricultural economy, to gain information on the local vegetation environment and to discuss how the assemblage from Friary Place compares with others that are available in the region.

The flots were measured and weighed before being subsampled using a riffle box, where needed, and passed through 4 mm, 2 mm, 1 mm, 500 μ m and 250 μ m sieves. Each size fraction was sorted under a stereozoom microscope at magnifications of $\times 7$ to $\times 45$. Identifications were based on morphological characteristics using modern reference collections held at Archaeology South-East and Historic England as well as specimens documented in reference atlases and manuals (NIAB 2004; Cappers et al 2006; Jacomet 2006). The species list is given in Table 3.12 and the nomenclature follows the traditional classification for the cereals (Zohary and Hopf 2000, table 3, p.28 and table 5, p.65) for the cereals and Stace for the wild plants (1997).

RESULTS AND DISCUSSION

Sample <25>, from layer [210], was the richest in crop seeds. The vast majority of the cereal caryopses were identified as hulled barley (*Hordeum vulgare*), of which four were twisted. This suggests the presence of six-row barley, which presents twisted caryopses in a ratio of 2:1 to straight grains. The low number of twisted caryopses in this feature may be due to the poor preservation state, which can disguise actual twisting as normal distortion occurring during charring. The dominance of barley in this feature does not reflect the general trend in medieval contexts at the site, as noted during post-excavation assessment (Le Hégarat & Mooney 2012). Oat (*Avena* sp) caryopses were also frequent and four of them were sprouted.

Fig 3.11 Photographs of elevations and cross-section of timber <38>

No floret bases were found and therefore it was not possible to identify the oats as wild or cultivated. However, given the large number of grains and their size, it is unlikely that the assemblage was entirely made of weeds. Wheat caryopses were much less frequent in comparison. Most of them showed the typical rounded appearance of bread-type free-threshing wheat (*Triticum aestivum/durum*). The presence of free-threshing wheat is also confirmed by one rachis fragment, which has some characteristics of the hexaploid species (*Triticum aestivum*), although it was too poorly preserved to be identified with certainty. Two further rachis fragments could only be identified to genus level as wheat and barley. Rachis remains are crucial for the identification to species of free-threshing wheat and barley. However, they tend to be under-represented in the archaeobotanical record. They are generally removed at an

Fig 3.12 Photographs of elevations and cross-section of timber <36>

early stage of the crop processing and often at a distance from the settlement. Furthermore, these fragile items tend to burn away before other cereal plant components (Boardman & Jones 1990). Finally, three caryopses of possible rye (cf *Secale cereale*) were present.

Fig 3.13 Illustrated elevations and cross-sections of timbers <34a>, <34b>, <35>, <38> and <36>

Most of the barley and oat grains presented insect boring holes, suggesting that the assemblage may have originated from spoiled grains that were burnt on purpose, either stored together or separately. There is some evidence that barley and oat were grown together as a 'dredge', possibly for malting, in the Anglo-Saxon period (Campbell 1994). However, the assemblage from Strood was too small to make inferences and it is not proven that oat was definitely a crop. Even if it was, the evidence for malting at Friary Place is also weak, as only four oat grains were recorded as sprouted and no detached embryos or coleoptiles were found.

Other crops consisted of large-seeded legumes. The majority of them had a lost or damaged *hilum*, so only a small number were identified to species. Celtic/broad beans (*Vicia faba*), garden pea (*Pisum sativum*) and common vetch (*Vicia sativa* subsp *sativa*) were definitely present. It is known from documentary evidence that common vetch was cultivated for fodder in the medieval period, often being grown on fallow fields (Campbell 1994). The other pulses were divided according to their size into a 2–4mm group (*Vicia/Lathyrus* sp) and a greater than 4mm group (*Vicia/Lathyrus/Pisum* sp). Nevertheless, given their size they were all almost certainly cultivated.

A fairly large number of grasses (Poaceae) were recorded alongside oat/bromes (*Avena/Bromus* sp). Small seeded wild plants appeared in low numbers including mostly taxa that occur frequently as crop weeds, such asampions (*Silene* sp), bedstraw/cleavers (*Galium/Asperula* sp), cabbage/mustard/charlock (*Brassica/Sinapis* sp), knapweed/thistles (*Centaurea* sp) and docks (*Rumex* sp). This suggests that the sample originated from a late stage of crop processing, after fine sieving had removed most of the lighter and smaller-seeded weeds.

Sample <17> from layer [139] contained fewer charred remains, including caryopses of free-threshing wheat, hulled barley, oat and possible rye and an equally small number of possible weed seeds. The interest of this sample lay in the presence of uncharred seeds, which were probably washed into the site by the river and were therefore useful in providing information on the local environment, which for selection biases, could not be obtained from the charred assemblage. In this context shrub species, such as elder (*Sambucus nigra*), were present alongside weeds of crops or ruderals, including chickweed (*Stellaria media*), docks, stinging nettle (*Urtica dioica*), dead nettle family (Lamiaceae), sun spurge (*Euphorbia helioscopia*) and thistle (*Carduus/Cirsium* sp), including smooth sow thistle (*Sonchus oleraceus*). Plants of riverine or aquatic environments were poorly represented in layer [210] by

charred sedges and rush seeds and not at all in the uncharred assemblage from layer [139]. However, given that the latter deposit was likely to have been only intermittently waterlogged, this might have led to the disappearance of the more fragile seeds. In general, given the small amount of wild seeds in both samples, not much is known about the local vegetation environment. Limited evidence for hedgerows and shrubs is given by a single fragment of hazelnut shell (*Corylus avellana*) and the elder seeds. Few aquatic species survived in the charred seed assemblage. Grassland species appeared commonly. Most of the other taxa grow in a variety of habitats, for example, waste ground, waysides or as weeds of crops.

COMPARISON WITH OTHER SITES

For the most part the archaeobotanical assemblage from Friary Place fits in well with the available evidence from other sites in Kent. Excavations carried out on the A2 (Smith 2012) showed that there was a broadening of the range of cultivated crops from the 11th/12th centuries to the 13th/14th, namely with the addition of pulses at the later sites. Owing to the much smaller assemblage here, such an evolution is not apparent at Strood. However, free-threshing wheat, barley, pulses and limited or tentatively identified rye occur frequently, for example at sites in the Darent valley (Smith 2011) and on the A2 (Smith 2012). At all sites, free-threshing wheats tend to be dominant. This is also true for Strood, the dominance of barley in sample <25> being an exception that does not represent the trend of the site. It is noteworthy that oat does not appear in large numbers at other Kentish sites, which raises questions on whether it was commonly cultivated at Strood.

3.11 ANIMAL BONE

Gemma Ayton and Lucy Sibun

Archaeological excavations at Friary Place, Strood produced a small animal bone assemblage. Of the 205 hand-collected fragments, 190 were identifiable to taxa. A further 190 identifiable fragments were recovered from whole-earth samples. The assemblage derives from a number of phases though the majority of the material derives from contexts associated with medieval and post-medieval activity.

The assemblage was recorded on to an MS Excel spreadsheet according to the part and proportion of the bone remaining and the state of fusion. Elements that could not be confidently identified to species, such as long bone and vertebrae fragments, have been recorded as either 'large' or

		Period	3.2	3.2
		Sample no	<17>	<25>
		Context no	[139]	[210]
		Flot volume (ml)	10	200 (of which 100 subsampled + scanned)
		Flot weight (g)	4	96
Taxonomic identification	English name and plant part	Habitat codes		
Uncharred				
<i>Urtica dioica</i> L	stinging nettle	ADW	1	
<i>Chenopodium</i> sp	goosefoots	ADY	15	
<i>Stellaria media</i> (L) Vill	chickweed	AD	1	
<i>Polygonum aviculare</i> L	knotgrass	AD	2	
<i>Rumex</i> sp	docks	ADHSW	14	
<i>Polygonum/Rumex</i> sp	knotweeds/docks		2	
<i>Euphorbia helioscopia</i> L	sunspurge	AD	15	
<i>Solanum</i> sp	nightshades	AD	1	
Lamiaceae	dead-nettle family		17	
<i>Sambucus nigra</i> L	elder	DHSW	3	
<i>Sonchus oleraceus</i> L	smooth sow-thistle	ADY	2	
<i>Carduus/Cirsium</i> sp	thistles	ADGY	2	
Unidentified seed			2	
Crop cereals				
<i>Triticum aestivum/durum</i>	bread-type free-threshing wheat caryopses	C*	8	44
<i>Triticum</i> sp	wheat caryopses	C*	11	32
Cf <i>Triticum</i> sp	wheat caryopses	C*	7	28
<i>Hordeum vulgare</i> L	hulled barley caryopses	C*	6	588
<i>Hordeum vulgare</i> L	twisted barley caryopses	C*		4
<i>Hordeum</i> sp	barley caryopses	C*	5	156
Cf <i>Hordeum</i> sp	barley caryopses	C*	4	8
<i>Triticum/Hordeum</i> sp	wheat/barley caryopses	C*	24	120
<i>Avena</i> sp	sprouted oat caryopses	AC*		4
<i>Avena</i> sp	oat caryopses	AC*	5	112
cf <i>Avena</i> sp	oat caryopses	AC*	3	88
Cf <i>Secale cereale</i>	rye caryopses	C*	1	3
<i>Cerealia</i> indet	indet cereal caryopses	C*	19	56
Chaff				
<i>Triticum</i> sp	wheat rachis	C*		1
<i>Triticum aestivum</i> L	hexaploid wheat rachis	C*		1
<i>Hordeum</i> sp	barley rachis	C*		1
<i>Avena</i> sp	twisted awn fragments	AC*		2
Indet stem frags (Poaceae)	grass stem fragments	AC*		10
Non-cereal crops				
<i>Vicia faba</i> L	Celtic bean	C*		3
cf <i>Vicia faba</i> L	Celtic bean	C*		2
<i>Vicia sativa</i> L ssp <i>sativa</i>	cultivated common vetch	C*		2
<i>Pisum sativum</i> L	common pea	C*		3
cf <i>Pisum sativum</i> L	common pea			2
<i>Vicia/Lathyrus</i> sp	vetch/tare (2–4mm)	C*		31
<i>Vicia/Lathyrus/Pisum</i> sp	vetch/tare/wild pea/common pea (>4mm)	C*		37
<i>Vicia/Lathyrus/Pisum</i> sp	vetch/tare/wild pea/common pea fragments	C*DG		5
Edible plants and trees or of economic value				
<i>Corylus avellana</i> L	hazelnut shell fragments	HSW*		1
Wild grasses, arable weeds & waste ground				
Caryophyllaceae	Pink family			2
<i>Silene dioica/latifolia</i> type	red/white campion	ADHSW		
<i>Silene</i> sp	campions	ADHSW		4
Cf <i>Silene</i> sp	campions	ADHSW		4
<i>Stellaria media</i> (L) Vill	common chickweed	AD	2	
<i>Rumex</i> sp	sorrel/dock	ADHSW	1	6
<i>Brassica/sinapis</i> sp	wild cabbage/turnip/mustard/charlock	ADC		4
<i>Raphanus raphanistrum</i> L	wild radish/charlock fruit	A		4
<i>Raphanus raphanistrum</i> L	wild radish/charlock seed	A		2
<i>Lithospermum arvense</i> L	field gromwell	AGD		8
<i>Galium/Asperula</i> sp	bedstraws/cleavers	DH		2
Asteraceae	Compositae/Daisy family			4

Table 3.12 Plant remains species list (A = weeds of arable land; C = cultivated plants; D = ruderals, weeds of waste and disturbed places; G = grassland; H = hedgerows; M = marsh/bog; R = rivers/ditches/ponds; S = scrub; WW = woods; Y = waysides/hedgerows; * = plants of economic value)

		Period	3.2	3.2
		Sample no	<17>	<25>
		Context no	[139]	[210]
		Flot volume (ml)	10	200 (of which 100 subsampled + scanned)
		Flot weight (g)	4	96
Taxonomic identification	English name and plant part	Habitat codes		
<i>Centaurea</i> sp	knapweed/thistle	AD*		13
<i>Tripleurospermum inodorum</i> (L) Sch Bip	scentless mayweed	AD	1	
<i>Anthemis cotula</i> L	stinking chamomile	AD	1	
Poaceae	grasses (large caryopses)	AHG	2	176
Poaceae	grasses (medium caryopses)	AHG		4
<i>Avena/Bromus</i> sp	oats/bromes	AHG		34
<i>Poa annual/Phleum</i> sp	annual meadow grass/cat's tails	AHG	2	
Wild/weed plants common to wet ground				
<i>Juncus</i> sp	rushes	MRD	3	
Cyperaceae	sedges		1	
Indeterminate or unidentified plant parts				
Unidentified weed seed			2	4

Table 3.12 continued

'medium' mammal-size. Measurements were taken using methods outlined by von den Driesch (1976), tooth wear was recorded according to Grant (1982) and each fragment was also studied for signs of butchery, burning, gnawing and pathology.

THE ASSEMBLAGE

The assemblage is in a good to moderate state of preservation with little evidence of weathering though few complete bones remain (Table 3.13).

Period	Date	Hand-collected fragments	Fragments from whole-earth samples	Total
2.1	Early Roman		7	7
2.2	Late Roman		3	3
3.2	1150–1350/1400	52	27	79
3.3	14th century	16	143	159
4.1	16th–17th century	76	3	79
4.2	18th century	46		46
4.3	19th century		7	7
Total		190	190	380

Table 3.13 Quantification of animal bone by period

A range of domestic taxa is represented, including cattle, sheep/goat and pig, whilst wild taxa are restricted to fish, particularly herring (Table 3.14).

PERIOD 2, PHASES 1 AND 2: ROMAN

The small assemblages from these two phases contain fish bone only, perhaps discarded by the inhabitants of Rochester's extramural settlement. All the identifiable specimens derive from marine taxa, though eels are often found in the mouth of

Period	2.1	2.2	3.2	3.3	4.1	4.2	4.3	Total NISP
Species								
Cattle			3	1	7	5		16
Sheep/goat			13	5	19	11		48
Pig			5	3	10	4		22
Cat				1				1
Rabbit					2			2
Large mammal			22	5	19	13	1	60
Medium mammal		1	18	8	17	11	2	57
Mouse							1	1
Domestic fowl			2	2	2	2		8
Cod			1	3				4
Haddock		1						1
Whiting			1	10				11
Herring	5	1	11	89	1			107
Eel	1		1	5				7
Flat fish	1		2	13	1		3	20
Plaice				7				7
Mackerel				2				2
Seabass				2				2
Bream				3	1			4
Total	7	3	79	159	79	46	7	380

Table 3.14 Number of identifiable specimen (NISP) counts by period

rivers (Wheeler 1978), and all can be found inshore at certain times of the year. The majority of the bones derive from the fills of Early Roman ditch G3.

PERIOD 3, PHASES 2 AND 3: MEDIEVAL

The assemblage from period 3, phase 2 may be associated with the hospital of St Mary, which lay immediately to the west of the site, whilst period 3, phase 3 is characterised by demolition layers.

Sheep/goat are the most frequently occurring domestic taxa during the medieval periods. This is a trend reflected on a national level and may be attributed to growth in the wool trade. The majority of the fish remains derive from demolition

layer [71] (G16). Herring is by far the most frequently occurring fish species both here and on most contemporary inland and coastal sites (Serjeantson & Woolgar 2006). Herring is represented by vertebrae only, with no cranial bones recovered, so it is likely that these remains derive from preserved fish (*ibid*).

PERIOD 4: POST-MEDIEVAL

The bulk of the animal bone recovered was from the 17th-century buried soil layer, which contained 59 fragments. Sheep/goat continue to dominate the domestic assemblage and the three main domesticates are represented by both meat-bearing and non-meat-bearing elements. Both fish and bird bones are scarce. A single cranial fragment from a flat fish, probably plaice, suggests that whole fish may have been eaten on site though the small size of the assemblage means that firm conclusions regarding husbandry practices during these phases cannot be drawn.

3.12 HUMAN SKELETAL REMAINS

Lucy Sibun

SKELETON [94]

A single inhumation, [94] was located during the excavation in the backfill of probable boundary ditch [129], located on the eastern side of the hospital. The skeleton is in a reasonable state of preservation but unfortunately incomplete since the lower legs and feet extended beyond the eastern limit of excavation.

The skeleton has been identified as a probable male based on a combination of sexually dimorphic characteristics and post-cranial metrical data (Stewart 1979; Buikstra & Ubelaker 1994; Bass 2005). The evidence available also suggests that he was between 30 and 45 years old at the time of death (Lovejoy et al 1985; Brooks & Suchey 1990). In the absence of any complete bones from the lower legs, the humeri have provided a stature estimate of 1.70m (Bennett 1993). The only pathological lesions observed were on the visceral aspect of two lower right ribs, which displayed periosteal new bone growth. This reactive bone is usually a response to a specific infectious disease such as tuberculosis or a non-specific pulmonary disease such as pneumonia (Ponce 2018).

DISCUSSION

Perhaps the most notable feature of this skeleton is its unusual location in the fill of the eastern boundary ditch of the hospital. The hospital was founded in the late 12th century and

radiocarbon dating of the skeleton has provided a calibrated result (95% probability) of 1035–1215 cal AD (900±30 BP, Beta-440140), which is consistent with a late 12th-century date for the digging of the ditch. The reason why this individual was buried in a ditch remains unclear, particularly as there appears to have been a cemetery associated with the hospital, with burials excavated within and to the south of the buildings during the 19th century (Harrison 1969, 144).

Burials dating to the 8th–10th centuries have been recovered from pits and ditches in Winchester and Hamwic (Southampton), both in Hampshire, and Yarnton, Oxfordshire. Possible explanations put forward have been burial in haste, concealment of an illicit burial or perhaps an ecclesiastical decision to exclude the individual from the communal burial ground (Hadley 2011, 296). The presence of three nails associated with burial [94] perhaps makes the idea of an illicit burial less likely as it suggests that the individual was either contained in a coffin or covered by a plank. Coffined burials have been recorded in England from the 9th century AD (Hadley 2011; Thompson 2002, 231–2).

Certainly the 9th to 12th centuries seem to have been a period of change, with the development of a positive correlation between the status of the burial and its proximity to the church building (Lucy & Reynolds 2002, 16). North Elmham cathedral in Norfolk provides evidence of similar, isolated skeletons buried away from the main cemetery concentration. One individual, an adult male, was buried in the cathedral boundary ditch and another just beyond the cemetery boundary. In both cases the evidence suggests that these deaths may have been unconventional: the first appeared to have been murdered and the second displayed pathological changes that would probably have been visible during life (*ibid*, 16–17). It is suggested that for these individuals location has been used to express status (*ibid*, 16).

Also at this time, cemeteries were developing for individuals who forfeited the right to burial in consecrated ground as well as for social outcasts. These, however, usually involved groups of burials rather than individuals (Lucy & Reynolds 2002, 21).

Individuals classed as social outcasts might include criminals, who before the Norman Conquest in the late 11th century had been buried away from cemeteries and churchyards, often on boundaries. After this time, criminals were usually included within cemeteries with the burials marked in some way, perhaps buried north to south or in a prone position (Daniell 2002, 244–5). Such examples were

found amongst the 12th- and 13th-century burials at St Nicholas' Hospital, Lewes, where two individuals were buried with their hands apparently tied behind their backs and one further individual with an iron manacle around his leg (Barber & Sibun 2010, 97–9).

The reason for the burial of skeleton [94] within the hospital boundary ditch and away from the cemetery remains a mystery. He was buried at a time when burial ethos and practice was changing and whilst a more inclusive policy was generally being implemented it is possible that in some groups the relationship between status and location lingered on. However, if the ditch location is a reflection of status, for skeleton [94] there is nothing to suggest that the death was unconventional or that he was a criminal.

3.13 PALAEOENVIRONMENTAL AND RADIOCARBON DATING

Kristina Krawiec, C R Batchelor and John Whittaker

INTRODUCTION

In conjunction with the archaeological excavation, two locations were selected for palaeoenvironmental recording and sampling (see Figs 2.5–2.7 and 2.9). The assessment of two sequences, <7>/<8> and <27>, determined that only <7>/<8> was suitable for full analysis (Batchelor 2012). Both sequences represented alluvial accumulation at the edge of the former flood plain of the River Medway. The material was recovered from open sections using kubiena tins and small bulk samples. The deposits were subject to waterlogged plant, palynological and macrofossil (ostracods and foraminifera) analysis within a radiocarbon-dating framework.

LITHOSTRATIGRAPHIC DESCRIPTIONS

The lithostratigraphy of column samples <7> and <8> (Tables 3.15 and 3.16) was described in the laboratory using standard procedures for recording unconsolidated sediment and peat, noting the physical properties (colour), composition (gravel, sand, clay, silt and organic matter) and inclusions (eg, artefacts). The procedure involved four stages: cleaning the samples with a spatula or scalpel blade and distilled water to remove surface contaminants; recording the physical properties (most notably colour, using a Munsell Soil Colour Chart); recording the composition (eg, gravel, fine sand, silt and clay); and recording the unit boundaries (eg, sharp or diffuse).

Depth (m OD)		Context no	Composition
From	To		
0.34	0.27	[24]	10YR 5/2; As4 Ga+ Sh+ Gg+; greyish-brown clay with a trace of sand, organic matter and gravel; diffuse contact into:
0.27	0.10	[25]	10YR 2/2; Sh3 As1; Humo 4; very dark brown clayey well-humified peat; diffuse contact into:
0.10	-0.02	[25]	10YR 3/2; Sh2 As2 Ag+ D1+; very dark greyish-brown well-humified peat and clay with a trace of silt and detrital wood; sharp contact into:
-0.02	-0.16	[26]	2.5Y 4/1; As2 Ag2; dark grey clay and silt

Table 3.15 Lithostratigraphic description of column <7>

Depth (m OD)		Context no	Composition
From	To		
0.08	-0.01	[25]	10YR 3/2; Sh2 As2 Ag+ D1+; very dark greyish-brown well-humified peat and clay with a trace of silt and detrital wood; sharp contact into:
-0.01	-0.29	[26]	2.5Y 4/1; As2 Ag2 D1+; dark grey clay and silt with a trace of detrital wood; diffuse contact into:
-0.29	-0.42	[43]	10YR 3/1; As2 Ag2 D1+; dark grey clay and silt with a trace of detrital wood

Table 3.16 Lithostratigraphic description of column <8>

ORGANIC MATTER DETERMINATIONS

Fifteen subsamples from column samples <7> and <8> were taken for determination of the organic matter content (Table 3.17). These records were important as they can identify increases in organic matter possibly associated with more terrestrial conditions. The organic matter content was determined by standard procedures involving drying the subsample at 110 °C for 12 hours to remove excess moisture; placing the subsample in a muffle furnace at 550 °C for 2 hours to remove organic matter (thermal oxidation); and reweighing the subsample to obtain the 'loss-on-ignition' (LOI) value. The samples were then reweighed after 2 hours at 950 °C to determine the calcium carbonate content (see Bengtsson & Enell 1986).

RADIOCARBON DATING

A dating sample was selected towards the base of the peat in column sample <7>, focused on the highest organic-matter content values. No identifiable plant macrofossils were recorded, so two determinations were carried out on the plant and humic fractions (Table 3.18). A third date was obtained on a sample of bone from skeleton [94]. The results have been calibrated using OxCal v4.2 (Bronk Ramsey 1995; 2001) and the IntCal13 atmospheric curve (Reimer et al 2013).

Depth (m OD)		Organic matter content (%)
From	To	
0.33	0.34	9.1917
0.29	0.30	9.6205
0.25	0.26	7.7289
0.21	0.22	9.2175
0.17	0.18	8.3024
0.13	0.14	7.4707
0.09	0.10	8.6437
0.05	0.06	9.1535
0.01	0.02	8.6025
-0.03	-0.02	8.6495
-0.05	-0.06	9.5081
-0.15	-0.14	9.0929
-0.19	-0.18	7.5773
-0.23	-0.22	9.2539
-0.27	-0.26	8.0025

Table 3.17 Results of organic matter determinations

RESULTS

LITHOLOGY

The results of the lithostratigraphic descriptions are displayed in Tables 3.15 and 3.16, the organic-matter content in Table 3.17 and radiocarbon dating in Table 3.18. The suite of results is summarised in Fig 3.14. Three major units were identified across the two column samples:

- [43] and [26] (column samples <8> and <7>; -0.67m OD to -0.01/-0.02m OD) comprised grey/dark grey silty clay with traces of detrital wood; these units were low in organic-matter content (>5–15%);
- [25] (column samples <8> and <7>; -0.01/-0.02m OD to 0.27m OD) sharply overlay these deposits, consisting of an increasingly organic-rich clayey peat; the organic-matter content of these units was also low, ranging between 20% and 40%. The results of the radiocarbon dating indicate opposing dates for when this peaty deposit began accumulating: the plant fraction result is 1610–1525 cal BP (Beta-438603, cal AD 340–425); the humic fraction is 1930–1820 cal BP (Beta-438602, cal AD 20–130). Because of various taphonomic issues there is no reason to favour one date over the other, so it is felt that the total range is the most accurate age for the sample: 1930–1525 cal BP (20–425 cal AD);

- [24] was composed predominantly of clay with traces of organic matter, sand and gravel sediment; this unit contained <15% organic matter content.

The sequence is indicative of sedimentation in an alluvial/estuarine environment of decreasing energy. More specifically, it indicates deposition of fine-grained sediments in a low-energy alluvial/estuarine environment, succeeded by peat accumulation in a semi-aquatic to semi-terrestrial environment, which occurred during the Roman period. The increasingly organic nature of these deposits up the profile suggests the peat surface became drier over time. However, the presence of clay and consistently low organic-matter values indicates the surface remained subject to periods of flooding throughout its accumulation. Finally, the deposition of fine-grained sediment indicates inundation of the peat surface by low-energy alluvial processes.

During the course of the Medway Tunnel investigations (Lowe et al 1998; Allen et al 2002), four peat units were recorded at the following approximate depths:

- -10.0m OD to -9.5m OD; radiocarbon-dated to approximately 7000–6860 cal BP (late Mesolithic);
- -4.0m OD to -3.0m OD; radiocarbon-dated to approximately 6900–6600 cal BP (late Mesolithic);
- -1.1m OD to -0.3m OD; radiocarbon-dated to approximately 2930–2700 cal BP (Iron Age);
- -0.7m OD to +1.2m OD; pottery dated to approximately 2100–1700 cal BP (Roman period).

Thus it appears that the peat recorded on the Friary Place site accumulated at approximately the same time as Unit 4 recorded on the Medway Tunnel site.

POLLEN

Methodology

Seven samples from columns <7> and <8> were extracted for pollen analysis. The procedure involved seven stages: the sampling of a standard volume of sediment (1ml); the addition of two tablets of the exotic clubmoss *Lycopodium clavatum* to provide a measure of pollen concentration in each sample; the deflocculation of the sample in 1% sodium pyrophosphate;

Laboratory code/ method	Context no	Material	Depth (m OD)	Conventional radiocarbon age (BP)	δ13C (‰)	Calibrated age BC/AD (95.4% probability)
Beta-438602 AMS	well-humified peat and clay [25]	humic fraction	-0.01 to 0.00	1930 ± 30	-29.4	cal AD 20–130
Beta-438603 AMS	well-humified peat and clay [25]	plant fraction	-0.01 to 0.00	1650 ± 30	-27.8	cal AD 340–425
Beta-440140	skeleton [94]	human bone	-	900 ± 30	-19.4	cal AD 1035–1215

Table 3.18 Radiocarbon dating results

the sieving of the sample to remove coarse mineral and organic fractions ($>125\mu\text{m}$); acetolysis; the removal of the finer minerogenic fraction using sodium polytungstate (specific gravity of $2.0\text{g}/\text{cm}^3$); and the mounting of the sample in glycerol jelly. Each stage of the procedure was preceded and followed by thorough sample cleaning in filtered distilled water. Quality control was maintained by periodic checking of residues, and by assembling sample batches from various depths to test for systematic laboratory effects. Pollen grains and spores were identified using the University of Reading pollen type collection and the following sources of keys and photographs: Moore et al (1991); Reille (1992).

The analysis procedure consisted of recording the pollen grains and spores present until a total count of 300 total land pollen (TLP) was reached. The addition and counting of *Lycopodium* spores also permitted the calculation of TLP concentration ($\text{grains}/\text{cm}^3$). Microcharcoal with dimensions $>20\mu\text{m}$ along at least one axis were noted, and concentrations counted semi-quantitatively.

Results

The results of the analysis are displayed as a percentage pollen stratigraphic diagram in Fig 3.14. Based upon variations in the pollen content, the diagram has been divided into two local pollen assemblage zones (LPAZ) – FPS1 and FPS2.

LPAZ FPS1 (-0.29m OD to -0.42m OD; [43])

This zone is characterised by moderate values of tree and shrub pollen (25% and 10% respectively) and high values of herbaceous pollen (65%). The tree and shrub assemblage is dominated by *Quercus* (15%) and *Corylus*-type (8%) with *Alnus*, *Pinus* (both $<5\%$), *Tilia*, *Ulmus*, *Fraxinus*, *Betula* and *Salix* (all $<3\%$). The herbaceous assemblage is dominated by Poaceae (20%) and Cyperaceae (15%) with *Chenopodium*-type, Lactuceae (both 5%) and a range of taxa including *Cereale*-type, *Artemisia*, *Rumex acetosalacetosella* and *R obtusifolius*, *Ranunculus*-type and Apiaceae (all $<2\%$). Aquatic taxa ($<1\%$) include sporadic occurrences of *Potamogeton*-type and *Sparganium*-type. Spores are mainly limited to *Pteridium aquilinum* (5%) and *Filicales* (2%). Unidentifiable grains total 2% and microcharcoal values are low.

LPAZ FPS2 (-0.29m OD to 0.3m OD; [26], [25], [24])

This zone is characterised by a decline in tree and shrub values to very low values (10% and 5% respectively). Trees are largely *Quercus* sp (5%), with sporadic values of *Corylus*-type, *Alnus*,

Pinus, *Tilia*, *Ulmus*, *Fraxinus*, *Betula* and *Salix*. The herbaceous assemblage (85%) remains dominated by Poaceae (30–40%) and Cyperaceae (20%) and a wide range of other taxa including Lactuceae, *Chenopodium*-type, *Artemisia*, *Rumex acetosalacetosella* and *R obtusifolius*, *Ranunculus*-type, Apiaceae and *Sinapis*-type. Aquatic taxa are dominated by *Typha latifolia* and *Sparganium*-type with *Potamogeton*-type and *Menyanthes trifoliata*. Spores are limited to sporadic occurrences of *Pteridium aquilinum*, *Filicales* and *Sphagnum*. Unidentifiable grains total up to 10% and microcharcoal values are largely low with the exception of the uppermost sample.

OSTRACODS AND FORAMINIFERA

Methodology

The overlapping columns <7> and <8> recorded contexts [24], [25], [26] and [43] in descending order. The depths of each sample processed for foraminifera and ostracods are given in Table 3.19. In each case approximately 50g of sediment was provided and processed.

Depth (OD)	Column: context
0.32 – 0.29m	7: 24
0.22 – 0.19m	7: 25
-0.01 – -0.03m	7: 26
-0.09 – -0.24m	8: 25
-0.25 – -0.26m	8: 26
-0.31 – -0.34m	8: 43

Table 3.19 Details of samples processed for ostracods and foraminifera

The samples were, where necessary, broken up by hand into smaller pieces and placed in ceramic bowls. They were then dried thoroughly in an oven. A little sodium carbonate was added (to help remove the clay fraction) and boiling water was poured over the sample. After soaking overnight each sample was then washed through a 75μ sieve with hot water and the resulting residue decanted back into the bowl for drying in the oven. In order to obtain a complete breakdown, particularly of the organic-rich samples, this process had to be repeated. After final drying the samples were placed in labelled plastic bags. Picking was undertaken by first dry-sieving each sample into $>500\mu$, $>250\mu$, $>150\mu$ and $>75\mu$ fractions, then sprinkling a little of each fraction at a time on to a picking tray. A representative fauna of foraminifera and ostracods, where present, was then picked out into a 3 inch by 1 inch faunal slide and a semi-quantitative estimate of each species made by experience and by eye (on a several specimens/common basis). These data from the three columns were then logged on separate tables (Tables 3.20 and 3.21). Notes were also made

Fig 3.14 Pollen percentage diagram incorporating the results of the lithostratigraphic descriptions, organic-matter content and radiocarbon dating, column samples <7> and <8>

Organic remains			
Context no	[24]	[25]	[26]
Depth (m OD)	0.32 to 0.29	0.22 to 0.19	-0.01 to -0.03
Plant debris and seeds	x	x	x
Earthworm granules	x		
Charcoal/slag	x		
Bone fragments	x		
Brackish foraminifera	x		x
Brackish ostracods	x		
Insect remains		x	x
Cladoceran ephippia		x	x
Ecology	semiterrestrial; contaminated	mid-high saltmarsh with vegetated freshwater pools developing latterly	
Brackish foraminifera			
Trochammina inflata	o		
Jadammina macrescens			xx
Brackish ostracods			
Cyprideis torosa	o		

Key

Brackish ostracods of tidal flats and creeks

Agglutinating foraminifera of mid-high saltmarsh

Table 3.20 Microfaunal analysis of column <7>; organic remains are recorded on a presence (x)/absence basis; foraminifera and ostracods are recorded: o = one specimen; x = several specimens; xx = common

of other important organic remains in each of the samples and also logged on the same figures, this time merely on a presence/absence basis.

Organic remains				
Context no	[25]	[26]	[43]	
Depth (m OD)	-0.09 to -0.24	-0.25 to -0.26	-0.31 to -0.34	-0.37to -0.38
Plant debris and seeds	x	x	x	x
Insect remains	x	x	x	x
Cladoceran ephippia	x			
Charophyte oogonia	x			
Brackish foraminifera		x		x
Ecology	mid-high saltmarsh; vegetated freshwater pools developing latterly			
Brackish foraminifera				
Jadammina macrescens		xx	x	x
Trochammina inflata			o	x
Miliammina fusca				o

Key

Agglutinating foraminifera of mid-high saltmarsh

Table 3.21 Microfaunal analysis of column <8>; organic remains are recorded on a presence (x)/absence basis; foraminifera and ostracods are recorded: o = one specimen; x = several specimens; xx = common

Results

Columns <7> and <8>

The two overlapping columns <7> and <8> are situated close together in the east of the development site and are close to the current course of the Medway. Taken together, both [43] and

[26] contain agglutinating foraminifera. The species found are all herbivores and detritivores specific to mid–high saltmarsh. They make a test (shell) of mineral grains bound together with organic cement, on an inner organic template. They will thus be preserved in the most reducing of environments where the organic nature of the sediment would otherwise readily destroy anything calcareous. The residues of these sediments were indeed very organic and great care has to be taken to recognise these foraminifera within the matrix. In column <7> (Table 3.20) only the lowest of three samples (-0.01m OD to -0.03m OD, [26]) indicate saltmarsh and thus tidal access, whereas the next sample (0.22m OD to 0.19m OD, [25]) did not contain foraminifera. The same occurrence took place in column <8> (Table 3.21) where, after saltmarsh foraminifera were again found in [43] (-0.31m OD to -0.38m OD), the topmost sample of the section examined, also from [25], did not. This environment probably represents high saltmarsh with vegetated freshwater pools developing latterly, as tidal access receded.

The topmost sample in column <7> (Table 3.20), representing [24] (0.32m OD to 0.29m OD) contained earthworm granules, charcoal, slag and bone fragments. There was one specimen each of a brackish foraminifera and ostracod. Foraminifera do not live in fresh water, neither would earthworms like saline soil conditions. One or both are therefore transported/reworked into a semi-terrestrial environment.

PALAEOENVIRONMENTAL OVERVIEW

The Friary Place site can be considered as lying within a coastal lowland wetland. Such systems have a number of taphonomic issues that must be considered before interpretation. One of those highlighted here is that of taxonomic precision and distinguishing the environment of origin. The identification of pollen grains (in particular herb taxa) is frequently limited by morphological similarities between grains of different species, and often only the genus can be established. In addition, the herbs found in one wetland habitat are often palynologically indistinguishable from other members of their genera/family that may have originated from different wetland or dryland environments (Waller 1993; 1998; Waller et al 2005; see, eg, Wheeler 1980a; 1980b). These issues are taken into account in the following results and interpretations.

Throughout the period of deposition, a relatively open local and regional environment is indicated by the limited values of tree and shrub pollen recorded. Those taxa most commonly recorded include oak (*Quercus*) and hazel (*Corylus*-type) with occasional ash (*Fraxinus*) and birch (*Betula*),

suggesting either the growth of nearby individual trees, copses and hedgerows or more distant (potentially managed) woodland. There are, however, indications of a minor decline in woodland cover represented by the transition from LPAZ FPS1 to LPAZ FPS2, sometime before 1930–1525 cal BP (20–425 cal AD). The fact that lime (*Tilia*) and elm (*Ulmus*) are also present during LPAZ FPS1 may suggest a hiatus between the two zones, since both species more commonly formed a component of mixed deciduous woodland during the prehistoric period before woodland clearance. The transition between the two zones also coincides with a change in archaeological context and lithostratigraphic description, which may similarly suggest a hiatus in deposition. This is a very tentative interpretation, however, based upon limited pollen data and a lack of datable material from LPAZ FPS1. A recent investigation from c 150m to the south at Strood Retail Park identified additional palynological evidence of alder (*Alnus*) and willow (*Salix*) and confirmed the overall view of only light tree coverage (Canterbury Archaeological Trust Ltd 2018).

The dominance of sedges (Cyperaceae) and grasses (Poaceae), most likely including reeds (*Phragmites australis*), with buttercups/water crowsfoot (*Ranunculus*-type), bur-reed (*Sparganium*-type), bulrush (*Typha latifolia*), pondweed (*Potamogeton*-type), bogbean (*Menyanthes trifoliata*), mint (*Mentha*-type), marsh valerian (*Valeriana*-type), clover/vetch (*Trifolium/Vicia*-type), daisies (Asteraceae) and docks/sorrel (*Rumex acetosella*, *R. acetosa*, *R. obtusifolius*), indicates the nearby growth of communities typical of wetland habitats such as semi-aquatic (eg, reed swamp) and flood plain meadow settings. The presence of alder and willow also suggests the isolated growth of wetland trees, possibly growing on the margins of the former palaeochannel. The results from the nearby Strood Retail Park site recovered a comparable environmental assemblage of wetland plants broadly dating to this period (Canterbury Archaeological Trust Ltd 2018).

There are also some signs of a brackish influence in the very sporadic occurrences of pollen taxa such as thrift (*Armeria maritima*) and possibly sea plantain (cf *Plantago maritima*) and Chenopodiaceae (eg, annual seablite (*Suaeda maritima*)). This is supported by the microfossil assemblage, which recorded agglutinating foraminifera of mid–high saltmarsh in the lower part of the profile. There is a lack of such taxa in the sediments post-dating the Roman period, which may correlate with a recorded southward trend of the tidal head in the greater Thames estuary in the later part of the period (Heppell 2010, 5).

As outlined above, however, some of these taxa (eg, Poaceae and *Rumex* sp) may also have occupied the dry land, forming disturbed ground, pastoral and/or arable land with fat hen (*Chenopodium* type), knotgrass (*Polygonum aviculare*), black knapweed (*Centaurea nigra*), cornflower (*C. cyanus*), daisies, dandelions (Lactuceae), cereals (*Cereale*-type), ribwort plantain (*Plantago lanceolata*) and brassicas (*Sinapis*-type). The range and high values of these taxa are unequivocal evidence of an environment modified by human activity.

CONCLUSIONS

The results of the analysis indicate the deposition of fine-grained sediments in a low- to moderate-energy alluvial/estuarine environment. A gradual decrease in fluvial energy led to peat formation representative of a semi-aquatic and/or frequently flooded semi-terrestrial environment during the Roman period, which correlates approximately with a period of peat formation recorded during the nearby Medway Tunnel investigations (Lowe et al 1998; Allen et al 2002). Finally, the deposition of fine-grained sediments indicates complete inundation of the peat surface and a return to a low-energy alluvial environment.

Throughout the period of deposition a relatively open local and regional environment is indicated, after prehistoric woodland clearance. Woodland was restricted to the growth of nearby individual trees, copses and hedgerows or more distant (potentially managed) woodland. There are however indications of a minor decline in woodland cover at the base of the sequence, which may be separated from the rest of the sequence by a hiatus of unknown duration. This is a very tentative interpretation, however, based upon limited pollen data and a lack of datable material from LPAZ FPS1. The local environment consisted of herbaceous and aquatic communities forming wetland habitats growing in semi-aquatic and flood plain meadow settings, with isolated wetland trees such as alder and willow. A brackish influence is perhaps indicated in the lower part of the sequence by very sporadic occurrences of saline pollen taxa and foraminifera of mid-high saltmarsh. A strong anthropogenic influence is indicated throughout, complementing the limited woodland signal. Disturbed ground, pastoral and arable communities are all indicated, together with a constant (albeit low) presence of microcharcoal.

This sequence represents a small snapshot of the environment in the Roman and post-Roman period at the site. The base of the sequence was not recorded because of water ingress and it is likely that a more vertically and laterally extensive suite of deposits exists at the site. The lack of well-dated sequences from Holocene deposits in the Medway makes comparison with the wider landscape problematic but this analysis has demonstrated the potential for such deposits to provide useful information regarding landscape change over time.

CHAPTER 4 DISCUSSION

4.1 PERIOD 1: LATE BRONZE AGE

The waterside location of ditch G1 and clay layer [141], together with the character of the small assemblage of pottery, suggests that these features were associated with salt making. Although no prehistoric palaeochannel was identified, the possible Roman channel G6 was almost certainly preceded by an earlier feature that had since eroded away during channel migration.

The Thames estuary shoreline of Kent and Essex was a major salt-production area throughout the later prehistoric and Roman periods (Kinnory 2012; Harding 2013) and the presence of salt-affected ceramics of Late Bronze Age date is not surprising. However, as no *in situ* salt-working features or artefacts, such as pedestals, were recovered, little can be said about exactly what process was occurring at Strood. The salt-affected vessels may represent part of the production process or they may be related to the consumption of salt, such as cooking or food preservation. Nevertheless, while a small Late Bronze Age/Early Iron Age salt-production site has been found at the Kingsnorth Power Station at Damhead Creek (Dawkes 2017, 136), this is the first time any evidence, however tentative, has been found for prehistoric salt production this far upstream on the River Medway estuary (Kinnory 2012).

4.2 PERIOD 2: ROMAN

EARLY ROMAN

The exact nature of the Roman occupation is unclear, largely as a result of the limited size of the investigation area. Clay surface [140] may have represented the floor of a building (B1) but too little was seen to be certain. Elsewhere, there was evidence of ditches, probably part of some form of enclosure (ENC1), but again the layout and character is uncertain.

There was evidence of salt production at the water's edge in the form of a small assemblage of briquetage and numerous burnt deposits. The tentatively identified ENC1 and B1 may have been part of this process, although no *in situ* salt-production features were found. Although the possible palaeochannel G6 was later than the enclosure, partially eroding its southern edge, aspects of the alluvial channel must have been contemporary with the salt-working occupation.

Only the northern edge of the palaeochannel was identified. The results of the column analysis indicate it was

a semi-aquatic and/or frequently flooded semi-terrestrial environment immediately adjacent to areas of human activity during the Roman period (Chapter 3.13). As with most of the Medway estuary and the Swale, this represented an ideal environment for salt making.

Like the Bronze Age evidence for salt production, the occurrence of Roman briquetage on the site is not unexpected. The north coast of Kent, particularly the Hoo peninsula, was an important zone of Roman industrial activity and exploitation, of which salt was an important part. Such was the development of industry in this region, including pottery manufacture, brewing and malting, that it has been described as the Thames estuary economic zone (Biddulph et al 2012, 193–4). However, as with the Bronze Age evidence, understanding the nature of the Roman occupation is not easy. It is uncertain whether the finds of briquetage relate to salt production or some other activity utilising salt, as no *in situ* salt-working features were found.

On the River Medway, the archaeological evidence for Roman salt production and salt-related industries is concentrated in the mouth of the estuary, especially around Nor Marsh and Hoo Salt Marsh (Hathaway's group 2). There are far fewer finds of briquetage and other salt-related artefacts further up the river, and none beyond the likely location of the Roman bridge at Rochester (Hathaway 2013).

LATE ROMAN

The Late Roman period was poorly represented, with only a small amount of unstratified coins and a single deposit. The nature of occupation is not clear, and there was no evidence for the continuation of salt making.

4.3 PERIOD 3: MEDIEVAL

PERIOD 3, PHASE 1: EARLIER MEDIEVAL (5TH TO LATE 12TH CENTURIES)

There was no evidence of any occupation during this period, with no contemporary cut features identified and only a sequence of alluvial deposits found. The only finds dating to this period were two possible Early Saxon sherds recovered from an Early Roman pit, [205], though their identification was inconclusive, and an unstratified Early Saxon strap end with a zoomorphic terminal, RF<14>. However, these finds

are still of some significance as there is so little evidence for the sub-Roman/Early Saxon occupation of Rochester and its immediate environs (Brooks & Harrington 2010, 29). What seems likely is that the site remained a semi-terrestrial saltmarsh, with low-energy alluvial inundations gradually filling the palaeochannel throughout the period (Chapter 3.13).

PERIOD 3, PHASE 2: RECLAMATION AND LEVELLING FOR THE HOSPITAL

The saltmarsh area was reclaimed during the later 12th century in advance of the construction of the hospital of St Mary, with the dumping of crushed chalk and other deposits, G22 and G15, across much of the site. The attraction of this site, immediately adjacent to the medieval bridge crossing to Rochester must have outweighed the cost of reclaiming the land. Monasteries and hospitals were often located by riversides on marginal or reclaimed land. Part of St Bartholomew's Hospital in Bristol, for example, was located on the partially backfilled channel of the River Frome (Price 1998, 61). Hospitals were usually suburban developments, often located on the cheaper land just outside city walls, where there was more space for gardens and food production. However, the long-term consequence of siting a large stone building on soft, reclaimed ground was subsidence, which caused the collapse of the chapel in the later 13th century (Harrison 1969, 147). The worked timbers recovered from the reclamation dumps were not part of an *in situ* structure, but rather were waste simply thrown in amongst the dumps.

THE HOSPITAL BUILDINGS

The limitations of the keyhole nature of these investigations are most keenly felt when trying to interpret the masonry remains. While narrow, deep trenches were perfectly suited to identifying the sequence of alluvium and reclamation, they could not be expected to reveal the form of a complex plan of successive medieval buildings. However, they did succeed in revealing numerous walls, floors and a masonry drain built on the same orientation as the chapel.

Overall, therefore, the investigations were able to identify medieval masonry buildings to the north and west of the hall and chapel excavated in the 1960s, most likely dating to the initial late 12th-century construction of the hospital. However, although it was apparent that the buildings formed an L-shaped range, at 50m east–west and 40m north–south it was not possible to identify individual rooms or even buildings with any great confidence. Nevertheless, as Harrison suggested over

50 years ago, at some later stage the plan of the hospital formed a quadrangle set around an open courtyard (OA5) (Harrison 1969, 151). A comparison with the plans of other medieval hospitals excavated in Kent reveals other sites with a chapel attached at a right angle to the hall, most notably St John's, Canterbury (Fig 4.1). Maison Dieu, Ospringe also utilised a courtyard layout, and this, and the plans of others, suggest that these institutions were not extensive and consisted either of a single structure or a few individual structures (Godfrey 1929).

No masonry from above floor level survived and any attempts at describing the form of the superstructure of the building(s) are hampered by the limited amount of remains and the paucity of the associated finds assemblages. However, it can be ventured that while some of the building(s) were initially roofed in ceramic peg tile, others may have been roofed with West Country slate, a material of some status in the 12th and 13th centuries, and later re-roofed with ceramic peg tile. The most abundant tile was in fabric T5 with a thick glaze, common on high-status buildings in south-east England between the late 11th and early 13th centuries. Despite its famous later impoverishment, the hospital was clearly an expensive foundation of some status.

The stone assemblage was very limited with two fragments of ashlar-faced Reigate stone being the only worked stone found. It seems that much of the high-quality worked stone was robbed after the abandonment of the site. Much better information on the construction of the hall and chapel came from the 1960s excavations, which found evidence both for plastered walls built of roughly cut Ragstone with some flint and chalk, and for finely cut Reigate stone being used for the quoins (Harrison 1969, 144). There is no reason to believe that the type of building(s) evidenced at the site were not of a similar quality.

The building(s) were refurbished with new floors at least once, and additional walls inserted ([96] and possible beam slot [154]). These works may well have related to Harrison's phase II (the rebuilding of the chapel in the late 14th/15th century) or phase III (insertion of walls and alterations to the hall in the late 14th/15th century; Harrison 1969, 139–60) but the dating evidence was too scant to be certain. The insertion of walls during the rebuilding in the late 14th century may have created a more partitioned hall, possibly created because of the desire to attract affluent boarders by providing private chambers (Prescott 1992, 43).

Fig 4.1 Comparative plans of Kentish medieval hospitals (Maison Dieu, Ospringe after Smith 1979; all others after Godfrey 1929 courtesy of Royal Archaeological Institute)

There was, however, no definitive evidence for the function of the buildings (B2 and B3). The presence of a stone drain in B3 indicates the buildings had a running water source. Drains built in a comparable manner found at St Mary Spital, London served the infirmary latrines and kitchens (Thomas et al 1997). A similarly constructed culvert was recently excavated at the nearby hospital of St Mary, Ospringe, Kent. As in the case of monasteries, the control of water was clearly important at these institutions (Margetts 2011, 129–42).

Overall there was little evidence for the nature of the consumption, trade and lives of the occupants from the finds assemblages. However, the more abundant finds of highly decorated jugs are typical of sites with higher-status medieval pottery usage. Despite the somewhat limited conclusions, these investigations have identified more of the precinct of St Mary's Hospital, demonstrating that it was of comparable size to better-known hospitals, such as St Bartholomew's, Gloucester (Platt 1994, 151).

The external features likely to have been contemporary with the hospital probably related to a garden area between the buildings and the riverside. The features were mostly pits, buried soils and ditch lengths, possibly delineating boundaries or fish ponds.

The presence of an articulated adult skeleton, [94], apparently laid out roughly east–west in the base of ditch [129], is highly unusual. However, the 'keyhole' nature of the investigation in this area has left some uncertainty surrounding this burial. It is possible that, as would be more usual, it was in fact placed in a grave that had been dug through the entirely silted-up ditch. Yet no grave cut was identified during the excavation, although it could have been missed in such a confined working space. The evidence for a coffin is also very limited, consisting of only three nails, and its presence is uncertain. No other skeletons were found in the admittedly limited amount of ground investigations in this area, suggesting this individual was not interred in an extensive cemetery, but was instead isolated or part of a small group of burials.

While other burials associated with the hospital have been found (see Fig 1.2, Kent HER reference TQ 76 NW 262), both within the buildings and to the south of them, none were placed in ditches and this is a highly unusual form of medieval burial. Excavations at other roadside hospitals have shown evidence for clear spatial zoning, demonstrating that they were organised and regulated, and why a body was laid out in a ditch is not easily explained (Gilchrist & Sloane 2005, 68–70). While the exact circumstance and reason for the burial

is unknown, the location may have been a reflection of the individual's status and it is possible that he was a social outcast, perhaps a criminal (Chapter 3.12).

4.4 THE END OF THE HOSPITAL PERIOD 3, PHASE 3 AND PERIOD 4, PHASE 1: ?14TH CENTURY AND LATE 15TH/MID 16TH CENTURY

Two separate demolition episodes have been identified: a widespread slighting dating to the later 13th/14th century and a smaller event dating to the late 15th/mid 16th century. Neither of these episodes contained much contemporary datable material and the exact timings are speculative. Evidence in the form of a holloway, fence line and pit shows that the site was not rebuilt after the period 3, phase 3 demolition. This indicates that most, if not all, of the building(s) were demolished during this period. This event may well have coincided with the rebuilding of the chapel and hall to the south, and it may have been a deliberate effort to reduce the size of the precinct as a result of its well-known financial problems. The reasons for this demolition may have been the result of the attack on the hospital by Simon de Montfort in 1264 (Harrison 1969, 139) or, in Harrison's view, poor workmanship and ground subsidence which made the buildings uninhabitable (ibid, 167). Whatever the reasons, the hospital does seem to have been reduced in size, probably during the late 13th to 14th century.

The later episode of demolition was on a smaller scale and probably related to the demolition of the chapel and hall, possibly the only remaining standing buildings. Although these buildings were located beyond the site to the south, it is reasonable to expect some of the demolition debris to have spread north into this area. The paucity of finds does not allow for close dating, but this demolition is likely to have been undertaken around the mid 16th century, at around the time of the Dissolution. Some 16th-century demolition deposits were also found overlying the buildings in the 1960s excavation, and it seems that here most of the buildings were levelled during the Dissolution. However, historic references show that some hospital buildings survived in the 19th century, although which structures these were is not certain (Harrison 1969, 150–1), and it is likely that the later buildings (period 4, phases 2 and 3) were constructed along a similar alignment to the surviving medieval structures.

PERIOD 4, PHASES 2 AND 3: THE POST-MEDIEVAL BUILDINGS

Of the three 17th-century structures little can be said regarding their form but, significantly, the southern building (B5) was built in red brick (wall [63]) utilising existing medieval masonry foundations, [213] (see Fig 2.15). How much of the medieval building was extant in the 17th century, and how much rebuilding was undertaken is unknown, but the small amount of standing masonry seen was only *c* 0.4m high and suggests the building was probably in a state of ruin before the rebuild.

The southern building (B5) survived until the 18th or 19th century and was apparently used at some point as a timber workshop, with successive 18th-century brick floors [207] and [178] covered with waste wood chip layers [206] and [179] respectively.

The latest historic reference to the standing remains of the hospital is Smetham's *History of Strood*, published in 1899. This book contains a sketch of a timber-framed building with tie beam and crown post, which Harrison believes was an 'almshouse' to the north-west of the hall and chapel (1969, 148–50). The south excavation was located across Harrison's proposed area, and masonry walls [96] and [213] both mirrored the suggested alignment of Smetham's timber-framed building (Figs 1.4 and 2.14). Although [213] extended further east than the location shown on the sketch, these walls could have been dwarf wall foundations used to carry the timber-framed superstructure. In addition, wall [213] was rebuilt in the 17th century (wall [63]) and continued in existence into the 19th century, and this does appear to be the best candidate for the building described by Smetham.

The fate of the other 17th-century buildings in the west (B6) and east (B4) is unknown, but Harrison mentions in his introduction that in 1966 the site was cleared of buildings of 'possible 17th century date' (1969, 139). This may well have happened to the western building, but is unlikely in the case of the building in the east, which was overlain by 19th-century wall footings.

The construction of the period 4, phase 3 19th-century buildings (B7 and B8) can be dated by cartographic evidence to between 1869 and 1896. They appear to have been residential building fronting on to Newark Yard (B7) and Friary Place (B8), surviving until the mid 20th century.

4.5 CONCLUSION

The investigations managed to provide an outline chronological narrative from the Late Bronze Age until the 19th century. This was the first identification of the prehistoric/Roman lowland wetland and preliminary exploration of the associated environmental habitat. It was also the first evidence of possible prehistoric and Roman salt working in the locale, although this was not entirely unexpected. In addition, a better understanding of the development of the medieval hospital was achieved: principally, a recognition of its use of reclaimed land, a further exploration of the extent and form of the outlying hospital buildings (B2 and B3) and adjacent area (OA4) and more artefactual evidence of its decline.

The keyhole nature of the work, however, and the limited finds assemblage recovered means that the conclusions proposed are by no means definitive, and much remains unresolved. Little was seen of the prehistoric and Roman landscape, and the extent and exact nature of the lowland activity is unknown. Equally, the full form and even the function of the outlying buildings (B2 and B3) of the medieval hospital are still unknown, as is the nature of the adjacent pits and ditches in OA4.

BIBLIOGRAPHY

Abbreviations

Journal title abbreviations generally follow those of the Council for British Archaeology, except for:

SAC *Sussex Archaeological Collections*

Place of publication given where outside Britain

- Ager, B, 2016 Frankish bird-headed pin from burial G655, in Doherty, A, & Greatorex, C A, *Excavations on St Anne's Hill: a Middle/Late Iron Age site and Anglo-Saxon cemetery at St Anne's Road, Eastbourne, East Sussex*, Spoilheap Monogr Ser, **11**, 124–6
- Allen, T L, Lyne, M, McNabb, J, & Holmes, T, 2002 Archaeological works on the eastern approach of the Medway Tunnel, unpub Canterbury Archaeological Trust rep
- ASE, 2008 An archaeological evaluation at Friary Place, Strood, Kent, unpub ASE rep
- Atkinson, D R, & Oswald, A, 1969 London clay tobacco pipes, *J Brit Archaeol Ass*, **32**, 171–227
- Barber, L, & Sibun, L, 2010 The medieval hospital of St Nicholas, Lewes, East Sussex; Excavations 1994, SAC, **148**, 79–109
- Bass, W, 2005 *Human osteology: a laboratory and field manual*, 5th edn, Missouri Archaeol Soc Spec Pub, **2**, Columbia, Mo
- Batchelor, C R, 2012 Friary Place, Strood (site code: FPS07): column sample assessment, unpub Quaternary Scientific (QUEST) rep, project no 126/12
- Bayley, J C, & Butcher, S, 2004 *Roman brooches in Britain: a technological and typological study based on the Richborough Collection*, Rep Res Comm Soc Antiq London, **68**
- Bengtsson, L, & Enell, M, 1986 Chemical analysis, in *Handbook of Holocene palaeoecology and palaeohydrology* (ed B E Berglund), 423–51
- Bennett, K A, 1993 *A field guide for human skeletal identification*, Springfield, Ill
- Biddulph, E, Foreman, S, Stafford, E, Stansbie, D, & Nicholson, R 2012 *London gateway: Iron Age and Roman salt making in the Thames estuary. Excavation at Stanford Wharf Nature Reserve, Essex*, Oxford Archaeol Monogr Ser, **18**
- Boardman, S, & Jones, G, 1990 Experiments on the effects of charring on cereal plant components, *J Archaeol Sci*, **17**, 1–11
- Bronk Ramsey, C, 1995 Radiocarbon calibration and analysis of stratigraphy: the OxCal program, *Radiocarbon*, **37**(2), 425–30
- Bronk Ramsey, C, 2001 Development of the radiocarbon calibration program, *Radiocarbon*, **43**(2a), 355–63
- Brooks, S, & Harrington, S, 2010 *The kingdom and people of Kent AD 400–1066: their history and archaeology*
- Brooks, S T, & Suchey, J M, 1990 Skeletal age determination based on the os pubis: comparison of the Acsádi–Nemeskéri and Suchey–Brooks methods, *J Hum Evol*, **5**, 227–38
- Buikstra, J E, & Ubelaker, D H, 1994 *Standards for data collection from human skeletal remains*, Arkansas Archaeol Survey Res Ser, **44**, Fayetteville, Arkansas
- Burnham, B C, & Wachter, J, 1990 *The small towns of Roman Britain*
- Campbell, G, 1994 The preliminary archaeobotanical results from Anglo-Saxon West Cotton and Raunds, in *Environment and economy in Anglo-Saxon England* (ed J Rackam), CBA Res Rep, **89**, 65–82
- Canterbury Archaeological Trust Ltd, 2018 Strood Retail Park, Commercial Road, Strood, Rochester, Kent ME2 2AB, unpub rep
- Cappers, R T J, Bekker, R M, & Jans, J E A, 2006 *Digital seed atlas of the Netherlands*, Groningen Archaeol Stud, **4**, Eelde
- Cessford, C, 2002 Two 17th-century Kentish pipemakers, Soc Clay Pipe Res Newslett, **59**, 11
- Clay, R M, 1909 The mediaeval hospitals of England
- Crummy, N, 1983 *The Roman small finds from excavations at Colchester 1971–9*, Colchester Archaeol Rep, **2**
- Daniell, C, 2002 *Conquest, crime and theology in the burial record 1066–1200*
- Davies, B J, Richardson, B, & Tomber, R S, 1994 *The archaeology of Roman London: Vol 5, A dated corpus of early Roman pottery from the City of London*, CBA Res Rep, **98**
- Dawkes, G, 2017 *Between Thames and Medway: archaeological excavations on the Hoo peninsula and its environs*, Spoilheap Monogr Ser, **13**
- Detsicas, A, 1977 First-century pottery manufacture at Eccles, Kent, in *Roman pottery studies in Britain and beyond: papers presented to John Gillam, July 1977* (eds H Dore & K Greene), BAR Int Ser, **30**, 19–36
- Detsicas, A, 1983 *The Cantiaci*
- Driesch, A von den, 1976 *A guide to the measurement of animal bones from archaeological sites*, Peabody Mus Bull, **1**, Cambridge, Mass
- Egan, G, & Pritchard, F, 1991 *Dress accessories c 1150–c 1450*, HMSO Medieval Finds Excav London, **3**
- Fisher, T, 1772 *The history and antiquities of Rochester and its environs*
- Gilchrist, R, & Sloane, B, 2005 *Requiem: the medieval monastic cemetery in Britain*
- Godfrey, W H, 1929 Some medieval hospitals of East Kent, *Archaeol J*, **86**(1), 100–10
- Goodall, I, 2011 *Ironwork in medieval Britain: an archaeological study*, Soc Medieval Archaeol Monogr Ser, **31**
- Grant, A, 1982 The use of toothwear as a guide to the age of domestic ungulates, in *Ageing and sexing animal bones from archaeological sites* (eds B Wilson, C Grigson & S Payne), BAR Brit Ser, **109**, 91–108
- Hadley, D M, 2011 Late Saxon burial practice, in *The Oxford Handbook of Anglo-Saxon Archaeology* (eds H Hamerow, D Hinton & S Crawford), 288–311
- Hall, L, 2005 *Period House fixtures and fittings 1300–1900*
- Harding, A, 2013 *Salt in prehistoric Europe*, Leiden
- Harrison, A C, 1969 Excavations on the site of St Mary's Hospital, Strood, *Archaeol Cantiana*, **84**, 139–60
- Harrison, L, 1998 The Roman brick and tile, in Hicks, A J, Excavations at Each End, Ash, 1992, *Archaeol Cantiana*, **118**, 91–172
- Hathaway, S-J E, 2013 Making the invisible, visible: Iron Age and Roman salt-production in southern Britain, unpub PhD thesis, Univ Bournemouth
- Hattat, R, 1989 *A visual catalogue of Richard Hattat's brooches*
- HCG KCC (Heritage Conservation Group, Kent County Council), 2008 Specification for archaeological excavation in advance of the construction of a new Aldi Food Store and a separate retail unit, Friary Place (rear of 46 / 98), High Street, Strood, Medway, unpub rep
- Heppell, E, 2010 *The Greater Thames Estuary historic environment research framework: update and revision of the archaeological research framework for the Greater Thames Estuary (1999)*
- Higgins, D A, & Davey, P J, 2004 Appendix 4: draft guidelines for using the clay tobacco pipe record sheets, in White, S D, *The dynamics of regionalisation and trade: Yorkshire clay tobacco pipes c 1600–1800*, BAR Brit Ser, **374**, 487–90
- Jacomot, S, 2006 Identification of cereal remains from archaeological sites, 2nd edn, https://duw.unibas.ch/fileadmin/user_upload/duw/IPNA/PDF_s/PDF_s_in_use/Cereal_Id_Manual_engl.pdf (accessed 9 August 2019)
- Kinnory, J, 2012 *Salt production, distribution and use in the British Iron Age*, BAR Brit Ser, **559**
- Le Hégarat, K, & Mooney, D E, 2012 Environmental samples: macrobotanicals and charcoal, in Dawkes, G, A post-excavation assessment and updated project design report on excavations at Friary Place, Strood, Kent, unpub ASE rep no 2012223

- Lovejoy, C, Meindl, R, Pryzbeck, T, & Mensforth, R, 1985 Chronological metamorphosis of the auricular surface of the ilium: a new method for the determination of adult skeletal age at death, *American Journal of Physical Anthropology* **68**, 15–28
- Lowe, J J, Branch, N P, Ellis, I, & Taylor, R, 1998 Medway Tunnel Project analysis phase: palynology report, unpub ArchaeoScape rep no ASC-97/11
- Lucy, S, & Reynolds, A (eds), 2002 Burial in early medieval England and Wales, *Soc Medieval Archaeol Monogr Ser*, **17**
- MacGregor, A, 1985 *Bone, antler, ivory and horn: the technology of skeletal materials since the Roman period*
- Margetts, A, 2011 The medieval hospital of St Mary the Blessed Virgin, Ospringe (*Maison Dieu*): further details of its original layout revealed by excavations at the Fairways, *Archaeol Cantiana*, **131**, 129–42
- Marsh, G, & Tyers, P, 1978 The Roman pottery from Southwark, in *Southwark excavations 1972–4* (eds J Bird, A H Graham, H Sheldon & P Townend) (2 vols), Joint Publ London Middlesex Archaeol Soc/Surrey Archaeol Soc, **1**, 533–82
- Moore, P D, Webb, J A, & Collinson, M E, 1991 *Pollen analysis*, 2nd edn
- Morris, E L, 2001 Briquetage and salt production and distribution systems: a comparative study, in Lane, T, & Morris, E L, *A millennium of salting: prehistoric and Romano-British salt production in the Fenland*, Lincolnshire Archaeol Heritage Rep Ser, **4**, 389–404
- NIAB, 2004 *Seed identification handbook: agriculture, horticulture and weeds*, 2nd edn
- Parfitt, K, & Brugmann, B, 1997 *The Anglo-Saxon cemetery on Mill Hill, Deal, Kent*, *Soc Medieval Archaeol Monogr Ser*, **14**
- PCRG (Prehistoric Ceramic Research Group), 2010 *The study of prehistoric pottery: general policies and guidelines for analysis and publication*, PCRG Occas Pap, **1&2**, 3rd edn; available online at http://www.pcr.org.uk/News_pages/PCRG%20Guidelines%203rd%20Edition%20%282010%29.pdf (accessed 9 August 2019)
- Platt, C, 1994 *Medieval England: a social history and archaeology from the Conquest to 1600 AD*
- Ponce, P, 2018 The human remains, in Sibun, L, & Ponce, P, *In life and death: archaeological excavations at the Queen's Chapel of the Savoy, London*, SpoilHeap Monogr Ser **17**, 100
- Prescott, E, 1992 *The English medieval hospital 1050–1640*
- Price, R, with Ponsford, M, 1998 *St Bartholomew's Hospital, Bristol: the excavation of a medieval hospital: 1976–8*, CBA Res Rep, **110**
- Reille, M, 1992 *Pollen et Spores d'Europe et d'Afrique du Nord*, Marseille
- Reimer, P, Bard, E, Bayliss, A, Beck, J, Blackwell, P, Bronk Ramsey, C, Grootes, P, Guilderson, T, Hafflason, H, Hajdas, I, Hatté, C, Heaton, T, Hoffmann, D, Hogg, A, Hughen, K, Kaiser, K, Kromer, B, Manning, S, Niu, M, Reimer, R, Richards, D, Scott, E, Southon, J, Staff, R, Turney, C, & van der Plicht, J, 2013 IntCal13 and Marine13 radiocarbon age calibration curves 0–50,000 years cal BP, *Radiocarbon*, **55**, 1869–87
- Rigold, S, 1965 Two camerae of the military orders, *Archaeol J*, **122**, 86–132
- Rivet, A L F, & Smith, C, 1979 *The place-names of Roman Britain*
- Serjeantson, D, & Woolgar, C M, 2006 Fish consumption, in *Food in medieval England: diet and nutrition* (eds C M Woolgar, D Serjeantson & T Waldron), 102–3
- Smetham, H, 1899 *History of Strood*
- Smith G H, 1979 The excavation of the hospital of St. Mary of Ospringe, commonly called Maison Dieu, *Archaeol Cantiana*, **95**, 81–184
- Smith, W, 2011 Charred plant remains, in Simmonds, A, Wenban-Smith, F, Bates, M, Powell, K, Sykes, D, Devaney, R, Stansbie, D, & Score, D, *Excavations in north-west Kent, 2005–2007: one hundred thousand years of human activity in and around the Darent valley*, Oxford Archaeol Monogr Ser, **11**, 155–70
- Smith, W, 2012 Charred plant remains, in Allen, T, Donnelly, M, Hardy, A, Hayden, C, & Powell, K, *A road through the past: archaeological discoveries on the A2 Pepperhill to Cobham road-scheme in Kent*, Oxford Archaeol Monogr, **16**, 562–7
- Stace, C, 1997 *New flora of the British Isles*
- Stewart, T, 1979 *Essentials of forensic anthropology: especially as developed in the United States*, Springfield, Ill
- Swann, J, 1982 *Shoes*
- Sweetinburgh, S, 2004 The role of the hospital in medieval England: gift-giving and the spiritual economy, Dublin
- Tatton-Brown, T, 2001 The quarrying and distribution of Reigate stone in the Middle Ages, *Medieval Archaeol*, **45**, 189–201
- Tester, P, 1972 Medieval pottery, in Harrison, A, Rochester east gate, 1969, *Archaeol Cantiana*, **87**, 142–50
- Tester, P, 1983 A post-medieval pottery group from a well in Rochester, *Archaeol Cantiana*, **99**, 262–6
- Thomas, C, Sloane, B, & Phillpotts, C, 1997 *Excavations at the priory and hospital of St Mary Spital, London*, MoLAS Monograph Ser, **1**
- Thomas, G, 2003 *Late Anglo-Saxon and Viking-age strap-ends 750–1100: Part 1*, Finds Res Group Datasheet, **32**
- Thompson, V, 2002 Constructing salvation: a homiletic and penitential context for Late Anglo-Saxon burial practice, in Lucy & Reynolds, 229–40
- Waller, M P, 1993 Flandrian vegetational history of south-eastern England. Pollen data from Pannel Bridge, East Sussex, *New Phytologist*, **124**, 345–69
- Waller, M P, 1998 An investigation into the palynological properties of fen peat through multiple pollen profiles from south-eastern England, *J Archaeol Sci*, **25**, 631–42
- Waller, M P, Binney, H A, Bunting, M J, & Armitage, R A, 2005 The interpretation of fen carr pollen diagrams: pollen–vegetation relationships within fen carr, *Rev Palaeobotany Palynology*, **133**, 179–202
- Wardle, A, 1998 Musical instruments, in Egan, G, 1998 *The medieval household: daily living c 1150–c 1450*, HMSO Medieval Finds Excav London, **6**, 284–7
- Ward Perkins, J B, 1940 *The London Museum medieval catalogue*
- Weekes, J, 2012 South-east research framework resource assessment and research agenda for the medieval period, unpub Kent County Council rep
- Wheeler, A, 1978 *Key to the fishes of northern Europe*
- Wheeler, B D, 1980a Plant communities of rich-fen systems in England and Wales I: introduction, tall sedge and reed communities, *J Ecology*, **68**, 365–95
- Wheeler, B D, 1980b Plant communities of rich-fen systems in England and Wales III: fen meadow, fen grassland and fen woodland communities, and contact communities, *J Ecology*, **68**, 761–88
- Williams, D E, 1979 Clay tobacco pipes from Chatham, *Archaeol Cantiana*, **95**, 231–40
- Zohary, D & Hopf, M, 2000. *Domestication of Plants in the Old World*

The archaeological investigations at Friary Place, Strood, were undertaken between November 2007 and May 2012. The site is located to the east of the centre of Strood and to the north of the High Street, which was the focus of medieval settlement. The medieval hospital of St Mary lay to the immediate north of the High Street. Remains of the hospital buildings were predominately identified during archaeological excavation in 1966, and these lay within and to the immediate south of the ASE investigations.

Four main periods of archaeological activity from the Late Bronze Age to the 19th century were identified. The Bronze Age and Roman archaeology was fairly limited and comprised mainly of land division features, such as ditches and enclosures, but with some possible indications of salt working. The salt working may have been associated with a Roman and early medieval palaeochannel and saltmarsh deposits, although no in situ salt-working features were identified.

The excavation also uncovered further remains of the medieval hospital of St Mary and 17th-century and later post-medieval buildings. The keyhole nature of these investigations has limited interpretation of the masonry remains but did succeed in revealing numerous walls, floors and a masonry drain built on the same orientation as the hospital chapel. An articulated adult skeleton found laid out in the base of a medieval ditch represents a highly unusual burial for this period. Of the later 17th-century buildings, little is known of their complete form, but one was used as a timber workshop and survived until the 18th or 19th century.