

<i>Unadjusted Values</i>	<i>Odds Ratio of Engel I at 1 year</i>	<i>95% Confidence Interval</i>	<i>p value</i>
<i>Age > 1 year at seizure onset</i>	2.56	1.15 to 6.04	0.0355
<i>Less than 2 years from presentation to surgery</i>	1.62	0.59 to 4.11	0.457
<i>Interictal and ictal EEG concordant</i>	1.07	0.35 to 3.51	>0.9999
<i>Interictal EEG and MRI correlate</i>	2.176	0.8 to 6.49	0.182
<i>Ictal EEG and MRI correlate</i>	1.64	0.59 to 4.57	0.424
<i>Ictal EEG, Interictal EEG and MRI all correlate</i>	1.69	0.62 to 4.66	0.325
<i>Right hemispheric FCD</i>	2.66	1.15 to 5.92	0.033
<i>PET scan performed</i>	1.6	0.59 to 4.11	0.457
<i>Invasive EEG performed</i>	0.46	0.18 to 1.11	0.105
<i>Resective Surgery v Disconnection</i>	0.99	0.31 to 3.12	>0.9999
<i>Histology confirmed FCD</i>	1.78	0.76 to 4.2	0.251
<i>No residual Disease or Connection on Post-op MRI</i>	3.63	1.49 to 8.69	0.0048
<i>No epileptiform discharges on post-op EEG</i>	4.57	1.75 to 11.12	0.0017

Table 3. Factors affecting surgical outcome. Based on the 92 patients > 1-year post surgery. Abbreviations: Positron emissions tomography (PET), electroencephalogram (EEG), magnetic resonance imaging (MRI), focal cortical dysplasia (FCD), postoperative (post-op).