

Barriers to pedestrians in a growing African city How to quantify them using minimal data

Paulo Rui Anciaes

Centre for Transport Studies University College London

Judite Nascimento
Universidade de Cabo Verde

International Conference on Transport and Health In-person transit stop meeting, 21-22 June 2022, Cardiff

Community severance (barrier effect of roads)





Trips
Walking
Physical activity
Independent mobility
Social interaction

Worse...

Health (Higgsmith et al 2022)
Wellbeing (Anciaes et al (2019)


Existing methods



Video surveys Street audits Participatory mapping Spatial analysis Travel vs. health/wellbeing survey Stated preference surveys

https://www.ucl.ac.uk/street-mobility/toolkit

Community severance in African cities



Contributions of this study

To literature on barrier effects in African cities

Quantify the barrier effect of roads for the first time in an African city (Praia, capital of Cabo Verde)

Analyse the equity dimensions of the barrier effect



To literature on barrier effects

Map the effect at the city level

Indicators that account for land use (what is on the other side of the road)

- Houses of others
- Food shops



Praia



- 132,000 people (2010) → 188,000 (2023 est.)
- 75% of buildings in informal settlements, 15% of population in poverty
- 81% of households do not own a car, insufficient public transport
- 9%/year increase in number of vehicles. New roads planned.















Data



Provided by local government



Manual mapping

 $\label{lem:markets:local} \textbf{Markets:} \ local \ knowledge \ and \ information \ in \ municipal \ master \ plan$

Supermarkets and minimarkets



List of private companies (provided by local or missing Shop name in Open Street Map or Google Maps address Compare unlocated shops in each neighbourhood with (image) maps in Nascimento (2003)

Data




Add (manually) as attributes Road hierarchy (Levels 1-2) Number of lanes, median strip (in Roads Levels 1-2)

Demographics



Add (manually) as attribute Type of zone: formal, old (consolidated) informal, new informal, isolated

Shapefile provided by local government




Add (manually) as attribute

Age group Sex of household head Level of material comfort (indicator combining 10 variables)

Barrier effect of a road segment

Use Anciaes and Jones (2020) scale (based on pedestrian preferences): 0-100



- Number of lanes
- Median strip
- Traffic volun
- Traffic speed



Barrier effect for residents in a given building j

Barrier to homes of others (within 600m)


 $\sum\nolimits_{k} \text{Sum of barrier effect of all roads} \\ \text{from building j to building k}$

Proportion of area of k in area of all buildings within 600m of j


Barriers to food shops (within 600m)

 $\sum\nolimits_{k}^{Sum \ of \ barrier \ effect \ of \ all \ roads} \underset{k}{\text{ roportion of area of k in area of all shons within 600m of a second solution}} * Proportion of area of k in area of all shons within 600m of a second solutions are all shons within 600m of a second solutions.}$ from building j to shop \boldsymbol{k}


Results - barriers to homes of others



Results - barriers to food shops




Results by type of area




Further (regression) analysis confirmed that older informal areas have higher than average barrier effects and newer informal areas have lower barrier effects

Results by household comfort level



Further (regression) analysis confirmed that populations with very low and very high comfort levels have lower than average barrier effects

Results by age group



Further (regression) analysis confirmed that individuals aged 65+ have higher than average barrier effects

Sensitivity analysis

Alternative assumptions for same indicators

- Only Level 1 roads
- Destinations within 400m
 - Destinations within 800m Inversely weight destinations by
- distance
- Indicators are more variable
 - Most socio-economic patterns still apply

Alternative indicators

- Distance to nearest Level 1 road
- Distance to nearest Level 1 or 2 road Length of Level 1 roads within 600m
- Length of Level 1/2 roads within 600m
- Indicators are less variable
 - Some socio-economic patterns do not apply anymore

Conclusions

- Roads reduce walking accessibility, affecting most of the city but with higher incidence in older informal zones and affecting older people
- 2 Households with very high and very low comfort levels are least affected
- Olicy implication: barrier effect already high in many areas. New roads will increase this effect, so mitigation measures are needed
- Indicators capture differences between areas near roads with many destinations on other side and areas near similar roads with no reason to cross the road.
 Simpler indicators would not capture those differences
- Possible to build this indicator with minimal data (but tedious manual mapping.)

Thank you!

p.anciaes@ucl.ac.uk

https://iris.ucl.ac.uk/iris/browse/profile?upi=PRANC25