



Letter

Probing the CP nature of the top–Higgs Yukawa coupling in $t\bar{t}H$ and tH events with $H \rightarrow b\bar{b}$ decays using the ATLAS detector at the LHC

The ATLAS Collaboration*

ARTICLE INFO

Editor: M. Doser

ABSTRACT

The CP properties of the coupling between the Higgs boson and the top quark are investigated using 139 fb^{-1} of proton–proton collision data recorded by the ATLAS experiment at the LHC at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$. The CP structure of the top quark–Higgs boson Yukawa coupling is probed in events with a Higgs boson decaying into a pair of b -quarks and produced in association with either a pair of top quarks, $t\bar{t}H$, or a single top quark, tH . Events containing one or two electrons or muons are used for the measurement. Multivariate techniques are used to select regions enriched in $t\bar{t}H$ and tH events, where dedicated CP -sensitive observables are exploited. In an extension of the Standard Model (SM) with a CP -odd admixture in the top–Higgs Yukawa coupling, the mixing angle between CP -even and CP -odd couplings is measured to be $\alpha = 11^{+52}_{-73}^\circ$, compatible with the SM prediction corresponding to $\alpha = 0$.

1. Introduction

Since the observation of the Higgs boson at the LHC [1,2], its properties have been studied in great detail. In particular, the observation of the Higgs boson production in association with a top-quark pair, $t\bar{t}H$ [3,4], provides direct experimental access to the top-quark Yukawa coupling at the tree-level. The increasing datasets at the LHC have recently allowed the ATLAS and CMS Collaborations to probe the charge-conjugation and parity (CP) properties of this coupling using $t\bar{t}H$ events in different decay channels [5–7]. This letter reports on a study of the CP properties of the top-quark Yukawa coupling using $t\bar{t}H$ and tH production, in the $H \rightarrow b\bar{b}$ decay channel. The analysis targets final states where at least one top quark decays semi-leptonically to electrons or muons. It uses $\sqrt{s} = 13 \text{ TeV}$ pp collision data recorded by the ATLAS experiment during Run 2, corresponding to an integrated luminosity of 139 fb^{-1} .

The Standard Model (SM) predicts the Higgs boson to be a scalar particle with quantum numbers $J^{CP} = 0^{++}$. Considering the possibility of beyond the Standard Model (BSM) couplings, a CP -odd component of the vector-boson couplings to the Higgs boson is naturally suppressed by the scale at which new physics would become relevant [8,9]. This suppression does not happen for Yukawa couplings, where CP -odd Higgs–fermion couplings may be significant already at tree level [10]. One of the first ATLAS and CMS measurements have excluded the pure $J^P = 0^-$ hypothesis by more than 95% CL using $H \rightarrow \gamma\gamma$, $H \rightarrow ZZ^*$ and $H \rightarrow WW^*$ decays [11,12]. Dedicated searches for CP -mixed couplings between the Higgs boson and vector bosons set stringent limits on

the CP -odd components [13–21]. Analyses of $t\bar{t}H$ events with $H \rightarrow \gamma\gamma$ decays [5,6] and in the multilepton final state [7] have also excluded pure CP -odd top–Higgs couplings at more than a 3σ significance. But mixing of CP -odd and CP -even states has not been ruled out and is worth investigating. The observation of a non-zero CP -odd coupling component would in fact signal the existence of BSM physics, and open up the possibility of CP -violation in the Higgs sector [22–25]. Such a new source of CP violation could play a fundamental role in explaining the matter–antimatter asymmetry of the universe. This analysis targets $t\bar{t}H$ and tH events, which are sensitive to the top–Higgs coupling including any potential CP -mixing at the tree-level. This avoids the need for assumptions about the influence of BSM effects which may be present in other, more indirect measurements [26–28]. In particular, current limits on electron and neutron electrical dipole moments place indirect model-dependent constraints on a possible pseudoscalar component of the top-quark Yukawa coupling [29–31].

The top–Higgs interaction can be extended beyond the SM as [26]:

$$\mathcal{L}_{t\bar{t}H} = -\kappa'_t y_t \phi \bar{\psi}_t (\cos \alpha + i \gamma_5 \sin \alpha) \psi_t, \quad (1)$$

where y_t is the SM Yukawa coupling strength, modified by a coupling modifier κ'_t ; α is the CP -mixing angle; ϕ is the Higgs field; ψ_t and $\bar{\psi}_t$ are top-quark spinor fields and γ_5 is a Dirac matrix. The term containing γ_5 corresponds to a pseudoscalar component. The above expression reduces to the SM case for $\kappa'_t = 1$ and $\alpha = 0$. An anomalous value of α would produce an admixture with a pseudoscalar coupling ($J^{CP} = 0^{+-}$) and change the differential cross-section relative to the SM

* E-mail address: atlas.publications@cern.ch.

expectation, while a variation of κ'_t would induce a change in the total cross-section [22,32–35].

This study measures simultaneously the values of κ'_t and α with a binned profile likelihood fit to data, exploiting dedicated CP -sensitive observables. It closely follows a recent analysis optimised for the measurement of the $t\bar{t}H(\rightarrow bb)$ production cross-section [36]. This analysis studies an identical phase space using the same physics object definitions and a similar methodology for event selection and evaluation of systematic uncertainties. A notable exception is that this analysis considers both the $t\bar{t}H$ and tH production modes as signals. No attempt was made to optimise the analysis strategy for the tH signal, as its small yield makes this channel relevant only in one analysis region. Other noteworthy differences with respect to the analysis documented in Ref. [36] are detailed in the text. These include the definition of signal regions, the signal-background discrimination strategy and a few details in the definition of systematic uncertainties in signal and background modelling. In the case of tH production, the destructive interference between the diagrams with $t-H$ and $W-H$ couplings leads to the negligible tH production cross-section in the SM. Any change in the relative $t-H$ and $W-H$ coupling strengths would result in a rapid increase in the cross-section. Considering the Lagrangian density in Eqn. 1, the tH production cross-section is expected to grow for values of the mixing angle α different from zero [23]. An opposite and less pronounced dependence exists for the $t\bar{t}H$ cross-section. The ratio of tH to $t\bar{t}H$ cross-sections varies from 0.06 in the SM scenario to more than 1.2 in the pure CP -odd scenario [23]. For the present measurement, the $H \rightarrow b\bar{b}$ branching ratio is assumed to be equal to its SM value of $58.2\% \pm 0.5\%$ [37].

2. The ATLAS experiment

The ATLAS experiment [38–40] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters and a muon spectrometer. A two-level trigger system is used to reduce the total event rate to 1 kHz on average, depending on the data-taking conditions [41]. An extensive software suite [42] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment. The events used in this analysis are selected using single-lepton triggers [43,44], with either low thresholds for the lepton transverse momentum (p_T) and a lepton isolation requirement, or higher thresholds, looser identification criteria and without any isolation requirement. The lowest p_T threshold for muons is 20 (26) GeV, while for electrons the threshold is 24 (26) GeV for the data taken in 2015 (2016–2018).

3. Event preselection

Events are required to have at least one primary vertex, formed by two or more associated tracks with transverse momenta greater than 0.5 GeV. The vertex with the highest sum of p_T^2 of associated tracks is selected as the hard-scattering primary vertex. Events with exactly one lepton (electrons or muons, denoted as ℓ) or two oppositely charged leptons are considered in this analysis, referred to as the $\ell +$ jets channel and dilepton channel, respectively. Electrons are identified using the

‘Tight’ likelihood criterion [45] and are required to have $p_T > 10$ GeV and $|\eta| < 2.47$, excluding those in the calorimeter barrel–endcap transition region ($1.37 < |\eta| < 1.52$). Muons are selected with the ‘Medium’ identification criterion [46] and are required to have $p_T > 10$ GeV and $|\eta| < 2.5$. Electrons (muons) are required to pass the ‘Gradient’ (‘Fixed-Cut-Tight-Track-Only’) isolation requirements [45,46]. All leptons are required to originate from the primary vertex. At least one of the leptons must have $p_T > 27$ GeV and match the corresponding lepton used in the trigger decision. In events with an ee or $\mu\mu$ pair, the dilepton invariant mass is required to be above 15 GeV and outside the Z boson mass window of 83–99 GeV.

This analysis targets events with high jet multiplicities, including b -quark jets expected in the final state of $t\bar{t}H$ and tH events with a subsequent $H \rightarrow b\bar{b}$ decay. Following the same procedure as Ref. [36], jets are reconstructed from topological clusters of energy depositions in the calorimeter [47,48] using the anti- k_t algorithm [49,50] with a radius parameter of $R = 0.4$. The MV2c10 algorithm [51] is used to identify (or ‘ b -tag’) jets containing b -hadrons. By placing different selections on the MV2c10 discriminant, four working points are defined with average b -jet tagging efficiencies of 60%, 70%, 77% and 85% and different c - and light-jet rejection rates. The corresponding efficiencies and rejection rates are calibrated to data [51–53]. A pseudo-continuous b -tagging score is assigned to each jet. A score of two, three, four and five is assigned if a jet passes the 85%, 77%, 70% and 60% working point, but fails the adjacent tighter one. If a jet fails all working points, a score of one is assigned. In the $\ell +$ jets (dilepton) channel, events are required to have at least five (three) jets with $p_T > 25$ GeV and $|\eta| < 2.5$, and at least four (three) of the jets are required to be b -tagged at the 70% efficiency working point.

The missing transverse momentum is reconstructed as the negative vector sum of the p_T of all selected objects in the event, with an extra ‘soft term’ built from additional tracks associated with the primary vertex [54].

The analysis also exploits the collimated decay topology from high- p_T Higgs bosons. Jets with a radius parameter of $R = 0.4$ are reclustered [55] using the anti- k_t algorithm with a radius parameter of $R = 1.0$. The resulting jets are referred to as *large-R* jets. The *large-R* jets are required to have a mass larger than 50 GeV, $p_T > 200$ GeV and at least two constituent jets with $R = 0.4$.

4. Signal and background modelling

After applying the above selection criteria, background events are dominated by $t\bar{t}$ production with additional jets ($t\bar{t} +$ jets), that contain heavy-flavour hadrons (b - and c -hadrons). Other processes contribute less than 10% of the total expected background. All background processes are estimated using Monte Carlo (MC) simulations, closely following Ref. [36].

The simulated events were produced using the ATLAS detector simulation [56] based on GEANT4 [57]. To simulate the effects of multiple interactions in the same and neighbouring bunch crossings (pile-up), additional interactions were generated using PYTHIA 8.186 [58] with a set of tuned parameters called the A3 tune [59] and overlaid on the simulated hard-scatter event. Simulated events are reweighted to match the pile-up conditions observed in the full Run 2 dataset. All simulated event samples are processed through the same reconstruction algorithms and analysis chain as the data [42].

Events in the simulated $t\bar{t} +$ jets background sample are categorised according to the flavour of the additional jets which do not originate from the top-quark decay. The simulation of each set of backgrounds is treated independently as this allows for a more accurate modelling of $t\bar{t} +$ jets events. The categorisation is based on ‘MC-truth jets’ that are clustered with stable generated particles (with mean lifetime $\tau > 3 \times 10^{-11}$ s) in the final state using the anti- k_t algorithm with $R = 0.4$. MC-truth jets with $p_T > 15$ GeV and $|\eta| < 2.5$ in the simulated events are used for the categorisation. Their MC-truth flavour is

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The momentum component in the transverse plane is referred to as the transverse momentum (p_T). The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

determined by counting the number of b/c -hadrons contained within $\Delta R = 0.4$ of the jet axis. Events with at least one MC-truth jet containing b -hadrons not originating from a top-quark decay are labelled as $t\bar{t} + \geq 1b$. This can be further separated into subcomponents corresponding to $t\bar{t} + 1b$ and $t\bar{t} + \geq 2b$. Events failing to satisfy that criterion but with at least one MC-truth jet containing c -hadrons not originating from top-quark decay are labelled $t\bar{t} + \geq 1c$. The rest of the events are labelled as $t\bar{t} + \text{light}$. The dominant $t\bar{t} + \geq 1b$ background is modelled using a sample of $t\bar{t} + b\bar{b}$ events generated at next-to-leading order (NLO) in QCD in the four-flavour scheme, with two additional massive b -quarks produced at the matrix element (ME) level. The ME simulation was performed using the POWHEG BOX RES generator and OPENLOOPS [60–63], with the NNPDF3.0NLO nf4 [64] parton distribution function (PDF) set and PYTHIA 8.230 [58] with the A14 set of tuned parameters [65] for the simulation of the parton shower (PS) and hadronisation. Given that the production rate of $t\bar{t}$ with additional b -jets is observed to be underestimated by the current predictions [66,67], the normalisation of the $t\bar{t} + \geq 1b$ background is determined from the analysed data without prior constraints. The $t\bar{t} + \geq 1c$ and $t\bar{t} + \text{light}$ backgrounds are modelled from a subset of an inclusive $t\bar{t} + \text{jets}$ sample generated at NLO in QCD using POWHEG BOX v2 [68–71] as the ME generator interfaced with PYTHIA 8.230 for the PS and hadronisation. This inclusive $t\bar{t} + \text{jets}$ sample is generated with the five-flavour scheme, where c - and b -quarks not originating from a top-quark decay are assumed to be massless. Due to limited knowledge regarding $t\bar{t} + \geq 1c$ production, an additional 100% uncertainty is included in its normalisation. Additionally, a prior uncertainty of 6% is assigned to the inclusive $t\bar{t} + \text{jets}$ production cross-sections according to the predicted inclusive $t\bar{t}$ production cross-section at NNLO+NNLL [72–78]. Other background processes include the production of $W + \text{jets}$, $Z + \text{jets}$, $t\bar{t}W$, $t\bar{t}Z$, tZq , tWZ , $t\bar{t}\bar{t}$ and $WW/WZ/ZZ$ events. These are all subdominant and modelled from simulation as detailed in Ref. [36]. A small fraction of events contains misidentified leptons or leptons originating from the decay of heavy-flavour hadrons. The contribution from these events is found to be negligible in the $\ell + \text{jets}$ channel. In the dilepton channel, this small contribution is modelled using a simulation.

The signal processes, $t\bar{t}H$ and tH , are simulated with different values of α and κ'_t . All other parameters were fixed to their SM values, including the $H \rightarrow b\bar{b}$ branching ratio. The alternative scenarios were simulated using the NLO Higgs Characterisation [37,79] model implemented in MADGRAPH5_AMC@NLO with FeynRules [80,81]. With a few exceptions, all signal samples were generated using the MADGRAPH5_AMC@NLO 2.6.2 [82] generator at NLO in QCD using the five-flavour scheme with the NNPDF3.0NNLO PDF set, interfaced with PYTHIA 8.230 with the A14 set of tune parameters for PS and hadronisation. The SM $t\bar{t}H$ events were simulated using MADGRAPH5_AMC@NLO 2.6.0. The renormalisation and factorisation scales were set to $\sqrt[3]{m_T(t) \cdot m_T(\bar{t}) \cdot m_T(H)}$, where $m_T = \sqrt{m^2 + p_T^2}$ is the transverse mass of a particle. The cross-section is normalised to 507 fb from the fixed-order calculation including NLO QCD and electroweak corrections, with an uncertainty of 3.6% from variations in PDF and α_s and 9.2% due to variations of the renormalisation and factorisation scales [37,83–87]. A K -factor of 1.1 is derived by taking the ratio of the cross-section from the above fixed-order calculation to that from MADGRAPH5_AMC@NLO, and is applied to all $t\bar{t}H$ samples with different values of α and κ'_t . For the tH signal, two subprocesses, $tHjb$ and tWH , are considered. The $tHjb$ (tWH) events were generated in the four(five)-flavour scheme using the NNPDF3.0NNLO nf4 (NNPDF3.0NNLO) PDF set [64], with the renormalisation and factorisation scales set to the generator's default. The cross-sections for the $tHjb$ and tWH samples are obtained directly from MADGRAPH5_AMC@NLO. In the SM scenario, the cross-section for $tHjb$ and tWH are 60.1 fb and 16.7 fb, respectively. Variations of the renormalisation and factorisation scales, including the consideration of the flavour scheme choice for the $tHjb$ process, contribute 15% and 6.7% to the uncertainty of the cross-sections of $tHjb$ and tWH respectively.

Similarly, variations of the PDFs and α_s result in a 3.7% and 6.3% uncertainty in the $tHjb$ and tWH cross-sections, respectively. A diagram removal scheme [88] is applied in the simulation of the tWH events in order to remove diagrams already included in the $t\bar{t}H$ simulation.

The yields of $t\bar{t}H$ and tH signals are parameterised as a function of the model parameters by smoothly interpolating between generated MC samples with varying α and κ'_t . The parameterisation is performed in each analysis bin. Two $t\bar{t}H$ samples with alternative values of α were generated, corresponding to a pure CP -odd interaction ($\alpha = 90^\circ$) and maximal CP -odd/ CP -even mixing ($\alpha = 45^\circ$). The $t\bar{t}H$ yields, $N_{t\bar{t}H}(\kappa'_t, \alpha)$, are parameterised using the SM sample and the pure CP -odd sample as $\kappa'^2 c_\alpha^2 N_{CP\text{-even}} + \kappa'^2 s_\alpha^2 N_{CP\text{-odd}}$, where $c_\alpha = \cos \alpha$, $s_\alpha = \sin \alpha$, and $N_{CP\text{-even}}$ and $N_{CP\text{-odd}}$ are the expected yields predicted by the SM and the CP -odd $t\bar{t}H$ simulations, respectively. This was verified to be a good approximation using the maximal mixing sample ($\alpha = 45^\circ$), with the difference in any analysis bin smaller than the uncertainties due to the limited number of simulated events. In the case of tH , the interference between diagrams with CP -even and CP -odd $t - H$ and SM $W - H$ couplings are considered in the parameterisation, assuming contributions from lowest order diagrams of $tHjb$ and tWH processes. The signal yield in each analysis bin is parameterised as $N_{tH}(\kappa'_t, \alpha) = Ak'^2 c_\alpha^2 + Bk'^2 s_\alpha^2 + Ck'_t c_\alpha + Dk'_t s_\alpha + Ek'^2 c_\alpha s_\alpha + F$. Coefficients A – F are derived separately for each analysis bin, by fitting to the yields predicted by multiple simulated samples with varying κ'_t and α . The terms with c_α^2 and s_α^2 correspond to the contribution from CP -even and CP -odd $t - H$ coupling, respectively. The terms at the first order of c_α and s_α account for potential interference effects between CP -even and CP -odd $t - H$ coupling and SM $W - H$ coupling contributions. The term F represents the contribution from only the SM $W - H$ coupling. Ten samples generated with different values of α and κ'_t in addition to the SM tH sample are used for the parameterisation. These samples include: samples where $\kappa'_t = 1$ and α is set between 15° to 90° in steps of 15° , samples with $\kappa'_t = -1, 0.5$, and 2 where $\alpha = 0^\circ$ and an additional sample with $\alpha = 45^\circ$ and $\kappa'_t = 2$. Uncertainties due to limited number of MC events in these simulated samples are considered when performing the parameterisation fit in each bin. Good closure was observed: the largest χ^2 per degree of freedom was 0.19 in any given bin. Uncertainties pertaining to the parameterisation of either signal were found to have a negligible impact on the measured values of α and κ'_t .

5. Analysis strategy

In order to optimise the analysis sensitivity, events satisfying the preselection criteria are categorised into orthogonal regions in two steps. In the first step, control regions (CR) and training regions (TR) are defined using requirements on jet multiplicity, b -tagging and large- R jets. The TRs are defined according to the expected numbers of objects from the decay of the signal events, whilst the CRs with lower object multiplicities are signal depleted. The TRs broadly contain the signals and are used to train various multivariate algorithms (MVA). Dedicated observables are constructed in the TRs to enhance sensitivity to the top-Higgs Yukawa CP coupling. In the second step, MVAs are used to divide the TRs into signal regions (SR) and additional CRs with relatively high and low signal purity, respectively. Given the small contribution expected from tH events, the categorisation, MVAs and CP -sensitive observables are optimised for the $t\bar{t}H$ signal. All regions labelled CR and SR are simultaneously fit to the data using either specific observables or simple yields as specified below. Both steps are described in detail below.

The first step of categorisation adopts a strategy similar to that described in Ref. [36], devised to separate the SM signal from the various backgrounds. A 'boosted' region, labelled as $\text{TR}_{\text{boosted}}$, is firstly defined in the $\ell + \text{jets}$ channel by requiring the presence of a high- p_T Higgs boson candidate which is identified using a deep neural network (DNN). The DNN is trained to identify the boosted Higgs boson candidates from among large- R jets with $p_T > 300$ GeV [36]. A mixture of constituent

Table 1

Definition of the CRs and TRs according to the number of jets and b -tagged jets using different b -tagging selection criteria, and the number of boosted Higgs boson candidates. For CRs, the bottom row indicates the observables used in the fit to data in the corresponding regions. For the $\text{TR}_{\text{boosted}}$ region, the b -tagged jets flagged with † are not constituents of the boosted Higgs boson candidate. Events must pass $N_{b\text{-tag}}$ requirements for each b -tagging selection criteria.

Region	Dilepton				$\ell + \text{jets}$			
	$\text{TR}^{\geq 4j, \geq 4b}$	$\text{CR}_{\text{hi}}^{\geq 4j, \geq 3b}$	$\text{CR}_{\text{lo}}^{\geq 4j, \geq 3b}$	$\text{CR}_{\text{hi}}^{\geq 3j, \geq 3b}$	$\text{TR}^{\geq 6j, \geq 4b}$	$\text{CR}_{\text{hi}}^{\geq 5j, \geq 4b}$	$\text{CR}_{\text{lo}}^{\geq 5j, \geq 4b}$	$\text{TR}_{\text{boosted}}$
N_{jets}		≥ 4		$= 3$	≥ 6		$= 5$	≥ 4
$N_{b\text{-tag}}$	@85%	–					≥ 4	
	@77%	–					–	$\geq 2^\dagger$
	@70%	≥ 4		$= 3$			≥ 4	–
	@60%	–	$= 3$	< 3	$= 3$	–	≥ 4	–
$N_{\text{boosted cand.}}$	–					0		≥ 1
Fit observable	–		Yield		–	$\Delta R_{bb}^{\text{avg}}$		–

Table 2

Summary of the selections used to define SRs and CRs from the TRs, based on the classification BDT score. In the boosted region, the selection requirement is applied and rejected events are removed entirely from further analysis. In the dilepton channel, events with failed reconstruction due to absence of a real solution from the neutrino weighting are categorised into an additional region known as $\text{CR}_{\text{no-reco}}^{\geq 4j, \geq 4b}$. The fitted discriminating variable in each region is indicated in the last column.

Channel (TR)	Final SRs and CRs	Classification BDT selection	Fitted observable
Dilepton ($\text{TR}^{\geq 4j, \geq 4b}$)	$\text{CR}_{\text{no-reco}}^{\geq 4j, \geq 4b}$	–	$\Delta\eta_{\ell\ell}$
	$\text{CR}_{\text{hi}}^{\geq 4j, \geq 4b}$	$\text{BDT}^{\geq 4j, \geq 4b} \in [-1, -0.086]$	b_4
	$\text{SR}_1^{\geq 4j, \geq 4b}$	$\text{BDT}^{\geq 4j, \geq 4b} \in [-0.086, 0.186]$	b_4
	$\text{SR}_2^{\geq 4j, \geq 4b}$	$\text{BDT}^{\geq 4j, \geq 4b} \in [0.186, 1]$	b_4
$\ell + \text{jets}$ ($\text{TR}^{\geq 6j, \geq 4b}$)	$\text{CR}_1^{\geq 6j, \geq 4b}$	$\text{BDT}^{\geq 6j, \geq 4b} \in [-1, -0.128]$	b_2
	$\text{CR}_2^{\geq 6j, \geq 4b}$	$\text{BDT}^{\geq 6j, \geq 4b} \in [-0.128, 0.249]$	b_2
	$\text{SR}^{\geq 6j, \geq 4b}$	$\text{BDT}^{\geq 6j, \geq 4b} \in [0.249, 1]$	b_2
$\ell + \text{jets}$ ($\text{TR}_{\text{boosted}}$)	$\text{SR}_{\text{boosted}}$	$\text{BDT}_{\text{boosted}} \in [-0.05, 1]$	$\text{BDT}_{\text{boosted}}$

jet masses, pseudo-continuous b -tagging scores and jet substructure observables [89] are used as input features for the training. Events failing this DNN selection defining the $\text{TR}_{\text{boosted}}$ region are categorised into CRs and TRs according to the number of jets (j) and various b -tagging (b) requirements. Events in the TRs are required to have at least the number of jets and b -tagged jets expected from the final state of the $t\bar{t}H$ signal. This results in four statistically independent regions in the dilepton channel, named $\text{CR}_{\text{hi}}^{\geq 3j, \geq 3b}$, $\text{CR}_{\text{lo}}^{\geq 4j, \geq 3b}$, $\text{CR}_{\text{hi}}^{\geq 4j, \geq 3b}$ and $\text{TR}^{\geq 4j, \geq 4b}$, and three regions in the $\ell + \text{jets}$ channel, named $\text{CR}_{\text{lo}}^{\geq 5j, \geq 4b}$, $\text{CR}_{\text{hi}}^{\geq 5j, \geq 4b}$ and $\text{TR}^{\geq 6j, \geq 4b}$. The yields of these regions enter the fit. The requirements used to define all CRs and TRs are summarised in Table 1. Regions labelled with ‘hi’ (‘lo’) have relatively higher (lower) fractions of events with true b -jets not from top-quark decays, and are selected with tight (loose) b -tagging requirements. The average ΔR separation between b -jets ($\Delta R_{bb}^{\text{avg}}$) is used as the observable which enters the fit for $\text{CR}_{\text{lo}}^{\geq 5j, \geq 4b}$ and $\text{CR}_{\text{hi}}^{\geq 5j, \geq 4b}$ regions as it better constrains the shape of the backgrounds. All mentioned CRs have different fractions of $t\bar{t} + \text{light}$, $t\bar{t} + \geq 1c$ and $t\bar{t} + \geq 1b$ events and this helps to constrain the systematic uncertainties in each of these components.

In the TRs, two sets of boosted decision trees (BDT) are trained: reconstruction BDTs and classification BDTs. The former is trained to assign jets as coming from the decay of the Higgs boson or top quarks in $t\bar{t}H$ events, while the latter is trained to discriminate the $t\bar{t}H$ signal against the backgrounds. Both the reconstruction and classification BDTs are trained using simulated SM $t\bar{t}H$ events. It was tested that their performance is equally good for a pure CP -odd signal. For both the reconstruction and classification BDTs, the training procedures are performed independently for each TR and are identical to those used in Ref. [36]. The reconstruction BDTs are trained to classify the correct combinations of jet assignments from random ones. The training ex-

plores the relative positional information between pairs of objects, and the invariant masses of object pairs and triplets that form W -boson and top-quark candidates. In order to reconstruct the top-quark and Higgs boson candidates, for each event, all possible permutations of jet assignments are evaluated and the permutation with the highest BDT score is selected. The reconstruction BDTs provide important information that improves the performance of the classification BDTs, whilst allowing for the calculation of observables sensitive to the CP nature of the Yukawa coupling. Classification BDT inputs include reconstruction BDT (DNN in the boosted channel) outputs, pseudo-continuous b -tagging discriminant scores of jets, and kinematic features, such as angular separations and invariant masses of pairs of b -tagged jets. The classification BDTs are used to further refine the TRs to define the final CRs and SRs, as detailed later. The classification BDTs used in $\text{TR}^{\geq 4j, \geq 4b}$, $\text{TR}^{\geq 6j, \geq 4b}$ and $\text{TR}_{\text{boosted}}$ are henceforth denoted by $\text{BDT}^{\geq 4j, \geq 4b}$, $\text{BDT}^{\geq 6j, \geq 4b}$ and $\text{BDT}_{\text{boosted}}$, respectively.

Dedicated CP -sensitive observables are computed in $\text{TR}^{\geq 4j, \geq 4b}$ and $\text{TR}^{\geq 6j, \geq 4b}$ and are used in the fit to determine the CP properties of the top-quark Yukawa coupling. Two CP observables, b_2 and b_4 [22, 35], were found to provide the best discrimination in $\text{TR}^{\geq 6j, \geq 4b}$ of the $\ell + \text{jets}$ channel and $\text{TR}^{\geq 4j, \geq 4b}$ of the dilepton channel, respectively. They are defined as:

$$b_2 = \frac{(\vec{p}_1 \times \hat{z}) \cdot (\vec{p}_2 \times \hat{z})}{|\vec{p}_1| |\vec{p}_2|}, \quad \text{and} \quad b_4 = \frac{(\vec{p}_1 \cdot \hat{z})(\vec{p}_2 \cdot \hat{z})}{|\vec{p}_1| |\vec{p}_2|},$$

where \vec{p}_i with $i = 1, 2$ are the momentum three-vectors of the two top quarks in the events and \hat{z} is a unit vector in the direction of the beamline and defines the z -axis. The b_4 observable exploits the enhanced production of top quarks travelling in opposite longitudinal directions and closer to the beamline in CP -odd $t\bar{t}H$ production. The observ-




Fig. 1. Yields calculated following a fit with κ'_t and α as free parameters, compared to the observed data in all analysis regions. The different backgrounds and the signal are shown in coloured stack. The background component labelled “other” corresponds to the production of $W + \text{jets}$, $Z + \text{jets}$, $t\bar{t}W$, $t\bar{t}Z$, tZq , tWZ , $t\bar{t}\bar{t}$ and $WW/WZ/ZZ$ events, as in Ref. [36]. The dashed and dotted lines show the sum of $t\bar{t}H + tH$ signals for pure CP -even and CP -odd hypotheses normalised to the total data yields including all regions. The hashed area around the prediction illustrates the total post-fit uncertainties. In the middle panel, the best-fit model is compared with the data by showing ratios of its value to the post-fit background prediction. The histogram represents the total post-fit model including the best-fit signals. The hashed band represents the total post-fit uncertainty as a ratio to the background. In the bottom panel, the S/B is shown for pure CP -even and CP -odd signals, separately. The histograms are shown as a stack of $t\bar{t}H$ and tH .

able b_2 relies simultaneously on the smaller azimuthal separation of top quarks and on their larger longitudinal fraction of momentum in CP -odd $t\bar{t}H$ production. The calculation of b_2 is performed in the $t\bar{t}H$ rest frame [35], which enhances the discrimination power.

Computation of b_2 and b_4 requires the full reconstruction of both top quarks and the Higgs boson. However, the reconstruction BDTs only resolve the hadronic part of the $t\bar{t}H$ system. In the $\ell + \text{jets}$ channel, the missing transverse momentum is used as a proxy for the p_T of the undetected neutrino from the semileptonically decaying top quark. The z component of the neutrino four-momentum is obtained from a quadratic equation constructed from the lepton four-momentum and the missing transverse momentum, using as a constraint the leptonic W boson’s mass, assumed to be its on-shell value. Both solutions of the quadratic equation are used to reconstruct the top-quark mass, and the one yielding a mass closer to 172.5 GeV is chosen. In the case of a negative determinant, a solution is obtained by setting the determinant to zero. In the dilepton channel, the neutrino weighting technique is used to determine the four momenta of the two neutrinos [90,91]. Neutrino weighting provides a solution for reconstructing the $t\bar{t}$ pair for 68% of the events in $\text{TR}^{≥4j, ≥4b}$.

In contrast to the $\text{TR}^{≥4j, ≥4b}$ and $\text{TR}^{≥6j, ≥4b}$ regions, the CP -odd signals are strongly enhanced in comparison with the CP -even signals in the $\text{TR}_{\text{boosted}}$ region. The yields of $t\bar{t}H$ with pure CP -even and CP -odd couplings are approximately equal in the $\text{TR}_{\text{boosted}}$ region. Additionally, the yield of the tH signal with a pure CP -odd coupling is comparable

to the $t\bar{t}H$ signal yield. The total CP -odd signal is therefore expected to be 50% larger than a CP -even signal in this region. Given the substantial sensitivity provided by the yield in this region, the distribution of the classification BDT ($\text{BDT}_{\text{boosted}}$) is used instead of a dedicated CP -sensitive observable.

In the second step of the categorisation, TRs are further refined to CRs and SRs according to the output of the reconstruction and classification BDTs. A summary of the selections used to define the regions is detailed in Table 2. In $\text{TR}_{\text{boosted}}$, events below a classification BDT score of -0.05 are discarded to reduce contamination of $t\bar{t} + \text{light}$ events. $\text{TR}^{≥4j, ≥4b}$ and $\text{TR}^{≥6j, ≥4b}$ are further categorised, each into three regions, according to the classification BDT score. The resulting regions have similar background compositions but different expected signal-to-background ratios (S/B). The BDT thresholds are determined by optimising the sensitivity to the SM $t\bar{t}H$ signal. The three regions (one in $\ell + \text{jets}$ and two in dilepton) with an $S/B > 7\%$ are referred to as SRs. The remaining three regions (two in $\ell + \text{jets}$ and one in dilepton) are used as additional CRs to constrain the modelling of the CP observables in the backgrounds events. The highest S/B in the resulting SRs is 22% (10%) for a pure CP -even (CP -odd) signal. For $\text{SR}^{≥4j, ≥4b}$ in the dilepton channel, b_4 cannot be calculated for events where the neutrino weighting fails to provide a solution. These events are categorised as an additional region, $\text{CR}_{\text{no-reco}}^{≥4j, ≥4b}$, where the difference in η between the two leptons, $\Delta\eta_{\ell\ell}$, is used as a CP -sensitive observable instead [26].

Table 3

The observed data yields and the expected signal and background yields in the $\ell + \text{jets}$ channel. The expected yields of pure CP -even and CP -odd $t\bar{t}H$ and tH signals, with $\kappa'_t = 1$, are shown at the top of the table. The uncertainties in the pure CP -even and CP -odd $t\bar{t}H$ and tH signals are the total uncertainties before fitting to data. Below that are shown the post-fit $t\bar{t}H$ and tH yields, corresponding to $\kappa'_t = 0.84$ and $\alpha = 11^\circ$. The following seven rows show the yields and uncertainties of individual background sources, where “other” corresponds to $W + \text{jets}$, $Z + \text{jets}$, $t\bar{t}W$, $t\bar{t}Z$, tZq , tWZ , $t\bar{t}\bar{t}$ and $WW/WZ/ZZ$ events, as in Ref. [36]. The row labelled ‘Total’ represents the total signal plus background post-fit yields. The uncertainties in the post-fit yields are evaluated from the post-fit nuisance parameters as well as the post-fit uncertainties in the fitted free parameters (α and κ'_t for the signals and $k_{t\bar{t}+b}$ for the $t\bar{t} + \geq 1b$ background) that affect the corresponding processes. The correlations amongst all fitted parameters are taken into account. Due to these correlations the uncertainties on the total yields do not correspond to the quadrature sum of uncertainties of individual signals and backgrounds.

	$\text{CR}_{\text{lo}}^{\geq 4b}$	$\text{CR}_{\text{hi}}^{\geq 4b}$	$\text{CR}_1^{\geq 6j, \geq 4b}$	$\text{CR}_2^{\geq 6j, \geq 4b}$	$\text{SR}_1^{\geq 6j, \geq 4b}$	$\text{SR}_{\text{boosted}}$
$t\bar{t}H (1, 0^\circ)$	60 ± 9	63 ± 10	78 ± 11	139 ± 18	173 ± 26	46 ± 6
$tH(1, 0^\circ)$	3.5 ± 0.5	3.8 ± 0.6	3.3 ± 0.6	2.3 ± 0.6	1.3 ± 0.4	1.9 ± 0.4
$t\bar{t}H (1, 90^\circ)$	28 ± 6	28 ± 6	45 ± 11	61 ± 12	68 ± 16	45 ± 6
$tH(1, 90^\circ)$	19.0 ± 2.8	19.4 ± 3.1	17.4 ± 3.1	13.1 ± 3.5	10 ± 4	29 ± 6
$t\bar{t}H (0.84, 11^\circ)$	40 ± 30	41 ± 31	50 ± 40	90 ± 70	110 ± 80	30 ± 22
$tH (0.84, 11^\circ)$	3 ± 4	3.9 ± 1.9	3.1 ± 1.9	1.9 ± 0.8	1.3 ± 1.7	3 ± 5
$t\bar{t} + \geq 1b$	1530 ± 80	1090 ± 60	4300 ± 120	2220 ± 120	1110 ± 110	335 ± 30
$t\bar{t} + \geq 1c$	650 ± 50	96 ± 11	950 ± 80	450 ± 40	153 ± 15	196 ± 22
$t\bar{t} + \text{light}$	280 ± 40	28 ± 8	230 ± 60	117 ± 26	32 ± 11	76 ± 15
Other	173 ± 30	99 ± 20	320 ± 50	159 ± 21	83 ± 11	60 ± 11
Total	2690 ± 50	1350 ± 40	5870 ± 80	3040 ± 70	1500 ± 50	701 ± 31
Data	2696	1363	5837	3090	1470	699

Table 4

The observed data yields and the expected signal and background yields in the dilepton channel. The expected yields of pure CP -even and CP -odd $t\bar{t}H$ and tH signals, with $\kappa'_t = 1$, are shown at the top of the table. The uncertainties in the pure CP -even and CP -odd $t\bar{t}H$ and tH signals are the total uncertainties before fitting to data. Below that are shown the post-fit $t\bar{t}H$ and tH yields, corresponding to $\kappa'_t = 0.84$ and $\alpha = 11^\circ$. The following seven rows show the yields and uncertainties of individual background sources, where “other” corresponds to $W + \text{jets}$, $Z + \text{jets}$, $t\bar{t}W$, $t\bar{t}Z$, tZq , tWZ , $t\bar{t}\bar{t}$ and $WW/WZ/ZZ$ events, as in Ref. [36]. The row labelled ‘Total’ represents the total signal plus background post-fit yields. The uncertainties in the post-fit yields are evaluated from the post-fit nuisance parameters as well as the post-fit uncertainties in the fitted free parameters (α and κ'_t for the signals and $k_{t\bar{t}+b}$ for the $t\bar{t} + \geq 1b$ background) that affect the corresponding processes. The correlations amongst all fitted parameters are taken into account. Due to these correlations the uncertainties in the total yields do not correspond to the quadrature sum of uncertainties of individual signals and backgrounds.

	$\text{CR}_{\text{hi}}^{\geq 3j, \geq 3b}$	$\text{CR}_{\text{lo}}^{\geq 4j, \geq 3b}$	$\text{CR}_{\text{hi}}^{\geq 4j, \geq 3b}$	$\text{CR}_{\text{no-reco}}^{\geq 4j, \geq 4b}$	$\text{CR}_{\text{lo}}^{\geq 4j, \geq 4b}$	$\text{SR}_1^{\geq 4j, \geq 4b}$	$\text{SR}_2^{\geq 4j, \geq 4b}$
$t\bar{t}H (1, 0^\circ)$	26 ± 4	79 ± 8	120 ± 12	16.9 ± 2.1	6.9 ± 1.1	12.5 ± 1.5	24.8 ± 2.9
$tH(1, 0^\circ)$	1.12 ± 0.13	0.90 ± 0.13	1.74 ± 0.20	0.19 ± 0.08	0.087 ± 0.035	0.100 ± 0.033	0.09 ± 0.06
$t\bar{t}H (1, 90^\circ)$	10.6 ± 1.6	35.6 ± 3.5	54 ± 5	7.2 ± 0.9	4.3 ± 0.6	6.1 ± 0.7	10.9 ± 1.3
$tH(1, 90^\circ)$	5.4 ± 0.6	7.0 ± 1.0	10.7 ± 1.2	1.8 ± 0.8	0.48 ± 0.19	0.48 ± 0.16	0.5 ± 0.4
$t\bar{t}H (0.84, 11^\circ)$	18 ± 14	50 ± 40	80 ± 60	11 ± 9	4.7 ± 3.4	8 ± 6	17 ± 12
$tH (0.84, 11^\circ)$	0.9 ± 0.5	1.0 ± 1.9	1.5 ± 1.3	0.17 ± 0.16	0.068 ± 0.016	0.08 ± 0.14	0.07 ± 0.09
$t\bar{t} + \geq 1b$	1990 ± 80	2520 ± 110	4040 ± 130	288 ± 15	371 ± 16	160 ± 8	122 ± 11
$t\bar{t} + \geq 1c$	550 ± 50	2510 ± 150	1160 ± 90	23 ± 4	31.1 ± 2.5	13.4 ± 1.6	8.2 ± 1.0
$t\bar{t} + \text{light}$	143 ± 27	960 ± 130	230 ± 40	1.7 ± 0.4	2.3 ± 0.8	1.4 ± 0.8	0.57 ± 0.25
Other	140 ± 11	390 ± 19	340 ± 40	33 ± 8	18.6 ± 2.5	10.9 ± 1.3	8.7 ± 1.0
Total	2840 ± 50	6430 ± 80	5850 ± 80	358 ± 12	428 ± 15	194 ± 5	156 ± 6
Data	2827	6429	5865	354	420	190	170

6. Systematic uncertainties

Systematic uncertainties are assessed for three main sources: theoretical modelling of the signal processes, background modelling which is dominated by the uncertainties in the $t\bar{t} + \geq 1b$ background and experimental sources involving the (mis)identification rates and energy calibration of leptons, jets, b -jets and missing transverse momentum. Uncertainties accounting for the limited number of events in all simulated samples are also considered. Systematic variations can affect the

overall yields, relative yields between analysis regions and shapes of observables.

Uncertainties associated with the modelling of the $t\bar{t}H$ signals include variations due to initial and final state radiation (ISR and FSR), choice of the NLO matching procedure as well as the PS and hadronisation model. These uncertainties are evaluated using events generated with POWHEG BOX + PYTHIA 8, which are produced with the same PDF set and renormalisation and factorisation scales as the nominal MADGRAPH5_AMC@NLO + PYTHIA 8 sample, unless otherwise specified.




Fig. 2. The distributions of the fitted variables in all signal regions. The stacked histograms represent the predictions from a fit of signal and background to data with both κ'_t and α as free parameters. This is compared with data shown with black dots. The solid red histogram shows the best-fit signal with $\alpha = 11^\circ$ and $\kappa'_t = 0.84$. The dashed and dotted lines show $tH + tH$ signal predictions for pure CP -even and CP -odd hypotheses, respectively, normalised to the total data yield per region in order to illustrate the shapes of the signal distribution. The hashed area around the prediction illustrates the total post-fit uncertainties. The lower panel shows the ratio of data to the predicted yields from a fit of signal and background in which κ'_t and α are free parameters.

Variations relative to the SM hypothesis are propagated to scenarios with alternative values of α and κ'_t . To estimate the uncertainty related to the amount of partonic ISR, the renormalisation and factorisation scales in the ME and α_s^{ISR} in the PS are varied simultaneously [92]. The impact of the FSR is evaluated by varying α_s^{FSR} in the PS. The impact of varying the PS and hadronisation models is estimated by comparing tH samples generated using POWHEG BOX + PYTHIA 8.230 with those generated from POWHEG BOX + HERWIG 7.04 [93]. The uncertainty due to the choice of NLO matching procedure is derived by directly comparing the POWHEG BOX + PYTHIA 8 sample with the nominal MADGRAPH5_AMC@NLO + PYTHIA 8 sample. The uncertainties in the modelling of tH are estimated using the nominal sample generated using MADGRAPH5_AMC@NLO + PYTHIA 8. For each tH subprocess ($tH jb$ and tWH), two sources of modelling uncertainty are considered: that associated with the description of PDFs, and the uncertainty due to missing higher-order QCD contributions. The former is estimated from the standard deviation of the expected yields using 100 NNPDF3.0NLO eigenvector PDF sets, in each analysis bin used to build the likelihood function. The latter is estimated by coherently varying μ_r and μ_f by factors of 0.5 and 2.

The most important uncertainties in the background estimation come from the modelling of the $t\bar{t} + \geq 1b$ background. These uncertainties are designed to account for the choice of NLO matching procedure, PS and hadronisation model as well as the flavour scheme utilised in the $t\bar{t} + \geq 1b$ event generation. An uncertainty in the ME-to-PS matching procedure is assessed by comparing the POWHEG BOX + PYTHIA 8 sample with a sample generated using MADGRAPH5_AMC@NLO + PYTHIA 8, both in the five-flavour scheme. The variation by comparing these two samples is propagated to the nominal $t\bar{t} + \geq 1b$ sample generated with POWHEG BOX RES + PYTHIA 8 in the four-flavour scheme. This uncertainty is separated into three components that are treated independently: one for the dilepton channel, another for the non-boosted regions in the $\ell + \text{jets}$ channel, and a third for the $\ell + \text{jets}$ boosted region. This treatment is found to be important because it provides the fit with enough flexibility to cover the potential background mismodelling. Uncertainties in the choice of the PS model are evaluated by comparing the nominal sample with the one produced with POWHEG Box + HERWIG 7. These uncertainties are treated in the same way as the uncertainty in the NLO matching procedure. An additional source of systematic uncertainty is introduced to address the choice of flavour scheme used for the generation of the $t\bar{t} + \geq 1b$ events. It is evaluated by

comparing the nominal sample, generated in the four-flavour scheme using POWHEG + PYTHIA 8, with that produced in the five-flavour scheme reweighted to remove differences in scale settings. Uncertainties in ISR and FSR are estimated using the same procedure as used for the $t\bar{t}H$ signals. An uncertainty due to differences in relative fraction of $t\bar{t} + 1b$ and $t\bar{t} + \geq 2b$ subcomponents from different MC predictions is also considered. Other uncertainties in $t\bar{t} + \geq 1b$ and uncertainties in other background components are treated identically to the procedure described in Ref. [36].

Aside from the modelling uncertainties described above, experimental uncertainties are also considered. These arise from the modelling of trigger, reconstruction, identification and isolation efficiencies, as well as the calibration of energy and momentum scales for all physics objects, including electrons, muons, jets, b -tagged jets and E_T^{miss} . Uncertainties in the measured integrated luminosity and in the modelling of additional pp collisions are included.

7. Results

A binned profile likelihood fit is performed including all analysis regions simultaneously in order to determine the α and κ'_t parameters. The likelihood function, $\mathcal{L}(\alpha, \kappa'_t, \theta)$, is constructed as the product of Poisson terms, with each term corresponding to an analysis bin. The value of the likelihood varies according to the expected signal yields, as a function of α and κ'_t , and background yields of the analysis bins, as well as θ , representing the nuisance parameters encoding the effects of the systematic uncertainties and a single parameter controlling the normalisation of the $t\bar{t} + \geq 1b$ background. The nuisance parameters are constrained with Gaussian or log-normal functions. The normalisation of the $t\bar{t} + \geq 1b$ background is controlled by an unconstrained parameter $k_{t\bar{t}+b}$. A profile likelihood ratio is used as the test statistic, following Ref. [94]. By scanning the value of the test statistic in grid points in κ'_t and α , two-dimensional exclusion contours in the (κ'_t, α) plane are obtained.

Fig. 1 compares the observed yield of data in each analysis region with that expected after the fit to data (post-fit). The expected yields for pure CP -even and CP -odd signals, normalised to the total data yields, are overlaid and shown with dashed lines in the top panels. These illustrate the signal-to-background separation provided by the classification BDTs. In the middle panel, the best-fit model is compared with the data by showing ratios of its value to the post-fit background prediction. The post-fit model agrees well with the observed data. In addition, the expected S/B for pure CP -even and CP -odd signals are shown for both $t\bar{t}H$ and tH . The post-fit yields for all backgrounds and the signals are summarised in Tables 3 and 4 for the $\ell + \text{jets}$ and dilepton channels, respectively. The expected yields of pure CP -even and CP -odd signals are compared with the post-fit yields. In all fitted regions, the best-fit signal yields are lower than their SM predictions. The fitted value of $k_{t\bar{t}+b}$ is $1.30^{+0.09}_{-0.08}$, consistent with the value measured in Ref. [36]. Fig. 2 shows the distributions of the fitted observables in the four SRs. The post-fit predictions are in agreement with data. Goodness-of-fit was evaluated using a likelihood ratio test, comparing the likelihood value from the nominal fit with the one obtained from a saturated model built with one free-floating normalisation factor for each fitted bin [95]. The probability that the post-fit prediction is compatible with the observed data is 80%. The pure CP -even and CP -odd signals are shown overlaid and normalised to the data yield to indicate the kinematic discrimination of the b_2 and b_4 observables.

The best-fit values and the exclusion contours in α and κ'_t are displayed in Fig. 3 in the $(\kappa'_t \cos \alpha, \kappa'_t \sin \alpha)$ plane. The best-fit value for the CP mixing angle α is $11^{+52}_{-73}^\circ$ and overall coupling strength κ'_t is $0.84^{+0.30}_{-0.46}$, which are in agreement with the SM expectations of $\alpha = 0^{+0}_{-46}^\circ$ and $\kappa'_t = 1$. The data disfavour the pure CP -odd hypothesis with a 1.2σ significance. The significance of the observed $t\bar{t}H$ and tH signals over the background prediction is 1.3σ . The compatibility of this analysis with the $t\bar{t}H$ cross-section measurement [36] was tested with the same




Fig. 3. The observed exclusion contours in the $(\kappa'_t \cos \alpha, \kappa'_t \sin \alpha)$ plane. Regions contained in the dashed, dotted and solid lines are compatible with the best-fit results at 1, 2 and 3 σ standard deviations. The cross (diamond) represents the CP -even (CP -odd) with $\kappa'_t = 1$ and the best-fit result is represented with a pentagram.

parameter of interest: a single free-floating signal strength, $\mu_{t\bar{t}H}$, controlling the normalisation of $t\bar{t}H$ production in the SM scenario. The tH process was fixed to its SM prediction with an identical systematic model. The compatibility is tested using the bootstrap technique [96]. The difference in the measured $\mu_{t\bar{t}H}$ is sampled by fitting to toy datasets generated by varying the event weights entering the Asimov dataset according to the Poisson fluctuations expected in data. The measured values of $\mu_{t\bar{t}H}$ were found to be compatible within one standard deviation, when accounting for the statistical correlations between the two measurements.

The impact of a group of systematic uncertainties on α (κ'_t) is assessed by fixing the nuisance parameters to their best fit values and subtracting the subsequent α (κ'_t) uncertainty in quadrature from the total α (κ'_t) uncertainty. The uncertainty in the measured value of α is dominated by $t\bar{t} + \geq 1b$ modelling uncertainties which contribute $+37^\circ$ to the overall uncertainty. This is driven by: the NLO matching procedure between the ME and PS; PS and hadronisation; and the choice of flavour scheme. These uncertainties contribute $+22^\circ$, $+16^\circ$ and $+23^\circ$, respectively. Smaller effects from the $t\bar{t} + \geq 1b$ modelling originate from the ISR uncertainty and the relative fractions of $t\bar{t} + \geq 2b$ and $t\bar{t} + 1b$, contributing $+14^\circ$ and $+14^\circ$. The $t\bar{t} + \geq 1c$ modelling uncertainties contribute only $+6.6^\circ$ to the uncertainty in α . The 100% $t\bar{t} + \geq 1c$ normalisation uncertainty is constrained to 50% with a pull of 0.6σ , and has negligible impact on the fitted α and κ'_t . Through a correlation with α , the measured κ'_t contributes $+17^\circ$ to the α uncertainty. Experimental uncertainties are smaller than the $t\bar{t} + \geq 1b$ modelling uncertainties. The statistical uncertainty is $+32^\circ$ to -49° .

8. Summary

In conclusion, the CP properties of the top-quark's Yukawa coupling to the Higgs boson are probed in $t\bar{t}H$ and tH production with $H \rightarrow b\bar{b}$ decays, which had not been studied before. Dedicated CP -sensitive variables relying on angular separations between reconstructed top quarks or lepton candidates were used directly. Assuming the SM branching ratio for the Higgs boson decay, the best-fit values of the CP -mixing angle and the overall coupling strength are $\alpha = 11^{+52}_{-73}^\circ$

and $\kappa'_t = 0.84^{+0.30}_{-0.46}$. These values can be compared with the expected allowed 1σ ranges of α and κ'_t , obtained using Asimov datasets constructed with either a pure CP -even or -odd signal. For a CP -even scenario $\alpha \in [-180^\circ, -173^\circ] \cup [-50^\circ, 52^\circ] \cup [171^\circ, 180^\circ]$ and $\kappa'_t = 1.00^{+0.29}_{-0.27}$, whilst for a pure CP -odd scenario $\alpha \in [-157^\circ, -41^\circ] \cup [43^\circ, 157^\circ]$ and $\kappa'_t = 1.00^{+0.22}_{-0.35}$. The sensitivity of this measurement is driven by the systematic uncertainties.

These results complement previous ATLAS measurements in the $H \rightarrow \gamma\gamma$ decay channel and will allow for a future combined measurement of the CP properties of the top-quark Yukawa coupling. Due to the tree-level sensitivity and the high $H \rightarrow b\bar{b}$ branching ratio, it can be expected that future measurements in the $t\bar{t}H$ and tH channels will become quite sensitive to the CP properties of the top-quark Yukawa coupling. Additional LHC data and a better theoretical understanding of the $t\bar{t} + 1b$ process will be essential ingredients in order to achieve this sensitivity.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

Data will be made available on request.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014–2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CRN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [97].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV, J. High Energy Phys. 06 (2013) 081, arXiv:1303.4571 [hep-ex].
- [3] ATLAS Collaboration, Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector, Phys. Lett. B 784 (2018) 173, arXiv:1806.00425 [hep-ex].
- [4] CMS Collaboration, Observation of $t\bar{t}H$ production, Phys. Rev. Lett. 120 (2018) 231801, arXiv:1804.02610 [hep-ex].
- [5] ATLAS Collaboration, CP properties of Higgs boson interactions with top quarks in the $t\bar{t}H$ and tH processes using $H \rightarrow \gamma\gamma$ with the ATLAS detector, Phys. Rev. Lett. 125 (2020) 061802, arXiv:2004.04545 [hep-ex].
- [6] CMS Collaboration, Measurements of $t\bar{t}H$ production and the CP structure of the Yukawa interaction between the Higgs boson and top quark in the diphoton decay channel, Phys. Rev. Lett. 125 (2020) 061801, arXiv:2003.10866 [hep-ex].
- [7] CMS Collaboration, Search for CP violation in $t\bar{t}H$ and tH production in multilepton channels in proton–proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 07 (2022) 092, arXiv:2208.02686 [hep-ex].
- [8] W. Buchmüller, D. Wyler, Effective Lagrangian analysis of new interactions and flavour conservation, Nucl. Phys. B (ISSN 0550-3213) 268 (1986) 621.
- [9] V. Hankele, G. Klämke, D. Zeppenfeld, T. Figy, Anomalous Higgs boson couplings in vector boson fusion at the CERN LHC, Phys. Rev. D 74 (2006).
- [10] D. Fontes, J.C. Romão, R. Santos, J.P. Silva, Large pseudoscalar Yukawa couplings in the complex 2HDM, J. High Energy Phys. 2015 (2015) 60, arXiv:1502.01720v2 [hep-ph].
- [11] ATLAS Collaboration, Evidence for the spin-0 nature of the Higgs boson using ATLAS data, Phys. Lett. B 726 (2013) 120, arXiv:1307.1432 [hep-ex].
- [12] CMS Collaboration, Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs, Phys. Rev. Lett. 110 (2013) 081803, arXiv:1212.6639 [hep-ex].
- [13] ATLAS Collaboration, Search for a CP -odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Lett. B 744 (2015) 163, arXiv:1502.04478 [hep-ex].
- [14] ATLAS Collaboration, Test of CP invariance in vector-boson fusion production of the Higgs boson in the $H \rightarrow \tau\tau$ channel in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 805 (2020) 135426, arXiv:2002.05315 [hep-ex].
- [15] ATLAS Collaboration, Measurements of Higgs boson properties in the diphoton decay channel with 36fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 98 (2018) 052005, arXiv:1802.04146 [hep-ex].
- [16] ATLAS Collaboration, Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 03 (2018) 095, arXiv:1712.02304 [hep-ex].
- [17] CMS Collaboration, Combined search for anomalous pseudoscalar HVV couplings in $VH(H \rightarrow b\bar{b})$ production and $H \rightarrow VV$ decay, Phys. Lett. B 759 (2016) 672, arXiv:1602.04305 [hep-ex].
- [18] CMS Collaboration, Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state, Phys. Lett. B 775 (2017) 1, arXiv:1707.00541 [hep-ex].
- [19] CMS Collaboration, Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state, Phys. Rev. D 99 (2019) 112003, arXiv:1901.00174 [hep-ex].
- [20] CMS Collaboration, Constraints on anomalous Higgs boson couplings to vector bosons and fermions from the production of Higgs bosons using the $\tau\tau$ final state, arXiv:2205.05120 [hep-ex], 2022.
- [21] ATLAS Collaboration, Test of CP -invariance of the Higgs boson in vector-boson fusion production and its decay into four leptons, arXiv:2304.09612 [hep-ex], 2023.
- [22] J.F. Gunion, X.-G. He, Determining the CP nature of a neutral Higgs boson at the CERN large hadron collider, Phys. Rev. Lett. 76 (1996) 4468, arXiv:hep-ph/9602226.
- [23] J. Ellis, D.S. Hwang, K. Sakurai, M. Takeuchi, Disentangling Higgs-top couplings in associated production, J. High Energy Phys. 04 (2014) 004, arXiv:1312.5736 [hep-ph].
- [24] X.-G. He, G.-N. Li, Y.-J. Zheng, Probing Higgs boson CP properties with $t\bar{t}H$ at the LHC and the 100 TeV pp collider, Int. J. Mod. Phys. A 30 (2014) 1550156, arXiv:1501.00012 [hep-ph].
- [25] F. Boudjema, D. Guadagnoli, R.M. Godbole, K.A. Mohan, Laboratory-frame observables for probing the top-Higgs boson interaction, Phys. Rev. D 92 (2015) 015019, arXiv:1501.03157 [hep-ph].
- [26] F. Demartin, F. Maltoni, K. Mawatari, B. Page, M. Zaro, Higgs characterisation at NLO in QCD: CP properties of the top-quark Yukawa interaction, Eur. Phys. J. C 74 (2014) 3065, arXiv:1407.5089 [hep-ph].
- [27] H. Bahl, et al., Indirect CP probes of the Higgs-top-quark interaction: current LHC constraints and future opportunities, J. High Energy Phys. 2020 (2020) 127, arXiv:2007.08542 [hep-ph].

- [28] D. Gonçalves, J.H. Kim, K. Kong, Y. Wu, Direct Higgs-top CP-phase measurement with $t\bar{t}h$ at the 14 TeV LHC and 100 TeV FCC, *J. High Energy Phys.* 2022 (2022) 158, arXiv:2108.01083 [hep-ph].
- [29] J. Brod, U. Haisch, J. Zupan, Constraints on CP-violating Higgs couplings to the third generation, *J. High Energy Phys.* 11 (2013) 180, arXiv:1310.1385 [hep-ph].
- [30] V. Andreev, et al., Improved limit on the electric dipole moment of the electron, *Nature* 562 (2018) 355.
- [31] C. Abel, et al., Measurement of the permanent electric dipole moment of the neutron, *Phys. Rev. Lett.* 124 (2020) 081803, arXiv:2001.11966 [hep-ex].
- [32] M.R. Buckley, D. Goncalves, Boosting the direct CP measurement of the Higgs-top coupling, *Phys. Rev. Lett.* 116 (2016) 091801, arXiv:1507.07926 [hep-ph].
- [33] D. Gonçalves, J.H. Kim, K. Kong, Probing the top-Higgs Yukawa CP structure in dileptonic $t\bar{t}h$ with M_2 -assisted reconstruction, *J. High Energy Phys.* 06 (2018) 079, arXiv:1804.05874 [hep-ph].
- [34] D. Azevedo, A. Onofre, F. Filhaut, R. Gonçalo, CP tests of Higgs couplings in $t\bar{t}h$ semileptonic events at the LHC, *Phys. Rev. D* 98 (2018) 033004, arXiv:1711.05292 [hep-ph].
- [35] A. Ferroglio, M.C.N. Fiolhais, E. Gouveia, A. Onofre, Role of the $t\bar{t}h$ rest frame in direct top-quark Yukawa coupling measurements, *Phys. Rev. D* 100 (2019) 075034, arXiv:1909.00490 [hep-ph].
- [36] ATLAS Collaboration, Measurement of Higgs boson decay into b -quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, *J. High Energy Phys.* 06 (2022) 097, arXiv:2111.06712 [hep-ex].
- [37] D. de Florian, et al., Handbook of LHC Higgs cross sections: 4. deciphering the nature of the Higgs sector, arXiv:1610.07922 [hep-ph], 2016.
- [38] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* 3 (2008) S08003.
- [39] ATLAS Collaboration, ATLAS insertable B-layer: technical design report, ATLAS-TDR-19; CERN-LHCC-2010-013, <https://cds.cern.ch/record/1291633>, 2010; Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, <https://cds.cern.ch/record/1451888>, 2012.
- [40] B. Abbott, et al., Production and integration of the ATLAS insertable B-layer, *J. Instrum.* 13 (2018) T05008, arXiv:1803.00844 [physics.ins-det].
- [41] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [42] ATLAS Collaboration, The ATLAS Collaboration software and firmware, ATL-SOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [43] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* 15 (2020) P09015, arXiv:2004.13447 [physics.ins-det].
- [44] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, *Eur. Phys. J. C* 80 (2020) 47, arXiv:1909.00761 [hep-ex].
- [45] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, *J. Instrum.* 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [46] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$, *Eur. Phys. J. C* 81 (2021) 578, arXiv:2012.00578 [hep-ex].
- [47] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [48] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, *Eur. Phys. J. C* 81 (2020) 689, arXiv:2007.02645 [hep-ex].
- [49] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [50] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, *Eur. Phys. J. C* 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [51] ATLAS Collaboration, ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, *Eur. Phys. J. C* 79 (2019) 970, arXiv:1907.05120 [hep-ex].
- [52] ATLAS Collaboration, Measurement of b -tagging efficiency of c -jets in $t\bar{t}$ events using a likelihood approach with the ATLAS detector, ATLAS-CONF-2018-001, <https://cds.cern.ch/record/2306649>, 2018.
- [53] ATLAS Collaboration, Calibration of light-flavour b -jet mistagging rates using ATLAS proton–proton collision data at $\sqrt{s} = 13 \text{ TeV}$, ATLAS-CONF-2018-006, <https://cds.cern.ch/record/2314418>, 2018.
- [54] ATLAS Collaboration, Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$, *Eur. Phys. J. C* 78 (2018) 903, arXiv:1802.08168 [hep-ex].
- [55] B. Nachman, P. Nef, A. Schwartzman, M. Swiatlowski, C. Wanotayaroj, Jets from jets: re-clustering as a tool for large radius jet reconstruction and grooming at the LHC, *J. High Energy Phys.* 02 (2015) 075, arXiv:1407.2922 [hep-ph].
- [56] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [57] S. Agostinelli, et al., Geant4 – a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [58] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* 191 (2015) 159, arXiv:1410.3012 [hep-ph].
- [59] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model, ATL-PHYS-PUB-2016-017, <https://cds.cern.ch/record/2206965>, 2016.
- [60] T. Ježo, J.M. Lindert, N. Moretti, S. Pozzorini, New NLOPS predictions for $t\bar{t} + b$ -jet production at the LHC, *Eur. Phys. J. C* 78 (2018) 502, arXiv:1802.00426 [hep-ph].
- [61] F. Cascioli, P. Maierhöfer, S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [62] A. Denner, S. Dittmaier, L. Hofer, Collier: a fortran-based complex one-loop library in extended regularizations, *Comput. Phys. Commun.* 212 (2017) 220, arXiv:1604.06792 [hep-ph].
- [63] T. Ježo, Powheg-Box-Res ttbb source code, https://gitlab.cern.ch/tjezo/powheg-box-res_ttbb/, 2019.
- [64] The NNPDF Collaboration, R.D. Ball, et al., Parton distributions for the LHC run II, *J. High Energy Phys.* 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [65] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [66] ATLAS Collaboration, Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, *J. High Energy Phys.* 04 (2019) 046, arXiv:1811.12113 [hep-ex].
- [67] CMS Collaboration, Measurement of the $t\bar{t}\bar{b}\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, *Phys. Lett. B* 803 (2020) 135285, arXiv:1909.05306 [hep-ex].
- [68] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* 11 (2004) 040, arXiv:hep-ph/0409146.
- [69] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, *J. High Energy Phys.* 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [70] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [71] H.B. Hartanto, B. Jäger, L. Reina, D. Wackerth, Higgs boson production in association with top quarks in the POWHEG BOX, *Phys. Rev. D* 91 (2015) 094003, arXiv:1501.04498 [hep-ph].
- [72] M. Beneke, P. Falgaro, S. Klein, C. Schwinn, Hadronic top-quark pair production with NNLL threshold resummation, *Nucl. Phys. B* 855 (2012) 695, arXiv:1109.1536 [hep-ph].
- [73] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, P. Nason, Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* 710 (2012) 612, arXiv:1111.5869 [hep-ph].
- [74] P. Bärnreuther, M. Czakon, A. Mitov, Percent-level-precision physics at the tevatron: next-to-next-to-leading order QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, *Phys. Rev. Lett.* 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [75] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, *J. High Energy Phys.* 12 (2012) 054, arXiv:1207.0236 [hep-ph].
- [76] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, *J. High Energy Phys.* 01 (2013) 080, arXiv:1210.6832 [hep-ph].
- [77] M. Czakon, P. Fiedler, A. Mitov, Total top-quark pair-production cross section at hadron colliders through $O(\alpha_s^4)$, *Phys. Rev. Lett.* 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [78] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [79] P. Artoisenet, et al., A framework for Higgs characterisation, *J. High Energy Phys.* 11 (2013) 043, arXiv:1306.6464 [hep-ph].
- [80] A. Alloul, N.D. Christensen, C. Degrande, C. Duhr, B. Fuks, FeynRules 2.0 - a complete toolbox for tree-level phenomenology, *Comput. Phys. Commun.* 185 (2014) 2250, arXiv:1310.1921 [hep-ph].
- [81] C. Degrande, et al., UFO - the universal FeynRules output, *Comput. Phys. Commun.* 183 (2012) 1201, arXiv:1108.2040 [hep-ph].
- [82] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [83] R. Raitio, W.W. Wada, Higgs-boson production at large transverse momentum in quantum chromodynamics, *Phys. Rev. D* 19 (1979) 941.
- [84] W. Beenakker, et al., NLO QCD corrections to $t\bar{t}H$ production in hadron collisions, *Nucl. Phys. B* 653 (2003) 151, arXiv:hep-ph/0211352 [hep-ph].
- [85] S. Dawson, C. Jackson, L.H. Orr, L. Reina, D. Wackerth, Associated Higgs boson production with top quarks at the CERN Large Hadron Collider: NLO QCD corrections, *Phys. Rev. D* 68 (2003) 034022, arXiv:hep-ph/0305087v2 [hep-ph].
- [86] Y. Zhang, W.-G. Ma, R.-Y. Zhang, C. Chen, L. Guo, QCD NLO and EW NLO corrections to $t\bar{t}H$ production with top quark decays at hadron collider, *Phys. Lett. B* 738 (2014) 1, arXiv:1407.1110 [hep-ph].
- [87] S. Frixione, V. Hirschi, D. Paganini, H.-S. Shao, M. Zaro, Electroweak and QCD corrections to top-pair hadroproduction in association with heavy bosons, *J. High Energy Phys.* 06 (2015) 184, arXiv:1504.03446 [hep-ph].
- [88] S. Frixione, E. Laenen, P. Motylinski, B.R. Webber, Angular correlations of lepton pairs from vector boson and top quark decays in Monte Carlo simulations, *J. High Energy Phys.* 04 (2007) 081, arXiv:hep-ph/0702198.
- [89] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton–proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector, *J. High Energy Phys.* 09 (2013) 076, arXiv:1306.4945 [hep-ex].

- [90] DØ Collaboration, Measurement of the top quark mass using dilepton events, Phys. Rev. Lett. 80 (1998) 2063, arXiv:hep-ex/9706014.
- [91] ATLAS Collaboration, Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, Eur. Phys. J. C 77 (2017) 292, arXiv:1612.05220 [hep-ex].
- [92] ATLAS Collaboration, Study of top-quark pair modelling and uncertainties using ATLAS measurements at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2020-023, <https://cds.cern.ch/record/2730443>, 2020.
- [93] J. Bellm, et al., Herwig 7.0/Herwig++ 3.0 release note, Eur. Phys. J. C 76 (2016) 196, arXiv:1512.01178 [hep-ph].
- [94] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an]; Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [95] R. Cousins, Generalization of chi-square goodness-of-fit test for binned data using saturated models, with application to histograms, http://www.physics.ucla.edu/~cousins/stats/cousins_saturated.pdf, 2013.
- [96] ATLAS Collaboration, Evaluating statistical uncertainties and correlations using the bootstrap method, ATL-PHYS-PUB-2021-011, <https://cds.cern.ch/record/2759945>, 2021.
- [97] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2023-001, <https://cds.cern.ch/record/2869272>, 2023.

The ATLAS Collaboration

- G. Aad^{101, ID}, B. Abbott^{119, ID}, D.C. Abbott^{102, ID}, K. Abeling^{55, ID}, S.H. Abidi^{29, ID}, A. Aboulhorma^{35e, ID}, H. Abramowicz^{150, ID}, H. Abreu^{149, ID}, Y. Abulaiti^{116, ID}, A.C. Abusleme Hoffman^{136a, ID}, B.S. Acharya^{68a,68b, ID, p}, B. Achkar^{55, ID}, L. Adam^{99, ID}, C. Adam Bourdarios^{4, ID}, L. Adamczyk^{84a, ID}, L. Adamek^{154, ID}, S.V. Addepalli^{26, ID}, J. Adelman^{114, ID}, A. Adiguzel^{21c, ID}, S. Adorni^{56, ID}, T. Adye^{133, ID}, A.A. Affolder^{135, ID}, Y. Afik^{36, ID}, M.N. Agaras^{13, ID}, J. Agarwala^{72a,72b, ID}, A. Aggarwal^{99, ID}, C. Agheorghiesei^{27c, ID}, J.A. Aguilar-Saavedra^{129f, ID}, A. Ahmad^{36, ID}, F. Ahmadov^{38, ID, z}, W.S. Ahmed^{103, ID}, S. Ahuja^{94, ID}, X. Ai^{48, ID}, G. Aielli^{75a,75b, ID}, I. Aizenberg^{168, ID}, M. Akbiyik^{99, ID}, T.P.A. Åkesson^{97, ID}, A.V. Akimov^{37, ID}, K. Al Khoury^{41, ID}, G.L. Alberghi^{23b, ID}, J. Albert^{164, ID}, P. Albicocco^{53, ID}, M.J. Alconada Verzini^{89, ID}, S. Alderweireldt^{52, ID}, M. Aleksa^{36, ID}, I.N. Aleksandrov^{38, ID}, C. Alexa^{27b, ID}, T. Alexopoulos^{10, ID}, A. Alfonsi^{113, ID}, F. Alfonsi^{23b, ID}, M. Alhroob^{119, ID}, B. Ali^{131, ID}, S. Ali^{147, ID}, M. Aliev^{37, ID}, G. Alimonti^{70a, ID}, C. Allaire^{36, ID}, B.M.M. Allbrooke^{145, ID}, P.P. Allport^{20, ID}, A. Aloisio^{71a,71b, ID}, F. Alonso^{89, ID}, C. Alpigiani^{137, ID}, E. Alunno Camelia^{75a,75b}, M. Alvarez Estevez^{98, ID}, M.G. Alvaggi^{71a,71b, ID}, Y. Amaral Coutinho^{81b, ID}, A. Ambler^{103, ID}, C. Amelung³⁶, C.G. Ames^{108, ID}, D. Amidei^{105, ID}, S.P. Amor Dos Santos^{129a, ID}, S. Amoroso^{48, ID}, K.R. Amos^{162, ID}, C.S. Amrouche⁵⁶, V. Ananiev^{124, ID}, C. Anastopoulos^{138, ID}, N. Andari^{134, ID}, T. Andeen^{11, ID}, J.K. Anders^{19, ID}, S.Y. Andrean^{47a,47b, ID}, A. Andreazza^{70a,70b, ID}, S. Angelidakis^{9, ID}, A. Angerami^{41, ID, ac}, A.V. Anisenkov^{37, ID}, A. Annovi^{73a, ID}, C. Antel^{56, ID}, M.T. Anthony^{138, ID}, E. Antipov^{120, ID}, M. Antonelli^{53, ID}, D.J.A. Antrim^{17a, ID}, F. Anulli^{74a, ID}, M. Aoki^{82, ID}, J.A. Aparisi Pozo^{162, ID}, M.A. Aparo^{145, ID}, L. Aperio Bella^{48, ID}, C. Appelt^{18, ID}, N. Aranzabal^{36, ID}, V. Araujo Ferraz^{81a, ID}, C. Arcangeletti^{53, ID}, A.T.H. Arce^{51, ID}, E. Arena^{91, ID}, J-F. Arguin^{107, ID}, S. Argyropoulos^{54, ID}, J.-H. Arling^{48, ID}, A.J. Armbruster^{36, ID}, O. Arnaez^{154, ID}, H. Arnold^{113, ID}, Z.P. Arrubarrena Tame¹⁰⁸, G. Artoni^{74a,74b, ID}, H. Asada^{110, ID}, K. Asai^{117, ID}, S. Asai^{152, ID}, N.A. Asbah^{61, ID}, E.M. Asimakopoulou^{160, ID}, K. Assamagan^{29, ID}, R. Astalos^{28a, ID}, R.J. Atkin^{33a, ID}, M. Atkinson¹⁶¹, N.B. Atlay^{18, ID}, H. Atmani^{62b}, P.A. Atmasiddha^{105, ID}, K. Augsten^{131, ID}, S. Auricchio^{71a,71b, ID}, A.D. Auriol^{20, ID}, V.A. Austrup^{170, ID}, G. Avner^{149, ID}, G. Avolio^{36, ID}, K. Axiotis^{56, ID}, M.K. Ayoub^{14c, ID}, G. Azuelos^{107, ID, ag}, D. Babal^{28a, ID}, H. Bachacou^{134, ID}, K. Bachas^{151, ID}, A. Bachiu^{34, ID}, F. Backman^{47a,47b, ID}, A. Badea^{61, ID}, P. Bagnaia^{74a,74b, ID}, M. Bahmani^{18, ID}, A.J. Bailey^{162, ID}, V.R. Bailey^{161, ID}, J.T. Baines^{133, ID}, C. Bakalis^{10, ID}, O.K. Baker^{171, ID}, P.J. Bakker^{113, ID}, E. Bakos^{15, ID}, D. Bakshi Gupta^{8, ID}, S. Balaji^{146, ID}, R. Balasubramanian^{113, ID}, E.M. Baldin^{37, ID}, P. Balek^{132, ID}, E. Ballabene^{70a,70b, ID}, F. Balli^{134, ID}, L.M. Baltes^{63a, ID}, W.K. Balunas^{32, ID}, J. Balz^{99, ID}, E. Banas^{85, ID}, M. Bandieramonte^{128, ID}, A. Bandyopadhyay^{24, ID}, S. Bansal^{24, ID}, L. Barak^{150, ID}, E.L. Barberio^{104, ID}, D. Barberis^{57b,57a, ID}, M. Barbero^{101, ID}, G. Barbour⁹⁵, K.N. Barends^{33a, ID}, T. Barillari^{109, ID}, M-S. Barisits^{36, ID}, J. Barkeloo^{122, ID}, T. Barklow^{142, ID}, R.M. Barnett^{17a, ID}, P. Baron^{121, ID}, D.A. Baron Moreno^{100, ID}, A. Baroncelli^{62a, ID}, G. Barone^{29, ID}, A.J. Barr^{125, ID}, L. Barranco Navarro^{47a,47b, ID}, F. Barreiro^{98, ID}, J. Barreiro Guimarães da Costa^{14a, ID}, U. Barron^{150, ID}, M.G. Barros Teixeira^{129a, ID}, S. Barsov^{37, ID}, F. Bartels^{63a, ID}, R. Bartoldus^{142, ID}, A.E. Barton^{90, ID}, P. Bartos^{28a, ID}, A. Basalaev^{48, ID},

- A. Basan 99,^{ID}, M. Baselga 49,^{ID}, I. Bashta 76a,76b,^{ID}, A. Bassalat 66,^{ID,b}, M.J. Basso 154,^{ID}, C.R. Basson 100,^{ID},
 R.L. Bates 59,^{ID}, S. Batlamous 35e, J.R. Batley 32,^{ID}, B. Batool 140,^{ID}, M. Battaglia 135,^{ID}, M. Bauce 74a,74b,^{ID},
 P. Bauer 24,^{ID}, A. Bayirli 21a,^{ID}, J.B. Beacham 51,^{ID}, T. Beau 126,^{ID}, P.H. Beauchemin 157,^{ID}, F. Becherer 54,^{ID},
 P. Bechtle 24,^{ID}, H.P. Beck 19,^{ID,r}, K. Becker 166,^{ID}, C. Becot 48,^{ID}, A.J. Beddall 21d,^{ID}, V.A. Bednyakov 38,^{ID},
 C.P. Bee 144,^{ID}, L.J. Beemster 15,^{ID}, T.A. Beermann 36,^{ID}, M. Begalli 81b,81d,^{ID}, M. Begel 29,^{ID}, A. Behera 144,^{ID},
 J.K. Behr 48,^{ID}, C. Beirao Da Cruz E Silva 36,^{ID}, J.F. Beirer 55,36,^{ID}, F. Beisiegel 24,^{ID}, M. Belfkir 158,^{ID},
 G. Bella 150,^{ID}, L. Bellagamba 23b,^{ID}, A. Bellerive 34,^{ID}, P. Bellos 20,^{ID}, K. Beloborodov 37,^{ID}, K. Belotskiy 37,^{ID},
 N.L. Belyaev 37,^{ID}, D. Benchekroun 35a,^{ID}, F. Bendebba 35a,^{ID}, Y. Benhammou 150,^{ID}, D.P. Benjamin 29,^{ID},
 M. Benoit 29,^{ID}, J.R. Bensinger 26,^{ID}, S. Bentvelsen 113,^{ID}, L. Beresford 36,^{ID}, M. Beretta 53,^{ID}, D. Berge 18,^{ID},
 E. Bergeaas Kuutmann 160,^{ID}, N. Berger 4,^{ID}, B. Bergmann 131,^{ID}, J. Beringer 17a,^{ID}, S. Berlendis 7,^{ID},
 G. Bernardi 5,^{ID}, C. Bernius 142,^{ID}, F.U. Bernlochner 24,^{ID}, T. Berry 94,^{ID}, P. Berta 132,^{ID}, A. Berthold 50,^{ID},
 I.A. Bertram 90,^{ID}, O. Bessidskaia Bylund 170,^{ID}, S. Bethke 109,^{ID}, A. Betti 74a,74b,^{ID}, A.J. Bevan 93,^{ID},
 M. Bhamjee 33c,^{ID}, S. Bhatta 144,^{ID}, D.S. Bhattacharya 165,^{ID}, P. Bhattacharai 26,^{ID}, V.S. Bhopatkar 6,^{ID}, R. Bi 128,
 R. Bi 29,^{aj}, R.M. Bianchi 128,^{ID}, O. Biebel 108,^{ID}, R. Bielski 122,^{ID}, N.V. Biesuz 73a,73b,^{ID}, M. Biglietti 76a,^{ID},
 T.R.V. Billoud 131,^{ID}, M. Bindi 55,^{ID}, A. Bingul 21b,^{ID}, C. Bini 74a,74b,^{ID}, S. Biondi 23b,23a,^{ID}, A. Biondini 91,^{ID},
 C.J. Birch-sykes 100,^{ID}, G.A. Bird 20,133,^{ID}, M. Birman 168,^{ID}, T. Bisanz 36,^{ID}, D. Biswas 169,^{ID,l}, A. Bitadze 100,^{ID},
 K. Bjørke 124,^{ID}, I. Bloch 48,^{ID}, C. Blocker 26,^{ID}, A. Blue 59,^{ID}, U. Blumenschein 93,^{ID}, J. Blumenthal 99,^{ID},
 G.J. Bobbink 113,^{ID}, V.S. Bobrovnikov 37,^{ID}, M. Boehler 54,^{ID}, D. Bogavac 36,^{ID}, A.G. Bogdanchikov 37,^{ID},
 C. Bohm 47a,^{ID}, V. Boisvert 94,^{ID}, P. Bokan 48,^{ID}, T. Bold 84a,^{ID}, M. Bomben 5,^{ID}, M. Bona 93,^{ID},
 M. Boonekamp 134,^{ID}, C.D. Booth 94,^{ID}, A.G. Borbély 59,^{ID}, H.M. Borecka-Bielska 107,^{ID}, L.S. Borgna 95,^{ID},
 G. Borissov 90,^{ID}, D. Bortoletto 125,^{ID}, D. Boscherini 23b,^{ID}, M. Bosman 13,^{ID}, J.D. Bossio Sola 36,^{ID},
 K. Bouaouda 35a,^{ID}, J. Boudreau 128,^{ID}, E.V. Bouhova-Thacker 90,^{ID}, D. Boumediene 40,^{ID}, R. Bouquet 5,^{ID},
 A. Boveia 118,^{ID}, J. Boyd 36,^{ID}, D. Boye 29,^{ID}, I.R. Boyko 38,^{ID}, J. Bracinik 20,^{ID}, N. Brahimi 62d,62c,^{ID},
 G. Brandt 170,^{ID}, O. Brandt 32,^{ID}, F. Braren 48,^{ID}, B. Brau 102,^{ID}, J.E. Brau 122,^{ID}, W.D. Breaden Madden 59,^{ID},
 K. Brendlinger 48,^{ID}, R. Brener 168,^{ID}, L. Brenner 36,^{ID}, R. Brenner 160,^{ID}, S. Bressler 168,^{ID}, B. Brickwedde 99,^{ID},
 D. Britton 59,^{ID}, D. Britzger 109,^{ID}, I. Brock 24,^{ID}, G. Brooijmans 41,^{ID}, W.K. Brooks 136f,^{ID}, E. Brost 29,^{ID},
 P.A. Bruckman de Renstrom 85,^{ID}, B. Brüers 48,^{ID}, D. Bruncko 28b,^{ID,*}, A. Bruni 23b,^{ID}, G. Bruni 23b,^{ID},
 M. Bruschi 23b,^{ID}, N. Bruscino 74a,74b,^{ID}, L. Bryngemark 142,^{ID}, T. Buanes 16,^{ID}, Q. Buat 137,^{ID}, P. Buchholz 140,^{ID},
 A.G. Buckley 59,^{ID}, I.A. Budagov 38,^{ID,*}, M.K. Bugge 124,^{ID}, O. Bulekov 37,^{ID}, B.A. Bullard 61,^{ID}, S. Burdin 91,^{ID},
 C.D. Burgard 48,^{ID}, A.M. Burger 40,^{ID}, B. Burghgrave 8,^{ID}, J.T.P. Burr 32,^{ID}, C.D. Burton 11,^{ID}, J.C. Burzynski 141,^{ID},
 E.L. Busch 41,^{ID}, V. Büscher 99,^{ID}, P.J. Bussey 59,^{ID}, J.M. Butler 25,^{ID}, C.M. Buttar 59,^{ID}, J.M. Butterworth 95,^{ID},
 W. Buttlinger 133,^{ID}, C.J. Buxo Vazquez 106,^{ID}, A.R. Buzykaev 37,^{ID}, G. Cabras 23b,^{ID}, S. Cabrera Urbán 162,^{ID},
 D. Caforio 58,^{ID}, H. Cai 128,^{ID}, Y. Cai 14a,14d,^{ID}, V.M.M. Cairo 36,^{ID}, O. Cakir 3a,^{ID}, N. Calace 36,^{ID}, P. Calafiura 17a,^{ID},
 G. Calderini 126,^{ID}, P. Calfayan 67,^{ID}, G. Callea 59,^{ID}, L.P. Caloba 81b,^{ID}, D. Calvet 40,^{ID}, S. Calvet 40,^{ID},
 T.P. Calvet 101,^{ID}, M. Calvetti 73a,73b,^{ID}, R. Camacho Toro 126,^{ID}, S. Camarda 36,^{ID}, D. Camarero Munoz 98,^{ID},
 P. Camarri 75a,75b,^{ID}, M.T. Camerlingo 76a,76b,^{ID}, D. Cameron 124,^{ID}, C. Camincher 164,^{ID}, M. Campanelli 95,^{ID},
 A. Camplani 42,^{ID}, V. Canale 71a,71b,^{ID}, A. Canesse 103,^{ID}, M. Cano Bret 79,^{ID}, J. Cantero 162,^{ID}, Y. Cao 161,^{ID},
 F. Capocasa 26,^{ID}, M. Capua 43b,43a,^{ID}, A. Carbone 70a,70b,^{ID}, R. Cardarelli 75a,^{ID}, J.C.J. Cardenas 8,^{ID},
 F. Cardillo 162,^{ID}, T. Carli 36,^{ID}, G. Carlino 71a,^{ID}, B.T. Carlson 128,^{ID,r}, E.M. Carlson 164,155a,^{ID}, L. Carminati 70a,70b,^{ID},
 M. Carnesale 74a,74b,^{ID}, S. Caron 112,^{ID}, E. Carquin 136f,^{ID}, S. Carrá 70a,^{ID}, G. Carratta 23b,23a,^{ID}, F. Carrio Argos 33g,^{ID},
 J.W.S. Carter 154,^{ID}, T.M. Carter 52,^{ID}, M.P. Casado 13,^{ID,i}, A.F. Casha 154, E.G. Castiglia 171,^{ID}, F.L. Castillo 63a,^{ID},
 L. Castillo Garcia 13,^{ID}, V. Castillo Gimenez 162,^{ID}, N.F. Castro 129a,129e,^{ID}, A. Catinaccio 36,^{ID}, J.R. Catmore 124,^{ID},

- V. Cavaliere 29,^{id}, N. Cavalli 23b,23a,^{id}, V. Cavasinni 73a,73b,^{id}, E. Celebi 21a,^{id}, F. Celli 125,^{id}, M.S. Centonze 69a,69b,^{id},
 K. Cerny 121,^{id}, A.S. Cerqueira 81a,^{id}, A. Cerri 145,^{id}, L. Cerrito 75a,75b,^{id}, F. Cerutti 17a,^{id}, A. Cervelli 23b,^{id},
 S.A. Cetin 21d,^{id}, Z. Chadi 35a,^{id}, D. Chakraborty 114,^{id}, M. Chala 129f,^{id}, J. Chan 169,^{id}, W.S. Chan 113,^{id},
 W.Y. Chan 152,^{id}, J.D. Chapman 32,^{id}, B. Chargeishvili 148b,^{id}, D.G. Charlton 20,^{id}, T.P. Charman 93,^{id},
 M. Chatterjee 19,^{id}, S. Chekanov 6,^{id}, S.V. Chekulaev 155a,^{id}, G.A. Chelkov 38,^{id,a}, A. Chen 105,^{id}, B. Chen 150,^{id},
 B. Chen 164,^{id}, C. Chen 62a,^{id}, H. Chen 14c,^{id}, H. Chen 29,^{id}, J. Chen 62c,^{id}, J. Chen 26,^{id}, S. Chen 152,^{id}, S.J. Chen 14c,^{id},
 X. Chen 62c,^{id}, X. Chen 14b,^{id,af}, Y. Chen 62a,^{id}, C.L. Cheng 169,^{id}, H.C. Cheng 64a,^{id}, A. Cheplakov 38,^{id},
 E. Cheremushkina 48,^{id}, E. Cherepanova 113,^{id}, R. Cherkaoui El Moursli 35e,^{id}, E. Cheu 7,^{id}, K. Cheung 65,^{id},
 L. Chevalier 134,^{id}, V. Chiarella 53,^{id}, G. Chiarelli 73a,^{id}, G. Chiodini 69a,^{id}, A.S. Chisholm 20,^{id}, A. Chitan 27b,^{id},
 Y.H. Chiu 164,^{id}, M.V. Chizhov 38,^{id}, K. Choi 11,^{id}, A.R. Chomont 74a,74b,^{id}, Y. Chou 102,^{id}, E.Y.S. Chow 113,^{id},
 T. Chowdhury 33g,^{id}, L.D. Christopher 33g,^{id}, K.L. Chu 64a,^{id}, M.C. Chu 64a,^{id}, X. Chu 14a,14d,^{id}, J. Chudoba 130,^{id},
 J.J. Chwastowski 85,^{id}, D. Cieri 109,^{id}, K.M. Ciesla 84a,^{id}, V. Cindro 92,^{id}, A. Ciocio 17a,^{id}, F. Cirotto 71a,71b,^{id},
 Z.H. Citron 168,^{id,m}, M. Citterio 70a,^{id}, D.A. Ciubotaru 27b,^{id}, B.M. Ciungu 154,^{id}, A. Clark 56,^{id}, P.J. Clark 52,^{id},
 J.M. Clavijo Columbie 48,^{id}, S.E. Clawson 100,^{id}, C. Clement 47a,47b,^{id}, J. Clercx 48,^{id}, L. Clissa 23b,23a,^{id},
 Y. Coadou 101,^{id}, M. Cobal 68a,68c,^{id}, A. Coccaro 57b,^{id}, R.F. Coelho Barrue 129a,^{id}, R. Coelho Lopes De Sa 102,^{id},
 S. Coelli 70a,^{id}, H. Cohen 150,^{id}, A.E.C. Coimbra 70a,70b,^{id}, B. Cole 41,^{id}, J. Collot 60,^{id}, P. Conde Muñoz 129a,129g,^{id},
 S.H. Connell 33c,^{id}, I.A. Connolly 59,^{id}, E.I. Conroy 125,^{id}, F. Conventi 71a,^{id,ah}, H.G. Cooke 20,^{id},
 A.M. Cooper-Sarkar 125,^{id}, F. Cormier 163,^{id}, L.D. Corpe 36,^{id}, M. Corradi 74a,74b,^{id}, E.E. Corrigan 97,^{id},
 F. Corriveau 103,^{id,y}, A. Cortes-Gonzalez 18,^{id}, M.J. Costa 162,^{id}, F. Costanza 4,^{id}, D. Costanzo 138,^{id},
 B.M. Cote 118,^{id}, G. Cowan 94,^{id}, J.W. Cowley 32,^{id}, K. Cranmer 116,^{id}, S. Crépé-Renaudin 60,^{id}, F. Crescioli 126,^{id},
 M. Cristinziani 140,^{id}, M. Cristoforetti 77a,77b,^{id,d}, V. Croft 157,^{id}, G. Crosetti 43b,43a,^{id}, A. Cueto 36,^{id},
 T. Cuhadar Donszelmann 159,^{id}, H. Cui 14a,14d,^{id}, Z. Cui 7,^{id}, A.R. Cukierman 142,^{id}, W.R. Cunningham 59,^{id},
 F. Curcio 43b,43a,^{id}, P. Czodrowski 36,^{id}, M.M. Czurylo 63b,^{id}, M.J. Da Cunha Sargedas De Sousa 62a,^{id},
 J.V. Da Fonseca Pinto 81b,^{id}, C. Da Via 100,^{id}, W. Dabrowski 84a,^{id}, T. Dado 49,^{id}, S. Dahbi 33g,^{id}, T. Dai 105,^{id},
 C. Dallapiccola 102,^{id}, M. Dam 42,^{id}, G. D'amen 29,^{id}, V. D'Amico 76a,76b,^{id}, J. Damp 99,^{id}, J.R. Dandoy 127,^{id},
 M.F. Daneri 30,^{id}, M. Danninger 141,^{id}, V. Dao 36,^{id}, G. Darbo 57b,^{id}, S. Darmora 6,^{id}, S.J. Das 29,^{id,aj},
 A. Dattagupta 122,^{id}, S. D'Auria 70a,70b,^{id}, C. David 155b,^{id}, T. Davidek 132,^{id}, D.R. Davis 51,^{id}, B. Davis-Purcell 34,^{id},
 I. Dawson 93,^{id}, K. De 8,^{id}, R. De Asmundis 71a,^{id}, M. De Beurs 113,^{id}, S. De Castro 23b,23a,^{id}, N. De Groot 112,^{id},
 P. de Jong 113,^{id}, H. De la Torre 106,^{id}, A. De Maria 14c,^{id}, A. De Salvo 74a,^{id}, U. De Sanctis 75a,75b,^{id},
 M. De Santis 75a,75b,^{id}, A. De Santo 145,^{id}, J.B. De Vivie De Regie 60,^{id}, D.V. Dedovich 38,^{id}, J. Degens 113,^{id},
 A.M. Deiana 44,^{id}, F. Del Corso 23b,23a,^{id}, J. Del Peso 98,^{id}, F. Del Rio 63a,^{id}, F. Deliot 134,^{id}, C.M. Delitzsch 49,^{id},
 M. Della Pietra 71a,71b,^{id}, D. Della Volpe 56,^{id}, A. Dell'Acqua 36,^{id}, L. Dell'Asta 70a,70b,^{id}, M. Delmastro 4,^{id},
 P.A. Delsart 60,^{id}, S. Demers 171,^{id}, M. Demichev 38,^{id}, S.P. Denisov 37,^{id}, L. D'Eramo 114,^{id}, D. Derendarz 85,^{id},
 F. Derue 126,^{id}, P. Dervan 91,^{id}, K. Desch 24,^{id}, K. Dette 154,^{id}, C. Deutsch 24,^{id}, P.O. Deviveiros 36,^{id},
 F.A. Di Bello 74a,74b,^{id}, A. Di Ciaccio 75a,75b,^{id}, L. Di Ciaccio 4,^{id}, A. Di Domenico 74a,74b,^{id}, C. Di Donato 71a,71b,^{id},
 A. Di Girolamo 36,^{id}, G. Di Gregorio 73a,73b,^{id}, A. Di Luca 77a,77b,^{id}, B. Di Micco 76a,76b,^{id}, R. Di Nardo 76a,76b,^{id},
 C. Diaconu 101,^{id}, F.A. Dias 113,^{id}, T. Dias Do Vale 141,^{id}, M.A. Diaz 136a,136b,^{id}, F.G. Diaz Capriles 24,^{id},
 M. Didenko 162,^{id}, E.B. Diehl 105,^{id}, L. Diehl 54,^{id}, S. Díez Cornell 48,^{id}, C. Diez Pardos 140,^{id}, C. Dimitriadi 24,160,^{id},
 A. Dimitrieva 17a,^{id}, W. Ding 14b,^{id}, J. Dingfelder 24,^{id}, I-M. Dinu 27b,^{id}, S.J. Dittmeier 63b,^{id}, F. Dittus 36,^{id},
 F. Djama 101,^{id}, T. Djobava 148b,^{id}, J.I. Djuvsland 16,^{id}, D. Dodsworth 26,^{id}, C. Doglioni 100,97,^{id}, J. Dolejsi 132,^{id},
 Z. Dolezal 132,^{id}, M. Donadelli 81c,^{id}, B. Dong 62c,^{id}, J. Donini 40,^{id}, A. D'Onofrio 14c,^{id}, M. D'Onofrio 91,^{id},
 J. Dopke 133,^{id}, A. Doria 71a,^{id}, M.T. Dova 89,^{id}, A.T. Doyle 59,^{id}, M.A. Draguet 125,^{id}, E. Drechsler 141,^{id},
 E. Dreyer 168,^{id}, I. Drivas-koulouris 10,^{id}, A.S. Drobac 157,^{id}, D. Du 62a,^{id}, T.A. du Pree 113,^{id}, F. Dubinin 37,^{id},

- M. Dubovsky 28a,^{ID}, E. Duchovni 168,^{ID}, G. Duckeck 108,^{ID}, O.A. Ducu 36,^{ID}, D. Duda 109,^{ID}, A. Dudarev 36,^{ID},
 M. D'uffizi 100,^{ID}, L. Duflot 66,^{ID}, M. Dührssen 36,^{ID}, C. Dülsen 170,^{ID}, A.E. Dumitriu 27b,^{ID}, M. Dunford 63a,^{ID},
 S. Dungs 49,^{ID}, K. Dunne 47a,47b,^{ID}, A. Duperrin 101,^{ID}, H. Duran Yildiz 3a,^{ID}, M. Düren 58,^{ID}, A. Durglishvili 148b,^{ID},
 B.L. Dwyer 114,^{ID}, G.I. Dyckes 17a,^{ID}, M. Dyndal 84a,^{ID}, S. Dysch 100,^{ID}, B.S. Dziedzic 85,^{ID}, Z.O. Earnshaw 145,^{ID},
 B. Eckerova 28a,^{ID}, M.G. Eggleston 51,^{ID}, E. Egidio Purcino De Souza 81b,^{ID}, L.F. Ehrke 56,^{ID}, G. Eigen 16,^{ID},
 K. Einsweiler 17a,^{ID}, T. Ekelof 160,^{ID}, P.A. Ekman 97,^{ID}, Y. El Ghazali 35b,^{ID}, H. El Jarrari 35e,147,^{ID},
 A. El Moussaoui 35a,^{ID}, V. Ellajosyula 160,^{ID}, M. Ellert 160,^{ID}, F. Ellinghaus 170,^{ID}, A.A. Elliot 93,^{ID}, N. Ellis 36,^{ID},
 J. Elmsheuser 29,^{ID}, M. Elsing 36,^{ID}, D. Emeliyanov 133,^{ID}, A. Emerman 41,^{ID}, Y. Enari 152,^{ID}, I. Ene 17a,^{ID},
 S. Epari 13,^{ID}, J. Erdmann 49,^{ID}, A. Ereditato 19,^{ID}, P.A. Erland 85,^{ID}, M. Errenst 170,^{ID}, M. Escalier 66,^{ID},
 C. Escobar 162,^{ID}, E. Etzion 150,^{ID}, G. Evans 129a,^{ID}, H. Evans 67,^{ID}, M.O. Evans 145,^{ID}, A. Ezhilov 37,^{ID},
 S. Ezzarqtouni 35a,^{ID}, F. Fabbri 59,^{ID}, L. Fabbri 23b,23a,^{ID}, G. Facini 95,^{ID}, V. Fadeyev 135,^{ID}, R.M. Fakhrutdinov 37,^{ID},
 S. Falciano 74a,^{ID}, L.F. Falda Ulhoa Coelho 36,^{ID}, P.J. Falke 24,^{ID}, S. Falke 36,^{ID}, J. Faltova 132,^{ID}, Y. Fan 14a,^{ID},
 Y. Fang 14a,14d,^{ID}, G. Fanourakis 46,^{ID}, M. Fanti 70a,70b,^{ID}, M. Faraj 68a,68b,^{ID}, A. Farbin 8,^{ID}, A. Farilla 76a,^{ID},
 T. Farooque 106,^{ID}, S.M. Farrington 52,^{ID}, F. Fassi 35e,^{ID}, D. Fassouliotis 9,^{ID}, M. Faucci Giannelli 75a,75b,^{ID},
 W.J. Fawcett 32,^{ID}, L. Fayard 66,^{ID}, O.L. Fedin 37,^{ID}, G. Fedotov 37,^{ID}, M. Feickert 161,^{ID}, L. Feligioni 101,^{ID},
 A. Fell 138,^{ID}, D.E. Fellers 122,^{ID}, C. Feng 62b,^{ID}, M. Feng 14b,^{ID}, M.J. Fenton 159,^{ID}, A.B. Fenyuk 37,^{ID}, L. Ferencz 48,^{ID},
 S.W. Ferguson 45,^{ID}, J. Ferrando 48,^{ID}, A. Ferrari 160,^{ID}, P. Ferrari 113,^{ID}, R. Ferrari 72a,^{ID}, D. Ferrere 56,^{ID},
 C. Ferretti 105,^{ID}, F. Fiedler 99,^{ID}, A. Filipčič 92,^{ID}, E.K. Filmer 1,^{ID}, F. Filthaut 112,^{ID}, M.C.N. Fiolhais 129a,129c,^{ID},
 L. Fiorini 162,^{ID}, F. Fischer 140,^{ID}, W.C. Fisher 106,^{ID}, T. Fitschen 20,66,^{ID}, I. Fleck 140,^{ID}, P. Fleischmann 105,^{ID},
 T. Flick 170,^{ID}, L. Flores 127,^{ID}, M. Flores 33d,^{ID}, L.R. Flores Castillo 64a,^{ID}, F.M. Follega 77a,77b,^{ID}, N. Fomin 16,^{ID},
 J.H. Foo 154,^{ID}, B.C. Forland 67,^{ID}, A. Formica 134,^{ID}, A.C. Forti 100,^{ID}, E. Fortin 101,^{ID}, A.W. Fortman 61,^{ID},
 M.G. Foti 17a,^{ID}, L. Fountas 9,^{ID}, D. Fournier 66,^{ID}, H. Fox 90,^{ID}, P. Francavilla 73a,73b,^{ID}, S. Francescato 61,^{ID},
 M. Franchini 23b,23a,^{ID}, S. Franchino 63a,^{ID}, D. Francis 36,^{ID}, L. Franco 112,^{ID}, L. Franconi 19,^{ID}, M. Franklin 61,^{ID},
 G. Frattari 26,^{ID}, A.C. Freegard 93,^{ID}, P.M. Freeman 20,^{ID}, W.S. Freund 81b,^{ID}, N. Fritzsche 50,^{ID}, A. Froch 54,^{ID},
 D. Froidevaux 36,^{ID}, J.A. Frost 125,^{ID}, Y. Fu 62a,^{ID}, M. Fujimoto 117,^{ID}, E. Fullana Torregrosa 162,^{ID},*, J. Fuster 162,^{ID},
 A. Gabrielli 23b,23a,^{ID}, A. Gabrielli 36,^{ID}, P. Gadow 48,^{ID}, G. Gagliardi 57b,57a,^{ID}, L.G. Gagnon 17a,^{ID},
 G.E. Gallardo 125,^{ID}, E.J. Gallas 125,^{ID}, B.J. Gallop 133,^{ID}, R. Gamboa Goni 93,^{ID}, K.K. Gan 118,^{ID}, S. Ganguly 152,^{ID},
 J. Gao 62a,^{ID}, Y. Gao 52,^{ID}, F.M. Garay Walls 136a,136b,^{ID}, B. Garcia 29,^{ID}, C. García 162,^{ID}, J.E. García Navarro 162,^{ID},
 J.A. García Pascual 14a,^{ID}, M. Garcia-Sciveres 17a,^{ID}, R.W. Gardner 39,^{ID}, D. Garg 79,^{ID}, R.B. Garg 142,^{ID},^q,
 S. Gargiulo 54,^{ID}, C.A. Garner 154,^{ID}, V. Garonne 29,^{ID}, S.J. Gasiorowski 137,^{ID}, P. Gaspar 81b,^{ID}, G. Gaudio 72a,^{ID},
 V. Gautam 13,^{ID}, P. Gauzzi 74a,74b,^{ID}, I.L. Gavrilenco 37,^{ID}, A. Gavrilyuk 37,^{ID}, C. Gay 163,^{ID}, G. Gaycken 48,^{ID},
 E.N. Gazis 10,^{ID}, A.A. Geanta 27b,^{ID}, C.M. Gee 135,^{ID}, J. Geisen 97,^{ID}, M. Geisen 99,^{ID}, C. Gemme 57b,^{ID},
 M.H. Genest 60,^{ID}, S. Gentile 74a,74b,^{ID}, S. George 94,^{ID}, W.F. George 20,^{ID}, T. Geralis 46,^{ID}, L.O. Gerlach 55,
 P. Gessinger-Befurt 36,^{ID}, M. Ghasemi Bostanabad 164,^{ID}, M. Ghneimat 140,^{ID}, A. Ghosal 140,^{ID}, A. Ghosh 159,^{ID},
 A. Ghosh 7,^{ID}, B. Giacobbe 23b,^{ID}, S. Giagu 74a,74b,^{ID}, N. Giangiacomi 154,^{ID}, P. Giannetti 73a,^{ID}, A. Giannini 62a,^{ID},
 S.M. Gibson 94,^{ID}, M. Gignac 135,^{ID}, D.T. Gil 84b,^{ID}, A.K. Gilbert 84a,^{ID}, B.J. Gilbert 41,^{ID}, D. Gillberg 34,^{ID},
 G. Gilles 113,^{ID}, N.E.K. Gillwald 48,^{ID}, L. Ginabat 126,^{ID}, D.M. Gingrich 2,^{ID},^{ag}, M.P. Giordani 68a,68c,^{ID},
 P.F. Giraud 134,^{ID}, G. Giugliarelli 68a,68c,^{ID}, D. Giugni 70a,^{ID}, F. Giulì 36,^{ID}, I. Gkalias 9,^{ID},^j, L.K. Gladilin 37,^{ID},
 C. Glasman 98,^{ID}, G.R. Gledhill 122,^{ID}, M. Glisic 122,^{ID}, I. Gnesi 43b,^{ID},^f, Y. Go 29,^{ID},^{aj}, M. Goblirsch-Kolb 26,^{ID},
 D. Godin 107,^{ID}, S. Goldfarb 104,^{ID}, T. Golling 56,^{ID}, M.G.D. Gololo 33g,^{ID}, D. Golubkov 37,^{ID}, J.P. Gombas 106,^{ID},
 A. Gomes 129a,129b,^{ID}, G. Gomes Da Silva 140,^{ID}, A.J. Gomez Delegido 162,^{ID}, R. Goncalves Gama 55,^{ID},
 R. Gonçalo 129a,129c,^{ID}, G. Gonella 122,^{ID}, L. Gonella 20,^{ID}, A. Gongadze 38,^{ID}, F. Gonnella 20,^{ID}, J.L. Gonski 41,^{ID},

- R.Y. González Andana ^{52, ID}, S. González de la Hoz ^{162, ID}, S. Gonzalez Fernandez ^{13, ID}, R. Gonzalez Lopez ^{91, ID}, C. Gonzalez Renteria ^{17a, ID}, R. Gonzalez Suarez ^{160, ID}, S. Gonzalez-Sevilla ^{56, ID}, G.R. Goncalvo Rodriguez ^{162, ID}, L. Goossens ^{36, ID}, N.A. Gorasia ^{20, ID}, P.A. Gorbounov ^{37, ID}, B. Gorini ^{36, ID}, E. Gorini ^{69a,69b, ID}, A. Gorišek ^{92, ID}, A.T. Goshaw ^{51, ID}, M.I. Gostkin ^{38, ID}, C.A. Gottardo ^{112, ID}, M. Gouighri ^{35b, ID}, V. Goumarre ^{48, ID}, A.G. Goussiou ^{137, ID}, N. Govender ^{33c, ID}, C. Goy ^{4, ID}, I. Grabowska-Bold ^{84a, ID}, K. Graham ^{34, ID}, E. Gramstad ^{124, ID}, S. Grancagnolo ^{18, ID}, M. Grandi ^{145, ID}, V. Gratchev ^{37,*}, P.M. Gravila ^{27f, ID}, F.G. Gravili ^{69a,69b, ID}, H.M. Gray ^{17a, ID}, M. Greco ^{69a,69b, ID}, C. Grefe ^{24, ID}, I.M. Gregor ^{48, ID}, P. Grenier ^{142, ID}, C. Grieco ^{13, ID}, A.A. Grillo ^{135, ID}, K. Grimm ^{31, ID, n}, S. Grinstein ^{13, ID, v}, J.-F. Grivaz ^{66, ID}, E. Gross ^{168, ID}, J. Grosse-Knetter ^{55, ID}, C. Grud ^{105, ID}, A. Grummer ^{111, ID}, J.C. Grundy ^{125, ID}, L. Guan ^{105, ID}, W. Guan ^{169, ID}, C. Gubbels ^{163, ID}, J.G.R. Guerrero Rojas ^{162, ID}, G. Guerrieri ^{68a,68c, ID}, F. Guescini ^{109, ID}, R. Gugel ^{99, ID}, J.A.M. Guhit ^{105, ID}, A. Guida ^{48, ID}, T. Guillemin ^{4, ID}, E. Guilloton ^{166,133, ID}, S. Guindon ^{36, ID}, F. Guo ^{14a,14d, ID}, J. Guo ^{62c, ID}, L. Guo ^{66, ID}, Y. Guo ^{105, ID}, R. Gupta ^{48, ID}, S. Gurbuz ^{24, ID}, S.S. Gurdasani ^{54, ID}, G. Gustavino ^{36, ID}, M. Guth ^{56, ID}, P. Gutierrez ^{119, ID}, L.F. Gutierrez Zagazeta ^{127, ID}, C. Gutschow ^{95, ID}, C. Guyot ^{134, ID}, C. Gwenlan ^{125, ID}, C.B. Gwilliam ^{91, ID}, E.S. Haaland ^{124, ID}, A. Haas ^{116, ID}, M. Habedank ^{48, ID}, C. Haber ^{17a, ID}, H.K. Hadavand ^{8, ID}, A. Hadef ^{99, ID}, S. Hadzic ^{109, ID}, M. Haleem ^{165, ID}, J. Haley ^{120, ID}, J.J. Hall ^{138, ID}, G.D. Hallewell ^{101, ID}, L. Halser ^{19, ID}, K. Hamano ^{164, ID}, H. Hamdaoui ^{35e, ID}, M. Hamer ^{24, ID}, G.N. Hamity ^{52, ID}, J. Han ^{62b, ID}, K. Han ^{62a, ID}, L. Han ^{14c, ID}, L. Han ^{62a, ID}, S. Han ^{17a, ID}, Y.F. Han ^{154, ID}, K. Hanagaki ^{82, ID}, M. Hance ^{135, ID}, D.A. Hangal ^{41, ID, ac}, M.D. Hank ^{39, ID}, R. Hankache ^{100, ID}, J.B. Hansen ^{42, ID}, J.D. Hansen ^{42, ID}, P.H. Hansen ^{42, ID}, K. Hara ^{156, ID}, D. Harada ^{56, ID}, T. Harenberg ^{170, ID}, S. Harkusha ^{37, ID}, Y.T. Harris ^{125, ID}, N.M. Harrison ^{118, ID}, P.F. Harrison ^{166, ID}, N.M. Hartman ^{142, ID}, N.M. Hartmann ^{108, ID}, Y. Hasegawa ^{139, ID}, A. Hasib ^{52, ID}, S. Haug ^{19, ID}, R. Hauser ^{106, ID}, M. Havranek ^{131, ID}, C.M. Hawkes ^{20, ID}, R.J. Hawkings ^{36, ID}, S. Hayashida ^{110, ID}, D. Hayden ^{106, ID}, C. Hayes ^{105, ID}, R.L. Hayes ^{163, ID}, C.P. Hays ^{125, ID}, J.M. Hays ^{93, ID}, H.S. Hayward ^{91, ID}, F. He ^{62a, ID}, Y. He ^{153, ID}, Y. He ^{126, ID}, M.P. Heath ^{52, ID}, V. Hedberg ^{97, ID}, A.L. Heggelund ^{124, ID}, N.D. Hehir ^{93, ID, *}, C. Heidegger ^{54, ID}, K.K. Heidegger ^{54, ID}, W.D. Heidorn ^{80, ID}, J. Heilman ^{34, ID}, S. Heim ^{48, ID}, T. Heim ^{17a, ID}, J.G. Heinlein ^{127, ID}, J.J. Heinrich ^{122, ID}, L. Heinrich ^{36, ID}, J. Hejbal ^{130, ID}, L. Helary ^{48, ID}, A. Held ^{116, ID}, S. Hellesund ^{124, ID}, C.M. Helling ^{163, ID}, S. Hellman ^{47a,47b, ID}, C. Helsens ^{36, ID}, R.C.W. Henderson ⁹⁰, L. Henkelmann ^{32, ID}, A.M. Henriques Correia ³⁶, H. Herde ^{142, ID}, Y. Hernández Jiménez ^{144, ID}, H. Herr ⁹⁹, M.G. Herrmann ^{108, ID}, T. Herrmann ^{50, ID}, G. Herten ^{54, ID}, R. Hertenberger ^{108, ID}, L. Hervas ^{36, ID}, N.P. Hessey ^{155a, ID}, H. Hibi ^{83, ID}, E. Higón-Rodríguez ^{162, ID}, S.J. Hillier ^{20, ID}, I. Hinchliffe ^{17a, ID}, F. Hinterkeuser ^{24, ID}, M. Hirose ^{123, ID}, S. Hirose ^{156, ID}, D. Hirschbuehl ^{170, ID}, T.G. Hitchings ^{100, ID}, B. Hiti ^{92, ID}, J. Hobbs ^{144, ID}, R. Hobincu ^{27e, ID}, N. Hod ^{168, ID}, M.C. Hodgkinson ^{138, ID}, B.H. Hodgkinson ^{32, ID}, A. Hoecker ^{36, ID}, J. Hofer ^{48, ID}, D. Hohn ^{54, ID}, T. Holm ^{24, ID}, M. Holzbock ^{109, ID}, L.B.A.H. Hommels ^{32, ID}, B.P. Honan ^{100, ID}, J. Hong ^{62c, ID}, T.M. Hong ^{128, ID}, Y. Hong ^{55, ID}, J.C. Honig ^{54, ID}, A. Hönlle ^{109, ID}, B.H. Hooberman ^{161, ID}, W.H. Hopkins ^{6, ID}, Y. Horii ^{110, ID}, S. Hou ^{147, ID}, A.S. Howard ^{92, ID}, J. Howarth ^{59, ID}, J. Hoya ^{89, ID}, M. Hrabovsky ^{121, ID}, A. Hrynevich ^{37, ID}, T. Hryna'ova ^{4, ID}, P.J. Hsu ^{65, ID}, S.-C. Hsu ^{137, ID}, Q. Hu ^{41, ID, ac}, Y.F. Hu ^{14a,14d, ID, ai}, D.P. Huang ^{95, ID}, S. Huang ^{64b, ID}, X. Huang ^{14c, ID}, Y. Huang ^{62a, ID}, Y. Huang ^{14a, ID}, Z. Huang ^{100, ID}, Z. Hubacek ^{131, ID}, M. Huebner ^{24, ID}, F. Huegging ^{24, ID}, T.B. Huffman ^{125, ID}, M. Huhtinen ^{36, ID}, S.K. Huiberts ^{16, ID}, R. Hulskens ^{103, ID}, N. Huseynov ^{12, ID, a}, J. Huston ^{106, ID}, J. Huth ^{61, ID}, R. Hyneman ^{142, ID}, S. Hyrych ^{28a, ID}, G. Iacobucci ^{56, ID}, G. Iakovidis ^{29, ID}, I. Ibragimov ^{140, ID}, L. Iconomidou-Fayard ^{66, ID}, P. Iengo ^{71a,71b, ID}, R. Iguchi ^{152, ID}, T. Iizawa ^{56, ID}, Y. Ikegami ^{82, ID}, A. Ilg ^{19, ID}, N. Ilic ^{154, ID}, H. Imam ^{35a, ID}, T. Ingebretsen Carlson ^{47a,47b, ID}, G. Introzzi ^{72a,72b, ID}, M. Iodice ^{76a, ID}, V. Ippolito ^{74a,74b, ID}, M. Ishino ^{152, ID}, W. Islam ^{169, ID}, C. Issever ^{18,48, ID}, S. Istin ^{21a, ID, ak}, H. Ito ^{167, ID}, J.M. Iturbe Ponce ^{64a, ID}, R. Iuppa ^{77a,77b, ID}, A. Ivina ^{168, ID}, J.M. Izen ^{45, ID},

- V. Izzo 71a, ID, P. Jacka 130,131, ID, P. Jackson 1, ID, R.M. Jacobs 48, ID, B.P. Jaeger 141, ID, C.S. Jagfeld 108, ID, G. Jäkel 170, ID, K. Jakobs 54, ID, T. Jakoubek 168, ID, J. Jamieson 59, ID, K.W. Janas 84a, ID, G. Jarlskog 97, ID, A.E. Jaspan 91, ID, T. Javůrek 36, ID, M. Javurkova 102, ID, F. Jeanneau 134, ID, L. Jeanty 122, ID, J. Jejelava 148a, ID, aa, P. Jenni 54, ID, g, C.E. Jessiman 34, ID, S. Jézéquel 4, ID, J. Jia 144, ID, X. Jia 61, ID, X. Jia 14a,14d, ID, Z. Jia 14c, ID, Y. Jiang 62a, S. Jiggins 52, ID, J. Jimenez Pena 109, ID, S. Jin 14c, ID, A. Jinaru 27b, ID, O. Jinnouchi 153, ID, H. Jivan 33g, ID, P. Johansson 138, ID, K.A. Johns 7, ID, C.A. Johnson 67, ID, D.M. Jones 32, ID, E. Jones 166, ID, P. Jones 32, ID, R.W.L. Jones 90, ID, T.J. Jones 91, ID, J. Jovicevic 15, ID, X. Ju 17a, ID, J.J. Junggeburth 36, ID, A. Juste Rozas 13, ID, v, S. Kabana 136e, ID, A. Kaczmarska 85, ID, M. Kado 74a,74b, ID, H. Kagan 118, ID, M. Kagan 142, ID, A. Kahn 41, A. Kahn 127, ID, C. Kahra 99, ID, T. Kaji 167, ID, E. Kajomovitz 149, ID, N. Kakati 168, ID, C.W. Kalderon 29, ID, A. Kamenshchikov 154, ID, N.J. Kang 135, ID, Y. Kano 110, ID, D. Kar 33g, ID, K. Karava 125, ID, M.J. Kareem 155b, ID, E. Karentzos 54, ID, I. Karkalias 151, ID, S.N. Karpov 38, ID, Z.M. Karpova 38, ID, V. Kartvelishvili 90, ID, A.N. Karyukhin 37, ID, E. Kasimi 151, ID, C. Kato 62d, ID, J. Katzy 48, ID, S. Kaur 34, ID, K. Kawade 139, ID, K. Kawagoe 88, ID, T. Kawaguchi 110, ID, T. Kawamoto 134, ID, G. Kawamura 55, E.F. Kay 164, ID, F.I. Kaya 157, ID, S. Kazakos 13, ID, V.F. Kazanin 37, ID, Y. Ke 144, ID, J.M. Keaveney 33a, ID, R. Keeler 164, ID, G.V. Kehris 61, ID, J.S. Keller 34, ID, A.S. Kelly 95, D. Kelsey 145, ID, J.J. Kempster 20, ID, J. Kendrick 20, ID, K.E. Kennedy 41, ID, O. Kepka 130, ID, B.P. Kerridge 166, ID, S. Kersten 170, ID, B.P. Kerševan 92, ID, L. Keszeghova 28a, ID, S. Katabchi Haghighat 154, ID, M. Khandoga 126, ID, A. Khanov 120, ID, A.G. Kharlamov 37, ID, T. Kharlamova 37, ID, E.E. Khoda 137, ID, T.J. Khoo 18, ID, G. Khoriauli 165, ID, J. Khubua 148b, ID, Y.A.R. Khwaira 66, ID, M. Kiehn 36, ID, A. Kilgallon 122, ID, D.W. Kim 47a,47b, ID, E. Kim 153, ID, Y.K. Kim 39, ID, N. Kimura 95, ID, A. Kirchhoff 55, ID, D. Kirchmeier 50, ID, C. Kirfel 24, ID, J. Kirk 133, ID, A.E. Kiryunin 109, ID, T. Kishimoto 152, ID, D.P. Kisliuk 154, C. Kitsaki 10, ID, O. Kivernyk 24, ID, M. Klassen 63a, ID, C. Klein 34, ID, L. Klein 165, ID, M.H. Klein 105, ID, M. Klein 91, ID, U. Klein 91, ID, P. Klimek 36, ID, A. Klimentov 29, ID, F. Klimpel 109, ID, T. Klingl 24, ID, T. Klioutchnikova 36, ID, F.F. Klitzner 108, ID, P. Kluit 113, ID, S. Kluth 109, ID, E. Kneringer 78, ID, T.M. Knight 154, ID, A. Knue 54, ID, D. Kobayashi 88, R. Kobayashi 86, ID, M. Kocian 142, ID, T. Kodama 152, P. Kodyš 132, ID, D.M. Koeck 145, ID, P.T. Koenig 24, ID, T. Koffas 34, ID, N.M. Köhler 36, ID, M. Kolb 134, ID, I. Koletsou 4, ID, T. Komarek 121, ID, K. Köneke 54, ID, A.X.Y. Kong 1, ID, T. Kono 117, ID, N. Konstantinidis 95, ID, B. Konya 97, ID, R. Kopeliansky 67, ID, S. Koperny 84a, ID, K. Korcyl 85, ID, K. Kordas 151, ID, G. Koren 150, ID, A. Korn 95, ID, S. Korn 55, ID, I. Korolkov 13, ID, N. Korotkova 37, ID, B. Kortman 113, ID, O. Kortner 109, ID, S. Kortner 109, ID, W.H. Kostecka 114, ID, V.V. Kostyukhin 140, ID, A. Kotsokechagia 66, ID, A. Kotwal 51, ID, A. Koulouris 36, ID, A. Kourkoumeli-Charalampidi 72a,72b, ID, C. Kourkoumelis 9, ID, E. Kourlitis 6, ID, O. Kovanda 145, ID, R. Kowalewski 164, ID, W. Kozanecki 134, ID, A.S. Kozhin 37, ID, V.A. Kramarenko 37, ID, G. Kramberger 92, ID, P. Kramer 99, ID, M.W. Krasny 126, ID, A. Krasznahorkay 36, ID, J.A. Kremer 99, ID, T. Kresse 50, ID, J. Kretzschmar 91, ID, K. Kreul 18, ID, P. Krieger 154, ID, F. Krieter 108, ID, S. Krishnamurthy 102, ID, A. Krishnan 63b, ID, M. Krivos 132, ID, K. Krizka 17a, ID, K. Kroeninger 49, ID, H. Kroha 109, ID, J. Kroll 130, ID, J. Kroll 127, ID, K.S. Krowpman 106, ID, U. Kruchonak 38, ID, H. Krüger 24, ID, N. Krumnack 80, M.C. Kruse 51, ID, J.A. Krzysiak 85, ID, A. Kubota 153, ID, O. Kuchinskaia 37, ID, S. Kuday 3a, ID, D. Kuechler 48, ID, J.T. Kuechler 48, ID, S. Kuehn 36, ID, T. Kuhl 48, ID, V. Kukhtin 38, ID, Y. Kulchitsky 37, ID, a, S. Kuleshov 136d,136b, ID, M. Kumar 33g, ID, N. Kumari 101, ID, M. Kuna 60, ID, A. Kupco 130, ID, T. Kupfer 49, A. Kupich 37, ID, O. Kuprash 54, ID, H. Kurashige 83, ID, L.L. Kurchaninov 155a, ID, Y.A. Kurochkin 37, ID, A. Kurova 37, ID, E.S. Kuwertz 36, ID, M. Kuze 153, ID, A.K. Kvam 102, ID, J. Kvita 121, ID, T. Kwan 103, ID, K.W. Kwok 64a, ID, C. Lacasta 162, ID, F. Lacava 74a,74b, ID, H. Lacker 18, ID, D. Lacour 126, ID, N.N. Lad 95, ID, E. Ladygin 38, ID, B. Laforgue 126, ID, T. Lagouri 136e, ID, S. Lai 55, ID, I.K. Lakomiec 84a, ID, N. Lalloue 60, ID, J.E. Lambert 119, ID, S. Lammers 67, ID, W. Lampl 7, ID, C. Lampoudis 151, ID, A.N. Lancaster 114, ID,

- E. Lançon 29,^{ID}, U. Landgraf 54,^{ID}, M.P.J. Landon 93,^{ID}, V.S. Lang 54,^{ID}, R.J. Langenberg 102,^{ID}, A.J. Lankford 159,^{ID}, F. Lanni 29,^{ID}, K. Lantzsch 24,^{ID}, A. Lanza 72a,^{ID}, A. Lapertosa 57b,57a,^{ID}, J.F. Laporte 134,^{ID}, T. Lari 70a,^{ID}, F. Lasagni Manghi 23b,^{ID}, M. Lassnig 36,^{ID}, V. Latonova 130,^{ID}, T.S. Lau 64a,^{ID}, A. Laudrain 99,^{ID}, A. Laurier 34,^{ID}, S.D. Lawlor 94,^{ID}, Z. Lawrence 100,^{ID}, M. Lazzaroni 70a,70b,^{ID}, B. Le 100, B. Leban 92,^{ID}, A. Lebedev 80,^{ID}, M. LeBlanc 36,^{ID}, T. LeCompte 6,^{ID}, F. Ledroit-Guillon 60,^{ID}, A.C.A. Lee 95, G.R. Lee 16,^{ID}, L. Lee 61,^{ID}, S.C. Lee 147,^{ID}, S. Lee 47a,47b,^{ID}, L.L. Leeuw 33c,^{ID}, H.P. Lefebvre 94,^{ID}, M. Lefebvre 164,^{ID}, C. Leggett 17a,^{ID}, K. Lehmann 141,^{ID}, G. Lehmann Miotto 36,^{ID}, W.A. Leight 102,^{ID}, A. Leisos 151,^{ID,u}, M.A.L. Leite 81c,^{ID}, C.E. Leitgeb 48,^{ID}, R. Leitner 132,^{ID}, K.J.C. Leney 44,^{ID}, T. Lenz 24,^{ID}, S. Leone 73a,^{ID}, C. Leonidopoulos 52,^{ID}, A. Leopold 143,^{ID}, C. Leroy 107,^{ID}, R. Les 106,^{ID}, C.G. Lester 32,^{ID}, M. Levchenko 37,^{ID}, J. Levêque 4,^{ID}, D. Levin 105,^{ID}, L.J. Levinson 168,^{ID}, D.J. Lewis 20,^{ID}, B. Li 14b,^{ID}, B. Li 62b,^{ID}, C. Li 62a, C-Q. Li 62c,62d,^{ID}, H. Li 62a,^{ID}, H. Li 62b,^{ID}, H. Li 14c,^{ID}, H. Li 62b,^{ID}, J. Li 62c,^{ID}, K. Li 137,^{ID}, L. Li 62c,^{ID}, M. Li 14a,14d,^{ID}, Q.Y. Li 62a,^{ID}, S. Li 62d,62c,^{ID,e}, T. Li 62b,^{ID}, X. Li 103,^{ID}, Z. Li 62b,^{ID}, Z. Li 125,^{ID}, Z. Li 103,^{ID}, Z. Li 91,^{ID}, Z. Liang 14a,^{ID}, M. Liberatore 48,^{ID}, B. Liberti 75a,^{ID}, K. Lie 64c,^{ID}, J. Lieber Marin 81b,^{ID}, K. Lin 106,^{ID}, R.A. Linck 67,^{ID}, R.E. Lindley 7,^{ID}, J.H. Lindon 2,^{ID}, A. Linss 48,^{ID}, E. Lipeles 127,^{ID}, A. Lipniacka 16,^{ID}, T.M. Liss 161,^{ID,ae}, A. Lister 163,^{ID}, J.D. Little 4,^{ID}, B. Liu 14a,^{ID}, B.X. Liu 141,^{ID}, D. Liu 62d,62c,^{ID}, J.B. Liu 62a,^{ID}, J.K.K. Liu 32,^{ID}, K. Liu 62d,62c,^{ID}, M. Liu 62a,^{ID}, M.Y. Liu 62a,^{ID}, P. Liu 14a,^{ID}, Q. Liu 62d,137,62c,^{ID}, X. Liu 62a,^{ID}, Y. Liu 48,^{ID}, Y. Liu 14c,14d,^{ID}, Y.L. Liu 105,^{ID}, Y.W. Liu 62a,^{ID}, M. Livan 72a,72b,^{ID}, J. Llorente Merino 141,^{ID}, S.L. Lloyd 93,^{ID}, E.M. Lobodzinska 48,^{ID}, P. Loch 7,^{ID}, S. Loffredo 75a,75b,^{ID}, T. Lohse 18,^{ID}, K. Lohwasser 138,^{ID}, M. Lokajicek 130,^{ID,*}, J.D. Long 161,^{ID}, I. Longarini 74a,74b,^{ID}, L. Longo 69a,69b,^{ID}, R. Longo 161,^{ID}, I. Lopez Paz 36,^{ID}, A. Lopez Solis 48,^{ID}, J. Lorenz 108,^{ID}, N. Lorenzo Martinez 4,^{ID}, A.M. Lory 108,^{ID}, A. Lösle 54,^{ID}, X. Lou 47a,47b,^{ID}, X. Lou 14a,14d,^{ID}, A. Lounis 66,^{ID}, J. Love 6,^{ID}, P.A. Love 90,^{ID}, J.J. Lozano Bahilo 162,^{ID}, G. Lu 14a,14d,^{ID}, M. Lu 79,^{ID}, S. Lu 127,^{ID}, Y.J. Lu 65,^{ID}, H.J. Lubatti 137,^{ID}, C. Luci 74a,74b,^{ID}, F.L. Lucio Alves 14c,^{ID}, A. Lucotte 60,^{ID}, F. Luehring 67,^{ID}, I. Luise 144,^{ID}, O. Lukianchuk 66,^{ID}, O. Lundberg 143,^{ID}, B. Lund-Jensen 143,^{ID}, N.A. Luongo 122,^{ID}, M.S. Lutz 150,^{ID}, D. Lynn 29,^{ID}, H. Lyons 91, R. Lysak 130,^{ID}, E. Lytken 97,^{ID}, F. Lyu 14a,^{ID}, V. Lyubushkin 38,^{ID}, T. Lyubushkina 38,^{ID}, H. Ma 29,^{ID}, L.L. Ma 62b,^{ID}, Y. Ma 95,^{ID}, D.M. Mac Donell 164,^{ID}, G. Maccarrone 53,^{ID}, J.C. MacDonald 138,^{ID}, R. Madar 40,^{ID}, W.F. Mader 50,^{ID}, J. Maeda 83,^{ID}, T. Maeno 29,^{ID}, M. Maerker 50,^{ID}, V. Magerl 54,^{ID}, J. Magro 68a,68c,^{ID}, H. Maguire 138,^{ID}, D.J. Mahon 41,^{ID}, C. Maidantchik 81b,^{ID}, A. Maio 129a,129b,129d,^{ID}, K. Maj 84a,^{ID}, O. Majersky 28a,^{ID}, S. Majewski 122,^{ID}, N. Makovec 66,^{ID}, V. Maksimovic 15,^{ID}, B. Malaescu 126,^{ID}, Pa. Malecki 85,^{ID}, V.P. Maleev 37,^{ID}, F. Malek 60,^{ID}, D. Malito 43b,43a,^{ID}, U. Mallik 79,^{ID}, C. Malone 32,^{ID}, S. Maltezos 10, S. Malyukov 38, J. Mamuzic 13,^{ID}, G. Mancini 53,^{ID}, G. Manco 72a,72b,^{ID}, J.P. Mandalia 93,^{ID}, I. Mandić 92,^{ID}, L. Manhaes de Andrade Filho 81a,^{ID}, I.M. Maniatis 151,^{ID}, M. Manisha 134,^{ID}, J. Manjarres Ramos 50,^{ID}, D.C. Mankad 168,^{ID}, K.H. Mankinen 97,^{ID}, A. Mann 108,^{ID}, A. Manousos 78,^{ID}, B. Mansoulie 134,^{ID}, S. Manzoni 36,^{ID}, A. Marantis 151,^{ID,u}, G. Marchiori 5,^{ID}, M. Marcisovsky 130,^{ID}, L. Marcoccia 75a,75b,^{ID}, C. Marcon 97,^{ID}, M. Marinescu 20,^{ID}, M. Marjanovic 119,^{ID}, Z. Marshall 17a,^{ID}, S. Marti-Garcia 162,^{ID}, T.A. Martin 166,^{ID}, V.J. Martin 52,^{ID}, B. Martin dit Latour 16,^{ID}, L. Martinelli 74a,74b,^{ID}, M. Martinez 13,^{ID,v}, P. Martinez Agullo 162,^{ID}, V.I. Martinez Outschoorn 102,^{ID}, P. Martinez Suarez 13,^{ID}, S. Martin-Haugh 133,^{ID}, V.S. Martouï 27b,^{ID}, A.C. Martyniuk 95,^{ID}, A. Marzin 36,^{ID}, S.R. Maschek 109,^{ID}, L. Masetti 99,^{ID}, T. Mashimo 152,^{ID}, J. Masik 100,^{ID}, A.L. Maslennikov 37,^{ID}, L. Massa 23b,^{ID}, P. Massarotti 71a,71b,^{ID}, P. Mastrandrea 73a,73b,^{ID}, A. Mastroberardino 43b,43a,^{ID}, T. Masubuchi 152,^{ID}, T. Mathisen 160,^{ID}, A. Matic 108,^{ID}, N. Matsuzawa 152, J. Maurer 27b,^{ID}, B. Maček 92,^{ID}, D.A. Maximov 37,^{ID}, R. Mazini 147,^{ID}, I. Maznas 151,^{ID}, M. Mazza 106,^{ID}, S.M. Mazza 135,^{ID}, C. Mc Ginn 29,^{ID}, J.P. Mc Gowan 103,^{ID}, S.P. Mc Kee 105,^{ID}, T.G. McCarthy 109,^{ID}, W.P. McCormack 17a,^{ID}, E.F. McDonald 104,^{ID}, A.E. McDougall 113,^{ID}, J.A. McFayden 145,^{ID}, G. Mchedlidze 148b,^{ID}, R.P. McKenzie 33g,^{ID}, T.C. McLachlan 48,^{ID}, D.J. McLaughlin 95,^{ID}, K.D. McLean 164,^{ID}, S.J. McMahon 133,^{ID}, P.C. McNamara 104,^{ID}, R.A. McPherson 164,^{ID,y}, J.E. Mdhluli 33g,^{ID}, S. Meehan 36,^{ID},

- T. Megy^{40, ID}, S. Mehlhase^{108, ID}, A. Mehta^{91, ID}, B. Meirose^{45, ID}, D. Melini^{149, ID}, B.R. Mellado Garcia^{33g, ID}, A.H. Melo^{55, ID}, F. Meloni^{48, ID}, E.D. Mendes Gouveia^{129a, ID}, A.M. Mendes Jacques Da Costa^{20, ID}, H.Y. Meng^{154, ID}, L. Meng^{90, ID}, S. Menke^{109, ID}, M. Mentink^{36, ID}, E. Meoni^{43b,43a, ID}, C. Merlassino^{125, ID}, L. Merola^{71a,71b, ID}, C. Meroni^{70a,70b, ID}, G. Merz¹⁰⁵, O. Meshkov^{37, ID}, J.K.R. Meshreki^{140, ID}, J. Metcalfe^{6, ID}, A.S. Mete^{6, ID}, C. Meyer^{67, ID}, J-P. Meyer^{134, ID}, M. Michetti^{18, ID}, R.P. Middleton^{133, ID}, L. Mijović^{52, ID}, G. Mikenberg^{168, ID}, M. Mikestikova^{130, ID}, M. Mikuž^{92, ID}, H. Mildner^{138, ID}, A. Milic^{154, ID}, C.D. Milke^{44, ID}, D.W. Miller^{39, ID}, L.S. Miller^{34, ID}, A. Milov^{168, ID}, D.A. Milstead^{47a,47b}, T. Min^{14c}, A.A. Minaenko^{37, ID}, I.A. Minashvili^{148b, ID}, L. Mince^{59, ID}, A.I. Mincer^{116, ID}, B. Mindur^{84a, ID}, M. Mineev^{38, ID}, Y. Minegishi^{152, ID}, Y. Mino^{86, ID}, L.M. Mir^{13, ID}, M. Miralles Lopez^{162, ID}, M. Mironova^{125, ID}, T. Mitani^{167, ID}, A. Mitra^{166, ID}, V.A. Mitsou^{162, ID}, O. Miu^{154, ID}, P.S. Miyagawa^{93, ID}, Y. Miyazaki⁸⁸, A. Mizukami^{82, ID}, J.U. Mjörnmark^{97, ID}, T. Mkrtchyan^{63a, ID}, M. Mlynarikova^{114, ID}, T. Moa^{47a,47b, ID}, S. Mobius^{55, ID}, K. Mochizuki^{107, ID}, P. Moder^{48, ID}, P. Mogg^{108, ID}, A.F. Mohammed^{14a,14d, ID}, S. Mohapatra^{41, ID}, G. Mokgatitswane^{33g, ID}, B. Mondal^{140, ID}, S. Mondal^{131, ID}, K. Mönig^{48, ID}, E. Monnier^{101, ID}, L. Monsonis Romero¹⁶², J. Montejo Berlingen^{36, ID}, M. Montella^{118, ID}, F. Monticelli^{89, ID}, N. Morange^{66, ID}, A.L. Moreira De Carvalho^{129a, ID}, M. Moreno Llácer^{162, ID}, C. Moreno Martinez^{13, ID}, P. Morettini^{57b, ID}, S. Morgenstern^{166, ID}, M. Morii^{61, ID}, M. Morinaga^{152, ID}, V. Morisbak^{124, ID}, A.K. Morley^{36, ID}, F. Morodei^{74a,74b, ID}, L. Morvaj^{36, ID}, P. Moschovakos^{36, ID}, B. Moser^{36, ID}, M. Mosidze^{148b, ID}, T. Moskalets^{54, ID}, P. Moskvitina^{112, ID}, J. Moss^{31, ID}, E.J.W. Moyse^{102, ID}, S. Muanza^{101, ID}, J. Mueller^{128, ID}, D. Muenstermann^{90, ID}, R. Müller^{19, ID}, G.A. Mullier^{97, ID}, J.J. Mullin¹²⁷, D.P. Mungo^{70a,70b, ID}, J.L. Munoz Martinez^{13, ID}, D. Munoz Perez^{162, ID}, F.J. Munoz Sanchez^{100, ID}, M. Murin^{100, ID}, W.J. Murray^{166,133, ID}, A. Murrone^{70a,70b, ID}, J.M. Muse^{119, ID}, M. Muškinja^{17a, ID}, C. Mwewa^{29, ID}, A.G. Myagkov^{37, ID}, A.J. Myers^{8, ID}, A.A. Myers¹²⁸, G. Myers^{67, ID}, M. Myska^{131, ID}, B.P. Nachman^{17a, ID}, O. Nackenhorst^{49, ID}, A. Nag^{50, ID}, K. Nagai^{125, ID}, K. Nagano^{82, ID}, J.L. Nagle^{29, ID}, E. Nagy^{101, ID}, A.M. Nairz^{36, ID}, Y. Nakahama^{82, ID}, K. Nakamura^{82, ID}, H. Nanjo^{123, ID}, R. Narayan^{44, ID}, E.A. Narayanan^{111, ID}, I. Naryshkin^{37, ID}, M. Naseri^{34, ID}, C. Nass^{24, ID}, G. Navarro^{22a, ID}, J. Navarro-Gonzalez^{162, ID}, R. Nayak^{150, ID}, P.Y. Nechaeva^{37, ID}, F. Nechansky^{48, ID}, T.J. Neep^{20, ID}, A. Negri^{72a,72b, ID}, M. Negrini^{23b, ID}, C. Nellist^{112, ID}, C. Nelson^{103, ID}, K. Nelson^{105, ID}, S. Nemecek^{130, ID}, M. Nessi^{36, ID}, M.S. Neubauer^{161, ID}, F. Neuhaus^{99, ID}, J. Neundorf^{48, ID}, R. Newhouse^{163, ID}, P.R. Newman^{20, ID}, C.W. Ng^{128, ID}, Y.S. Ng¹⁸, Y.W.Y. Ng^{159, ID}, B. Ngair^{35e, ID}, H.D.N. Nguyen^{107, ID}, R.B. Nickerson^{125, ID}, R. Nicolaïdou^{134, ID}, J. Nielsen^{135, ID}, M. Niemeyer^{55, ID}, N. Nikiforou^{36, ID}, V. Nikolaenko^{37, ID}, I. Nikolic-Audit^{126, ID}, K. Nikolopoulos^{20, ID}, P. Nilsson^{29, ID}, H.R. Nindhito^{56, ID}, A. Nisati^{74a, ID}, N. Nishu^{2, ID}, R. Nisius^{109, ID}, J-E. Nitschke^{50, ID}, E.K. Nkadieng^{33g, ID}, S.J. Noacco Rosende^{89, ID}, T. Nobe^{152, ID}, D.L. Noel^{32, ID}, Y. Noguchi^{86, ID}, T. Nommensen^{146, ID}, M.A. Nomura²⁹, M.B. Norfolk^{138, ID}, R.R.B. Norisam^{95, ID}, B.J. Norman^{34, ID}, J. Novak^{92, ID}, T. Novak^{48, ID}, O. Novgorodova^{50, ID}, L. Novotny^{131, ID}, R. Novotny^{111, ID}, L. Nozka^{121, ID}, K. Ntekas^{159, ID}, E. Nurse⁹⁵, F.G. Oakham^{34, ID}, J. Ocariz^{126, ID}, A. Ochi^{83, ID}, I. Ochoa^{129a, ID}, S. Oda^{88, ID}, S. Oerdekk^{160, ID}, A. Ogrodnik^{84a, ID}, A. Oh^{100, ID}, C.C. Ohm^{143, ID}, H. Oide^{153, ID}, R. Oishi^{152, ID}, M.L. Ojeda^{48, ID}, Y. Okazaki^{86, ID}, M.W. O'Keefe⁹¹, Y. Okumura^{152, ID}, A. Olariu^{27b}, L.F. Oleiro Seabra^{129a, ID}, S.A. Olivares Pino^{136e, ID}, D. Oliveira Damazio^{29, ID}, D. Oliveira Goncalves^{81a, ID}, J.L. Oliver^{159, ID}, M.J.R. Olsson^{159, ID}, A. Olszewski^{85, ID}, J. Olszowska^{85, ID}, Ö.O. Öncel^{54, ID}, D.C. O'Neil^{141, ID}, A.P. O'Neill^{19, ID}, A. Onofre^{129a,129e, ID}, P.U.E. Onyisi^{11, ID}, M.J. Oreglia^{39, ID}, G.E. Orellana^{89, ID}, D. Orestano^{76a,76b, ID}, N. Orlando^{13, ID}, R.S. Orr^{154, ID}, V. O'Shea^{59, ID}, R. Ospanov^{62a, ID}, G. Otero y Garzon^{30, ID}, H. Otono^{88, ID}, P.S. Ott^{63a, ID}, G.J. Ottino^{17a, ID}, M. Ouchrif^{35d, ID}, J. Ouellette^{29, ID}, F. Ould-Saada^{124, ID}, M. Owen^{59, ID}, R.E. Owen^{133, ID}, K.Y. Oyulmaz^{21a, ID}, V.E. Ozcan^{21a, ID}, N. Ozturk^{8, ID}, S. Ozturk^{21d, ID}, J. Pacalt^{121, ID}, H.A. Pacey^{32, ID}, A. Pacheco Pages^{13, ID}, C. Padilla Aranda^{13, ID},

- G. Padovano 74a,74b,^{ID}, S. Pagan Griso 17a,^{ID}, G. Palacino 67,^{ID}, A. Palazzo 69a,69b,^{ID}, S. Palazzo 52,^{ID},
 S. Palestini 36,^{ID}, M. Palka 84b,^{ID}, J. Pan 171,^{ID}, T. Pan 64a,^{ID}, D.K. Panchal 11,^{ID}, C.E. Pandini 113,^{ID},
 J.G. Panduro Vazquez 94,^{ID}, H. Pang 14b,^{ID}, P. Pani 48,^{ID}, G. Panizzo 68a,68c,^{ID}, L. Paolozzi 56,^{ID}, C. Papadatos 107,^{ID},
 S. Parajuli 44,^{ID}, A. Paramonov 6,^{ID}, C. Paraskevopoulos 10,^{ID}, D. Paredes Hernandez 64b,^{ID}, T.H. Park 154,^{ID},
 M.A. Parker 32,^{ID}, F. Parodi 57b,57a,^{ID}, E.W. Parrish 114,^{ID}, V.A. Parrish 52,^{ID}, J.A. Parsons 41,^{ID}, U. Parzefall 54,^{ID},
 B. Pascual Dias 107,^{ID}, L. Pascual Dominguez 150,^{ID}, V.R. Pascuzzi 17a,^{ID}, F. Pasquali 113,^{ID}, E. Pasqualucci 74a,^{ID},
 S. Passaggio 57b,^{ID}, F. Pastore 94,^{ID}, P. Pasuwan 47a,47b,^{ID}, J.R. Pater 100,^{ID}, J. Patton 91, T. Pauly 36,^{ID},
 J. Pearkes 142,^{ID}, M. Pedersen 124,^{ID}, R. Pedro 129a,^{ID}, S.V. Peleganchuk 37,^{ID}, O. Penc 130,^{ID}, C. Peng 64b,^{ID},
 H. Peng 62a,^{ID}, M. Penzin 37,^{ID}, B.S. Peralva 81a,81d,^{ID}, A.P. Pereira Peixoto 60,^{ID}, L. Pereira Sanchez 47a,47b,^{ID},
 D.V. Perepelitsa 29,^{ID},^{aj}, E. Perez Codina 155a,^{ID}, M. Perganti 10,^{ID}, L. Perini 70a,70b,^{ID},*, H. Pernegger 36,^{ID},
 A. Perrevoort 112,^{ID}, O. Perrin 40,^{ID}, K. Peters 48,^{ID}, R.F.Y. Peters 100,^{ID}, B.A. Petersen 36,^{ID}, T.C. Petersen 42,^{ID},
 E. Petit 101,^{ID}, V. Petousis 131,^{ID}, C. Petridou 151,^{ID}, A. Petrukhin 140,^{ID}, M. Pettee 17a,^{ID}, N.E. Pettersson 36,^{ID},
 A. Petukhov 37,^{ID}, K. Petukhova 132,^{ID}, A. Peyaud 134,^{ID}, R. Pezoa 136f,^{ID}, L. Pezzotti 36,^{ID}, G. Pezzullo 171,^{ID},
 T. Pham 104,^{ID}, P.W. Phillips 133,^{ID}, M.W. Phipps 161,^{ID}, G. Piacquadio 144,^{ID}, E. Pianori 17a,^{ID}, F. Piazza 70a,70b,^{ID},
 R. Piegaia 30,^{ID}, D. Pietreanu 27b,^{ID}, A.D. Pilkington 100,^{ID}, M. Pinamonti 68a,68c,^{ID}, J.L. Pinfold 2,^{ID},
 B.C. Pinheiro Pereira 129a,^{ID}, C. Pitman Donaldson 95, D.A. Pizzi 34,^{ID}, L. Pizzimento 75a,75b,^{ID}, A. Pizzini 113,^{ID},
 M.-A. Pleier 29,^{ID}, V. Plesanovs 54, V. Pleskot 132,^{ID}, E. Plotnikova 38, G. Poddar 4,^{ID}, R. Poettgen 97,^{ID},
 R. Poggi 56,^{ID}, L. Poggioli 126,^{ID}, I. Pogrebnyak 106,^{ID}, D. Pohl 24,^{ID}, I. Pokharel 55,^{ID}, S. Polacek 132,^{ID},
 G. Polesello 72a,^{ID}, A. Poley 141,155a,^{ID}, R. Polifka 131,^{ID}, A. Polini 23b,^{ID}, C.S. Pollard 125,^{ID}, Z.B. Pollock 118,^{ID},
 V. Polychronakos 29,^{ID}, D. Ponomarenko 37,^{ID}, L. Pontecorvo 36,^{ID}, S. Popa 27a,^{ID}, G.A. Popeneciu 27d,^{ID},
 D.M. Portillo Quintero 155a,^{ID}, S. Pospisil 131,^{ID}, P. Postolache 27c,^{ID}, K. Potamianos 125,^{ID}, I.N. Potrap 38,^{ID},
 C.J. Potter 32,^{ID}, H. Potti 1,^{ID}, T. Poulsen 48,^{ID}, J. Poveda 162,^{ID}, G. Pownall 48,^{ID}, M.E. Pozo Astigarraga 36,^{ID},
 A. Prades Ibanez 162,^{ID}, M.M. Prapa 46,^{ID}, J. Pretel 54,^{ID}, D. Price 100,^{ID}, M. Primavera 69a,^{ID},
 M.A. Principe Martin 98,^{ID}, M.L. Proffitt 137,^{ID}, N. Proklova 37,^{ID}, K. Prokofiev 64c,^{ID}, G. Proto 75a,75b,^{ID},
 S. Protopopescu 29,^{ID}, J. Proudfoot 6,^{ID}, M. Przybycien 84a,^{ID}, J.E. Puddefoot 138,^{ID}, D. Pudzha 37,^{ID}, P. Puzo 66,
 D. Pyatiizbyantseva 37,^{ID}, J. Qian 105,^{ID}, Y. Qin 100,^{ID}, T. Qiu 93,^{ID}, A. Quadt 55,^{ID}, M. Queitsch-Maitland 24,^{ID},
 G. Rabanal Bolanos 61,^{ID}, D. Rafanoharana 54,^{ID}, F. Ragusa 70a,70b,^{ID}, J.L. Rainbolt 39,^{ID}, J.A. Raine 56,^{ID},
 S. Rajagopalan 29,^{ID}, E. Ramakoti 37,^{ID}, K. Ran 14a,14d,^{ID}, V. Raskina 126,^{ID}, D.F. Rassloff 63a,^{ID}, S. Rave 99,^{ID},
 B. Ravina 59,^{ID}, I. Ravinovich 168,^{ID}, M. Raymond 36,^{ID}, A.L. Read 124,^{ID}, N.P. Readioff 138,^{ID},
 D.M. Rebuzzi 72a,72b,^{ID}, G. Redlinger 29,^{ID}, K. Reeves 45,^{ID}, J.A. Reidelsturz 170,^{ID}, D. Reikher 150,^{ID}, A. Reiss 99,
 A. Rej 140,^{ID}, C. Rembser 36,^{ID}, A. Renardi 48,^{ID}, M. Renda 27b,^{ID}, M.B. Rendel 109, A.G. Rennie 59,^{ID},
 S. Resconi 70a,^{ID}, M. Ressegotti 57b,57a,^{ID}, E.D. Ressegueie 17a,^{ID}, S. Rettie 95,^{ID}, B. Reynolds 118, E. Reynolds 17a,^{ID},
 M. Rezaei Estabragh 170,^{ID}, O.L. Rezanova 37,^{ID}, P. Reznicek 132,^{ID}, E. Ricci 77a,77b,^{ID}, R. Richter 109,^{ID},
 S. Richter 47a,47b,^{ID}, E. Richter-Was 84b,^{ID}, M. Ridel 126,^{ID}, P. Rieck 116,^{ID}, P. Riedler 36,^{ID}, M. Rijssenbeek 144,^{ID},
 A. Rimoldi 72a,72b,^{ID}, M. Rimoldi 48,^{ID}, L. Rinaldi 23b,23a,^{ID}, T.T. Rinn 29,^{ID}, M.P. Rinnagel 108,^{ID}, G. Ripellino 143,^{ID},
 I. Riu 13,^{ID}, P. Rivadeneira 48,^{ID}, J.C. Rivera Vergara 164,^{ID}, F. Rizatdinova 120,^{ID}, E. Rizvi 93,^{ID}, C. Rizzi 56,^{ID},
 B.A. Roberts 166,^{ID}, B.R. Roberts 17a,^{ID}, S.H. Robertson 103,^{ID}, M. Robin 48,^{ID}, D. Robinson 32,^{ID},
 C.M. Robles Gajardo 136f, M. Robles Manzano 99,^{ID}, A. Robson 59,^{ID}, A. Rocchi 75a,75b,^{ID}, C. Roda 73a,73b,^{ID},
 S. Rodriguez Bosca 63a,^{ID}, Y. Rodriguez Garcia 22a,^{ID}, A. Rodriguez Rodriguez 54,^{ID}, A.M. Rodríguez Vera 155b,^{ID},
 S. Roe 36, J.T. Roemer 159,^{ID}, A.R. Roepe-Gier 119,^{ID}, J. Roggel 170,^{ID}, O. Røhne 124,^{ID}, R.A. Rojas 164,^{ID},
 B. Roland 54,^{ID}, C.P.A. Roland 67,^{ID}, J. Roloff 29,^{ID}, A. Romaniouk 37,^{ID}, E. Romano 72a,72b,^{ID}, M. Romano 23b,^{ID},
 A.C. Romero Hernandez 161,^{ID}, N. Rompotis 91,^{ID}, L. Roos 126,^{ID}, S. Rosati 74a,^{ID}, B.J. Rosser 39,^{ID}, E. Rossi 4,^{ID},

- E. Rossi 71a,71b,^{ID}, L.P. Rossi 57b,^{ID}, L. Rossini 48,^{ID}, R. Rosten 118,^{ID}, M. Rotaru 27b,^{ID}, B. Rottler 54,^{ID},
 D. Rousseau 66,^{ID}, D. Rousso 32,^{ID}, G. Rovelli 72a,72b,^{ID}, A. Roy 161,^{ID}, A. Rozanov 101,^{ID}, Y. Rozen 149,^{ID},
 X. Ruan 33g,^{ID}, A. Rubio Jimenez 162,^{ID}, A.J. Ruby 91,^{ID}, T.A. Ruggeri 1,^{ID}, F. Rühr 54,^{ID}, A. Ruiz-Martinez 162,^{ID},
 A. Rummler 36,^{ID}, Z. Rurikova 54,^{ID}, N.A. Rusakovich 38,^{ID}, H.L. Russell 164,^{ID}, J.P. Rutherford 7,^{ID},
 E.M. Rüttinger 138,^{ID}, K. Rybacki 90, M. Rybar 132,^{ID}, E.B. Rye 124,^{ID}, A. Ryzhov 37,^{ID}, J.A. Sabater Iglesias 56,^{ID},
 P. Sabatini 162,^{ID}, L. Sabetta 74a,74b,^{ID}, H.F-W. Sadrozinski 135,^{ID}, F. Safai Tehrani 74a,^{ID},
 B. Safarzadeh Samani 145,^{ID}, M. Safdari 142,^{ID}, S. Saha 103,^{ID}, M. Sahinsoy 109,^{ID}, M. Saimpert 134,^{ID}, M. Saito 152,^{ID},
 T. Saito 152,^{ID}, D. Salamani 36,^{ID}, G. Salamanna 76a,76b,^{ID}, A. Salnikov 142,^{ID}, J. Salt 162,^{ID}, A. Salvador Salas 13,^{ID},
 D. Salvatore 43b,43a,^{ID}, F. Salvatore 145,^{ID}, A. Salzburger 36,^{ID}, D. Sammel 54,^{ID}, D. Sampsonidis 151,^{ID},
 D. Sampsonidou 62d,62c,^{ID}, J. Sánchez 162,^{ID}, A. Sanchez Pineda 4,^{ID}, V. Sanchez Sebastian 162,^{ID},
 H. Sandaker 124,^{ID}, C.O. Sander 48,^{ID}, J.A. Sandesara 102,^{ID}, M. Sandhoff 170,^{ID}, C. Sandoval 22b,^{ID},
 D.P.C. Sankey 133,^{ID}, A. Sansoni 53,^{ID}, L. Santi 74a,74b,^{ID}, C. Santoni 40,^{ID}, H. Santos 129a,129b,^{ID}, S.N. Santpur 17a,^{ID},
 A. Santra 168,^{ID}, K.A. Saoucha 138,^{ID}, J.G. Saraiva 129a,129d,^{ID}, J. Sardain 101,^{ID}, O. Sasaki 82,^{ID}, K. Sato 156,^{ID},
 C. Sauer 63b, F. Sauerburger 54,^{ID}, E. Sauvan 4,^{ID}, P. Savard 154,^{ID},^{ag}, R. Sawada 152,^{ID}, C. Sawyer 133,^{ID},
 L. Sawyer 96,^{ID}, I. Sayago Galvan 162, C. Sbarra 23b,^{ID}, A. Sbrizzi 23b,23a,^{ID}, T. Scanlon 95,^{ID}, J. Schaarschmidt 137,^{ID},
 P. Schacht 109,^{ID}, D. Schaefer 39,^{ID}, U. Schäfer 99,^{ID}, A.C. Schaffer 66,^{ID}, D. Schaile 108,^{ID}, R.D. Schamberger 144,^{ID},
 E. Schanet 108,^{ID}, C. Scharf 18,^{ID}, V.A. Schegelsky 37,^{ID}, D. Scheirich 132,^{ID}, F. Schenck 18,^{ID}, M. Schernau 159,^{ID},
 C. Scheulen 55,^{ID}, C. Schiavi 57b,57a,^{ID}, Z.M. Schillaci 26,^{ID}, E.J. Schioppa 69a,69b,^{ID}, M. Schioppa 43b,43a,^{ID},
 B. Schlag 99,^{ID}, K.E. Schleicher 54,^{ID}, S. Schlenker 36,^{ID}, K. Schmieden 99,^{ID}, C. Schmitt 99,^{ID}, S. Schmitt 48,^{ID},
 L. Schoeffel 134,^{ID}, A. Schoening 63b,^{ID}, P.G. Scholer 54,^{ID}, E. Schopf 125,^{ID}, M. Schott 99,^{ID}, J. Schovancova 36,^{ID},
 S. Schramm 56,^{ID}, F. Schroeder 170,^{ID}, H-C. Schultz-Coulon 63a,^{ID}, M. Schumacher 54,^{ID}, B.A. Schumm 135,^{ID},
 Ph. Schune 134,^{ID}, A. Schwartzman 142,^{ID}, T.A. Schwarz 105,^{ID}, Ph. Schwemling 134,^{ID}, R. Schwienhorst 106,^{ID},
 A. Sciandra 135,^{ID}, G. Sciolla 26,^{ID}, F. Scuri 73a,^{ID}, F. Scutti 104,^{ID}, C.D. Sebastiani 91,^{ID}, K. Sedlaczek 49,^{ID},
 P. Seema 18,^{ID}, S.C. Seidel 111,^{ID}, A. Seiden 135,^{ID}, B.D. Seidlitz 41,^{ID}, T. Seiss 39,^{ID}, C. Seitz 48,^{ID}, J.M. Seixas 81b,^{ID},
 G. Sekhniaidze 71a,^{ID}, S.J. Sekula 44,^{ID}, L. Selem 4,^{ID}, N. Semprini-Cesari 23b,23a,^{ID}, S. Sen 51,^{ID}, D. Sengupta 56,^{ID},
 V. Senthilkumar 162,^{ID}, L. Serin 66,^{ID}, L. Serkin 68a,68b,^{ID}, M. Sessa 76a,76b,^{ID}, H. Severini 119,^{ID}, S. Sevova 142,^{ID},
 F. Sforza 57b,57a,^{ID}, A. Sfyrla 56,^{ID}, E. Shabalina 55,^{ID}, R. Shaheen 143,^{ID}, J.D. Shahinian 127,^{ID}, N.W. Shaikh 47a,47b,^{ID},
 D. Shaked Renous 168,^{ID}, L.Y. Shan 14a,^{ID}, M. Shapiro 17a,^{ID}, A. Sharma 36,^{ID}, A.S. Sharma 163,^{ID}, P. Sharma 79,^{ID},
 S. Sharma 48,^{ID}, P.B. Shatalov 37,^{ID}, K. Shaw 145,^{ID}, S.M. Shaw 100,^{ID}, Q. Shen 62c,^{ID}, P. Sherwood 95,^{ID}, L. Shi 95,^{ID},
 C.O. Shimmin 171,^{ID}, Y. Shimogama 167,^{ID}, J.D. Shinner 94,^{ID}, I.P.J. Shipsey 125,^{ID}, S. Shirabe 60,^{ID},
 M. Shiyakova 38,^{ID}, J. Shlomi 168,^{ID}, M.J. Shochet 39,^{ID}, J. Shojaei 104,^{ID}, D.R. Shopo 143,^{ID}, S. Shrestha 118,^{ID},
 E.M. Shrif 33g,^{ID}, M.J. Shroff 164,^{ID}, P. Sicho 130,^{ID}, A.M. Sickles 161,^{ID}, E. Sideras Haddad 33g,^{ID},
 O. Sidiropoulou 36,^{ID}, A. Sidoti 23b,^{ID}, F. Siegert 50,^{ID}, Dj. Sijacki 15,^{ID}, R. Sikora 84a,^{ID}, F. Sili 89,^{ID}, J.M. Silva 20,^{ID},
 M.V. Silva Oliveira 36,^{ID}, S.B. Silverstein 47a,^{ID}, S. Simion 66, R. Simonello 36,^{ID}, E.L. Simpson 59,^{ID},
 N.D. Simpson 97, S. Simsek 21d,^{ID}, S. Sindhu 55,^{ID}, P. Sinervo 154,^{ID}, V. Sinetckii 37,^{ID}, S. Singh 141,^{ID}, S. Singh 154,^{ID},
 S. Sinha 48,^{ID}, S. Sinha 33g,^{ID}, M. Sioli 23b,23a,^{ID}, I. Siral 122,^{ID}, S.Yu. Sivoklokov 37,^{ID},^{*,} J. Sjölin 47a,47b,^{ID},
 A. Skaf 55,^{ID}, E. Skorda 97,^{ID}, P. Skubic 119,^{ID}, M. Slawinska 85,^{ID}, V. Smakhtin 168, B.H. Smart 133,^{ID},
 J. Smiesko 132,^{ID}, S.Yu. Smirnov 37,^{ID}, Y. Smirnov 37,^{ID}, L.N. Smirnova 37,^{ID},^a, O. Smirnova 97,^{ID}, E.A. Smith 39,^{ID},
 H.A. Smith 125,^{ID}, J.L. Smith 91,^{ID}, R. Smith 142, M. Smizanska 90,^{ID}, K. Smolek 131,^{ID}, A. Smykiewicz 85,^{ID},
 A.A. Snesarev 37,^{ID}, H.L. Snoek 113,^{ID}, S. Snyder 29,^{ID}, R. Sobie 164,^{ID},^y, A. Soffer 150,^{ID}, C.A. Solans Sanchez 36,^{ID},
 E.Yu. Soldatov 37,^{ID}, U. Soldevila 162,^{ID}, A.A. Solodkov 37,^{ID}, S. Solomon 54,^{ID}, A. Soloshenko 38,^{ID},
 K. Solovieva 54,^{ID}, O.V. Solovyanov 37,^{ID}, V. Solovyev 37,^{ID}, P. Sommer 36,^{ID}, A. Sonay 13,^{ID}, W.Y. Song 155b,^{ID},
 A. Sopczak 131,^{ID}, A.L. Sopio 95,^{ID}, F. Sopkova 28b,^{ID}, V. Sothilingam 63a, S. Sottocornola 72a,72b,^{ID},

- R. Soualah ^{115b, ID}, Z. Soumami ^{35e, ID}, D. South ^{48, ID}, S. Spagnolo ^{69a,69b, ID}, M. Spalla ^{109, ID}, F. Spanò ^{94, ID},
 D. Sperlich ^{54, ID}, G. Spigo ^{36, ID}, M. Spina ^{145, ID}, S. Spinali ^{90, ID}, D.P. Spiteri ^{59, ID}, M. Spousta ^{132, ID},
 E.J. Staats ^{34, ID}, A. Stabile ^{70a,70b, ID}, R. Stamen ^{63a, ID}, M. Stamenkovic ^{113, ID}, A. Stampeki ^{20, ID}, M. Standke ^{24, ID},
 E. Stanecka ^{85, ID}, B. Stanislaus ^{17a, ID}, M.M. Stanitzki ^{48, ID}, M. Stankaityte ^{125, ID}, B. Staff ^{48, ID},
 E.A. Starchenko ^{37, ID}, G.H. Stark ^{135, ID}, J. Stark ^{101, ID, ab}, D.M. Starko ^{155b}, P. Staroba ^{130, ID}, P. Starovoitov ^{63a, ID},
 S. Stärz ^{103, ID}, R. Staszewski ^{85, ID}, G. Stavropoulos ^{46, ID}, J. Steentoft ^{160, ID}, P. Steinberg ^{29, ID},
 A.L. Steinhebel ^{122, ID}, B. Stelzer ^{141,155a, ID}, H.J. Stelzer ^{128, ID}, O. Stelzer-Chilton ^{155a, ID}, H. Stenzel ^{58, ID},
 T.J. Stevenson ^{145, ID}, G.A. Stewart ^{36, ID}, M.C. Stockton ^{36, ID}, G. Stoicea ^{27b, ID}, M. Stolarski ^{129a, ID}, S. Stonjek ^{109, ID},
 A. Straessner ^{50, ID}, J. Strandberg ^{143, ID}, S. Strandberg ^{47a,47b, ID}, M. Strauss ^{119, ID}, T. Strebler ^{101, ID},
 P. Strizenec ^{28b, ID}, R. Ströhmer ^{165, ID}, D.M. Strom ^{122, ID}, L.R. Strom ^{48, ID}, R. Stroynowski ^{44, ID}, A. Strubig ^{47a,47b, ID},
 S.A. Stucci ^{29, ID}, B. Stugu ^{16, ID}, J. Stupak ^{119, ID}, N.A. Styles ^{48, ID}, D. Su ^{142, ID}, S. Su ^{62a, ID}, W. Su ^{62d,137,62c, ID},
 X. Su ^{62a,66, ID}, K. Sugizaki ^{152, ID}, V.V. Sulin ^{37, ID}, M.J. Sullivan ^{91, ID}, D.M.S. Sultan ^{77a,77b, ID}, L. Sultanaliyeva ^{37, ID},
 S. Sultansoy ^{3b, ID}, T. Sumida ^{86, ID}, S. Sun ^{105, ID}, S. Sun ^{169, ID}, O. Sunneborn Gudnadottir ^{160, ID}, M.R. Sutton ^{145, ID},
 M. Svatos ^{130, ID}, M. Swiatlowski ^{155a, ID}, T. Swirski ^{165, ID}, I. Sykora ^{28a, ID}, M. Sykora ^{132, ID}, T. Sykora ^{132, ID},
 D. Ta ^{99, ID}, K. Tackmann ^{48, ID, w}, A. Taffard ^{159, ID}, R. Tafirout ^{155a, ID}, J.S. Tafoya Vargas ^{66, ID}, R.H.M. Taibah ^{126, ID},
 R. Takashima ^{87, ID}, K. Takeda ^{83, ID}, E.P. Takeva ^{52, ID}, Y. Takubo ^{82, ID}, M. Talby ^{101, ID}, A.A. Talyshев ^{37, ID},
 K.C. Tam ^{64b, ID}, N.M. Tamir ¹⁵⁰, A. Tanaka ^{152, ID}, J. Tanaka ^{152, ID}, R. Tanaka ^{66, ID}, M. Tanasini ^{57b,57a, ID},
 J. Tang ^{62c}, Z. Tao ^{163, ID}, S. Tapia Araya ^{80, ID}, S. Tapprogge ^{99, ID}, A. Tarek Abouelfadl Mohamed ^{106, ID},
 S. Tarem ^{149, ID}, K. Tariq ^{62b, ID}, G. Tarna ^{27b, ID}, G.F. Tartarelli ^{70a, ID}, P. Tas ^{132, ID}, M. Tasevsky ^{130, ID},
 E. Tassi ^{43b,43a, ID}, A.C. Tate ^{161, ID}, G. Tateno ^{152, ID}, Y. Tayalati ^{35e, ID}, G.N. Taylor ^{104, ID}, W. Taylor ^{155b, ID},
 H. Teagle ⁹¹, A.S. Tee ^{169, ID}, R. Teixeira De Lima ^{142, ID}, P. Teixeira-Dias ^{94, ID}, J.J. Teoh ^{154, ID}, K. Terashi ^{152, ID},
 J. Terron ^{98, ID}, S. Terzo ^{13, ID}, M. Testa ^{53, ID}, R.J. Teuscher ^{154, ID, y}, A. Thaler ^{78, ID}, N. Themistokleous ^{52, ID},
 T. Theveneaux-Pelzer ^{18, ID}, O. Thielmann ^{170, ID}, D.W. Thomas ⁹⁴, J.P. Thomas ^{20, ID}, E.A. Thompson ^{48, ID},
 P.D. Thompson ^{20, ID}, E. Thomson ^{127, ID}, E.J. Thorpe ^{93, ID}, Y. Tian ^{55, ID}, V. Tikhomirov ^{37, ID, a},
 Yu.A. Tikhonov ^{37, ID}, S. Timoshenko ³⁷, E.X.L. Ting ^{1, ID}, P. Tipton ^{171, ID}, S. Tisserant ^{101, ID}, S.H. Tlou ^{33g, ID},
 A. Tnourji ^{40, ID}, K. Todome ^{23b,23a, ID}, S. Todorova-Nova ^{132, ID}, S. Todt ⁵⁰, M. Togawa ^{82, ID}, J. Tojo ^{88, ID},
 S. Tokár ^{28a, ID}, K. Tokushuku ^{82, ID}, R. Tombs ^{32, ID}, M. Tomoto ^{82,110, ID}, L. Tompkins ^{142, ID, q}, P. Tornambe ^{102, ID},
 E. Torrence ^{122, ID}, H. Torres ^{50, ID}, E. Torró Pastor ^{162, ID}, M. Toscani ^{30, ID}, C. Tosciri ^{39, ID}, D.R. Tovey ^{138, ID},
 A. Traeet ¹⁶, I.S. Trandafir ^{27b, ID}, T. Trefzger ^{165, ID}, A. Tricoli ^{29, ID}, I.M. Trigger ^{155a, ID}, S. Trincaz-Duvoid ^{126, ID},
 D.A. Trischuk ^{163, ID}, B. Trocmé ^{60, ID}, A. Trofymov ^{66, ID}, C. Troncon ^{70a, ID}, L. Truong ^{33c, ID}, M. Trzebinski ^{85, ID},
 A. Trzupek ^{85, ID}, F. Tsai ^{144, ID}, M. Tsai ^{105, ID}, A. Tsiamis ^{151, ID}, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{155a, ID},
 A. Tsirigotis ^{151, ID, u}, V. Tsiskaridze ^{144, ID}, E.G. Tskhadadze ^{148a, ID}, M. Tsopoulou ^{151, ID}, Y. Tsujikawa ^{86, ID},
 I.I. Tsukerman ^{37, ID}, V. Tsulaia ^{17a, ID}, S. Tsuno ^{82, ID}, O. Tsur ¹⁴⁹, D. Tsybychev ^{144, ID}, Y. Tu ^{64b, ID},
 A. Tudorache ^{27b, ID}, V. Tudorache ^{27b, ID}, A.N. Tuna ^{36, ID}, S. Turchikhin ^{38, ID}, I. Turk Cakir ^{3a, ID}, R. Turra ^{70a, ID},
 T. Turtuvshin ^{38, ID}, P.M. Tuts ^{41, ID}, S. Tzamarias ^{151, ID}, P. Tzanis ^{10, ID}, E. Tzovara ^{99, ID}, K. Uchida ¹⁵²,
 F. Ukegawa ^{156, ID}, P.A. Ulloa Poblete ^{136c, ID}, G. Unal ^{36, ID}, M. Unal ^{11, ID}, A. Undrus ^{29, ID}, G. Unel ^{159, ID},
 K. Uno ^{152, ID}, J. Urban ^{28b, ID}, P. Urquijo ^{104, ID}, G. Usai ^{8, ID}, R. Ushioda ^{153, ID}, M. Usman ^{107, ID}, Z. Uysal ^{21b, ID},
 V. Vacek ^{131, ID}, B. Vachon ^{103, ID}, K.O.H. Vadla ^{124, ID}, T. Vafeiadis ^{36, ID}, C. Valderanis ^{108, ID},
 E. Valdes Santurio ^{47a,47b, ID}, M. Valente ^{155a, ID}, S. Valentinietti ^{23b,23a, ID}, A. Valero ^{162, ID}, A. Vallier ^{101, ID, ab},
 J.A. Valls Ferrer ^{162, ID}, T.R. Van Daalen ^{137, ID}, P. Van Gemmeren ^{6, ID}, S. Van Stroud ^{95, ID}, I. Van Vulpen ^{113, ID},
 M. Vanadia ^{75a,75b, ID}, W. Vandelli ^{36, ID}, M. Vandenbroucke ^{134, ID}, E.R. Vandewall ^{120, ID}, D. Vannicola ^{150, ID},
 L. Vannoli ^{57b,57a, ID}, R. Vari ^{74a, ID}, E.W. Varnes ^{7, ID}, C. Varni ^{17a, ID}, T. Varol ^{147, ID}, D. Varouchas ^{66, ID},

- L. Varriale ^{162, ID}, K.E. Varvell ^{146, ID}, M.E. Vasile ^{27b, ID}, L. Vaslin ⁴⁰, G.A. Vasquez ^{164, ID}, F. Vazeille ^{40, ID}, T. Vazquez Schroeder ^{36, ID}, J. Veatch ^{31, ID}, V. Vecchio ^{100, ID}, M.J. Veen ^{113, ID}, I. Veliscek ^{125, ID}, L.M. Veloce ^{154, ID}, F. Veloso ^{129a,129c, ID}, S. Veneziano ^{74a, ID}, A. Ventura ^{69a,69b, ID}, A. Verbytskyi ^{109, ID}, M. Verducci ^{73a,73b, ID}, C. Vergis ^{24, ID}, M. Verissimo De Araujo ^{81b, ID}, W. Verkerke ^{113, ID}, J.C. Vermeulen ^{113, ID}, C. Vernieri ^{142, ID}, P.J. Verschuuren ^{94, ID}, M. Vessella ^{102, ID}, M.L. Vesterbacka ^{116, ID}, M.C. Vetterli ^{141, ID, ag}, A. Vgenopoulos ^{151, ID}, N. Viaux Maira ^{136f, ID}, T. Vickey ^{138, ID}, O.E. Vickey Boeriu ^{138, ID}, G.H.A. Viehhauser ^{125, ID}, L. Vigani ^{63b, ID}, M. Villa ^{23b,23a, ID}, M. Villaplana Perez ^{162, ID}, E.M. Villhauer ⁵², E. Vilucchi ^{53, ID}, M.G. Vincter ^{34, ID}, G.S. Virdee ^{20, ID}, A. Vishwakarma ^{52, ID}, C. Vittori ^{23b,23a, ID}, I. Vivarelli ^{145, ID}, V. Vladimirov ¹⁶⁶, E. Voevodina ^{109, ID}, F. Vogel ^{108, ID}, P. Vokac ^{131, ID}, J. Von Ahnen ^{48, ID}, E. Von Toerne ^{24, ID}, B. Vormwald ^{36, ID}, V. Vorobel ^{132, ID}, K. Vorobev ^{37, ID}, M. Vos ^{162, ID}, J.H. Vossebeld ^{91, ID}, M. Vozak ^{113, ID}, L. Vozdecky ^{93, ID}, N. Vranjes ^{15, ID}, M. Vranjes Milosavljevic ^{15, ID}, M. Vreeswijk ^{113, ID}, R. Vuillermet ^{36, ID}, O. Vujinovic ^{99, ID}, I. Vukotic ^{39, ID}, S. Wada ^{156, ID}, C. Wagner ¹⁰², W. Wagner ^{170, ID}, S. Wahdan ^{170, ID}, H. Wahlberg ^{89, ID}, R. Wakasa ^{156, ID}, M. Wakida ^{110, ID}, V.M. Walbrecht ^{109, ID}, J. Walder ^{133, ID}, R. Walker ^{108, ID}, W. Walkowiak ^{140, ID}, A.M. Wang ^{61, ID}, A.Z. Wang ^{169, ID}, C. Wang ^{62a, ID}, C. Wang ^{62c, ID}, H. Wang ^{17a, ID}, J. Wang ^{64a, ID}, P. Wang ^{44, ID}, R.-J. Wang ^{99, ID}, R. Wang ^{61, ID}, R. Wang ^{6, ID}, S.M. Wang ^{147, ID}, S. Wang ^{62b, ID}, T. Wang ^{62a, ID}, W.T. Wang ^{79, ID}, W.X. Wang ^{62a, ID}, X. Wang ^{14c, ID}, X. Wang ^{161, ID}, X. Wang ^{62c, ID}, Y. Wang ^{62d, ID}, Y. Wang ^{14c, ID}, Z. Wang ^{105, ID}, Z. Wang ^{62d,51,62c, ID}, Z. Wang ^{105, ID}, A. Warburton ^{103, ID}, R.J. Ward ^{20, ID}, N. Warrack ^{59, ID}, A.T. Watson ^{20, ID}, M.F. Watson ^{20, ID}, G. Watts ^{137, ID}, B.M. Waugh ^{95, ID}, A.F. Webb ^{11, ID}, C. Weber ^{29, ID}, M.S. Weber ^{19, ID}, S.A. Weber ^{34, ID}, S.M. Weber ^{63a, ID}, C. Wei ^{62a, ID}, Y. Wei ^{125, ID}, A.R. Weidberg ^{125, ID}, J. Weingarten ^{49, ID}, M. Weirich ^{99, ID}, C. Weiser ^{54, ID}, C.J. Wells ^{48, ID}, T. Wenaus ^{29, ID}, B. Wendland ^{49, ID}, T. Wengler ^{36, ID}, N.S. Wenke ¹⁰⁹, N. Wermes ^{24, ID}, M. Wessels ^{63a, ID}, K. Whalen ^{122, ID}, A.M. Wharton ^{90, ID}, A.S. White ^{61, ID}, A. White ^{8, ID}, M.J. White ^{1, ID}, D. Whiteson ^{159, ID}, L. Wickremasinghe ^{123, ID}, W. Wiedenmann ^{169, ID}, C. Wiel ^{50, ID}, M. Wielers ^{133, ID}, N. Wieseotte ⁹⁹, C. Wiglesworth ^{42, ID}, L.A.M. Wiik-Fuchs ^{54, ID}, D.J. Wilbern ¹¹⁹, H.G. Wilkens ^{36, ID}, D.M. Williams ^{41, ID}, H.H. Williams ¹²⁷, S. Williams ^{32, ID}, S. Willocq ^{102, ID}, P.J. Windischhofer ^{125, ID}, F. Winklmeier ^{122, ID}, B.T. Winter ^{54, ID}, M. Wittgen ¹⁴², M. Wobisch ^{96, ID}, A. Wolf ^{99, ID}, R. Wölker ^{125, ID}, J. Wollrath ¹⁵⁹, M.W. Wolter ^{85, ID}, H. Wolters ^{129a,129c, ID}, V.W.S. Wong ^{163, ID}, A.F. Wongel ^{48, ID}, S.D. Worm ^{48, ID}, B.K. Wosiek ^{85, ID}, K.W. Woźniak ^{85, ID}, K. Wraight ^{59, ID}, J. Wu ^{14a,14d, ID}, M. Wu ^{64a, ID}, S.L. Wu ^{169, ID}, X. Wu ^{56, ID}, Y. Wu ^{62a, ID}, Z. Wu ^{134,62a, ID}, J. Wuerzinger ^{125, ID}, T.R. Wyatt ^{100, ID}, B.M. Wynne ^{52, ID}, S. Xella ^{42, ID}, L. Xia ^{14c, ID}, M. Xia ^{14b, ID}, J. Xiang ^{64c, ID}, X. Xiao ^{105, ID}, M. Xie ^{62a, ID}, X. Xie ^{62a, ID}, J. Xiong ^{17a, ID}, I. Xiotidis ¹⁴⁵, D. Xu ^{14a, ID}, H. Xu ^{62a, ID}, H. Xu ^{62a, ID}, L. Xu ^{62a, ID}, R. Xu ^{127, ID}, T. Xu ^{105, ID}, W. Xu ^{105, ID}, Y. Xu ^{14b, ID}, Z. Xu ^{62b, ID}, Z. Xu ^{142, ID}, B. Yabsley ^{146, ID}, S. Yacoob ^{33a, ID}, N. Yamaguchi ^{88, ID}, Y. Yamaguchi ^{153, ID}, H. Yamauchi ^{156, ID}, T. Yamazaki ^{17a, ID}, Y. Yamazaki ^{83, ID}, J. Yan ^{62c, ID}, S. Yan ^{125, ID}, Z. Yan ^{25, ID}, H.J. Yang ^{62c,62d, ID}, H.T. Yang ^{17a, ID}, S. Yang ^{62a, ID}, T. Yang ^{64c, ID}, X. Yang ^{62a, ID}, X. Yang ^{14a, ID}, Y. Yang ^{44, ID}, Z. Yang ^{62a,105, ID}, W.-M. Yao ^{17a, ID}, Y.C. Yap ^{48, ID}, H. Ye ^{14c, ID}, J. Ye ^{44, ID}, S. Ye ^{29, ID}, X. Ye ^{62a, ID}, Y. Yeh ^{95, ID}, I. Yeletskikh ^{38, ID}, M.R. Yexley ^{90, ID}, P. Yin ^{41, ID}, K. Yorita ^{167, ID}, C.J.S. Young ^{54, ID}, C. Young ^{142, ID}, M. Yuan ^{105, ID}, R. Yuan ^{62b, ID}, L. Yue ^{95, ID}, X. Yue ^{63a, ID}, M. Zaazoua ^{35e, ID}, B. Zabinski ^{85, ID}, E. Zaid ⁵², T. Zakareishvili ^{148b, ID}, N. Zakharchuk ^{34, ID}, S. Zambito ^{56, ID}, J. Zang ^{152, ID}, D. Zanzi ^{54, ID}, O. Zaplatilek ^{131, ID}, S.V. Zeißner ^{49, ID}, C. Zeitnitz ^{170, ID}, J.C. Zeng ^{161, ID}, D.T. Zenger Jr ^{26, ID}, O. Zenin ^{37, ID}, T. Ženiš ^{28a, ID}, S. Zenz ^{93, ID}, S. Zerradi ^{35a, ID}, D. Zerwas ^{66, ID}, B. Zhang ^{14c, ID}, D.F. Zhang ^{138, ID}, G. Zhang ^{14b, ID}, J. Zhang ^{6, ID}, K. Zhang ^{14a,14d, ID}, L. Zhang ^{14c, ID}, R. Zhang ^{169, ID}, S. Zhang ^{105, ID}, T. Zhang ^{152, ID}, X. Zhang ^{62c, ID}, X. Zhang ^{62b, ID}, Z. Zhang ^{17a, ID}, Z. Zhang ^{66, ID}, H. Zhao ^{137, ID}, P. Zhao ^{51, ID}, T. Zhao ^{62b, ID}, Y. Zhao ^{135, ID}, Z. Zhao ^{62a, ID}, A. Zhemchugov ^{38, ID}, Z. Zheng ^{142, ID}, D. Zhong ^{161, ID}, B. Zhou ^{105, ID}, C. Zhou ^{169, ID}, H. Zhou ^{7, ID}, N. Zhou ^{62c, ID}, Y. Zhou ^{7, ID}, C.G. Zhu ^{62b, ID},

C. Zhu^{14a,14d, ID}, H.L. Zhu^{62a, ID}, H. Zhu^{14a, ID}, J. Zhu^{105, ID}, Y. Zhu^{62a, ID}, X. Zhuang^{14a, ID}, K. Zhukov^{37, ID}, V. Zhulanov^{37, ID}, N.I. Zimine^{38, ID}, J. Zinsser^{63b, ID}, M. Ziolkowski^{140, ID}, L. Živković^{15, ID}, A. Zoccoli^{23b,23a, ID}, K. Zoch^{56, ID}, T.G. Zorbas^{138, ID}, O. Zormpa^{46, ID}, W. Zou^{41, ID}, L. Zwalski^{36, ID}

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing

^(d) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ ^(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom

²¹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul

^(d) İstinye University, Sarıyer, İstanbul; Türkiye

²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia

²³ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany

²⁵ Department of Physics, Boston University, Boston MA; United States of America

²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America

²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania

²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic

²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America

³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina

³¹ California State University, CA; United States of America

³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom

³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg

^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, KwaDlangezwa;

^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa

³⁴ Department of Physics, Carleton University, Ottawa ON; Canada

³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guérir; Morocco

³⁶ CERN, Geneva; Switzerland

³⁷ Affiliated with an institute covered by a cooperation agreement with CERN

³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN

³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America

⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France

⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America

⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark

⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy

⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America

⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America

⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece

⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden

⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany

⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany

⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany

⁵¹ Department of Physics, Duke University, Durham NC; United States of America

⁵² SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom

⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy

⁵⁴ Physikalischs Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany

⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany

⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland

⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy

⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany

⁵⁹ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom

⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France

⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America

⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China

⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany

- 64 ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- 67 Department of Physics, Indiana University, Bloomington IN; United States of America
- 68 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- 69 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- 70 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- 71 ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- 72 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- 73 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- 74 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- 75 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- 76 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- 77 ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
- 78 Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- 79 University of Iowa, Iowa City IA; United States of America
- 80 Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- 81 ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- 82 KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- 83 Graduate School of Science, Kobe University, Kobe; Japan
- 84 ^(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- 85 Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- 86 Faculty of Science, Kyoto University, Kyoto; Japan
- 87 Kyoto University of Education, Kyoto; Japan
- 88 Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- 89 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- 90 Physics Department, Lancaster University, Lancaster; United Kingdom
- 91 Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- 92 Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- 93 School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- 94 Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- 95 Department of Physics and Astronomy, University College London, London; United Kingdom
- 96 Louisiana Tech University, Ruston LA; United States of America
- 97 Fysiska institutionen, Lunds universitet, Lund; Sweden
- 98 Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- 99 Institut für Physik, Universität Mainz, Mainz; Germany
- 100 School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- 101 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- 102 Department of Physics, University of Massachusetts, Amherst MA; United States of America
- 103 Department of Physics, McGill University, Montreal QC; Canada
- 104 School of Physics, University of Melbourne, Victoria; Australia
- 105 Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- 106 Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- 107 Group of Particle Physics, University of Montreal, Montreal QC; Canada
- 108 Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- 109 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- 110 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- 111 Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- 112 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- 113 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- 114 Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- 115 ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) University of Sharjah, Sharjah; United Arab Emirates
- 116 Department of Physics, New York University, New York NY; United States of America
- 117 Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- 118 Ohio State University, Columbus OH; United States of America
- 119 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- 120 Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- 121 Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- 122 Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- 123 Graduate School of Science, Osaka University, Osaka; Japan
- 124 Department of Physics, University of Oslo, Oslo; Norway
- 125 Department of Physics, Oxford University, Oxford; United Kingdom
- 126 LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- 127 Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- 128 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- 129 ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- 130 Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- 131 Czech Technical University in Prague, Prague; Czech Republic
- 132 Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- 133 Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- 134 IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- 135 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- 136 ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- 137 Department of Physics, University of Washington, Seattle WA; United States of America

- ¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
¹³⁹ Department of Physics, Shinshu University, Nagano; Japan
¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
¹⁴⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
¹⁴⁸ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
¹⁵⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
¹⁵⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
¹⁵⁸ United Arab Emirates University, Al Ain; United Arab Emirates
¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
¹⁶⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America
¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia; Spain
¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada
¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
¹⁶⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
¹⁶⁶ Department of Physics, University of Warwick, Coventry; United Kingdom
¹⁶⁷ Waseda University, Tokyo; Japan
¹⁶⁸ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
¹⁶⁹ Department of Physics, University of Wisconsin, Madison WI; United States of America
¹⁷⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
¹⁷¹ Department of Physics, Yale University, New Haven CT; United States of America

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also at An-Najah National University, Nablus; Palestine.

^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^d Also at Bruno Kessler Foundation, Trento; Italy.

^e Also at Center for High Energy Physics, Peking University; China.

^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^g Also at CERN, Geneva; Switzerland.

^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^l Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

ⁿ Also at Department of Physics, California State University, East Bay; United States of America.

^o Also at Department of Physics, California State University, Sacramento; United States of America.

^p Also at Department of Physics, King's College London, London; United Kingdom.

^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.

^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^s Also at Department of Physics, University of Thessaly; Greece.

^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America.

^u Also at Hellenic Open University, Patras; Greece.

^v Also at Institució Catalana de Recerca i Estudis Avançats, ICREA, Barcelona; Spain.

^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.

^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.

^y Also at Institute of Particle Physics (IPP); Canada.

^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.

^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.

^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.

^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.

^{ae} Also at The City College of New York, New York NY; United States of America.

^{af} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.

^{ag} Also at TRIUMF, Vancouver BC; Canada.

^{ah} Also at Università di Napoli Parthenope, Napoli; Italy.

^{ai} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.

^{aj} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.

^{ak} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.

* Deceased.