

Interaction of Hydrogen with Actinide Dioxide (111) Surfaces (ESI)

James T. Pegg,^{1,2*} Ashley E. Shields,³ Mark T. Storr,² David O. Scanlon^{1,4,5} and Nora H. de Leeuw.^{1,6}

¹ Department of Chemistry, University College London, 20 Gordon Street, London WC1H 0AJ, United Kingdom.

² Atomic Weapons Establishment (AWE) Plc, Aldermaston, Reading, RG7 4PR, UK.

³ Oak Ridge National Laboratory, One Bethel Valley Road, Oak Ridge, Tennessee 37831, USA

⁴ Diamond Light Source Ltd., Diamond House, Harwell Science and Innovation Campus, Didcot, Oxfordshire OX11 0DE, United Kingdom.

⁵ Thomas Young Centre, University College London, Gower Street, London WC1E 6BT, UK

⁶ Cardiff University, School of Chemistry, Main Building, Park Place, Cardiff, CF1D 3AT, United Kingdom.

1 Clean Surface

1.1 Fixed Unit Cell Dimensions

Table 1: The fixed unit cell dimensions for the AnO_2 (111) surface.

Surface	Uranium Dioxide			Neptunium Dioxide			Plutonium Dioxide		
(111)	7.742	0.000	0.000	7.697	0.000	0.000	7.651	0.000	0.000
	3.871	6.705	0.000	3.849	6.666	0.000	3.826	6.626	0.000
	0.000	0.000	35.803	0.000	0.000	35.712	0.000	0.000	35.618

1.2 Ionic Positions & Magnetic Structure of the Clean Surface

Table 2: The relaxed ionic direct coordinates for the AnO_2 (111) surface (actinide ions, only).

Actinide Ion	Uranium Dioxide			Neptunium Dioxide			Plutonium Dioxide		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
A	0.667	0.666	0.023	0.667	0.666	0.023	0.667	0.667	0.022
B	0.667	0.167	0.023	0.167	0.166	0.023	0.667	0.166	0.022
C	0.167	0.666	0.023	0.666	0.167	0.023	0.166	0.667	0.022
D	0.167	0.167	0.023	0.167	0.666	0.023	0.166	0.167	0.022
E	0.333	0.333	0.111	0.333	0.333	0.110	0.333	0.333	0.109
F	0.333	0.834	0.111	0.833	0.833	0.110	0.333	0.833	0.109
G	0.833	0.333	0.111	0.333	0.834	0.110	0.834	0.333	0.109
H	0.833	0.833	0.111	0.833	0.333	0.110	0.833	0.833	0.109
I	0.000	1.000	0.199	0.000	0.000	0.199	0.000	0.000	0.197
J	0.000	0.500	0.199	0.500	0.500	0.199	1.000	0.500	0.197
K	0.500	1.000	0.199	1.000	0.500	0.199	0.500	0.000	0.197
L	0.500	0.500	0.199	0.500	0.000	0.199	0.500	0.500	0.197
M	0.667	0.667	0.288	0.667	0.667	0.287	0.667	0.667	0.285
N	0.667	0.166	0.288	0.167	0.167	0.287	0.667	0.167	0.285
O	0.167	0.667	0.288	0.667	0.166	0.287	0.166	0.667	0.285
P	0.167	0.167	0.288	0.167	0.667	0.287	0.167	0.167	0.285
Q	0.333	0.334	0.376	0.333	0.334	0.375	0.333	0.333	0.372
R	0.333	0.833	0.376	0.833	0.834	0.375	0.333	0.834	0.372
S	0.833	0.334	0.376	0.334	0.833	0.375	0.834	0.333	0.372
T	0.833	0.833	0.376	0.833	0.334	0.375	0.834	0.833	0.373

Table 3: The relaxed magnetic vectors for the AnO_2 (111) surface (actinide ions, only).

Actinide Ion	Uranium Dioxide			Neptunium Dioxide			Plutonium Dioxide		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
A	-0.02	-0.34	1.38	-0.50	-1.74	2.02	-0.94	-1.85	-3.21
B	-0.01	-1.22	-0.71	0.63	-2.64	0.03	-0.94	3.71	-0.01
C	-0.04	1.28	0.61	-0.62	-1.26	-2.32	-0.94	-1.86	3.21
D	0.02	1.27	0.64	-0.63	2.64	-0.08	3.71	0.37	-0.74
E	-1.13	-0.38	0.68	-1.07	-1.23	2.15	-1.30	-1.79	-3.09
F	-1.19	-0.33	-0.60	2.70	-0.02	0.00	-1.30	3.57	0.01
G	-0.03	1.24	-0.57	-0.97	-1.27	-2.18	-1.29	-1.79	3.09
H	1.30	-0.38	0.03	-1.00	2.51	0.01	3.80	0.00	0.00
I	-0.64	-0.55	1.06	-0.87	-1.28	2.21	-1.26	-1.79	-3.10
J	0.33	-1.11	-0.75	2.70	-0.02	0.00	-1.26	3.58	0.00
K	-0.95	0.98	0.03	-0.86	-1.28	-2.22	-1.26	-1.79	3.10
L	1.06	0.39	-0.75	-0.86	2.56	-0.02	3.80	0.00	0.00
M	-1.13	-0.38	0.68	-1.07	-1.23	2.15	-1.30	-1.79	-3.09
N	-1.18	-0.33	-0.59	2.70	-0.02	0.00	-1.30	3.57	0.01
O	-0.03	1.24	-0.57	-0.97	-1.27	-2.18	-1.29	-1.79	3.09
P	1.30	-0.38	0.03	-1.00	2.51	0.00	3.80	0.00	0.00
Q	-0.02	-0.34	1.38	-0.50	-1.74	2.02	-0.94	-1.85	-3.21
R	-0.01	-1.22	-0.71	0.63	-2.64	0.03	-0.94	3.71	-0.01
S	-0.04	1.28	0.61	-0.62	-1.26	-2.32	-0.94	-1.86	3.21
T	0.02	1.27	0.64	-0.64	2.63	-0.07	3.71	0.37	-0.73

Note: The magnetic vectors for the low-index AnO_2 (111) surfaces are given for each actinide ion. A diamagnetic (DM) ion (magnetic moment = 0.00), oxygen is not included. An earlier investigation contains a complete analysis of the data.[1]

1.3 K-Point Convergence

The energy of the low-index surfaces has been calculated as function of the number of formula units (**Figure 1**). An earlier investigation contains a complete analysis of the data.[1]




Figure 1: Convergence of the surface energies ($J\ m^{-2}$) with respect to the number of formula units (N) employed: (red) uranium dioxide, (blue) neptunium dioxide, and (green) plutonium dioxide.

1.4 Electronic Density of States

The electronic density of states for the clean AnO_2 ($An = U, Np, Pu$) (111) surface is shown (from noncollinear relativistic PBEsol+U calculations, **Figure 2**).[1]




Figure 2: The electronic density of states for the AnO_2 (111) surface, calculated by PBEsol+U: a) UO_2 , b) NpO_2 , c) PuO_2 . The total density of states (black), actinide f- (blue), actinide d- (green), and oxygen p- (red) bands are coloured.[1]

2 Hydrogen Interactions

2.1 Uranium Dioxide

2.1.1 Atomic Hydrogen

Table 4: The ionic positions and magnetic structure of the $UO_2 aH_{(111)}$ configuration.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.671	0.664	0.967	0.00	0.00	0.05
	0.329	0.336	0.432	0.00	0.00	0.05
Actinide Ion	0.667	0.666	0.023	-0.01	-0.02	-0.69
	0.668	0.166	0.024	-0.94	-1.01	-0.22
	0.167	0.667	0.024	-0.17	1.35	-0.33
	0.166	0.166	0.024	0.20	-0.19	1.39
	0.333	0.333	0.111	0.91	-0.75	-0.68
	0.333	0.833	0.111	-1.13	-0.48	-0.60
	0.833	0.333	0.111	0.40	1.13	-0.62
	0.833	0.833	0.111	0.03	-0.08	1.35
	0.000	1.000	0.199	1.31	-0.29	-0.24
	0.000	0.500	0.199	-0.89	-1.01	-0.24
	0.500	1.000	0.199	-0.40	1.28	-0.25
	0.500	0.500	0.199	0.00	-0.01	1.35
	0.667	0.667	0.288	0.91	-0.75	-0.68
	0.667	0.167	0.288	-1.13	-0.48	-0.60
	0.167	0.667	0.288	0.40	1.13	-0.62
	0.167	0.167	0.288	0.03	-0.08	1.35
0.333	0.334	0.376	-0.01	-0.02	-0.69	
0.332	0.834	0.375	-0.94	-1.01	-0.22	
0.833	0.333	0.375	-0.17	1.35	-0.33	
0.834	0.834	0.375	0.20	-0.19	1.39	
Oxygen Ion	0.001	0.998	0.003	0.00	-0.01	0.00
	0.502	0.501	0.005	0.01	0.00	0.01
	0.502	0.997	0.005	0.01	0.01	0.01
	0.998	0.501	0.005	0.00	-0.01	0.00
	0.333	0.833	0.046	0.00	0.00	0.00
	0.833	0.833	0.046	0.01	0.00	-0.01
	0.833	0.333	0.046	0.01	0.00	0.00
	0.333	0.334	0.046	0.00	-0.01	0.00
	0.667	0.666	0.087	0.00	-0.01	0.02
	0.166	0.167	0.088	0.00	0.00	-0.01
	0.167	0.668	0.089	0.01	0.00	0.00
	0.666	0.167	0.088	-0.01	0.01	0.00
	0.000	0.500	0.133	-0.01	0.01	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.499	0.998	0.133	0.01	0.01	0.00
	0.999	0.001	0.133	0.00	-0.01	0.00
	0.334	0.332	0.177	0.00	-0.01	0.01
	0.833	0.833	0.177	0.00	0.00	-0.01
	0.834	0.335	0.177	0.01	0.00	0.01
	0.332	0.834	0.178	-0.01	0.00	0.00
	0.668	0.166	0.221	-0.01	0.00	0.00
	0.167	0.167	0.222	0.00	0.00	-0.01
	0.166	0.665	0.221	0.01	0.00	0.00
	0.666	0.668	0.221	0.00	-0.01	0.00
	0.001	0.999	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	-0.01
	0.501	0.002	0.266	0.01	0.01	0.00
	1.000	0.500	0.266	-0.01	0.01	0.00
	0.334	0.833	0.310	-0.01	0.01	0.00
	0.834	0.833	0.311	0.00	0.00	-0.01
	0.833	0.332	0.310	0.01	0.00	0.00
	0.333	0.334	0.312	0.00	-0.01	0.02
0.667	0.666	0.352	0.00	-0.01	0.01	
0.167	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.01	0.00	0.00	
0.667	0.167	0.353	0.00	0.00	0.00	
0.002	0.499	0.393	0.00	0.00	0.00	
0.498	0.499	0.394	0.01	0.00	0.01	
0.498	0.003	0.393	0.01	0.01	0.01	
0.999	0.002	0.395	0.00	-0.01	0.00	

Table 5: The ionic positions and magnetic structure of the $UO_2 bH_{(111)}$ configuration.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.500	0.963	0.00	0.00	0.00
	0.500	0.500	0.436	0.00	0.00	0.00
Actinide Ion	0.672	0.673	0.024	1.39	-0.31	-0.53
	0.673	0.155	0.024	-0.95	-1.05	-0.54
	0.155	0.672	0.024	-0.44	1.36	-0.54
	0.166	0.168	0.022	-0.08	0.00	-2.44
	0.333	0.334	0.110	0.95	-0.42	-0.91
	0.334	0.833	0.110	-0.95	-0.63	-0.77
	0.833	0.334	0.110	-0.11	0.88	-1.06
	0.833	0.833	0.112	0.02	0.02	1.34
	0.000	1.000	0.199	1.31	-0.35	-0.20
	0.000	0.500	0.199	-0.94	-0.91	-0.37
	0.500	1.000	0.199	-0.14	1.31	-0.31
	0.500	0.500	0.199	0.34	-0.32	1.28
	0.667	0.666	0.288	0.95	-0.42	-0.91
	0.666	0.167	0.288	-0.95	-0.63	-0.77
	0.167	0.666	0.288	-0.11	0.88	-1.06
	0.167	0.167	0.287	0.02	0.02	1.34
	0.328	0.327	0.375	1.39	-0.31	-0.53
	0.327	0.845	0.375	-0.95	-1.05	-0.54
	0.845	0.328	0.375	-0.43	1.36	-0.54
	Oxygen Ion	0.834	0.832	0.377	-0.08	0.00
0.992		0.989	0.001	0.01	-0.01	0.02
0.500		0.500	0.990	0.00	0.00	0.00
0.519		0.993	0.001	0.00	0.01	0.02
0.988		0.520	0.001	-0.01	-0.01	0.02
0.346		0.811	0.044	-0.01	0.00	0.02
0.833		0.834	0.047	0.00	0.00	-0.01
0.812		0.343	0.044	0.01	0.01	0.02
0.343		0.346	0.044	0.00	-0.01	0.02
0.669		0.668	0.089	0.00	-0.01	0.00
0.167		0.166	0.087	0.00	0.00	0.02
0.165		0.669	0.089	0.01	0.00	0.01
0.666		0.165	0.089	-0.01	0.01	0.01
0.002		0.497	0.133	-0.01	0.01	0.00
0.500		0.501	0.133	0.00	0.00	-0.01
0.498		0.000	0.133	0.01	0.00	0.00
0.000		0.001	0.133	0.00	-0.01	0.00
0.335		0.332	0.177	0.00	-0.01	0.01
0.834		0.833	0.178	0.00	0.00	-0.01
0.834		0.335	0.177	0.01	0.01	0.01
0.333		0.833	0.178	-0.01	0.01	0.00
0.667		0.167	0.221	-0.01	0.01	0.00
0.166		0.167	0.221	0.00	0.00	-0.01
0.166		0.665	0.222	0.01	0.01	0.01
0.665		0.668	0.221	0.00	-0.01	0.01
1.000		0.999	0.266	0.00	-0.01	0.00
0.500		0.499	0.266	0.00	0.00	0.00
0.502		1.000	0.266	0.01	0.00	0.01
0.998		0.503	0.266	-0.01	0.01	0.01
0.334		0.835	0.310	-0.01	0.01	0.01
0.833	0.834	0.312	0.00	0.00	0.01	
0.835	0.331	0.310	0.01	0.00	0.00	
0.331	0.332	0.310	0.00	-0.01	0.00	
0.657	0.654	0.355	0.00	-0.01	0.02	
0.167	0.166	0.351	0.00	0.00	-0.01	
0.188	0.657	0.355	0.01	0.01	0.02	
0.654	0.189	0.355	-0.01	0.00	0.02	
0.012	0.480	0.398	-0.01	0.00	0.02	
0.500	0.500	0.408	0.00	0.00	-0.01	
0.481	0.007	0.398	0.00	0.01	0.02	
0.008	0.011	0.398	0.01	-0.01	0.02	

2.1.2 Molecular Hydrogen

Table 6: The ionic positions and magnetic structure of the $UO_2 aH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.601	0.649	0.947	0.00	0.00	0.00
	0.604	0.747	0.946	0.00	0.00	0.00
	0.399	0.351	0.452	0.00	0.00	0.00
Actinide Ion	0.396	0.253	0.452	0.00	0.00	0.00
	0.666	0.667	0.023	1.21	-0.65	-0.30
	0.666	0.168	0.023	-1.07	-0.87	-0.29
	0.166	0.667	0.023	-0.30	1.35	-0.27
	0.166	0.167	0.023	-0.10	0.08	1.41
	0.333	0.333	0.111	0.90	-0.73	-0.73
	0.334	0.833	0.111	-1.27	-0.21	-0.82
	0.833	0.334	0.111	0.20	1.25	-0.87
	0.833	0.833	0.111	0.00	0.02	1.36
	0.000	1.000	0.199	1.17	-0.53	-0.45
	0.000	0.500	0.199	-1.07	-0.72	-0.41
	0.500	1.000	0.199	-0.25	1.29	-0.35
	0.500	0.500	0.199	0.02	0.05	1.35
	0.667	0.667	0.288	0.90	-0.73	-0.73
	0.666	0.167	0.288	-1.27	-0.21	-0.82
	0.167	0.666	0.288	0.20	1.25	-0.87
	0.167	0.167	0.288	0.00	0.02	1.36
Oxygen Ion	0.334	0.333	0.376	1.21	-0.65	-0.30
	0.334	0.832	0.376	-1.07	-0.87	-0.29
	0.834	0.333	0.376	-0.30	1.35	-0.26
	0.834	0.833	0.376	-0.10	0.08	1.41
	0.999	0.001	0.002	0.01	-0.01	0.00
	0.499	0.499	0.002	0.00	0.00	0.00
	0.499	0.004	0.002	0.01	0.01	0.00
	0.999	0.501	0.002	-0.01	0.00	0.00
	0.335	0.833	0.045	-0.01	0.00	0.00
	0.833	0.833	0.046	0.00	0.00	-0.01
	0.833	0.333	0.046	0.01	0.00	0.00
	0.333	0.334	0.046	0.00	-0.01	0.00
	0.667	0.666	0.088	0.00	-0.01	0.00
	0.167	0.166	0.088	0.00	0.00	-0.01
	0.167	0.667	0.088	0.01	0.00	0.00
	0.666	0.168	0.088	-0.01	0.01	0.00
	0.001	0.500	0.133	-0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.500	1.000	0.133	0.01	0.00	0.00
	1.000	0.000	0.133	0.00	-0.01	0.00
	0.335	0.333	0.178	0.00	-0.01	0.01
	0.832	0.833	0.177	0.00	0.00	-0.01
	0.835	0.334	0.177	0.01	0.00	0.01
	0.331	0.834	0.177	-0.01	0.00	0.01
	0.669	0.166	0.221	-0.01	0.00	0.00
	0.168	0.167	0.222	0.00	0.00	-0.01
	0.165	0.666	0.221	0.01	0.00	0.01
	0.665	0.667	0.221	0.00	-0.01	0.00
	0.000	1.000	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	0.00
	0.500	0.000	0.266	0.01	0.00	0.00
	0.999	0.500	0.266	-0.01	0.01	0.01
	0.334	0.832	0.311	-0.01	0.00	0.00
0.833	0.834	0.311	0.00	0.00	-0.01	
0.833	0.333	0.311	0.01	0.00	0.00	
0.333	0.334	0.311	0.00	-0.01	0.00	
0.667	0.666	0.353	0.00	-0.01	0.00	
0.167	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.01	0.00	0.00	
0.665	0.167	0.353	-0.01	0.00	0.00	
0.001	0.499	0.397	-0.01	0.00	0.00	
0.501	0.501	0.397	0.00	0.00	0.00	
0.501	0.996	0.397	0.008	0.011	-0.004	
0.001	0.999	0.397	0.006	-0.009	-0.003	

Table 7: The ionic positions and magnetic structure of the $UO_2 bH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.642	0.706	0.945	0.00	0.00	0.00
	0.611	0.627	0.948	0.00	0.00	0.00
	0.358	0.294	0.454	0.00	0.00	0.00
Actinide Ion	0.389	0.373	0.451	0.00	0.00	0.00
	0.667	0.666	0.023	1.21	-0.68	-0.24
	0.667	0.166	0.023	-1.03	-0.92	-0.26
	0.166	0.666	0.023	-0.28	1.35	-0.24
	0.167	0.166	0.023	-0.08	0.07	1.41
	0.333	0.333	0.111	0.44	-1.02	-0.90
	0.334	0.833	0.111	-1.20	-0.12	-0.90
	0.833	0.333	0.111	0.38	1.08	-0.91
	0.833	0.833	0.111	0.04	0.03	1.35
	0.000	1.000	0.199	1.16	-0.54	-0.44
	0.000	0.500	0.199	-1.07	-0.71	-0.42
	0.500	1.000	0.199	-0.15	1.29	-0.39
	0.500	0.500	0.199	0.03	0.01	1.34
	0.667	0.667	0.288	0.44	-1.02	-0.90
	0.666	0.167	0.288	-1.20	-0.12	-0.90
	0.167	0.667	0.288	0.38	1.09	-0.91
	0.167	0.167	0.288	0.04	0.03	1.35
0.333	0.334	0.376	1.21	-0.68	-0.24	
0.333	0.834	0.376	-1.03	-0.92	-0.26	
0.834	0.334	0.376	-0.28	1.35	-0.24	
0.833	0.834	0.376	-0.08	0.07	1.41	
Oxygen Ion	0.000	0.998	0.002	0.01	-0.01	0.00
	0.500	0.497	0.002	0.00	0.00	0.00
	0.499	1.000	0.002	0.01	0.01	0.00
	1.000	0.499	0.002	-0.01	0.00	0.00
	0.334	0.832	0.046	-0.01	0.00	0.00
	0.833	0.833	0.046	0.00	0.00	-0.01
	0.833	0.333	0.046	0.01	0.01	0.00
	0.333	0.333	0.046	0.00	-0.01	0.01
	0.667	0.665	0.088	0.00	-0.01	0.00
	0.167	0.166	0.088	0.00	0.00	-0.01
	0.167	0.667	0.088	0.01	0.00	0.00
	0.666	0.167	0.088	-0.01	0.01	0.00
	0.001	0.500	0.133	-0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	0.00
	0.500	1.000	0.133	0.01	0.01	0.00
	1.000	0.001	0.133	0.00	-0.01	0.00
	0.335	0.333	0.177	0.00	-0.01	0.01
	0.832	0.834	0.177	0.00	0.00	-0.01
	0.835	0.334	0.177	0.01	0.00	0.01
	0.331	0.834	0.177	-0.01	0.00	0.01
	0.669	0.166	0.221	-0.01	0.00	0.01
	0.168	0.166	0.222	0.00	0.00	-0.01
	0.165	0.666	0.221	0.01	0.00	0.01
	0.665	0.667	0.221	0.00	-0.01	0.01
	0.000	0.999	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	0.00
	0.500	0.000	0.266	0.01	0.01	0.00
	0.999	0.500	0.266	-0.01	0.01	0.00
	0.334	0.833	0.311	-0.01	0.01	0.00
	0.833	0.834	0.311	0.00	0.00	-0.01
	0.833	0.333	0.311	0.01	0.00	0.00
	0.333	0.335	0.311	0.00	-0.01	0.00
	0.667	0.667	0.353	0.00	-0.01	0.01
0.167	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.01	0.01	0.01	
0.666	0.168	0.353	-0.01	0.00	0.01	
0.000	0.501	0.397	-0.01	0.00	0.00	
0.500	0.503	0.397	0.00	0.00	0.00	
0.501	0.000	0.397	0.007	0.011	-0.004	
1.000	0.002	0.397	0.006	-0.009	-0.003	

Table 8: The ionic positions and magnetic structure of the $UO_2 cH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.500	0.933	0.00	0.00	0.00
	0.500	0.500	0.911	0.00	0.00	0.00
	0.500	0.500	0.487	0.00	0.00	0.00
Actinide Ion	0.500	0.500	0.466	0.00	0.00	0.00
	0.667	0.666	0.023	1.26	-0.48	-0.36
	0.668	0.166	0.023	-1.04	-0.87	-0.34
	0.167	0.666	0.023	-0.21	1.34	-0.31
	0.167	0.166	0.023	0.03	-0.08	1.41
	0.333	0.333	0.111	0.81	-0.81	-0.76
	0.333	0.833	0.111	-1.08	-0.40	-0.73
	0.833	0.333	0.111	0.45	1.05	-0.84
	0.833	0.833	0.111	-0.01	0.01	1.35
	0.000	1.000	0.199	1.21	-0.46	-0.40
	0.000	0.500	0.199	-0.99	-0.82	-0.41
	0.500	1.000	0.199	-0.35	1.27	-0.29
	0.500	0.500	0.199	-0.02	0.02	1.35
	0.667	0.667	0.288	0.81	-0.81	-0.76
	0.667	0.167	0.288	-1.08	-0.40	-0.73
	0.167	0.667	0.288	0.45	1.05	-0.84
	0.167	0.167	0.288	-0.01	0.01	1.35
0.333	0.334	0.376	1.26	-0.48	-0.36	
0.332	0.834	0.376	-1.04	-0.88	-0.34	
0.833	0.334	0.376	-0.21	1.34	-0.31	
0.833	0.834	0.376	0.03	-0.08	1.41	
Oxygen Ion	0.002	0.997	0.002	0.01	-0.01	0.00
	0.501	0.499	0.002	0.00	0.00	0.00
	0.502	1.000	0.002	0.01	0.01	0.00
	0.000	0.499	0.002	-0.01	0.00	0.00
	0.334	0.833	0.046	-0.01	0.00	0.00
	0.833	0.833	0.046	0.00	0.00	-0.01
	0.833	0.333	0.046	0.01	0.00	0.01
	0.333	0.333	0.046	0.00	-0.01	0.00
	0.667	0.666	0.088	0.00	-0.01	0.00
	0.167	0.166	0.088	0.00	0.00	-0.01
	0.167	0.667	0.088	0.01	0.00	0.00
	0.666	0.167	0.088	-0.01	0.01	0.00
	0.001	0.500	0.133	-0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.500	1.000	0.133	0.01	0.00	0.00
	1.000	0.000	0.133	0.00	-0.01	0.00
	0.333	0.332	0.177	0.00	-0.01	0.01
	0.832	0.834	0.177	0.00	0.00	-0.01
	0.834	0.335	0.177	0.01	0.00	0.01
	0.331	0.834	0.177	-0.01	0.01	0.01
	0.669	0.166	0.221	-0.01	0.00	0.00
	0.168	0.166	0.222	0.00	0.00	-0.01
	0.166	0.665	0.221	0.01	0.00	0.01
	0.667	0.668	0.221	0.00	-0.01	0.01
	0.000	1.000	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	-0.01
	0.500	0.000	0.266	0.01	0.01	0.00
	0.999	0.500	0.266	-0.01	0.01	0.00
	0.334	0.833	0.311	-0.01	0.01	0.00
	0.833	0.834	0.311	0.00	0.00	-0.01
	0.833	0.333	0.311	0.01	0.00	0.00
	0.333	0.334	0.311	0.00	-0.01	0.00
0.667	0.667	0.353	0.00	-0.01	0.01	
0.167	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.01	0.00	0.01	
0.666	0.167	0.353	-0.01	0.00	0.00	
1.000	0.501	0.397	-0.01	0.00	0.00	
0.499	0.501	0.397	0.00	0.00	0.00	
0.498	0.000	0.397	0.005	0.01	-0.002	
0.998	0.003	0.397	0.005	-0.009	-0.002	

Table 9: The ionic positions and magnetic structure of the $UO_2 dH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.327	0.829	0.938	0.00	0.00	0.00
	0.338	0.837	0.917	0.00	0.00	0.00
	0.662	0.163	0.482	0.00	0.00	0.00
Actinide Ion	0.673	0.171	0.461	0.00	0.00	0.00
	0.666	0.666	0.023	1.30	-0.46	-0.28
	0.667	0.166	0.023	-1.01	-0.95	-0.24
	0.166	0.666	0.023	-0.28	1.35	-0.27
	0.166	0.166	0.023	-0.01	-0.02	1.41
	0.333	0.333	0.111	0.79	-0.79	-0.80
	0.333	0.833	0.111	-1.04	-0.39	-0.80
	0.833	0.333	0.111	0.16	1.17	-0.68
	0.833	0.833	0.111	0.00	0.00	1.35
	0.000	1.000	0.199	1.23	-0.46	-0.36
	0.000	0.500	0.199	-0.92	-0.96	-0.29
	0.500	1.000	0.199	-0.20	1.27	-0.43
	0.500	0.500	0.199	0.02	0.01	1.35
	0.667	0.667	0.288	0.79	-0.79	-0.80
	0.667	0.167	0.288	-1.04	-0.39	-0.80
0.167	0.667	0.288	0.16	1.17	-0.68	
0.167	0.167	0.288	0.00	0.00	1.35	
0.334	0.334	0.376	1.30	-0.46	-0.28	
0.333	0.834	0.376	-1.01	-0.96	-0.24	
0.834	0.334	0.376	-0.28	1.35	-0.27	
0.834	0.834	0.376	-0.01	-0.02	1.41	
Oxygen Ion	0.000	0.998	0.002	0.01	-0.01	0.00
	0.500	0.499	0.002	0.00	0.00	0.00
	0.500	0.998	0.002	0.01	0.01	0.00
	0.999	0.499	0.002	-0.01	0.00	0.00
	0.333	0.833	0.046	-0.01	0.00	0.00
	0.834	0.833	0.046	0.00	0.00	-0.01
	0.833	0.333	0.046	0.01	0.00	0.00
	0.333	0.333	0.046	0.00	-0.01	0.00
	0.667	0.665	0.088	0.00	-0.01	0.00
	0.167	0.166	0.088	0.00	0.00	-0.01
	0.167	0.667	0.088	0.01	0.00	0.00
	0.666	0.167	0.088	-0.01	0.01	0.00
	0.000	0.500	0.133	-0.01	0.01	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.500	0.999	0.133	0.01	0.00	0.00
	0.999	0.001	0.133	0.00	-0.01	0.00
	0.335	0.331	0.177	0.00	-0.01	0.01
	0.834	0.832	0.177	0.00	0.00	-0.01
	0.833	0.335	0.178	0.01	0.00	0.01
	0.331	0.835	0.177	-0.01	0.00	0.01
	0.669	0.165	0.221	-0.01	0.00	0.01
	0.166	0.168	0.222	0.00	0.00	-0.01
	0.167	0.665	0.221	0.01	0.00	0.00
	0.665	0.669	0.221	0.00	-0.01	0.01
	0.001	0.999	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	-0.01
	0.500	0.001	0.266	0.01	0.01	0.00
1.000	0.500	0.266	-0.01	0.01	0.00	
0.334	0.833	0.311	-0.01	0.01	0.00	
0.833	0.834	0.311	0.00	0.00	-0.01	
0.833	0.333	0.311	0.01	0.00	0.00	
0.333	0.335	0.311	0.00	-0.01	0.00	
0.667	0.667	0.353	0.00	-0.01	0.01	
0.166	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.01	0.01	0.00	
0.667	0.167	0.353	-0.01	0.00	0.01	
0.001	0.501	0.397	-0.01	0.00	0.00	
0.500	0.501	0.397	0.00	0.00	0.00	
0.500	0.002	0.396	0.004	0.01	-0.003	
1.000	0.002	0.397	0.005	-0.009	-0.003	

Table 10: The ionic positions and magnetic structure of the $UO_2 eH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.395	0.707	0.941	0.00	0.00	0.00
	0.348	0.798	0.928	0.00	0.00	0.00
	0.605	0.293	0.458	0.00	0.00	0.00
Actinide Ion	0.652	0.202	0.471	0.00	0.00	0.00
	0.666	0.668	0.023	1.35	-0.41	-0.13
	0.666	0.167	0.023	-1.06	-0.92	-0.12
	0.166	0.667	0.023	-0.43	1.35	-0.09
	0.167	0.167	0.023	-0.04	-0.06	1.42
	0.333	0.334	0.111	0.79	-0.57	-0.96
	0.333	0.833	0.111	-1.03	-0.25	-0.88
	0.833	0.334	0.111	0.64	0.80	-0.98
	0.833	0.834	0.111	0.00	0.09	1.35
	0.000	1.000	0.199	1.20	-0.47	-0.43
	0.000	0.500	0.199	-1.08	-0.73	-0.39
	0.500	1.000	0.199	-0.43	1.28	-0.21
	0.500	0.500	0.199	0.15	0.11	1.34
	0.667	0.666	0.288	0.79	-0.57	-0.96
	0.667	0.167	0.288	-1.03	-0.25	-0.88
	0.167	0.666	0.288	0.64	0.80	-0.98
	0.167	0.166	0.288	0.00	0.09	1.35
	0.334	0.332	0.376	1.35	-0.41	-0.13
	0.334	0.833	0.376	-1.06	-0.92	-0.12
	0.834	0.333	0.376	-0.43	1.35	-0.09
0.833	0.833	0.376	-0.04	-0.06	1.42	
Oxygen Ion	0.998	0.001	0.002	0.01	-0.01	0.00
	0.499	0.501	0.002	0.00	0.00	0.00
	0.500	0.002	0.002	0.01	0.01	0.00
	0.999	0.500	0.002	-0.01	0.00	0.00
	0.334	0.834	0.045	-0.01	0.00	0.00
	0.833	0.833	0.046	0.00	0.00	-0.01
	0.833	0.333	0.046	0.01	0.01	0.00
	0.333	0.334	0.046	0.00	-0.01	0.00
	0.666	0.667	0.088	0.00	-0.01	0.00
	0.167	0.166	0.088	0.00	0.00	-0.01
	0.167	0.667	0.088	0.01	0.00	0.00
	0.666	0.168	0.088	-0.01	0.01	0.00
	0.000	0.500	0.133	-0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	0.00
	0.499	0.000	0.133	0.01	0.00	0.00
	1.000	1.000	0.133	0.00	-0.01	0.00
	0.334	0.334	0.178	0.00	-0.01	0.01
	0.832	0.834	0.177	0.00	0.00	-0.01
	0.835	0.334	0.177	0.01	0.01	0.01
	0.332	0.833	0.178	-0.01	0.00	0.01
	0.668	0.167	0.221	-0.01	0.00	0.01
	0.168	0.166	0.222	0.00	0.00	-0.01
	0.165	0.666	0.221	0.01	0.00	0.01
	0.666	0.666	0.221	0.00	-0.01	0.01
	0.000	0.000	0.266	0.00	-0.01	0.00
	0.500	0.500	0.266	0.00	0.00	0.00
	0.501	1.000	0.266	0.01	0.00	0.00
	1.000	0.500	0.266	-0.01	0.01	0.01
	0.334	0.832	0.311	-0.01	0.01	0.00
	0.833	0.834	0.311	0.00	0.00	-0.01
	0.833	0.333	0.311	0.01	0.00	0.00
	0.334	0.333	0.311	0.00	-0.01	0.00
0.667	0.666	0.353	0.00	-0.01	0.01	
0.167	0.167	0.353	0.00	0.00	-0.01	
0.167	0.667	0.353	0.00	0.01	0.01	
0.666	0.166	0.353	-0.01	0.00	0.00	
0.001	0.500	0.397	-0.01	0.00	-0.01	
0.501	0.499	0.397	0.00	0.00	-0.01	
0.500	0.998	0.397	0.005	0.01	-0.005	
0.002	0.999	0.397	0.007	-0.008	-0.005	

2.2 Neptunium Dioxide

2.2.1 Atomic Hydrogen

Table 11: The ionic positions and magnetic structure of the $NpO_2 aH_{(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.500	0.962	0.00	0.00	0.00
	0.500	0.500	0.435	0.00	0.00	0.00
Actinide Ion	0.672	0.672	0.023	2.42	-1.06	-0.63
	0.167	0.167	0.021	1.49	1.01	3.20
	0.672	0.155	0.023	-2.13	-1.56	-0.63
	0.155	0.672	0.023	-0.26	2.64	-0.62
	0.333	0.333	0.110	2.21	-1.22	-0.97
	0.833	0.833	0.112	-0.03	0.00	2.70
	0.333	0.833	0.110	-2.17	-1.32	-0.92
	0.833	0.333	0.110	-0.12	2.54	-0.92
	0.000	0.000	0.199	2.21	-1.32	-0.82
	0.500	0.500	0.199	0.00	-0.01	2.69
	1.000	0.500	0.199	-0.44	-0.28	-2.64
	0.500	0.000	0.199	-0.05	2.54	-0.91
	0.667	0.667	0.287	2.21	-1.22	-0.97
	0.167	0.167	0.286	-0.03	0.00	2.70
	0.667	0.167	0.287	-2.17	-1.32	-0.92
	0.167	0.667	0.287	-0.12	2.54	-0.91
	0.328	0.328	0.374	2.42	-1.07	-0.63
	0.833	0.833	0.376	1.49	1.01	3.20
	0.328	0.845	0.374	-2.13	-1.56	-0.63
0.845	0.328	0.374	-0.26	2.63	-0.62	
Oxygen Ion	0.993	0.987	0.000	0.01	-0.02	0.00
	0.987	0.520	0.000	-0.03	-0.01	0.00
	0.500	0.500	0.990	0.00	0.00	0.00
	0.520	0.993	0.000	0.00	0.02	0.00
	0.347	0.811	0.044	-0.02	0.00	0.00
	0.811	0.341	0.044	0.01	0.01	0.01
	0.833	0.833	0.047	0.00	0.00	-0.01
	0.341	0.347	0.044	0.00	-0.01	0.01
	0.671	0.665	0.089	0.00	-0.01	0.00
	0.665	0.164	0.089	-0.01	0.01	0.00
	0.167	0.167	0.087	-0.01	0.00	-0.01
	0.164	0.671	0.089	0.01	0.00	0.00
	0.003	0.497	0.133	-0.01	0.00	0.01
	0.497	0.999	0.132	0.01	0.00	0.00
	0.500	0.500	0.132	0.00	0.00	-0.01
	0.999	0.003	0.132	0.00	-0.01	0.00
	0.336	0.331	0.177	-0.01	-0.01	0.01
	0.331	0.834	0.177	-0.01	0.01	0.00
	0.833	0.833	0.177	0.00	0.00	0.00
	0.834	0.336	0.177	0.00	0.00	0.01
	0.669	0.166	0.221	-0.01	0.00	0.00
	0.166	0.664	0.221	0.00	0.00	0.01
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.664	0.669	0.221	-0.01	-0.01	0.01
	0.001	0.997	0.265	0.00	-0.01	0.00
	0.997	0.503	0.265	-0.01	0.00	0.01
	0.500	0.500	0.265	0.00	0.00	-0.01
	0.503	0.001	0.265	0.01	0.00	0.00
	0.335	0.836	0.309	-0.01	0.01	0.00
	0.836	0.329	0.309	0.01	0.00	0.00
	0.833	0.833	0.310	-0.01	0.00	-0.01
	0.329	0.335	0.309	0.00	-0.01	0.00
	0.659	0.653	0.354	0.00	-0.01	0.01
0.653	0.189	0.354	-0.02	0.00	0.01	
0.167	0.167	0.350	0.00	0.00	-0.01	
0.189	0.659	0.354	0.01	0.01	0.01	
0.013	0.480	0.397	-0.03	-0.01	0.00	
0.480	0.007	0.397	0.00	0.02	0.00	
0.500	0.500	0.408	0.00	0.00	0.00	
0.007	0.013	0.397	0.01	-0.02	0.00	

2.2.2 Molecular Hydrogen

Table 12: The ionic positions and magnetic structure of the $NpO_2 aH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.619	0.643	0.946	0.00	0.00	0.00
	0.617	0.744	0.947	0.00	0.00	0.00
	0.381	0.357	0.451	0.00	0.00	0.00
Actinide Ion	0.383	0.256	0.451	0.00	0.00	0.00
	0.667	0.667	0.022	2.27	-1.36	-0.61
	0.167	0.168	0.023	0.06	0.11	2.66
	0.667	0.167	0.023	-2.27	-1.34	-0.63
	0.168	0.667	0.023	0.06	2.64	-0.62
	0.333	0.333	0.110	2.18	-1.26	-0.98
	0.833	0.834	0.110	0.01	-0.01	2.70
	0.334	0.833	0.110	-2.17	-1.28	-0.96
	0.834	0.334	0.110	-0.01	2.51	-0.98
	0.000	0.000	0.199	2.68	0.02	0.04
	0.500	0.500	0.199	-0.01	-0.02	2.35
	1.000	0.500	0.199	-2.21	-1.28	-0.87
	0.500	0.000	0.199	-0.01	2.56	-0.87
	0.667	0.667	0.287	2.18	-1.26	-0.98
	0.167	0.166	0.287	0.01	-0.01	2.70
0.666	0.167	0.287	-2.17	-1.28	-0.96	
0.166	0.666	0.287	-0.01	2.51	-0.98	
0.333	0.333	0.375	2.27	-1.36	-0.61	
0.833	0.832	0.375	0.06	0.10	2.66	
0.333	0.833	0.374	-2.27	-1.34	-0.63	
0.832	0.333	0.375	0.07	2.64	-0.62	
Oxygen Ion	0.003	0.000	0.001	0.01	-0.01	0.00
	0.999	0.503	0.002	-0.02	0.00	0.00
	0.500	0.498	0.001	0.00	0.00	0.01
	0.501	0.002	0.001	0.01	0.01	0.00
	0.336	0.832	0.045	-0.01	0.00	0.00
	0.833	0.333	0.045	0.01	0.01	0.00
	0.833	0.835	0.045	0.00	0.00	-0.01
	0.332	0.334	0.045	0.00	-0.01	0.00
	0.668	0.665	0.088	0.00	-0.01	0.00
	0.664	0.169	0.088	-0.01	0.01	0.00
	0.167	0.166	0.087	0.00	0.00	-0.01
	0.168	0.668	0.088	0.01	0.00	0.00
	0.003	0.499	0.132	-0.01	0.00	0.00
	0.499	0.999	0.132	0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	0.00
	0.999	0.002	0.132	0.00	-0.01	0.00
	0.335	0.330	0.177	0.00	-0.01	0.01
	0.330	0.835	0.177	-0.01	0.00	0.00
	0.833	0.833	0.176	-0.01	0.00	-0.01
	0.835	0.335	0.177	0.01	0.00	0.01
	0.670	0.165	0.220	-0.01	0.00	0.00
	0.165	0.665	0.220	0.01	0.00	0.00
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.665	0.670	0.220	0.00	-0.01	0.01
	0.001	0.998	0.265	0.00	-0.01	0.00
	0.997	0.501	0.265	-0.01	0.01	0.00
	0.500	0.500	0.264	0.00	0.00	0.00
	0.501	0.001	0.265	0.01	0.00	0.00
	0.336	0.831	0.310	-0.01	0.00	0.00
	0.832	0.332	0.310	0.01	0.00	0.00
0.833	0.834	0.310	0.00	0.00	-0.01	
0.332	0.335	0.310	0.00	-0.01	0.00	
0.668	0.666	0.352	0.00	-0.01	0.00	
0.664	0.168	0.353	-0.01	0.00	0.00	
0.167	0.165	0.352	0.00	0.00	-0.01	
0.167	0.667	0.352	0.01	0.01	0.00	
0.001	0.497	0.396	-0.02	0.00	0.00	
0.499	0.998	0.396	0.01	0.02	0.00	
0.500	0.502	0.396	0.00	0.00	0.00	
0.997	1.000	0.396	0.01	-0.01	0.00	

Table 13: The ionic positions and magnetic structure of the $NpO_2 bH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.670	0.671	0.945	0.00	0.00	0.00
	0.614	0.614	0.950	0.00	0.00	0.00
	0.330	0.329	0.453	0.00	0.00	0.00
Actinide Ion	0.386	0.386	0.448	0.00	0.00	0.00
	0.668	0.665	0.022	2.27	-1.37	-0.57
	0.168	0.165	0.023	0.00	-0.22	2.65
	0.667	0.166	0.023	-2.29	-1.31	-0.62
	0.167	0.665	0.023	0.02	2.64	-0.63
	0.334	0.333	0.110	2.18	-1.25	-0.97
	0.833	0.833	0.110	0.02	0.00	2.70
	0.333	0.833	0.110	-2.19	-1.25	-0.96
	0.834	0.333	0.110	0.00	2.53	-0.95
	0.000	0.000	0.199	2.29	-1.09	-0.73
	0.500	0.500	0.199	-0.10	0.02	2.70
	1.000	0.500	0.199	-2.21	-1.28	-0.87
	0.500	0.000	0.199	-0.02	2.56	-0.85
	0.666	0.667	0.287	2.18	-1.25	-0.97
	0.167	0.167	0.287	0.02	0.00	2.70
	0.667	0.167	0.287	-2.19	-1.25	-0.96
	0.166	0.667	0.287	0.00	2.53	-0.95
	0.332	0.335	0.375	2.27	-1.37	-0.57
	0.832	0.835	0.374	0.00	-0.22	2.65
	0.333	0.834	0.374	-2.29	-1.31	-0.62
0.833	0.335	0.374	0.02	2.63	-0.64	
Oxygen Ion	0.002	0.996	0.002	0.01	-0.01	0.00
	0.002	0.496	0.002	-0.02	0.00	0.00
	0.499	0.498	0.001	0.00	0.00	0.00
	0.503	1.000	0.002	0.01	0.02	0.00
	0.335	0.834	0.045	-0.01	0.00	0.00
	0.832	0.333	0.045	0.01	0.01	0.00
	0.834	0.832	0.046	0.00	0.00	-0.01
	0.333	0.335	0.045	0.00	-0.01	0.00
	0.668	0.663	0.088	0.00	-0.01	0.00
	0.665	0.167	0.088	-0.01	0.01	0.00
	0.166	0.167	0.087	0.00	0.00	-0.01
	0.169	0.667	0.088	0.01	0.00	0.00
	0.003	0.499	0.132	-0.01	0.00	0.00
	0.499	0.999	0.132	0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.999	0.002	0.132	0.00	-0.01	0.00
	0.335	0.330	0.177	0.00	-0.01	0.00
	0.331	0.835	0.177	-0.01	0.00	0.00
	0.833	0.833	0.176	0.00	0.00	-0.01
	0.835	0.335	0.177	0.01	0.00	0.00
	0.669	0.165	0.220	-0.01	0.00	0.00
	0.165	0.665	0.220	0.01	0.00	0.00
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.665	0.670	0.220	0.00	-0.01	0.00
	0.001	0.998	0.265	0.00	-0.01	0.00
	0.997	0.501	0.265	-0.01	0.00	0.00
	0.500	0.500	0.264	0.00	0.00	-0.01
	0.501	0.001	0.265	0.01	0.00	0.00
	0.335	0.833	0.309	-0.01	0.00	0.00
	0.831	0.333	0.309	0.01	0.00	0.00
	0.834	0.833	0.310	0.00	0.00	-0.01
	0.332	0.337	0.310	0.00	-0.01	0.00
	0.667	0.665	0.352	0.00	-0.01	0.00
	0.665	0.166	0.352	-0.01	0.01	0.00
	0.166	0.168	0.352	0.00	0.00	-0.01
	0.168	0.667	0.352	0.01	0.01	0.00
	0.998	0.504	0.396	-0.02	0.00	0.00
	0.497	0.000	0.395	0.01	0.02	0.00
	0.501	0.502	0.396	0.00	0.00	0.00
	0.998	0.004	0.396	0.01	-0.01	0.00

Table 14: The ionic positions and magnetic structure of the $NpO_2 cH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.501	0.932	0.00	0.00	0.00
	0.500	0.501	0.910	0.00	0.00	0.00
	0.500	0.499	0.487	0.00	0.00	0.00
Actinide Ion	0.500	0.499	0.465	0.00	0.00	0.00
	0.667	0.666	0.023	2.26	-1.35	-0.63
	0.167	0.166	0.023	-0.01	-0.15	2.66
	0.667	0.166	0.023	-2.30	-1.29	-0.64
	0.167	0.666	0.023	0.01	2.63	-0.65
	0.333	0.333	0.110	2.18	-1.25	-0.97
	0.833	0.833	0.110	0.00	-0.01	2.70
	0.333	0.833	0.110	-2.19	-1.26	-0.96
	0.834	0.333	0.110	-0.01	2.52	-0.97
	0.000	0.000	0.199	2.20	-1.29	-0.88
	0.500	0.500	0.199	0.06	0.05	2.69
	1.000	0.500	0.199	-2.14	-1.40	-0.87
	0.500	0.000	0.199	0.02	2.55	-0.89
	0.667	0.667	0.287	2.18	-1.25	-0.97
	0.167	0.167	0.287	0.00	-0.01	2.70
	0.667	0.167	0.287	-2.19	-1.26	-0.96
	0.166	0.667	0.287	-0.01	2.52	-0.97
	0.333	0.334	0.374	2.26	-1.35	-0.63
	0.833	0.834	0.375	0.00	-0.16	2.66
	0.333	0.834	0.375	-2.30	-1.29	-0.65
0.833	0.334	0.374	0.02	2.63	-0.66	
Oxygen Ion	0.002	0.996	0.002	0.01	-0.02	0.00
	0.998	0.498	0.002	-0.02	0.00	0.00
	0.500	0.500	0.001	0.00	0.00	0.01
	0.502	0.001	0.002	0.01	0.02	0.00
	0.336	0.834	0.045	-0.01	0.00	0.00
	0.832	0.331	0.045	0.01	0.01	0.00
	0.834	0.833	0.046	0.00	0.00	-0.01
	0.332	0.336	0.045	0.00	-0.01	0.00
	0.668	0.663	0.088	0.00	-0.01	0.00
	0.664	0.168	0.088	-0.01	0.01	0.00
	0.167	0.167	0.087	0.00	0.00	-0.01
	0.169	0.668	0.088	0.01	0.00	0.00
	0.003	0.499	0.132	-0.01	0.00	0.00
	0.499	0.998	0.132	0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.999	0.002	0.132	0.00	-0.01	0.00
	0.335	0.330	0.177	0.00	-0.01	0.00
	0.330	0.835	0.177	-0.01	0.00	0.00
	0.833	0.833	0.176	0.00	0.00	-0.01
	0.835	0.335	0.177	0.01	0.01	0.00
	0.670	0.165	0.220	-0.01	0.00	0.00
	0.165	0.665	0.220	0.01	0.01	0.00
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.665	0.670	0.220	0.00	-0.01	0.00
	0.001	0.998	0.265	0.00	-0.01	0.00
	0.997	0.501	0.265	-0.01	0.01	0.00
	0.500	0.500	0.264	0.00	0.00	-0.01
	0.501	0.002	0.265	0.01	0.00	0.00
	0.336	0.832	0.309	-0.01	0.00	0.00
	0.831	0.332	0.310	0.01	0.00	0.00
0.833	0.833	0.310	0.00	0.00	-0.01	
0.332	0.337	0.310	0.00	-0.01	0.00	
0.668	0.664	0.352	0.00	-0.01	0.00	
0.664	0.166	0.352	-0.01	0.01	0.00	
0.166	0.167	0.352	0.00	0.00	-0.01	
0.168	0.669	0.352	0.01	0.01	0.00	
0.002	0.502	0.395	-0.02	0.00	0.00	
0.498	0.999	0.396	0.01	0.02	0.00	
0.500	0.500	0.396	0.00	0.00	0.01	
0.998	0.004	0.396	0.01	-0.01	0.00	

Table 15: The ionic positions and magnetic structure of the $NpO_2 dH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.557	0.551	0.913	0.00	0.00	0.00
	0.536	0.533	0.933	0.00	0.00	0.00
	0.443	0.449	0.484	0.00	0.00	0.00
Actinide Ion	0.464	0.467	0.464	0.00	0.00	0.00
	0.667	0.666	0.023	2.26	-1.34	-0.66
	0.168	0.166	0.023	0.04	-0.04	2.66
	0.667	0.166	0.023	-2.28	-1.31	-0.66
	0.167	0.666	0.023	0.00	2.63	-0.65
	0.333	0.333	0.110	2.17	-1.25	-1.00
	0.834	0.833	0.110	0.00	-0.01	2.70
	0.333	0.833	0.110	-2.19	-1.27	-0.95
	0.834	0.333	0.110	0.00	2.53	-0.94
	0.000	0.000	0.199	2.43	-0.97	-0.64
	0.500	0.500	0.199	-0.01	-0.01	2.70
	1.000	0.500	0.199	-2.09	-1.54	-0.70
	0.500	0.000	0.199	-0.05	2.55	-0.88
	0.667	0.667	0.287	2.17	-1.25	-1.00
	0.166	0.167	0.287	0.00	-0.01	2.70
	0.667	0.167	0.287	-2.19	-1.27	-0.95
	0.166	0.667	0.287	0.00	2.53	-0.94
	0.333	0.334	0.374	2.26	-1.35	-0.66
	0.832	0.834	0.374	0.04	-0.04	2.66
0.333	0.834	0.374	-2.28	-1.31	-0.66	
0.833	0.334	0.374	0.00	2.63	-0.65	
Oxygen Ion	0.003	0.997	0.002	0.01	-0.02	0.00
	0.998	0.499	0.002	-0.02	0.00	0.00
	0.499	0.500	0.001	0.00	0.00	0.01
	0.502	0.001	0.002	0.01	0.02	0.00
	0.336	0.833	0.045	-0.01	0.00	0.00
	0.832	0.332	0.045	0.01	0.01	0.00
	0.834	0.833	0.046	0.00	0.00	-0.01
	0.332	0.334	0.046	0.00	-0.01	0.00
	0.668	0.664	0.088	0.00	-0.01	0.00
	0.666	0.167	0.088	-0.01	0.01	0.00
	0.166	0.166	0.088	0.00	0.00	-0.01
	0.168	0.667	0.088	0.01	0.00	0.00
	0.001	0.500	0.132	-0.01	0.00	0.00
	0.499	0.998	0.132	0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.999	0.002	0.132	0.00	-0.01	0.00
	0.335	0.330	0.177	0.00	-0.01	0.00
	0.331	0.834	0.177	-0.01	0.00	0.00
	0.833	0.833	0.176	0.00	0.00	-0.01
	0.834	0.335	0.177	0.01	0.00	0.00
	0.669	0.166	0.220	-0.01	0.00	0.00
	0.166	0.665	0.220	0.01	0.00	0.00
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.665	0.670	0.221	0.00	-0.01	0.00
	0.001	0.998	0.265	0.00	-0.01	0.00
	0.999	0.500	0.265	-0.01	0.01	0.00
	0.500	0.500	0.264	0.00	0.00	-0.01
	0.501	0.002	0.265	0.01	0.00	0.00
	0.334	0.833	0.309	-0.01	0.00	0.00
	0.832	0.333	0.309	0.01	0.00	0.00
	0.834	0.834	0.310	0.00	0.00	-0.01
	0.332	0.336	0.310	0.00	-0.01	0.00
	0.668	0.666	0.352	0.00	-0.01	0.00
0.664	0.167	0.352	-0.01	0.00	0.00	
0.166	0.167	0.352	0.00	0.00	-0.01	
0.168	0.668	0.352	0.01	0.01	0.00	
0.002	0.501	0.395	-0.02	0.00	0.00	
0.498	0.999	0.396	0.01	0.02	0.00	
0.501	0.500	0.396	0.00	0.00	0.01	
0.997	0.003	0.395	0.01	-0.01	0.00	

Table 16: The ionic positions and magnetic structure of the $NpO_2 eH_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.409	0.691	0.940	0.00	0.00	0.00
	0.368	0.779	0.926	0.00	0.00	0.00
	0.632	0.221	0.471	0.00	0.00	0.00
Actinide Ion	0.591	0.309	0.458	0.00	0.00	0.00
	0.665	0.667	0.023	2.28	-1.33	-0.64
	0.165	0.168	0.023	-0.15	0.08	2.66
	0.665	0.168	0.023	-2.32	-1.27	-0.62
	0.166	0.667	0.023	0.02	2.64	-0.62
	0.333	0.334	0.110	2.18	-1.25	-0.97
	0.833	0.834	0.110	0.00	0.00	2.70
	0.333	0.834	0.110	-2.18	-1.26	-0.97
	0.833	0.333	0.110	0.00	2.52	-0.96
	0.000	0.000	0.199	2.20	-1.29	-0.88
	0.500	0.500	0.199	0.00	0.00	2.70
	1.000	0.500	0.199	-2.21	-1.27	-0.88
	0.500	0.000	0.199	-0.01	2.55	-0.90
	0.667	0.666	0.287	2.18	-1.25	-0.97
	0.167	0.166	0.287	0.00	0.00	2.70
	0.667	0.166	0.287	-2.18	-1.26	-0.97
	0.167	0.667	0.287	0.00	2.52	-0.96
	0.335	0.333	0.374	2.28	-1.33	-0.64
	0.835	0.832	0.375	-0.15	0.08	2.66
	0.335	0.832	0.374	-2.31	-1.27	-0.62
0.834	0.333	0.374	0.02	2.64	-0.62	
Oxygen Ion	0.000	0.997	0.002	0.01	-0.02	0.00
	0.996	0.502	0.002	-0.02	0.00	0.00
	0.500	0.500	0.001	0.00	0.00	0.01
	0.498	0.005	0.002	0.01	0.01	0.00
	0.335	0.832	0.045	-0.01	0.00	0.00
	0.833	0.332	0.045	0.01	0.01	0.00
	0.833	0.833	0.046	0.00	0.00	-0.01
	0.331	0.337	0.045	0.00	-0.01	0.00
	0.667	0.664	0.088	0.00	-0.01	0.00
	0.663	0.169	0.088	-0.01	0.01	0.00
	0.167	0.167	0.087	0.00	0.00	-0.01
	0.167	0.669	0.088	0.01	0.00	0.00
	0.002	0.499	0.132	-0.01	0.00	0.00
	0.499	0.999	0.132	0.01	0.00	0.00
	0.500	0.500	0.133	0.00	0.00	-0.01
	0.998	0.003	0.132	0.00	-0.01	0.00
	0.335	0.330	0.177	0.00	-0.01	0.00
	0.330	0.835	0.177	-0.01	0.01	0.00
	0.833	0.833	0.176	0.00	0.00	-0.01
	0.835	0.335	0.177	0.01	0.01	0.00
	0.670	0.165	0.220	-0.01	0.00	0.00
	0.165	0.665	0.220	0.01	0.00	0.00
	0.167	0.167	0.221	0.00	0.00	-0.01
	0.665	0.670	0.220	0.00	-0.01	0.00
	0.002	0.997	0.265	0.00	-0.01	0.00
	0.998	0.501	0.265	-0.01	0.00	0.00
	0.500	0.500	0.264	0.00	0.00	-0.01
	0.501	0.001	0.265	0.01	0.00	0.00
	0.337	0.831	0.310	-0.01	0.00	0.00
	0.833	0.331	0.309	0.01	0.00	0.00
	0.833	0.833	0.310	0.00	0.00	-0.01
	0.333	0.336	0.310	0.00	-0.01	0.00
	0.669	0.663	0.352	0.00	-0.01	0.00
	0.665	0.168	0.352	-0.01	0.00	0.00
	0.167	0.167	0.352	0.00	0.00	-0.01
	0.167	0.668	0.352	0.01	0.01	0.00
	0.004	0.498	0.396	-0.02	0.00	0.00
	0.502	0.995	0.395	0.01	0.02	0.00
	0.500	0.500	0.396	0.00	0.00	0.00
	1.000	0.003	0.395	0.01	-0.02	0.00

2.3 Plutonium Dioxide

2.3.1 Atomic Hydrogen

Table 17: The ionic positions and magnetic structure of the $\text{PuO}_2 aH_{(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.667	0.667	0.955	0.28	0.16	-0.01
	0.333	0.333	0.440	0.28	0.16	-0.01
Actinide Ion	0.667	0.667	0.022	-3.23	-1.86	-0.63
	0.667	0.166	0.022	0.01	3.71	-0.93
	0.166	0.667	0.022	3.22	-1.85	-0.93
	0.166	0.167	0.022	-0.07	-0.02	3.79
	0.333	0.333	0.109	-3.08	-1.78	-1.32
	0.333	0.833	0.109	0.00	3.56	-1.31
	0.833	0.333	0.109	3.09	-1.79	-1.31
	0.833	0.833	0.109	0.00	0.00	3.80
	0.000	0.000	0.197	-3.10	-1.79	-1.27
	1.000	0.500	0.197	0.00	3.58	-1.27
	0.500	0.000	0.197	3.10	-1.79	-1.27
	0.500	0.500	0.197	0.00	0.00	3.80
	0.667	0.667	0.285	-3.08	-1.78	-1.32
	0.667	0.167	0.285	0.00	3.57	-1.31
	0.167	0.667	0.285	3.09	-1.79	-1.31
	0.167	0.167	0.285	0.00	0.00	3.80
	0.333	0.333	0.372	-3.23	-1.86	-0.63
	0.333	0.834	0.372	0.01	3.71	-0.93
	0.834	0.333	0.372	3.22	-1.85	-0.93
	0.834	0.833	0.372	-0.06	-0.02	3.79
Oxygen Ion	0.999	1.000	0.001	-0.02	-0.01	-0.02
	0.500	0.500	0.001	0.03	0.02	0.02
	0.001	0.499	0.001	0.03	0.04	-0.02
	0.499	0.001	0.001	0.05	0.01	-0.02
	0.333	0.834	0.045	0.00	0.00	-0.01
	0.834	0.333	0.045	0.00	0.00	-0.01
	0.833	0.833	0.044	0.00	0.00	0.00
	0.333	0.333	0.045	0.00	0.00	-0.01
	0.667	0.667	0.087	0.01	0.01	0.00
	0.167	0.167	0.087	0.00	0.00	0.01
	0.667	0.167	0.087	0.00	0.00	0.00
	0.166	0.667	0.087	0.00	0.00	0.00
	0.000	0.500	0.131	0.00	0.00	0.00
	0.500	0.000	0.131	0.00	0.00	0.00
	0.500	0.500	0.131	0.00	0.00	0.00
	1.000	1.000	0.131	0.00	0.00	0.00
	0.333	0.333	0.175	0.00	0.00	0.00
	0.833	0.833	0.175	0.00	0.00	0.00
	0.333	0.833	0.175	0.00	0.00	0.00
	0.833	0.333	0.175	0.00	0.00	0.00
	0.667	0.167	0.219	0.00	0.00	0.00
	0.167	0.667	0.219	0.00	0.00	0.00
	0.167	0.167	0.219	0.00	0.00	0.00
	0.667	0.667	0.219	0.00	0.00	0.00
	0.000	0.000	0.263	0.00	0.00	0.00
	0.500	0.500	0.263	0.00	0.00	0.00
	1.000	0.500	0.263	0.00	0.00	0.00
	0.500	1.000	0.263	0.00	0.00	0.00
	0.333	0.833	0.308	0.00	0.00	0.00
	0.834	0.333	0.308	0.00	0.00	0.00
	0.833	0.833	0.307	0.00	0.00	0.01
	0.333	0.333	0.307	0.01	0.01	0.00
	0.667	0.667	0.350	0.00	0.00	-0.01
	0.167	0.167	0.350	0.00	0.00	0.00
0.667	0.166	0.350	0.00	0.00	-0.01	
0.166	0.667	0.350	0.00	0.00	-0.01	
0.999	0.501	0.394	0.03	0.04	-0.02	
0.501	0.999	0.394	0.05	0.01	-0.02	
0.500	0.500	0.394	0.03	0.02	0.02	
0.001	0.000	0.394	-0.02	-0.01	-0.02	

Table 18: The ionic positions and magnetic structure of the PuO_2 $bH_{(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.500	0.963	0.00	0.00	0.00
	0.500	0.500	0.432	0.00	0.00	0.00
Actinide Ion	0.673	0.673	0.023	-3.01	-1.74	-1.52
	0.673	0.154	0.023	0.00	3.48	-1.52
	0.155	0.673	0.023	3.01	-1.74	-1.52
	0.167	0.167	0.020	0.00	0.00	4.81
	0.333	0.333	0.109	-3.07	-1.77	-1.36
	0.333	0.833	0.109	0.00	3.54	-1.37
	0.833	0.333	0.109	3.07	-1.77	-1.37
	0.833	0.833	0.111	0.00	0.00	3.80
	0.000	0.000	0.197	-3.09	-1.79	-1.29
	1.000	0.500	0.197	0.00	3.57	-1.29
	0.500	0.000	0.197	3.09	-1.79	-1.29
	0.500	0.500	0.197	0.00	0.00	3.80
	0.667	0.667	0.286	-3.07	-1.77	-1.36
	0.667	0.167	0.286	0.00	3.54	-1.37
	0.167	0.667	0.286	3.07	-1.77	-1.37
	0.167	0.167	0.284	0.00	0.00	3.80
	0.327	0.327	0.372	-3.01	-1.74	-1.52
	0.327	0.846	0.372	0.00	3.48	-1.52
	0.845	0.327	0.372	3.01	-1.74	-1.52
	Oxygen Ion	0.833	0.833	0.374	0.00	0.00
0.990		0.990	0.999	-0.02	-0.01	0.00
0.500		0.500	0.990	0.00	0.00	0.02
0.990		0.520	0.999	0.00	0.02	0.00
0.521		0.990	0.999	0.02	-0.01	0.00
0.343		0.814	0.043	0.00	0.00	0.01
0.814		0.343	0.043	0.00	0.00	0.01
0.833		0.833	0.047	0.00	0.00	0.00
0.343		0.343	0.043	0.00	0.00	0.01
0.668		0.668	0.087	0.00	0.00	0.00
0.167		0.167	0.087	0.00	0.00	0.00
0.668		0.163	0.087	0.00	0.00	0.00
0.163		0.668	0.087	0.00	0.00	0.00
0.001		0.499	0.132	0.00	0.00	0.00
0.499		0.000	0.132	0.00	0.00	0.00
0.500		0.500	0.131	0.00	0.00	0.00
0.001		0.000	0.132	0.00	0.00	0.00
0.334		0.334	0.175	0.00	0.00	0.00
0.833		0.833	0.176	0.00	0.00	0.00
0.334		0.833	0.175	0.00	0.00	0.00
0.832		0.334	0.175	0.00	0.00	0.00
0.666		0.167	0.220	0.00	0.00	0.00
0.168		0.666	0.220	0.00	0.00	0.00
0.167		0.167	0.219	0.00	0.00	0.00
0.666		0.666	0.220	0.00	0.00	0.00
0.999		1.000	0.263	0.00	0.00	0.00
0.500		0.500	0.264	0.00	0.00	0.00
0.999		0.501	0.263	0.00	0.00	0.00
0.501		1.000	0.263	0.00	0.00	0.00
0.332		0.837	0.307	0.00	0.00	0.00
0.837	0.332	0.307	0.00	0.00	0.00	
0.833	0.833	0.308	0.00	0.00	0.00	
0.332	0.332	0.307	0.00	0.00	0.00	
0.657	0.657	0.352	0.00	0.00	0.01	
0.167	0.167	0.348	0.00	0.00	0.00	
0.657	0.186	0.352	0.00	0.00	0.01	
0.186	0.657	0.352	0.00	0.00	0.01	
0.010	0.480	0.395	0.00	0.02	0.00	
0.479	0.010	0.395	0.02	-0.01	0.00	
0.500	0.500	0.404	0.00	0.00	0.02	
0.010	0.010	0.395	-0.02	-0.01	0.00	

2.3.2 Molecular Hydrogen

Table 19: The ionic positions and magnetic structure of the $\text{PuO}_2 a\text{H}_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.621	0.640	0.946	0.00	0.00	0.00
	0.623	0.739	0.945	0.00	0.00	0.00
	0.379	0.360	0.449	0.00	0.00	0.00
Actinide Ion	0.377	0.261	0.449	0.00	0.00	0.00
	0.665	0.668	0.022	-3.19	-1.82	-1.06
	0.665	0.168	0.023	0.01	3.72	-0.90
	0.164	0.668	0.023	3.22	-1.85	-0.92
	0.164	0.168	0.022	-0.01	0.02	3.79
	0.332	0.334	0.110	-3.09	-1.79	-1.30
	0.332	0.834	0.109	0.00	3.57	-1.30
	0.832	0.334	0.109	3.09	-1.78	-1.31
	0.832	0.834	0.110	0.00	0.00	3.80
	0.000	0.000	0.197	-3.10	-1.79	-1.26
	1.000	0.500	0.197	0.00	3.58	-1.26
	0.500	0.000	0.197	3.10	-1.79	-1.28
	0.500	0.500	0.197	0.00	0.00	3.80
	0.668	0.666	0.285	-3.09	-1.79	-1.30
	0.668	0.166	0.285	0.00	3.57	-1.30
	0.168	0.666	0.285	3.09	-1.78	-1.31
	0.168	0.166	0.285	0.00	0.00	3.80
0.335	0.332	0.373	-3.19	-1.82	-1.06	
0.335	0.832	0.372	0.02	3.72	-0.90	
0.836	0.332	0.372	3.22	-1.85	-0.92	
0.836	0.832	0.372	-0.01	0.02	3.79	
Oxygen Ion	0.997	0.001	0.001	-0.02	-0.01	-0.02
	0.497	0.500	0.001	0.00	0.00	0.02
	0.998	0.501	0.001	0.00	0.02	-0.01
	0.498	0.003	0.001	0.02	-0.01	-0.01
	0.331	0.835	0.044	0.00	0.00	-0.01
	0.832	0.335	0.045	0.00	0.00	-0.01
	0.831	0.834	0.045	0.00	0.00	0.00
	0.330	0.334	0.045	0.00	0.00	-0.01
	0.665	0.668	0.087	0.00	0.00	0.00
	0.165	0.167	0.087	0.00	0.00	0.01
	0.665	0.167	0.087	0.00	0.00	0.00
	0.165	0.668	0.087	0.00	0.00	0.00
	0.999	0.501	0.131	0.00	0.00	0.00
	0.499	0.001	0.131	0.00	0.00	0.00
	0.499	0.500	0.131	0.00	0.00	0.00
	0.999	0.000	0.131	0.00	0.00	0.00
	0.333	0.333	0.175	0.00	0.00	0.00
	0.833	0.833	0.175	0.00	0.00	0.00
	0.333	0.834	0.175	0.00	0.00	0.00
	0.833	0.334	0.175	0.00	0.00	0.00
	0.667	0.166	0.219	0.00	0.00	0.00
	0.167	0.666	0.219	0.00	0.00	0.00
	0.167	0.167	0.219	0.00	0.00	0.00
	0.667	0.667	0.219	0.00	0.00	0.00
	0.001	1.000	0.263	0.00	0.00	0.00
	0.501	0.500	0.263	0.00	0.00	0.00
	0.001	0.499	0.263	0.00	0.00	0.00
	0.501	0.999	0.263	0.00	0.00	0.00
	0.335	0.833	0.308	0.00	0.00	0.00
	0.835	0.332	0.308	0.00	0.00	0.00
	0.835	0.833	0.307	0.00	0.00	0.01
	0.335	0.332	0.308	0.00	0.00	0.00
	0.670	0.666	0.350	0.00	0.00	-0.01
0.169	0.166	0.350	0.00	0.00	0.00	
0.669	0.165	0.350	0.00	0.00	-0.01	
0.168	0.665	0.350	0.00	0.00	-0.01	
0.002	0.499	0.394	0.00	0.02	-0.01	
0.502	0.997	0.394	0.02	-0.01	-0.01	
0.503	0.500	0.394	0.00	0.00	0.02	
0.003	0.999	0.394	-0.02	-0.01	-0.02	

Table 20: The ionic positions and magnetic structure of the PuO_2 $b\text{H}_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.676	0.676	0.944	0.00	0.00	0.00
	0.619	0.619	0.948	0.00	0.00	0.00
	0.324	0.324	0.451	0.00	0.00	0.00
Actinide Ion	0.381	0.381	0.447	0.00	0.00	0.00
	0.668	0.668	0.022	-3.17	-1.83	-1.10
	0.668	0.167	0.023	0.00	3.71	-0.95
	0.167	0.668	0.023	3.21	-1.85	-0.95
	0.167	0.168	0.022	0.02	0.01	3.79
	0.334	0.334	0.110	-3.09	-1.78	-1.31
	0.334	0.834	0.109	0.00	3.57	-1.30
	0.834	0.334	0.109	3.09	-1.79	-1.30
	0.834	0.834	0.110	0.00	0.00	3.80
	0.000	0.000	0.197	-3.10	-1.79	-1.27
	1.000	0.500	0.197	0.00	3.58	-1.27
	0.500	0.000	0.197	3.10	-1.79	-1.27
	0.500	0.500	0.197	0.00	0.00	3.80
	0.666	0.666	0.285	-3.09	-1.78	-1.31
	0.666	0.166	0.285	0.00	3.57	-1.30
	0.166	0.666	0.285	3.09	-1.79	-1.30
	0.166	0.166	0.285	0.00	0.00	3.80
0.332	0.332	0.373	-3.17	-1.83	-1.10	
0.332	0.833	0.372	0.01	3.71	-0.95	
0.833	0.332	0.372	3.21	-1.85	-0.95	
0.833	0.832	0.372	0.02	0.01	3.79	
Oxygen Ion	0.001	0.001	0.001	-0.02	-0.01	-0.02
	0.500	0.500	0.001	0.00	0.00	0.02
	0.002	0.501	0.001	0.00	0.02	-0.01
	0.501	0.002	0.001	0.02	-0.01	-0.01
	0.334	0.835	0.045	0.00	0.00	-0.01
	0.835	0.334	0.045	0.00	0.00	-0.01
	0.834	0.834	0.045	0.00	0.00	0.00
	0.334	0.334	0.045	0.00	0.00	-0.01
	0.667	0.667	0.087	0.00	0.00	0.00
	0.167	0.167	0.087	0.00	0.00	0.01
	0.667	0.167	0.087	0.00	0.00	0.00
	0.167	0.667	0.087	0.00	0.00	0.00
	0.000	0.501	0.131	0.00	0.00	0.00
	0.500	0.000	0.131	0.00	0.00	0.00
	0.500	0.500	0.131	0.00	0.00	0.00
	0.000	0.000	0.131	0.00	0.00	0.00
	0.333	0.333	0.175	0.00	0.00	0.00
	0.833	0.833	0.175	0.00	0.00	0.00
	0.333	0.833	0.175	0.00	0.00	0.00
	0.833	0.334	0.175	0.00	0.00	0.00
	0.667	0.167	0.219	0.00	0.00	0.00
	0.167	0.666	0.219	0.00	0.00	0.00
	0.167	0.167	0.219	0.00	0.00	0.00
	0.667	0.667	0.219	0.00	0.00	0.00
	1.000	1.000	0.263	0.00	0.00	0.00
	0.500	0.500	0.263	0.00	0.00	0.00
	1.000	0.499	0.263	0.00	0.00	0.00
	0.500	1.000	0.263	0.00	0.00	0.00
	0.333	0.833	0.308	0.00	0.00	0.00
	0.833	0.333	0.308	0.00	0.00	0.00
	0.833	0.833	0.307	0.00	0.00	0.01
	0.333	0.333	0.308	0.00	0.00	0.00
	0.666	0.666	0.350	0.00	0.00	-0.01
0.166	0.166	0.350	0.00	0.00	0.00	
0.666	0.165	0.350	0.00	0.00	-0.01	
0.165	0.666	0.350	0.00	0.00	-0.01	
0.998	0.499	0.394	0.00	0.02	-0.01	
0.499	0.998	0.394	0.02	-0.01	-0.01	
0.500	0.500	0.394	0.00	0.00	0.02	
0.999	0.999	0.394	-0.02	-0.01	-0.02	

Table 21: The ionic positions and magnetic structure of the PuO_2 $c\text{H}_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.500	0.500	0.931	0.00	0.00	0.00
	0.501	0.499	0.910	0.00	0.00	0.00
	0.499	0.501	0.485	0.00	0.00	0.00
Actinide Ion	0.500	0.500	0.463	0.00	0.00	0.00
	0.666	0.668	0.022	-3.21	-1.86	-0.93
	0.666	0.167	0.022	0.00	3.71	-0.92
	0.166	0.668	0.022	3.21	-1.86	-0.93
	0.166	0.167	0.022	0.00	0.01	3.79
	0.333	0.334	0.109	-3.09	-1.78	-1.31
	0.333	0.834	0.109	0.00	3.57	-1.30
	0.833	0.334	0.109	3.09	-1.78	-1.31
	0.833	0.834	0.109	0.00	0.00	3.80
	0.000	0.000	0.197	-3.10	-1.79	-1.26
	1.000	0.500	0.197	0.00	3.58	-1.26
	0.500	0.000	0.197	3.10	-1.79	-1.27
	0.500	0.500	0.197	0.00	0.00	3.80
	0.667	0.666	0.285	-3.09	-1.78	-1.31
	0.667	0.166	0.285	0.00	3.57	-1.30
	0.167	0.666	0.285	3.09	-1.78	-1.31
	0.167	0.166	0.285	0.00	0.00	3.80
	0.334	0.332	0.372	-3.21	-1.86	-0.93
	0.334	0.833	0.372	0.00	3.71	-0.93
	0.834	0.332	0.372	3.21	-1.86	-0.93
0.834	0.833	0.372	0.00	0.01	3.79	
Oxygen Ion	0.999	0.001	0.001	-0.02	-0.01	-0.02
	0.499	0.501	0.001	0.00	0.00	0.02
	0.999	0.501	0.001	0.00	0.02	-0.02
	0.499	0.001	0.001	0.02	-0.01	-0.02
	0.333	0.834	0.045	0.00	0.00	-0.01
	0.833	0.334	0.045	0.00	0.00	-0.01
	0.833	0.834	0.045	0.00	0.00	0.00
	0.333	0.334	0.045	0.00	0.00	-0.01
	0.666	0.667	0.087	0.00	0.00	0.00
	0.166	0.167	0.087	0.00	0.00	0.01
	0.666	0.167	0.087	0.00	0.00	0.00
	0.166	0.667	0.087	0.00	0.00	0.00
	1.000	0.501	0.131	0.00	0.00	0.00
	0.500	0.001	0.131	0.00	0.00	0.00
	0.500	0.501	0.131	0.00	0.00	0.00
	0.999	0.000	0.131	0.00	0.00	0.00
	0.333	0.333	0.175	0.00	0.00	0.00
	0.833	0.833	0.175	0.00	0.00	0.00
	0.333	0.834	0.175	0.00	0.00	0.00
	0.833	0.333	0.175	0.00	0.00	0.00
	0.667	0.166	0.219	0.00	0.00	0.00
	0.167	0.667	0.219	0.00	0.00	0.00
	0.167	0.167	0.219	0.00	0.00	0.00
	0.667	0.667	0.219	0.00	0.00	0.00
	0.001	1.000	0.263	0.00	0.00	0.00
	0.500	0.499	0.263	0.00	0.00	0.00
	0.000	0.499	0.263	0.00	0.00	0.00
	0.500	0.999	0.263	0.00	0.00	0.00
	0.334	0.833	0.308	0.00	0.00	0.00
	0.834	0.333	0.308	0.00	0.00	0.00
0.834	0.833	0.307	0.00	0.00	0.01	
0.334	0.333	0.308	0.00	0.00	0.00	
0.667	0.666	0.350	0.00	0.00	-0.01	
0.167	0.166	0.350	0.00	0.00	0.00	
0.667	0.166	0.350	0.00	0.00	-0.01	
0.167	0.666	0.350	0.00	0.00	-0.01	
0.001	0.499	0.394	0.00	0.02	-0.01	
0.501	0.999	0.394	0.02	-0.01	-0.02	
0.501	0.499	0.394	0.00	0.00	0.02	
0.001	0.999	0.394	-0.02	-0.01	-0.01	

Table 22: The ionic positions and magnetic structure of the $\text{PuO}_2 d\text{H}_{2(111)}$ configurations.

	Ionic Position (Direct)			Magnetic Vector (μ_B)		
	z-Axis	y-Axis	x-Axis	z-Axis	y-Axis	x-Axis
Hydrogen Ion	0.334	0.830	0.937	0.00	0.00	0.00
	0.334	0.833	0.915	0.00	0.00	0.00
	0.666	0.167	0.479	0.00	0.00	0.00
Actinide Ion	0.666	0.170	0.458	0.00	0.00	0.00
	0.667	0.666	0.022	-3.21	-1.85	-0.95
	0.667	0.166	0.022	0.00	3.71	-0.95
	0.167	0.666	0.022	3.21	-1.85	-0.95
	0.167	0.166	0.022	0.00	0.01	3.79
	0.334	0.333	0.109	-3.09	-1.78	-1.31
	0.334	0.833	0.109	0.00	3.57	-1.31
	0.834	0.333	0.109	3.09	-1.78	-1.31
	0.834	0.833	0.109	0.00	0.00	3.80
	0.000	0.000	0.197	-3.10	-1.79	-1.27
	1.000	0.500	0.197	0.00	3.58	-1.27
	0.500	0.000	0.197	3.10	-1.79	-1.27
	0.500	0.500	0.197	0.00	0.00	3.80
	0.666	0.667	0.285	-3.09	-1.78	-1.31
	0.666	0.167	0.285	0.00	3.57	-1.31
	0.166	0.667	0.285	3.09	-1.78	-1.31
	0.166	0.167	0.285	0.00	0.00	3.80
0.333	0.334	0.372	-3.21	-1.85	-0.95	
0.333	0.834	0.372	0.00	3.71	-0.95	
0.833	0.334	0.372	3.21	-1.85	-0.95	
0.833	0.834	0.372	0.00	0.01	3.79	
Oxygen Ion	0.001	0.999	0.001	-0.02	-0.01	-0.01
	0.501	0.499	0.001	0.00	0.00	0.02
	0.001	0.499	0.001	0.00	0.02	-0.02
	0.501	0.999	0.001	0.02	-0.01	-0.01
	0.334	0.833	0.045	0.00	0.00	-0.01
	0.835	0.332	0.045	0.00	0.00	-0.01
	0.834	0.833	0.044	0.00	0.00	0.00
	0.334	0.332	0.045	0.00	0.00	-0.01
	0.667	0.666	0.087	0.00	0.00	0.00
	0.167	0.166	0.087	0.00	0.00	0.01
	0.667	0.166	0.087	0.00	0.00	0.00
	0.167	0.666	0.087	0.00	0.00	0.00
	0.000	0.500	0.131	0.00	0.00	0.00
	0.501	0.999	0.131	0.00	0.00	0.00
	0.500	0.499	0.131	0.00	0.00	0.00
	0.000	0.999	0.131	0.00	0.00	0.00
	0.333	0.333	0.175	0.00	0.00	0.00
	0.833	0.833	0.175	0.00	0.00	0.00
	0.333	0.833	0.175	0.00	0.00	0.00
	0.834	0.333	0.175	0.00	0.00	0.00
	0.667	0.167	0.219	0.00	0.00	0.00
	0.166	0.667	0.219	0.00	0.00	0.00
	0.167	0.167	0.219	0.00	0.00	0.00
	0.667	0.667	0.219	0.00	0.00	0.00
	1.000	0.001	0.263	0.00	0.00	0.00
	0.500	0.501	0.263	0.00	0.00	0.00
	1.000	0.500	0.263	0.00	0.00	0.00
0.499	0.001	0.263	0.00	0.00	0.00	
0.333	0.834	0.308	0.00	0.00	0.00	
0.833	0.334	0.308	0.00	0.00	0.00	
0.833	0.834	0.307	0.00	0.00	0.01	
0.333	0.334	0.308	0.00	0.00	0.00	
0.666	0.668	0.350	0.00	0.00	-0.01	
0.166	0.167	0.350	0.00	0.00	0.00	
0.666	0.167	0.350	0.00	0.00	-0.01	
0.165	0.668	0.350	0.00	0.00	-0.01	
0.999	0.501	0.394	0.00	0.02	-0.01	
0.499	0.001	0.394	0.02	-0.01	-0.01	
0.499	0.501	0.393	0.00	0.00	0.02	
0.999	0.001	0.394	-0.02	-0.01	-0.01	

2.4 Bader Charges

A Bader charge analysis with the Henkleman *et al*[2-4] code has been completed.[5] The inequivalent actinide ($An(a)-An(d)$) and oxygen ($O(e)-O(l)$) ions for each surface are labelled (**Figure 3**). Note: as an inherent issue common to DFT-based methods, the Bader charges of the ions are often underestimated.[6]




Figure 3: The inequivalent actinide (An_a-An_d) and oxygen (O_e-O_l) ions for the low-index AnO_2 (111) surface are indicated (surface 3 monolayers).

Table 23: The Bader charge distribution (eV) of the UO_2 (111) surface for each configuration.

Configuration	H		U				O							
	α	β	a	b	c	d	e	f	g	h	i	j	k	l
Clean Surface	-	-	2.55	2.55	2.56	2.55	-1.28	-1.28	-1.28	-1.27	-1.30	-1.30	-1.30	-1.30
Atomic Interaction														
a	-0.35	-	2.67	2.58	2.59	2.58	-1.29	-1.28	-1.28	-1.28	-1.23	-1.23	-1.23	-1.27
b	0.61	-	2.54	2.54	2.54	2.19	-1.29	-1.25	-1.29	-1.29	-1.28	-1.33	-1.28	-1.28
Molecular Interaction														
a	0.00	0.01	2.55	2.55	2.55	2.55	-1.30	-1.30	-1.30	-1.29	-1.27	-1.28	-1.27	-1.28
b	0.00	0.00	2.55	2.56	2.55	2.55	-1.30	-1.30	-1.30	-1.30	-1.27	-1.28	-1.27	-1.28
c	0.00	0.00	2.55	2.56	2.56	2.55	-1.30	-1.30	-1.30	-1.30	-1.27	-1.27	-1.27	-1.27
d	0.00	0.00	2.56	2.55	2.56	2.56	-1.30	-1.30	-1.30	-1.30	-1.28	-1.27	-1.28	-1.28
e	-0.01	0.00	2.56	2.55	2.56	2.55	-1.30	-1.30	-1.30	-1.30	-1.27	-1.28	-1.27	-1.28

Table 24: The Bader charge distribution (eV) of the NpO_2 (111) surface for each configuration.

Configuration	H		Np				O							
	α	β	a	b	c	d	e	f	g	h	i	j	k	l
Clean Surface	-	-	2.51	2.51	2.51	2.51	-1.25	-1.25	-1.25	-1.25	-1.24	-1.25	-1.25	-1.25
Atomic Interaction														
a	0.57	-	2.48	2.10	2.48	2.48	-1.27	-1.27	-1.25	-1.27	-1.26	-1.26	-1.28	-1.26
Molecular Interaction														
a	0.02	-0.01	2.52	2.52	2.51	2.51	-1.25	-1.25	-1.24	-1.25	-1.25	-1.25	-1.25	-1.25
b	-0.04	0.04	2.25	2.53	2.48	2.48	-1.25	-1.25	-1.24	-1.25	-1.25	-1.25	-1.25	-1.25
c	0.03	-0.03	2.51	2.53	2.51	2.51	-1.25	-1.25	-1.24	-1.25	-1.25	-1.25	-1.25	-1.25
d	-0.04	0.04	2.51	2.52	2.49	2.49	-1.24	-1.25	-1.24	-1.25	-1.25	-1.25	-1.25	-1.25
e	0.01	-0.01	2.51	2.53	2.50	2.50	-1.25	-1.25	-1.24	-1.25	-1.25	-1.25	-1.25	-1.25

Table 25: The Bader charge distribution (eV) of the PuO_2 (111) surface for each configuration.

Configuration	H		Pu				O							
	α	β	a	b	c	d	e	f	g	h	i	j	k	l
Clean Surface	-	-	2.45	2.44	2.44	2.47	-1.24	-1.24	-1.24	-1.22	-1.21	-1.23	-1.23	-1.23
Atomic Interaction														
a	-0.03	-	2.41	2.45	2.45	2.47	-1.22	-1.21	-1.23	-1.22	-1.22	-1.22	-1.21	-1.23
b	0.58	-	2.45	2.45	2.45	2.08	-1.26	-1.22	-1.26	-1.26	-1.25	-1.25	-1.28	-1.24
Molecular Interaction														
a	0.02	-0.01	2.44	2.45	2.45	2.46	-1.22	-1.21	-1.23	-1.23	-1.24	-1.24	-1.23	-1.24
b	0.02	-0.01	2.44	2.45	2.45	2.47	-1.22	-1.21	-1.23	-1.23	-1.24	-1.24	-1.23	-1.24
c	-0.05	0.05	2.45	2.45	2.45	2.47	-1.22	-1.21	-1.22	-1.23	-1.24	-1.23	-1.23	-1.23
d	0.06	-0.06	2.45	2.45	2.45	2.47	-1.22	-1.21	-1.23	-1.22	-1.24	-1.24	-1.23	-1.24

Bibliography

1. Pegg, J.T., et al., *Noncollinear Relativistic DFT + U Calculations of Actinide Dioxide Surfaces*. The Journal of Physical Chemistry C, 2019. **123**(1): p. 356-366.
2. Henkelman, G., A. Arnaldsson, and H. Jónsson, *A fast and robust algorithm for Bader decomposition of charge density*. Computational Materials Science, 2006. **36**(3): p. 354-360.
3. Tang, W., E. Sanville, and G. Henkelman, *A grid-based Bader analysis algorithm without lattice bias*. Journal of Physics: Condensed Matter, 2009. **21**(8): p. 084204.
4. Sanville, E., et al., *Improved grid-based algorithm for Bader charge allocation*. Journal of computational chemistry, 2007. **28**(5): p. 899-908.
5. Horn, A. and H. Lanig, *Encyclopedia of Computational Chemistry*. Molecular modeling annual, 1999. **5**(9): p. 141-142.
6. Shields, A.E., D. Santos-Carballal, and N.H. de Leeuw, *A Density Functional Theory Study of Uranium-Doped Thoria and Uranium Adatoms on the Major Surfaces of Thorium Dioxide*. Journal of Nuclear Materials, 2016. **473**: p. 99-111.