

Training in video capsule endoscopy: Current status and unmet needs

Apostolos Koffas, Faidon-Marios Laskaratos, Owen Epstein

ORCID number: Apostolos Koffas (0000-0002-2637-3847); Faidon Marios Laskaratos (0000-0002-8673-1837); Owen Epstein (0000-0002-8560-7623).

Author contributions: Koffas A, Laskaratos FM made the conception and design of the study, manuscript preparation; Epstein O made the critical revision and final approval of the manuscript.

Conflict-of-interest statement: The authors report no conflicts of interest related to this work.

Open-Access: This article is an open-access article which was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Manuscript source: Invited manuscript

Received: April 12, 2019

Peer-review started: April 12, 2019

First decision: May 8, 2019

Revised: May 19, 2019

Accepted: June 10, 2019

Article in press: June 10, 2019

Published online: June 16, 2019

Apostolos Koffas, Gastroenterology Department, University Hospital of Larisa, Mezourlo, Larisa 41110, Greece

Faidon-Marios Laskaratos, Owen Epstein, Centre for Gastroenterology, Royal Free Hospital, Pond St, London NW3 2QG, United Kingdom

Corresponding author: Faidon-Marios Laskaratos, MD, MRCP, MSc, Doctor, Research Fellow, Centre for Gastroenterology, Royal Free Hospital, Pond St, London NW3 2QG, United Kingdom. flaskaratos@nhs.net
Telephone: +44-20-78302867

Abstract

Since its introduction to clinical practice nearly 20 years ago, wireless capsule endoscopy has revolutionized the landscape in the diagnosis and management of small bowel diseases. Over the past 10 years, capsule endoscopy has evolved beyond the small intestine and a range of capsules are now available to examine the esophagus, stomach and colon. Because of its ease of use, tolerability, paucity of complications and ability to visualize the entire gastrointestinal tract, capsule endoscopy has entered the mainstream of clinical practice. This review of the literature summarizes the current state of capsule training and highlights the limited data available to assess reader competence and standards expected of an independent practitioner. There are neither standardized teaching strategies nor national or international metrics for accreditation of physicians and non-physicians interested in mastering this examination. Summating the few publications, there appears to be consensus that diagnostic expertise improves with experience, and that trainees should be fully supervised for at least 20 full case studies. Formative and summative assessment is advisable and the number of taught cases should not be the sole determinant of competence. The review also highlights differences in recommendations from major national gastroenterology societies. Finally, the authors discuss areas of unmet needs in teaching and learning for capsule endoscopy.

Key words: Small bowel capsule endoscopy; Colon capsule endoscopy; Training

©The Author(s) 2019. Published by Baishideng Publishing Group Inc. All rights reserved.

Core tip: Small bowel and colon capsule endoscopy can accurately identify small bowel and colonic pathology. Standardized and structured training is required to optimize

P-Reviewer: Wan QQ, Qayed E, Chow WK
S-Editor: Dou Y
L-Editor: A
E-Editor: Wu YXJ



diagnostic competence.

Citation: Koffas A, Laskaratos FM, Epstein O. Training in video capsule endoscopy: Current status and unmet needs. *World J Gastrointest Endosc* 2019; 11(6): 395-402

URL: <https://www.wjgnet.com/1948-5190/full/v11/i6/395.htm>

DOI: <https://dx.doi.org/10.4253/wjge.v11.i6.395>

INTRODUCTION

Small bowel capsule endoscopy, a minimally-invasive method of direct visualization of the small intestine, was introduced in clinical practice both in the United States and Europe in 2001. Since then, the use of capsule endoscopy has steadily increased for a broadening spectrum of clinical indications including investigation of iron deficiency anemia and/or obscure gastrointestinal (GI) bleeding, Crohn's disease, small bowel tumors, inherited polyposis syndromes, and others^[1-3]. The ease of use and non-invasive nature of this diagnostic device led to the development of capsules designed for visualization of the esophagus, stomach or the colon. A first-generation colon capsule endoscopy became available in 2006 and more recently a second-generation colon capsule endoscopy was developed. It allows the examination of the entire colon without the requirement for day case admission, analgesia, sedation or air insufflation^[4-6].

National and international societies have issued guidance on the role of wireless capsule diagnostic algorithms and management strategies^[7-9]. In 2005, Korman *et al*^[10] proposed a standardized and structured terminology for describing findings in capsule endoscopy. This is known as "Capsule Endoscopy Structured Terminology" (CEST), which has been widely adopted for descriptive purposes when reporting. However, there are currently no universally standardized training and educational curricula to assure competency and indeed, a definition of competency is yet to emerge. Mastering the skills required to safely and effectively deliver a capsule service requires appreciation of indications, benefits, risks and limitations of the procedure, in addition to competency in visualizing the esophageal, gastric, small bowel and colonic mucosa.

In this review we have aggregated publications that have addressed capsule training and competency and have drawn conclusions on the current status of skills training in this emerging subspecialty.

LITERATURE STUDY

An extensive bibliographical search was performed via the online databases PubMed and EMBASE. The keywords used were the following: "small bowel capsule endoscopy", "colon capsule endoscopy", "training in capsule endoscopy" and "competence". All selected studies were manually examined to identify further relevant reports. This review included all original research papers published in full. Only those written or translated into English were included.

CAPSULE ENDOSCOPIST EXPERIENCE AND CAPSULE IMAGE INTERPRETATION

Several studies have demonstrated that prior reading experience is associated with a high degree of inter-observer agreement and reader competence. A study published in 2005 assessed reader accuracy in diagnosing celiac disease and reported excellent inter-observer agreement amongst readers with previous experience ($\kappa = 1$). This contrasted with poor agreement amongst novice readers ($\kappa = 0.2$)^[11]. Postgate *et al*^[12] reported the accuracy of detecting and sizing polyps in an animal model of polyposis. Participants varied in endoscopy and capsule endoscopy experience. Experienced capsule endoscopists achieved the highest polyp detection rate (91%) and prior experience of fiber-optic endoscopy emerged as an independent factor influencing both polyp detection and polyp sizing accuracy. Unsurprisingly, the authors concluded that formal training is required to optimize capsule endoscopy

interpretation^[12]. Jang *et al*^[13] asked 13 gastroenterology experts and 10 trainees to independently review capsule endoscopy clips and report their findings. Accuracy was significantly higher in the experienced group, especially for subtle lesions. In addition, inter-observer agreement was significantly higher in the expert group. In an Italian study, 75 capsule endoscopy clips were chosen by an expert external investigator, and prospectively read and reported by eight investigators with varied capsule experience. Diagnostic accuracy and inter-observer agreement were more common amongst practitioners who had performed a higher volume of procedures^[14].

Postgate *et al*^[15] were the first to assess the impact of structured, hands-on training in capsule endoscopy. Two experienced gastroenterologists with experience of 1000 colonoscopies but no capsule experience, and a senior endoscopy nurse with no prior experience of either conventional or capsule endoscopy received structured mentoring and at pre-determined intervals, their reading and reporting was assessed. Sustained improvement was evident in the nurse with only one of the two mentored gastroenterologists showing sustained progress. The report suggested that training could improve performance, that experienced endoscopy nurses could safely report capsule endoscopy and that allowance is required to accommodate variable learning curves.

In an Italian study published in 2012, the authors reported the impact of structured training combining both formal tutorials and hands-on experience^[16]. Seventeen participants were asked to review a series of capsule endoscopy cases before and after receiving instruction, based on the 2005 recommendations of the American Society of Gastrointestinal Endoscopy (ASGE)^[17]. Overall, the mean detection rate for significant findings was only 50% and no significant differences were observed among study participants with different levels of experience. Both the inter-observer agreement and significant finding detection rates were low regardless of previous experience, and the training program did not significantly improve performance of readers with different levels of experience^[16].

In the Korean GUT Image Study Group, 12 trainees and an expert were asked to review 15 capsule endoscopy cases, one each week for 15 wk^[18]. They were asked to report small bowel transit time and diagnosis. Inter-observer agreement between trainees and the expert increased as the program progressed, most notably after weeks 9 and 11. The authors concluded that diagnostic accuracy increases with experience and that approximately 10 capsule endoscopy case studies would be appropriate for trainees to attain competence.

Sidhu and colleagues reported the capsule reading performance of 10 gastroenterology trainees, all with previous conventional endoscopy experience, but little or no capsule experience, and five capsule naive medical students. The study indicated that prior endoscopic experience enabled readers to achieve a higher diagnostic accuracy and highlighted the trainees' desire for formal capsule endoscopy training^[19].

In a recent retrospective Spanish study, 900 capsule endoscopy studies were reviewed by three gastroenterologists experienced in conventional endoscopy. The authors assessed whether a negative capsule endoscopy report, ruling out small bowel pathology, would change with number of cases reviewed. The study reported that negative predictive values rose with cases reviewed but did not continue increasing after the first 100 reads^[20].

Finally, Postgate *et al*^[21] studied the effectiveness of a 1-h computer based capsule training module. The study included gastroenterology trainees and medical students, none of whom had previous capsule experience. In both groups, significant improvement in lesion detection was demonstrated following the computer-based learning experience^[21].

NATIONAL AND INTERNATIONAL GUIDANCE ON TRAINING IN CAPSULE ENDOSCOPY

In 2005 the ASGE issued guidance on credentialing in capsule endoscopy. The guideline recommended that capsule endoscopy training should be considered independent of other endoscopic procedures, that performance metrics are required to demonstrate competence, and that continuing education and assessment should be a requirement to maintain practitioner privileges. The document recommended that endoscopists wishing to perform capsule endoscopy should have a relevant medical or surgical clinical background and have completed at least 24 mo of a standard GI fellowship (or equivalent). A further requirement was that aspiring capsule practitioners should have completed training in conventional fibre-optic endoscopy. The guidance mandated that competence should be assessed using objective criteria

and by direct observation^[17]. The ASGE also recommends that all trainees should undertake formal capsule training during their GI fellowship, and this should include didactic teaching and an adequate case volume. Training could also be undertaken outside of a GI fellowship, requiring at least eight hours of appropriate continuing medical education blended with an accredited hands-on course. Following a period of formative training, it was suggested the trainees review 10 complete studies, each supervised by a credentialed capsule endoscopist^[17]. This is in line with the recommendations of the Korean Society of Gastrointestinal Endoscopy that proposed 10 supervised capsule endoscopy examinations, preceded by structured mentoring, before a reader is granted privilege to perform independent capsule endoscopy^[18].

The 2007 United States GI core curriculum mandated reading a minimum of 25 capsule studies in order to achieve competency^[22]. In 2013 the ASGE updated their guidance, mandating that gastroenterology training programs should provide trainees with formal lecture based instruction in capsule endoscopy. Training could either be undertaken during the 3-year fellowship program, or at a post-fellowship setting. The guidance reiterated that post-fellowship trainees required eight hours of CME credited hands-on training, endorsed by a national or international GI society^[23]. The ASGE update mandates a minimum of 20 supervised procedures but states that proficiency should reflect competence rather than the numbers. Summative assessment should include direct observation and objective metrics recommending that trainees achieve a 90% or greater correlation rate when compared to a credentialed capsule endoscopist^[23]. In keeping with the above recommendations, the American College of Gastroenterology (ACG) published guidelines in 2017 which recommended that capsule endoscopy should be restricted to readers with documented competency in both the cognitive and technical aspects of this examination^[7]. In addition, the ACG maintains an online educational resource that offers a module on capsule endoscopy. Similar learning resources are available, providing e-learning courses and webinars^[24].

The European Society of Gastrointestinal Endoscopy (ESGE) guidelines recommend that nurses and/or other technical staff can be trained and credentialed by their ability to accurately identify pathology. However, the final diagnostic report remains the duty of the responsible physician. No recommendations are made regarding training, competency assessment and credentialing in capsule endoscopy^[25].

In the United Kingdom, training in capsule endoscopy is not mandatory. In a survey conducted in 2012, most trainees expressed interest in receiving training in capsule endoscopy, but only a small minority had completed a formal accredited course. Despite high interest amongst trainees, as well as non-physicians, and the widespread use of capsule endoscopy in clinical practice, the Joint Advisory Group on Gastrointestinal Endoscopy (JAG) that regulates training in conventional endoscopy has not yet addressed a capsule training curriculum for aspiring capsule endoscopy. In the absence of a formal training structure, the United Kingdom nurses are welcome to attend ad hoc courses endorsed by the British Society of Gastroenterology, JAG and ASGE. e-Learning modules and computer-based courses are also available^[26-28].

Guidance issued by different gastroenterology societies is summarized in [Table 1](#).

TRAINING IN COLON CAPSULE ENDOSCOPY

Colon capsule endoscopy was introduced in 2006^[4,5]. Currently, there remains uncertainty regarding the criteria of competence, and no standardized training pathway has been agreed on. Colon capsule endoscopy is more challenging than small bowel capsule endoscopy as videos are longer in duration and interpretation more complex^[29].

In Europe, formal colon capsule endoscopy training is available in very few countries^[27]. In Japan, the 2nd generation of colon capsule endoscopy was approved in 2013 and the Japanese Association for Capsule Endoscopy developed an electronic learning platform for capsule endoscopy (ELCEE). This involves a seven-step training pathway, including both didactic mentoring, as well as review of case studies and colon capsule endoscopy videos. Participants' performance scores are collated via an automated scoring engine [colon capsule endoscopy reading competence assessment test (CCAT)]. Successful completion was determined by a final score. ELCEE was shown to significantly enhance colon capsule endoscopy competence irrespective of the trainees' previous experience of capsule endoscopy^[30].

EVALUATION TESTS

Table 1 Summary of main national guidance on training in capsule endoscopy

	ASGE	ESGE	BSG / JAG
CE Core Curriculum	Yes	No	No
Endorsed courses	Yes	No	Yes
Duration of courses	8 h	-	2 d
Formalized assessment of competence	Highly recommended	-	No
Supervised CE studies required after completion of training	20	Not specified	Not specified
Provision for non-physicians	No	Yes	Yes

CE: Capsule endoscopy; ASGE: American Society of Gastrointestinal Endoscopy; ESGE: European Society of Gastrointestinal Endoscopy; BSG: British Society of Gastroenterology; JAG: Joint Advisory Group on Gastrointestinal Endoscopy.

Introducing objective measures to assess competence remains an unmet need. Rajan *et al.*^[31] performed a single-center 6-year prospective analysis of fellows' competence in capsule endoscopy, following formal training that followed the ASGE recommendations. On completion of training a formalized assessment tool, the Capsule Competency Test (CapCT), was developed comprising three sections including 32 test items and a maximal score of 100. Competence was defined as a CapCT score of $\geq 90\%$ of the mean score achieved by staff capsule endoscopists who underwent the same assessment. The trainees were divided into three groups, according to the number of capsule endoscopy examinations they had reported. Mean scores for trainees with < 10, 11-20 and 21-35 examinations were 79%, 79%, and 85%, respectively. No significant association was found between trainee scores and previous endoscopy experience. The authors concluded that regardless of prior endoscopic experience trainees should complete at least 20 capsule studies before competence is assessed^[31].

Watabe *et al.*^[30] assessed the effectiveness of ELCEE using a validated automated scoring system, called CCAT. Following completion of ELCEE, average CCAT scores improved significantly in all participants. The authors concluded that ELCEE and CCAT provide appropriate metric to substantiate a satisfactory level of competence in colon capsule endoscopy^[30].

Albert *et al.*^[32] developed an evaluation tool (ET-CET) to assess the impact of hands-on capsule endoscopy training on the diagnostic accuracy of the examination. ET-CET consists of 10 capsule endoscopy videoclips. A total of 294 individuals were included in the study, all of whom attended capsule endoscopy training courses in different sites across Europe between 2008 and 2011. The participants were asked to record their findings before and after completing the training course. The primary endpoint was evaluation of the impact of hands-on training courses. A significant improvement in diagnostic skill was demonstrated and this was independent of their previous background or course setting. Prior experience of flexible endoscopy appeared to be of some value before attending a relevant course^[32].

CAPSULE ENDOSCOPY AND NON-PHYSICIANS

Studies comparing reading accuracy of capsule endoscopy amongst readers from different backgrounds have demonstrated that an experienced endoscopy nurse may be as competent as a physician^[15,17,19,21,33-46]. In the United Kingdom, specialist nurse capsule endoscopists have demonstrated advanced reading skills, enabling safe capsule endoscopy interpretation. However, within many healthcare systems, an extended specialist nurse role is unlikely to gain acceptance^[35]. The ESGE has endorsed qualified nurses and trained technicians as pre-readers but mandates that the responsibility for sign off remains the responsibility of an appropriately trained physician^[25]. With the increasing demand for capsule endoscopy and physician shortage, pre-selection of pathological images by a credentialed nurse could prove a cost-effective response, reducing the physician review time from 34 to 9 min^[46].

CURRENT STATUS AND CONSIDERATIONS FOR THE FUTURE

Recently, Read *et al.*^[47] disseminated an email survey addressing small bowel endoscopy training in the United States. This included both capsule endoscopy and device-assisted enteroscopy. The survey indicated that during their three year

fellowship, most programs required trainees to complete training in capsule endoscopy and around 80% of GI fellows graduated with credentials to undertake independent capsule endoscopy. However, GI fellowships offered different training curricula and there was no standard for assessing competence with only 3.4% of GI fellowships employing metric-based assessment tools^[47]. Despite several accredited courses available to European trainees, capsule endoscopy training has not been formally incorporated in gastroenterology curricula^[29].

Fernandez-Urien *et al*^[29] proposed a consensus European Core Curriculum for CE training tailored to the needs of different healthcare systems. The authors recommend 12 h dedicated to either small bowel or colon capsule with at least four hours of lecture-based mentoring and six hours of hands-on training, delivered over 1.5 d. The video case mix should focus on normal mucosal appearance, variants of normal and commonly encountered pathology. The consensus document recommends a formal summative assessment. After successful completion of the training, the trainee should be considered a “beginner”, with further training required before recognising the practitioner as competent, proficient or expert^[29].

Capsule endoscopy is increasingly deployed as a new imaging device in gastroenterology and there is a broadening spectrum of clinical indications. Review of the literature indicates there is little consensus on training and defining competence. This mirrors the evolution of training in conventional endoscopy which was practiced for decades before national and international training standards were agreed and incorporated into training curricula. There is a paucity of quality, evidence based studies for training capsule endoscopy practitioners but the review of the literature suggests an emerging consensus that trainees require a curriculum that includes both theoretical and practical mentoring, a validated metrics-based summative assessment and lifelong learning and appraisal. We recommend that capsule endoscopy training is incorporated formally into gastroenterology curricula. This training could be either undertaken during the gastroenterology training scheme for some trainees, or as part of an endoscopy fellowship program. CME accredited capsule endoscopy courses should involve at least 12 h of training, comprising lecture-based mentoring and hands-on training. Following completion of a course, based on the literature, a minimum of 20 fully supervised cases chosen with graded difficulty should be undertaken, although we feel that the precise number should be individualized based on the trainee’s ability and progress. In order for a physician (or non-physicians) to be credentialed, summative assessment including direct observation and objective metrics is a requirement. In our experience, non-physicians may be eligible for accreditation in capsule endoscopy after appropriate training, and there is increasing evidence that they are equally efficient as physicians (at least as pre-readers).

Future research should focus on the capsule endoscopy learning curve, curriculum development, quality assurance and strategies for certification. As the skill requirement is image recognition rather than the dexterity demanded of fiber optic endoscopy, the role of nurse specialist capsule endoscopist requires consideration. As new technologies emerge, medical practitioners need to keep pace with rapid change and the urgency to address new training needs.

REFERENCES

- 1 **Gerson LB**, Fidler JL, Cave DR, Leighton JA. ACG Clinical Guideline: Diagnosis and Management of Small Bowel Bleeding. *Am J Gastroenterol* 2015; **110**: 1265-87; quiz 1288 [PMID: 26303132 DOI: 10.1038/ajg.2015.246]
- 2 **Goddard AF**, James MW, McIntyre AS, Scott BB; British Society of Gastroenterology. Guidelines for the management of iron deficiency anaemia. *Gut* 2011; **60**: 1309-1316 [PMID: 21561874 DOI: 10.1136/gut.2010.228874]
- 3 **Raju GS**, Gerson L, Das A, Lewis B; American Gastroenterological Association. American Gastroenterological Association (AGA) Institute technical review on obscure gastrointestinal bleeding. *Gastroenterology* 2007; **133**: 1697-1717 [PMID: 17983812 DOI: 10.1053/j.gastro.2007.06.007]
- 4 **Eliakim R**, Fireman Z, Gralnek IM, Yassin K, Waterman M, Kopelman Y, Lachter J, Koslowsky B, Adler SN. Evaluation of the PillCam Colon capsule in the detection of colonic pathology: results of the first multicenter, prospective, comparative study. *Endoscopy* 2006; **38**: 963-970 [PMID: 17058158 DOI: 10.1055/s-2006-944832]
- 5 **Eliakim R**, Yassin K, Niv Y, Metzger Y, Lachter J, Gal E, Sapoznikov B, Konikoff F, Leichtmann G, Fireman Z, Kopelman Y, Adler SN. Prospective multicenter performance evaluation of the second-generation colon capsule compared with colonoscopy. *Endoscopy* 2009; **41**: 1026-1031 [PMID: 19967618 DOI: 10.1055/s-0029-1215360]
- 6 **Kakugawa Y**, Saito Y, Saito S, Watanabe K, Ohmiya N, Murano M, Oka S, Arakawa T, Goto H, Higuchi K, Tanaka S, Ishikawa H, Tajiri H. New reduced volume preparation regimen in colon capsule endoscopy. *World J Gastroenterol* 2012; **18**: 2092-2098 [PMID: 22563197 DOI: 10.3748/wjg.v18.i17.2092]
- 7 **Enns RA**, Hookey L, Armstrong D, Bernstein CN, Heitman SJ, Teshima C, Leontiadis GI, Tse F, Sadowski D. Clinical Practice Guidelines for the Use of Video Capsule Endoscopy. *Gastroenterology* 2017; **152**: 497-514 [PMID: 28063287 DOI: 10.1053/j.gastro.2016.12.032]

- 8 **Pennazio M**, Spada C, Eliakim R, Keuchel M, May A, Mulder CJ, Rondonotti E, Adler SN, Albert J, Baltes P, Barbaro F, Cellier C, Charton JP, Delvaux M, Despott EJ, Domagk D, Klein A, McAlindon M, Rosa B, Rowse G, Sanders DS, Saurin JC, Sidhu R, Dumonceau JM, Hassan C, Gralnek IM. Small-bowel capsule endoscopy and device-assisted enteroscopy for diagnosis and treatment of small-bowel disorders: European Society of Gastrointestinal Endoscopy (ESGE) Clinical Guideline. *Endoscopy* 2015; **47**: 352-376 [PMID: 25826168 DOI: 10.1055/s-0034-1391855]
- 9 **Spada C**, Hassan C, Galmiche JP, Neuhaus H, Dumonceau JM, Adler S, Epstein O, Gay G, Pennazio M, Rex DK, Benamouzig R, de Franchis R, Delvaux M, Devière J, Eliakim R, Fraser C, Hagenmuller F, Herrerias JM, Keuchel M, Macrae F, Munoz-Navas M, Ponchon T, Quintero E, Riccioni ME, Rondonotti E, Marmo R, Sung JJ, Tajiri H, Toth E, Triantafyllou K, Van Gossum A, Costamagna G; European Society of Gastrointestinal Endoscopy. Colon capsule endoscopy: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. *Endoscopy* 2012; **44**: 527-536 [PMID: 22389230 DOI: 10.1055/s-0031-1291717]
- 10 **Korman LY**, Delvaux M, Gay G, Hagenmuller F, Keuchel M, Friedman S, Weinstein M, Shetzline M, Cave D, de Franchis R. Capsule endoscopy structured terminology (CEST): proposal of a standardized and structured terminology for reporting capsule endoscopy procedures. *Endoscopy* 2005; **37**: 951-959 [PMID: 16189767 DOI: 10.1055/s-2005-870329]
- 11 **Petroniene R**, Dubcenco E, Baker JP, Ottaway CA, Tang SJ, Zanati SA, Streutker CJ, Gardiner GW, Warren RE, Jeejeebhoy KN. Given capsule endoscopy in celiac disease: evaluation of diagnostic accuracy and interobserver agreement. *Am J Gastroenterol* 2005; **100**: 685-694 [PMID: 15743369 DOI: 10.1111/j.1572-0241.2005.41069.x]
- 12 **Postgate A**, Tekkis P, Fitzpatrick A, Bassett P, Fraser C. The impact of experience on polyp detection and sizing accuracy at capsule endoscopy: implications for training from an animal model study. *Endoscopy* 2008; **40**: 496-501 [PMID: 18556804 DOI: 10.1055/s-2007-995590]
- 13 **Jang BI**, Lee SH, Moon JS, Cheung DY, Lee IS, Kim JO, Cheon JH, Park CH, Byeon JS, Park YS, Shim KN, Kim YS, Kim KJ, Lee KJ, Ryu JK, Chang DK, Chun HJ, Choi MG. Inter-observer agreement on the interpretation of capsule endoscopy findings based on capsule endoscopy structured terminology: a multicenter study by the Korean Gut Image Study Group. *Scand J Gastroenterol* 2010; **45**: 370-374 [PMID: 20148733 DOI: 10.3109/00365520903521574]
- 14 **Pezzoli A**, Cannizzaro R, Pennazio M, Rondonotti E, Zancanella L, Fusetti N, Simoni M, Cantoni F, Melina R, Alberani A, Caravelli G, Villa F, Chilovi F, Casetti T, Iaquinto G, D'imperio N, Gullini S. Interobserver agreement in describing video capsule endoscopy findings: a multicentre prospective study. *Dig Liver Dis* 2011; **43**: 126-131 [PMID: 20817579 DOI: 10.1016/j.dld.2010.07.007]
- 15 **Postgate A**, Haycock A, Fitzpatrick A, Schofield G, Bassett P, Thomas-Gibson S, Fraser C. How should we train capsule endoscopy? A pilot study of performance changes during a structured capsule endoscopy training program. *Dig Dis Sci* 2009; **54**: 1672-1679 [PMID: 19034658 DOI: 10.1007/s10620-008-0558-6]
- 16 **Rondonotti E**, Soncini M, Girelli CM, Russo A, Ballardini G, Bianchi G, Cantù P, Centenara L, Cesari P, Cortelezzi CC, Gozzini C, Lupinacci G, Maino M, Mandelli G, Mantovani N, Moneghini D, Morandi E, Putignano R, Schalling R, Tatarella M, Vitagliano P, Villa F, Zatelli S, Conte D, Masci E, de Franchis R; AIGO, SIED and SIGE Lombardia. Can we improve the detection rate and interobserver agreement in capsule endoscopy? *Dig Liver Dis* 2012; **44**: 1006-1011 [PMID: 22858420 DOI: 10.1016/j.dld.2012.06.014]
- 17 **Faigel DO**, Baron TH, Adler DG, Davila RE, Egan J, Hirota WK, Jacobson BC, Leighton JA, Qureshi W, Rajan E, Zuckerman MJ, Fanelli R, Wheeler-Harbaugh J; ASGE. ASGE guideline: guidelines for credentialing and granting privileges for capsule endoscopy. *Gastrointest Endosc* 2005; **61**: 503-505 [PMID: 15812400 DOI: 10.1016/S0016-5107(04)02781-6]
- 18 **Korean Gut Image Study Group**. Lim YJ, Joo YS, Jung DY, Ye BD, Kim JH, Cheon JH, Kim SE, Do JH, Jang BI, Moon JS, Kim JO, Chun HJ, Choi MG. Learning curve of capsule endoscopy. *Clin Endosc* 2013; **46**: 633-636 [PMID: 24340256 DOI: 10.5946/ce.2013.46.6.633]
- 19 **Sidhu R**, Sakellariou P, McAlindon ME, Leeds JS, Shafiq K, Hoeroldt BS, Hopper AD, Karmo M, Salmon C, Elphick D, Ali A, Sanders DS. Is formal training necessary for capsule endoscopy? The largest gastroenterology trainee study with controls. *Dig Liver Dis* 2008; **40**: 298-302 [PMID: 18282751 DOI: 10.1016/j.dld.2007.11.022]
- 20 **Velayos Jiménez B**, Alcaide Suárez N, González Redondo G, Fernández Salazar L, Aller de la Fuente R, Del Olmo Martínez L, Ruiz Rebollo L, González Hernández JM. Impact of the endoscopist's experience on the negative predictive value of capsule endoscopy. *Gastroenterol Hepatol* 2017; **40**: 10-15 [PMID: 27085915 DOI: 10.1016/j.gastrohep.2016.03.003]
- 21 **Postgate A**, Haycock A, Thomas-Gibson S, Fitzpatrick A, Bassett P, Preston S, Saunders BP, Fraser C. Computer-aided learning in capsule endoscopy leads to improvement in lesion recognition ability. *Gastrointest Endosc* 2009; **70**: 310-316 [PMID: 19386301 DOI: 10.1016/j.gie.2008.11.043]
- 22 **Waxler A**. The gastroenterology core curriculum, 3rd ed. *Gastroenterology* 2007; **132**: 2012-2018 [DOI: 10.1053/j.gastro.2007.03.079]
- 23 **ASGE Training Committee 2011-2012**. Rajan EA, Pais SA, Degregorio BT, Adler DG, Al-Haddad M, Bakis G, Coyle WJ, Davila RE, Dimaio CJ, Enestvedt BK, Jorgensen J, Lee LS, Mullady DK, Obstein KL, Sedlack RE, Tierney WM, Faulx AL. Small-bowel endoscopy core curriculum. *Gastrointest Endosc* 2013; **77**: 1-6 [PMID: 23261090 DOI: 10.1016/j.gie.2012.09.023]
- 24 **Sauer CG**, Erdman SH. Training in Video Capsule Endoscopy: A Call for Curriculum Development. *J Pediatr Gastroenterol Nutr* 2015; **61**: 381-383 [PMID: 25944221 DOI: 10.1097/MPG.0000000000000836]
- 25 **Rondonotti E**, Spada C, Adler S, May A, Despott EJ, Koulaouzidis A, Panter S, Domagk D, Fernandez-Urien I, Rahmi G, Riccioni ME, van Hooft JE, Hassan C, Pennazio M. Small-bowel capsule endoscopy and device-assisted enteroscopy for diagnosis and treatment of small-bowel disorders: European Society of Gastrointestinal Endoscopy (ESGE) Technical Review. *Endoscopy* 2018; **50**: 423-446 [PMID: 29539652 DOI: 10.1055/a-0576-0566]
- 26 **McAlindon ME**, Parker CE, Hendy P, Mosea H, Panter S, Davison C, Fraser C, Despott EJ, Sidhu R, Sanders DS, Makins R. Provision of service and training for small bowel endoscopy in the UK. *Frontline Gastroenterol* 2012; **3**: 98-103 [PMID: 28839645 DOI: 10.1136/flgastro-2011-100044]
- 27 **Sidhu R**, McAlindon ME, Davison C, Panter S, Humbla O, Keuchel M. Training in Capsule Endoscopy: Are We Lagging behind? *Gastroenterol Res Pract* 2012; **2012**: 175248 [PMID: 22566997 DOI: 10.1155/2012/175248]
- 28 **Hale MF**, Davison C, Panter S, Drew K, Sanders DS, Sidhu R, McAlindon ME. Practical aspects of delivering a small bowel endoscopy service in the UK. *Frontline Gastroenterol* 2015; **6**: 132-140 [PMID:

- 28839800 DOI: [10.1136/flgastro-2015-100557](https://doi.org/10.1136/flgastro-2015-100557)]
- 29 **Fernandez-Urien I**, Panter S, Carretero C, Davison C, Dray X, Fedorov E, Makins R, Mascarenhas M, McAlindon M, McNamara D, Palmer H, Rey JF, Saurin JC, Seitz U, Spada C, Toth E, Wiedbrauck F, Keuchel M. International core curriculum for capsule endoscopy training courses. *Endosc Int Open* 2017; **5**: E526-E538 [PMID: [28596986](https://pubmed.ncbi.nlm.nih.gov/28596986/) DOI: [10.1055/s-0043-106181](https://doi.org/10.1055/s-0043-106181)]
- 30 **Watabe H**, Nakamura T, Yamada A, Kakugawa Y, Nouda S, Terano A. Assessment of an electronic learning system for colon capsule endoscopy: a pilot study. *J Gastroenterol* 2016; **51**: 579-585 [PMID: [26525538](https://pubmed.ncbi.nlm.nih.gov/26525538/) DOI: [10.1007/s00535-015-1134-4](https://doi.org/10.1007/s00535-015-1134-4)]
- 31 **Rajan E**, Iyer PG, Oxentenko AS, Pardi DS, Alexander JA, Baron TH, Bruining DH, Hansel SL, Larson MV, Murray JA, Debritto J, Dierkhising RA, Gostout CJ. Training in small-bowel capsule endoscopy: assessing and defining competency. *Gastrointest Endosc* 2013; **78**: 617-622 [PMID: [23891415](https://pubmed.ncbi.nlm.nih.gov/23891415/) DOI: [10.1016/j.gie.2013.05.010](https://doi.org/10.1016/j.gie.2013.05.010)]
- 32 **Albert JG**, Humbla O, McAlindon ME, Davison C, Seitz U, Fraser C, Hagenmüller F, Noetzel E, Spada C, Riccioni ME, Barnert J, Filmann N, Keuchel M. A Simple Evaluation Tool (ET-CET) Indicates Increase of Diagnostic Skills From Small Bowel Capsule Endoscopy Training Courses: A Prospective Observational European Multicenter Study. *Medicine (Baltimore)* 2015; **94**: e1941 [PMID: [26512623](https://pubmed.ncbi.nlm.nih.gov/26512623/) DOI: [10.1097/MD.0000000000001941](https://doi.org/10.1097/MD.0000000000001941)]
- 33 **Swarbrick E**, Harnden S, Hodson R, Vance M, Bottrill P, Williams JG, Elliott D, Hayward M, Panting G. A Report of the Working Party of the British Society of Gastroenterology. Available from: <http://www.bsg.org.uk>
- 34 **Sidhu R**, Sanders DS, Kapur K, Marshall L, Hurlstone DP, McAlindon ME. Capsule endoscopy: is there a role for nurses as physician extenders? *Gastroenterol Nurs* 2007; **30**: 45-48 [PMID: [17312424](https://pubmed.ncbi.nlm.nih.gov/17312424/) DOI: [10.1097/00001610-200701000-00005](https://doi.org/10.1097/00001610-200701000-00005)]
- 35 **Drew K**, Sidhu R, Sanders DS, McAlindon ME. Blinded controlled trial comparing image recognition, diagnostic yield and management advice by doctor and nurse capsule endoscopists. *Gut* 2011; **60**: A195 [DOI: [10.1136/gut.2011.239301.412](https://doi.org/10.1136/gut.2011.239301.412)]
- 36 **Bossa F**, Cocomazzi G, Valvano MR, Andriulli A, Annesse V. Detection of abnormal lesions recorded by capsule endoscopy. A prospective study comparing endoscopist's and nurse's accuracy. *Dig Liver Dis* 2006; **38**: 599-602 [PMID: [16750944](https://pubmed.ncbi.nlm.nih.gov/16750944/) DOI: [10.1016/j.dld.2006.03.019](https://doi.org/10.1016/j.dld.2006.03.019)]
- 37 **Niv Y**, Niv G. Capsule endoscopy examination--preliminary review by a nurse. *Dig Dis Sci* 2005; **50**: 2121-2124 [PMID: [16240225](https://pubmed.ncbi.nlm.nih.gov/16240225/) DOI: [10.1007/s10620-005-3017-7](https://doi.org/10.1007/s10620-005-3017-7)]
- 38 **Levinthal GN**, Burke CA, Santisi JM. The accuracy of an endoscopy nurse in interpreting capsule endoscopy. *Am J Gastroenterol* 2003; **98**: 2669-2671 [PMID: [14687814](https://pubmed.ncbi.nlm.nih.gov/14687814/) DOI: [10.1111/j.1572-0241.2003.08726.x](https://doi.org/10.1111/j.1572-0241.2003.08726.x)]
- 39 **De Leusse A**, Landi B, Edery J, Burtin P, Lecomte T, Seksik P, Bloch F, Jian R, Cellier C. Video capsule endoscopy for investigation of obscure gastrointestinal bleeding: feasibility, results, and interobserver agreement. *Endoscopy* 2005; **37**: 617-621 [PMID: [16010604](https://pubmed.ncbi.nlm.nih.gov/16010604/) DOI: [10.1055/s-2005-861419](https://doi.org/10.1055/s-2005-861419)]
- 40 **Lai LH**, Wong GL, Chow DK, Lau JY, Sung JJ, Leung WK. Inter-observer variations on interpretation of capsule endoscopies. *Eur J Gastroenterol Hepatol* 2006; **18**: 283-286 [PMID: [16462542](https://pubmed.ncbi.nlm.nih.gov/16462542/) DOI: [10.1097/00042737-200603000-00009](https://doi.org/10.1097/00042737-200603000-00009)]
- 41 **Chen GC**, Enayati P, Tran T, Lee-Henderson M, Quan C, Dulai G, Arnott I, Sul J, Jutabha R. Sensitivity and inter-observer variability for capsule endoscopy image analysis in a cohort of novice readers. *World J Gastroenterol* 2006; **12**: 1249-1254 [PMID: [16534879](https://pubmed.ncbi.nlm.nih.gov/16534879/) DOI: [10.3748/wjg.v12.i8.1249](https://doi.org/10.3748/wjg.v12.i8.1249)]
- 42 **Caunedo Alvarez A**, García-Montes JM, Herrerías JM. Capsule endoscopy reviewed by a nurse: is it here to stay? *Dig Liver Dis* 2006; **38**: 603-604 [PMID: [16707282](https://pubmed.ncbi.nlm.nih.gov/16707282/) DOI: [10.1016/j.dld.2006.03.023](https://doi.org/10.1016/j.dld.2006.03.023)]
- 43 **Riphaus A**, Richter S, Vonderach M, Wehrmann T. Capsule endoscopy interpretation by an endoscopy nurse - a comparative trial. *Z Gastroenterol* 2009; **47**: 273-276 [PMID: [19280540](https://pubmed.ncbi.nlm.nih.gov/19280540/) DOI: [10.1055/s-2008-1027822](https://doi.org/10.1055/s-2008-1027822)]
- 44 **Guarini A**, De Marinis F, Hassan C, Spada C, Bruzzese V, Zullo A. Accuracy of trained nurses in finding small bowel lesions at video capsule endoscopy. *Gastroenterol Nurs* 2015; **38**: 107-110 [PMID: [25831247](https://pubmed.ncbi.nlm.nih.gov/25831247/) DOI: [10.1097/SGA.0000000000000096](https://doi.org/10.1097/SGA.0000000000000096)]
- 45 **Shiotani A**, Honda K, Kawakami M, Kimura Y, Yamanaka Y, Fujita M, Matsumoto H, Tarumi K, Manabe N, Haruma K. Analysis of small-bowel capsule endoscopy reading by using Quickview mode: training assistants for reading may produce a high diagnostic yield and save time for physicians. *J Clin Gastroenterol* 2012; **46**: e92-e95 [PMID: [22495816](https://pubmed.ncbi.nlm.nih.gov/22495816/) DOI: [10.1097/MCG.0b013e31824fff94](https://doi.org/10.1097/MCG.0b013e31824fff94)]
- 46 **Dreanic J**, Barret M, Dhooge M, Gaudric M, Leblanc S, Abitbol V, Prat F, Chaussade S, Coriat R. Small bowel capsule endoscopy: May we delegate it to nurses? *Clin Res Hepatol Gastroenterol* 2018; **42**: 168-173 [PMID: [29239850](https://pubmed.ncbi.nlm.nih.gov/29239850/) DOI: [10.1016/j.clinre.2017.10.008](https://doi.org/10.1016/j.clinre.2017.10.008)]
- 47 **Read AJ**, Rice MD, Conjeevaram HS, Saini SD. A Deeper Look at the Small Bowel: Training Pathways in Video Capsule Endoscopy and Device-Assisted Enteroscopy. *Dig Dis Sci* 2018; **63**: 2210-2219 [PMID: [29869767](https://pubmed.ncbi.nlm.nih.gov/29869767/) DOI: [10.1007/s10620-018-5133-1](https://doi.org/10.1007/s10620-018-5133-1)]



Published By Baishideng Publishing Group Inc
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-2238242
Fax: +1-925-2238243
E-mail: bpgoffice@wjgnet.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

