

LETTER • OPEN ACCESS

## Quantity and quality of China's water from demand perspectives

To cite this article: Xian Li *et al* 2019 *Environ. Res. Lett.* **14** 124004

View the [article online](#) for updates and enhancements.

You may also like

- [Electrochemical Degradation of Methylidopa on a Fe Doped PbO<sub>2</sub> Electrode: Electrode Characterization, Reaction Kinetics and Energy Demands](#)  
Yijing Xia and Qizhou Dai
- [International energy trade impacts on water resource crises: an embodied water flows perspective](#)  
J C Zhang, R Zhong, P Zhao et al.
- [Data-driven voluntary body motion detection and non-rigid event-by-event correction for static and dynamic PET](#)  
Yihuan Lu, Jean-Dominique Gallezot, Mika Naganawa et al.



## LETTER

## Quantity and quality of China's water from demand perspectives

## OPEN ACCESS

RECEIVED  
24 July 2019REVISED  
6 October 2019ACCEPTED FOR PUBLICATION  
16 October 2019PUBLISHED  
19 November 2019

Original content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#).

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Xian Li<sup>1,2</sup>, Yuli Shan<sup>3</sup>, Zongyong Zhang<sup>2,4</sup>, Lili Yang<sup>1,5,8</sup>, Jing Meng<sup>6,8</sup> and Dabo Guan<sup>2,7</sup><sup>1</sup> Department of Mathematics, Southern University of Science and Technology, Shenzhen 518055, People's Republic of China<sup>2</sup> School of International Development, University of East Anglia, Norwich NR4 7TJ, United Kingdom<sup>3</sup> Energy and Sustainability Research Institute Groningen, University of Groningen, Groningen 9747 AG, The Netherlands<sup>4</sup> School of Environmental Science and Engineering, Southern University of Science and Technology, Shenzhen 518055, People's Republic of China<sup>5</sup> School of Business and Economics, Loughborough University, Leicestershire LE11 3TU, United Kingdom<sup>6</sup> The Bartlett School of Construction and Project Management, University of College London, London WC1E 7HB, United Kingdom<sup>7</sup> Department of Earth Systems Sciences, Tsinghua University, Beijing 10080, People's Republic of China<sup>8</sup> Authors to whom any correspondence should be addressed.E-mail: [jing.j.meng@ucl.ac.uk](mailto:jing.j.meng@ucl.ac.uk) and [yangll@sustc.edu.cn](mailto:yangll@sustc.edu.cn)

Keywords: embodied water use, embodied COD discharge, input–output analysis

**Abstract**

China is confronted with an unprecedented water crisis regarding its quantity and quality. In this study, we quantified the dynamics of China's embodied water use and chemical oxygen demand (COD) discharge from 2010 to 2015. The analysis was conducted with the latest available water use data across sectors in primary, secondary and tertiary industries and input–output models. The results showed that (1) China's water crisis was alleviated under urbanisation. Urban consumption occupied the largest percentages (over 30%) of embodied water use and COD discharge, but embodied water intensities in urban consumption were far lower than those in rural consumption. (2) The 'new normal' phase witnessed the optimisation of China's water use structures. Embodied water use in light-manufacturing and tertiary sectors increased while those in heavy-manufacturing sectors (except chemicals and transport equipment) dropped. (3) Transformation of China's international market brought positive effects on its domestic water use. China's water use (116–80 billion tonnes (Bts))<sup>9</sup> and COD discharge (3.95–2.22 million tonnes (Mts)) embodied in export tremendously decreased while its total export values (11–25 trillion CNY) soared. Furthermore, embodied water use and COD discharge in relatively low-end sectors, such as textile, started to transfer from international to domestic markets when a part of China's production activities had been relocated to other developing countries.

**1. Introduction**

Water crisis has been announced as the 4th global risk with regard to its impact on the society (World Economic Forum, 2019). The world's per capita freshwater capacity has dropped 26% within 25 years (1992–2017) (Ripple *et al* 2017), whereas the water demand was projected to increase by 55% from 2015 to 2050 (IRENA 2015). In 2015, diseases caused by water pollution and unsafe water sources have claimed responsibility for approximately 1.8 million deaths globally (Landrigan *et al* 2018).

<sup>9</sup> Throughout this study, when the authors put two values in one parentheses as (a), (b), value a and b represent water use or COD discharge, or export values in 2010 and 2015, respectively, in order to better reveal their changing patterns.

China, particularly, is facing perilous water challenges. China's remarkable achievements in its accelerating economy sacrifice aquatic environments, attributing to serious resource depletion and water pollution (Guan *et al* 2014, Zhang *et al* 2019). By 2018, 27.6% of its surface water sites had not met Grade III quality standards, the threshold of water quality that enables human beings to swim in (MEEC 2018).

Meanwhile, China has been undergoing profound transitions over the past decade. Its rapid urbanisation since the 1980s has been labelled as 'China's growth miracle' with approximately 1.05% of annual urban population growth from 1980 to 2015 (19.39%–56.10%), which has greatly stimulated China's economy (Zhao and Zhang, 2018, Wang *et al* 2019). In 2014, China

has stepped into the ‘new normal’ phase, and achieved optimisation of economic structures (Mi *et al* 2017). It means that China’s development was no longer driven by investment but innovation and environmentally-friendly technology, and the transitions have accomplished from high-speed to medium-high-speed growth, and from rapid growth of scale to intensive- and quality-increasing growth (Meng *et al* 2019, Zhang *et al* 2019, Li *et al* 2019a). Additionally, as the world’s largest exporter, China also has its economy driven by international trade. Since the 2008 global financial crisis, its traditional international markets have transformed in order to tackle increasing trade barriers against China (Chandra, 2016). Confronting with more south–south trade in the new phase of globalisation, China has also relocated a part of its production activities to other developing countries (Meng *et al* 2018). Given that water shortage and water pollution are crucial constraints for economic prosperity, China’s water quantity and quality require further investigation (Rao and Chandrasekharam 2019).

A series of studies have been conducted to understand the quantity and quality of China’s water resources (Jiang, 2009, Han *et al* 2016, Udimal *et al* 2017). However, most existing research has concentrated more on quantity and quality of direct water (production perspective) rather than embodied water (demand perspective), and the negligence would result in emerging water conflicts (De Angelis *et al* 2017). Embodied water captures the total volume of water used to produce products, including both direct and indirect water in the full production chain (Sun and Fang 2019). Embodied water can be categorised by final demands from a demand perspective, which incorporate final consumption (rural consumption, urban consumption and government expenditures) and capital formation (fixed capital formation and inventory change) that can be redistributed as primary inputs to the economy, and export (Wu *et al* 2018, Wu *et al* 2019a, Chen *et al* 2019b). In recent years, increasing attention has been paid to China’s embodied water (Guan *et al* 2014), especially water embodied in the inter-regional trade for agriculture (Dalin *et al* 2014, Zhao *et al* 2015, Guo *et al* 2016) and for the whole supply chain (Cai *et al* 2017, Hou *et al* 2018, Tian *et al* 2018, Zhao *et al* 2019). These studies have provided insights into China’s water and its contamination from demand perspectives before 2010. Fan *et al* (2019) analysed driving forces of China’s embodied water withdrawal categorised by different final demands by 2012. Wu *et al* (2019b) explored water use embodied in China’s final consumption and trade balance in 2014 in a global context. Unfortunately, these studies excluded water quality indicators. Thus, we studied China’s embodied water quantity and quality from 2010 to 2015, which could greatly benefit China’s water studies and policies.

This study successfully bridges the research gaps by obtaining the quantification of the latest available (2010–2015) embodied water quantity and quality in China’s economic system. The aims of our study are to:

(1) uncover the dynamics of China’s embodied water under the above-mentioned backgrounds; (2) quantify the changing patterns of sectoral water structures in input–output analysis to avert emerging water conflicts and to achieve fairer allocation of social responsibilities; and (3) provide holistic points of view towards water policy implications to prevent further environmental deterioration and to improve resilience and mitigation mechanisms based on our analysis. Furthermore, the international relevance in this national-level research lies in the following aspects: (1) Freshwater and water pollutants can be transferred naturally via water run-off (Chen *et al* 2019a) so China’s water crisis has an instinct bond with other countries; (2) As the world’s largest trade exporter and international environmental ‘vandal’, China has claimed responsibility for exporting low value-added water- and pollutant- intensive products to imported countries (Cai *et al* 2017), and therefore China’s water issues should be prioritised globally to better balance water budgets and catalyse collaboration (Han *et al* 2017); (3) China’s case study can be referred in other countries as the methods are replicable, and political implications to address its water crisis can also be mirrored, especially in countries with a similar developing trajectory.

## 2. Methods and data

### 2.1. Methods

We conducted environmentally-extended input–output analysis for China in 2010, 2012 and 2015 based on corresponding national input–output tables obtained from Chinese Input–output Association. The methods have been partly elaborated in our previous study (Li *et al* 2019b). In each input–output table,  $n$  sectors are included ( $n = 42$ ) as attached in the appendix.  $Z_{ij}$  represents transactions between pairs of sectors from sector  $i$  to sector  $j$ . And  $x_i$ ,  $y_i$ ,  $m_i$  and  $f_i$  can then be denoted as total output, final demands, import and water or COD intensity in sector  $i$ .  $\mathbf{I}$  indicates a  $42 \times 42$  diagonal matrix with 1 on its main diagonal, and  $a_{ij}$ , technological coefficient, is calculated as  $a_{ij} = Z_{ij}/x_j$ .  $\mathbf{L}$  symbolises Leontief inverse matrix. They can be written as,

$$\mathbf{x} = \begin{bmatrix} x_1 \\ \dots \\ x_i \\ \dots \\ x_n \end{bmatrix}, \mathbf{Z} = \begin{bmatrix} Z_{11} & \dots & Z_{1j} & \dots & Z_{1n} \\ \dots & \dots & \dots & \dots & \dots \\ Z_{i1} & \dots & Z_{ij} & \dots & Z_{in} \\ \dots & \dots & \dots & \dots & \dots \\ Z_{n1} & \dots & Z_{nj} & \dots & Z_{nn} \end{bmatrix},$$

$$\mathbf{y} = \begin{bmatrix} y_1 \\ \dots \\ y_i \\ \dots \\ y_n \end{bmatrix}, \mathbf{m} = \begin{bmatrix} m_1 \\ \dots \\ m_i \\ \dots \\ m_n \end{bmatrix}, \mathbf{f} = [f_1 \quad \dots \quad f_j \quad \dots \quad f_n],$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & \dots & a_{1j} & \dots & a_{1n} \\ \dots & \dots & \dots & \dots & \dots \\ a_{i1} & \dots & a_{ij} & \dots & a_{in} \\ \dots & \dots & \dots & \dots & \dots \\ a_{n1} & \dots & a_{nj} & \dots & a_{nn} \end{bmatrix}.$$

We first converted all the input–output tables to 2010 constant prices and removed inflation with the

double deflation method, where yearly producer price indexes (PPI) were sourced in Chinese Statistical Yearbooks. The lack of PPI in tertiary sectors was dealt with as follows: (1) PPI was not applicable in scientific research (S36), water conservancy (S37) and public management (S42) as the government services do not comply with market disciplines so their  $\mathbf{Z}$  remain unchanged. (2) In other tertiary sectors, PPI was replaced by consumer price index. Given the  $p_i$  denotes the ratio of the current price and the base year price,  $d_i$  indicates the reciprocal price ratio, or the deflator in sector  $i$ , as  $d_i = 1/p_i$ . Then  $\mathbf{Z}$  in 2012 and 2015 can be adjusted by multiplying the deflators in each sector.

Second, we ensured the effects of intermediate imports were eliminated with equation (1) (Dietzenbacher *et al* 2013). As  $\alpha$  in each sector was negative, no measures need to be further taken to remove re-export.

$$\alpha_i = m_i - \sum_{k=1}^n Z_{ik} - y_i. \quad (1)$$

Third, we removed imports imbedded in China's competitive input-output tables to estimate water used or COD discharged solely due to demand by assuming the same proportions of sectoral imports ( $\beta_i$  in equation (2)) were deducted in individual economic sectors and final demands. We can then isolate  $Z_i$  and  $y_i$  in domestic supply chain,  $Z_i^d$  and  $y_i^d$ , as expressed in equations (3) and (4) (Meng *et al* 2015).

$$\beta_i = m_i / (x_i + m_i) = m_i / (Z_i + y_i), \quad (2)$$

$$Z_i^d = Z_i(1 - \beta_i), \quad (3)$$

$$y_i^d = y_i(1 - \beta_i). \quad (4)$$

And  $\mathbf{A}^d$  can be further obtained in equation (5), where the prime indicates the transposition of the vector  $\mathbf{x}$ .

$$\mathbf{A}^d = \mathbf{Z}^d / \mathbf{x}'. \quad (5)$$

Then, China's embodied water use ( $\mathbf{W}$ ) and COD discharge ( $\mathbf{C}$ ) can be calculated with equations (6) and (7) in 2010, 2012 and 2015, respectively, denoted with their corresponding subscripts  $w$  and  $c$ ,

$$\mathbf{W} = \mathbf{f}_w \mathbf{I}^d \mathbf{y}^d = \mathbf{f}_w (\mathbf{I} - \mathbf{A}^d)^{-1} \mathbf{y}^d, \quad (6)$$

$$\mathbf{C} = \mathbf{f}_c \mathbf{I}^d \mathbf{y}^d = \mathbf{f}_c (\mathbf{I} - \mathbf{A}^d)^{-1} \mathbf{y}^d. \quad (7)$$

Here,  $\mathbf{f}$  is direct water ( $\mathbf{f}_w$ ) or COD ( $\mathbf{f}_c$ ) intensity, which represents direct water use or COD discharge associated with one unit industry output. And  $\boldsymbol{\varepsilon}$  is embodied water or COD intensity, a row vector with each element  $\varepsilon_i$  denoting both direct and indirect water used or COD generated throughout the supply chain to produce per unit of product or service in sector  $i$  (Meng *et al* 2015). Thus,  $\boldsymbol{\varepsilon}$  can be written in equation (8) as,


$$\boldsymbol{\varepsilon} = \mathbf{f}(\mathbf{I} - \mathbf{A}^d)^{-1}. \quad (8)$$

Lastly, we converted 42 sectors into 18 sectors, attached in the appendix. As for water intensities, we took weighted averages of direct water intensities (with total outputs) and embodied intensities (with total demand) across converted sectors, respectively.

## 2.2. Data

With regard to direct water use, the total amounts of China's domestic water use in agriculture, industry (except construction) and residential areas (consists of construction, tertiary industry, and rural and urban consumption) were obtained from China Water Resources Bulletins, and water use across industrial sectors (except construction) were down-scaled based on sectoral industrial water use from Annual Statistic Reports on Environment in China (as the total industrial water use in Annual Statistic Reports on Environment in China included water reuse, which was inconsistent with that in China Water Resources Bulletins). The average ratios of water use in construction, tertiary industry and rural/urban consumption in China's 259 cities were calculated as 20.2%, 6.8% and 73% of the total residential water use according to China's provincial and city-level water resource bulletins and statistical yearbooks. We used the ratios above to allocate water use in construction and tertiary industry, and then distributed the water use in tertiary industry into each sector on the basis of the corresponding employee numbers sourced from China Statistical Yearbooks.

Following previous research, COD discharge was taken as the parameter to determine water quality (Guan *et al* 2014, Zhao *et al* 2016, Cai *et al* 2019, Li *et al* 2019a). Fundamentally, COD indicates the amount of oxidant consumed during oxidation of organic substance present in water samples. Regarding COD discharge, the total amounts in agriculture and residential areas, and data across industrial sectors (except construction) were all accessed in Annual Statistic Reports on Environment in China. And the total COD amounts in construction and tertiary industry were estimated by China's total population, employee numbers and their average working hours (8 h). The total COD discharge in tertiary industry was further down-scaled into individual tertiary sectors with the number of employees. The main limitation of this method lied in the rough estimation of water use and COD discharge in tertiary industry. In addition, COD accounted for approximately 15% and 92% of the total water pollutants in primary and secondary industries, respectively (NBS 2010), so the water pollution in primary and tertiary industries was more likely to be underestimated.



### 3. Results

#### 3.1. China's water use from production and demand perspectives

##### 3.1.1. Direct water use versus embodied water use

Producer sectors represent water suppliers (that transfer water to other sectors via trade) in the supply chain, with their direct water use outweighing their embodied water use. On the contrary, consumer sectors are water consumers (that consume water transferred from other sectors via trade) in the supply chain, and these sectors occupy more embodied water use than direct water use.

Figure 1 compares direct and embodied water use across sectors in primary, secondary and tertiary industries in 2010 and 2015. Overall, consumer sectors outweighed producer sectors. Agriculture was the most significant producer sector. Its direct water use accounted for approximately 70% (369 Bts/534 Bts in 2010 and 385/540 Bts in 2015) of China's total amounts, but embodied water use in this sector only took up about 20% (110/534 Bts in 2010 and 103/540 Bts in 2015) of the total, which underlined the irreplaceable role that agriculture played as a dominant producer sector in the virtual water supply chain. Electricity and gas and water was the second largest producer sector (especially electricity), followed by metal and nonmetal products (metallurgy in particular), chemicals and other manufacturing. Conversely, food and tobacco and construction were dominant consumer sectors, followed by textiles and garments and other services. In addition, all sectors in tertiary industry were water consumers.

From 2010 to 2015, gaps of direct and embodied water use have experienced changes in several sectors. As for producer sectors, agriculture's direct water use increased by 16 Bts while its embodied water use declined by 7 Bts. Direct (33–38 Bts) and embodied (12–8 Bts) water use in metal and nonmetal products also showed similar patterns. In contrast, direct water use in electricity and gas and water experienced sharp reduction (62–46 Bts) with its embodied water use fluctuating around 7–8 Bts. Regarding consumer sectors, construction's embodied water use soared (65–92 Bts)

while its direct water use remained at around 5 Bts. Similar patterns were also presented in wood and paper, sanitation and other services.

##### 3.1.2. Direct water intensities versus embodied water intensities



Figure 2 depicts the comparison between direct and embodied water intensities. Overall, embodied water intensities outweighed direct water intensities, and both direct and embodied water intensities presented downward trends from 2010 to 2015.

Agriculture occupied the largest direct and embodied water intensities, and the reduction of its intensities was the sharpest, by approximately 40%. It was previously shown that its direct water use was three times the amounts of its embodied water, but its embodied water intensities (724–447 tonne/10 000 CNY) were larger than its direct water intensities (533–330 tonne/10 000 CNY). Electricity and gas and water was ranked as a producer sector with the second largest direct water intensities (129–66 tonne/10 000 CNY), but its embodied water intensities were still larger (188–100 tonne/10 000 CNY). On the contrary, food and tobacco had the second largest embodied water intensities (386–248 tonne/10 000 CNY) but the ranking for its direct water intensities was much lower. Construction and textiles and garments also had far larger embodied water intensities than their direct water intensities. Yet embodied water intensities in construction were smaller than those in textiles and garments even though the amounts of embodied water use in construction were larger.

#### 3.2. Quantity and quality of China's embodied water use

##### 3.2.1. Embodied water use categorised by final demands


From 2010 to 2015, China's total embodied water use fluctuated within a reasonable range from 2010 (534 Bts), 2012 (548 Bts) to 2015 (540 Bts), and its embodied COD discharge dropped gradually during the period (17.74–15.29 Mts). Yet embodied water intensities (113–67 tonne/10 000 CNY) and embodied



COD intensities (38–19 tonne/10<sup>-8</sup> CNY) both declined tremendously during the period.

Figure 3 demonstrates embodied water use and COD discharge contributed by different final demands. Among all the final demands, urban consumption had the largest amounts of embodied water use (169–195 Bts) and embodied COD discharge (5.88–5.78 Mts), followed by capital formation, while government expenditures was the smallest embodied water user (32–40 Bts) and embodied COD discharger

(1.50–1.41 Mts). And the dynamics showed that the percentages of water use and COD discharge embodied in export declined dramatically (by 7%) while the percentages in urban consumption grew fast (by 4%–5%). However, government expenditure contributed more for embodied COD discharge (8%–9%) than for embodied water use (6%–7%). Conversely, capital formation held larger percentages in embodied water use (26%–28%) than in embodied COD discharge (22%–24%).



Moreover, embodied water and COD intensities in final demands all reduced. Compared with previous research conducted from 1992 to 2010 (Guan *et al* 2014), the overall reduction rates of embodied water and COD intensities tended to be steadier. From 2010 to 2015, the reduction of embodied water and COD intensities during 2012–2015 furthermore slowed compared with 2010–2012, especially in export (117–57 tonnes/10 000 CNY). The dotted black lines (TTLs) represent total embodied water and COD intensities. Embodied water and COD intensities in certain final demand that were higher/lower than these bars meant that it required and generated more/less embodied water use and COD discharge to meet per unit of demand than average national levels. It was clear that only urban and rural consumption sat above the dotted black lines (TTLs), but embodied water and COD intensities were much larger in rural consumption than in urban consumption. Below the TTLs were export, capital formation and government expenditures. Export had the third largest embodied water and COD intensities, and government expenditures and capital formation ranked last in embodied water and COD intensities, respectively.

### 3.2.2. Sectoral water use embodied in domestic demand and export

Figure 4 presents embodied water use and COD discharge across sectors in domestic demand (including rural and urban consumption, government expenditures and capital formation) and in export in 2010, 2012 and 2015. Regarding domestic demand, agriculture, food and tobacco and construction were the largest embodied water users and COD dischargers. Agriculture experienced ups-and-downs in both embodied water use (103–99 Bts) and embodied COD discharge (3.46–2.77 Bts). And embodied water use (by 26 Bts) and embodied COD discharge (by 0.51 Mts) in construction surged. Besides these sectors,

textiles and garments, sanitation, transport equipment, hotels and restaurants, public management, wood and paper also had large amounts of both embodied water use and COD discharge. However, general and specialist equipment was a large embodied water user but not a large embodied COD discharger, while education discharged large amounts of embodied COD but the amounts of its embodied water use were relatively small.

From 2010 to 2015, embodied water use in light-manufacturing sectors for domestic demand presented an upward trend. On the contrary, embodied water use in heavy-manufacturing sectors declined (except chemicals and transport equipment), where the embodied water use in metal and nonmetal products dropped at the fastest speed (by 2 Bts), followed by general and specialist equipment, electrical equipment and electricity and gas and water. Besides, embodied water use in each tertiary sector rose during the period, especially sanitation (by 6 Bts) and hotels and restaurants.

With regard to export, it was apparent that textiles and garments occupied a predominant role in both embodied water use (31–19 Bts) and embodied COD discharge (1.28–0.65 Mts). The amounts of embodied water use and COD discharge were also both large in chemicals, electronic equipment, food and tobacco and wood and paper. Yet for metal and nonmetal products, its embodied water use was ranked as the top, but its embodied COD discharge had a smaller ranking. Furthermore, the largest embodied water users and COD dischargers in domestic demand included sectors across primary, secondary and tertiary industries, while only primary and secondary sectors were listed as the largest embodied water users and COD dischargers in export.

During 2010–2015, both embodied water use and COD discharge for export fell in each sector. The reduction of embodied water uses (32–19 Bts) and

embodied COD discharge (1.28–0.65 Mts) in textiles and garments was the sharpest. In the textile sector, both water use (21–9 Bts) and COD discharge (0.86–0.30 Mts) embodied in exported products plummeted even though its embodied water use (1–3 Bts) and embodied COD discharge (0.05–0.11 Mts) for domestic demand increased.

#### 4. Discussions

Agriculture and electricity were the most important producer sectors in the virtual water supply chain (figure 1). Despite agricultural product types and energy types (including renewable energy), irrigation water use and cooling water use were required. And direct water used in agricultural products (including its by-products) and in electricity generation then benefited other production processes and human settlements. Heavy-manufacturing was also a vital producer sector in the virtual water supply chain because water-intensive final or semi-products in this sector were often redistributed to other production lines as raw materials. The above messages can at the same time explain why large-scale sectors, such as food and tobacco, construction, textile and garments occupied the largest amounts of embodied water use (figure 1). It was worth mentioning that Wang *et al* (2018) found that materials used in construction triggered a large amount of embodied CO<sub>2</sub> emissions. In this study, we further validated that these materials in construction also embodied a large amount of water use. However, changing patterns of water use in these sectors differed from 2010 to 2015: (1) agriculture supplied more water to other sectors; (2) electricity transferred less water to other sectors; (3) construction used more water from other sectors (figure 1). The increase of direct and embodied water use in agriculture and construction indicated the growing demand, which can be reflected in the skyrocketing value-added GDP in these sectors from China Statistical Yearbooks. Regarding electricity, the reduction of direct water use in the sector was attributed to higher water efficiency. We observed from China Statistical Yearbooks that from 2010 to 2015, the percentage of China's coal consumption for electricity generation declined from 76.2% to 72.2%, while natural gas and renewable energy consumed to generate electricity grew from 4.1% to 4.8%, and from 10.4% to 14.5%, respectively. As coal required more water use than other energy types during the overall process of electricity generation, direct water use in electricity would inevitably decrease with more efficient water distribution.

We also saw that embodied water intensities tended to surpass direct water intensities in major producer sectors in the virtual water supply chain even though direct water use outweighed embodied water use in these sectors (figure 2). This illustrated our previous point that major producer sectors, especially

agriculture and electricity, contributed large water inputs to generate large production outputs. In contrast, major consumer sectors had both larger amounts of embodied water use and embodied water intensities than their direct water use and direct water intensities (figure 2). It meant that the large amounts of embodied water use in these sectors were not only affected by their huge demand but also large embodied water intensities. In construction, its embodied water use soared while its embodied water intensities dramatically decreased from 2010 to 2015 (figure 2), which signified the rapid development of China's infrastructure construction and real estate, and the role it played as a solid measure to stimulate economy, especially in the post financial crisis era (Giang and Pheng 2011).

The overall changing patterns of embodied water use and COD discharge, and embodied water and COD intensities (figure 3) marked the advancement of water-saving and water pollution control in China. The slower reduction of embodied water and COD intensities from 1992 to 2015 (figure 3) was attributed by long-term water management and recent years' economic slowdown (Zhang *et al* 2019). In the future, technology breakthrough would be the most effective approach to obtaining faster reduction of embodied water and COD intensities. From demand perspectives, large amounts of water use and COD discharge embodied in urban consumption and capital formation formed prerequisite for advancing urbanisation at an unprecedented rate (figure 3) (Zheng *et al* 2019). Given that urban areas can better manage water use and control water contamination than rural areas (figure 3), urbanisation to some extent alleviated China's water issues (Wu *et al* 2012). China's plummeted embodied water use (116–80 Bts) and embodied COD discharge in export (3.95–2.22 Mts) (figure 3), and doubled export values (11–25 trillion CNY) from China Statistical Yearbooks indicated that more high-value-added products than water-intensive low value-added products were preferred for export.

We also observed the optimised water use structures in China, that embodied water use in heavy-manufacturing sectors (except chemicals and transport equipment) dropped while that in light-manufacturing and tertiary sectors increased (figure 4). It demonstrated the improving water status under industrial transformation and upgrade within the country (Mi *et al* 2017). From international perspectives, textile was the largest water exporter. However, we found from the Chinese Input–Output Association that the total outputs for textile's domestic demand (68–212 billion CNY) increased while the same indicator for its export (873–607 billion CNY) dropped. Combined with the water data in textile (figure 4), it revealed that China's textile products, along with water use and COD discharge embodied in these products, were partly transferred from international markets to domestic markets in the new phase of



globalisation, when some of its production activities have been relocated in other developing countries (Meng *et al* 2018). Yet China's dominant water exporters were still primary and secondary sectors (figure 4).

## 5. Conclusions

This study explores direct and embodied water quantity and quality across sectors in primary, secondary and tertiary industries by applying China's input-output tables in 2010, 2012 and 2015. Based on our analysis, some key conclusions can be drawn as follows,

- (1) In the virtual water supply chain, agriculture was the most significant producer sector while food and tobacco and construction were the most vital consumer sectors. Embodied water use and COD discharge in construction skyrocketed during 2010–2015 as developing infrastructure construction and real estate enabled a boost to the national economy (Giang and Pheng 2011).
- (2) China had the resolution to encourage urbanisation without jeopardising the aquatic environment. Urban consumption, as the largest embodied water users and COD dischargers, laid foundation for urbanisation, which stimulated economy and alleviated water crisis with more effective water management (Wu *et al* 2012).
- (3) The changing patterns of embodied water use and COD discharge also reflected the achievements of water-saving and water pollution control under the 'new normal' phase. Embodied water and COD intensities in final demands presented downward trends. And the reduction rates of embodied water and COD intensities from 2012 to 2015 were smaller than those during 2010–2012, which was attributed to the transition from the high- to medium-high growth speed of the country (Zhang *et al* 2019). Besides, the overall trend showed that embodied water use in light-manufacturing and tertiary sectors grew, while embodied water use in heavy-manufacturing sectors (except chemicals and transport equipment) reduced dramatically (especially in metal and nonmetal products). It signified the optimisation of the water use structures and the fulfilment of industrial transformation and upgrade (Mi *et al* 2017).
- (4) China has obtained high water efficiency in export while maintaining the market growth in the post financial crisis era. From 2010 to 2015, embodied water use and COD discharge in export plummeted (especially in textiles and garments), but China's export values still soared. It was because China has focused more on high value-added over

low value-added markets since the global financial crisis in order to sharpen its competitive edges. In addition, some comparatively low-end sectors, such as textiles, tended to shift their embodied water use and COD discharge from international to domestic markets instead when some production activities have been transferred to other developing countries in the new phase of globalisation (Meng *et al* 2018).

Chinese government should first fully utilise market mechanism and economic leverage in water rights transaction, and offer subsidies to producer sectors in the virtual water supply chain, especially agriculture, to catalyse fairer responsibility allocation for water use and water pollution control. Second, the authorities should grasp the opportunities to reinforce sound urbanisation while improving water status in rural areas. Third, under China's current economic structure, management of water-intensive heavy-manufacturing sectors, chemicals and transport equipment, should be emphasised as their embodied water use and COD discharge still presented upward trends. Fourth, when China shifts its focus from low-end to high value-added international markets, or from international to domestic markets, the priority is to achieve higher water efficiency in its production activities. This can be achieved by establishing more capital- and technology-oriented pilot enterprises for the advancement of industries, and investing more capitals in long-term environmental gains and water sustainability.

## Acknowledgments

This work was supported by National Key R & D Programme of China (2016 YFA0602604, 2018 YFC0807000), National Natural Science Foundation of China (41629501, 71533005), Chinese Academy of Engineering (2017-ZD-15-07), UK Natural Environmental Research Council (NE/N00714X/1, NE/P019900/1), Economic and Social Research Council (ES/L016028/1), Royal Academy of Engineering (UK-CIAPP/425), British Academy (NAFR2180103, NAFR2180104).

## Data availability statements

Most of the data that support the findings of this study are openly available at Chinese Input–Output Association (<http://stats.gov.cn/ztc/tjzdgg/trccxh/zlxz/trccb/>), China Water Resources Bulletins (<http://mwr.gov.cn/sj/tjgb/szygb/>), Annual Statistic Reports on Environment in China ([http://mee.gov.cn/gzfw\\_13107/hjtj/hjtjnb/](http://mee.gov.cn/gzfw_13107/hjtj/hjtjnb/)), and China Statistical Yearbooks (<http://stats.gov.cn/tjsj/nds/>). Parts of data at Chinese Input–Output Association and Annual Statistic Reports on Environment in China can be

accessed from the corresponding authors upon reasonable request as they are not publicly available due to legal ethical reasons.

### Conflict of interest

The authors have no conflict of interest to declare.

### Appendix. Converted 18 IO sectors.

Converted sectors		42 IO sectors
Agriculture	S01	Agriculture, forestry, animal husbandry and fishery
Food and tobacco	S06	Food processing and tobaccos
Textiles and garments	S07; S08	Textiles; Clothing, leather, fur, etc
Wood and paper	S09; S10	Wood processing and furnishing; paper making, printing, stationery, etc
Chemicals	S12	Chemical industry
Metal and non-metal products	S13; S14; S15	Nonmetal products; Metallurgy; Metal products
General and specialist equipment	S16; S17	General machinery; Specialist machinery
Transport equipment	S18	Transport equipment
Electrical equipment	S19	Electrical equipment
Electronic equipment	S20	Electronic equipment
Electricity and gas and water	S25; S26; S27	Electricity and hot water production and supply; Gas production and supply; Water production and supply
Other manufacturing	S02; S04; S05 S03; S11 S21; S22; S23; S24	Coal mining; Metal mining; Nonmetal mining; Petroleum and gas; Petroleum refining, coking, etc Instrument and metre; Other manufacturing; Waster and flotsam; Repair service for metal products, machinery and equipment
Construction	S28	Construction
Hotels and restaurants	S31	Hotels and restaurants
Education	S39	Education
Sanitation	S40	Sanitation and social welfare
Public management	S42	Public management and social organisation
Other service	S29; S30; S32; S33; S34; S35; S36; S37; S38; S41	Wholesale and retailing; Transport and storage; Information transfer and software; Banking; Real estate trade; Leasing and commercial services; Scientific research; Management of water conservancy,

(Continued.)

Converted sectors	42 IO sectors
	environment and public establishment; Resident services and other services; Culture, sports and entertainment

### References

- Cai B, Liu B and Zhang B 2019 Evolution of Chinese urban household's water footprint *J. Cleaner Prod.* **208** 1–10
- Cai B, Wang C and Zhang B 2017 Worse than imagined: unidentified virtual water flows in China *J. Environ. Manage.* **196** 681–91
- Chandra P 2016 Impact of temporary trade barriers: evidence from China *China Econo. Rev.* **38** 24–48
- Chen B *et al* 2019a In search of key: protecting human health and the ecosystem from water pollution in China *J. Cleaner Prod.* **228** 101–11
- Chen G Q, Wu X D, Guo J, Meng J and Li C 2019b Global overview for energy use of the world economy: household-consumption-based accounting based on the world input–output database (WIOD) *Energy Econ.* **81** 835–47
- Dalin C, Hanasaki N, Qiu H, Mauzerall D L and Rodriguez-Iturbe I 2014 Water resources transfers through Chinese interprovincial and foreign food trade *Proc. Natl Acad. Sci.* **111** 9774–9
- De Angelis E, Metulini R, Bove V and Riccaboni M 2017 Virtual water trade and bilateral conflicts *Adv. Water Res.* **110** 549–61
- Dietzenbacher E, Los B, Stehrer R, Timmer M and de Vries G 2013 The construction of world input–output tables in the WIOD project *Econ. Syst. Res.* **25** 71–98
- Fan J L, Wang J D, Zhang X, Kong L S and Song Q Y 2019 Exploring the changes and driving forces of water footprints in China from 2002 to 2012: a perspective of final demand *Sci. Total Environ.* **650** 1101–11
- Giang D T H and Pheng L S 2011 Role of construction in economic development: review of key concepts in the past 40 years *Habitat Int.* **35** 118–25
- Guan D *et al* 2014 Lifting China's water spell *Environ. Sci. Technol.* **48** 11048–56
- Guo S, Shen G Q and Peng Y 2016 Embodied agricultural water use in China from 1997 to 2010 *J. Cleaner Prod.* **112** 3176–84
- Han D, Currell M J and Cao G 2016 Deep challenges for China's war on water pollution *Environ. Pollut.* **218** 1222–33
- Han M, Dunford M, Chen G, Liu W, Li Y and Liu S 2017 Global water transfers embodied in Mainland China's foreign trade: production- and consumption-based perspectives *J. Cleaner Prod.* **161** 188–99
- Hou S, Liu Y, Zhao X, Tillotson M, Guo W and Li Y 2018 Blue and green water footprint assessment for China—a multi-region input–output approach *Sustainability* **10** 2822
- International Renewable Energy Agency, IRENA 2015 Renewable energy in the water, energy & food nexus ([https://irena.org/documentdownloads/publications/irena\\_water\\_energy\\_food\\_nexus\\_2015.pdf](https://irena.org/documentdownloads/publications/irena_water_energy_food_nexus_2015.pdf))
- Jiang Y 2009 China's water scarcity *J. Environ. Manage.* **90** 3185–96
- Landrigan P J *et al* 2018 The Lancet commission on pollution and health *The Lancet* **391** 462–512
- Li J, See K F and Chi J 2019a Water resources and water pollution emissions in China's industrial sector: a green-biased technological progress analysis *J. Cleaner Prod.* **229** 1414–26
- Li X *et al* 2019b City-level water-energy nexus in Beijing–Tianjin–Hebei region *Appl. Energy* **35** 827–34
- Meng J *et al* 2018 The rise of South–South trade and its effect on global CO<sub>2</sub> emissions *Nat. Commun.* **9** 7

- Meng J *et al* 2019 The slowdown in global air-pollutant emission growth and driving factors *One Earth* **1** 138–48
- Meng J, Liu J, Xu Y and Tao S 2015 Tracing primary PM<sub>2.5</sub> emissions via Chinese supply chains *Environ. Res. Lett.* **10** 054005
- Mi Z *et al* 2017 Pattern changes in determinants of Chinese emissions *Environ. Res. Lett.* **12** 10
- Ministry of Ecology and Environment of the People's Republic of China, MEEC 2018 *National Surface Water Quality Report GB 3838-2002 MEEC*
- National Bureau of Statistics, NBS 2010 China's first pollution source survey bulletin ([http://stats.gov.cn/tjsj/tjgb/qttjgb/qgqttjgb/201002/t20100211\\_30641.html](http://stats.gov.cn/tjsj/tjgb/qttjgb/qgqttjgb/201002/t20100211_30641.html))
- Rao D K and Chandrasekharam D 2019 Quantifying the water footprint of an urban agglomeration in developing economy *Sustain. Cities Soc.* **50** 101686
- Ripple W J *et al* 2017 World's scientists warning to humanity: a second notice *Bioscience* **67** 1026–8
- Sun S and Fang C 2019 Factors governing variations of provincial consumption-based water footprints in China: an analysis based on comparison with national average *Sci. Total Environ.* **654** 914–23
- Tian X *et al* 2018 Evolution of China's water footprint and virtual water trade: a global trade assessment *Environ. Int.* **121** 178–88
- Udimal T B, Jincai Z, Ayamba E C and Owusu S M 2017 China's water situation; the supply of water and the pattern of its usage *Int. J. Sustain. Built Environ.* **6** 491–500
- Wang K, Yang K, Wei Y M and Zhang C 2018 Shadow prices of direct and overall carbon emissions in China's construction industry: a parametric directional distance function-based sensitive estimation *Struct. Change Econ. Dev.* **47** 180–93
- Wang Z, Sun Y and Wang B 2019 How does the new-type urbanisation affect CO<sub>2</sub> emissions in China? An empirical analysis from the perspective of technological progress *Energy Econ.* **80** 917–27
- World Economic Forum 2019 The Global Risks Report 2019 14th edition (<https://weforum.org/reports/the-global-risks-report-2019>)
- Wu X D, Guo J L, Han M Y and Chen G Q 2018 An overview of arable land use for the world economy: from source to sink via the global supply chain *Land Use Policy* **76** 201–14
- Wu X D, Guo J L, Ji X and Chen G Q 2019a Energy use in world economy from household-consumption-based perspective *Energy Policy* **127** 287–98
- Wu X D, Guo J L, Li C H, Shao L, Han M Y and Chen G Q 2019b Global socio-hydrology: an overview of virtual water use by the world economy from source of exploitation to sink of final consumption *J. Hydrol.* **573** 794–810
- Wu Y, Liu S and Chen J 2012 Urbanization eases water crisis in China *Environ. Dev.* **2** 142–4
- Zhang C, Wu Y and Yu Y 2019 Spatial decomposition analysis of water intensity in China *Socio-Econ. Plan. Sci.* accepted (<https://doi.org/10.1016/j.seps.2019.01.002>)
- Zhao P and Zhang M 2018 The impact of urbanisation on energy consumption: a 30-year review in China *Urban Clim.* **24** 940–53
- Zhao X, Liao X, Chen B, Tillotson M R, Guo W and Li Y 2019 Accounting global grey water footprint from both consumption and production perspectives *J. Cleaner Prod.* **225** 963–71
- Zhao X, Liu J, Liu Q, Tillotson M R, Guan D and Hubacek K 2015 Physical and virtual water transfers for regional water stress alleviation in China *Proc. Natl Acad. Sci. USA* **112** 1031–5
- Zhao X, Liu J, Yang H, Duarte R, Tillotson M R and Hubacek K 2016 Burden shifting of water quantity and quality stress from megacity Shanghai *Water Resour. Res.* **52** 6916–27
- Zheng H *et al* 2019 Mapping carbon and water networks in the North China urban agglomeration *One Earth* **1** 126–37