

Table 1. Baseline characteristics of subjects (ITT population).

Demographics	AVA (N=287)	AVA plus raxibacumab (N=286)
Age, years, mean (SD)	36.2 (12.77)	36.1 (12.07)
Sex, n (%)		
Female	150 (52.3)	142 (49.7)
Male	137 (47.7)	144 (50.3)
BMI (kg/m ²), mean (SD)	28.0 (6.21)	28.2 (5.63)
Height (cm), mean (SD)	169.6 (9.60)	170.5 (9.44)
Weight (kg), mean (SD)	80.8 (19.73)	82.1 (18.58)
Ethnicity, n (%)		
Hispanic or Latino	34 (11.8)	31 (10.8)
Not Hispanic or Latino	253 (88.2)	255 (89.2)
Race, n (%)		
White	216 (75.3)	221 (77.3)
Black or African American	61 (21.3)	56 (19.6)
American Indian or Alaska Native	7 (2.4)	1 (0.3)
Asian	2 (0.7)	5 (1.7)
Multiple	1 (0.3)	2 (0.7)
Unknown	0 (0.0)	1 (0.3)

AVA, anthrax vaccine adsorbed; BMI, body mass index; ITT, intent-to-treat; SD, standard deviation.

Table 2. Most frequent treatment-emergent AEs of any cause reported by ≥ 2 subjects in either treatment group (safety population).

	Subjects, n (%)	
	AVA group (n=286)	AVA plus raxibacumab group (n=280)
Any treatment-emergent adverse event	87 (30.4)	80 (28.6)
Injection-site reaction	18 (6.3)	18 (6.4)
Injection-site erythema	11 (3.8)	13 (4.6)
Headache	6 (2.1)	9 (3.2)
Injection-site pain	6 (2.1)	8 (2.9)
Nausea	6 (2.1)	4 (1.4)
Urinary tract infection	6 (2.1)	2 (0.7)
Injection-site swelling	4 (1.4)	3 (1.1)
Upper respiratory tract infection	3 (1.0)	4 (1.4)
Injection-site pruritus	4 (1.4)	1 (0.4)
Pain in extremity	3 (1.0)	3 (1.1)
Fatigue	3 (1.0)	1 (0.4)
Seasonal allergy	3 (1.0)	1 (0.4)
Presyncope	1 (0.3)	3 (1.1)
Viral upper respiratory tract infection	3 (1.0)	0 (0)
Haematoma	0 (0)	3 (1.1)
Vomiting	2 (0.7)	2 (0.7)
Back pain	2 (0.7)	2 (0.7)
Nasal congestion	2 (0.7)	1 (0.4)
Bronchitis	2 (0.7)	1 (0.4)
Injection-site nodule	1 (0.3)	2 (0.7)
Toothache	2 (0.7)	0 (0)
Feeling hot	2 (0.7)	0 (0)
Influenza	2 (0.7)	0 (0)
Pharyngitis streptococcal	2 (0.7)	0 (0)
Tooth infection	2 (0.7)	0 (0)
Abortion spontaneous	2 (0.7)	0 (0)
Sinus congestion	2 (0.7)	0 (0)
Dermatitis contact	2 (0.7)	0 (0)
Paraesthesia	0 (0)	2 (0.7)
Urticaria	0 (0)	2 (0.7)

AE, adverse event.

A subject may have had >1 AE; a subject experiencing multiple occurrences of an AE was counted, at most, once per Preferred Term.