CHANGE IN EMPLOYMENT STATUS AND HEALTH IN WHITE COLLAR WORKERS

Jane Elizabeth Ferrie

A thesis submitted for the degree of

Doctor of Philosophy

Epidemiology + Public Health

University College London

January 1999

ProQuest Number: 10630936

All rights reserved

INFORMATION TO ALL USERS

The quality of this reproduction is dependent upon the quality of the copy submitted.

In the unlikely event that the author did not send a complete manuscript and there are missing pages, these will be noted. Also, if material had to be removed, a note will indicate the deletion.

ProQuest 10630936

Published by ProQuest LLC (2017). Copyright of the Dissertation is held by the Author.

All rights reserved.

This work is protected against unauthorized copying under Title 17, United States Code
Microform Edition © ProQuest LLC.

ProQuest LLC.
789 East Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106 – 1346

ABSTRACT

Restructuring and widespread workplace closures have exposed white-collar workers to unprecedented levels of job insecurity and unemployment. This thesis describes two studies which examined effects on health of job insecurity and job loss in a longitudinal study of 10,308 white-collar British civil servants.

Study 1 examined the consequences of short and long-term job insecurity generated by the transfer of work to agencies which were periodically under threat of privatisation. Relative to unaffected controls, self-reported morbidity increased significantly among respondents expecting transfer to an agency. Physiological measurements, such as blood pressure and body mass index, deteriorated significantly among respondents working in an agency. Increases in morbidity were greater in men than women.

Study 2 examined the effects of job insecurity and job loss for respondents in one complete Civil Service department sold to the private sector. Data from three time points were analysed: 2 years pre-privatisation (anticipation phase); 3 months pre-privatisation (pre-termination phase); and 1½ years post-privatisation.

During the anticipation phase, compared with controls, respondents from the department undergoing privatisation experienced an overall increase in self-reported morbidity. By the pre-termination phase adverse changes were also seen in physiological measures. Post-privatisation, respondents were stratified by employment status. Overall, respondents in secure employment enjoyed better self-reported health than those in any other group. Unemployed men and insecurely employed women had the poorest self-reported health. Psychological disorder was significantly associated with insecure employment in both sexes and unemployment in men.

Some evidence of health selection out of the workforce was found, but adjustment for pre-existing morbidity demonstrated adverse effects on health in excess of those attributable to selection. Changes in work characteristics and health-related behaviours explained little of the effect of employment status on health. Further research on the employment status-health relationship is required.

ACKNOWLEDGEMENTS

The studies which comprise this thesis form part of a larger research programme, the Whitehall II Study. I am particularly grateful to the principal investigator, Professor Michael Marmot who provided me with the opportunity to do this work and, as my first supervisor, has been generous with his encouragement and advice. In addition, I wish to extend my gratitude to the rest of the Whitehall II team both for the work they put into the study and their constant willingness to help.

I would like to thank Martin Shipley for his clarity and patience in explaining statistical methods and the idiosyncrasies of SAS programming. Also Professor George Davey Smith who encouraged me to register in the first place and who has been a constant source of encouragement and advice and whose interest in epidemiology and the world in general is a source of inspiration.

This work was completed with funding from the Economic and Social Research Council. I would like to thank the ESRC for their support and the other members of the PSA study team, Kim Morgan, Ann Gosling and Christine Buxton for their hard work and for making the project such an enjoyable period of my life.

I am also indebted to all the Civil Servants who took part in the Whitehall II study and I would like to extend special thanks to those who participated in the PSA study, in particular several PSA and ex-PSA employees who were particularly generous with their time and interest in the study; Arnold Day, Peter Draper, Simon Pound, Alan Kennedy, and Laurie Perry.

Outside the academic sphere I would like to thank my friends and family, in particular my mother, who over many years has encouraged me in my studies.

This thesis is dedicated to the memory of my father, Joseph Ferrie, who in a better world would have had the chance to pursue studies of his own.

STATEMENT OF PERSONAL CONTRIBUTION

This thesis presents two studies which took advantage of 'natural experiments' occurring in the Whitehall II study, a large, ongoing longitudinal study of white-collar civil servants. *Study 1* which examined the health effects of major organisational change used data from Phases 1 and 3 of the Whitehall II study. Through the privatisation of the Property Services Agency (PSA), *Study 2* (the PSA study) examined effects on health of all stages of a workplace closure, from secure employment, through job insecurity to job loss and re-employment. In addition to data from Phase 1, 2 and 3 of the Whitehall II, *Study 2* collected additional data by questionnaire and interview.

Data collection for Phases 1 - 3 of the Whitehall II study were complete by the time I joined the research programme. However, I was involved in the data checking and validation for Phase 3 of the Whitehall II study and in the construction of the questionnaires for the Phase 4 and Phase 5 data collections. I was also responsible for training and validation of several of the physiological measures collected during the Phase 5 clinical screening.

Grant funding for *Studies 1 and 2* was obtained from the Economic and Social Research Council. I was involved in the original grant application and in the further development of the study designs once funding had been secured. As the study coordinator I carried full responsibility for *Studies 1 and 2* under the guidance of the principal investigator, Professor Michael Marmot, and the co-investigators, Professor George Davey Smith and Dr Stephen Stansfeld. I was responsible for coordinating the work of the other members of the study team, the location of the target population and key informants in PSA, construction of the PSA questionnaire and interview schedule, design of the questionnaire database and coding manual, and conducting in-depth interviews and focus groups. Mailing of respondents and data entry was performed by Kim Morgan, many of the in-depth interviews were carried out by Ann Gosling and Christine Buxton transcribed the interview material.

I was the principal author of all the papers in *Appendix IX* for which the data were analysed by Martin Shipley. However, I was solely responsible for the creation of the datasets and many of the variables used in this thesis and I carried out all of the analyses as well as writing up and presenting the findings.

TABLE OF CONTENTS

		Page
Chapter 1	Background	27
1.1	Labour market change	27
1.2	Privatisation and the Public Sector	29
1.2.1	The Next Steps Programme	30
1.2.2	The Privatisation of the Property Services Agency	33
1.3	Change in employment status	35
1.3.1	Labour market transitions	35
1.3.2	Secure employment	36
1.3.3	Secure employment and job insecurity	40
1.3.4	Non-employment and economic inactivity	41
Chapter 2	Literature Review	51
Part I	<i>Job insecurity and health</i>	54
2.1.1	Health outcomes	54
2.1.1a	Self-reported physical morbidity	54
2.1.1b	Physiological measures	55
2.1.1c	Psychological morbidity	55
2.1.2	Premature mortality	57
2.1.3	Health-related outcomes	58
2.1.3a	Sickness absence	58
2.1.3b	Health service use	58
2.1.4	Effects on potential explanatory factors	59
2.1.4a	Characteristics of the work environment	59
2.1.4b	Health-related behaviours	60
2.1.5	Explanations of the relationship between job insecurity and health	60
2.1.5a	Artefact	60
2.1.5b	Selection	61

2.1.5c	Materialist/Structural factors	61
(i)	Income	61
(ii)	Psychosocial factors	61
2.1.5d	Health-related behaviours	63
2.1.6	Job insecurity effects beyond the individual	63
2.1.7	Summary - job insecurity	64
Part II	<i>Unemployment and health</i>	65
2.2.1	Health outcomes	65
2.2.1a	Self-reported physical morbidity	65
2.2.1b	Physiological measures	66
2.2.1c	Psychological morbidity	68
2.2.2	Premature mortality	70
2.2.3	Health-related outcomes	75
2.2.3a	Sickness absence	75
2.2.3b	Health service use	75
2.2.4	Effects on potential explanatory factors	76
2.2.4a	Characteristics of the work environment	76
2.2.4b	Health-related behaviours	77
2.2.5	Explanations of the relationship between unemployment and health	79
2.2.5a	Artefact	79
2.2.5b	Selection	79
2.2.5c	Materialist/Structural factors	81
(i)	Income	82
(ii)	Psychosocial factors	84
2.2.5d	Health-related behaviours	85
2.2.6	Unemployment effects beyond the individual	86
2.2.7	Summary - unemployment	87
Part III	<i>Workplace closure studies</i>	89
2.3	Description of workplace closure studies	89

	(i) Longitudinal studies with control group	94
	(ii) Longitudinal studies with no control group	98
	(iii) Cross-sectional studies with control group	100
	(iv) Cross-sectional studies with no control group	100
2.4	Effects of workplace closure on employment status	101
2.5	Methodological issues	102
2.5.1	Data problems	102
2.5.2	Limitations of respondent groups	106
2.5.3	Response rates	107
2.5.4	Sample size	109
2.5.5	Duration of follow-up	109
2.5.6	Reference groups	109
2.6	Findings from workplace closure studies	111
2.6.1	Health outcomes	111
2.6.1a	Self-reported physical morbidity	111
2.6.1b	Physiological measures	114
2.6.1c	Psychological morbidity	117
2.6.2	Premature mortality	123
2.6.3	Health-related outcomes	124
2.6.3a	Sickness absence	124
2.6.3b	Health service use	124
2.6.4	Effects on potential explanatory factors	127
2.6.4a	Characteristics of the work environment	127
2.6.4b	Health-related behaviours	127
2.6.5	Explanations of the relationship between the workplace closure and health	128
2.6.5b	Selection	128
2.6.5c	Materialist/Structural factors	130
	(i) Income	130
	(ii) Psychosocial factors	131

2.6.5d	Health-related behaviours	132
2.6.6	Workplace closure effects beyond the individual	132
2.7	Summary - workplace closures	134
Chapter 3	Objectives	136
3.1	Rationale	136
3.2	Research questions and hypotheses	138
3.2.1	Research questions	138
3.2.2	Hypotheses	138
Chapter 4	Methods	141
4.1	Methodology	141
4.2	The Whitehall II Study - Methods	142
4.2a	Study population	142
4.2b	Data collection methods	143
4.2c	Data quality	146
4.2d	Non-responders	146
4.2e	Study sample	146
4.3	Study 1 - Executive Agencies Study - Methods	147
4.3a	Study population	147
4.3b	Study 1 - Measures	148
(i)	Demographic and socioeconomic measures	149
(ii)	Self-reported health status measures	149
(iii)	Physiological measures	152
(iv)	Personal characteristics	154
(v)	Psychosocial measures - characteristics of the work environment	155
(vi)	Health-related behaviours	156
4.3c	Study 1 - Analyses	157
(i)	Statistical power	157
(ii)	Analysis strategy	158

	(iii) Missing values	160
	(iv) Statistical methods	160
	(v) Software	163
4.4	Study 2 - The PSA Study - Methods	163
4.4a	Study population	166
4.4b	Data collection methods	167
4.4c	Non-response	168
4.4d	Data processing and data quality	169
4.4e	Study 2 - Measures	170
	(i) Personal characteristics	170
	(ii) Financial measures	170
	(iii) Psychosocial measures	170
	(iv) Employment status measures	171
4.4f	Analysis	172
	(i) Statistical power	172
	(ii) Analysis strategy	173
	(iii) Missing values	174
	(iv) Statistical methods	174
4.4g	Study 2 - qualitative data collection	175
Chapter 5	Results: Study 1 - Executive Agencies Study	176
5.1	Demographic and socioeconomic characteristics and reporting bias (negative affect) for subjects at Phase 1 according to future agency status	180
5.2	Self-reported physical morbidity	184
5.3	Sickness absence	192
5.4	Physiological measures	195
5.5	Personal characteristics and psychosocial measures	203
5.6	Health-related behaviours	210
5.7	Reporting bias and potential mediators of health outcomes ...	216
5.8	Summary	223

Chapter 6	Results: Study 2 (PSA study) - pre-privatisation - the anticipation phase	227
6.1	Non-response to Phase 2 - the anticipation phase	230
6.2	Demographic and socioeconomic characteristics and negative affect for PSA respondents and controls at Phase 1	236
6.3	Self-reported physical morbidity	238
6.4	Personal characteristics and psychosocial measures	246
6.5	Health-related behaviours	253
6.6	Reporting bias and potential mediators of health outcomes . . .	260
6.7	Summary	263
 Chapter 7	 Results: Study 2 (PSA Study) pre-privatisation - the pre-termination phase	 266
7.1	Non-response at Phase 3 - Questionnaire variables	268
7.2	Non-response at Phase 3 - Physiological measures	275
7.3	Demographic and socioeconomic characteristics and negative affect for PSA and non-PSA respondents at Phase 1	278
7.4	Self-reported physical morbidity	279
7.5	Sickness absence	287
7.6	Physiological measures	290
7.7	Personal characteristics and Psychosocial measures	298
7.8	Health-related behaviours	304
7.9	Reporting bias and potential mediators of health outcomes . . .	310
7.10	Summary	314
 Chapter 8	 Results: Study 2 (PSA Study) - post-privatisation	 318
8.1	Non-response to the PSA questionnaire	320
8.2	Privatisation and employment status change	325

8.3	Demographic and socioeconomic characteristics and negative affect at Phase 1 for respondents to the PSA questionnaire by employment status	335
8.4	Self-reported physical morbidity	337
8.5	Personal, Financial and Psychosocial measures	349
8.6	Health-related behaviours	360
8.7	Reporting bias and potential mediators of health outcomes ...	368
8.8	Primary cardiac endpoints and all cause mortality	373
8.9	Summary	374
Chapter 9	Discussion	381
9.1	Methodological issues - strengths and weaknesses of the study design and methods	382
9.1.1	Strengths	382
9.1.2	Weaknesses	386
9.2	Methodological issues - chance, bias and confounding	388
9.2.1	Chance	389
9.2.2	Bias	389
9.2.3	Confounding	392
9.3	Summary of findings - Study 1 - Executive Agencies study ...	394
9.4	Summary of findings - Study 2 - PSA study	395
9.4.1	Pre-privatisation - Anticipation phase	395
9.4.2	Pre-privatisation - Pre-termination phase	395
9.4.3	Privatisation and employment status change	396
9.4.4	Post-privatisation	397
9.5	Consistency of findings	398
9.5.1	Health outcomes	399
9.5.1a	Self-reported physical morbidity	399
9.5.1b	Physiological measures	404
9.5.1c	Psychological morbidity	406

9.5.2	Premature mortality	410
9.5.3	Health-related outcomes	410
9.5.3a	Sickness absence	410
9.5.3b	Health service use	411
9.5.4	Effects on potential explanatory factors	413
9.5.4a	Materialist/structural factors	413
	(i) Income	414
	(ii) Characteristics of the work environment	414
9.5.4b	Health-related behaviours	418
9.5.5	Explanations of the relationship between job insecurity and workplace closure and health	422
9.5.5a	Artefact	422
9.5.5b	Selection	424
9.5.5c	Materialist/structural factors	424
	(i) Income	424
	(ii) Characteristics of the work environment	426
9.5.5d	Health-related behaviours	431
9.6	Effects beyond the individual and gender differences	433
9.7	Recommendations for future research	435
9.8	Implications for policy	438
References		443- 469

LIST OF APPENDICES

Appendices	Volume II
Appendix I	Workplace closure studies - description of studies
Appendix II	Whitehall II study Phase 1 questionnaire
Appendix III	Whitehall II study Phase 2 questionnaire
Appendix IV	Whitehall II study Phase 3 questionnaire
Appendix V	PSA study questionnaire (Change and Health)
Appendix VI	PSA study invitation letter PSA study thank you letter PSA study invitation letter to those who had withdrawn from the Whitehall II study PSA study reminder letter PSA study second reminder letter PSA study missing data letter
Appendix VII	PSA questionnaire (Change and Health) coding manual
Appendix VIII	Study 1 - Tables of adjustments for reporting bias (negative affect) and potential mediators on health outcomes
Appendix IX	Published papers

LIST OF TABLES

Table	Page
Chapter 2 Literature Review	
<i>Part II</i>	
1. Mortality 1981-92, by economic activity status and gender at the 1981 census	71
<i>Part III</i>	
2. Study population	90
3. Data collection	92
4. Adjustments made in analyses of outcomes in workplace closure studies	105
5. Morbidity measures	112
6. Blood pressure and related measures	115
7. Psychological morbidity	119
8. Health service use	125
 Chapter 4 Methods	
1. Salary levels by Civil Service grade of employment	144
 Chapter 5 Results: Study 1 - Executive Agencies Study	
5.1 (1) Age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and negative affect among women at Phase 1	181
5.1 (2) Age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and negative affect among men at Phase 1	182
5.2 (1) Health in the last year self rated as average or worse	186
5.2 (2) Number of symptoms in the last fortnight	187
5.2 (3) Longstanding illness	188
5.2 (4a) Sleep 5 hours or less on an average week night	189
5.2 (4b) Sleep 9 hours or more on an average week night	190

5.2 (5)	Minor psychiatric disorder (measured as GHQ caseness)	191
5.3 (1)	Sickness absence - 1 working week or more in the last year	193
5.3 (2)	Sickness absence - 2 working weeks or more in the past year . . .	194
5.4 (1a)	Angina Pectoris by questionnaire	197
5.4 (1b)	Possible/Probable ischaemia on ECG	197
5.4 (1c)	Possible/Probable ischaemia on ECG or angina	198
5.4 (2a)	Systolic blood pressure	199
5.4 (2b)	Diastolic blood pressure	200
5.4 (3)	Blood cholesterol concentration	201
5.4 (4)	Body Mass Index	202
5.5 (1)	Divorce and separation among those married or cohabiting at Phase 1	205
5.5 (2)	Visual Display Unit use	205
5.5 (3a)	Adverse change in social support at work	206
5.5 (3b)	Beneficial change in social support at work	206
5.5 (4a)	Adverse change in decision authority at work	207
5.5 (4b)	Beneficial change in decision authority at work	207
5.5 (5a)	Adverse change in skill discretion at work	208
5.5 (5b)	Beneficial change in skill discretion at work	208
5.5 (6a)	Adverse change in job demands	209
5.5 (6b)	Beneficial change in job demands	209
5.6 (1a)	Alcohol consumption - non drinkers	211
5.6 (1b)	Alcohol consumption - 15 or more units/week (women), 22 or more units/week (men)	212
5.6 (2)	Smoking	213
5.6 (3a)	Takes none or only mild exercise	214
5.6 (3b)	Takes 1 hour or more vigorous exercise per week	215
5.7 (1)	Effect of reporting bias and potential mediators on health in the last year self-rated as average or worse - men	220
5.7 (2)	Effect of reporting bias and potential mediators on number of symptoms in the last 14 days - men and women	220

5.7 (3)	Effect of reporting bias and potential mediators on longstanding illness - men	220
5.7 (4)	Effect of reporting bias and potential mediators on sleep 9 hours or more/average week night - men	221
5.7 (5)	Effect of reporting bias and potential mediators on GHQ score - men	221
5.7 (6)	Effect of reporting bias and potential mediators on possible/probable ischaemia on ECG or angina - women	221
5.7 (7)	Effect of potential mediators on systolic blood pressure - men ..	222
5.7 (8)	Effect of potential mediators on diastolic pressure - men	222
5.7 (9)	Effect of potential mediators on body mass index - women and men	222
5.8 (1)	Summary of self-reported health outcomes	225
5.8 (2)	Summary of sickness absence	225
5.8 (3)	Summary of clinical health outcomes	225
5.8 (4)	Summary of psychosocial measures	226
5.8 (5)	Summary of health-related behaviours	226
Chapter 6	Results: Study 2 (PSA study) - pre-privatisation - the anticipation phase	
6.1 (1)	Comparison of baseline demographic and socioeconomic data for women responders and non-responders to Phase 2	232
6.1 (2)	Comparison of baseline demographic and socioeconomic data for men responders and non-responders to Phase 2	232
6.1 (3)	Comparison of baseline self-reported health status measures for women responders and non-responders to Phase 2	233
6.1 (4)	Comparison of baseline self-reported health status measures for men responders and non-responders to Phase 2	233
6.1 (5)	Comparison of baseline personal and psychosocial measures for women responders and non-responders to Phase 2	234
6.1 (6)	Comparison of baseline personal and psychosocial measures for men responders and non-responders to Phase 2	234

6.1 (7)	Comparison of baseline health-related behaviours for women responders and non-responders to Phase 2	235
6.1 (8)	Comparison of baseline health-related behaviours for men responders and non-responders to Phase 2	235
6.2 (1)	Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias among women responders to Phase 2	237
6.2 (2)	Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias among men responders to Phase 2	237
6.3 (1)	Anticipation phase (Phase 2) Self-rated health - average or worse	240
6.3 (2)	Anticipation phase (Phase 2) Mean number of symptoms in the last 14 days	241
6.3 (3)	Anticipation phase (Phase 2) Health problems in the last 12 months	242
6.3 (4)	Anticipation phase (Phase 2) Longstanding illness	243
6.3 (5a)	Anticipation phase (Phase 2) Minor psychiatric disorder - GHQ caseness	244
6.3 (5b)	Anticipation phase (Phase 2) Depression (subscale of GHQ) ...	245
6.4 (1)	Anticipation phase (Phase 2) Divorce and separation amongst those married at Phase 1	248
6.4 (2)	Anticipation phase (Phase 2) Fatalism	248
6.4 (3a)	Adverse change in social support at work between Phases 1 and 2	249
6.4 (3b)	Beneficial change in social support at work between Phases 1 and 2	249
6.4 (4a)	Adverse change in decision authority between Phases 1 and 2 ..	250
6.4 (4b)	Beneficial change in decision authority between Phases 1 and 2	250
6.4 (5a)	Adverse change in skill discretion between Phases 1 and 2	251
6.4 (5b)	Beneficial change in skill discretion between Phases 1 and 2 ...	251
6.4 (6a)	Adverse change in job demands between Phases 1 and 2	252
6.4 (6b)	Beneficial change in job demands between Phases 1 and 2	252

6.5 (1a)	Anticipation phase (Phase 2) Alcohol consumption - non-drinkers	255
6.5 (1b)	Anticipation phase (Phase 2) Alcohol consumption 15 or more units/day (women) 22 or more units/day (men)	256
6.5 (2)	Anticipation phase (Phase 2) Smoking	257
6.5 (3a)	Anticipation phase (Phase 2) Takes none or only mild exercise in an average week	258
6.5 (3b)	Anticipation phase (Phase 2) Does 1 hour or more of vigorous exercise in an average week	259
6.6 (1)	Effect of reporting bias and potential mediators on health in the last year self-rated as average or worse - men	262
6.6 (2)	Effect of reporting bias and potential mediators on mean number of symptoms in the last fortnight - men	262
6.6 (3)	Effect of reporting bias and potential mediators on mean number of health problems in the last year - men	262
6.7 (1)	Summary of self-reported health outcomes for PSA - Anticipation phase (Phase 2)	264
6.7 (2)	Summary of personal and psychosocial measures for PSA - Anticipation phase (Phase 2)	265
6.7 (3)	Summary of health-related behaviours for PSA - Anticipation phase (Phase 2)	265
Chapter 7	Results: Study 2 (PSA study) pre-privatisation - the pre-termination phase	
7.1 (1)	Comparison of baseline demographic and socioeconomic data for women responders and non-responders to the Phase 3 questionnaire	270
7.1 (2)	Comparison of baseline demographic and socioeconomic data for men responders and non-responders to the Phase 3 questionnaire	270
7.1 (3)	Comparison of baseline self-reported health status measures for women responders and non-responders to the Phase 3 questionnaire	271

7.1 (4)	Comparison of baseline self-reported health status measures for men responders and non-responders to the Phase 3 questionnaire	271
7.1 (5)	Comparison of baseline sickness absence for women responders and non-responders to the Phase 3 questionnaire	272
7.1 (6)	Comparison of baseline sickness absence for men responders and non-responders to the Phase 3 questionnaire	272
7.1 (7)	Comparison of baseline psychosocial variables for women responders and non-responders to the Phase 3 questionnaire . . .	273
7.1 (8)	Comparison of baseline psychosocial variables for men responders and non-responders to the Phase 3 questionnaire . . .	273
7.1 (9)	Comparison of baseline health-related behaviours for women responders and non-responders to the Phase 3 questionnaire . . .	274
7.1 (10)	Comparison of baseline health-related behaviours for men responders and non-responders to the Phase 3 questionnaire . . .	274
7.2 (1)	Comparison of baseline demographic and socioeconomic data for women responders and non-responders to the Phase 3 Clinical Screening	276
7.2 (2)	Comparison of baseline demographic and socioeconomic data for men responders and non-responders to the Phase 3 Clinical Screening	276
7.2 (3)	Comparison of baseline physiological measures for women responders and non-responders to the Phase 3 Clinical Screening	277
7.2 (4)	Comparison of baseline physiological measures for men responders and non-responders to the Phase 3 Clinical Screening	277
7.4 (1)	Pre-termination phase (Phase 3) Self-rated health - average or worse	280
7.4 (2)	Pre-termination phase (Phase 3) Mean number of symptoms in the last 14 days	281
7.4 (3a)	Pre-termination phase (Phase 3) Average sleep on a weekday night - 5 hours or less	282
7.4 (3b)	Pre-termination phase (Phase 3) Average sleep on a weekday night - 9 hours or more	283
7.4 (4)	Pre-termination phase (Phase 3) Longstanding illness	284

7.4 (5a)	Pre-termination phase (Phase 3) Minor psychiatric disorder - GHQ caseness	285
7.4 (5b)	Pre-termination phase (Phase 3) Depression (subscale of GHQ)	286
7.5 (1)	Pre-termination phase (Phase 3) Sickness absence - 1 working week or more in the last year	288
7.5 (2)	Pre-termination phase (Phase 3) Sickness absence - 2 working weeks or more in the past year	289
7.6 (1a)	Pre-termination phase (Phase 3) Angina Pectoris by questionnaire	292
7.6 (1b)	Pre-termination phase (Phase 3) Possible/probable ischaemia on ECG	292
7.6 (1c)	Pre-termination phase (Phase 3) Possible/probable ischaemia on ECG or angina	293
7.6 (2a)	Pre-termination phase (Phase 3) Blood pressure - Systolic (mmHg)	294
7.6 (2b)	Pre-termination phase (Phase 3) Blood pressure - Diastolic (mmHg)	295
7.6 (3)	Pre-termination phase (Phase 3) Cholesterol concentration (mmol/l)	296
7.6 (4)	Pre-termination phase (Phase 3) Body Mass Index	297
7.7 (1)	Pre-termination phase (Phase 3) Divorce and separation amongst those married at Phase 1	299
7.7 (2a)	Adverse change in social support at work between Phases 1 and 3	300
7.7 (2b)	Beneficial change in social support at work between Phases 1 and 3	300
7.7 (3a)	Adverse change in decision authority between Phases 1 and 3 ..	301
7.7 (3b)	Beneficial change in decision authority between Phases 1 and 3	301
7.7 (4a)	Adverse change in skill discretion between Phases 1 and 3	302
7.7 (4b)	Beneficial change in skill discretion between Phases 1 and 3 ...	302
7.7 (5a)	Adverse change in job demands between Phases 1 and 3	303
7.7 (5b)	Beneficial change in job demands between Phases 1 and 3	303

7.8 (1a)	Pre-termination phase (Phase 3) Alcohol consumption - non-drinkers	305
7.8 (1b)	Pre-termination phase (Phase 3) Alcohol consumption - 15 or more units/day (women) 22 or more units/day (men)	306
7.8 (2)	Pre-termination phase (Phase 3) Smoking	307
7.8 (3a)	Pre-termination phase (Phase 3) Takes none or only mild exercise in an average week	308
7.8 (3b)	Pre-termination phase (Phase 3) Does 1 hour or more of vigorous exercise in an average week	309
7.9 (1)	Effect of reporting bias and potential mediators on sleep 9 hours or more on an average night - women and men	312
7.9 (2)	Effect of reporting bias and potential mediators on absence from work of 1 week or more - women and men	312
7.9 (3)	Effect of reporting bias and potential mediators on absence from work 2 weeks or more - women	312
7.9 (4)	Effect of potential mediators on systolic blood pressure - women and men	313
7.9 (5)	Effect of potential mediators on diastolic pressure - women	313
7.9 (6)	Effect of potential mediators on body mass index - women and men	313
7.10 (1)	Summary of self-reported health outcomes for PSA - pre-termination phase (Phase 3)	316
7.10 (2)	Summary of sickness absence for PSA - pre-termination phase (Phase 3)	316
7.10 (3)	Summary of physiological measures for PSA - pre-termination phase (Phase 3)	316
7.10 (4)	Summary of personal and psychosocial measures for PSA - pre-termination phase (Phase 3)	317
7.10 (5)	Summary of health-related behaviours for PSA - pre-termination phase (Phase 3)	317

Chapter 8	Results: Study 2 (PSA study) - post-privatisation	
8.1 (1)	Comparison of baseline demographic and socioeconomic data for women responders and non-responders to the PSA questionnaire	321
8.1 (2)	Comparison of baseline demographic and socioeconomic data for men responders and non-responders to the PSA questionnaire	321
8.1 (3)	Comparison of baseline self-reported health status measures for women responders and non-responders to the PSA questionnaire	322
8.1 (4)	Comparison of baseline self-reported health status measures for men responders and non-responders to the PSA questionnaire ..	322
8.1 (5)	Comparison of baseline personal, financial and psychosocial measures for women responders and non-responders to the PSA questionnaire	323
8.1 (6)	Comparison of baseline personal, financial and psychosocial measures for men responders and non-responders to the PSA questionnaire	323
8.1 (7)	Comparison of baseline health-related behaviours for women responders and non-responders to the PSA questionnaire	324
8.1 (8)	Comparison of baseline health-related behaviours for men responders and non-responders to the PSA questionnaire	324
8.3 (1)	Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic data and reporting bias among women responders to the PSA questionnaire	336
8.3 (2)	Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic data and reporting bias among men responders to the PSA questionnaire	336
8.4 (1)	18 months post-privatisation - health self-rated as average or worse	341
8.4 (2)	18 months post-privatisation - mean number of symptoms in the last 14 days	342
8.4 (3)	18 months post-privatisation - mean number of health problems in the last year	343
8.4 (4)	18 months post-privatisation - longstanding illness	344

8.4 (5a)	18 months post-privatisation - average sleep on a weekday night 5 hours or less	345
8.4 (5b)	18 months post-privatisation - average sleep on a weekday night 9 hours or more	346
8.4 (6)	18 months post-privatisation - minor psychiatric disorder - GHQ (12) score	347
8.4 (7)	18 months post-privatisation - 4 or more GP consultations in the last year	348
8.5 (1)	18 months post-privatisation - number of money problems: food, clothes and bills	351
8.5 (2a)	Adverse change in social support at work between baseline and 18 months post-privatisation	352
8.5 (2b)	Beneficial change in social support at work between baseline and 18 months post-privatisation	353
8.5 (3a)	Adverse change in decision authority between baseline and 18 months post-privatisation	354
8.5 (3b)	Beneficial change in decision authority between baseline and 18 months post-privatisation	355
8.5 (4a)	Adverse change in skill discretion between baseline and 18 months post-privatisation	356
8.5 (4b)	Beneficial change in skill discretion between baseline and 18 months post-privatisation	357
8.5 (5a)	Adverse change in job demands between baseline and 18 months post-privatisation	358
8.5 (5b)	Beneficial change in job demands between baseline and 18 months post-privatisation	359
8.6 (1a)	18 months post-privatisation - alcohol consumption - non- drinkers	363
8.6 (1b)	18 months post-privatisation - alcohol consumption - 15 or more units/week (women), 22 or more units/week (men)	364
8.6 (2)	18 months post-privatisation - smoking	365
8.6 (3a)	18 months post-privatisation - takes none or only mild exercise in an average week	366

8.6 (3b)	18 months post-privatisation - does 1 hour or more of vigorous exercise in an average week	367
8.7 (1)	Effect of reporting bias and potential mediators on longstanding illness - women	370
8.7 (2)	Effect of reporting bias and potential mediators on sleep 5 hours or less/average week night - men	370
8.7 (3)	Effect of reporting bias and potential mediators on 4 or more GP consultations in the last year - men	371
8.7 (4a)	Effect of reporting bias and potential mediators on GHQ (12) score - women	372
8.7 (4b)	Effect of reporting bias and potential mediators on GHQ (12) score - men	372
8.8 (1)	Primary cardiac endpoints to August 1995 and all cause mortality to August 1997	374
8.9 (1)	Summary of self-reported health outcomes 18 months post-privatisation - women	378
8.9 (2)	Summary of self-reported health outcomes 18 months post-privatisation - men	378
8.9 (3)	Summary of financial and psychosocial measures 18 months post-privatisation - women	379
8.9 (4)	Summary of financial and psychosocial measures 18 months post-privatisation - men	379
8.9 (5)	Summary of health-related behaviours 18 months post-privatisation - women	380
8.9 (6)	Summary of health-related behaviours 18 months post-privatisation - men	380
Chapter 9	Discussion	
9.1	Summary of self-reported health measures - Studies 1 and 2 - women	400
9.2	Summary of self-reported health measures - Studies 1 and 2 - men	400
9.3	Summary of sleep measures - Studies 1 and 2 - women and men	403
9.4	Summary of physiological measures - Studies 1 and 2 - women .	405
9.5	Summary of physiological measures - Studies 1 and 2 - men . . .	405

9.6	Summary of psychological morbidity measures - Studies 1 and 2 - women and men	407
9.7	Summary of sickness absence and health service use - Studies 1 and 2 - women and men	412
9.8	Summary of characteristics of the work environment - Studies 1 and 2 - women and men	415
9.9	Summary of health-related behaviours - Studies 1 and 2 - women and men	419
9.10	Effect on health outcomes of controlling for reporting bias (negative affect) - Studies 1 and 2 - women and men	423
9.11	Effect of controlling for insufficient money for food, bills and clothes on health outcomes	425
9.12	Effect of controlling for adverse changes in social support at work on health outcomes	427
9.13	Effect of controlling for decision authority on health outcomes ..	428
9.14	Effect on health outcomes of controlling for skill discretion - Studies 1 and 2	430
9.15	Effect of controlling for job demands on health outcomes	431
9.16	Effect of controlling for smoking on health outcomes	432

LIST OF FIGURES

Figure		Page
Chapter 1		
1.	Percentage of staff in executive agencies or working on Next Steps lines. 1 April each year	31
2.	Stages of a typical workplace downsizing, sale or closure	37
3.	Employment totals (UK) seasonally adjusted	39
4.	Numbers unemployed and the number of publications on unemployment and health	45
Chapter 2		
1.	Possible pathways in the association between job insecurity or unemployment and ill-health, premature mortality, and health-related outcomes	53
Chapter 4		
1.	The Whitehall II Study	145
2.	Stages in the privatisation of PSA	164
3.	Chronology of the Whitehall II study and privatisation of PSA ..	165
Chapter 8		
1.	Employment status of PSA cohort 18 months post-privatisation	333
Chapter 9		
1.	Job Insecurity “It’s all in the mind”	385

CHAPTER 1 BACKGROUND

Outline of Chapter

The background to the work presented in this thesis is laid out in the following chapter which starts by documenting the restructuring of the labour force since the 1970s. This is followed by a detailed examination of restructuring in the United Kingdom (UK) Civil Service and the privatisation of the Property Services Agency (PSA). The latter half of the chapter comprises an exploration of change in employment status, presenting a framework which describes the possible changes that follow the job loss threat, specifically in the context of downsizing, privatisation and workplace closure. Different occupational positions, both in and out of the labour market, are discussed next with sections on secure employment, insecure employment and job insecurity, non-employment, and economic inactivity.

1.1 *Labour market change*

Over the past two decades the structure of the labour market in the UK has undergone considerable change. Such restructuring has not been restricted to the UK, but is being experienced world-wide, especially in the advanced industrialised societies of northern Europe and North America^{1,2}. Four factors have made major contributions to this restructuring; deindustrialisation, technological innovation, globalisation and a commitment to a free market economy, including the privatisation of public services.

There has been a marked shift in the economy of England and Wales away from manufacturing towards the service industries. Only around 25% of men were employed in manufacturing in 1997 compared with 33% in 1981³. The current replacement of low level intellectual functions by electronic devices - such as cash dispensers, security devices, and automated manufacturing - and the advent of global information systems constitute a deep and broad technological revolution affecting all aspects of society⁴. These technological

innovations have fuelled growth in developing countries and provide easy access to a marketplace that can now be global rather than local. Combined with low wage costs these factors can give the newly industrialising countries a competitive edge over the post-industrial countries⁵.

Deindustrialisation and technological change have been accompanied in many European countries and North America by a strengthening of the role of market forces. In the UK, 1979 saw the election of a government which led the way in its commitment to the free market and the development of a competitive, efficient and flexible labour market⁶. Taken together these changes mean that the labour markets and job security associated with the social order since the Second World War are undergoing major change⁴.

After the Second World War there was a gradual strengthening of job security in the UK, achieved through collective bargaining in the period of relatively full employment from the late 1950s onwards. However, despite the availability of jobs in the 1960s and early 1970s, the UK's industrial performance was declining. Unemployment began to rise steadily from 1976 and then steeply from 1979. Official unemployment in the first quarter of 1979 was 5.9%, a figure which continued to rise and by late 1982 was 12.9%, despite the onset of recovery in the economy⁷. Although unemployment was beginning to fall by late 1987, the decline only lasted until the end of the decade⁸. From 1990 it rose again, reaching a peak of 10.6% by the spring of 1993⁹. A gradual decline in the rate has been seen since 1993, although precise comparisons of figures are difficult because of complex changes in official statistics during the 1980s and 1990s^{7,9}. Unemployment benefit, to which entitlement was 12 months, was replaced by the Jobseeker's Allowance in October 1996¹⁰. Stricter eligibility criteria and reduction of entitlement to 6 months mean that the Jobseeker's Allowance is projected to exert further downward pressure on the number officially registered as unemployed¹¹.

Between 1975 and 1993, the proportion of the UK population of working age classed as full-time, tenured employees fell from 55.5% to 35.9%¹². Throughout the 1970s and 80s

this exodus was mostly blue collar, and it is these workers who have continued to bear the brunt of job losses in the 1990s. Yet increasingly the same factors - downsizing, mass layoffs, long term unemployment, and downward mobility - are affecting white-collar workers. These comparatively well-educated members of the work force, traditionally accustomed to long-term, secure employment are now experiencing degrees of employment instability largely unknown to them in the past¹³⁻¹⁵.

The informal social contract governing employment relations has also changed. A tranche of legislation has weakened trade unions¹⁶, and a climate has been created which has facilitated the erosion of employment rights and the casualisation of labour^{17,18}. Concomitant cuts in public spending have had two effects on job security. Cuts in public expenditure have led to job losses in the state sector, while cuts in welfare and unemployment benefits have made unemployment even less attractive¹⁹, and are likely to have increased the anxieties of those still in work, exacerbating feelings of insecurity.

1.2 Privatisation and the Public Sector

The public sector and the Civil Service in the UK for a long time were immune from the pressures of the marketplace. Among the main attractions of public sector employment were the offer of job security, a career and good conditions of service. However, much of this changed during the 1980s when the UK led the way among industrialised countries in moves toward privatisation and away from planned public ownership and provision¹⁸. Privatisation of the first public service came in 1984 with the sale of British Telecommunications. By the end of 1997 most remaining public utilities had been privatised, and privatisation was increasingly being introduced into education, health care and local government.

During the 1970s there was growing hostility in the press and within public opinion to the increasing size, bureaucracy and cost of the Civil Service. Sir Derek (now Lord) Rayner was appointed in 1979 to head an 'Efficiency Unit'. The unit introduced a programme of

'scrutinies' to examine the implementation of government policy. Over 300 scrutinies in the eight years from 1979 led, directly or indirectly, to widespread changes in the management of central government, with savings of over £1 billion²⁰. In 1983, Rayner was succeeded by Sir Robin Ibbs. Ibbs substantially enlarged the Rayner agenda, initiating an enquiry which resulted in the 1986 report 'Using Private Enterprise in Government'. The report recommended the examination of all government work to determine whether it could be improved by transfer to the private sector, or could be abolished altogether²¹. Implementation of this recommendation was largely through the 'Next Steps' programme, introduced in August 1988.

1.2.1 *The Next Steps Programme*

The Next Steps programme was essentially an attempt to pull together the various policies and initiatives implemented over the previous decade and meet the twin goals of cutting expenditure and staff numbers while improving efficiency. The main plank of the programme has been to separate the executive functions of government from policy advice, and to transfer the former to clearly designated units within departments called agencies²². When Next Steps was launched two views of executive agencies existed. One saw agencies simply as means to more efficient business management and better service delivery. The other saw agencies as providing the possibility to privatise a range of public sector activity, contract out another part, and manage the remainder more efficiently. Time proved the latter to be more in line with practice.

Next Steps promised, within a decade, to transform the Civil Service on a scale unseen for over a century, and since 1988, 384,000 civil servants (76%) have been hived off into 138 executive agencies²³ - *Figure 1*. Before the decision is made that an executive function should become the responsibility of an agency within government, a number of prior options are considered, including abolition, market testing, contracting out, and privatisation^{24,25}. The market testing of executive functions is the process whereby civil

Figure 1:

Percentage of staff in executive agencies or working on Next Steps lines. 1 April each year

Percent of total Civil Service

SOURCE: MANDATE AND DEPARTMENTAL RETURNS CIVIL SERVICE STATISTICS 1997; CABINET OFFICE

servants have to tender for their traditional domains of work against outside competition, a process which may lead to the contracting out of functions. These activities have not gone without criticism²⁶⁻²⁸ and hundreds of thousands of civil servants have taken industrial action over the issue^{29,30}.

Agency creation is not an end in itself. The declared aim is 'that every public service should be provided in the most appropriate and cost-effective way'(p.9)³¹, and so agency functions are periodically reviewed and the prior options are re-considered. Each review is announced to Parliament and the responsible department issues a press notice. In addition, departments write to those with a direct interest and the review is announced in *Government Opportunities*, a publication which details information on the procurement of Central Government services²⁵.

The application of private sector practice to government function through the Next Steps programme has exposed civil servants to unprecedented levels of job insecurity and redundancy, reducing the size of the Civil Service from 732,000 in 1979 to 520,000 by 1995³². Dr Elizabeth McCloy, Chief Executive of the former Civil Service Occupational Health and Safety Agency, has suggested several additional changes generated by this organisational restructuring which, due to rapid implementation - often without adequate preparation - have been perceived by the work force as additional stressors. These comprise: delayering and the collapse of hierarchies, which to the individual may appear as a threat to status or promotion prospects; increased delegation of responsibility, which for some has involved forgoing responsibility, and for others accepting responsibility before training has been given and relevant skills acquired; team working, which requires increased personal interaction and may involve team performance-related pay with its attendant anxieties of individual remuneration dependent on the diligence of others; and a marked increase in work hours with no expectation of time off in lieu, which has resulted in the genuinely sick coming to work and in guilt and feelings of inadequacy among those who do take leave³³.

1.2.2 *The Privatisation of the Property Services Agency*

The origins of the Property Services Agency stretch back some 600 years to the formation in 1378 of the Office of the King's works, which assumed central administrative and accounting control of all the principal royal buildings. During its long history it has been headed by such distinguished men as Geoffrey Chaucer, Inigo Jones, Christopher Wren and Robert Adam. In 1851 the Office of Works effectively became a separate ministry, and in 1962 it was renamed the Ministry of Public Buildings and Works³⁴.

By late 1970 the Ministry of Public Buildings and Works had merged with the Ministry of Transport and the Ministry of Housing and Local Government to form a super-department, the Department of the Environment (DoE). However, construction was soon seen as different in nature from the other constituent parts of the new department, and as its functions were mostly executive it was decided that a departmental agency^a should be set up. Thus PSA came into being in September 1972³⁴.

The 1970s saw the Civil Service reach its greatest post-war size and the PSA's work programme reflected this. It was the largest single construction organisation in the UK, with an annual turnover of £2.8 billion (at 1987 prices). It had offices worldwide, through serving the needs of the military and the Foreign and Commonwealth Office, and at its peak it employed around 46,000 staff³⁴. However, the 1970s ended with a determination to reduce public expenditure and the size of the Civil Service.

One of the aims during the 1980s was to make individual departments more accountable for their resources and expenditure. For PSA this concept was given added impetus in April 1988 when civil departments were freed from their obligation to use PSA to provide them with construction services. PSA was to become a provider of services like any of its private sector counterparts, and was to operate on a fully commercial basis³⁵.

^a A departmental agency is not the same as an executive agency.

Early in 1988 the future of PSA was envisaged in terms of a trading fund^{36,37}. However, by December of the same year this plan had been jettisoned in favour of selling-off parts of the organisation, probably in a 'professional-led management buyout'³⁸. This remained the view until the decision to sell-off the whole organisation was announced in the press at the end of September 1989^{39,40}. Originally planned for 1997, the privatisation date was brought forward 5 years⁴¹, and the PSA and Crown Suppliers Act, laying 'the basis for selling off the PSA, probably in 1992', received its second reading in the House of Commons on the 6th December 1989⁴². At the time of the bill Christopher Chope, the minister responsible for PSA, forecast 'significant' staff cuts in the run up to the privatisation⁴³. These were to be in addition to the 10% shrinkage in professional and technical staff that had already taken place in the 12 months preceding April 1989⁴⁴. Professional journals reported that by March 1988 PSA staff were 'becoming demoralised at the continuing uncertainty surrounding the agency's future'^{36,45}, a situation which deteriorated over the coming months. The climate of uncertainty was not helped by the closure of Crown Suppliers, the former supplies division of PSA, after the attempt to sell it to the private sector fell through in 1990.

In November 1989, the head of PSA, Sir Gordon Manzie, announced that PSA was to be restructured from April 1990 into four operating divisions: PSA Projects, which was to cover the design and project management of large projects; PSA Building Maintenance, which was to be responsible for maintenance and locally designed new works; PSA Specialist Services; and PSA Overseas⁴⁶. Later, Building Maintenance was separated into 5 regional stand-alone businesses, PSA Specialist Services was amalgamated with PSA Projects, and the overseas division was closed down³⁵.

The sale of PSA Projects was launched in May 1992³⁵. The identity of rival bidders were disguised by giving them the names of the Marx brothers⁴⁷, the successful bidder (Chico, alias Tarmac) being announced on October 1st^{48,49}. Less than a month before the sale fears were being expressed about the mounting costs of the privatisation. Originally ministers had estimated that 1,200 of the 1,700 staff would transfer to Tarmac, but 850 had already

voted to take redundancy payments, many of them senior and skilled civil servants⁵⁰. On December 1st 1992, the day of the sale, the estimated cost to the taxpayer stood at £250 million, including more than £120 million in bribes to Tarmac⁵¹. Staff who chose to transfer to Tarmac did so under the Transfer of Undertakings (Protection of Employment) or Tupe regulations. The rest, who had not opted for redundancy, were seconded to the new company for a period which could be up to 2 years, but for anyone whose skills were not required was often only a month.

The sale of the five Building Management companies was launched in January 1993, and was completed by October of that year. Completion of the sales meant that PSA effectively ceased to exist. Only a small residuary body, charged with the task of winding up, remained until the end of March 1996.

1.3 *Change in employment status*

The first part of section 1.3 examines changes in employment status, particularly in the contemporary context of workplace closure, downsizing in the private sector and privatisation in the public sector. Following this, the section considers different positions in the labour market in order to facilitate an understanding of the possible impact of moving between them, for example, from secure employment to unemployment.

1.3.1 Labour market transitions

Entering the labour force, changing jobs, promotion, redundancy, unemployment and retirement are the major transitions during working life. Some of these transitions are willingly entered into by the individual, but the worker may have little control over others. Both retirement and job loss are included in commonly used lists of stressful life events⁵², but other, less dramatic transitions, such as loss of security in an existing job or the move from secure to insecure employment have received little attention. In addition to the loss of employment per se, this thesis concentrates on these two examples of job insecurity.

In *Study 1* the effects of loss of security in an existing job were examined, while *Study 2*, via the privatisation of PSA, was able to follow workers through the stages which comprise every workplace downsizing, sale or closure. These stages take the worker from a position of secure employment through a period of job insecurity, to exit from the labour force, and into subsequent secure or insecure re-employment or non-employment. This process bears many similarities to the unemployment process, as described by Joelson and Wahlquist,⁵³ - *Figure 2*.

As shown in *Figure 2*, the work force at baseline is in secure employment, unaware of future changes. Secure employment is followed by a period of uncertainty and rumour, termed the 'anticipation phase'. The anticipation phase, which may be protracted, is when members of the work force realise that change is likely to happen but are not sure how, or if, they may be affected. This phase is followed either by the removal of the threat and continued employment, or by the 'pre-termination phase'.

The pre-termination phase is the period immediately prior to the closure or sale. By this time, some workers will have already left and future job change or job loss for most will be certain⁵³. In cases where the whole process is very rapid, both the anticipation and pre-termination phases may be very brief. After the closure or sale ex-employees either find re-employment or become non-employed, mostly unemployed, or economically inactive (see 1.3.4 for an explanation of these terms). Subsequent to this, non-employment may continue or re-employment may occur⁵⁴.

While a useful model, this is obviously an oversimplified view of any workplace closure as, inevitably, phases of the process overlap and will be perceived by individuals as occurring on different time scales. Further, the effects of all these transitions and threats will be modified by external factors like re-employment possibilities, benefit levels, pensions and severance payments.

1.3.2 Secure employment

Figure 2 - Stages of a typical workplace downsizing, sale or closure

Recession in the early 1990s was characterised not only by a reduction in the number of available jobs, but also by a shift away from permanent full-time employment. The new employment pattern comprised part-time work, fixed or short-term contracts, new forms of self-employment, and the use of consultants and agency staff^{6,55,56}. Full-time employment has remained on the wane despite the end of the recession. Only 31% of the jobs created in the economic recovery of 1992-96 were full-time⁵⁷. A national survey by the Department of Social Security of a cohort of men showed that 74.9% of those aged 35-44 were in full-time, secure employment in 1978/79 but that by 1992/3 this percentage had dropped to 53.3%. This same group of men had also seen a much slower growth in their real earnings than men 10 years younger, with 32% of them having experienced zero growth or a decrease in earnings between 1978/9 and 1992/3⁵⁸.

Recent data show that the unemployed claimant count appears to be recovering towards its 1990 levels. However, the same is not true for the numbers in work. Three quarters of a million fewer people were employed in September 1996 than in March 1990. More significantly, this overall total disguises the extent to which male employment has failed to recover. Comparing figures for March 1990 with those for September 1996 shows that male employment was 993,000 lower than before the recession started. However, female employment was 245,000 higher, having made significant recovery since December 1992⁵⁹

- *Figure 3.*

In addition to voluntary transitions within and between organisations, job changes are precipitated by factors outside individual control. These include promotion, demotion, transfers between branches and the effects of major alterations to management style and/or job content and mode of working, as well as workplace closure and a shift towards casual employment. Where redundancy is involved, the new job is usually defined as re-employment even when it follows on from the old without an intervening period of non-employment. Those for whom re-employment follows a period of unemployment suffer more of a drop in status and earnings than those who move straight into a new job⁶⁰. Thus, re-employment may also be stressful, especially if the job obtained is an undesirable one⁶¹.

Figure 3: Employment totals (UK)
Seasonally adjusted

SOURCE: WORKING BRIEF 1997; 82:20

1.3.3 *Insecure employment and job insecurity*

The 1994 British Social Attitudes Survey⁶² and studies of job characteristics suggest that job security is of major importance to workers⁶³. Much work on the concept of job insecurity has been carried out by Hartley and colleagues who define it, in general terms, as the discrepancy between the level of security a person experiences and the level s/he might prefer⁶⁴. Some researchers limit the concept of job insecurity to the threat of total job loss while others extend it to include loss of any condition of employment⁶⁵.

Both these definitions of job insecurity encompass large numbers of workers in insecure employment. The most vulnerable of these belong to that section of the labour market in which wages are low and employment rights few. Such employment is often seasonal, part-time or temporary, and is frequently used to buffer short-term changes in labour requirements. This labour force is comprised mainly of foreign workers, immigrants, ethnic minorities, older workers, and to some extent women, especially those with young children. Another category of employee for whom job insecurity is an integral part of the work experience consists of freelance workers and professional or technical staff who take short-term contracts because no permanent jobs are available.

Members of the above groups understand that job insecurity is an ongoing, integral part of their work experience and consequently they have a relatively stable set of beliefs about the labour market and their prospects in it. For another category, however, job insecurity involves a fundamental and involuntary change in workers' beliefs about the work environment or about their place in it, from the perception that the worker's position in the organisation is safe, to one that it is not⁶⁴. The subjects of this thesis fall into this latter category. However, experience of this type of job insecurity is often the pre-cursor to employment in one of the other categories of insecure jobs.

Very little has been written about the experience of job insecurity. Unlike the clear cut transition involved in actual job loss, from being visibly employed to being visibly

unemployed, the experience of job insecurity takes place with minimum social visibility. Job insecurity is not institutionalised and has no privileges attached to it. Except when job loss is imminent, the worker is expected to maintain an effective performance in the organisation. One of the few papers which describe the experience of job insecurity is based on data from a study among Israeli civil servants after the government had announced a 3% cut in public sector employees. Responses from study participants provided the following formulation of the job insecurity situation: 'An externally imposed and unpredictable threat to job continuity that has a highly bewildering and disrupting effect'. Job insecurity induced feelings included demoralisation, lack of control, declining self-esteem, stress, self-blame (personal and collective), and loss of trust in those in positions of power⁶⁶.

The depth of the job insecurity experience is dependent on the perceived probability and perceived severity of losing one's job⁶⁴. Thus, job insecurity has a large subjective appraisal element which will be highly context dependent, and the job insecurity experience may effect employees who, ultimately, are not made redundant as much as those who are. Job insecurity arising from the threat to a particular job may be translated into employment insecurity if subsequent jobs prove hard to find, or chronic job insecurity if the job loss threat continues for a long period of time.

1.3.4 Non-employment and economic inactivity

For the purposes of this thesis the non-employed are defined as those above the minimum age for full-time employment and below the UK state retirement age, who are physically able and would like to work but are not in paid employment. The definition thus includes the unemployed, the retired (mainly early retired) who want further employment, and discouraged workers. The latter group comprises mainly women married to unemployed men, who face a benefit disincentive to employment⁶⁷ and those who perceive finding paid employment as impossible and have given up the search.

Whereas the non-employed would participate in the formal economy if there were jobs available, the economically inactive would not want work even if a job was offered⁶⁸. For many workers this state comes with early retirement or retirement, although the term retirement is much more relevant to men than women. In 1983 only 56% of women aged 74 described themselves as retired⁶⁹. Women who are permanently out of the labour force are more likely to describe themselves as housewives. Two other categories of those permanently out of the labour force are the long-term sick or disabled, and those of private means who do not want to work.

Unemployment

Unemployment may refer either to the aggregate rate of unemployment in a community or to an individual's personal unemployment experience. The level of unemployment is a sensitive political issue, and defining those who are to be counted as unemployed is the subject of considerable debate.

There are two ways in which official data on unemployment are collected and published. The numbers reported in the media each month represent those on the register of unemployed people receiving benefit and looking for work, i.e. the 'Claimant Count', which stood at 1,487,000 in August 1997⁷⁰. The claimant count has been severely criticised⁷¹. Over the last 15 years numerous changes to the eligibility criteria have resulted in declining confidence in the figures, and further, it excludes many people who consider themselves unemployed, such as those not in receipt of benefits.

The other method of counting used by the government is the Labour Force Survey (LFS) based on a sample of 60,000 households. The 'standard' LFS count is all those who have not worked for pay or profit in the last week, who want to work, are available to start work in the next two weeks, and who have looked for work in the previous 4 weeks. Using this expanded definition, the standard LFS count of 1,997,000 puts the jobless total up by 500,000 compared with the claimant count. However, the LFS, like the claimant

count, has come in for considerable criticism⁷².

A much broader interpretation of the LFS figures is applied by the Unemployment Unit. By including those who want work but have not looked in the last 4 weeks or are not available to start, those on government training schemes, and those in part-time work who would like a full-time job they derive a figure which reflects the slack in the labour force⁷¹. Those comprising this 'slack' labour force in the summer of 1997 numbered 5,225,000, or 16.7% of the economically active population⁷⁰.

Unemployment is differentially distributed in many ways. The proportion of women in the labour force in employment^b has increased considerably over the last 25 years to 44% in 1996⁶². However, officially recognised unemployment remains higher in all age groups among men than among women, due to womens' domestic roles combined with the restrictions on benefits for married women. Although middle class unemployment is increasingly common^{15,73}, unemployment is and has always been concentrated among the unskilled, the low paid, and those who have experienced previous bouts of unemployment. Family and friends are important in the search for work, particularly among the unskilled. This tends to work against the single or divorced, and those who have no social contacts⁷⁴.

Discrimination on the grounds of age is greatest against the youngest and the oldest in the work force⁷⁴, although the length of unemployment spells among the young is generally relatively short⁶². Fewer training opportunities exist for those over 50⁶⁹ and it is well established that men who experience unemployment over the age of 55 tend to move into lower grade, lower paid jobs^{60,75}. Further, once they are unemployed, older workers face the longest average duration of unemployment. In Spring 1996, 32% of unemployed men aged 50-64 had been unemployed for three years or more, compared with 16% of men

^b the labour force in employment is a measure obtained from household surveys and censuses, of employees, self-employed persons, participants in government employment and training programmes, and persons doing unpaid family work⁶²(p.72).

aged 20-29⁶². In recognition of their reduced chances in the labour market, since 1983 all unemployed men over 60 who are entitled to Income Support no longer have to register as unemployed⁶⁹.

Overall unemployment rates for non-whites are over twice those for whites and between certain groups much larger discrepancies are seen. For example, Pakistani/Bangladeshi women are nearly five times as likely to be unemployed as white women⁷⁶. Racial discrimination is a major cause of this unequal burden of unemployment which in some cases is compounded by a lack of appropriate qualifications.

Educational level has a great impact on the likelihood of unemployment. Men without qualifications have an unemployment rate which is over four times higher than for those educated above Advanced level standard, although among women the differential is only 2.5 times⁶². Levels of unemployment also differ between regions, with the lowest rate (5.2%) being found in the South East and South West and the highest rate in the North East (9.9%)⁷⁷. However, pockets within these areas may contain much higher or lower rates, for example Inner London has a much higher rate than the rest of the South East, while predominantly rural Surrey has much lower rate⁶².

Much has been written about the experience of being unemployed, the bulk of it associated with the high unemployment decades of the 1930s⁷⁸⁻⁸⁰ and 1980s⁸¹⁻⁸³. The level of research on unemployment and health likewise has tended to fluctuate with the level of unemployment however defined - *Figure 4*. Effects of unemployment, except among a small minority^{84,85}, are universally accepted to be detrimental⁸⁶⁻⁹¹, while responses to it are diverse^{79,92-95}. Unemployment is often inextricably combined with other social disadvantages, particularly low social class, poverty, poor housing, and poor environmental conditions⁷⁴. It is such an important factor in the development of social deprivation that it is included as a component in the two most commonly used deprivation scores: the Jarman Index and the Townsend. It has been suggested that unemployment is as good a proxy for morbidity as the Jarman index⁹⁶, and that the unemployment rate reflects

Figure 4: Numbers unemployed and the number of publications on unemployment and health

**SOURCE: UNEMPLOYMENT FIGURES WORKING BRIEF 1993; 44:12
PUBLICATIONS ON UNEMPLOYMENT AND HEALTH MEDLINE**

social deprivation so well it could be used for the assessment of health service need⁹⁷.

In the descriptive studies from both the '30s and the '80s, unemployment is generally characterised by stigma, isolation, boredom, monotony, general emptiness of life and, for those dependent on state benefits, increasing poverty and debt^{79,98-100}. The stigma attached to unemployment derives from the generally unsympathetic attitude toward the unemployed. Benefits are perceived as adequate, jobs available, and the 'scrounger's' life easy⁷⁴. Such attitudes lead many unemployed people to categorise themselves in other ways. Older workers may select the label 'retired'¹⁰¹, while others describe themselves in terms of their former work⁵³, or as sick or disabled⁶⁹. The stigma attached to unemployment together with its detrimental effects contribute to the perception of job insecurity, as a precursor to unemployment, as an undesirable state.

Most striking in comparisons between the '30s and the '80s is the similarity of the experience described, the central feature being one of lives constrained by lack of money^{78,79,81,98} and being forced to seek work whether or not it is available¹⁰². Little seems likely to have changed in the late-1990s. In 1994 Unemployment Benefit (UB) for a single claimant was equivalent to 14% of average earnings¹⁰³. By October 1996 UB had been replaced by the Jobseeker's Allowance (JSA) which in September 1997 provided £49.15 for a single person over the age of 25 and £77.15 for couples over 18 (Department of Social Security, personal communication).

The JSA, like UB which it replaced, is a contributory scheme but the duration of eligibility has been halved and it becomes means-tested after 6 months¹⁰³. When the JSA was introduced at least 250,000 people were made worse off and up to 90,000 lost their benefits altogether. In addition, the JSA reduced claimants' rights and increased the powers of the Employment Service (ES) to cut benefit if job seeking activities are deemed inadequate, or if compulsory remotivation programmes are missed¹⁰⁴. The ES executive agency's performance is measured against benefit sanction targets which are set annually, and sanctions are applied irrespective of the availability of work in a given area.

Early Retirement

Some of those who take early retirement actively seek further employment, others become discouraged workers, but many leave the labour force for good, either through ill-health or by choice. Thus, some early retirees should be classified with the non-employed, others with the economically inactive.

The definition of early retirement used in government information to older people is 'retirement before state pensionable age'¹⁰⁵. Retirement in its traditional form is experienced by fewer and fewer workers. In line with an international trend, early retirement in the UK has risen considerably over the last two decades, and public policy, as in many other industrialised countries, has encouraged people to retire early as a means of reducing the work force without antagonism from either employees or trade unions^{69,74}. Direct evidence of this was provided by the work force reductions during the recessions of the 1980s and 1990s, in which the brunt was borne by older workers^{12,106-109}. In 1977, 81% of men aged 55-64 years were working, but by 1992 this had been reduced to 59%¹⁰⁶, a statistic which underlies the role of large scale unemployment in the dynamics of early retirement.

For several reasons the degree of voluntariness in the early retirement decision has been little studied. The social meaning of early retirement and redundancy are not fixed but dependent on the prevailing level of unemployment and the financial implications of the different ways of leaving employment¹¹⁰. Some older workers feel a moral obligation to make way for younger people¹¹¹, encouraged by early retirement incentives like the Job Release Scheme introduced in the 1980s^{62,74}. Further, in an organisation under threat it is difficult to know whether those who opt for redundancy or early retirement really do so voluntarily^{109,112}. For some workers in such situations, acceptance of redundancy or early-retirement terms is likely to provide a way of resolving the negativity associated with job insecurity.

Until the 1980s early retirement was almost always connected to a breakdown in health. Ill-health remained the main determinant of early retirement in the UK during the late 1970s¹¹³, and a study in Sweden in 1983 concluded it was possible to predict early retirement on the basis of a health examination¹¹⁴. During the 1980s and 1990s the primacy of health in the early retirement decision was contested, with financial incentives, financial security, and the desire to have leisure time and a life as a pensioner considered as prime factors alongside health¹¹⁵⁻¹¹⁸. However, although decreasing in importance, health breakdown was considered by many to remain a significant determinant of early retirement^{119,120}, together with disease or disability prevention¹¹⁶. A recent study in the Netherlands found that economic considerations had no effect on the early retirement decision of civil servants, but the study confirmed a significant role for health. Other significant factors were number of dependents, marital status, adverse work conditions or recent re-organisation of the department in which the respondent worked¹²¹.

A qualitative study of male early retirees found that the early retirement career of the majority of respondents revolved round leisure, relaxation, free time and the family. For such men satisfaction with retirement and quality of life were high. However, for a significant minority of working class respondents the central feature of the early retirement career was adjustment to ill-health and for these men satisfaction with retirement and quality of life were reduced¹¹⁸.

Despite its increasing contribution to the early retirement decision, income in early retirement is difficult to determine. It is dependent on savings and investments, lump sum payments on exit from the labour force, age at which any occupational pension is activated, receipt of state benefits and the ability to find further paid employment. Many of these factors are related to previous occupational status, as is the case in retirement, but it has been noted that the burden of early exit from the labour force has fallen disproportionately on women and men in the lower social classes⁶⁹.

Retirement

All workers eventually retire, irrespective of workplace closure or restructuring. For a long time the official retirement age for men in the UK was 65 and for women was 60. However, in 1995, in a change that elicited little opposition, the retirement age for women born after 1950 was made equal to that for men. In many jobs receipt of an occupational pension is dependent on reaching state pensionable age. However, some occupations like the Civil Service and the Armed Forces have an occupational pension age below state pensionable age¹⁰⁵. For civil servants of both sexes this age is 60. Such pensioners have to wait until they reach the official retirement age before they receive a state pension or other concessions which attend the retired state.

Income in retirement is derived from sources similar to those in early retirement, although older women are much less likely to have an occupational pension than men⁶⁹. The state pension, paid in April 1998 to 10.4 million people, was £62.45 for a single person and £99.80 for a couple (DSS, personal communication). In 1993 78% of single pensioners and 62% of pensioner couples derived at least 50% of their income from state benefits. Consequently, between 1992 and 1993, after deduction of housing costs, 60% of single pensioners and 49% of pensioner couples fell into the bottom two quintiles of the overall population income distribution¹²².

The long-term sick or disabled

At times of low unemployment, the great majority of men with long-term illness are in fact employed and derive most of their income from paid employment. As unemployment rises, men with some degree of illness are increasingly forced into economic inactivity and thus into dependence on disability pensions or benefits¹²³. Official retirement on health grounds tends to be expensive for the employer as it is available to all age groups. Provision or refusal often depends on advice given to the company by its own medical advisor, and there may be an expectation that this will confirm the action management proposes to

take¹²⁴. Consequently, older workers, despite ill-health, may be given an early retirement package, rather than retirement on health grounds. A result of such confusion is the definition of early retirement in one study as 'retirement before 65 with a disability pension' (p.388)¹²⁵.

In November 1997 6.5 million people were registered as disabled in the UK¹²⁶. Among those of working age, 49% of men and 19% of women who were economically inactive in Autumn 1995 were classified as long-term sick or disabled⁶². Spending on disability benefits has soared from £4.1 billion in 1982¹²⁶ to a level of £23.5 billion in April 1998¹²⁷. Increases in the numbers applying for disability benefits have been attributed to increasing unemployment¹²⁸, the Restart initiative, introduced in 1986, and increasing stringency in the eligibility criteria for receipt of unemployment benefits¹⁰⁶, which have further increased with the introduction of the Jobseeker's Allowance^{10,104}. A number of disability benefits are not means tested although, in general, the income of the long-term sick and disabled falls well below the national average.

Summary

Changes in the structure of the labour market which have occurred over the last two decades, and are still ongoing, have resulted in many workers losing the security of employment they previously enjoyed. Increasingly these changes are affecting white-collar worker who hitherto had been relatively immune to job insecurity and redundancy. While secure employment has declined, the proportion of the working age population classified as unemployed or inactive has increased, as have the number of part-time jobs and fixed-term contracts. Although some positions in the labour market, such as early retirement, have beneficial aspects, in general, all other labour market positions compare unfavourably with long-term secure employment.

CHAPTER 2 LITERATURE REVIEW

Outline of Chapter 2

Findings from previous research which have a direct bearing on the work presented in this thesis are laid out in the following review of the literature. The chapter starts by presenting the theoretical framework around which each part of the review has been structured. This is followed by *Part I* which reviews studies that have examined the health effects of job insecurity other than in the context of workplace closure. As it is the threat of unemployment that generates job insecurity, this is followed in *Part II* by a review of the major research findings on the effects of unemployment on health. *Part III* comprises a review of the 21 workplace closure studies found in the literature since 1970. A brief description of each study is followed by an examination of the effects of workplace closure on employment status. The next section discusses methodological limitations of the existing workplace closure studies. Findings on health and health-related outcomes are then presented, separating the effects of job insecurity prior to closure from unemployment and the effects of re-employment post-closure, where possible. Each of Parts I - III considers explanations of the employment status-health relationship, effects beyond the individual, and concludes with a summary.

Job insecurity or unemployment, and ill-health, premature mortality and health-related outcomes

Many studies have demonstrated excess ill-health¹²⁹⁻¹³¹ and mortality¹³²⁻¹³⁴ among the unemployed and the evidence strongly suggests that unemployment and health are linked. Job insecurity has received little research attention to date, possibly because its potential to damage health is less obvious.

The relationship between unemployment and health has been attributed to two

mechanisms: (i) those who suffer ill-health or have other personal, socioeconomic or sociodemographic disadvantages may be more likely to lose their jobs or fail to find employment (selection); and (ii) becoming unemployed, prolonged unemployment and factors associated with unemployment, such as loss of income, may have a negative effect on health and increase the risk of premature death (causation). Job insecurity may affect morbidity and mortality via similar mechanisms. Pre-existing morbidity and personal, socioeconomic or sociodemographic attributes may render an individual more anxious about the threat of job loss, and job insecurity may have direct effects on psychological and physical morbidity. Health-related outcomes, such as sickness absence and health-service use, which incorporate both a behavioural and a health component may be a response to pre-existing morbidity, personal, socioeconomic or sociodemographic characteristics, job insecurity or unemployment, or the morbidity associated with job insecurity and unemployment.

When an organisation starts to wind down its work, or during major organisational change, it is probable that characteristics of the work environment, such as pace of work or use of skills, will be affected. It is also possible that a response to the uncertainty generated by major organisational change or workplace closure and to the adversity associated with unemployment might be an increase in alcohol consumption or other changes in health-related behaviours. This chapter sets out to review existing evidence of the effect of job insecurity and unemployment on health following the theoretical framework laid out in *Figure 1*.

Figure 1 presents some of the pathways that may lead to an association between job insecurity or unemployment and ill-health, premature mortality and health-related outcomes. The solid lines indicate potential causal pathways, while the dotted lines indicate pathways that could generate confounded associations.

Figure 1: Possible pathways in the association between job insecurity or unemployment and ill-health, premature mortality, and health-related outcomes

Part I - Job insecurity and health

The topic of job insecurity has attracted rather limited interest from epidemiologists and social scientists despite the importance attributed to job security by organisational psychology and by workers⁶³. According to Jacobsen and Hartley a major reason for this limited interest is that job insecurity is less amenable to empirical research. Job insecurity is a sensitive topic both to the individual and to the organisation. Thus, organisations, particularly those in difficulty, are understandably reluctant to become involved in studies of job insecurity which may generate further anxiety and uncertainty⁶⁴.

2.1.1 Health outcomes

Most studies of job insecurity have concentrated on effects in the psychological sphere, including attitudes to work. Apart from the workplace closure studies reviewed in Part III, very little research has looked at effects on measures of physical health, or on mortality.

2.1.1a Self-reported physical morbidity

Using the Medical Outcomes Survey Short Form (MOS SF-36) health questionnaire, cross-sectional data from the nurses' health study showed job insecurity to be significantly associated with lower vitality, physical functioning, higher pain and increased physical role limitations¹³⁵. Heaney and colleagues found that among blue collar men, chronic job insecurity, measured 14 months apart, had a significantly more potent effect on physical symptoms than job insecurity at single point in time. The researchers concluded that job insecurity acts as a chronic stressor whose effects increase with length of exposure¹³⁶. However, low initial response and response to follow-up in this study may have biased the sample.

Sleep (Sleep is not exclusively a physical health outcome but is included under this heading for convenience)

A longitudinal study of the effects of economic recession on quality of sleep in a Finnish cohort found few changes over time when data from a period of secure employment were compared with data from a period of deep recession eight years later. However, among middle-aged women the prevalence of insomnia was significantly higher during the recession¹³⁷.

2.1.1b Physiological measures

In a study of Swedish men between the ages of 26 and 32 it was found that a significant amount of the variation in systolic blood pressure was explained by relative weight, and that a high relative weight was associated with a low level of employment security. However, the analyses were not adjusted for social class and the authors note that 'obesity and hypertension are more common in lower socioeconomic strata where employment security is lower'¹³⁸. A study in North American black men found that those who expressed some or a great deal of worry about losing their jobs had systolic blood pressures 8 mmHg higher, on average, than men who expressed no concerns about job security¹³⁹. Analyses were adjusted for age, body mass index (BMI), time of day and number of cigarettes smoked per day.

2.1.1c Psychological morbidity

Research in the United States (US) in the early 1980s demonstrated that among a group of principal wage earners perceived job insecurity was significantly associated with symptoms of mild depression. In addition, job insecurity increased the risk of severe psychological symptoms by 2.63¹⁴⁰. Data from the same cross-sectional telephone survey also showed perceived job insecurity to increase the likelihood of considering seeking help, and actually seeking help for psychological problems. The effect remained significant after controlling for most known predictors of help seeking, including symptoms of psychological distress and social support¹⁴¹. Data from the nurses' health study showed job insecurity to be significantly associated with poorer mental health and emotional role limitations in

women¹³⁵.

In two relatively secure organisations, Kuhnert and colleagues found decreased job security, measured using a 5-item scale, was significantly associated with increased levels of psychological symptoms; somatization, interpersonal sensitivity, depression and anxiety¹⁴². Another cross-sectional study of managers in Canada, which measured five aspects of job insecurity, found that all aspects, except the prospect of forced early retirement, were associated with significant increases in minor psychiatric morbidity as measured by the 12-item General Health Questionnaire (GHQ) and the depression subscale of the GHQ¹⁴³. Cross-sectional analyses of a group of respondents in the Social Change and Economic Life Initiative (SCELI) showed that men in insecure jobs who had experienced previous unemployment had depression scores measured by the GHQ similar to those for the unemployed. In both groups GHQ scores were significantly higher than for those in employment. Women in insecure jobs had high scores but not as high as those for the men¹⁴⁴.

More convincing evidence that among men there is a direct causal link between job insecurity and poor psychological health has been provided by Burchell using paired longitudinal data from SCELI. Depression scores among unemployed men who remained out of work at follow-up improved marginally, as did scores among men who had been reemployed in insecure jobs. However, scores among men reemployed in secure jobs improved significantly relative to men insecurely re-employed. Among women, GHQ scores improved significantly on re-employment regardless of the security of the job¹⁴⁴. There is also some evidence that insecure employment may have a greater effect on psychological health than unemployment. In Australia, a longitudinal study of public transport workers from departments threatened with job losses or closure found continued exposure to job insecurity was associated with continuously high levels of psychological stress. Respondents whose jobs were terminated between the two data collection points reported a reduction in symptoms at follow-up. Insecure participants also withdrew more and more from their jobs and the organisation over time¹⁴⁵.

As a consequence of the oil crisis, the unemployment rate increased rapidly in Finland from 1975-78. It peaked in 1978, after which it dropped as the economic situation improved. A comparison of male death rates in Finland for 1976-77 with those for 1978-80, divided respondents into five levels of employment security based on the rate of increase in unemployment from 1975-78. No significant differences were found between the groups and the investigators concluded that job insecurity has no effect on mortality. Analyses restricted to male manual workers in city-based manufacturing industries confirmed that mortality trends were similar for men working in industries which had contracted by 30% or less and those which had contracted by more than 30%¹⁴⁶. However, security of employment was estimated by the degree of expansion or contraction in the branch of industry in which a man was employed, but no evidence was provided that this marker is a true proxy for job security or insecurity. Also, lag times of 1-4 years may be insufficient to detect significant effects on mortality.

Based on data from a 6½ year prospective study, Siegrist and colleagues found that among blue collar men job insecurity was an independent, although non-significant, predictor of ischaemic heart disease (IHD) - odds ratio (OR) 3.4, 95 % confidence interval (CI) 0.8-14.5 - after adjusting for major confounding somatic and behavioural coronary risk factors. IHD was defined as definite or probable lethal or non-lethal acute myocardial infarction and sudden cardiac death¹⁴⁷.

Suicide

In his review of unemployment and suicide Platt cites eight studies that used longitudinal data for individuals. Results from all but the Office of Population Censuses and Surveys (OPCS) Longitudinal Study point to greater job instability and occupational problems among the suicides compared to non-suicides¹⁴⁸.

2.1.3 *Health-related outcomes*

The health-related outcomes, sickness absence and health-service use, incorporate both a behavioural component and a health component.

2.1.3a Sickness absence

Company documented sickness absence in a large US manufacturing firm which cut its work force by 27% increased among managerial and professional staff and decreased among employees in lower grades¹⁴⁹. This is a reversal of the trend seen under normal working conditions in the French National Electric and Gas Company (Gazel) cohort¹⁵⁰ and replicated in the Whitehall II cohort¹⁵¹ in which company reported sickness absence is inversely related to grade of employment.

A study of the effect of organisational downsizing on sickness absence among local government workers during the economic contraction in Finland in the early 1990s found a significant association between long-term sickness absence (more than 3 days, medically certified) and the degree of downsizing¹⁵². In another paper from the same study, high job insecurity was found to increase the risk of long-term sick leave by 30% and short sick leave (3 days or less, self-certified) by 20% in comparison with low job insecurity in women and men combined¹⁵³.

2.1.3b Health service use

The few data available on health service use and job insecurity come from the SCCLI study. General Practitioner (GP) visits in the last year and hospital outpatient visits in the last three years were higher among women in insecure employment than women in secure employment, while among men in insecure employment consultations and referrals were lower¹⁵⁴.

2.1.4 *Effects on potential explanatory factors*

It is plausible that explanations of the effects of job insecurity on health include changes in other psychosocial factors, in particular other characteristics of the work environment, and changes in health-related behaviour. In this review, as in the studies presented in this thesis, economic measures, work characteristics and health-related behaviours are included separately both as outcomes and as potential explanatory factors. Thus the effects of job insecurity on work characteristics and health-related behaviours as outcomes in their own right are covered in this section, while their role in the relationship between job insecurity and health outcomes is covered in section 2.1.6. Characteristics of the work environment and health-related behaviours are similarly covered separately as outcomes and as potential explanatory factors throughout the rest of this thesis.

2.1.4a Characteristics of the work environment

Heaney's study of blue collar men, already discussed in relation to effects on symptoms, found that job insecurity significantly decreased job satisfaction and that chronic job insecurity had a more potent effect than job insecurity measured at one time point¹³⁶. Nurses reported a significant deterioration in satisfaction with co-workers following the implementation of restructuring initiatives after the downsizing of their hospital¹⁵⁵. A study of Canadian managers, discussed earlier, found that all aspects of job insecurity, except the prospect of forced early retirement, were associated with significant decreases in work effort, trust, career satisfaction and optimism about the future prospects of their career. The study also found that, with regard both to psychological health and negative work attitudes and behaviour, the aspect of job insecurity which had the strongest impact was the anticipated deterioration in working conditions¹⁴³.

2.1.4b *Health-related behaviours*

The effects of economic recession on alcohol consumption and smoking were examined in a population-based cohort in southern Finland. Baseline data collected during a period of low unemployment in 1983-87 were compared to data collected in 1995 after the severe Finnish recession of the early 1990s. Drinking three times a week or more was found to increase among all workers, while the prevalence of smoking decreased. The increase in frequent drinking and the decrease in smoking were greater among white collar than blue collar workers. However, in the absence of a control group, these changes may merely reflect trends unrelated to recession. As the authors point out, national alcohol policy changed just before Finland became a member of the European Union in 1995 and consequently alcohol consumption rose rapidly¹³⁷. However, during the recession itself, from 1990-1994, national alcohol consumption decreased¹⁵⁶.

2.1.5 *Explanations of the relationship between job insecurity and health*

The Black Report proposed four main explanations of inequalities in health; (a) artefact, (b) health and social selection, (c) materialist/structural, and (d) cultural/behavioural¹⁵⁷. Where evidence exists, these four categories will form the organising framework for considering explanations of the relationship between job insecurity or job loss and health throughout the thesis.

2.1.5a *Artefact*

Negative affect (reporting bias) is a personality trait characterised in individuals by a disposition to over-report negative events and to experience chronically high levels of distress. Such over-reporting of job insecurity and morbidity could make it appear that there was a relationship between job insecurity and health where, in fact, no causal relationship existed. The only study of negative affect in the context of job insecurity

examined its role as a predictor of morbidity¹⁵⁸.

2.1.5b Selection

Insecure employment is more common lower down the occupational scale, although, as discussed in Chapter 1, its prevalence is increasing among white collar workers. Feelings of job insecurity have been shown to depend on the perceived probability and perceived severity of job loss. Studies in Israel, the Netherlands and the United Kingdom suggest these perceptions are dependent on a number of personality characteristics (such as locus of control and self-esteem), the importance of the job to the individual, financial position, education, age and seniority⁶⁴. It also seems likely that pre-existing morbidity and previous experience of unemployment will have a bearing on perceptions, but there has been little work on this.

2.1.5c Materialist/Structural factors

(i) Income

As discussed previously, both loss of income and psychosocial factors can be considered to come under the general heading materialist/structural explanations. One of the main explanations of the relationship between unemployment and health is loss of income, and anticipated financial problems have been found to be mediators of the relationship between unemployment and health problems¹⁵⁹. In the case of job insecurity actual financial problems are less obvious. However, although job insecurity is likely to generate concern about future financial security, no research appears to have examined this as an explanation of the effect of job insecurity on morbidity.

(ii) Psychosocial factors

Job insecurity itself is a psychosocial factor, often classified as a characteristic of the work

environment. Situations which generate job insecurity are likely also to affect other characteristics of the work environment, such as social support, job control, job satisfaction or pace of work. As changes in these work characteristics may have direct effects on health any relationship between job insecurity and health may be confounded by these associations. At the same time, job insecurity may alter the way people perceive or structure their work, in which case other characteristics of the work environment may also mediate as well as confound the relationship between job insecurity and health.

Social support from family and friends and integration in a supportive network has been shown to moderate the negative effects of unemployment¹⁶⁰⁻¹⁶². However, the little work that has been done to examine social support in the context of job insecurity has produced conflicting results^{140,145,163}. In a cross-sectional study of 306 graduates in the US (response rate 50 %) social support at work significantly moderated the adverse effect of job insecurity on job satisfaction, intention to quit, and job behaviours such as lateness and absenteeism¹⁶³. However, only weak support has been demonstrated for a moderating effect of social support on the relationship between perceived job insecurity and psychological symptoms¹⁴⁰, and neither support from colleagues, management nor unions moderated the negative impact of job insecurity on psychological health among public transport workers in Australia¹⁴⁵.

A study of the relationship between organisational downsizing and sickness absence in Finland found low control at work significantly increased the risk of medically certified sickness absence of more than 3 days among both women and men¹⁵³. As in the Whitehall II study¹⁶⁴, the effect of low control was stronger among men than women. Negative life events and the personality trait, sense of coherence were also significant predictors of sickness absence, but only for women. Social support did not relate to absence in either sex¹⁵³. Job control was also examined in a study of the impact of job insecurity among black gold miners in South Africa. It was found that job control moderated the adverse effect of job insecurity on physical symptoms and blood pressure but not on psychological strain. When job control was high job insecurity had no adverse effects on physical

symptoms or blood pressure, but when it was low the association was significant¹⁶⁵.

2.1.5d *Health-related behaviours*

The few data that exist on cultural/behavioural explanations of the relationship between employment status and health pertain almost exclusively to health-related behaviours.

Health-related behaviours have received considerable attention in the unemployment and health literature. However, although it is plausible that responses to job insecurity may include changes in health-related behaviours, such as alcohol or cigarette consumption, no studies appear to have investigated this potential explanation.

2.1.6 *Job insecurity effects beyond the individual*

Research has demonstrated that husbands' job stress adversely affects the emotional health of their wives¹⁶⁶. This 'spillover' into family life was investigated among married university staff, both blue and white collar, in the US. The study found more significant adverse effects on marital and family dysfunction and family problems reported by women whose husbands were exposed to job insecurity than men whose wives were thus exposed. However, the measure of job insecurity stress in this study was rather ambiguous¹⁶⁷. Job insecurity among women has been shown to be associated with low birthweight for gestational age, (OR 1.3 95% CI 1.0-1.7), but not preterm delivery¹⁶⁸. Analyses were adjusted for parity, prepregnant weight, maternal height and smoking but were not adjusted for social class. Job insecurity has also been shown partially to explain inequalities in health. In a follow-up to age 33 of the 1958 birth cohort, job insecurity - identified as perceived future usefulness of work skills at age 33 - reduced the odds for social class differences (classes IV and V vs I and II) for health self-rated as fair or poor, from 2.44 to 1.96¹⁶⁹. However, measures of job insecurity may be highly correlated with social class as has been demonstrated for other work characteristics¹⁷⁰.

2.1.7 *Summary - job insecurity*

Being less amenable to empirical research, job insecurity has attracted only limited interest to date from epidemiologists and social scientists. The few data available concerning effects on physical and physiological measures seem to point to adverse effects and job insecurity has been shown to cause significant increases in sickness absence. Although job instability has been shown to be more common among suicide victims there is no convincing evidence that it increases premature mortality. However, it has been shown to be a predictor of cardiovascular disease independent of major confounding somatic and behavioural coronary risk factors.

Most studies of job insecurity have investigated effects on psychological health. These studies consistently report significant adverse effects and there is convincing evidence among men of a direct causal link between job insecurity and poor psychological health. Job insecurity is associated with withdrawal from the job, decreased job satisfaction and decreased work effort. Beyond the individual, there is weak evidence that job insecurity is associated with adverse effects on wives and families, and with low birthweight, and that it provides a partial explanation of social class differences in health.

In the absence of loss of income, possible explanations of the job insecurity-health relationship are thought to include other psychosocial factors, in particular characteristics of the work environment. Investigations of the role of social support at work have produced conflicting results, but control at work has been shown to act as a moderator of effects on physical outcomes and a predictor of effects on sickness absence. No studies have yet investigated the role of health-related behaviours.

Part II - Unemployment and health

Much research has been carried out into the effects of various occupations on health since the birth of occupational medicine at the beginning of the 18th century^{171,172}. Work on the health effect of lack of employment is more recent because unemployment in its modern form did not occur until the industrial revolution, which produced a class of workers dependent on selling their labour to earn a living. The recessions of the 1930s and 1980s generated a large volume of research on the effects of unemployment on health and numerous psychosocial factors. These studies almost exclusively involved blue collar workers. In the UK and other industrialised countries, the recession of the early 1990s was the first to involve white collar workers in any number and studies of these workers have appeared more recently in the literature.

2.2.1 *Health outcomes*

Much more research has been carried out into the effect of unemployment on psychological health and mortality than on physical health, either self-reported morbidity or physiological measures.

2.2.1a Self-reported physical morbidity

Cross-sectional population studies have documented more illness^{173,174} and poorer self-rated health among the unemployed^{162,173} compared with the employed, even after adjustment for social class and other sociodemographic factors^{123,175-178}. An analysis of employment status and health among women in the US also found that unemployed women scored more highly than employed women for chronic conditions, restricted activity days and days in bed¹⁷⁹. A population study in Spain found self-rated health to be significantly poorer among the unemployed who were not in receipt of benefits (those who had never been employed and those whose benefit had expired) but no significant differences when

those receiving benefit were compared with the employed¹⁸⁰.

Few longitudinal studies have been carried out on the effects of unemployment on physical morbidity. A case-control study in Miami showed unemployed men to have significantly poorer self-rated health, and to have spent significantly more days in bed over a 6-month period than matched, employed men¹⁸¹. However, the Department of Health and Social Security (DHSS) cohort study failed to find an increase in morbidity amongst men who were continuously unemployed for up to 12 months¹⁸², and a much longer-term study of 536 women failed to correlate discontinuities in employment with increased morbidity over a fifteen year period¹⁸³.

Sleep

A cross-sectional population study in Spain showed the unemployed slept, on average, 30 minutes longer than respondents in employment¹⁸⁰. This finding was repeated in a longitudinal study of the effects of economic recession in a Finnish cohort. Insomnia, fatigue, use of hypnotics, use of chronic medication, and length of sleep on working days increased significantly among middle-aged participants who were securely employed at baseline but became unemployed during the recession, compared with the continuously employed¹³⁷.

2.2.1b Physiological measures

Cross-sectional data from the BRHS showed that among men aged 40-59, the unemployed were more likely to suffer from bronchitis, obstructive lung disease, and ischaemic heart disease than men in employment, even after adjustment for age, social class, town of residence, and smoking. However, among men whose unemployment was not attributed to ill-health, only ischaemic heart disease was significantly elevated compared to employed men¹²⁹. Physician diagnoses of cardiac ischaemia in the Canada Health Survey, a cross-sectional population survey, were significantly higher among the unemployed than the

employed, and among the unemployed, were significantly higher for blue collar than white collar respondents¹⁷⁸.

A cross-sectional population study in Sweden found that men unemployed for 1 year or more had significantly raised levels of systolic blood pressure and serum cholesterol compared with men who had experienced little unemployment, after adjusting for age, marital status, social class and region of residence. For women, duration of unemployment correlated significantly with BMI, but not blood pressure¹⁸⁴. Other cross-sectional studies have also found unemployment to be significantly associated with raised blood pressure¹⁷⁸ and hypertension among men¹⁷³. However, the Canada Health Survey found significantly more high blood pressure among blue than among the white collar unemployed¹⁷⁸, thus studies which have not adjusted their findings for any socioeconomic marker maybe reporting confounding of the relationship between unemployment and physiological outcomes by social class.

More convincing evidence with regard to blood pressure has come from longitudinal studies. A longitudinal Swedish study of 1,083 final year students with a 5-year follow-up found a significant increase in systolic blood pressure among long-term unemployed young men, but not young women¹⁸⁵. Among male building labourers followed for two years, blood pressure increased significantly among men made unemployed over the study period relative to men who remained employed, although there were no differences at baseline. Longer periods of unemployment were associated with greater increases in systolic and diastolic blood pressure, after adjusting for age, hypertensive treatment, prior unemployment and medical complaints on entry to the study¹⁸⁴.

Prospective data from the BRHS found that employed men who became unemployed were more likely to gain over 10% in weight than those who remained in employment¹⁸⁶. Obesity has been shown to be associated with an increased risk of cardiovascular mortality over a short follow-up period¹⁸⁷. However, a cross-sectional, national population study of obesity among women and men aged 20-64 in Spain found no significant differences

between the employed and the unemployed¹⁸⁸.

A recent review of the literature stated that, although statistically significant associations between unemployment and cholesterol levels and/or blood pressure had been found in some studies, the clinical relevance of these changes was questionable. The same review also called into question a causal link between unemployment and increases in the prevalence of coronary heart disease (CHD) or hypertension, pointing to methodological flaws in the studies concerned, such as inadequate study design or sample size, and consideration of potential confounding factors¹⁸⁹. However, the authors agreed that the studies of blood pressure and unemployment by Janlert¹⁸⁴ and Hammarstrom¹⁸⁵ point to a dose-response relationship.

2.2.1c *Psychological morbidity*

In the 1930s, Jahoda and her colleagues gained great insight into the individual and social psychology of unemployment, and their theoretical insights - that work provides not only an income, but a range of other psychologically important experiences such as contact with others, time structure, and self esteem - still inform current research⁷⁹.

Cross-sectional relationships between psychological ill-health and unemployment have been demonstrated in many studies^{178,190-193}. Warr et al. have speculated that the scant findings on class differences in the psychological impact of unemployment suggest that such impact may be greater (though starting from a higher overall level of psychological health) in white collar than blue collar men¹⁹⁴, and the Canada Health Survey has shown greater psychological problems associated with unemployment among white than blue collar workers¹⁷⁸. However, such data can shed no light on direction of causality.

More convincing evidence of a causal relationship between unemployment and psychological morbidity comes from analyses of change in employment status. Among school leavers¹⁹⁵ and young people^{190,196} changes in employment status have been shown to

be associated with changes in psychological well-being. Young people who found no work on leaving school experienced a decline in psychological health, which was reversed when they entered work^{190,193}. Findings from population studies have shown psychological morbidity associated with unemployment to be alleviated by re-employment among adults and young people¹⁹⁶⁻¹⁹⁹. However, it is possible that studies which have documented improvement in psychological outcomes on re-employment^{197,200,201} may have underestimated the impact of job loss if satisfaction in the new job was not taken into account. Unsatisfactory re-employment has been shown to be associated with increased psychological morbidity and anxiety among women²⁰² and re-employment in insecure jobs is associated with increased psychological morbidity in men¹⁴⁴.

Analyses of longitudinal data from the British Household Panel Survey (BPHS) study of 7,726 adults aged 16-75 in England, Scotland and Wales found that unemployment increases the prevalence of common mental disorders, assessed using the 12-item GHQ, over a 12-month period by maintaining episodes rather than precipitating their onset²⁰³. These findings would seem to contradict the findings on change in employment status. However, the inclusion in the BPHS analyses of both respondents who were long-term unemployed at baseline and those who had become re-employed by follow-up may explain the discrepancies.

Middle aged men report greater 'employment commitment' to the jobs they have lost, and a resulting higher level of psychological distress than men aged under 30 or over 50²⁰¹. Women have been shown to be less likely¹⁹⁸, as likely²⁰¹, or more likely¹⁷⁸ to suffer as men. Length of unemployment has been correlated with degree of psychological disturbance in both women and men^{204,205}, but the duration involved varied. In less qualified teenagers (up to age 18) an initial drop in psychological well-being seemed to stabilise quite soon²⁰⁶. In men aged between 20 and 59, depression scores increased in the first few months of unemployment, but then stabilised or even improved slightly^{160,201}. Warr has concluded that the most common psychological response to long term unemployment is 'resigned adaptation', a withdrawal from social activities and the search

for work, and avoidance of new situations. Although such resigned adaptation may be accompanied by a slight improvement in affective well-being, the reductions that occur in aspiration, autonomy, and personal competence are usually considered to be unhealthy¹⁹⁴.

Fryer and Payne have even found evidence of some positive effects of unemployment, but this was in a sample of 11 carefully selected individuals who, apart from the financial aspect, were well adapted to unemployment⁸⁵. Fineman's qualitative surveys of white collar men have also come up with instances of men who seemed to cope better with unemployment than with their previous jobs^{84,207,208}. However, some of these respondents were experiencing little financial hardship and some were very confident of gaining another job. Further, this was a group for whom the demands of work may previously have precluded sufficient time for family and leisure.

2.2.2 *Premature mortality*

The relationship between mortality and employment status is regularly documented in government statistics. Mortality data for adults (1981 - 1992) from the OPCS Longitudinal Study, defined by economic activity at the 1981 UK census showed elevated rates for all groups compared with the employed⁶² - *Table 1*.

In addition to suicide, premature deaths among the unemployed result mainly from accidents and violence¹³², cardiovascular disease^{133,209,210} and stroke²¹¹. While the convincing evidence for a causal effect of unemployment on psychological morbidity would indicate that a relationship between unemployment and suicide is plausible, the more scarce and ambivalent data on physical morbidity make a less convincing case for a direct effect of unemployment on mortality from diseases.

Studies of the effect of unemployment on mortality generally fall into two categories; aggregate level studies and follow-up surveys of individuals. There are two main types of aggregate-level studies, namely analyses of time-series data and of data on populations in

Table 1: Mortality* 1981-92, by economic activity status and gender
at the 1981 census

England and Wales	Standardised Mortality Ratios	
Labour market status	Women	Men
Employed	80	84
Seeking work	133	132
Temporarily sick	282	269
Permanently sick/disabled	587	338
Retired	/	160
Looking after home/family	108	/
Other inactive	114	94
All	100	100

* Women aged 16 - 59, men aged 16 - 64

Source: Longitudinal study, Office for National Statistics
Social Trends 27, 1997 page 135

different areas. The best known time-series studies are those of Brenner, who examined the relationship between aggregate unemployment rates and total mortality, as well as cause specific mortality rates in various countries²¹²⁻²¹⁴. Brenner argued that economic instability, measured by the unemployment rate, results in changes potentially harmful to individual health. Consequently, fluctuations in mortality are largely explained by current and lagged unemployment rates. Bunn supported Brenner's work by showing that two periods of accelerating ischaemic heart disease mortality coincided with economic recession²¹⁵. However, Eyer showed that the mortality rate declines during recessions, the largest and most sustained declines occurring as unemployment is rising^{216,217}. Such time series analyses risk the ecological fallacy; in this case, as Brenner himself pointed out, it cannot be shown that the unemployed are those who become ill or die²¹⁸. Another problem with these analyses is justifying the choice of lag time, and there has been much criticism of time-series analyses in general^{219,220} and Brenner's work in particular²²¹⁻²²⁵.

Analyses of aggregated population data have been carried out from the 1930s onwards. This type of cross-sectional analysis has demonstrated correlations between unemployment levels and mortality²²⁶, including maternal mortality⁹⁸, infant mortality, deaths from rheumatic heart disease²²⁷ and ischaemic heart disease²²⁸. However, the multicollinearity of the explanatory variables in such studies makes the causal interpretation of results problematic²²⁴. More recently, a study of 98 Family Practitioner Committee areas in England and Wales addressed the problem of multicollinearity by analysing the association between rates of increase in unemployment and changes in mortality. Despite large sample sizes and wide variations no statistically significant association was found between rates of increase in unemployment and changes in area mortality rates²²⁹. A comparison of mortality data from 1976-1982 for areas of Finland in which unemployment increased at different rates between the years 1975-1978 similarly concluded that there is no systematic relationship between the rate of increase in unemployment and trends in mortality¹⁴⁶. However, 3½ years²²⁹ or 6 years¹⁴⁶ of follow-up may be insufficient to detect effects on mortality, and while such studies overcome the problem of multicollinearity they are still prone to the ecological fallacy.

More convincing evidence for causality comes from longitudinal population studies of individuals conducted in several countries in the 1980's. The OPCS Longitudinal study, which followed up a 1% sample of the population of England and Wales, examined mortality data between 1971 and 1981 for men aged 15-64 seeking work in the week before the 1971 census. Mortality of these unemployed men was higher at all ages, the average being an increase of 36%. Despite attempts to take into account additional factors which reflect pre-existing health and socioeconomic circumstances the researchers found a significant excess mortality of 20-30% remained unexplained^{132,230}.

These findings have since been confirmed and extended by other longitudinal studies in Europe. A census-linked study in Denmark followed the total working population aged 20-64 for 10 years from 1970-80. The study found a significant increase in all-cause mortality among the unemployed (40-50%), both women and men, after adjusting for occupation, housing category, geographical region and marital status²³¹. A Finnish study which covered the period from 1981 to 1985 took as its sample men between 30-54. Martikainen found a significant relative excess mortality of 1.93 among the unemployed. This relative excess mortality increased with duration of unemployment²³².

Analysing Finnish data covering the recession of the late '80s and early '90s, Martikainen and Valkonen showed mortality ratios among those who became unemployed during a period of low unemployment were higher than for those who lost their jobs when national unemployment was high. The data also showed that the jobless who were re-employed had higher mortality than those who were continuously employed²³³. The explanation for this type of finding has already been discussed under section 2.2.1. Further, in comments on this paper, Bartley observed that short-term associations between unemployment and mortality in times of high unemployment may be weaker because poor health tends to select people out of the active labour force altogether. Further, studies using the National Child Development Study (NCDS) show that forms of adult disadvantage tend to occur as part of a chain of risk and that such people are often re-employed into temporary, insecure work with poorer conditions of employment²³⁴.

Martikainen and Valkonen have also analysed data for the whole Finnish population who were economically active at the 1985 census, dividing individuals into three categories by the rate of unemployment in the occupation in which they worked. They found no significant differences in mortality trends between 1987 and 1993 for groups which experienced small, intermediate or large increases in unemployment²³⁵. Their findings, the authors suggest, indicate that the causal effect of unemployment on mortality in other studies has been overestimated. While stating that the direct selection of people with pre-existing morbidity may not be of paramount importance, they assert that the lack of data about personal characteristics and lifestyle mean that unemployment-related excess mortality in other studies may be due to unaccounted confounding^{233,235}.

Analyses of longitudinal data from the BRHS tried to take into account of both pre-existing morbidity and personal and socioeconomic factors. The BRHS included over 6,000 men aged 40-59 from 24 towns in Britain, all continuously employed for at least 5 years before entry into the study. Five and a half years later, men unemployed for reasons other than illness had a relative risk of premature death of 1.95 (95% CI 1.57 - 2.43) compared to men continuously employed, after adjusting for age, town, social class, smoking, alcohol intake, body weight and recall of doctor diagnosis assessed at initial screening, which was prior to loss of employment¹³⁴.

Suicide

In a comprehensive review of the relationship between suicide and unemployment Platt reported that individuals who commit suicide and parasuicide are considerably more likely to have been unemployed¹⁴⁸. Platt himself used time-series analyses to examine the relationship between unemployment rates and parasuicide among men aged 15 and over. He showed the parasuicide rate to be highly correlated with the unemployment rate²³⁶⁻²³⁸. However, analyses of suicide trends in Italy did not produce convincing evidence for an association between suicide and unemployment in women, and could not provide a definitive interpretation of the unemployment-suicide link²³⁹.

Data from the OPCS Longitudinal study found suicide to be significantly elevated for men unemployed at the 1971 census¹³². A recent analysis of data from the Office of National Statistics (ONS, formerly OPCS) longitudinal study which examined suicide and undetermined deaths occurring between 1983 and 1992 found a strong independent association between suicide and individuals who were unemployed. Further, this association was more important than the association between suicide and other measures of socioeconomic position²⁴⁰. Other longitudinal studies also point to greater unemployment among suicides compared with non-suicides¹⁴⁸.

2.2.3 *Health-related outcomes*

2.2.3a *Sickness absence*

Although short-term illness is a legitimate reason for suspension of job seeking activities without loss of benefit, no studies of 'sickness absence' among the unemployed have been carried out, with the exception of the early follow-up of one of the factory closure studies²⁴¹.

2.2.3b *Health service use*

A cross-sectional association between unemployment and an increased uptake of primary and secondary care, and use of medications has been found in a number of local studies and national surveys^{154,173,178,242,243}. Data from the Canada Health Survey found that among the unemployed; women, white collar workers, respondents over 40, and single respondents visited the doctor significantly more frequently than unemployed men, blue collar workers, respondents under 40, and married respondents respectively^{178,242}.

In Australia, the 1989-90 National Health Survey found that unemployed men visited the doctor significantly more often, unemployed women reported significantly more hospital outpatient visits, and unemployed people used more drugs than those in employment.

Multivariate analysis suggested that reported health status largely accounted for the reported differences in health service use¹⁷³. In a cross-sectional analysis of GP consultation rates among 13,275 men in the OPCS longitudinal survey, Yuen and Balarajan found significantly increased rates of consultation among the unemployed (OR 1.53 95% CI 1.34-1.76), after adjusting for age, housing tenure, social class, region and self-reported longstanding illness²⁴⁴.

In contrast to these findings, recent cross-sectional data from a Spanish study found no significant differences in hospital or emergency admissions between the employed and the unemployed¹⁸⁰. Further, a study in Finland showed that consultation rates among unemployed people who were undertaking 6 months employment experience were higher than among those continuously unemployed²⁴⁵. However, it is questionable whether this time-limited re-employment experience is comparable to stable employment²⁴⁶.

Few studies of change in health service use and change in employment status have been carried out. A case-control study of US veterans found that although the unemployed visited their doctor significantly more often, and reported significantly more medications than the employed, both groups had almost exactly the same number of physician diagnoses. Cases were the 10% of men who had become unemployed between baseline screening and follow-up 6-months later¹⁸¹. Analysis of individual patient data and small area statistics from the fourth national morbidity survey of general practices showed that change in employment status affected GP consultation behaviour. The continuously employed consulted the least, while those who lost their jobs during the year of the study were generally among the most frequent consulters²⁴⁷.

2.2.4 *Effects on potential explanatory factors*

2.2.4a Characteristics of the work environment

Characteristics of the work environment have rarely been measured among the

unemployed, although constructs of Karasek's demand/control model are likely to have salience for those not in work.

2.2.4b *Health-related behaviours*

Cross-sectional and longitudinal studies have demonstrated positive, negative and no associations between unemployment and smoking and alcohol use. Generally it seems that smoking and alcohol use are higher among unemployed people^{185,186,248-250}, although disagreement exists as to whether the behaviour or job loss comes first. The Scottish Heart Health study is a cross-sectional study of cardiovascular risk factors in over 10,000 women and men aged 40-59. In analyses adjusted for social class, the study found a considerably higher proportion of current and ever smokers among the unemployed. While unemployed women smoked more than employed women, unemployed men smoked less than their employed counterparts²⁴⁹. In contrast to these findings, data from the Canada Health Survey¹⁷⁸ and a population study in Spain¹⁸⁰ showed no overall difference in smoking between the employed and the unemployed, although among blue collar respondents in the Canada Health Survey the unemployed used more tobacco than the employed¹⁷⁸. An analysis of alcohol consumption among men in the Scottish Heart Health study found a higher percentage of non-drinkers and problem drinkers among unemployed men after controlling for age and social class²⁵⁰.

In a review of the literature on unemployment and alcohol consumption, Janlert and Hammarstrom found four longitudinal studies in which the unemployed reported an increase in their drinking and six studies in which alcohol consumption among the unemployed remained unchanged or decreased. Seven studies found problem drinking increased among the unemployed, whereas two found no change in drinking problems¹⁸⁴. In a study of over 1,000 school leavers followed up for 5 years, Hammarstrom found that the unemployed group drank and smoked more than respondents in the employed group. These behaviours increased in the unemployed group over the 5 year period for both sexes, except for alcohol consumption among the unemployed women¹⁸⁵. However, the

findings were not adjusted for educational level. The relationships between accumulated unemployment between the ages of 16 and 33 or unemployment in the last year, and smoking and drinking behaviour at age 33 were investigated among men in the NCDS. Compared with men who had never been unemployed, men with over 3 years accumulated unemployment were significantly more likely to be smokers, non-drinkers or problem drinkers after adjusting for social class, qualifications, age of leaving full-time education, region and either number of cigarettes smoked or units of alcohol consumed at age 16. In similar analyses, men who had experienced unemployment in the year before interview were significantly more likely to smoke, drink heavily and to have a drink problem²⁴⁸.

In contrast, a longitudinal study of Finnish manufacturing workers aged 25-49 failed to find an association between unemployment and increased frequency of drinking. Rather, if any tendency could be observed it suggested that employed people drank more than their unemployed counterparts. However, there was a weak, positive association between unemployment and frequent intoxication and problem drinking among men, which was reversed among women²⁵¹. Data from the BRHS study of men aged 40-59 found that those who later became unemployed had higher levels of smoking and alcohol consumption on entry to the study. However, in analyses adjusted for age, social class and town of residence the study found no evidence that these men increased their smoking or drinking on becoming unemployed¹⁸⁶. Evidence of an association between unemployment and a decrease in smoking have come from a longitudinal study of the effects of economic recession in Finland. The study found that smoking decreased significantly among respondents (mainly blue collar workers) who became unemployed between the two data collection points¹³⁷.

Cross-sectional studies in Canada and Spain found that the unemployed reported levels of physical activity comparable to those for the employed^{177,180}. However, a cross-sectional population study in Sweden found that women and men unemployed for 1 year or more had significantly raised levels of physical activity compared with men who had experienced little unemployment¹⁸⁴.

2.2.5 *Explanations of the relationship between unemployment and health*

Relatively few studies of unemployment and health have advanced beyond documenting the magnitude of effects on health to questions of causality. It is probable that the different kinds of health outcome associated with unemployment involve varying aetiologic and pathogenic processes. There are a number of pathways by which unemployment might produce this variety of potential outcomes. One mechanism is a direct effect of aggregate unemployment on people regardless of employment status. The link between aggregate and individual unemployment has been little studied²⁵², and most unemployment research has focussed on the indirect effect of aggregate unemployment via personal unemployment on the health of the job loser. At the individual level, loss of income, psychosocial factors and change in health-related behaviours have been suggested. A number of studies have indicated that explanations may differ for white and blue collar workers, with financial strain being more salient for lower status job losers and damage to sense of self for higher status victims of job loss^{178,194,253}.

2.2.5a *Artefact*

Although there is a limited body of work which attributes socioeconomic inequalities in health to numerical and statistical artefacts, such as the reclassification of social class at the time of each census²⁵⁴, these explanations seem rarely to have been extended to the unemployment and health relationship.

2.2.5b *Selection*

Health comparisons between the employed and the unemployed are confounded by the fact that unemployment falls disproportionately on groups who would be expected to have worse health²⁵⁵. Further, it has been suggested that the processes through which people gain employment or become unemployed could be related to their health, or to factors

associated with health, such as social class, housing, education and health-related behaviour^{131,256,257}. In this way the unemployed could be selected to have elevated risks of poor health, with the actual experience of becoming unemployed being, of itself, unimportant. Much of the work that has been done on selection has concentrated on health selection and the degree to which this occurs has become one of the major arguments in the unemployment and health debate and is crucial to the interpretation of the associations demonstrated between unemployment and poor health²⁵⁸.

When the competition for work is strong, even a minor degree of ill health may be a handicap, and ill-health has been demonstrated to be a risk for both initial job loss and for subsequent chances of re-employment²⁰⁰. At times of high demand for labour the percentage of those in poor health in the unemployed pool is relatively high. This group make up a large proportion of the long-term unemployed and in this sense, their ill-health must be regarded as the cause of their unemployment. During periods of rapid industrial contraction some dilution will occur as work forces become less selectively unemployed, but at any period when unemployment is stable, at whatever level, the unemployed will be relatively less healthy than those in employment²⁵⁹.

Much less work has considered the specific contribution of selection related to personal, demographic and socioeconomic factors, although it has been claimed that these factors may account for the excess mortality found among the unemployed^{146,233,235,257}. A qualitative study in Spain found that the effects of unemployment could not be isolated from social, economic and educational inequalities prior to unemployment²⁶⁰, and unemployment following other job losses is postulated to have more devastating effects on well-being than losing one's job for the first time²⁶¹.

Studies that have investigated or controlled for selection effects are still scarce²⁵². The OPCS longitudinal study tried to take account of the effects of selection by adjusting for social class and by examining changes in mortality patterns over a 10 year period (wearing off of selection). Adjustment for social class accounted for some of the excess mortality

among the unemployed but only limited support was found for ill-health selection into unemployment¹³². Prospective cohort studies are better placed to address this issue than censuses and the British Regional Heart Study (BRHS) has demonstrated excess mortality among men unemployed for reasons other than illness, after adjusting for sociodemographic variables, health-related behaviour, and pre-existing disease¹³⁴.

A community study in Michigan during a period of high unemployment found no evidence of selection into unemployment among the sub-set of women and men who became unemployed through no fault of their own²⁶². However, measures of drinking, drug use, suicidal ideation and hospital bed days were all significantly associated with unemployment in the total sample and the authors suggest that selection might have played a part in accounting for the high levels of these outcomes among the unemployed¹⁶².

Thus, selection cannot be ruled out as a partial explanation of the unemployment-health relationship and an element of selection should be acknowledged when considering other explanations²⁶³. However, Bartley has asserted that to view selection and causation as antithetical is a false dichotomy. Whether or not unemployment is a direct cause of disease, it appears to be an indicator of chequered work histories which put men at risk of an accumulation of disadvantages over time²⁵⁹. Insecure employment, which features prominently in such work histories, is often associated with more hazardous working conditions^{264,265}. Further, analysis of data from the NCDS has shown that men who become unemployed are more likely to have already accumulated risks to health during childhood²⁶⁶.

2.2.5c Materialist/Structural factors

Although income and psychosocial factors are discussed separately, it is likely that some psychosocial factors, such as social isolation, are related to loss of income. In addition to these, a number of other materialist/structural factors have been put forward as possible explanations of the relationship between unemployment and health. Loss of a secure job,

particularly at times of major economic contraction, may lead to a chequered history of spells of unemployment interspersed with less satisfactory jobs which involve loss of seniority and, frequently, lower pay²⁶⁷⁻²⁶⁹. Further, many of the unemployed experience the other disadvantages associated with lower socioeconomic position, which in turn, may prove detrimental to health, such as poorer housing^{270,271}.

Socioeconomic factors, such as education, and environmental factors such as the prevailing level of unemployment²⁵², may also moderate the effect of unemployment. A British study of 954 men revealed that the unemployed from areas of chronically high unemployment showed lower emotional distress than did those from areas of low unemployment. It seems likely that in areas where unemployment is common and perceived as inevitable, less stigma is attached to the unemployed state. The authors suggest that communities with high rates of unemployment develop resilience that is beneficial for the mental health of the unemployed²⁷². In a similar vein, work in the US has shown that individual differences in the experience of unemployment result, to a substantial degree, from the interplay between educational level and opportunities in the local job market²⁵³. Not only do these studies illustrate the role of socioeconomic and environmental factors but they also call into question the extent to which previous findings regarding the health effects of unemployment can be generalised beyond the populations from which they were derived.

(i) Income

Many studies link the health effects of unemployment directly to financial problems, and it has been argued that these should be reinstated at the centre of the inquiry into the relationship between unemployment and health^{273,274}. Low income associated with unemployment may affect health directly through an inability to purchase goods and services, or indirectly by reducing participation in society, or by causing psychological stress¹⁸⁰. The exposure of the unemployed to such experiences has been well documented; having to borrow money for basic needs such as food and clothes, drastic restriction of social activities, and the risk of debt^{101,275,276}.

Jackson and Warr have reported that proportional change in family income predicted GHQ scores²⁷⁷. A study in Spain found that depression was significantly and specifically more prevalent among the unemployed who, due to the eligibility criteria of the Spanish benefit system, did not receive unemployment benefit. No significant differences were found between those in receipt of benefit and those in employment¹⁸⁰. The long-term unemployed who have had to borrow money have been shown to have a risk of depression more than double that for those who did not have to borrow. Further, those obliged to borrow were also more likely to report a deterioration in physical health¹⁰¹.

One of the most detailed investigations of the role of income, lifestyle deprivation and financial strain in mediating the impact of unemployment on psychological distress was carried out in the Republic of Ireland by Whelan. The investigation showed that primary deprivation - heat, food, clothing and debt poverty - played a significant role in mediating the impact of unemployment. However, despite the unambiguous role of deprivation in mediating effects, unemployment continued to have a substantial independent effect on psychological distress in the unemployed individual²⁷³.

In the 1946 Birth Cohort the relationships between unemployment and psychological symptoms in both women and men weakened or disappeared, after financial hardship was controlled for²⁷⁸. Similarly, in the Netherlands, present or anticipated financial problems were found to be the mediating factors between unemployment and reported health problems in both women and men²⁷⁹. Kessler et al. have provided persuasive evidence from a community sample that the effects of unemployment on health are mediated primarily through financial strain, at least among blue collar workers²⁸⁰. Whelan's data also showed financial strain to have an independent effect, but its role in explaining psychological distress was modest once the impact of deprivation had been taken into account. Increasing financial pressure over time has been reported to be responsible for the growing inactivity and social isolation of the unemployed²⁷⁶. Social contacts, who can supply both financial and social support, appear to provide some protection against the

detrimental psychological effects of unemployment²⁸¹, although the degree to which this operates is highly context-dependent.

(ii) Psychosocial factors

Numerous researchers have documented the non-financial benefits of work. Jahoda was the first to describe these benefits which she termed the latent functions of employment⁷⁹. Thus, the impact of unemployment includes loss of sense of identity, lowered self-esteem, marginalisation and alienation from society, reduced social contacts, loss of networks, and increased social stigma^{263,282}. Support for the importance of explanations involving psychosocial factors comes from observations of: (i) adverse health effects in anticipation of workplace closure²⁸³, and (ii) greater health impacts of unemployment in areas with low overall unemployment rates or at times of low unemployment^{233,272}.

In the recession of the 1980s, due to the provisions of the welfare state, less stress was laid on the material effects of the low income associated with unemployment than on the psychological effects of the loss of work as a central social role. A programme of research at the Social and Applied Psychology Unit in Sheffield provided extensive evidence that unemployment could result in psychological ill health and culminated in a theory of the relationship between work, unemployment and psychological health, which laid emphasis on the value of work for social integration and self-esteem⁹⁵. However, it is likely that loss of income is implicated in loss of social contact and self-esteem and so the relative role of each in the unemployment-health relationship is difficult to disentangle. Poverty associated with unemployment is likely to be greater in countries with less adequate social security systems¹⁷³. Thus much recent evidence of the role of psychosocial factors comes from countries where benefits have been relatively generous. For example, a study among unemployed industrial workers in Finland found that those who regained work experienced a considerable improvement in psychological health regardless of their financial circumstances either before or after re-employment¹⁹⁸. However, in the Netherlands, both loneliness¹⁵⁹ and financial problems were found to be mediating factors between

unemployment and health²⁷⁹.

In a cross-sectional community survey in Michigan, Kessler and colleagues found greater psychological and physical morbidity among the currently unemployed compared with those in employment^{162,280}. They found the effect of job loss on several health outcomes involved two mechanisms: (i) unemployment results in increased financial strain which, in turn, results in negative health effects, and (ii) unemployment increased the impact of other stressful life events on physical and psychological health. Controlling for financial strain, showed that unemployed people who had not experienced an additional life event in the previous year were in no worse health than the stably employed²⁸⁰. They also found evidence that social support (among the unmarried), self-concept (self-esteem and low self-denigration), and various coping processes were all significant modifiers of the relationship between unemployment and health¹⁶¹.

2.2.5d *Health-related behaviours*

The possibility that the health damaging effects of unemployment are mediated, at least partially, through health-related behaviours such as alcohol use, smoking and exercise has also been explored. A cross-sectional study in Australia found that excess serious chronic illness, recent health problems, and health self-rated as fair or poor among unemployed women and men could not be accounted for by differences in levels of smoking, drinking beyond the recommended limits, or physical inactivity¹⁷³. However, evidence showing that unemployment gives rise to adverse changes in health-related behaviours is conflicting.

As already documented in section 2.2.4b, loss of employment in the BRHS was not associated with increased smoking or drinking although men who subsequently became unemployed smoked and drank more prior to loss of employment¹⁸⁶. Further, more recent data from the study show that, compared with those who remained continuously employed, mortality was significantly increased in men unemployed and not citing ill-health as a reason, even after controlling for health status and health-related behaviours before unemployment²⁸⁴. The NCDS also found evidence of selection into unemployment for

those with poorer health-related behaviour, but in addition found that the experience of unemployment resulted in a further deterioration of health-related behaviours²⁴⁸.

2.2.6 *Unemployment effects beyond the individual*

Although most studies of the unemployed have limited their assessment of health consequences to the job loser, several studies report effects on dependents, particularly the spouse. However, when considering these results it should be borne in mind that spouses and dependents share many characteristics with the unemployed person in addition to unemployment.

After adjusting for social class, the OPCS Longitudinal study found an excess mortality of 20% among women whose husbands were unemployed, and suicide was non-significantly elevated among these women¹³². A number of researchers have shown unemployment to increase divorce, and increase levels of family friction, tension, and arguments^{61,83,285,286}. Work by Liem and Liem is particularly significant, as it provides convincing evidence that emotional distress arising from job loss can be observed in both unemployed husbands and their wives. In interviews involving both spouses, a husband's psychological reaction to job loss was found to account in large part for the emotional response of his wife⁶¹. Similar findings were reported by Dew et al., except that the latter interviewed only the wives²⁸⁷. However, other studies have reported minimal effects on family members, and Kessler et al. found that unemployment did not increase marital tension²⁸⁰.

The psychological and material effects of unemployment have been reported to result in increased crime²⁸⁸, domestic violence, and child abuse, although there is no evidence that the loss of a job in otherwise stable families leads to an increase in child abuse²⁸⁹. Very little is known about the effects of unemployment on the health of children in the household and their chances in later life, but what is known is disquieting²⁹⁰. An association between unemployment and perinatal and infant mortality has been suggested²⁹¹, and the unemployment rate has been shown to increase the mortality of

children aged 0 to 4 years, independently of social class²⁹². A study using data from the 1981 census found a strong association between unemployment and admission rates of children to hospital in 30 postal districts of Glasgow²⁹³.

2.2.7 *Summary - unemployment*

Since the recession of the 1930s, numerous studies using both qualitative and quantitative methods have provided evidence of the health effects of unemployment. Many of these studies, however, have limitations inherent to the methodological design chosen. In many cases, studies that use individual data are cross-sectional making it difficult to infer causation. Studies using aggregate data cannot control for the ecological fallacy and the smaller number of studies relying on a longitudinal design are not always generalisable. Thus many issues concerning the relationship between unemployment and health remain unresolved.

What is known about the effects of unemployment on health relates mostly to men as there remains a paucity of studies in women²⁹⁴. Similarly, effects on psychological health and mortality are much better documented than effects on physical health. Damage to psychological health is found by the vast majority of studies, an effect which appears to be independent of pre-existing health and, in many cases, to be reversed on re-employment. However, the magnitude of this effect has tended to be relatively modest, consistent with an adjustment of many job losers to their unemployment²⁵², and there is evidence of some adaptation over time. The few data available on the effects of unemployment on physical health provide a somewhat confused picture. Although the majority of studies comparing the employed with the unemployed show the unemployed to have worse physical health, effects are much reduced when pre-existing morbidity is taken into account.

The documented effects on psychological health are consistent with the observed relationship between unemployment and suicide. However, the data on physical morbidity

make a less plausible case for the increased premature mortality from diseases that has been demonstrated in selected groups, for selected causes, in several nations.

The variable findings regarding certain health outcomes reported in the literature reflect the complexity of the unemployment and health relationship. Several of the workplace closure studies in the following section report the lowest level of well-being during the anticipation or pre-termination phase before job loss itself, suggesting a multi-stage model in which symptoms rise and fall at different times in the unemployment process²⁵².

Research has considerably advanced understanding of the ways in which health may be related to unemployment. The impact on health seems to be at least partly mediated through poverty and financial strain, although psychosocial factors have also been shown to have an independent role. Financial strain acts partly by increasing the number of harmful life events and increases the growing inactivity and social isolation of the unemployed. Selection on grounds of health and health-related behaviour does occur, but longitudinal studies provide reasonably convincing evidence that unemployment has a direct effect on health over and above the effects of socioeconomic position, poverty, risk factors, or prior ill-health.

Part III - Workplace closure studies

The prospective study of workplace closure has the advantage that respondents are generally made redundant regardless of their health status or other personal, demographic or socioeconomic characteristics. This means there is no plausible selection process involved, and factors such as poor health or age are not influential in increasing the risk of job loss. Thus, although studies of workplace closures form a relatively small proportion of the extensive literature on unemployment and health, this unique feature has enabled them to make a significant contribution to knowledge about the effect of unemployment on the health of individuals²²⁰. They also help bridge the gap between case history accounts of the health effects of employment status on one hand and macrostatistical studies of total populations, correlating economic data and health indices, on the other²⁹⁵.

Twenty-one workplace closure studies with data on health and/or psychosocial and/or health-related variables have been identified from the literature since 1970. A brief description of each study is presented in section 2.3. Further details of all the studies are presented in chronological order of closure in *Appendix I*. Details of study populations and data collection are presented in *Tables 2 and 3*. Section 2.4 describes the effect of workplace closure studies on employment status, and methodological limitations of the studies are discussed in section 2.5. Findings on health and health-related outcomes are presented in section 2.6, and Part III concludes with a summary.

N.B. The key references for each study are contained in the descriptions below and in *Table 4*. A limited version of this review has already been published²⁹⁶ - *Appendix IX*.

2.3 Description of workplace closure studies

Four categories of study are described in order of their methodological rigour; longitudinal, with and without a control group, and cross-sectional, with and without a

TABLE 2: Study Population

Study and Workplace	Date/period of closure	Subjects	n	Initial Response	Loss to follow-up	Controls	n	Initial Response	Loss to follow-up	Notes
(i) Longitudinal studies with control group										
1. Michigan (US) manufacturing plant	started 1965	married, blue-collar men aged 35-60	100	82 %	20 %	Men from 4 comparable plants	74	75 %	7 %	Local unemployment low, most men had achieved stable re-employment 1 year post-closure
2. Jacobsen (Denmark) factory	March 1971	men, blue-collar	43	100 %	0 %	men from the same area	200	100 %	0 %	
3. Sardine (Norway) canning plant	Jan 1975	72 women, 13 men blue-collar	85	100 %	0 %	66 women, 21 men from non-closing sister plant	87	100 %	0 %	Although local unemployment was low, opportunities for terminees were scarce
4. Youngstown (US) steel mill	Sept 1977	145 blue collar and 22 white collar men	167	Panel study	46 %	Men continuing to work in the steel mill	157	N/A	43 %	A time of huge redundancies in steel mills in the area Controls constantly exposed to rumor. Most men in work 2 years post-closure, but new jobs insecure
5. Telefon (Sweden) manufacturing plant	1982	134 women, 16 men blue-collar	150	73 %	30 %	2 groups, blue-collar insecurely employed securely employed	62 112	42 % 97 %	0 % 0 %	Local unemployment high. Unemployment benefit 90 % of previous salary. Insecure group 52 women, secure group 60 women
6. Harris (UK) meat products factory	July 1982	80 men, 49 women mostly blue-collar 74 spouses, 72 children	129	100 %	0 %	77 men, 22 women from 7 local firms 66 spouses, 55 children	99	100 %	0 %	All respondents in social classes 3, 4 or 5, all registered with same GP practice for duration of study.
7. Elsinore (Denmark) shipyard	1983	men, mostly blue-collar employed by yard in '82 (hospital admissions)	1304 887	70 % 47 %	* 0 %	blue-collar men from Dannebrog, a non-closing shipyard	448 441	82 % 81 %	* 0 %	Time of high unemployment in Denmark. Subjects and controls combined for most analyses except hospital admissions.
8. CGE (Canada) electrical plant	March 1984	400 skilled employees and spouses	124	41 %	10 %	general population of Ontario	2756	/	/	Local unemployment high. Results compared with responses by the economically active population of Ontario to the Canada Health Survey 1981.
9. Pennsylvania (US) manufacturing plant	Redundancies late 1985 - late 1986	blue-collar women made redundant	73	73 %	11 %	blue-collar women retaining jobs at plant	68	73 %	11 %	Downsizing rather than closure
10. GM (US) car plants	1987	blue-collar men and women 4 closing plants	831	68 %	22 %	blue-collar men and women from 12 non-closing plants	766	68 %	17 %	Local unemployment high. Subjects and controls combined for most analyses.
11. Kockums (Sweden) shipyard	1988	men, 41 % immigrants	715	~75 %	23 %	age-matched men from population of Malmo	261	~75 %	21 %	Most subjects had found another job before being made redundant. Subjects and controls

* no indication of differential loss to follow-up between subjects and controls ~ approximately / data not available

TABLE 2: Study Population - continued

Study and Workplace	Date/period of closure	Subjects	n	Initial Response	Loss to follow-up	Controls	n	Initial Response	Loss to follow-up	Notes
(ii) Longitudinal studies with no control group										
1. Nordhavn (Denmark) shipyard	Dec 1976	men, blue-collar 60% skilled	100	99%	12%	no control group	/	/	/	Immediately after the closure 37% had another job. The number employed rose to 66% over the next 3 years
2. Newspaper (UK) national newspaper office	Feb 1981	87 men, 24 women journalists	111	51%	16%	no control group	/	/	/	Target population was 321 journalists. 111 completed all three questionnaires. Sample of 98 also interviewed.
3. SKF (Canada) ball bearings manufacturer	Dec 1981	310 men and women made redundant	59	max 19%	min 11% (34)	no control group	/	/	/	Local unemployment high, 1 year post-closure over 60% SKF workers still unemployed. Response rate deduced from numbers included in analyses.
4. Smith's Dock (UK) shipyard	May 1986 - Feb 1987	~255, mostly men, mostly blue-collar	~180	~71%	/	no control group	/	/	/	Local unemployment between 28 - 50%, 43% of sample had been made redundant previously
5. Brokerage (US) insurance firm	May 1989 (Feb 1990)	99 men and 40 women white-collar	139 (28)	80%	42% (97%)	no control group	/	/	/	1989 - only 369/870 targeted for re-screening. On both occasions many had left before re-screening took place. 21 subjects in 1 department sold on day of screening.
6. Steel (US) steel plant	not stated	131 subjects targeted all but 2, men	59	81%	36%	no control group	/	/	/	No information on local level of unemployment, but only 34/59 re-employed 9 months post-closure.
(iii) Cross-sectional studies with control group										
1. Finnforest (Finland) wood processing plant	August 1991	All 211 workers targeted	135	80%	/	All 305 workers from a similar plant	198	65%	/	Unemployment at the time in Finland was high and rising 33 subjects who found work were excluded from analyses Subjects receiving redundancy money at time of study
2. Colliery (UK) coalmine	October 1992	All 784 men	248	32%	/	350 mineworkers from non-closing pit	91	26%	/	100 pits had closed in the last 10 years and 2/3 of the remaining pits closed in the Autumn of 1992.
(iv) Cross-sectional studies with no control group										
1. Admiral (Canada) factory	Nov 1981	360, mostly men	183	51%	/	no control group	/	/	/	58% still unemployed after 16 months. 80% of those in work had lost money in real terms.
2. Furniture (Austria) furniture factory	June 1986	244, mostly men, mostly blue collar	172	88%	/	no control group	/	/	/	38% still unemployed after 1 year. 215/244 responded, but those who had become economically were excluded

~ approximately / data not available

TABLE 3: Data Collection

	Secure employment	Anticipation phase	Pre-termination phase	Post-closure	Main data categories reported
(i) Longitudinal studies with a control group					
1. Michigan			6 weeks pre-closure	6 weeks, 6, 12, 24 months	Mortality, clinical measurements, self-reported morbidity, psychosocial measures and smoking. Data collected by examination, questionnaire and interview.
2. Jacobsen	-----	monthly data for 15 months pre-closure	-----	monthly data for 7 months post-closure	Morbidity reported to GP.
3. Sardine	sickness absence for 1 year	1 month pre-closure		1, 4, 10 years, data for most measures presented annually	Mortality, clinical measurements, labour market outcomes, sickness absence, and disability benefit claims. Data collected by examination, questionnaire, interview and from secondary sources, including GP records.
4. Youngstown				1 and 2 years	Psychosocial measures and alcohol abuse. Data collected by interview. Data also collected from wives and children.
5. Telefon		1 month pre-closure		1, 4, 8, 12, 24 months for subjects 1 & 2 years for controls	Clinical measurements, psychosocial measures, drinking and smoking. Data collected by physical examination, questionnaire and interview.
6. Harris	annual data for 4 years	-----	annual data for 2 years	1, 2, 3, 4 years	GP consultations, episodes of illness, hospital referrals and outpatient visits. Secondary data collected by GP.
7. Elsinore				Immediately post-closure, 1, 2 years	Self-reported morbidity, psychosocial measures, drinking and smoking. Data collected by questionnaire.
	(hospital admissions only) 2 yrs data	-----	3 years data	3 years data post-closure	Admissions categorized by main diagnosis at discharge. Secondary data from Danish national register of patients.
8. CGE	7 months pre-closure			3, 15, 27 months post-closure for subjects 1981 for controls	Self-reported morbidity and stress attributed to closure. Data collected by questionnaire. Self-reported morbidity measures for controls from Canada Health Survey 1981.
9. Pennsylvania secure employment				1 year after baseline data collection, redundancies spread between	Psychological measures. Data collected at baseline for other purposes by interview, follow-up data by telephone.
10. GM		3 months pre-closure		1, 2 years post-sale	Psychosocial measures. Data collected by interview and questionnaire for first two data points. Many 2 year interviews by telephone.
11. Kockums	6 years pre-closure	15 - 5 months preclosure - data collected throughout redundancy period			Clinical measurements, health-related behaviours and psychosocial measures (follow-up only). Baseline data collected for other purposes. Data collection by clinical examination and questionnaire.

TABLE 3: Data Collection - continued

	Secure employment	Anticipation phase	Pre-termination phase	Post-closure	Main data categories reported
(ii) Longitudinal studies with no control group					
1. Nordhavn	7 months pre-closure			4 months, 1½ and 2½ years	Psychological measures, use of medicines, use of alcohol. Data collected by physical examination and interview at baseline, by interview 1½ years post closure and by questionnaire at 4 months and 2½ years post closure.
2. Newspaper			2 months pre-sale	2 weeks and 3 months post-sale	Psychosocial measures and alcohol consumption. Data collected by questionnaire and interview pre-sale, questionnaire only post-sale.
3. SKF			5 months pre-closure interviews 8 months pre - 15 months post-closure	7 weeks, 8, 14, 26 months post-closure	Self-reported morbidity and stress attributed to closure. Data collected by questionnaire from employees and spouses. 100+ interviews with workers and their wives over 21 months.
4. Smith's Dock			3 months pre-closure	Closure, 2, 5, 8, 11, 14, 16, 19 and 21 months post closure	Psychosocial measures, labour market outcomes, smoking and drinking. Data collected by interview.
5. Brokerage	3 years pre-closure		1 month before widespread layoffs 1 day pre-closure		Blood pressure, body mass index and psychosocial measures (follow-up only). Data collected by examination and questionnaire.
6. Steel			2 months pre-closure	9 months	Psychological measures. Data collected by questionnaire.
(iii) Cross-sectional studies with a control group					
1. Finnforest				6 months	Psychosocial measures and health-related behaviours. Data collected by questionnaire.
2. Colliery			---during closure---		GP consultations, psychological measures, drinking and smoking. Data collected by questionnaire.
(iv) Cross-sectional studies with no control group					
1. Admiral				16 months	Psychosocial measures, labour market outcomes, smoking and drinking. Data collected by questionnaire.
2. Furniture				1 year	Self-reported morbidity, psychosocial measures. Data collected by interview. Depth interviews with 33 unemployed.

control group. Within each category the studies are presented in chronological order of closure. The name subsequently used to identify each study appears in bold in the title.

(i) Longitudinal studies with control group

1. Michigan manufacturing plants (United States)

This seminal study of workplace closure was carried out in the mid-1960s. The study aimed to investigate health and behavioural effects of redundancy and ensuing unemployment or re-employment^{297,298}. Study subjects came from two plants that shut down permanently, and controls came from four non-closing plants²⁹⁷. The respondents, all blue collar workers, were seen 6 weeks before plant closure, during the pre-termination phase^a, and up to 2 years post closure.

2. The Jacobsen study (Denmark)

Morbidity, measured as visits to the doctor, in 43 factory workers was monitored monthly for 15 months before and 7 months after the closure of their factory at the end of March 1971²⁹⁹. There was no formal control group, but comparisons were made with 200 'men from the same area'³⁰⁰. No further information could be obtained about this control group as both papers relating to the study are in Norwegian, with only summaries in English^b.

^a The phases of a typical workplace closure are described in *Chapter 1, section 1.3.1*.

^b Another study published in Norwegian was located in the literature, but has not been included in the review. It is a follow-up study of the partial closure of a factory. Data were collected on future employment and disability pensions. The only finding reported in the English summary is that 110 of the 587 employees who had lost their jobs were receiving a disability pension within 4 years, the predominant diagnosis being lower backpain³⁰¹.

3. Sardine factory (Norway)

Respondents in this study were sardine canning workers, employed in two factories belonging to the same company. One of the two factories ceased sardine canning on the 31st January 1975. Canners from this factory formed the study population while controls came from the sister factory which remained open³⁰². The aim of the study was to quantify the effects of the closure on future employment, health-related social security consumption, and social readjustment over a 10-year follow-up period³⁰³. Subjects were followed-up 1 month, 1 and 4 years post-closure, at which time clinical examinations and interviews were extended to the controls³⁰². A fourth round of data was collected on all respondents alive 10 years after the closure³⁰³. Supplementary data were collected from secondary sources, including GP records³⁰².

4. Youngstown steel mill (United States)

This study was undertaken to inform public policy concerned with mass unemployment in industrial workers. In September 1977 the Lykes Corporation announced the immediate closure of the Campbell Works, a plant belonging to its giant steel making subsidiary, Youngstown Sheet and Tube Company. Approximately 4,100 workers were made redundant³⁰⁴.

5. Telefon AB L M Ericsson plant (Sweden)

Redundancy notices were served in April 1982 to workers manufacturing equipment for telephone exchanges³⁰⁵. The aim of the study was to conduct a multi-disciplinary investigation of the biochemical, psychological, social, and economic aspects of employment-unemployment^{305,306}. The study had two control groups; one in insecure employment, the other securely employed in a safety equipment manufacturing facility³⁰⁷. Data were collected 1 month before the closure, during the pre-termination phase, and 1, 4, 8, 12 and 24 months post-closure³⁰⁶.

6. C & T Harris Ltd (United Kingdom)

In July 1982 the Harris factory, which manufactured meat products, closed. The study, undertaken by a GP with whom the majority of the work force were registered, aimed to examine aspects of health service use. Data were collected retrospectively to July 1976, 6 years before the closure and for up to 4 years after, providing 10 years of follow-up³⁰⁸⁻³¹⁰. Workers, their spouses, and children under 16, were included in the study population, and comparable controls were selected from seven local firms dealing with a variety of products and services³⁰⁸. However, employees in the control group who were made redundant during the study period were excluded from the analyses³¹¹.

7. Elsinore shipyard (Denmark)

In 1983 one of the largest Danish shipyards was closed and about 2,100 workers were dismissed. All men employed for more than 6 months in 1982 were recruited into the study. Controls were recruited from a non-closing shipyard³¹². Respondents were followed by questionnaire immediately post-closure and at 12 and 24 months. The aim of the study was to elucidate the health consequences of job loss following a company closedown³¹³. However, on finding that the health effects of unemployment following closure did not differ from layoffs due to normal fluctuations in production, subjects and controls were pooled for analysis³¹⁴, except in analyses of hospital admissions.

Admissions to hospital were examined to determine whether the closure affected admission patterns in the study group. Data on hospital admissions were obtained for five years pre- and three years post-closure³¹⁵.

8. Canadian General Electric factory (CGE)

The aim of the CGE study was to analyse the economic, psychological, political, and some of the health consequences of the closure³¹⁶.

9. Pennsylvania assembly line (United States)

The baseline data for this study were collected as part of an investigation of occupational stress and low-level solvent exposure. All the subjects were female assembly line workers with a minimum of 6 months service. During the subsequent year the work force was reduced, downsizing rather than closure, and the investigators examined the effects of redundancy on psychological distress in a telephone follow-up 1 year after the baseline data collection. Women made redundant were divided into two groups, those unemployed for 5 months or less and those unemployed for 6 months or more, while women who remained continuously employed on the assembly line formed the control group²⁰⁵.

10. General Motors (GM) Study (United States)

The GM study started in August 1987 and took random samples from 4 plants scheduled to close before the end of 1987, and 12 that were to remain open. By the time of the first data collection 198/813 of the subjects from the closing plants had already been made redundant. Those still working faced the possibility of redundancy, but could not be certain of their fate^{93,317}. Data were collected 3 months pre-closure, 12 and 24 months post-closure.

The aim of the analysis of the pre-closing data from the GM study was to determine the effects of the closure on mental health³¹⁷. However, by the analyses of the follow-up data the focus of the study was the relationship between unemployment and distress rather than closure and distress⁹³.

11. Kockums AB Malmo Study (Sweden)

The mercantile side of the Kockums shipbuilding yard closed in June 1988. Study participants were male, Malmo residents born between 1929 and 1949 who had taken part

in a health examination 6 years previously when employment was secure. A second screening was conducted between March 1987 and January 1988, a period during which the majority of the study participants were terminated.

The study aims were to ascertain whether there was a relationship between the threat of redundancy and changes in risk factors for cardiovascular disease, and whether mental stress and sleep disturbance were related to, and might explain, such possible changes. The control group were age-matched men from the general population of Malmö who had also been screened 6 years previously³¹⁸.

(ii) Longitudinal studies with no control group

1. Nordhavn shipyard (Denmark)

Subjects of the Nordhavn study were shipyard workers already enrolled in a study of perceived health hazards when closure was announced. The investigators decided to follow the population over the next few years with the object of investigating the effect of the plant closure and subsequent unemployment on the workers' health, economy and future employment³¹⁹.

2. Newspaper office (United Kingdom)

The aim of the Newspaper study was to examine minor psychiatric morbidity in journalists facing redundancy, and to determine changes after job loss. Measurements were first collected after redundancy notices were served in December 1980, 3 months before the planned closure. However, instead of being closed, the newspaper was sold and the journalists retained their jobs under new management. Further data were collected 2 weeks and 3 months post-sale³²⁰.

3. SKF Canada Ltd

In December 1981 the ball bearings manufacturer, SKF, closed its Canadian operation. The aim of the study was to determine the stress attributed to the closure and effects on health. Data were collected 5 months before the closure, during the pre-termination phase and up to 26 months post-closure. Inclusion in the analyses was restricted to the small numbers for whom data were available during the pre-termination phase and the time point of interest³²¹.

4. Smith's Dock (United Kingdom)

Smith's Dock was the last shipyard on Teesside, an area that once built 15% of the world's ships. Its closure, phased between May 1986 and February 1987, meant the loss of 1,400 jobs. In a longitudinal survey of the effect on employment status, income and the psychological impact of the closure, 200 of the workers were interviewed ten times over a 2 year period commencing during the pre-termination phase^{322,323}.

5. Brokerage firm (United States)

In 1986 white collar workers from an insurance firm participated in a study of the effects of psychosocial factors on ambulatory blood pressure. The announcement in the spring of 1989 of forthcoming redundancies provided the opportunity to examine the effect of threatened redundancy on blood pressure. A rescreen was conducted 3-6 weeks after the redundancies had been announced and during the time they were taking place. A further screening was carried out in 1990, nine months after the 1989 screening when the firm announced it was declaring bankruptcy³²⁴.

6. Steel plant (United States)

The aims of this study were to examine the effects of psychosocial factors on re-employment following plant closure and differences between those who gained satisfactory

and unsatisfactory re-employment. Subjects were recruited from workers made redundant when a small steel plant shut down. Data were collected 2 months before and 9 months after closure²⁰².

(iii) Cross-sectional studies with control group

1. Finnforest wood processing plant (Finland)

This cross-sectional study involved the entire work force of a wood processing factory. The plant closed in August 1991, and the workers were surveyed 6 months later. The aim of the study was to examine the relationship between financial situation and mental well-being³²⁵. In a later paper from the same study a control group of workers from a similar wood processing factory was included³²⁶.

2. Grimethorpe Colliery (United Kingdom)

The aim of this cross-sectional study was to measure minor psychiatric morbidity, GP use and health-related behaviours. Data were collected during the pre-termination phase from miners from a colliery facing closure in October 1992. Control miners came from a pit not threatened with imminent closure³²⁷.

(iv) Cross-sectional studies with no control group

1. Canadian Admiral study

Data for this cross-sectional study were collected 16 months post-closure by postal questionnaire. The aim of the study was to determine factors associated with current well-being and satisfaction³²⁸.

2. Furniture factory (Austria)

Subjects in this cross-sectional study were former workers at a furniture factory. The aim of the study was to investigate the consequences of long-term unemployment³²⁹.

2.4 *Effects of workplace closure on employment status*

As can be seen in *Table 2*, levels of unemployment and duration of unemployment post-closure vary enormously. Many factors affect the potential for re-employment, the most important being the level of available jobs in the area surrounding the closing workplace and the match between the skills required for these jobs and the skills of those made redundant.

In the Sardine study employment among subjects post-closure was significantly reduced compared with controls for all 10 years of follow-up. Average time on unemployment benefit amounted almost to 6 months during the first two years post-closure. During the third year of follow-up the long-term unemployed were offered jobs, and those refusing were taken off unemployment benefit. The jobs offered were more strenuous and involved an hour's commuting either way. In a few months, 11 out of the 30 unemployed subjects received sick notes from their GPs and all but one were receiving disability benefit 2 years later. Disability was commonest among women of 60 years and over³⁰³ and the excess time on disability benefit for the study group amounted to 1 year over the 10 years post-closure³³⁰. Withdrawal from the labour market without receipt of benefit, was almost solely confined to women. The differential trend between subjects and controls was significant by the first year, but rose by year 4 to a substantially higher level at which it remained^{303,330}.

Two years after the closure of Sunderland's last shipyard 69% of the skilled ship builders and white collar workers were working, but only 46% of the unskilled workers. Survey data showed that for those in work, wage levels and skill requirements were, on the whole, higher than for their former jobs in the yards. However, many of the contracts were short-

term and conditions in the new work environments were less favourable. By the end of the study approximately 15% of the original work force were registered sick and 13% of those in work had jobs outside the region³²². Data on employment status 16 months after the closing of the Admiral plant showed that 122 of the 183 respondents were unemployed. Most of those in employment had experienced considerable periods of unemployment in the post-closure period and half of those currently unemployed had been continuously out of work. Of those in employment 72% were making less in their current job than in their job at Admiral 16 months previously³³¹.

2.5 *Methodological issues*

Any epidemiological study of the effect of an exposure on an outcome ideally will have data on subjects prior to the exposure, sufficient duration of follow-up for the outcome to develop, and a control group similar to the subject group except for the exposure of interest. Further, if the findings are to apply to whole populations, samples have to be representative. Thus, many of the methodological issues discussed below, in general terms, will also apply to studies of job insecurity and unemployment.

2.5.1 *Data problems*

Baseline data

The most important advantage of prospective workplace closure studies is that all the subjects are made redundant. However, during economic contraction respondents who consider themselves to be disadvantaged in the labour market may experience workplace closure as more stressful. Further, re-employment or non-employment post-closure is likely to be highly selective, as ill-health and personal, socioeconomic and sociodemographic characteristics will influence the job seeker's prospects. Thus, the extent to which post-closure re-employment or non-employment is a consequence, rather than a cause, of ill-health remains a vital consideration. As the anticipation and pre-termination

phases of workplace closure may also have effects on health which may further jeopardise job opportunities, cumulative effects over the course of the workplace closure process can only be ascertained with reference to levels of morbidity during a period of secure employment.

Most workplace closure studies have not had the benefit of such data. In the Michigan study the controls were considerably less healthy during the first data collection round, even though this was the pre-termination phase for men in the closing factories²⁹⁷. Similar discrepancies in health between subjects and controls arose among women in the Harris study³⁰⁸ and, through the so-called healthy worker effect³³² in the Kockums study³¹⁸. However, although secure employment data were available in the Harris and Kockums studies, analyses were not adjusted for baseline values of the variable of interest in either study.

Follow-up data

As has been discussed previously, any cross-sectional study is limited by its inability to infer causation. However, a cross-sectional design seems particularly inappropriate for studies which are attempting to examine the effects on health of a process which has distinct phases and which takes place over a period of time. Four of the 21 workplace closure studies reviewed were cross-sectional³²⁶⁻³²⁹.

Unfortunately, the use of different data collection methods at the different time points in the Nordhavn study³³³ means that the researchers were not able to capitalise fully on the advantages of a longitudinal design and baseline data collected before any rumour of plant closure. The use of different methods for baseline and follow-up data collections in the Pennsylvania study²⁰⁵ compounded the problem already caused by uncertainty over whether baseline data were collected during stable employment or during the anticipation phase.

Type of data analysed

There is yet no evidence of a 'gold-standard' when it comes to measuring health in follow-up studies of employment status and health²⁴¹. Understanding is thus reliant on a reasonable interpretation of findings with respect to a multiplicity of outcomes, and a range of health measures collected by different methods will strengthen the validity of findings. Apart from the Jacobsen²⁹⁹, Sardine²⁴¹ and Harris³⁰⁸ studies that have morbidity reported to the GP as the outcome measure, all the workplace closure studies examined effects on measures of psychological health. Four studies reported on self-reported physical morbidity in addition to psychological morbidity; Elsinore³¹², CGE³¹⁶, SKF³²¹, and Furniture³²⁹, and three reported physiological measurements in addition to psychological morbidity; Telefon³⁰⁶, Kockums³¹⁸, and the Brokerage³²⁴ study. The Sardine study²⁴¹ was the only study to report mortality data, apart from the Michigan study²⁹⁷ which also reported data on psychological morbidity, self-reported physical morbidity, and physiological measures.

It is expensive and time-consuming to measure and control for even the better known confounders of the relationship between employment status and health, such as personal characteristics, demographic and socioeconomic factors, health-related behaviour and pre-existing morbidity. However, some of the workplace closure studies failed even to adjust for age, which is highly correlated with both health and employment status, and is almost invariably collected in health-related studies of any kind. Health outcomes in the Michigan²⁹⁷, Jacobsen²⁹⁹, Youngstown³³⁴, Telefon³⁰⁶, Kockums³¹⁸, Nordhavn³¹², Newspaper³²⁰, Brokerage³²⁴, Finnforest³²⁶, Colliery³²⁷, and Admiral³²⁸ studies were not age-adjusted, although a number of these studies present outcomes stratified by age. Adjustments for other potential confounders, mediators and moderators of effects are presented in *Table 4*, together with the key reference for each study.

Table 4 Adjustments made in analyses of outcomes in workplace closure studies

(i) Longitudinal studies with a control group

1. Michigan ²⁹⁷	rural/urban differences, seasonal effects, diurnal variations, subject/control differences at initial interview
2. Jacobsen ²⁹⁹	none
3. Sardine ²⁴¹	age (< 60, > 60), sex, sickness absence in year prior to closure
4. Youngstown ³³⁴	none
5. Telefon ³⁰⁶	marital status, social support, life events (psychological variables only)
6. Harris ^{308,335}	health service use - none, sickness absence - age, sex, marital status and job tenure
7. Elsinore ^{312,315}	age, blue/white collar, marital status, smoking, social networks, life events and family problems at baseline
8. CGE ³¹⁶	age, education, employment status
9. Pennsylvania ²⁰⁵	age, education, number of pre-school children, financial difficulties, and baseline clinical status, social support, skill use and workload
10. GM ^{93,317}	age, sex, marital status, race, education, seniority and income at GM
11. Kockums ³¹⁸	none

(ii) Longitudinal studies with no control group

1. Nordhavn ^{312,333}	none
2. Newspaper ³²⁰	none
3. SKF ³²¹	path analyses only
4. Smiths Dock ³²²	none
5. Brokerage ³²⁴	none
6. Steel ²⁰²	none

(iii) Cross-sectional studies with a control group

1. Finnforest ³²⁶	none
2. Colliery ³²⁷	none

(iv) Cross-sectional studies with no control group

1. Admiral ³²⁸	none
2. Furniture ³²⁹	age, sex, blue/white collar, physical or psychological morbidity, and former experience of unemployment

Inference

Inference involves making a generalisation about a larger group of individuals on the basis of a subset or sample. In workplace closure studies the sample is restricted to the number of workers in the closing plant who fit the eligibility criteria. This can raise two problems with regard to inference; small sample sizes and homogeneity - in many workplaces the majority of workers are either male or female, blue collar or white collar, and the nature of the work may be quite specific.

In common with the majority of studies of unemployment, 18 of the 21 workplace closure studies exclusively involved men^{297,299,312,318,327,333,334} or involved a majority of men^{93,202,308,316,320-322,324,326,328,329}. Only one of the studies was exclusively of women²⁰⁵, and only two of the studies that included both sexes^{241,308} regularly presented their findings by sex. A frequent assumption is that paid work of their own continues to be less important to women. Womens' resilience to job loss is thought to be greater than mens' because they have alternative roles from which they derive a sense of self-worth²⁸². However, the importance of the work role is likely to vary between different groups of women, and change over the life cycle, and income - particularly for women who are the major breadwinner - is as salient as it is for men.

Nearly all the subjects of workplace closure studies, whether male or female, have been blue collar. Although some studies include small numbers of managers and other non-manual staff, Newspaper³²⁰ and Brokerage³²⁴ are the only studies of white collar workers.

In many of the workplace closure studies the sample is drawn exclusively from one occupation. Findings from such studies may not apply to other occupational groups. For example, sardine canners²⁴¹ are not very representative of blue collar workers in general, and journalists³²⁰ are not very representative of white collar workers. Further, the meaning

of redundancy may be different depending on the economic and social conditions specific to a particular time or location. For example, benefits for the unemployed in Scandinavia are generous compared with those in North America and Canada, and in the Kockums study³¹⁸ nearly everyone had a new job before being made redundant while in the SKF study³²¹ 60% of respondents remained unemployed 1 year post-closure.

Bias

The Harris³⁰⁸, Elsinore³¹² and CGE³¹⁶ studies excluded subjects who became economically inactive. Whether in the study group alone or in both subject and control groups, such exclusions are a potential source of selection bias as unemployed people have been shown to be at greater risk of becoming economically inactive³³⁶.

In the Telefon study 53 unemployed respondents participated in an intervention. Although the authors claim this had no significant effects on physical or mental well being³⁰⁶, it may have introduced bias into the study. Effects of the GM closure may be underestimated as workers were accustomed to layoffs, sometimes of long duration, and respondents with the greatest seniority tended not look for new jobs after closure as they were likely to be recalled to jobs elsewhere in GM³¹⁷. Unemployment for such people would have been more akin to lay-off, which Fryer has shown to have muted effects compared with redundancy³³⁷.

In the Michigan study the control group had significantly more health problems than subjects. It has been reported that men with problems selected themselves into the study because of the opportunity to be visited regularly by a public health nurse³³⁸. This will have introduced selection bias into the control group.

2.5.3 Response rates

Initial participation rates

Concerns about selection bias are raised when initial response rates are either low or unequal for subjects and controls, as non-responders are generally less healthy and have higher levels of self-damaging behaviour than responders^{339,340}. Of the 19 studies that collected primary data, 13 had an initial response rate over 67%. Youngstown was a panel study and the remaining 5 studies, Newspaper³²⁰, SKF³²¹, CGE³¹⁶, Colliery³²⁷, and Admiral³²⁸ had initial response rates ranging from 19 - 51%. Results from such studies will require cautious interpretation, especially if non-response is related both to the exposure and the outcomes under study.

The response rates in two studies for the subject and control groups were very different. In the Telefon study, initial response rate for subjects was 73%, but 97% for securely employed controls and 42% for insecurely employed controls. For most outcomes, values for the insecurely employed were closer to values for the securely employed than the unemployed³⁰⁶. However, it is not possible to draw inferences from this as the insecurely employed who participated were a minority which may not have been representative of the group as a whole. Differential initial response rates may also account for differences between subjects and controls in the analysis of hospital data in the Elsinore study³¹⁵.

Loss to follow-up

In prospective studies loss to follow-up is more crucial than the initial response rate³⁴⁰. When loss to follow-up in a workplace closure study is correlated with both exposure and outcome, any observed association will be biased. Iversen and Sabroe made a detailed examination of loss to follow-up in the Elsinore study. They found loss to the first follow-up was significantly associated with various sociodemographic factors. However, in neither phases of the study were the outcome variables associated with non-participation and so the authors concluded that loss to follow-up did not introduce any serious bias into their results³¹³. Loss to follow-up was a limitation in the GM study as non-responders at the 1 and 2 year data collection points were significantly different from responders. These biases, in addition to producing underestimates of effects, will also constitute a threat to

the internal validity of the findings⁹³. Loss to follow-up in the remaining studies ranged from 0% in those using health service data to 42% and 97% in the Brokerage study³²⁴.

2.5.4 Sample size

The main problem with a small sample size is that the study may fail to detect true associations because of inadequate power. Also, in general, the smaller the sample size the less likely it is that findings will reflect the true the experience of the total population³⁴⁰.

Only three of the studies reviewed had over 500 respondents; Elsinore³¹², GM³¹⁷, and Kockums³¹⁸. Seven of the studies reviewed had 100 subjects or less^{205,241,297,299,312,321,327}, and Beale and Nethercott have described the Harris study as 'a useful pilot' (p.393) admitting that the small numbers involved 'can hardly be considered adequate'³¹¹. Samples in the Smith's Dock and Youngstown studies^{322,334} could have included all members of the work force made redundant. However, due to funding restrictions, samples were limited to panels of subjects selected at random. Of greater concern in the Smith's Dock study is that new subjects were recruited to replace those that dropped out³²². It is thus impossible to determine sample attrition or to examine change over time.

2.5.5 Duration of follow-up

Most of the longitudinal studies have less than 3 years follow-up. That some differences between subjects and controls remained significant 4 years post-closure in the Harris study³¹¹ and 10 years post-closure in the Sardine study²⁴¹ demonstrates the importance of sufficient length of follow-up in such studies.

2.5.6 Reference groups

In the absence of baseline data from a period of secure employment before any rumour of closure, size of effect can only be gauged by comparison with a control group. Such

comparisons have to assume the two groups would have identical health profiles if the subjects were not exposed to workplace closure. Where studies also lack a control group, effects pre-closure can only be ascertained by comparison with subsequent employment status outcomes considered to be favourable, such as re-employment. As the health effects of re-employment are likely to depend on the quality of the new post, such comparisons may yield conservative estimates of effects. Conversely, evidence of health selection into re-employment would mean that workplace closure studies which make cross-sectional comparisons between the unemployed and the re-employed^{328,329}, may yield inflated estimates of effects.

The omission of a control group makes it impossible to distinguish the effects of workplace closure and subsequent labour market experiences from general trends which may affect the whole labour force. Many of the studies have control groups from factories in the same industry^{93,241,312,326,327}, or from workers remaining in employment in the same workplace^{205,334}. These controls may be perfectly matched in terms of occupational exposure. However, if the crisis is industry-wide they may be similarly threatened and the effects of closure may be conservative.

The Telefon study included two control groups, one insecurely, and the other securely employed. However, their usefulness was diminished because outcomes for subjects and controls were compared using single measures 1 year post-closure for variables which, in subjects, showed considerable variation during the 12 months following the closure³⁰⁶. A control group was not available for all analyses in the Harris study³⁴¹⁻³⁴³. Where a control group was available, means for years 1-4 were compared with means for years 5-8 in subjects and controls, rather than an examination of change over time. It has been recognised that such data cannot be analysed using simple differences because the magnitude of change would depend on the level at baseline³⁴⁴. An imbalance in means at baseline between subjects and controls would result in comparison of the simple differences being biased. A further problem in the Harris study is that the data were analysed using non-parametric methods due to the skewed distribution of the outcomes

measured, but the results were presented as percentage differences between means³⁴⁵. The use of medians would have overcome this problem.

The CGE study used as its control group the economically active population of Ontario surveyed during the Canada Health Survey 3 years before the CGE closure³¹⁶. The appropriateness of this has been criticised³⁴⁵. However, in the absence of better data, local population data - adjusted for age, sex, education and employment status - should give some indication of the impact of the closure. In the Elsinore study, a significant drawback is the pooling of data for subjects and controls in most analyses³¹²⁻³¹⁴. The reason given was the similarity in the effect on health of unemployment in the two groups. Similar pooling occurred in the Kockums³¹⁸ and GM⁹³ studies for many analyses. Pooling of data for subjects and controls means that the effects of closure can no longer be examined, and leave such studies with the disadvantages of a workplace closure study but not the advantages.

2.6 *Findings from workplace closure studies*

Findings from the workplace closure studies are largely presented under the same sub-section headings used in Parts I and II. A summary of all the findings is presented at the end of Part III.

2.6.1 *Health outcomes*

As is the case for job insecurity and unemployment, much more research has been carried out into the effect of workplace closure on psychological health than on physical health, either as self-reported morbidity or physiological measures.

2.6.1a *Self-reported physical morbidity - Table 5*

Non-specific measures of morbidity

The Michigan study counted the number of days per fortnight the respondent "did not feel as well as usual"³⁴⁶, and number of illnesses. Both measures were significantly higher than values for controls during the pre-termination phase, but fell during short-term unemployment and on stable re-employment. However, those who failed to gain stable re-employment had consistently raised scores. Numerous job changes were also associated with significantly higher scores^{346,347}. Jacobsen observed considerable and persistent excess morbidity from the month in which workers became aware of closure²⁹⁹, but no increase in morbidity among 200 control men drawn from the local population³⁰⁰.

Episodes and types of illness reported to the GP by Harris workers and controls were very similar during the phase of stable employment. However, during the insecure phase and post-closure, while the incidence of common illnesses either remained the same or declined significantly there was a significant comparative increase in 'frequent consultation' (4+) episodes for the Harris men after they were made redundant, indicating that unemployment leads to chronic ill-health³⁰⁹.

Table 5 - morbidity measures

<u>Study</u>	Pre-closure	Short-term un/empl*	Long-term un/empl	Re-employment	Reference group
Michigan	↑	↓	↑	↓	controls
Jacobsen	↑	↑	↑		controls
Harris	↑	↑	↑		controls
SKF		↑	↑		
Furniture			↑		reemployed
CGE		↑	↑		general population

* short-term unemployment = less than 6 months, long-term = 6 months - 1 year

The SKF study used a composite measure of ill health that combined self-rated health, number of visits to the doctor, and use of prescribed drugs. On this measure, ill health among the unemployed from 7 weeks after the closure was higher at all time points than for the re-employed, but there is evidence that selection into re-employment was health-related³²¹.

Health problems in the last year

In the Furniture study, significantly more of the unemployed reported 2 or more health problems in the last year compared with the re-employed³²⁹. However, being cross-sectional with no control group, this study was unable to examine health selection into re-employment. The Youngstown study found similar levels of health problems for unemployed subjects and controls. Control men, however, were continually exposed to conflicting reports and rumours of further job retrenchment or shutdown³³⁴.

Chronic illnesses

Among Harris workers there was a significant relative increase in consultations for chronic illnesses which required active management after 1 year, during the anticipation and pre-termination phases, and post-closure. The most frequent disorders were cardiovascular, i.e. sustained hypertension and myocardial infarction³¹⁰. In the Michigan study increases in hypertension and alopecia were found during the pre-termination phase, and increases in swollen joints occurred during pre-termination and unemployment. Job change was associated with a significant increase in ulcer activity²⁹⁷.

Means for all chronic illnesses combined were significantly ($p < 0.001$) higher in terminees than in the general population in the CGE study, after adjustment for age, sex, education and employment status. This finding was repeated at all three data collection points, including that at three months - mean for terminees 2.30, general population mean 1.05. For most individual illnesses (such as sight and digestive disorders) means were similarly

greatly in excess of those for the general population and significant at the 5 % level or lower³¹⁶. Such high levels of chronic illness, particularly only 3 months post-closure, seem very unusual but it is possible they may have been due to increases in morbidity pre-closure. Correlations between the various illnesses were investigated and found to be low, which make it unlikely results were caused by over-reporting or by respondents with generalised health problems³¹⁶.

Sleep

Sleep quality was adversely affected pre-termination in the Telefon study³⁰⁶, and job change increased insomnia in the Michigan study²⁹⁷. The SKF study found sleeplessness to be consistently more frequent among the unemployed³²¹. Cross-sectional analyses of data collected during the redundancy period in the Kockums study³¹⁸ showed a significantly higher mean value for sleep disturbance in the study group compared with controls. Threatened job loss significantly increased scores for sleep disturbance among subjects and controls combined, compared with men not threatened. However, among men in the study group aged 58.3 years or more, sleep disturbance scores were lower than among the controls and significantly lower than among younger men in the study group. Among the controls, however, sleep disturbance was significantly higher among the older men. All the older men in the study group had accepted early retirement on full pay so it is likely that they felt more secure than men in the other groups³¹⁸.

Two months after the closure of Smith's Dock, 39% of the unemployed respondents were sleeping more and 14% were sleeping less than when they were working. A year after the closure an increasing number of the employed were sleeping less, 15%, compared with 4% two months post-closure. The author cites longer hours and insecurity as the cause³²².

2.6.1b Physiological measures

Blood pressure - Table 6

Table 6 - Blood pressure and related measures

Measure	Study	Adjustments	Pre-closure	Short-term unemployment	Long-term unemployment	Reference group
Diastolic	Michigan	none stated	sig higher than	ns higher than		pre-termination re-employment
				ns higher than	ns higher than	short-term unemployment re-employment
	Telefon	none stated		lower than	higher than	control group in secure employment control group in secure employment
	Kockums	none stated	no sig difference			change from secure employment compared with controls
Systolic	Michigan	none stated	sig higher than			secure employment
				sig higher than		re-employment pre-termination
	Telefon	none stated		lower than	v. slightly higher than	control group in secure employment control group in secure employment
	Kockums	none stated	no sig difference			change from secure employment compared with controls
Pulse rate	Michigan	none stated	sig higher than			secure employment
				sig higher than	ns higher than	re-employment long-term unemployment re-employment
	Telefon	none stated		lower than	v. slightly higher than	control group in secure employment control group in secure employment
	Kockums	none stated	no sig difference			change from secure employment compared with controls
Antihypertensive treatment	Michigan	none stated	sig higher than			secure employment
				sig higher than	ns higher than	re-employment long-term unemployment re-employment
	Telefon	none stated		lower than	v. slightly higher than	control group in secure employment control group in secure employment
	Kockums	none stated	no sig difference			change from secure employment compared with controls

The Michigan study found diastolic and systolic blood pressure to be significantly lower during stable re-employment compared with the pre-termination phase, by 4.22 and 6.97 mmHg respectively³⁴⁸. Comparisons were made between respondents at different data collection points^{52,348} and changes were not compared with those among controls who showed no significant long term trends over the two years of the study³⁴⁸. Non-significant increases in diastolic blood pressure were seen when short-term unemployment was compared with the pre-termination phase and when prolonged unemployment was compared with short-term unemployment⁵².

Systolic and diastolic blood pressure for blue collar women in the Telefon study were only elevated above the mean for the securely employed on one occasion, at 18 months³⁰⁶, although blood pressure measures averaged over the first and second years post-closure showed an increase in the unemployed group and a decrease among the securely employed between years 1 and 2.

In the Kockums study, systolic blood pressure among blue collar men dropped 2mmHg between secure employment and the pre-termination phase among subjects, and 2.2 mmHg in controls. Diastolic pressure dropped by 0.1mmHg in subjects, while rising by 0.6mmHg among controls. The changes over time were not significantly different for subjects and controls and there were no significant differences between the two groups for frequency of antihypertensive treatment³¹⁸.

Among white collar workers in the Brokerage study diastolic pressure was non-significantly higher during pre-termination than secure employment, but mean pre-termination systolic pressure was significantly lower³²⁴. However, very high losses to follow-up mean that these findings are open to significant bias and the analyses controlled for BMI which may be an over-adjustment.

Cholesterol

In the Michigan study cholesterol concentration was higher for controls than subjects throughout the study³⁴⁹. During short term unemployment cholesterol levels increased by 11.9mg/dl, but dropped if unemployment continued²⁹⁷. Cholesterol decreased non-significantly when re-employment followed pre-termination, and significantly when it followed short-term unemployment³⁴⁹. In the Telefon study cholesterol was slightly raised during pre-termination and 4 months post-closure, and dramatically raised at 8 months. HDL-cholesterol was below the level for the securely employed throughout the study³⁰⁶.

Sixty percent of the study group and 3% of controls, all blue collar men, in the Kockums study were threatened with redundancy. Grouping these men together, serum cholesterol rose by 0.28 mmol/l compared with 0.15 mmol/l in men not threatened ($p=0.004$). However, mean increase in cholesterol concentration in men 58.3 years and over, who had accepted early retirement on full pay, was significantly less, 0.09 mmol/l. The difference in the mean change in cholesterol concentration between native Swedes and immigrants in the study group was also significant, 0.16 and 0.29 respectively ($p=0.005$)³¹⁸.

Body Weight

Among blue collar workers in the Michigan study body weight remained unchanged during pre-termination but increased with unemployment²⁹⁷. Body weight among unemployed, mainly female blue collar workers in the Telefon study was consistently lower than values for those in secure and insecure employment³⁰⁶.

2.6.1c Psychological morbidity

Diverse indicators of psychological morbidity have been used in studies of workplace closure. In general, regardless of the instrument used, they show increases in morbidity during the anticipation and pre-termination phases and post closure - *Table 7*. A notable exception is the Michigan study which failed to find significant differences, either directly, or indirectly via economic deprivation²²⁰. The investigators were surprised by this. 'In the

psychological sphere the personal anguish experienced by the men and their families does not seem adequately documented by the statistics..' (p.180)²⁹⁷. This is attributed by the investigators to imperfect measurement techniques for affective states. However, various psychological effects in individuals have been eloquently documented in a sociological account of the closing by Alfred Slote³⁵⁰.

GHQ and general measures of psychological morbidity

Cross-sectional analyses of data from the first phase of the Elsinore study demonstrated that GHQ scores associated with current unemployment, and unemployment of more than three months duration were significantly higher than scores for those in employment³¹². Unemployed men in the Finnforest study had significantly higher GHQ scores than the employed men, whereas unemployed women had only a slightly higher GHQ score than employed controls, although scores for women were generally higher than for men³²⁶. Similarly, in the Furniture study, age-adjusted analyses showed unemployed men significantly more likely to report psychological ill-health (OR 10.3 CI 4.6-22.9) than re-employed men, while for unemployed women the odds were non-significant. The odds ratio for psychological morbidity among white collar workers was over double that for blue collar workers, similarly for those who had never previously experienced unemployment, compared with those who had. Absolute scores for these groups cannot be compared as the data are presented only as ORs³²⁹. Miners at the threatened pit in the Colliery study had significantly higher mean GHQ scores, and significantly more scored over 5 than miners from the control colliery. Men who had taken the redundancy settlement and had regained employment had GHQ scores and levels of caseness similar to miners in the unthreatened colliery³²⁷.

In the Nordhavn study, effects on psychological symptoms were seen only among men aged up to 49. Odds ratios for symptoms were particularly high, 3.87 (CI 1.1-12.2) in this group 6 months post closure for men with 'longer-term' experience of unemployment (14 weeks) compared with men with short-term experience of unemployment (0-13 weeks).

Table 7 - psychological morbidity

Study	Pre-closure	Short-term un/empl	Long-term un/empl	V.Long-term un/empl*	Reemployment
<u>GHQ and general measures of psychological morbidity</u>					
Newspaper	↑				↓
Telefon	↑	↓	↑	↓	
Elsinore		↑	↑	↑	
Finnforest			↑		
Colliery	↑				
Furniture			↑		
<u>Depression</u>					
Telefon				↑	
Finnforest			↑		
Pennsylvania		↑	↑		↑ (poorer job)
GM			↑	↑	↓ (secure job)
Kockums	↑				
Steel			↑		↑ (insecure job)
Youngstown			no effect		
<u>Anxiety</u>					
Pennsylvania		no effect	no effect		
GM			↑	↓	
Kockums	↑				
Steel			↑		↓ (secure job) ↑ (insecure job)
Youngstown			↑		
<u>Somatic symptoms and Stress</u>					
GM			↑	↓	
Admiral					↑ (poorer job)
SKF			↑		
Youngstown			no effect		
Brokerage	↑				

* Very long-term unemployment = more than 1 year

Differences were somewhat smaller 1½ years post-closure and had disappeared completely 3 years post-closure{2278}. Thus the closure appears to have exacerbated the effects of 'longer-term' unemployment, although most of these men had regained employment over

the 3 year period. In the Newspaper study, psychological effects were similarly concentrated among younger respondents, particularly women. GHQ case prevalence remained unchanged between the pre-termination phase and first follow-up, 2 weeks post-sale in the Newspaper study. However, revoking of redundancy notices brought levels down significantly by 3 months^{2221}.

Compared with the insecurely and securely employed, Telefon terminees had an elevated GHQ score during the pre-termination phase. Immediately post-closure GHQ levels for the unemployed group dropped close to those employed, only to increase again 4 months post-closure, returning to the level of the employed by year two^{351,352}. Outcomes in the Smith's Dock study, the only workplace closure study to use the 12-item GHQ are presented as percentages of unknown numbers of respondents and so are of little comparative value³²².

Analyses of later phases of the Elsinore study showed a significant relationship between reduced psychological well-being (GHQ score) and unemployment. Stability in employment status, either prolonged employment or prolonged unemployment, did not result in changes in psychological well-being. However, changes in employment status from unemployed to employed were associated with significant beneficial changes, and from employed to unemployed in significant adverse changes in psychological well-being, after adjusting for social support, blue or white collar, and chronic health problems. During all three years of the Elsinore study GHQ score was significantly higher among employed men afraid of losing their jobs compared with the unafraid, after adjustment for GHQ score from the previous year, inadequate social support, blue or white collar, and chronic health problems³¹⁴.

Depression and anxiety

Six months post-closure, unemployed men in the Finnforest study had significantly higher Beck Depression Inventory (BDI) scores than the employed men, whereas unemployed women had a lower BDI score than employed controls, although scores for women were

generally higher than for men³²⁶. However, a sub-study among Telefon workers using BDI scores collected 2 years post-closure showed that women unemployed very long term had a relative odds for depression of 3.4 (95 % CI 1.4-8.3) compared with the securely employed, after controlling for social support and life events³⁰⁷. These apparently conflicting results may be explained by duration of unemployment. In the Pennsylvania study redundancy and duration of unemployment were significantly associated with depression, but not anxiety at follow-up, after controlling for baseline variables, including baseline depression²⁰⁵.

Cross-sectional analyses from the pre-termination phase of the GM study showed a significant adverse effect on depression and anxiety among workers who had been made redundant prior to closure compared with controls. By comparison, the adverse effects among workers anticipating redundancy were less pronounced and non-significant. However, subjects in the three groups differed significantly on demographic variables which partially explained the relationship between employment status and morbidity³¹⁷. In analyses of data gathered 1 and 2 years post-closure, workers from closing and non-closing plants were pooled and dichotomised to form an employed and unemployed group. However, the majority of the unemployed respondents were from the closing plants. Analyses showed that depression had the most long lasting and regular links with unemployment. These analyses further showed that unemployment leads to depression and depression leads to unemployment. However, as this study has no secure employment data the results cannot indicate direction of causation⁹³.

For some of the GM analyses workers were separated into one of seven employment status categories: working at GM; in a new job and not looking for work; in a new job but looking for work elsewhere; unemployed and not looking for work; unemployed but looking for work; unemployed and discouraged from looking; and retired. These analyses showed that one year post-closure the securely employed and the retired had similarly low depression scores. The unsatisfactorily employed and the unemployed had significantly raised depression scores and the discouraged unemployed had scores significantly higher

than any other category. Depression declined significantly between years 1 and 2 for unemployed respondents who were seeking work and found it, and unemployed respondents who were not seeking work and did not find it. Depression also declined in workers who had an unsatisfactory job at year 1, and who lost or left it by year two⁹³. These findings show that depression associated with redundancy decreases significantly among the secure reemployed and the secure non-employed, i.e. those not looking for work.

Depression and anxiety were only measured during follow-up in the Kockums study. Men over 58.3 years who had accepted early retirement on full pay had significantly lower scores than men below this age. No such differences were found in the control group. All men reporting threatened job loss had significantly higher scores for depression and anxiety than unthreatened men³¹⁸.

Contrary to results from the GM study, the Pennsylvania study found that women re-employed at follow-up could not be distinguished from the unemployed on measures of depression and anxiety²⁰⁵. It seems redundancy had an adverse effect on these women that was not alleviated by re-employment. The Steel study, which differentiated between satisfactory and unsatisfactory re-employment, sheds further light on this issue. Nine months after closure, those in unsatisfactory jobs were much closer to the significantly elevated levels of anxiety among the unemployed than to levels among the satisfactorily re-employed, while levels of depression among these men were higher than for unemployed men²⁰².

In analyses which compared unemployed steel workers with those who had remained employed in the mill, the Youngstown study showed anxiety to be significantly elevated among the unemployed. The Youngstown study found that depression was not significantly different between respondents who had lost their job and those who remained employed³³⁴. However, control men were continually exposed to conflicting reports and rumours about impending further job retrenchment or shutdowns.

Somatic symptoms and measures of stress

Somatic symptoms increased significantly compared with controls among workers made redundant during the pre-termination phase of the GM study, but not among those anticipating redundancy. This differential vulnerability was partially explained by race, education and income³¹⁷. Re-employment in a more poorly paid job 16 months post-closure in the Admiral study was associated with a significant increase in somatic symptoms and decreased life satisfaction. Assessment of present job as worse than the job previously held at Admiral, and temporary rather than permanent employment was associated with significantly less marital and general satisfaction^{328,331}.

The stress instrument in the SKF study was a composite of three measures; how much the closure had bothered the subject, how long it had taken to get back to normal, and a rating of the closure as a life event. There are no data on stress pre-closure. Stress among the unemployed remained unchanged over time and was at all time points significantly higher than that for the re-employed, despite the fact that the level among this group rose steadily over time. The author attributed this rise among the re-employed to the general level of uncertainty in a period of economic downturn³²¹. The Youngstown study found levels of stress among the continuously employed equally debilitating as among those who had lost their jobs³³⁴. Again this is probably due to the continuing uncertainty experienced by the control group. Distress, which was measured only during follow-up in the Brokerage study, was derived from 3 questions on feelings of upset, anger or anxiety about one's situation. Subjects anticipating redundancy or sale to a new employer showed significantly elevated levels of distress compared with those perceiving their jobs to be secure³²⁴.

2.6.2 *Premature mortality*

Only two of the workplace closure studies present mortality data. No excess mortality was found either among the 208 men from the Baker plant followed for three years²⁹⁷, or among the 85 Sardine factory workers followed for 10 years²⁴¹. Two of the 46 Baker men

more closely studied committed suicide, 30 times the expected number. However, numbers were too small to draw conclusions²⁹⁷.

2.6.3 *Health-related outcomes*

2.6.3a Sickness absence

In the Sardine study mean sickness absence in the first year post-closure among subjects was double that for controls, and the difference for men was significant. This differential trend remained in the second year, but further comparisons were unreliable as an increasing number of subjects were ineligible³⁰². Certificated sickness absence dropped significantly among younger Harris workers during the anticipation and pre-termination phases. However, Harris men overall reported more illnesses, and took significantly longer periods of absence during this phase than controls³³⁵. These results support findings from an earlier study of railwaymen, which showed that rate and duration of sickness absence were higher among men threatened by redundancy compared with a group of railwaymen in secure employment³⁵³.

2.6.3b Health service use

Three measures of health service use have been frequently used in workplace closure studies; GP consultations, hospital admissions and use of prescribed medicines. Results from the studies that have used these measures are summarised in *Table 8*.

GP consultations

Significantly more subjects in the Jacobsen study sought medical advice during the month before and after the closure of their factory than in the same months the previous year. The complaints were of the same nature before and after redundancy and were those normally found among adult males²⁹⁹. Colliery study subjects who had not yet taken redundancy had

significantly more GP visits in the last month than subjects who had already taken redundancy and were either unemployed or re-employed³²⁷.

Table 8 - Health service use

<u>Study</u>	<u>Pre-closure</u>	<u>Short-term un/empl</u>	<u>Long-term un/empl</u>	<u>Reference group</u>
<u>GP consultations</u>				
Jacobsen	↑	↑		secure employment phase
Colliery	↑			controls
Harris	↑	↑	↑	controls
Furniture			↑	employed
<u>Hospital admissions</u>				
Harris	↑	↑	↑	controls
Elsinore	↓	↓	↓	controls (all admissions)
	↑	↑	↑	controls (CVD)
<u>Use of prescribed medicines</u>				
Michigan	↑			later phases of closure
Nordhavn			↑	short-term unemployment

Increases in GP consultations for Harris men and women were significantly higher during years 5-8 (anticipation, pre-termination and two years post-closure), both compared to the years of stable employment and compared with controls³⁰⁸. Among workers with low consultation rates during secure employment, all health service use measures increased significantly during years 5-8. Being both a low consulter and in the older age group (41-60 for men and 36-55 for women) had an additive effect on all measures³⁵⁴. Among the oldest group of Harris workers (61-64), consultations and episodes of illness increased significantly during years 5-8 compared to stable employment among men but not women³⁴².

Consultations among men with long tenure (average 30 years) increased significantly in the three years post-closure compared with the secure employment phase, while for men with shorter tenure (average 11 years) consultations were significantly increased during the

anticipation and pre-termination phases; women showed no such changes³⁴³. Harris men who were not re-employed within two years of closure had significantly more consultations and illness episodes post-closure than controls matched for age and consulting frequency during the stable employment phase. Similar results were obtained in the Furniture study in which health service use was double among the unemployed compared with the re-employed³²⁹, but these findings may be attributable to health-related selection into re-employment.

Hospital admissions

Significant increases in hospital referrals and attendance at outpatient departments were seen among Harris workers during years 5-8 (anticipation, pre-termination and two years post-closure), but not among controls³⁰⁸.

Hospital admission patterns were examined during the closure of the Elsinore shipyard. Among subjects, admissions fell during the anticipation and pre-termination phases, and post-closure compared with the period of secure employment, while admissions among controls increased. The relative risk for admission for accidents among subjects decreased significantly from 1.3 to 0.5³¹⁵. It has been suggested that working in a high-risk industry at times of high unemployment is less healthy than being unemployed, as employers in an industry under siege may pay less regard to industrial safety²⁹⁵. However, an alternative explanation may lie in the higher non-response rate among subjects. By contrast, the relative risk for admission for circulatory diseases rose among subjects from 0.8 to 1.6, and in the diagnostic group covering hypertensive disease, ischaemic heart disease and symptomatic heart disease from 1.0 to 2.6³¹⁵. These findings support other data from the study showing that unemployment of more than 3 months was significantly associated with symptoms of cardiovascular disease³¹².

Use of prescribed medicines

The use of drugs for acute conditions showed elevated values during pre-termination in the Michigan study, which decreased at all subsequent data collection points^{346,347}. The Nordhavn study showed little difference in use of medicines between men who experienced 'longer-term' unemployment and men who experienced short-term unemployment at all data collection points, except 1½ years post-closure when use among the 'longer-term' unemployed was significantly raised³¹². However, ascertainment of use of medicines by retrospective questionnaire is not very accurate and it is possible that pattern of use changes while overall use remains the same.

2.6.4 *Effects on potential explanatory factors*

2.6.4a Characteristics of the work environment

Characteristics of the work environment have not been reported in any workplace closure studies to date, although constructs of Karasek's demand/control model are likely to be affected during the anticipation and pre-termination phases as well as having salience for those not in work, and those who find re-employment post-closure.

2.6.4b Health-related behaviours

Only eleven of the twenty-one studies report on any health-related behaviours, even though these might be expected to have a direct bearing on some of the outcomes measured. For example, there were 5, 8 and 12 psychiatric admissions during the three phases of the Elsinore study among subjects, but only one admission in controls³¹⁵. Most of these admissions were alcohol related, and it is possible that alcohol and tobacco use may also have affected admissions in other diagnostic categories. However, no data on health-related behaviours were presented.

None of the studies that collected data on smoking report changes in tobacco use^{306,318,327}, and the few that have data on alcohol consumption report varying findings. In the Colliery

study all measures of alcohol consumption; mean units of alcohol per week, proportion of men drinking more than 21 units per week and the proportion reporting a recent increase in drinking were significantly higher among subjects compared with controls³²⁷. Similarly, the Youngstown study found alcohol consumption to be significantly elevated among the unemployed compared with the employed³³⁴. However, in the Smith's Dock study, on average, 55% of the unemployed were spending less on drinking and more than 30% were spending less on smoking after the closure. The comparative figures for the re-employed were 30% and 20%³²².

The Nordhavn study showed that 'longer-term' unemployment among younger men (up to 49) was significantly associated with a decrease in alcohol consumption, OR 3.95 (95% CI 1.14-13.70). A similar odds ratio was obtained for older men (over 49), but the result was not significant³³³. No significant changes in alcohol consumption were reported in the Newspaper, Telefon and Kockums studies^{306,318,320}. It is possible that changes in alcohol consumption may be related to changes in income and the findings tend to point toward an association between long-term unemployment and a decrease in consumption. Increases in consumption immediately after redundancy might be expected among those receiving lump sum payoffs and there is anecdotal evidence of this in Slote's account of the closing of the Baker plant³⁵⁰.

2.6.5 *Explanations of the relationship between workplace closure and health*

In common with the other studies of job insecurity or unemployment and health, few of the workplace closure studies have advanced beyond documenting effects to questions of causality, and in none of the studies was the relationship between workplace closure and health considered to be an artefact (3.6.5a).

2.6.5b Selection

As discussed in the introduction to Part III, the prospective study of workplace closure has

the advantage that respondents are generally made redundant regardless of health status or other personal, demographic or socioeconomic characteristics. This means there is no plausible selection process involved, and factors such as poor health or age are not influential in increasing risk of job loss. However, once the original job is lost, most studies indicate that pre-existing morbidity is associated with ill-health post-closure and selection on health grounds or on other personal, demographic and socioeconomic characteristics has a considerable effect on chances of re-employment and quality of the new job.

Of the 26 long-term unemployed men in the Harris study, 6 reached the age of 60 in the four years post-closure and another 6 were issued with long-term medical certificates³¹¹. Further investigation of 30 long-term unemployed Sardine workers showed that, in general, they received disability benefits for conditions with which they had been able to cope in their previous jobs. However, the educational level of the terminees was low, work experience limited and a considerable number of them were carers. These factors combined with their health problems meant their ability to remain in the work force at all depended on the closeness of the factory to their homes and the flexibility of the working hours. To this extent the sardine factory operated as a sort of 'sheltered workshop'²⁴¹. However, the controls were very similar to the subjects and so differences between the two are likely to be real and attributable to the closure.

A consistent finding throughout the SKF study was that the unemployed as a group were less healthy than the re-employed. Another consistent finding from the study, that ill-health pre-closure was the strongest predictor of ill-health post closure, indicates that selection into re-employment was health-related. Grayson indicates that such selection forces were recognised by the former SKF workers themselves³²¹, as it was by several of the Baker terminees in Slote's account³⁵⁰. In the wider Michigan study, men still unemployed 1-2 years post-closure, had stably elevated levels of poor mental and physical health throughout the study, including during pre-termination²⁹⁷.

Re-employment in the Nordhavn study was negatively correlated with increasing age³¹² and in the Smith's Dock study re-employment was positively associated with skill level³²². The Steel study findings contain the most detailed examination of personal and socioeconomic antecedents of re-employment. Compared with those who remained unemployed, ex-steel workers who became re-employed had significantly more children to support, significantly greater levels of optimism, but also of self-blame, and they demonstrated a significant excess of advantageous coping strategies. The Steel study distinguished between jobs classified by the respondents as satisfactory and unsatisfactory. The unsatisfactorily employed had a significantly greater number of children and needed significantly higher wages to support their families. However, contrary to expectations they reported greater optimism than those in satisfactory employment and had a significant excess of better coping strategies²⁰².

2.6.5c *Materialist/Structural factors*

(i) Income

In the Kockums study, the relationship between threatened redundancy and psychological and physiological health measures seemed to vary according to the degree of future uncertainty. Workers aged over 58.3 years, who were threatened with redundancy but were offered early retirement on full pay, experienced no deterioration in psychological health, and a rise of only 0.09 mmol/l in total cholesterol. In younger men with no such reassuring prospects, however, cholesterol concentration rose by 0.28 mmol/l. In contrast, among controls who were not involved in the shipyard closure, the rise in cholesterol concentration in men over 58.3 was greater than that in younger men³¹⁸.

Unemployed respondents in the Finnforest study³²⁶ were still receiving redundancy pay at the time of the study. Nonetheless, as in the GM study³¹⁷, poor financial situation was associated with significant increases in GHQ score for both married and single subjects. GM respondents with a poor financial situation and poor social support had the highest

GHQ scores, but poor financial situation also significantly increased GHQ scores for those whose social support was adequate³¹⁷. Finnforest respondents in poor health and with financial difficulties had the highest BDI scores³²⁵. The SKF study, by contrast, found no links between economic factors, stress attributed to the shut down and ill-health among subjects 7 weeks after the closure. This finding seems to contradict the findings of the GM study by suggesting that some of the psychological and other health impacts of job loss are not immediately linked to economic impacts, an impression confirmed, the author adds, during the SKF interviews. However, data for the wives suggest that the economic impact of job loss was acutely and immediately felt by them and was sustained over several months³²¹. Assuming the majority of the SKF wives managed the household budget, this finding is unsurprising.

The GM study found that low income significantly increased somatic symptoms and anxiety among those made redundant. Redundancy among less educated, black subjects, which was associated with significant adverse effects on all mental health measures, was only partially explained by recent or current financial hardships³¹⁷. Among unemployed women in the Pennsylvania study financial difficulties predicted increased depression and anxiety 1 year after redundancy. Having a temporary part-time job was also significantly correlated with higher depression at follow-up. The fact that this did not have an independent effect, once redundancy-induced financial difficulties had been taken into account, suggested that a temporary part-time job was actually an additional indicator of financial difficulties²⁰⁵.

(ii) Psychosocial factors

In the Michigan study differences in the impact of closure were as great between men from the rural factory and the urban factory as those between subjects and controls³⁵⁵. This was because many of the outcomes were modified by degree of social support³³⁸. A low sense of social support potentiated the adverse effects of unemployment on cholesterol levels, illness symptoms, depression and perceived economic deprivation³³⁸, and an increase in

swollen joints was significantly moderated by social support²⁹⁷. Poor support from partner predicted increased depression among unemployed women in the Pennsylvania study²⁰⁵.

In the GM study less education significantly increased depression and anxiety among those made redundant. In addition to financial hardship, the adverse mental health outcomes experienced by less educated, black respondents were also partially explained by previous negative life events³¹⁷.

2.6.5d *Health-related behaviours*

The workplace closure studies that collected data on alcohol and tobacco consumption examined these as outcomes rather than as mediating variables. However, the fact that there were no significant changes in tobacco use and the inconsistency of the findings on alcohol indicate that these health-related behaviours are unlikely to provide an explanation of observed increases in morbidity.

2.6.6 *Workplace closure effects beyond the individual*

Means for all chronic illnesses combined were significantly ($p < 0.001$) higher at all three data collection points for the spouses of respondents in the CGE study than for the general population, after adjustment for age, sex, education and employment status³¹⁶. GP consultations for the families of Harris men and women were significantly higher during years 5-8 (anticipation, pre-termination and two years post-closure), both compared to the years of stable employment and compared with controls³⁰⁸. However, health service use among men with dependent children was no different from men without³⁴¹. Stress attributed to the closure in the SKF study among wives of the unemployed was high and remained high, while that among the wives of the re-employed dropped initially and then rose steeply³²¹. Slote's account of the closing of the Baker plant (Michigan study) gives examples of wives and children suffering ill-health related to the plant closing and of increased pressure on relationships with children and wives resulting in marital difficulties

and two divorces³⁵⁰.

Adverse effects on marriages, children and social activities were reported in the Newspaper study during the period of uncertainty³²⁰. The SKF study reported an increase in levels of family friction, tension, and arguments as a result of unemployment³²¹, and the Youngstown study found family problems significantly elevated among the unemployed compared with the employed³³⁴. After the closure of Sunderland's last shipyard, 13% of those in work found jobs outside the region. The latter lived in 'digs', hostels or on site, returning home every week, fortnight or longer. They were mostly married men and working away had enormous social costs for their families. The author reports that much of the non-response to interview was due to family break-up, the man having moved away to find work³⁵⁶.

Interview responses from the first round of data collection from the GM study were analysed to determine the effect of workplace closure on the families of blue collar workers. Data were collected solely from the study respondents and examined the effect of anticipating layoff (pre-termination), unemployment, and financial hardship on negative life events in children, conflict with spouse, conflict with children, and hitting, slapping or spanking children. It was found that compared to the control state of continuing employment, the pre-termination phase and unemployment had a significant negative effect only on conflict with spouse, but financial hardship had a highly significant effect on all four outcomes, regardless of employment status. However, employment status had significant effects on financial hardship, even though those in the pre-termination phase were still receiving their usual wage, and those unemployed had been unemployed for a short time and so were still receiving the bulk of their previous wage³⁵⁷. In addition to the GM study, other reports have linked unemployment and economic insecurity to physical abuse of children, but the evidence for causation is considered to be weak³⁵⁸.

These documented effects on family members indicate that the repercussions of workplace closure are not limited to those immediately involved. Suggestions have been made that

effects may be also be manifest in the wider community²²⁰, or in the place to where the work is transferred²⁶⁹, as in the case of Baker (Michigan study) where the new plant was non-unionised and staff had lower expectations of pay and working conditions³⁵⁰.

2.7 *Summary - workplace closures*

The ideal workplace closure study would involve a large number of workers with a comparable number of controls from a similar workplace unthreatened by closure or major organisational change. Both study and control populations would have high response rates, and the study would have data from a period of secure employment before any knowledge of the closure. Data collected would include both self-reported and clinical measures of morbidity, and health-related behaviour, and the study populations would be followed up over a minimum period of 5 years, preferably ten³⁴⁵.

No workplace closure study to date has fulfilled all of these criteria and it is highly unlikely that the chance to perform such a methodologically sound study will occur in the future. The limitations of most workplace closure studies to date are such that their results might be disregarded but for the fact that better data are not available, and while some commentators feel that workplace closure studies have yet to produce convincing data³⁵⁹, others feel that, despite their limitations, they have made an important contribution to knowledge of the effect of unemployment on the health of individuals²²⁰.

From the above review it can be seen that most studies of workplace closure follow relatively small numbers of employees over short time spans and have difficulty in finding truly comparable control groups. Nevertheless, the findings, overall, reflect the results obtained through other study designs described earlier, and are sufficiently uniform in some areas of investigation to be persuasive that workplace closures have adverse effects on a range of health outcomes and measures of well-being. The studies report consistent adverse effects on mental health, family members and employment status. Health service use, with the exception of the Elsinore study, is increased at all stages of the workplace

closure process. There is evidence suggestive of adverse effects on physical health, physiological measures, and sickness absence, but findings are inconsistent and no firm conclusions can yet be drawn. Data on mortality are insufficient even to be suggestive of an effect, and data on health-related behaviours are inconsistent.

Such inconsistency may be due in part to the instability of the employment status-health relationship across cohorts and locations. For example, the provision of a generous social safety net may attenuate effects in some countries. Different findings may also reflect the variable nature of occupations and work environments. Employment imposes health risks in its own right in terms of stress, pollution and accidents - as in the Elsinore study - and leaving such a job may bring with it some improvement in health.

Workplace closure studies that examined re-employment - in common with population studies comparing the unemployed with the re-employed - in general, showed adverse effects partially or completely reversed by re-employment. Although redundancy in workplace closure studies is universal, selection factors have a bearing on effects at all stages of the process. Financial hardship and lack of education generally potentiate adverse effects on health. Little work has been done on the role of psychosocial factors in explaining the effect of workplace closure on health, although there is a little evidence of a moderating role for social support.

CHAPTER 3 OBJECTIVES

Outline of chapter

Chapter 3 describes the rationale for undertaking the studies presented in this thesis and the hypotheses that underlie the programme of work.

3.1 *Rationale*

The rationale behind the work presented in this thesis was as follows:

- (i) Extensive restructuring of the labour markets in industrialised countries over the last two decades had led to renewed interest in the topic of unemployment.

- (ii) Changes during the 1990's generated by strict adherence to a free market economy; downsizing, workplace closure, privatisation, and increasing flexibility were threatening traditional forms of long-term secure employment and creating widespread job insecurity among workers, including large numbers of white collar workers for the first time.

- (iii) Although the association between unemployment and health had been extensively studied, uncertainty still remained regarding explanations of the unemployment and health relationship.

- (iv) Very little was known of the effect on health of job insecurity among those accustomed to long-term, secure employment.

- (v) Most previous work had not been able to focus on white-collar workers or include more than a small minority of women.

(vi) Only occupationally based, prospective, longitudinal studies, which have data on worker's health status and individual characteristics from a period of secure employment, are able to address these methodological problems and contribute further to understanding of the relationship between job loss and the threat of job loss, and health.

This thesis describes two studies which took advantage of an opportunity to perform an investigation of the health effects of threats to secure employment and loss of secure employment among white-collar workers of both sexes through the Whitehall II study. Whitehall II is an ongoing, prospective study of occupational, psychosocial, and physiological influences on health, morbidity and mortality risks in a cohort of office-based, almost exclusively white-collar, civil servants.

Baseline data collection for Whitehall II occurred before major changes in the organisation and structure of the Civil Service were planned, when employment in the Civil Service was noted for its stability. These data enabled the studies in this thesis to examine the contribution of selection on the grounds of pre-existing morbidity or other personal, demographic and socioeconomic characteristics to the health burden associated with loss of employment, and apply the same rigorous methodology to a detailed study of the effects on health of the job loss threat.

The introduction of market forces through the transfer of work to executive agencies provided data for an analysis of the effects of major organisational change which threatened job security across the Civil Service - *Study 1*. Privatisation of the Property Services Agency (PSA), one of the twenty Civil Service departments participating in the Whitehall II study, provided the opportunity to study the effects on health of all the stages of a workplace closure - *Study 2*. *Study 2* was able to follow PSA participants from secure employment through expectation and subsequent certainty of the closure of their workplace, to job loss and ensuing alternative employment or exit from the labour force.

3.2 *Research questions and hypotheses*

3.2.1 Research questions

The work presented in this thesis sets out to answer two research questions:-

- (i) What are the effects on self-reported health status, physiological measures and psychological morbidity of threats to secure employment?
- (ii) What are the effects on self-reported health status and psychological morbidity of loss of secure employment?

The two questions were prioritised in order of their importance and the ability of the dataset to furnish the answers.

3.2.2 Hypotheses

The hypothesis relating to question (i) above was that job insecurity would result in an increase in morbidity among those accustomed to secure employment.

Although it was hypothesised that, in general, all measures of job insecurity would increase all measures of morbidity, the hypothesis was expected to apply in a different way to self-reported physical and psychological morbidity than to physiological measures. Specifically:-

* that the shorter-term job insecurity associated with anticipation of transfer to an executive agency in *Study 1* and with the anticipation phase in *Study 2* would have significant adverse effects on self-reported physical and psychological morbidity, which would be potentiated by the longer-term job insecurity associated with the experience of working in an executive agency in *Study 1* and with the pre-termination phase in *Study 2*.

* and that the shorter-term job insecurity associated with anticipation of transfer to an executive agency would have mild adverse effects on physiological measures, while the longer-term job insecurity associated with experience of working in an executive agency in *Study 1* and with the pre-termination phase in *Study 2* would be associated with stronger adverse effects on physiological measures.

The hypothesis relating to question (ii) was that loss of secure employment would be associated with an increase in self-reported physical and psychological morbidity.

Research question (ii) and hypothesis (ii) relate exclusively to *Study 2*. At the time the study was planned, hypothesis (ii) specified that those who did not find another job and those who regained employment in the private sector would have worse health outcomes than those who effected a transfer within the Civil Service. In light of the results from the early phases of the PSA study and material from interviews with PSA respondents this was later revised to the hypothesis that those who did not find secure employment would have worse health outcomes than those who did.

The two hypotheses were tested directly by determining the effects of measures of job insecurity in *Studies 1 and 2* and non-employment in *Study 2* on measures of physical and psychological morbidity.

The hypotheses were also tested indirectly by examining whether alternative explanations could account for any increases in morbidity detected:-

* The first possible explanation, in the case of *Study 2* was that the outcomes could be attributed to differential non-response. This explanation is explored at the beginning of each of the chapters of results from *Study 2* (Chapters 6-8).

* The second possible explanation which was explored in both studies was that of

selection. Hartley had shown that the degree of perceived job insecurity is dependent on the perceived probability and perceived severity of losing one's job. Further, that these perceptions are dependent on a number of personal, socioeconomic and sociodemographic disadvantages, such as self esteem, financial resources and age⁶⁴. It was also felt that pre-existing morbidity would heighten perceptions of job insecurity, although no work appeared to have looked at this. Although most of the job insecurity measures in this thesis are 'objective' or attributed, the threat perceived by the individuals affected is likely to vary according to the factors described above.

* The third possible explanation pertains exclusively to hypothesis (i) and was that any increases in morbidity could be explained by the adverse changes in characteristics of the work environment that were likely to occur during major organisational change such as transfer of work to executive agencies and in the run-up to privatisation. Adverse work characteristics were also likely to be a feature of insecure employment post-privatisation.

* The fourth explanation was that any increase in morbidity could be explained by adverse changes in health-related behaviours. Previous research had shown that those who become unemployed tend to drink more and smoke more prior to loss of employment, but evidence showing that unemployment gives rise to adverse changes in health-related behaviours was conflicting. Despite the attention they had been given in the unemployment and health literature, no studies appeared to exist which had investigated the effects of job insecurity on health-related behaviours.

* The fifth explanation considered was that any increases in morbidity could be explained by plaintive set. Plaintive set comprises respondents with high negative affect, a personality trait characterise in individuals by a disposition to over-report negative events and to experience chronically high levels of distress. Such over-reporting of job insecurity and morbidity could make it appear that there was a relationship between job insecurity and health where, in fact, no relationship existed. This would mean that any association between job insecurity and increased morbidity was an artefact.

CHAPTER 4 METHODS

Outline of chapter

In Chapter 4 detailed methods for each study are presented, commencing with the methods of the parent, Whitehall II, study and followed by *Studies 1 and 2* in turn. For *Studies 1 and 2* there are additional sections on measures and analyses.

The studies described in this thesis form two discrete additions to the Whitehall II study:

Study 1, the **Executive Agencies study**, involved the analysis of data from previous phases of the Whitehall II study to examine the effects of major organisational change which threatened job security across the Civil Service.

In *Study 2*, the **PSA study**, data from previous phases of the Whitehall II study were analysed together with new data collected by questionnaire post privatisation to examine the consequences of job insecurity and loss of secure employment for respondents in PSA, most of whom belonged to PSA Projects division, sold in December 1992 to Tarmac plc³⁶⁰.

4.1 *Methodology*

Two epistemologically distinct types of research methodology are available, quantitative and qualitative. Most epidemiological studies to date have used quantitative methods to the exclusion of qualitative, although increasing interest is being paid to qualitative methods in disciplines traditionally wedded to quantitative methods^{361,362}.

Qualitative methods have contributed to some of the most outstanding studies of unemployment in the recessions of the 1930's and 1980's^{78,79,81,83,98,207}. However, most recent research on the subject has employed quantitative methods, possibly because results

so derived are more likely to carry weight with policy makers^{258,363} and are easier to disseminate and get published³⁶⁴.

Study 1 in this programme of work employed exclusively quantitative methods but *Study 2*, the PSA study, utilised both quantitative and qualitative. The qualitative arm of the PSA study has been treated as a project in its own right and analyses of the data are beyond the scope of this thesis. However, where the occasional reference brings clarity to the results of the quantitative analyses, these have been included in the discussion.

4.2 The Whitehall II Study - Methods

The first Whitehall study set up by Reid and Rose in 1967³⁶⁵, examined 18,403 male, office-based civil servants who have since been followed for mortality. Study findings showed that after 10 years of follow-up, men in the lowest grade (office support) had 2.8 times the mortality of men in the highest grade (administrators)³⁶⁶. These mortality differences were only partly explained by differences in smoking, obesity, physical activity, blood pressure or plasma cholesterol level³⁶⁶⁻³⁶⁸. The Whitehall II study, was set up to investigate additional factors which might explain this gradient in mortality, to study the degree and causes of the social gradient in morbidity, and to include women³⁶⁹. The study is known to the participants as the 'Stress and Health' study. Ethical approval for the study was obtained from the University College London/University College Hospital Ethics Committee.

4.2a Study Population

The target population for the Whitehall II study was all 14,397 women and men aged between 35 and 55 who staffed the London offices of 20 Civil Service departments between 1985 and 1988³⁷⁰. Although the large majority were in non-manual occupations, participants covered a wide range of grades from office support staff to permanent secretary. In 1995 annual salaries ranged from £150,000 for a permanent secretary to

£4,995 for the lowest paid office-support grade³⁷¹. All participants were asked to give their Civil Service grade title and on the basis of these they were assigned to one of 12 non-industrial grades³⁷² - *Table 1*. For purposes of description and analysis, these grades were grouped into three categories consisting of clerical/support (grades 11 + 12), professional/executive (EO + HEO + SEO), and administrative (Unified grades 1-7). This three-way classification corresponds approximately to that used in the first Whitehall study²⁶⁵. There were considerable differences in the distributions of women and men across the grades; 49.5% of the women in the study were in the clerical/support grades compared with 9.3% of the men³⁷³.

4.2b Data collection methods

The baseline screening for the Whitehall II study, Phase 1, took place between late 1985 and early 1988. A self-administered questionnaire (*Appendix II*) was posted to participants at their place of work. Ideally, respondents completed the questionnaire and returned it when they attended the screening examination, also at their place of work. Questionnaires were checked for completeness and validity during screening by an interviewer who sought missing information or clarification. The questionnaire contained sections on demographic characteristics, health, lifestyle factors, work characteristics, social support, life events and chronic difficulties. The screening examination included, among other measurements, height, weight, blood pressure, electrocardiogram (ECG) and serum cholesterol. In 1989/90, Phase 2, the same questionnaire data were collected by post (*Appendix III*) and between 1992 and 1993 a further round of screening and questionnaire data were collected, Phase 3 (*Appendix IV*). Further data were collected in 1995/6. Phase 4 took the form of a short, self-administered questionnaire which concentrated on collecting data from which to determine coronary endpoints. A further round of data collection by screening examination and questionnaire, commenced in April 1997, is due to be complete early in 1999 - *Figure 1*.

Table 1 Salary levels by Civil Service grade of employment

Grade level	Grade description	Basic Salary in £'s*	
		Minimum	Maximum
1	Unified Grade 1 Permanent Secretary	90,000 -	150,000
2	Unified Grade 2 Deputy Secretary	67,500 -	98,000
3	Unified Grade 3 Under Secretary	55,000 -	82,500
4	Unified Grade 4 Deputy under Secretary	46,093 -	57,978
5	Unified Grade 5 Assistant Secretary	37,400 -	57,978
6	Unified Grade 6 Senior Principal	28,975 -	50,199
7	Unified Grade 7 Principal	25,392 -	41,092
8	Senior Executive Officer	20,013 -	26,340
9	Higher Executive Officer	16,000 -	21,941
10	Executive Officer	8,602 -	17,182
11	Administrative Officer (Clerical Officer)	5,529 -	13,025
12	Administrative Assistant (Clerical Assistant)	4,995 -	10,999

* figures for London taken from the Pocket Pay Guide 1995 Settlements, H.M. Treasury

Figure 1 - THE WHITEHALL II STUDY

Study design:	Longitudinal 1985 - 1988 Baseline screening (Phase 1) Clinical examination and questionnaire Response rate 72%
	1989 - 1990 Repeat questionnaire by post (Phase 2) Response rate 79% (of Phase 1 respondents)
	1992 - 1993 Repeat screening (Phase 3) Clinical examination and questionnaire Response rate 81% (of Phase 1 respondents)
	1995 - 1996 Repeat questionnaire by post (Phase 4) Response rate 84% (of Phase 1 respondents)
	1997 - 1999 Repeat screening (Phase 5) Clinical examination and questionnaire

Study population: 10,308 civil servants from London offices of 20 departments
6,895 men and 3,413 women
office support to permanent secretary
(£4,995 to £150,000 in 1995)

All respondents in the Whitehall II study and consequently in the PSA study are flagged for embarkation or mortality at the NHS Central Registry.

4.2c Data Quality

Questionnaire, clinical screening data and laboratory test results were verified by double entry. All variables were subjected to range and validity checks and in cases where ambiguities could not be resolved were set to missing. Surprisingly few missing values exist in the data considering the number of questions respondents were asked to complete over the three phases of data collection. Quality control data from the laboratories indicated that assays were performed to a satisfactory standard.

4.2d Non-responders

Non-responders to all Phases of the Whitehall II study were followed up by two reminder letters and telephone contact where possible, either at work or at home. Persistent non-responders were also mailed by recorded delivery. After Phase 2 an increasing number of respondents had to be mailed at their home address as they had either changed job, been made redundant or retired from the Civil Service. Further attempts to trace non-responders were made through the Civil Service Pensions scheme and the OPCS's Family Health Service Authorities' tracing service.

4.2e Study sample

10,314 men and women participated in the baseline screening for the Whitehall II study, a response rate of 71.6%. The response rate would have been higher except that around 4% of those on the departmental lists of staff had in fact moved before the start of the study and so were not eligible for inclusion³⁶⁹. Subsequently, a further 6 participants who had taken part in the baseline screening were also found to be ineligible, providing a final

cohort of 10,308, 6895 men and 3413 women. Although overall participation was 71.6%, there were striking differences in participation rates by grade. Among the clerical and office support grades response rates were 46% for men and 65% for women, compared with more than 80% participation in executive and administrative grades. The exception to this was women in the highest grade who had a response rate of 69%³⁷⁰.

Invitations to participate in subsequent phases of the Whitehall II study were sent to all 10,308 of the original study participants, with the exception of those known to have died. Overall response at Phase 2 was 79%; 8,133 participants, of whom 2,600 were women and 5,533 were men. 8,318 respondents (81%) completed the full questionnaire at Phase 3, 2,579 women and 5,739 men. A further 323 (3%) respondents completed a short version of the questionnaire by telephone, 121 women and 202 men. The Phase 3 clinical screening was completed by 8,104 respondents (79%), 2,488 women and 5,616 men. Non-responders to Phases 2 and 3 included those who had died and those who could not be traced.

4.3 Study 1 - Executive Agencies Study - Methods

Study 1 examined the effects on health of the transfer of the executive functions of government to agencies, a move which threatened job security across all departments participating in the Whitehall II study. The study compared data on health status at baseline with data collected at Phase 3, a time when the transfer of functions to executive agencies affected 50% of all civil servants and was continuing to increase rapidly³⁷⁴.

4.3a Study Population

When the Whitehall II study was conceived, the Civil Service was seen as an occupational group marked by its stability and so the Phase 1 and 2 questionnaires contained no reference to organisational change. However, in acknowledgement of the introduction of

executive agencies across the Civil Service after Phase 2, a question was introduced into the Phase 3 questionnaire to differentiate those whose work had been transferred to an executive agency from those who were anticipating such a move, and those who did not expect their work to be so transferred. The statement 'Change of your department into an agency', was followed by the options; (i) has happened, (ii) is planned, (iii) not certain what will happen, and (iv) is not planned. For the purpose of analysis, respondents selecting options (ii) and (iii) were combined. The study thus comprises two exposure groups; those who were anticipating transfer to an executive agency (options ii and iii) and those already working in an executive agency (option i), and a control group of respondents for whom no transfer to an executive agency was planned (option iv).

All respondents to the baseline screening of the Whitehall II study were invited to participate at Phase 3, whether still in the Civil Service, working elsewhere or not working. However, the question 'change of your department to an agency' applied only to those still working in the Civil Service at time of the data collection. Thus, of the 8,318 respondents who completed the full Phase 3 questionnaire, 7148 completed the question 'change of your department into an agency', 85% of the women and 86% of the men. The majority of those omitting this question had already left the Civil Service. While it is possible that a few of the respondents who completed the question may have experienced a period of unemployment between Phases 1 and 3, the vast majority would have remained continuously employed in the Civil Service.

4.3b *Study 1 - Measures*

A brief description of each of the measures used in *Study 1* follows. For questionnaire items, the number of the question (Q) in each of the questionnaires in which the item occurs is indicated by the Phase of data collection and the suffix Q. Where the same items were also collected for the additional data collection phase in *Study 2*, the number of the question in the PSA questionnaire is indicated by the prefix PSAQ.

(i) Demographic and socioeconomic measures

The following demographic and socioeconomic measures are each determinants of both health and employment status. They thus have the potential to act as confounders or modifiers of the association between employment status and health. Most risk factors for morbidity increase with age and the Whitehall II study has demonstrated a strong inverse association between Civil Service employment grade and health-related behaviours, morbidity (e.g. history of diabetes) and some cardiovascular risk factors (e.g. body mass index)³⁶⁹. While the health advantage of being married has been well established for men³⁷⁵, the advantages for women remain contested and appear to interact with employment status³⁷⁶.

Age: (Phase 1 Q1a, Phase 2 Q2a, Phase 3 Q2a) Age was classified into five year age groups at entry into the study: 35 - 39, 40 - 44, 45 - 49, and 50 - 55 years.

Marital status: (Phase 1 Q6, Phase 2 Q3, Phase 3 Qs 3a-c, PSAQ Qs 13.7a & b) The marital status of participants was classified into married or cohabiting, single (never married), divorced or separated, and widowed. In some analyses the categories divorced or separated and widowed were combined.

Grade of employment: (Phase 1 Q2a, Phase 2 Q1a, Phase 3 Q1a, PSAQ Qs 1.10, 3.3 and 5.3) The three-way classification described in Section 4.2, corresponds approximately to the Registrar General's social classes I - IIIN.

(ii) Self-reported Health Status Measures

Self-rated health: (Phase 1 Q16, Phase 2 Q10, Phase 3 Q10, PSAQ Q15.1) Health in the last 12 months was self-rated as very good, good, average, poor or very poor. For the purpose of analysis reports of health as being average or worse were combined to form the outcome of interest. Self-rated health has been shown to be a predictor of future

mortality³⁷⁷. It tends to measure the presence or absence of ill-health rather than extending to include positive health, but seems to exhibit no threshold effects which make it ideal for studies using change over time as an outcome³⁷⁸.

Longstanding Illness: (Phase 1 Q17a, Phase 2 Q11a, Phase 3 Q11a, PSAQ Q15.2a) Presence of long-standing illness was ascertained using the General Household Survey long-standing illness question³⁷⁹. This question gives no information on the type or the severity of the illness or disability.

Symptom Score: (Phase 1 Q19a-q, Phase 2 Q17a-q, Phase 3 Q15a-p+v, PSAQ Q15.4a-p+v) Respondents were asked about the presence of seventeen different symptoms in the past 14 days. This checklist was derived from the General Household Survey³⁸⁰ and covered most body systems. Positive responses to these questions were summed to produce the symptom score.

Health Problems: (Phase 1 Q18a-m, Phase 2 Q16a-m, PSAQ Q15.5a-m) A checklist of thirteen recurring health problems within the last year was derived from the General Household Survey³⁸⁰. The list covered the most common conditions recorded in earlier General Household Surveys and in studies of GP consultations^{381,382}. The checklist does not give information on the prevalence or severity of health problems, but can be used to compare the extent of health problems within the study population. Positive responses to these questions indicated the number of 'health problems'.

Sleep: (Phase 1 Q31, Phase 3 Q73c, PSAQ Q14.4d) Participants were asked the number of hours sleep they usually obtained on an average weekday. Response categories of interest were those sleeping 5 hours or less per night and those sleeping 9 hours or more per night.

General Health Questionnaire: (Phase 1 Qs 80-109, Phase 2 Qs53-82, Phase 3 Qs87-116, PSAQ Qs17.1-17.12) Minor psychiatric disorders, such as depression, anxiety and

neurosis, were assessed at all Phases of the Whitehall II study by the 30-item General Health Questionnaire (GHQ)³⁸³, which has been specifically validated in this population³⁷². Respondents are asked to select one of four answers, typically 'not at all', 'same as usual' 'rather more than usual' or 'much more than usual', to items such as 'lost much sleep over worry' and 'found everything getting on top of you'. An increase in GHQ score represents an increase in minor psychiatric morbidity. All those scoring 0-4 on the GHQ are considered 'non-cases' and those scoring 5+, 'GHQ cases'³⁷². 'GHQ caseness' is the percentage of GHQ cases in a population. A person who is a 'GHQ case' is at high risk of having a significant psychiatric problem, usually depression or anxiety. About half of all GHQ cases are false positives, people who have a high score because of a temporary upset in their lives (Stephen Stansfeld, personal communication). In an attempt to minimise the length of the PSA questionnaire the shortest version of the GHQ, the 12-item GHQ was utilised. This version has not been used previously in the Whitehall II cohort, but has been used in population surveys such as the Health Survey for England³⁸⁴.

Depression (subscale of the GHQ): (*Phase 1 Qs 103,104,108,109, Phase 2 Qs 76,77,81,82, Phase 3 Qs 110,111,115,116*) In order to measure depression four items were selected from the 30-item GHQ. Depression was assessed by summing all items scored on a Likert scale from 0 - 3³⁸⁵.

Sickness absence: (*Phase 1 Q30 Phase 3 Q16*) Respondents were asked how many days in the last 12 months they had taken off work for health reasons. Responses were dichotomised to form two outcome variables; those taking more than a working week (5 days) were compared with those taking 5 days or less, and those taking more than two working weeks (10 days) were compared with those taking 10 days or less. Absence of 5 working days or less in the UK is self-certificated, while absence of more than 5 working days requires a medical certificate. As the distribution of days of absence was positively skewed the number of days of absence, plus one, at baseline had to be log transformed for inclusion in the analysis.

(iii) Physiological Measures

At Phases 1 and 3, participants were invited to attend a medical screening in clinics set up in Civil Service buildings close their place of work. Appointments were arranged between 0900-1230hrs and 1400-1630hrs, Monday to Friday. As Phase 2 of the Whitehall II study and the data collection for the PSA study post-privatisation consisted solely of postal questionnaires, physiological measures were available only for Phases 1 and 3.

Cardiac Ischaemia: Three measures of cardiac ischaemia were analysed, as different measures of ischaemia have been shown to be distributed differentially by sex. Women report more chest pain associated with angina than men, but among men reporting chest pain a greater proportion have coronary heart disease³⁸⁶.

As the Rose questionnaire was used to derive two of the three measures of ischaemia analysed, it has been included in this section, although it is a self-report item, not a clinical screening measure.

Rose Questionnaire: (*Phase 1 Q12a-g, Phase 2 Q12a-g, Phase 3 Q12a-g*) These questions form a subset of the London School of Hygiene and Tropical Medicine's cardiovascular questionnaire on angina pectoris and possible myocardial infarction³⁸⁷.

Electrocardiogram (ECG): Resting ECGs were recorded onto magnetic tape using a Siemens 'Mingorec' electrocardiograph. Tapes were analysed at Professor Peter Macfarlane's laboratory in the Department of Medical Cardiology, University of Glasgow, where Minnesota codes³⁸⁷ were assigned by computer.

The three measures of ischaemia analysed were as follows:

Angina Pectoris by questionnaire: The definition of angina was according to previously established criteria i.e. pain that comes on exertion, that causes the person to stop or slow

down and goes away within 10 minutes and is located over the sternum or in both left chest and arm. The case definition required an appropriate reply to each part of the questionnaire. Failure to complete the first two questions, on the presence of pain and its relation to exertion, led to a missing response being assigned. All other response patterns were assigned as 'no angina'³⁸⁶.

Possible/probable ischaemia on ECG: The criterion for probable ischaemia was the presence of Q waves with Minnesota codes 1-1 to 1-2. For possible ischaemia the criteria were Q wave abnormalities 1-1 to 1-3, S-T or T waves with codes 4-1 to 4-4 or 5-1 to 5-3, or left-bundle branch block code 7-1-1. All ECGs designated as possible or probable by computer were independently coded by an experienced coder. Only when both computer and coder agreed were ECGs considered to identify ischaemia³⁶⁹.

Possible/probable ischaemia on ECG or angina: combines the two previous measures.

Blood Pressure: Blood pressure was measured twice, after 5 minutes rest, on the right arm with the participant seated, using a Hawksley random zero sphygmomanometer³⁸⁸. Readings were tabulated to the nearest 2 mmHg. Means of the two measurements for systolic and for diastolic pressure were used in the analyses. Field staff were trained using audio-tape recordings as described by Rose (1965)³⁸⁹.

Cholesterol: Venepuncture of the left antecubital vein was performed with tourniquet. Blood for total cholesterol analysis was transferred to plain polypropylene centrifuge tubes and allowed to stand for one hour before being centrifuged. The supernatant was pipetted off into microtubes and stored at 4° prior to assay within 72 hours. Total cholesterol assays were performed by the Department of Chemical Pathology at St Thomas' Hospital in London. Cholesterol concentration was measured by the cholesterol oxidase-peroxidase colorimetric method (Boehringer Mannheim kit)³⁹⁰. External comparisons and examination of age differences at Phases 1 and 3 show that serum cholesterol levels were over-estimated by approximately 0.33 mmol/l at follow-up³⁹¹.

Body Mass Index (BMI): BMI was calculated from measurements of height and weight as follows: $BMI = \text{weight (in kilograms)} / \text{height} \times \text{height (in metres)}$. Height was measured to the nearest 0.5cm using a standard metal stadiometer with feet together and the head in the Frankfort plane position³⁸⁸. Weight was measured to the nearest 0.1 kilogramme using a pair of Soehnle Digital S electronic scales. Participants were dressed only in underpants and socks while the measurement was taken.

(iv) Personal characteristics

In addition to health outcomes, factors which might act as potential mediators of the relationship between employment status and health were examined; personal characteristics, psychosocial factors, in particular characteristics of the work environment, and health-related behaviours.

Divorce or separation: The marital status (section (i)) questions were used to determine change in marital status from married or cohabiting at baseline to divorced or separated at a subsequent phase of data collection.

Reporting Bias: (*Phase 1 Q74 Phase 2 Q50*) Negative affect or reporting bias is a personality trait characterised in individuals by a disposition to (1) accentuate the negative in appraising themselves, other people and the world in general; and (2) to experience chronically high levels of distress. The disposition to view and react to the world in this negative fashion is stable, with test-retest reliabilities of about 0.8 over a six-month period, 0.6 over two years and 0.4 after 30 years¹⁵⁸. In Whitehall II, this trait was assessed using the five negative affect items from Bradburn's Affect Balance Scale³⁹². The Affect Balance Scale was not included in the questionnaire to the first 2913 participants at Phase 1 and so is available for 72% of the cohort. While reporting bias may be considered a 'problem', it should be borne in mind that the cognitive appraisal of environmental demands is an important element of the process leading to physiological and psychological responses³⁹³.

(v) Psychosocial measures - Characteristics of the work environment

Self-report questions on three work characteristics were adapted from the Job Strain Model developed by Karasek³⁹⁴. The reliability and internal consistency of the Karasek indices in the Whitehall II data have been confirmed by principal components analysis³⁷⁰ and refined by confirmatory factor analysis³⁹⁵. Karasek's Job Strain Model is based on two orthogonal dimensions; decision latitude and job demands. It has been proposed that the combination of high job demands and low decision latitude is the most disadvantageous to health. However, a 1994 review paper provided only partial support for this two dimensional model. The review found the control dimension, but not the demand dimension to be consistently related to cardiovascular risk³⁹⁶. However, high job demands have been associated with increased sickness absence in the Whitehall II cohort³⁹⁷.

Decision Latitude is made up of two components; decision authority, the amount of control the respondent has over their work, and skill discretion, a measure of job variety and opportunities for use of skills. Each of these components has been shown to be associated with adverse effects on health. Decision authority or control has been shown to be associated with coronary heart disease³⁹⁸, depression³⁸⁵ and sickness absence³⁹⁷ in the Whitehall II cohort and skill discretion has been shown to be related to excess risk of myocardial infarction³⁹⁹.

Questions on social support at work were also included, giving four work characteristics in all. Work social support was made up of three components; support from colleagues, support from supervisors, and clarity and consistency of information from supervisors. Social support at work has been shown to be related to morbidity and mortality^{400,401}.

The four work characteristics were derived from the following questions:

Job demands: (Phase 1 Qs49a-c,52a Phase 2 Qs 36a-c,38a Phase 3 Qs 59a-c,61a PSAQ Qs 19.1a-c,19.3a)

Decision authority: (Phase 1 Qs49i,49j,50a-e,50g,50h Phase 2 Qs36i,36j,37a-e,37g,37h Phase 3 Qs59i,59j,60a-e,60g,60h PSAQ Qs19.1i,19.1j,19.2a-e,19.2g,19.2h)

Skill discretion: (Phase 1 Qs49e-h,53a,53c Phase 2 Qs36e-h,39a,39c Phase 3 Qs59e-h,62a,62c PSAQ Qs19.1e-h,19.4a,19.4c)

Social support at work: (Phase 1 Qs52b,52c,54a-d Phase 2 Qs38b,38c,40a-d Phase 3 Qs61b,61c,64a-d PSAQ Qs19.3b,19.3c,19.5a-d)

All the questions on work characteristics required responses on a four-point scale from 'often' to 'never/almost never'. Each work characteristic scale was divided into tertiles. In the analyses presented subsequently, change from tertile at baseline to a more adverse or beneficial tertile by follow-up formed the outcome of interest. Those who experienced adverse change were compared with those who experienced no change or beneficial change and vice versa.

Visual Display Unit (VDU) use: (Phase 1 Q57a, Phase 2 Q42a, Phase 3 Q56a) VDU use is actually an environmental factor, but rather than add another category of variables it has been included with the characteristics of the work environment. Respondents were asked if they work with VDUs or desk top television screens. Use of such display monitors have been associated with increases in some facial rashes, bodily pain (particularly backpain) and eye damage. Concern has also been expressed about VDU technology deskilling or replacing jobs and being associated with a loss of control⁴⁰².

(vi) Health-related behaviours

Three health-related behaviours were examined, smoking, alcohol consumption and exercise. Cigarette smoking⁴⁰³⁻⁴⁰⁵ and lack of exercise^{406,407} have been associated with increased morbidity and mortality. Alcohol has been implicated as a risk factor for a wide range of diseases^{408,409}, but moderate alcohol consumption has been shown to be protective

in the case of coronary heart disease^{410,411}.

Alcohol: (Phase 1 Qs 43-45, Phase 2 Qs 29-31d, Phase 3 Qs 33-35, PSAQ Qs 16.3-16.5)

The total amount of alcohol (wine, spirits and beer) consumed in the past seven days was measured in 'units'. One unit of alcohol was equivalent to half a pint of beer or cider, a single measure of spirits or a glass of wine. 'Heavy' drinking was defined as 15 or more units/week for women and 22 or more units/week for men, the recommended limits for safe drinking used in the General Household Survey²⁹⁸. Non-drinkers included those who had never drunk alcohol, those who used to drink but had stopped during the last 12 months, those who said they drank alcohol but had not done so in the last 12 months and occasional drinkers - those consuming an average of under 1 unit per week.

Smoking: (Phase 1 Q39, Phase 2 Q25, Phase3 Q30, PSAQ Q16.1) Smoking prevalence was restricted to current smokers using either manufactured or hand-rolled cigarettes. Ex-smokers and current pipe and cigar smokers were excluded as these groups have different disease outcomes. Analyses compared non-smokers with smokers. Adjustment was made for the number of cigarettes smoked per day by the smokers.

Exercise: (Phase 1 Q48, Phase 2 Q35, Phase 3 Q51, PSAQ Q16.6) The questions on physical activity were derived from the Whitehall I Study which classified activity into 'mild', 'moderate' and 'vigorous' on the basis of energy utilisation⁴¹². Respondents who did at least an hour's vigorous activity per week (running, digging, tennis) were classified into the vigorous exercise category, those that did at least an hour's moderate activity per week (cycling, decorating) were classified into the moderate category and those who did neither were classified into the mild category. This latter category formed the variable 'none or only mild exercise'.

4.3c Study 1 - Analyses

(i) Statistical power

The 6667 respondents included in the analyses for Study 1 were distributed across the control and exposure groups as follows:-

Change to an executive agency	Women	Men
is not planned (controls)	1140	2512
is possible/probable	618	1123
has happened	334	940

These sample sizes provide good power to detect the possible effects of change and expectation of change to an executive agency. Among women, comparing controls with either of the exposure groups the numbers are sufficient to detect a difference of 0.22 of a standard deviation at the 5 % level of significance with a power of 95 %, while for men it is possible to detect a difference of 0.14 of a standard deviation.

(ii) Analysis Strategy

The data were divided and analysed separately by section:

1. Demographic and socioeconomic characteristics
2. Self-reported health status measures
3. Sickness absence
4. Physiological measures
5. Psychosocial measures
6. Health-related behaviours
7. Potential explanations of the job insecurity-health relationship

In all the analyses, values for the control group, respondents not expecting to be transferred to an executive agency, were compared with those for the two exposure groups

those expecting transfer to an executive agency, and those already working in an executive agency. All the data were analysed separately for women and men.

The demographic and socioeconomic characteristics; age, grade and marital status were compared at baseline to determine whether there were significant differences between the control group and either of the exposure groups, for example, in mean age, or percentage of respondents who were divorced. Reporting bias (negative affect) was also treated in the same way.

The aim of the analyses of sections 2-6 was to compare changes between Phase 1 and Phase 3 in the various measures between the control group and the two exposure groups. Analysis of such data using simple differences is usually not recommended since the magnitude of the change could depend on the level at baseline³⁴⁴. Thus, the analyses usually adjust for baseline (Phase 1) values using analysis of covariance. For example, to examine changes in symptom score between Phase 1 and Phase 3 for women whose work had been transferred to an executive agency relative to control women, symptom scores at Phase 3 were compared for these two groups of women, taking into account the possibility that the groups had different mean symptom scores during the period of secure employment (Phase 1). This form of analysis has a number of advantages. Firstly, the analysis takes account of regression to the mean and is independent of the baseline value. Secondly, when the Phase 3 values are used as the outcome it allows for continuous and discrete variables to be analysed and presented in a similar manner. Fortunately, for continuous variables, analysis of covariance adjusting for baseline values gives identical results irrespective of whether the baseline (Phase 1) to Phase 3 difference or just the Phase 3 value is used as the outcome. When the variables of interest are discrete variables, this analysis is equivalent to stratifying the data according to baseline illness, doing the analyses separately within those who have no illness at baseline and within those who do have illness at baseline and then finally pooling the results from these two sets of analyses.

The aim of the analyses presented in section 7 was to determine whether any changes seen

in the health outcomes determined in sections 2-4 were explained by reporting bias (negative affect) or by any of the psychosocial or health-related behaviours measured.

(iii) Missing values

As indicated under *Data Quality* for the Whitehall II study, the final data set contained missing values. This created a problem in the multivariate analyses in that results from models containing more variables were based on fewer observations than determinations of frequencies or results from simpler models. There are two common approaches to this problem; either to accept that more complex models are based on smaller numbers, or to restrict all analyses of a particular variable to a dataset from which respondents with missing values for any of the variables in the most complex model are excluded. The problem with the former approach is that it is impossible to determine whether any observed changes in the variables of interest are due to the addition of confounding factors or due to differences in the number and type of subjects being analysed. In the analyses in this thesis the strategy adopted was a combination of these two approaches. To make maximum use of the data and because larger numbers of subjects reduce the errors around the effect estimates, analyses did not eliminate people with missing values, except those with missing values for the variable of interest. As the aim of the analyses was to compare change over time, respondents with missing data for the variable of interest, either at Phase 1 or Phase 3, were removed from the dataset analysed. However, when it was necessary to compare models with differing adjustments, subjects were only included in the models being compared provided they had no missing values for any of the variables being used in those models.

(iv) Statistical methods

The overall aim of the analyses was to determine whether change in morbidity between baseline and Phase 3 was significantly different among women and men in the two exposure groups compared with control women and men. Further, it was of interest to

determine whether any significant changes in morbidity could be explained by changes in the potential explanatory factors measured.

Thus, for continuous variables differences between the control and the exposure groups at the Phase 3 follow up were assessed using analysis of covariance. Adjusted means for the exposure groups and the control group, together with their standard errors were produced by linear regression (GLM procedure in SAS), with adjustment being made sequentially for age, employment grade, marital status and the baseline (Phase 1) level of the variable of interest. Results for continuous variables are presented by comparing the exposure groups with the control group in terms of adjusted mean differences (Adj Diff) for the variable of interest, together with the standard error (se) of the mean difference. For dichotomous variables, logistic regression (LOGIST in SAS) was used to compare the Phase 3 measures among women and men in the two exposure groups with control women and men, with adjustments being made sequentially for age, employment grade, marital status, and the baseline level of the variable of interest. Results for the dichotomous variables are presented in terms of odds ratios (ORs) for the variable of interest, together with 95% confidence intervals (95% CI). All the health outcomes were also analysed with and without adjustment for the health-related behaviours measured; smoking (smoking and number of cigarettes used by smokers), drinking (non-drinking, 'heavy' drinking, and units of alcohol per week) and exercise (none or mild, moderate, and vigorous).

Adjustment was made for age, employment grade, marital status, and health-related behaviour to ensure that changes between baseline and Phase 3 could not be attributed to any baseline heterogeneity in the age, marital status, employment grade structure, or health-related behaviour profile between the groups being compared. All of these factors are potential confounders of the relationship between exposure and outcome, being independent predictors of morbidity and differentially distributed among the groups at baseline.

For the ischaemia measures, in order to analyse incident cases at Phase 3 only,

respondents positive at baseline were excluded. This applied to the following outcomes; angina by questionnaire, probable/possible ischaemia on ECG, and probable/possible ischaemia on ECG or angina.

For discrete variables, age adjusted proportions were calculated by direct standardisation using 5-year age groups with the total Whitehall II population as the standard. Differences in these proportions were assessed using Cochran-Mantel-Haenszel tests of association. All the outcomes were analysed by sex. For continuous variables, age-adjusted least squares means and tests of the differences between these means were derived from analysis of covariance, with the age groups as covariates.

Once the analyses of sections 2-6 had been completed, potential mediators of the changes in morbidity measures were identified. These were psychosocial measures and health-related behaviours which had changed significantly between baseline (Phase 1) and Phase 3 for either sex in either of the exposure groups relative to the controls. Such factors were included in the final model for each health outcome, that is the model adjusted for age, grade, marital status, and the baseline (Phase 1) value of the health outcome of interest. The models were also adjusted separately for reporting bias (negative affect), and finally all the potential mediating variables and reporting bias were entered into the model together. For all the potential mediating variables, except the work characteristics, the Phase 1 and Phase 3 values of the variable were used for the adjustment. As the initial analyses of the work characteristics examined change between baseline and Phase 3, the adjustment used in the case of these variables was the baseline tertile and the change variable. Reporting bias or negative affect was not measured at Phase 3 and so the Phase 1 value was used. As a trait, negative affect is deemed to be relatively stable over time.

Results of these analyses are presented in full in *Appendix VIII*. Summary tables are presented in section 7 of results Chapter 5 only for those health outcomes in which change in one of the exposure groups had been significant. Results are presented as unadjusted and adjusted (by the potential mediator) differences for continuous outcomes and odds ratios

for dichotomous outcomes. The percentage change between the adjusted and unadjusted differences or between the log of the odds ratios for discrete variables are also presented.

(v) Software

The same software packages were used in both *Studies 1 and 2*. Data were cleaned and analysed using SAS version 6.03 for DOS and SAS version 6.12 for Windows⁴¹³ Epi Info version 5.01 was used for calculations of the statistical power of the study⁴¹⁴.

4.4 *Study 2 - The PSA Study - Methods*

The PSA study, known to participants as the 'Change and Health' study used both quantitative and qualitative methods. In addition to data from Phases 1 to 3 of Whitehall II, the PSA study collected quantitative data by postal questionnaire 1½ years after the privatisation and qualitative data through a series of semi-structured interviews with a sub-sample of those who had completed the questionnaire. No substantial data from the qualitative arm of the study are presented in this thesis. Where interview material is included it is exclusively illustrative.

Data from Phases 1 to 3 of the Whitehall II study were used in conjunction with data from the PSA questionnaire to follow PSA respondents through the stages of a typical workplace downsizing, sale or closure as described in *Figure 1 Chapter 1*. The way the four phases of data collection fit this schema is shown in *Figures 2 and 3*. Data from Phase 1 of the Whitehall II study derive from a time of relatively secure employment for all respondents. By the time of the Phase 2 questionnaire, the structure and organisation of PSA had started to change but the future of the department was uncertain. Phase 2 for PSA respondents is thus described as the anticipation phase. The sale of PSA Projects, the section of PSA in which most of the Whitehall II respondents worked, took place during the Phase 3 data collection. Most of the PSA respondents attended the Phase 3 screening clinic between

Figure 2 - Stages in the privatisation of PSA

PSA Questionnaire

* Phase refers to the phase of data collection for the PSA sample in the Whitehall II study

Figure 3 - Chronology of the Whitehall II study and the privatisation of PSA

<u>Civil Service/PSA</u>	<u>Whitehall II study</u>	
Civil Service still largely considered to be a 'job for life'	late 1985 early 1988	Baseline screening (Phase 1) clinical examination and questionnaire
'Using Private Enterprise in Government'	1986	(Phase 1) screening of 666 PSA employees Phase 1 = Stable employment data
'Next Steps' programme introduced PSA split into 6 stand alone businesses PSA employees at Phase 1 employed by PSA Projects	Aug 1988 1989-90	Whitehall II repeat questionnaire by post (Phase 2) (Phase 2) survey of 526 PSA Projects employees Phase 2 = Anticipation phase data
PSA Projects tendering for business traditionally theirs	1990-92	Whitehall repeat screening (Phase 3) clinical examination and questionnaire
Negotiations with purchaser (Tarmac)	Autumn 1992	(Phase 3) survey of 567 PSA employees Phase 3 = Pre-termination phase data for PSA
Day of sale to Tarmac plc	1st Dec 1992	
PSA questionnaire	mid-1994	(PSA) survey of 541 PSA employees Workforce either in private sector, transferred within the Civil Service, retired or unemployed

September and November 1992, immediately prior to the transfer of undertakings which took place on the 1st December. This phase is called the pre-termination phase for PSA. The PSA questionnaire collected data approximately 1½ years post privatisation. A detailed description of the privatisation of PSA is given in Chapter 1.2.2.

The aim of the analyses of the PSA study was to determine effects of threats to secure employment and loss of secure employment on the health of Whitehall II respondents in PSA by comparing health status during secure employment with health status during the anticipation phase, the pre-termination phase and 1½ years post-privatisation. Changes in health status between baseline and follow-up for the anticipation and pre-termination phases were compared with changes in the health status of the control group at Phases 2 and 3 of the Whitehall II study. The control group comprised the other 19 (non-PSA) departments not undergoing privatisation at that time. As the PSA questionnaire was mailed only to respondents in PSA at baseline there was no control group for the last data collection phase.

4.4a Study population

The population for the PSA study comprised all 666 respondents in the Whitehall II study who recorded their department as PSA in the Phase 1 questionnaire. These respondents formed the PSA cohort for the duration of the study from 1986 to 1994 for the questionnaire data (August 1995 for cardiac events data and August 1997 for mortality data), on the basis that a subject who meets the criteria for entry into a cohort should not subsequently be excluded on the basis of exposure experience after entry⁴¹⁵. Thus, the cohort was treated in a similar manner to an intention-to-treat group in a clinical trial in that members remained part of the PSA study population regardless of when their employment with PSA ended. Administrative civil servants are frequently moved from department to department every few years. This, combined with natural wastage, meant that some PSA respondents had left the department before the privatisation process had

started (see Chapter 8). Full details of the study sample are given at the beginning of Chapter 6.

4.4b Data collection methods

The Change and Health (PSA) questionnaire: A self-administered, machine readable questionnaire (*Appendix V*) was mailed to all respondents, employed by PSA during the baseline screening of the Whitehall II study, at their home address in March 1994, 16 months after the sale. Most questionnaires were returned within 4 months and the dataset was closed on the 1st January 1995.

The PSA questionnaire sought retrospective data about the effects of the privatisation process. In addition, the questionnaire covered: (i) demographic and socioeconomic factors: marital status, current employment status, and route of exit from PSA and/or the Civil Service; (ii) health status measures: General Household Survey long-standing illness question, current medications, minor illnesses, symptoms, self-rated health status, minor psychiatric morbidity assessed by the 12-item General Health Questionnaire, the SF 36 index of well being, and GP visits; (iii) work characteristics based on the occupational strain model of job demands and decision latitude of Karasek; (iv) social networks and type of social supports, concentrating on both quality of support from two close persons and number of network contacts; (v) health behaviours: smoking, alcohol consumption, physical activity; (vi) stressful life events and personal difficulties.

Questions about the privatisation process were developed after a series of interviews with key informants in PSA who also checked the final questionnaire for correct use of Civil Service terminology. Most other questions in the questionnaire were included to provide outcome measures comparable to those used at previous data collection points.

Questionnaire pilot: The questionnaire was piloted on six ex-PSA employees who were in the department during the privatisation process but are not participants in the Whitehall II

study. The questionnaire content and layout was acceptable to all the pilot subjects, however, some modification of the wording resulted from the feedback from this exercise. Validation of many of the self-report questions used was not possible, although corroboration for certain items was available from documentation and via key informants. The reliability of most questions, apart from those relating to the privatisation process, had been determined during previous data collection phases of the Whitehall II study.

Data collection: The initial mailshot was by recorded delivery and the envelope contained an invitation letter (*Appendix VI*), the questionnaire and a stamped envelope addressed to the study coordinator. When a completed questionnaire was returned an individual's response code was changed to 1. Each respondent who returned a completed questionnaire was sent a thank you letter (*Appendix VI*). Altogether, 541 completed questionnaires were returned, a response rate of 81%. 24 of the 666 respondents in PSA at baseline had indicated their wish to withdraw permanently from the Whitehall II study. A special invitation letter was sent to these respondents (*Appendix VI*) and 12 (50%) returned completed questionnaires. The 12 non-responders from this subset were not followed further.

4.4c Non-response

Non-responders: Where recorded delivery envelopes were not returned by the Post Office, non-responders were sent a reminder letter (*Appendix VI*) one month after the mailing of the initial invitation letter. Those who still failed to reply were sent a second reminder letter (*Appendix VI*) two months later. Non-responders to the second reminder letter were followed up by telephone both at work and home where possible. For those whose original invitation letter was returned by the Post Office because the addressee had moved, attempts were made to obtain new addresses through the PSA Pensions office. However, despite an obvious willingness to help, few addresses were supplied. A further attempt to obtain current addresses for these subjects was made through the office of the Paymaster General and failing this through the OPCS's Family Health Service Authorities' tracing service.

Missing data: The information in section 1 of the questionnaire was checked on receipt to ensure that the respondent's current employment status and type of work was clear. In cases where this information was missing it was sought by telephone. The remainder of the questionnaire was also checked to ensure that other crucial data were not missing. Where data were found to be missing, the relevant pages of the questionnaire were photocopied and marked with the respondents name. For those who had missing data, photocopies of the relevant pages of the questionnaire, a stamped addressed envelope and a missing data letter (*Appendix VI*) accompanied the thank you letter.

4.4d Data processing and data quality

Once the questionnaire had been checked for missing data and the **For Office Use only** boxes had been completed, the spine of the questionnaire was removed by guillotine. Machine readable data from the questionnaire were automatically entered and validated by passing the questionnaire pages through a Scantron optical machine reader. The programmes for the data entry and validation of the data were both designed in house. Where the scanner detected inconsistent or invalid responses to questions, the data from that questionnaire would not be read across into the data entry programme. Instead the machine would produce a printout listing the problem questions. The most common problem was that the pencil marks were too faint for the machine to detect, but occasionally inconsistencies between responses were detected. In cases where it was not obvious how an inconsistency should be resolved, further clarification was sought from the participant. Machine readable data were verified by passing each questionnaire through the scanner a second time.

Although most of the data were machine readable there remained 13 questions to which responses were provided as numbers, and 29 questions which required either full or partial coding by hand. Social class was manually coded for every respondent using the Standard Occupational Classification of OPCS^{416,417}. The *Comments* section at the end of the

questionnaire was manually coded where necessary. All manually coded data were also entered and verified by hand. The coding manual for the questionnaire is presented as *Appendix VII*.

4.4e Study 2 - Measures

Most of the measures used in *Study 2* have already been covered in the section *Study 1 - Measures*. This section presents variables used exclusively in the PSA study.

(i) Personal characteristics:

Fatalism (health): (*Phase 1 Q38b Phase 2 Q24 Phase 3 Q83d PSAQ Q15.6*) As a measure of locus of control over health, a question on fatalism with respect to chances of modifying the risk of CHD was adapted from the Heartbeat Wales survey⁴¹⁸. Respondents who ascribed the chance of a heart attack to fate or bad luck were described as having a fatalistic attitude to health.

(ii) Financial measures:

Financial problems: (*Phase 1 Qs79e+f Phase 2 Qs52b+c PSAQ Qs13.1b+c*) Responses to two questions from Pearlin's list of chronic strains⁴¹⁹ were combined. Scores ranged from 0 to 8. The questions asked about level of sufficiency of money for paying bills and buying the kind of food and clothing the respondent felt s/he and her/his family should have.

(iii) Psychosocial measures:

Life events: (*Phase 1 Q75 Phase 2 Q51 PSAQ Q14.3*) An 8 item measure, similar to that utilised by Ruberman⁴²⁰ required respondents to indicate the occurrence of major events in their life, such as divorce or bereavement. A summary score was computed for the number

of events experienced in the past year. Change of job or residence (*Q75h, 51h, 14.3h*) may be a positive or negative experience and was omitted from the summary score calculation.

(iv) Employment status measures:

The variables in the following section describe the PSA respondent's status in the labour market post privatisation. Variables were constructed from responses to the questions in sections 1-7 in part one of the PSA questionnaire. The variables were used as **categorical variables** for the analyses of health outcomes post-privatisation.

At the time the PSA questionnaire was drafted, based on interviews with key informants, three a priori categories were selected to divide respondents into groups for analysis: those who had remained in the Civil Service; those working in the private sector; and those who had lost their jobs. It was considered that respondents who had effected a transfer within the Civil Service would be more secure in their employment and would thus have better health outcomes post-privatisation than those in the private sector. Further, it was considered that the employed as a group would have better health outcomes than the non-employed. However, it turned out that security was not exclusive to those who remained civil servants or to those in employment (see Chapter 8) and so health outcomes differed little between groups of respondents thus categorised. The question 'How secure do you feel in your present job?' (*PSAQ Q8.1a*) enabled those in employment inside and outside the Civil Service to be subdivided into those whose current job was 'secure' or 'very secure' and those whose current job was 'not very secure' or 'very insecure'. Respondents not in paid employment were divided according to their response to the question 'Would you like to find another job?' (*PSAQ Q4.4a*). The non-employed who did not want further employment were deemed to be 'secure' and those who did were deemed to be 'insecure'.

Current employment status thus comprised the following four categories:

- (i) securely employed
- (ii) insecurely employed
- (iii) secure non-employed (permanently out of the labour force) and
- (iv) insecure non-employed (unemployed)

All-cause mortality: All participants in the Whitehall II study are flagged at the NHS Central Registry for death or emigration. Death from all-causes to August 1997, 4 years and 9 months after the privatisation of PSA Projects, were included in the analyses.

Primary cardiac endpoints: included non-fatal myocardial infarction (symptomatic and silent) and fatal coronary heart disease. Data on primary cardiac endpoints were collated from death certificates, ECGs from the Whitehall II screening, questionnaire responses, post mortem reports, GP and hospital notes, and sickness absence data provided by the Civil Service. All primary cardiac endpoints between entry into the study and August 1995 were included in the analyses.

4.4f Analysis

(i) Statistical power

The original power calculations for the study assumed that approximately 200 respondents would end up equally in each of three employment status groups; those remaining in the Civil Service; those now working in the private sector; and those no longer in employment. At the 5% significance level this distribution would have provided the study with 80% power to detect differences in prevalence in categorical variables of 8% - 14% for outcomes with an overall prevalence of 5% - 95%. As described above, these employment status categories were not used finally. Of the 539 respondents to the PSA questionnaire who provided usable data: 30.6% (33♀ 132♂) were in secure employment, 28.8% (35♀ 120♂) were in insecure employment, 21.9% (35♀ 83♂) were non-employed but secure, and 18.7% (21♀ 80♂) were non-employed and insecure. The small sample

sizes among the women meant that, for categorical variables, the study only had sufficient power to detect differences in prevalence of 34% - 42% when compared with those in secure employment, at the 5% significance level and with 80% power, for outcomes with an overall prevalence of 25% - 78%. In men the distribution meant that the study was of sufficient size to detect differences in prevalence of 13% - 20% for outcomes with an overall prevalence of 10% - 90%.

(ii) Analysis strategy

Analysis of data for the PSA study was performed in three sections which follow the stages of the privatisation as described in *Figure 2*; anticipation, pre-termination and post-privatisation. As for *Study 1*, the overall aim of the analyses at the anticipation phase and the pre-termination phase was to determine whether change in morbidity between baseline and follow-up was significantly different for subjects (the PSA respondents) compared with controls (all other respondents in non-PSA departments). Further, to determine whether any changes in morbidity were explained by changes in psychosocial or health-related behaviours. Health outcomes during the anticipation phase were determined by comparing change in health status between baseline (Phase 1) and Phase 2 of the Whitehall II study for respondents in PSA compared with non-PSA respondents. Similarly for the pre-termination phase, health outcomes were determined by comparing change in health status between baseline (Phase 1) and Phase 3.

Post-privatisation, PSA respondents were categorised as described in the previous section. In the absence of a control group who had not experienced privatisation, the aim of the analyses of data from the PSA questionnaire was to compare change in health status between Phase 1 and 1½ years post-privatisation for those in less favourable labour market positions, with those in the most favourable position (secure employment) forming the reference group.

Additionally, data from Phase 1 of the Whitehall II study and the PSA questionnaire were

used to determine whether morbidity at baseline or demographic and socioeconomic characteristics were predictive of employment status post-privatisation.

As for *Study 1* data were divided and analysed separately by section and by sex and the same strategy of adjustment for baseline values in the determination of relative difference in change over time was employed.

Sixty nine (17 women and 52 men) of the PSA respondents were over 60 on the day of sale. Although over the official retirement age for the Civil Service these respondents were not removed from the dataset as the oldest among them were 62, well below the state retirement age for men.

(iii) Missing values - were dealt with as described for *Study 1*

(iv) Statistical methods

The anticipation and pre-termination phases: The analyses of continuous, dichotomous and potential mediating variables for the anticipation and pre-termination phases were conducted in the same manner as for *Study 1*.

Non-responders to follow-up in the Whitehall II population have been shown to be significantly different to responders for most measures²⁸³. However, of more importance to comparisons of samples drawn from a single population is that the difference between responders and non-responders does not differ significantly between the subject and the control samples i.e. there is no interaction with response status. If significant differences do exist then the effect of interest differs between the samples of responders and non-responders and this makes it difficult to make inferences about the total population from the sample of responders. Tests of interaction were performed to determine whether responders and non-responders in PSA and responders and non-responders in the control group differed significantly at baseline. The statistical significance of these tests was

determined using z statistics which were compared with tables of the standard normal distribution.

Post privatisation: Differences between responders and non-responders to the PSA questionnaire were analysed to determine response bias and representativeness of the sample. Apart from the difference in reference groups the analyses and treatment of variables were the same for the analysis of the post-privatisation data as for *Study 1*.

4.4g Study 2 - Qualitative data collection

The aim of the qualitative arm of the PSA study was to gain further understanding of respondents' experiences of, attitudes, and responses to, the privatisation process, in particular the threatened and actual loss of secure employment.

Originally designed to include approximately 200 interviews, the qualitative investigation comprised a total of 130 individual, semi-structured interviews. In addition, unstructured interviews were held with key informants prior to questionnaire design and prior to design of the interview schedule. Data from the qualitative arm of the study are not presented in this thesis, apart from the occasional, illustrative reference in the *Discussion*.

CHAPTER 5 RESULTS: STUDY 1 - Executive Agencies study

In 1985 when the Whitehall II study started the Civil Service was an institution noted for the security of its employment. However, implementation of the Next Steps programme which commenced in August 1988 began to change this. Next Steps is essentially a strategy for meeting the goals of cutting public expenditure, cutting staff numbers and improving efficiency²¹. The programme has aimed to separate executive and policy functions of government and transfer the executive functions to clearly designated units called agencies. Transfer of a particular government function to an executive agency involves a period of uncertainty during which the options of elimination, or transfer to the private sector are considered, followed by a marked change in management style and further periods of uncertainty when the agency's function is periodically reconsidered for transfer to the private sector. Since 1988, 384,000 (76%) civil servants, have been moved into 138 executive agencies²³ whose progression toward commercial viability and privatisation are being accelerated²⁵.

The exposure for those facing transfer to an executive agency was short-term job insecurity arising from the anticipation of an increased probability of redundancy and/or loss of valued elements of their existing job. Among respondents employed in an executive agency, the exposure was chronic job insecurity arising from the ongoing increased probability of redundancy, particularly at times of agency review, and changes in job culture and working practices. An indication of the importance of job security to civil servants comes from the results of a job attitude survey in the Benefits Agency which showed that job security was rated as the most important aspect of work, above good pay. Respondents were more interested in jobs elsewhere in the Civil Service than jobs outside the Civil Service or in another agency⁶³.

Study sample and response

8,318 respondents completed the full questionnaire in Phase 3 of the Whitehall II study and

8,104 the clinical screening. Non-response to the full questionnaire was 24% for women and 17% for men. In addition to those who failed to respond to invitations for Phase 3 data collection, non-responders included participants who had died and those who could not be traced. Of those who responded, 7148 completed the question 'change of your department to an agency', 85% of the women and 86% of the men. Only respondents still working in the Civil Service were asked to complete this question and 1127 (96%) of the 1170 participants who omitted it had already left or retired from the Civil Service. Thus, 43 participants who should have answered the question failed to do so, giving a non-response rate of 0.5% for this questionnaire item. A further 159 respondents who had already left or retired from the Civil Service completed the question 'change of your department to an agency', by mistake. These participants were removed from the dataset, although analysis of a dataset which included these respondents gave results which differed little from those produced without them.

Also removed from the dataset were those respondents who were in PSA at Phase 1. PSA was on the verge of being sold to the private sector at the time of the Phase 3 data collection and so the question 'change of your department to an agency' did not strictly apply. Of the 322 respondents in PSA who were still employed by the Civil Service and who answered the question, 32% indicated that 'change had happened' 34% that change was 'possible' and 34% that change was 'not planned'. This distribution of responses underlines the inappropriateness of this question for these respondents. Analyses using a dataset which included PSA respondents did not significantly alter the results but marginally reduced the differences between the agency status categories.

The final sample analysed consisted of 6667 respondents, 2092 women and 4575 men. Of these, 54.5% of the women reported themselves as working in departments where transfer to an executive agency was not planned, 29.5% reported transfer to an executive agency was possible or probable and 16.0% were already working in executive agencies. Among men, the equivalent figures were 54.9%, 24.5% and 20.5% respectively. Women and men working in departments where transfer to an executive agency was not planned are

subsequently referred to as the control group, while those reporting that transfer to an executive agency was possible or probable, and those already working in executive agencies are referred to as the exposure groups.

Non-response

One thousand six hundred and eight (1608) respondents to the Phase 3 questionnaire did not meet the eligibility criteria for this part of the study because they had either left or retired from the Civil Service or were in PSA. The 6667 respondents who provided the data for these analyses thus represent 76.6% of respondents to Phase 1 of the Whitehall II study who met the eligibility criteria. However, they represent only 46.3% of the original target population (14,397) for the Whitehall II study and so care has to be exercised in generalising findings to the whole of the study population.

Values of some self-reported health measures at baseline, for example, self-rated health and longstanding illness (*Tables 5.2 (1) and 5.2 (3)*), give the impression there may have been some selection on health grounds into the two exposure groups. However, there is no documented evidence that the health of individuals played any role in decisions regarding the transfer of particular functions of government to executive agencies^{20,21,24,31,421}. Further, values at baseline for the more 'objective' physiological variables do not provide any indication of selection on health grounds. It is noticeable that VDU use at baseline was significantly higher among respondents whose work had been transferred to an executive agency by Phase 3 (*Table 5.5 (2)*). Although selection on health grounds of departmental functions for transfer to executive agencies seems unlikely, it is highly plausible that work in which the use of computers was more advanced should be targeted for early transfer.

The problem with the self-reported measures of health in *Study 1* is that both exposure and outcome are open to reporting bias. This may be partially addressed by controlling for negative affect at the analysis stage. Should adjustment for negative affect make little difference it is likely that little, if any, reporting bias is present. A further problem with

these data is that study participants who felt they had been adversely affected by change or threatened conversion to an executive agency may have been more likely to be non-responders. There is no way of ascertaining or correcting for this. However, as non-responders are likely to be less healthy, the implication of this is that any differences between the exposure and control groups will be minimum estimates.

Outline of Chapter

The aims of the analyses presented in this chapter are:-

(i) to determine the effects on self-reported health, physiological measures, sickness absence, psychosocial factors and health-related behaviours in subjects exposed to short-term job insecurity (anticipating transfer to an executive agency), or subjects exposed to long-term job insecurity (working in an executive agency), compared with control respondents for whom change to an executive agency was not planned.

(ii) to determine whether differences in change over time in self-reported health, physiological measures and sickness absence between subjects and controls may be explained by negative affect or by changes in the psychosocial factors or health-related behaviours measured.

In section 5.1 baseline values of the demographic and socioeconomic characteristics, which are entered as confounders in subsequent analyses, are presented for the control and the two exposure groups. Reporting bias (negative affect) is also included in this section. Change between baseline and Phase 3 in self-reported health outcomes, physiological measures, sickness absence, psychosocial factors and health-related behaviours for subjects in both exposure groups were compared with change for control respondents and are presented in sections 5.2, 5.3, 5.4, 5.5 and 5.6 respectively. Where change over time for the psychosocial factors or health-related behaviours was found to be significantly different among subjects in either exposure group compared with controls, their potential role as

mediators of changes in health outcomes was examined in section 5.7. Section 5.8 presents a summary of the effects of short and long-term job insecurity associated with the major organisational change generated by the expectation of transfer to an executive agency and working in an executive agency.

5.1 *Demographic and socioeconomic characteristics and reporting bias (negative affect) for subjects at Phase 1 according to future agency status - Tables 5.1 (1) - (2)*

Table 5.1 (1) compares demographic and socioeconomic data and reporting bias (negative affect) at Phase 1 for women according to whether change of their department into an agency was 'not planned', was 'possible' or 'had happened'. Negative affect was included in this table because the possible confounding of the relationship between major organisational change and self-reported health outcomes by this trait was examined. The table shows that there were no significant differences between the three groups of women in average age and prevalence of negative affect. Significant differences did exist in the grade structure between the three groups and in their distribution by marital status. However, as all subsequent analyses were adjusted for grade and marital status at Phase 1, any differences between the three groups were controlled for in the Phase 3 findings.

Table 5.1 (2) compares demographic data and negative affect at Phase 1 for men according to whether change of their department into an agency was 'not planned', was 'possible' or 'had happened'. The table shows that there were no significant differences between the three groups of men for any of the demographic or socioeconomic characteristics. Prevalence of negative affect did differ significantly between the three groups. The effect of these differences on self-reported health outcomes in which significant change was recorded was examined subsequently in analyses controlling for negative affect (Section 5.7).

Table 5.1 (2) Age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias among men at Phase 1

	Change to agency status at Phase 3		p value for heterogeneity
	not planned	possible has happened	
Age in years	43.2 (0.11)	43.3 (0.17)	43.5 (0.17) p=0.32
N for age	2512	1123	940
Administrative grade (%)	41.6 (1.0)	26.7 (1.3)	42.8 (1.6)
Professional/Executive grade (%)	50.9 (1.0)	61.2 (1.4)	50.6 (1.6) p<0.001
Clerical / Support grade (%)	7.5 (0.5)	12.2 (1.0)	6.6 (0.8)
N for grade	2512	1120	940
Married/Cohabiting (%)	81.5 (0.8)	79.8 (1.2)	81.9 (1.3)
Single (%)	13.4 (0.7)	15.4 (1.1)	12.3 (1.1) p=0.35
Divorced/Separated (%)	4.7 (0.4)	4.7 (0.6)	5.5 (0.8)
Widowed (%)	0.4 (0.1)	0.2 (0.1)	0.3 (0.2)
N for marital status	2504	1117	937
Reporting bias (%)	20.5 (1.0)	16.1 (1.3)	19.1 (1.4) p=0.03
N for reporting bias	1761	832	805

* reporting bias = negative affect

Table 5.1 (1) Age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias* among women at Phase 1

	Change to agency status at Phase 3			p value for heterogeneity
	not planned	possible	has happened	
Age in years	44.3 (0.17)	44.9 (0.23)	44.7 (0.32)	p=0.07
N for age	1140	618	334	
Administrative grade (%)	16.4 (1.1)	7.8 (1.1)	10.0 (1.7)	
Professional/Executive grade (%)	43.9 (1.5)	39.3 (2.0)	44.6 (2.7)	p<0.001
Clerical/Support grade (%)	39.7 (1.4)	52.9 (2.0)	45.4 (2.7)	
N for grade	1140	618	334	
Married/Cohabiting (%)	58.6 (1.5)	65.5 (2.0)	65.6 (2.6)	
Single (%)	23.2 (1.3)	20.4 (1.7)	19.4 (2.2)	p=0.007
Divorced/Separated (%)	15.6 (1.1)	11.0 (1.3)	14.0 (1.9)	
Widowed (%)	2.7 (0.5)	3.1 (0.7)	1.1 (0.5)	
N for marital status	1133	615	332	
Reporting bias (%)	16.4 (1.3)	14.6 (1.6)	15.5 (2.2)	p=0.71
N for reporting bias	777	469	279	

* reporting bias = negative affect

In considering the findings from *Study 1* it should be noted that the transfer of functions to executive agencies had been taking place gradually since late 1988. Thus, it is possible that some respondents may have been exposed to working in an executive agency, for a considerable length of time. If, as in the case of unemployment and psychological morbidity^{196,312,422}, lengthy exposure attenuates the relationship between stressor and outcome, this is likely to have minimised the estimated effects of employment in an executive agency.

In all subsequent tables age-adjusted values for the variable of interest are presented for the control group and the two exposure groups at baseline and at Phase 3. These values are followed by comparisons between the two exposure groups and the control group, which formed the reference group. The odds ratio for change between baseline and Phase 3 for the reference group is 1.0, while the adjusted difference is 0.0.

As shown in table 5.5 (2) and the tables in section 5.6 there were significant differences between subjects and controls in VDU use and in some of the health-related behaviours at baseline. As each of these factors is associated with increased morbidity, it is possible they may confound the relationship between the exposures and the health outcome of interest. Confounding occurs whenever there are differences between the groups being compared that are also related to the outcome of interest⁴²³. For example, VDU use was significantly higher at baseline among women and men who were working in an executive agency by Phase 3. VDU use has also been associated with an increase in symptoms such as backpain, skin problems and eye damage⁴⁰².

To control for possible confounding, the analyses of all the health outcomes, both self-report and physiological measures, were repeated with adjustments for the health-related behaviours measured; smoking, drinking and exercise, and for VDU use at baseline. Health outcomes adjusted for the health-related behaviours or for VDU use at baseline differed little from the unadjusted analyses. The following tables contain two examples; outcomes for health self rated as average or worse are shown adjusted for smoking,

drinking and exercise (Table 5.2 (1)), and outcomes for symptom score are shown adjusted for VDU use (Table 5.2 (2)). One exception to this pattern was for BMI among women who were working in an executive agency. Adjustment for VDU use at baseline attenuated the significance of the difference in change in BMI over time between subjects and controls from $p=0.009$ to $p=0.02$. In this case VDU use was probably acting as a proxy for being sedentary.

5.2 *Self-reported physical morbidity - Tables 5.2 (1) - 5.2 (5)*

Comparisons between control and exposure groups for all the self-reported health status measures were adjusted for age, grade, marital status and baseline value of the variable of interest.

Baseline differences

In general there was greater morbidity at baseline among women in the exposure groups than among the controls. However, except for health self-rated as average or worse, tests for heterogeneity between the groups are not significant. This pattern was less pronounced among the men, although there are significant differences between the control and exposure groups for mean number of symptoms. In both sexes these differences are partially explained by the differential employment grade distribution between the groups. Health self-rated as average or worse and symptom score (men only) are significantly related to grade³⁶⁹. However, as all subsequent analyses were adjusted for grade and baseline values of the variable of interest, these differences at baseline were controlled for in the Phase 3 findings.

Phase 3 differences

Compared to control women, a slight adverse trend was seen for most self-reported

morbidity measures both among women working in an executive agency and among women anticipating change. However, this adverse trend was reversed for sleeping 5 hours or less per night among women employed in an executive agency. The relative increase in over-sleeping (9 hours or more) on an average week night was considerable among women facing transfer to an executive agency. Relative increases in mean number of symptoms in the last fortnight, although less among women employed in an executive agency, were significant among women in both exposure groups.

Compared with controls, men in both exposure groups showed increases in all self-reported morbidity measures. This relative increase was significant for health self-rated as average or worse, mean number of symptoms in the last fortnight, longstanding illness and minor psychiatric morbidity for men in both exposure groups. A significant relative increase in the percentage of men sleeping 9 hours or more per night was seen among men already working in an executive agency.

Table 5.2 (1) Health in the last year self rated as average or worse

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status*

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	30.4 (1.4)	37.2 (2.0)	32.0 (2.6)	0.02
<i>Number</i>	<i>1136</i>	<i>617</i>	<i>332</i>	
Men	19.7 (0.8)	23.0 (1.3)	20.1 (1.3)	0.06
<i>Number</i>	<i>2500</i>	<i>1121</i>	<i>935</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	31.1 (4.1)	34.7 (2.0)	32.0 (2.6)	0.23
Men	19.1 (0.8)	24.9 (1.3)	23.3 (1.4)	<0.001

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status, adjusted for age, grade, marital status and baseline self rated health

Change to agency status	not planned	is possible	has happened
Women	1.0	0.98 (0.78 - 1.24)	0.97 (0.72 - 1.29)
Men	1.0	1.21 (1.00 - 1.46)	1.32 (1.08 - 1.62)

*Odds ratios (95% CI) for subjects at Phase 3 according to Executive Agency status, adjusted for age, grade, marital status, health-related behaviour** and baseline self rated health*

Change to agency status	not planned	is possible	has happened
Women	1.0	0.96 (0.76 - 1.26)	0.94 (0.70 - 1.26)
Men	1.0	1.23 (1.02 - 1.50)	1.32 (1.07 - 1.63)

* Executive agencies did not exist at the time of the Phase 1 screening. The column headings in the Phase 1 table indicate respondents' status at Phase 3. This footnote applies to all subsequent tables in this chapter.

** baseline smoking (% current smokers and number of cigarettes), drinking (non-drinking, 'heavy' drinking and number of units of alcohol/week) and exercise (physical exercise group; none/mild, moderate or vigorous)

Table 5.2 (2) Number of symptoms in the last fortnight

Age-adjusted means (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	3.01 (0.09)	3.16 (0.12)	3.30 (0.17)	0.27
<i>Number</i>	<i>783</i>	<i>468</i>	<i>275</i>	
Men	2.42 (0.05)	2.65 (0.08)	2.36 (0.08)	0.02
<i>Number</i>	<i>1770</i>	<i>834</i>	<i>814</i>	

Age-adjusted means (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	3.27 (0.09)	3.84 (0.13)	3.78 (0.17)	<0.001
Men	2.40 (0.05)	3.01 (0.09)	2.79 (0.08)	<0.001

Differences (se) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline symptom score

Change to agency status	not planned	is possible	has happened
Women	0	0.46 (0.13) p<0.001	0.31 (0.16) p=0.05
Men	0	0.48(0.09) p<0.001	0.42 (0.09) p<0.001

Differences (se) for subjects at Phase 3 according to Executive Agency status, adjusted for age, grade, marital status, baseline VDU use and baseline symptom score

Change to agency status	not planned	is possible	has happened
Women	0	0.47 (0.13) p<0.001	0.31 (0.16) p=0.05
Men	0	0.48(0.09) p<0.001	0.42 (0.09) p<0.001

Table 5.2 (3) Longstanding illness

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	27.0 (1.6)	32.8 (2.2)	31.3 (2.8)	0.08
<i>Number</i>	<i>794</i>	<i>479</i>	<i>3285</i>	
Men	28.5 (1.1)	31.8 (1.6)	30.8 (1.6)	0.19
<i>Number</i>	<i>1773</i>	<i>840</i>	<i>812</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	29.4 (1.6)	36.1 (2.2)	34.9 (2.8)	0.046
Men	29.8 (1.1)	34.8 (1.7)	35.0 (1.7)	0.005

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline longstanding illness

Change to agency status	not planned	is possible	has happened
Women	1.0	1.25 (0.95 - 1.65)	1.19 (0.86 - 1.66)
Men	1.0	1.26 (1.03 - 1.55)	1.26 (1.03 - 1.55)

5.2 (4a) Sleep 5 hours or less on an average week night

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	4.9 (0.6)	5.4 (0.9)	5.9 (1.3)	0.80
Number	1136	613	332	
Men	3.9 (0.4)	4.5 (0.6)	2.4 (0.5)	0.06
Number	2496	1115	936	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	6.0 (0.7)	5.8 (0.9)	4.3 (1.1)	0.49
Men	3.4 (0.4)	5.1 (0.7)	3.4 (0.6)	0.03

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline sleep

Change to agency status	not planned	is possible	has happened
Women	1.0	0.99 (0.63 - 1.55)	0.68 (0.36 - 1.25)
Men	1.0	1.41 (0.98 - 2.04)	1.22 (0.80 - 1.88)

Table 5.2 (4b) Sleep 9 hours or more on an average week night

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	0.7 (0.2)	1.5 (0.5)	1.9 (0.8)	0.13
<i>Number</i>	<i>1136</i>	<i>613</i>	<i>332</i>	
Men	0.7 (0.2)	0.7 (0.3)	0.7 (0.3)	0.99
<i>Number</i>	<i>2496</i>	<i>1115</i>	<i>936</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	2.2 (0.4)	3.8 (0.8)	3.1 (1.0)	0.17
Men	2.0 (0.3)	2.0 (0.4)	3.2 (0.6)	0.12

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline sleep

Change to agency status	not planned	is possible	has happened
Women	1.0	1.70 (0.93 - 3.11)	1.16 (0.52 - 2.58)
Men	1.0	1.03 (0.61 - 1.73)	1.60 (1.00 - 2.58)

5.2 (5) Minor psychiatric disorder (measured as GHQ caseness)

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	30.9 (1.4)	31.6 (1.9)	26.9 (2.5)	0.36
<i>Number</i>	<i>1123</i>	<i>607</i>	<i>329</i>	
Men	24.1 (0.9)	26.5 (1.3)	24.6 (1.4)	0.28
<i>Number</i>	<i>2488</i>	<i>1116</i>	<i>9357</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	26.1 (1.3)	25.8 (1.8)	25.6 (2.4)	0.98
Men	17.5 (0.8)	24.6 (1.3)	24.4 (1.4)	<0.001

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline GHQ

Change to agency status	not planned	is possible	has happened
Women	1.0	1.02 (0.79 - 1.30)	1.10 (0.82 - 1.49)
Men	1.0	1.52 (1.27 - 1.83)	1.56 (1.29 - 1.89)

5.3 *Sickness absence - Tables 5.3 (1) - 5.3 (2)*

Comparisons between control and exposure groups for absence from work for health reasons were adjusted for age, grade, marital status and baseline value of the variable of interest.

Baseline differences

There was significantly more sickness absence of 1 working week or more and 2 or more working weeks for women in both exposure groups compared with control women. Among men, absence of 1 working week or more was significantly elevated among men anticipating change, and absence of 2 weeks or more was considerably elevated among both exposure groups compared with control men. Tests for heterogeneity between the groups were significant for all of the sex/exposure groups except for absence of 2 or more working weeks for men. As baseline sickness absence was controlled for in the final model the Phase 3 findings are independent of these differences.

Phase 3 differences

At Phase 3, sickness absence of both 1 working week or more and 2 or more working weeks among men working in executive agencies relative to absence among control men was considerable, although none of the differences between any of the sex/exposure groups and the controls were significant.

Table 5.3 (1) Sickness absence - 1 working week or more in the last year

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	38.0 (1.5)	46.4 (2.1)	44.3 (2.8)	0.001
<i>Number</i>	<i>1089</i>	<i>581</i>	<i>321</i>	
Men	21.2 (0.8)	25.4 (1.3)	21.7 (1.4)	0.01
<i>Number</i>	<i>2449</i>	<i>1098</i>	<i>925</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	36.5 (1.5)	40.9 (2.1)	40.4 (2.8)	0.15
Men	18.9 (0.8)	23.9 (1.3)	22.2 (1.4)	0.003

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status, and baseline absence

Change to agency status	not planned	is possible	has happened
Women	1.0	1.00 (0.80 - 1.25)	1.08 (0.82 - 1.42)
Men	1.0	1.09 (0.91 - 1.31)	1.20 (0.98 - 1.46)

Table 5.3 (2) Sickness absence - 2 working weeks or more in the past year

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	18.3 (1.2)	25.1 (1.8)	24.5 (2.4)	0.001
<i>Number</i>	<i>1089</i>	<i>581</i>	<i>321</i>	
Men	8.4 (0.6)	10.5 (0.9)	10.2 (1.0)	0.07
<i>Number</i>	<i>2449</i>	<i>1098</i>	<i>925</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	17.6 (1.2)	22.3 (1.7)	22.1 (2.3)	0.04
Men	8.2 (0.6)	10.3 (0.9)	10.3 (1.0)	0.07

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status, and baseline absence

Change to agency status	not planned	is possible	has happened
Women	1.0	1.14 (0.88 - 1.48)	1.19 (0.86 - 1.64)
Men	1.0	1.03 (0.80 - 1.33)	1.24 (0.95 - 1.62)

5.4 *Physiological measures - Tables 5.4 (1) - 5.4 (4)*

Comparisons between control and exposure groups for most of the physiological measures were adjusted for age, grade, marital status and baseline value of the variable in question. However, in order to analyse incident cases only, respondents positive at baseline were excluded and new cases at Phase 3 were analysed for angina by questionnaire, probable/possible ischaemia on ECG, and probable/possible ischaemia on ECG or angina. As indicated previously [Chapter 4, Section 4.3b (iii)], external comparisons and examination of age differences at Phases 1 and 3 show that serum cholesterol levels were over-estimated by approximately 0.33 mmol/l at follow-up³⁹¹.

Baseline differences

For the physiological measures there were no systematic differences at baseline between women or men in the exposure groups and control women and men. Tests for heterogeneity between the groups were not significant, except for BMI among the women. BMI is significantly related to grade³⁶⁹ and the high mean BMI for the women anticipating change was partially explained by the higher proportion of Clerical/Support grade women in this group. However, as subsequent analyses of BMI were adjusted for grade and baseline BMI, this difference was controlled for in the Phase 3 findings.

Phase 3 differences

Adverse changes are seen in all physiological measures among women in both exposure groups compared with control women, except for diastolic blood pressure among women anticipating change to an executive agency. Relative increases in the percentage of women with possible/probable ischaemia on ECG or angina among women anticipating change, and BMI among women working in an executive agency are significant.

Adverse changes were seen in possible/probable ischaemia on ECG, blood pressure and BMI among men in both exposure groups compared to control men. For BMI this relative increase was significant in both exposure groups but for systolic and diastolic blood pressure it was only significant for men working in an executive agency. Non-significant beneficial changes were seen among men in both exposure groups compared with control men for angina and cholesterol concentration.

Table 5.4 (1a) Angina Pectoris by questionnaire

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	2.98 (0.51)	4.62 (0.85)	3.85 (1.05)	0.19
<i>Number</i>	<i>1087</i>	<i>589</i>	<i>318</i>	
Men	2.01 (0.29)	1.97 (0.44)	1.44 (0.42)	0.47
<i>Number</i>	<i>2429</i>	<i>1079</i>	<i>907</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.59 (0.94 - 2.68)	1.34 (0.69 - 2.59)
Men	1.0	0.87 (0.51 - 1.48)	0.68 (0.36 - 1.29)

Table 5.4 (1b) Possible/Probable ischaemia on ECG

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	2.18 (0.45)	2.93 (0.68)	2.19 (0.82)	0.53
<i>Number</i>	<i>1045</i>	<i>543</i>	<i>300</i>	
Men	2.48 (0.33)	2.92 (0.53)	3.03 (0.59)	0.58
<i>Number</i>	<i>2315</i>	<i>1024</i>	<i>849</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.45 (0.77 - 2.74)	1.04 (0.44 - 2.45)
Men	1.0	1.23 (0.77 - 1.95)	1.31 (0.81 - 2.11)

Table 5.4 (1c) Possible/Probable ischaemia on ECG or angina

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	5.15 (0.70)	7.75 (1.13)	5.99 (1.36)	0.08
<i>Number</i>	<i>996</i>	<i>522</i>	<i>284</i>	
Men	4.14 (0.43)	4.68 (0.69)	4.58 (0.74)	0.81
<i>Number</i>	<i>2249</i>	<i>987</i>	<i>821</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age , grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.57 (1.03 - 2.41)	1.21 (0.69 - 2.11)
Men	1.0	1.08 (0.74 - 1.56)	1.12 (0.76 - 1.66)

Table 5.4 (2a) Systolic blood pressure (mmHg)

Age-adjusted means (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	118.3 (0.4)	119.2 (0.6)	118.7 (0.8)	0.23
<i>Number</i>	<i>1121</i>	<i>587</i>	<i>319</i>	
Men	124.2 (0.3)	124.3 (0.4)	123.7 (0.5)	0.52
<i>Number</i>	<i>2450</i>	<i>1084</i>	<i>905</i>	

Age-adjusted means (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	116.4 (0.4)	117.4 (0.6)	117.7 (0.7)	0.13
Men	121.4 (0.3)	121.7 (0.4)	123.2 (0.5)	0.001

Differences (se) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline systolic blood pressure

Change to agency status	is not planned	is possible	has happened
Women	0	0.38 (0.56) p=0.50	0.93 (0.70) p=0.18
Men	0	0.23(0.38) p=0.54	2.16 (0.40) p<0.001

Table 5.4 (2b) Diastolic blood pressure (mmHg)

Age-adjusted means (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	74.1 (0.3)	74.9 (0.4)	73.8 (0.5)	0.14
<i>Number</i>	<i>1120</i>	<i>587</i>	<i>319</i>	
Men	77.5 (0.2)	77.9 (0.3)	77.8 (0.3)	0.56
<i>Number</i>	<i>2450</i>	<i>1084</i>	<i>905</i>	

Age-adjusted means (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	76.2 (0.3)	76.6 (0.4)	77.0 (0.5)	0.38
Men	80.6 (0.2)	81.1 (0.3)	82.3 (0.3)	<0.001

Differences (se) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline diastolic blood pressure

Change to agency status	is not planned	is possible	has happened
Women	0	- 0.13 (0.40) p=0.75	0.73 (0.49) p=0.14
Men	0	0.20 (0.28) p=0.47	1.56 (0.29) p<0.001

Table 5.4 (3) Cholesterol concentration (mmol/l)

Age-adjusted means (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	5.73 (0.03)	5.82 (0.05)	5.77 (0.06)	0.27
Number	1101	574	314	
Men	5.96 (0.02)	5.94 (0.03)	5.96 (0.04)	0.82
Number	2438	1084	900	

Age-adjusted mean cholesterol concentration (se) for subjects at Phase 3 according to Executive Agency status*

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	6.35 (0.03)	6.45 (0.05)	6.45 (0.06)	0.11
Men	6.49 (0.02)	6.44 (0.03)	6.46 (0.04)	0.48

Differences (se) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline cholesterol concentration

Change to agency status	is not planned	is possible	has happened
Women	0	0.04 (0.04) p=0.38	0.06 (0.05) p=0.26
Men	0	-0.03 (0.03) p=0.26	-0.03 (0.03) p=0.33

** cholesterol levels over-estimated by ≈ 0.33 mmol / l [see Chapter 4, Section 4.3b(iii)]*

Table 5.4 (4) Body Mass Index

Age-adjusted means (se) for subjects at Phase I according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	24.14 (0.12)	24.95 (0.18)	24.60 (0.22)	0.003
Number	1118	587	320	
Men	24.43 (0.06)	24.65 (0.09)	24.46 (0.10)	0.14
Number	2444	1087	904	

Age-adjusted means (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	25.16 (0.13)	26.04 (0.20)	26.01 (0.27)	<0.001
Men	24.98 (0.06)	25.32 (0.10)	25.23 (0.11)	0.006

Differences (se) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline body mass index

Change to agency status	is not planned	is possible	has happened
Women	0	0.13 (0.10) p=0.21	0.33 (0.13) p=0.009
Men	0	0.14 (0.05) p=0.007	0.21 (0.05) p<0.001

5.5 *Personal characteristics and Psychosocial measures - Tables 5.5 (1) - 5.5 (6b).*

Divorce or separation at Phase 3 was analysed only among those married or cohabiting at baseline and the analyses were not adjusted for marital status. Comparisons between control and exposure groups for all the remaining psychosocial measures were adjusted for age, grade and marital status. VDU use was also adjusted for baseline VDU use. The analyses of characteristics of the work environment use as their outcome measure those who have experienced either an adverse (negative) or a beneficial (positive) change between baseline and follow-up (Phase 3) - defined as a change to a more positive or adverse tertile of the work characteristic in question. Increases in social support at work, skill discretion and decision authority are deemed to be positive changes, while an increase in job demands is deemed to be a negative change, although a high level of job demands has been associated with beneficial effects³⁹⁷.

Baseline differences

Baseline values are presented only for VDU use. The significantly greater prevalence of computers at baseline among those who had transferred to an executive agency by Phase 3 has already been discussed. Adjustment for baseline values ensure that this difference was controlled for in the Phase 3 findings on VDU use.

Phase 3 differences

Divorce or separation among women working in an executive agency was considerably higher than among control women, but the difference was not significant. VDU use and most changes in characteristics of the work environment, adverse and beneficial, differed little between women in the exposure groups and controls. Only the lack of positive change in work social support among women anticipating change to an executive agency was significant compared with control women.

Compared with controls, slightly fewer men in the two exposure groups had divorced or separated by Phase 3. VDU use increased significantly among men working in an executive agency and more of the changes in characteristics of the work environment were significant among men. In both exposure groups men reported significantly less positive change in work social support, and adverse change in social support at work among men working in an executive agency was considerable. Compared with control men, positive change in skill discretion was significantly higher among men working in an executive agency and it was considerably higher among men expecting transfer to an executive agency. Combined with the significant relative increase in skill discretion among men working in an executive agency was a considerable increase in job demands.

Table 5.5 (1) Divorce and separation among those married or cohabiting at Phase 1

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	3.53 (0.7)	4.00 (1.0)	5.43 (1.6)	0.49
<i>Number</i>	<i>646</i>	<i>384</i>	<i>209</i>	
Men	2.59 (0.4)	2.41 (0.5)	2.34 (0.6)	0.84
<i>Number</i>	<i>2017</i>	<i>877</i>	<i>761</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age and grade

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.19 (0.61 - 2.35)	1.57 (0.74 - 3.30)
Men	1.0	0.87 (0.52 - 1.46)	0.86 (0.49 - 1.50)

Table 5.5 (2) Visual Display Unit use

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	29.2 (1.4)	28.2 (1.9)	38.0 (2.7)	0.004
<i>Number</i>	<i>1129</i>	<i>608</i>	<i>330</i>	
Men	30.4 (0.9)	34.3 (1.4)	34.7 (1.6)	0.02
<i>Number</i>	<i>2503</i>	<i>1118</i>	<i>938</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	66.1 (1.4)	64.1 (1.9)	69.3 (2.6)	0.12
Men	62.3 (1.0)	65.0 (1.4)	68.2 (1.5)	0.004

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade, marital status and baseline VDU use

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.86 (0.69 - 1.07)	1.05 (0.79 - 1.39)
Men	1.0	1.07 (0.91 - 1.26)	1.26 (1.06 - 1.49)

Table 5.5 (3a) Adverse change in social support at work

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	36.9 (1.7)	34.6 (2.3)	39.3 (3.2)	0.54
<i>Number</i>	<i>801</i>	<i>460</i>	<i>238</i>	
Men	35.5 (1.1)	35.5 (1.6)	36.9 (1.8)	0.69
<i>Number</i>	<i>1847</i>	<i>864</i>	<i>744</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.06 (0.84 - 1.34)	1.14 (0.86 - 1.51)
Men	1.0	1.08 (0.92 - 1.27)	1.18 (0.99 - 1.39)

Table 5.5 (3b) Beneficial change in social support at work

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	39.2 (1.7)	32.4 (2.3)	29.0 (1.8)	0.06
<i>Number</i>	<i>835</i>	<i>449</i>	<i>236</i>	
Men	35.5 (1.1)	31.1 (1.6)	29.0 (1.8)	0.008
<i>Number</i>	<i>1839</i>	<i>809</i>	<i>661</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.71 (0.57 - 0.90)	0.87 (0.66 - 1.15)
Men	1.0	0.83 (0.70 - 0.98)	0.74 (0.62 - 0.89)

Table 5.5 (4a) Adverse change in decision authority at work*Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status*

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	24.6 (1.6)	24.5 (2.1)	24.0 (2.8)	0.97
<i>Number</i>	<i>785</i>	<i>427</i>	<i>233</i>	
Men	24.0 (1.0)	25.4 (1.6)	22.6 (1.6)	0.55
<i>Number</i>	<i>1745</i>	<i>796</i>	<i>666</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.02 (0.78 - 1.33)	1.00 (0.72 - 1.39)
Men	1.0	1.08 (0.89 - 1.30)	0.95 (0.77 - 1.16)

Table 5.5 (4b) Beneficial change in decision authority at work*Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status*

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	36.6 (1.6)	35.2 (1.6)	34.7 (1.7)	0.90
<i>Number</i>	<i>931</i>	<i>502</i>	<i>271</i>	
Men	36.1 (1.1)	35.2 (1.6)	34.7 (1.7)	0.69
<i>Number</i>	<i>2080</i>	<i>919</i>	<i>786</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.99 (0.80 - 1.24)	0.95 (0.72 - 1.26)
Men	1.0	0.95 (0.81 - 1.11)	0.95 (0.81 - 1.12)

Table 5.5 (5a) Adverse change in skill discretion at work

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	21.6 (1.4)	19.2 (1.8)	19.4 (2.5)	0.41
<i>Number</i>	868	489	260	
Men	24.4 (1.0)	27.5 (1.5)	23.6 (1.6)	0.15
<i>Number</i>	1972	846	708	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.94 (0.71 - 1.24)	0.93 (0.66 - 1.31)
Men	1.0	1.13 (0.94 - 1.34)	0.93 (0.76 - 1.13)

Table 5.5 (5b) Beneficial change in skill discretion at work

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	28.0 (1.5)	24.6 (2.0)	29.9 (1.7)	0.26
<i>Number</i>	942	520	281	
Men	28.0 (1.5)	24.6 (2.0)	25.3 (2.6)	0.02
<i>Number</i>	2026	884	769	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.87 (0.68 - 1.12)	0.92 (0.68 - 1.24)
Men	1.0	1.17 (0.99 - 1.39)	1.23 (1.02 - 1.47)

Table 5.5 (6a) Adverse change in job demands

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	39.2 (3.1)	38.0 (2.2)	39.2 (3.1)	0.74
<i>Number</i>	<i>929</i>	<i>517</i>	<i>257</i>	
Men	34.3 (1.1)	35.2 (1.6)	37.2 (1.8)	0.34
<i>Number</i>	<i>1971</i>	<i>900</i>	<i>757</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.08 (0.87 - 1.34)	1.05 (0.81 - 1.38)
Men	1.0	1.04 (0.89 - 1.22)	1.17 (0.99 - 1.38)

Table 5.5 (6b) Beneficial change in job demands

Age-adjusted percentages (se) for subjects at Phase 3 according to future Executive Age status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	25.4 (1.5)	22.7 (2.1)	31.2 (3.1)	0.12
<i>Number</i>	<i>795</i>	<i>420</i>	<i>226</i>	
Men	29.3 (1.1)	27.5 (1.6)	27.8 (1.8)	0.55
<i>Number</i>	<i>1827</i>	<i>804</i>	<i>656</i>	

Odds Ratios (95% CI) for subjects at Phase 3 according to Executive Agency status adjusted for age, grade and marital status

Change to agency status	not planned	possible	has happened
Women	1.0	0.83 (0.64 - 1.09)	1.21 (0.89 - 1.64)
Men	1.0	0.91 (0.76 - 1.09)	0.88 (0.73 - 1.06)

5.6 *Health-related behaviours - Tables 5.6 (1) - 5.6 (3)*

Comparisons between control and exposure groups for all health-related behaviours were adjusted for age, grade, marital status and baseline value of the variable of interest. In the case of alcohol consumption, baseline values included both the number of non-drinkers and 'heavy' drinkers at baseline as well as the number of units per week of alcohol. 'Heavy' drinking was defined as 15 or more units per week for women and 22 or more units per week for men³⁸⁴. For smoking, baseline values included non-smokers at Phase 1 as well as number of cigarettes per week used by smokers.

Baseline differences

There appear to be no systematic differences in health-related behaviours at baseline between women or men in the exposure groups and control women and men. Tests for heterogeneity between the groups were not significant, except for lack of exercise among the women and non-drinking among men. Smoking among women was also more prevalent at baseline in the exposure groups than the controls ($p=0.06$). However, as subsequent analyses of all the health-related behaviours were adjusted for baseline values, any differences were controlled for in the Phase 3 findings.

Phase 3 differences

On the whole, health-related behaviours differed little between women and men in the exposure groups and control women and men. Exceptions to this among women were the considerably greater proportion of current smokers and women taking only mild or no exercise among those anticipating transfer to an executive agency. In men, the exceptions were the considerably smaller proportion of current smokers among men facing transfer to an executive agency and the significantly smaller proportion of current smokers among men working in an executive agency. There was also a considerable lack of vigorous exercise among men already working in an executive agency compared with control men.

Table 5.6 (1a) Alcohol consumption - non-drinkers*

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	24.6 (1.3)	28.4 (1.8)	29.5 (2.5)	0.10
<i>Number</i>	<i>1127</i>	<i>613</i>	<i>332</i>	
Men	11.5 (0.6)	14.0 (1.0)	15.0 (1.2)	0.01
<i>Number</i>	<i>2501</i>	<i>1112</i>	<i>926</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	27.1 (1.3)	31.6 (1.9)	31.2 (2.6)	0.11
Men	13.5 (0.7)	15.9 (1.1)	16.9 (1.2)	0.04

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status and baseline alcohol consumption

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.08 (0.84 - 1.39)	1.05 (0.77 - 1.44)
Men	1.0	1.00 (0.80 - 1.26)	1.18 (0.93 - 1.51)

* Non- drinkers include those with 0 units/week, special occasions only and ex-drinkers.

Table 5.6 (1b) Alcohol consumption - 15 or more units/week (women), 22 or more units/week (men)

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	11.8 (1.0)	9.2 (1.2)	9.0 (1.6)	0.17
<i>Number</i>	<i>1127</i>	<i>613</i>	<i>332</i>	
Men	19.0 (0.8)	18.5 (1.2)	19.1 (1.3)	0.93
<i>Number</i>	<i>2501</i>	<i>1112</i>	<i>926</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	10.3 (0.9)	8.2 (1.2)	9.6 (1.7)	0.24
Men	19.0 (0.8)	17.5 (1.1)	19.5 (1.3)	0.46

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status and baseline alcohol consumption

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.92 (0.60 - 1.42)	1.24 (0.76 - 2.03)
Men	1.0	0.93 (0.74 - 1.16)	1.05 (0.83 - 1.32)

Table 5.6 (2) Smoking*

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	17.5 (1.1)	21.5 (1.7)	21.3 (2.2)	0.06
<i>Number</i>	<i>1131</i>	<i>614</i>	<i>334</i>	
Men	13.6 (0.7)	13.5 (1.0)	14.8 (1.2)	0.66
<i>Number</i>	<i>2486</i>	<i>1106</i>	<i>933</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	14.5 (1.1)	19.5 (1.6)	18.1 (2.1)	0.01
Men	12.6 (0.7)	11.7 (1.0)	12.0 (1.1)	0.75

*Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status and baseline smoking**

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.41 (0.87 - 2.30)	1.17 (0.65 - 2.11)
Men	1.0	0.79 (0.56 - 1.14)	0.66 (0.45 - 0.96)

** % smokers and number of cigarettes smoked per day.*

Table 5.6 (3a) Takes none or only mild exercise

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	24.8 (1.3)	29.6 (1.8)	23.0 (2.2)	0.03
<i>Number</i>	<i>1132</i>	<i>612</i>	<i>332</i>	
Men	10.2 (0.6)	12.5 (1.0)	10.8 (1.0)	0.13
<i>Number</i>	<i>2503</i>	<i>1118</i>	<i>936</i>	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	31.5 (1.4)	37.6 (2.0)	33.8 (2.5)	0.04
Men	14.9 (0.7)	15.5 (1.1)	15.8 (1.2)	0.68

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status and baseline exercise

Change to agency status	is not planned	is possible	has happened
Women	1.0	1.24 (0.99 - 1.55)	1.16 (0.88 - 1.54)
Men	1.0	0.93 (0.75 - 1.16)	1.13 (0.90 - 1.41)

Table 5.6 (3b) Takes 1 hour or more vigorous exercise per week

Age-adjusted percentages (se) for subjects at Phase 1 according to future Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	27.7 (1.3)	27.4 (1.9)	28.7 (2.5)	0.85
Number	1132	612	332	
Men	51.3 (1.0)	53.4 (1.5)	52.5 (1.6)	0.53
Number	2503	1118	936	

Age-adjusted percentages (se) for subjects at Phase 3 according to Executive Agency status

Change to agency status	is not planned	is possible	has happened	p-value for heterogeneity
Women	18.8 (1.2)	16.9 (1.6)	19.5 (2.2)	0.53
Men	39.3 (1.0)	38.5 (1.5)	37.3 (1.6)	0.50

Odds Ratios (95% CI) according to Executive Agency status adjusted for age, grade, marital status and baseline exercise

Change to agency status	is not planned	is possible	has happened
Women	1.0	0.93 (0.70 - 1.24)	1.02 (0.72 - 1.43)
Men	1.0	0.95 (0.81 - 1.11)	0.88 (0.75 - 1.05)

5.7 *Reporting bias and potential mediators of health outcomes - Tables 5.7 (1) - 5.7 (9)*

Negative affect (reporting bias) and relative change between baseline and follow-up in the psychosocial measures and health-related behaviours were analysed mainly to determine whether such factors might explain the relationship between short or long-term job insecurity and the health outcomes measured.

Health outcomes with significant change attributable to the exposure are number of symptoms in the last fortnight and BMI in both women and men, possible/probable ischaemia on ECG or angina in women only, and health self-rated as average or worse, longstanding illness, sleep 9 hours or more on an average week night, minor psychiatric morbidity, and blood pressure, in men only. The effect of adjusting for negative affect and the potential mediators on these outcomes are presented in *Tables 5.7 (1) - (9)*, as the percentage change in the log of the odds ratio or in the adjusted difference .

Reporting bias

As the exposure categories and many of the outcomes are self-reports, theoretically, reporting bias may have produced overestimates of odds ratios and differences in the analysis, for example, if the exposure groups contained more respondents with a tendency to over-report negative events (negative affectivity). The analyses, therefore, were repeated adjusting for negative affect. Ideally all the analyses of self-reported health outcomes should have been adjusted for negative affect, however, the Affect Balance Scale was not included in the version of the questionnaire administered to the first 2193 participants in Phase 1 of the Whitehall II study, and so routine inclusion of this variable would have reduced the available health outcome data. For this reason, the influence of negative affect was investigated in a separate analysis for each self-reported health outcome. Negative affect is a trait and so is relatively stable over time. As it was not measured at Phase 3, analyses were adjusted for the baseline score.

In datasets including only those who have data for the variable of interest and for negative affect, adjustment for negative affect does not alter the significance of any of the self-reported health outcomes - *Tables 5.7(I) - 5.7(XII), Appendix VIII*. However, in the reduced dataset for absence from work of 2 weeks or more, absence was significantly raised at Phase 3 among men working in an executive agency compared with control men, both adjusted and unadjusted for negative affect. In the larger dataset this result was non-significant, indicating that men who provide data on negative affect were more likely to report long spells of absence from work. Adjustment for negative affect [*Tables 5.7 (I) - (9)*], in most cases, altered the relationship between exposure and health outcome by 10% or less, except for health self-rated as average or worse among men expecting transfer to an executive agency and 9 hours or more sleep on an average week night among men working in an executive agency, in which it explained 14.5% and 19.0% of the difference respectively.

Possible mediators of changes in morbidity

Change between baseline and follow-up for three of the psychosocial measures; VDU use, beneficial change in social support at work, and beneficial change in skill discretion were significant in either or both of the exposure categories. Each of these has been shown to have an effect on morbidity^{370,400-402}. Of the health-related behaviours only current smoking was significantly associated with either of the exposure groups. Smoking is a well known risk factor for morbidity^{403,424}.

The relationship between the exposure categories and each health outcome was reexamined in analyses which adjusted for each potential mediator separately. In the case of VDU use and smoking, adjustment was made for the baseline and Phase 3 values of the potential mediator. As the analyses of the work characteristics used change of tertile between baseline and follow-up, the potential mediating effects of these variables were determined by adjusting for the baseline tertile and the change variable for the work characteristic of

interest. The full results of these analyses are presented in *Tables 5.7 (I) - 5.7 (XII) (Appendix VIII)*.

Adjustment for the potential mediators [*Tables 5.7 (I) - (9)*], in most cases, altered the relationship between exposure and outcome by 10% or less, although there were a number of exceptions. VDU use had little explanatory value apart from being associated with a 13.5% difference in systolic blood pressure in men. Again, VDU use is probably denoting a sedentary occupation. Current smoking had little effect on the self-reported health outcomes, but explained 12.4% of the difference in systolic blood pressure among men anticipating transfer to an executive agency. Had current smoking been distributed equally between the exposure and control groups, the difference in BMI between controls and women anticipating transfer to an executive agency would have been greater by 20.5%.

The significant comparative loss of social support at work among women anticipating transfer to an executive agency and among men in both exposure groups had the greatest explanatory power of the potential mediating factors measured. Loss of social support at work explained 15.4% of the difference in mean number of symptoms in the last fortnight among women expecting to be transferred to an executive agency. Among men it explained 10.5% of the difference in health self-rated as average or worse, 10.1% of the difference for 9 hours or more sleep on an average week night, and 13.1% and 14.4% of the difference in systolic and diastolic blood pressure respectively in men anticipating transfer to an executive agency. Comparative loss of skill discretion explained 10.9% of the difference in number of symptoms in the last fortnight among women expecting transfer to an executive agency.

Adjustment for all the potential mediators and negative affect (self-reported health outcomes only) combined had greater effect. Among women expecting transfer to an executive agency they statistically explained 15.4% of the difference in mean number of symptoms in the last 14 days and in women working in an executive agency they explained 11.5% of the difference. All the potential mediators and negative affect combined statistically

explained 18.3% of the difference in possible/probable ischaemia on ECG or angina among women working in an executive agency. If all the potential mediators had been equal to those in the control group the difference in BMI between controls and women working in an executive agency would have been greater by 20.5%.

Adjustment for all the potential mediators and negative affect combined among men facing transfer to an executive agency statistically explained 14.2% of the difference in health self-rated as average or worse, 11.5% of the difference in mean number of symptoms in the last 14 days, and 13.2% of the difference in minor psychiatric disorder. 41.2% of the difference in systolic and 35.7% of the difference in diastolic blood pressure disappeared on adjustment for all the potential mediating variables. Among men working in an executive agency, adjustment for negative affect and all the potential mediators combined explained 17.5% of the difference for 9 hours or more sleep on an average week night.

Table 5.7 (1) Effect of reporting bias and potential mediators on health in the last year self-rated as average or worse - men

	OR	Change to an Executive Agency			
		is possible OR+	MEN change*	OR	has happened OR+ change*
(1)	1.23	1.19	-14.5%	1.41	1.40 -1.3%
(2)	1.22	1.21	-1.3%	1.33	1.32 -1.4%
(3)	1.22	1.24	7.4%	1.36	1.36 -0.3%
(4)	1.22	1.20	-10.5%	1.32	1.29 -7.2%
(5)	1.22	1.22	0.4%	1.32	1.32 0.6%
(6)	1.29	1.25	14.2%	1.46	1.42 -7.3%

Table 5.7 (2) Effect of reporting bias and potential mediators on number of symptoms in the last 14 days - women and men

	Diff	Change to an Executive Agency				Diff	Diff	Change to an Executive Agency				Diff	Diff	Diff
		is possible Diff+	WOMEN change*	Diff	has happened Diff+			is possible Diff+	MEN change*	Diff	has happened Diff+			
(1)	0.437	0.414	-5.3%	0.292	0.267	-8.7%	0.500	0.454	-9.2%	0.414	0.391	-5.5%		
(2)	0.469	0.474	1.1%	0.314	0.316	0.6%	0.483	0.482	-0.2%	0.419	0.419	0%		
(3)	0.471	0.461	-2.1%	0.323	0.329	1.9%	0.494	0.507	2.6%	0.404	0.417	3.2%		
(4)	0.475	0.423	-15.4%	0.319	0.292	-8.5%	0.478	0.450	-5.9%	0.416	0.394	-5.3%		
(5)	0.473	0.454	-10.9%	0.323	0.324	0.3%	0.483	0.472	-2.3%	0.420	0.411	-2.1%		
(6)	0.461	0.390	-15.4%	0.305	0.270	-11.5%	0.521	0.461	-11.5%	0.408	0.382	-6.4%		

Table 5.7 (3) Effect of reporting bias and potential mediators on longstanding illness - men

	OR	Change to an Executive Agency			
		is possible OR+	MEN change*	OR	has happened OR+ change*
(1)	1.25	1.22	-9.7%	1.24	1.23 -3.6%
(2)	1.26	1.25	-2.4%	1.25	1.24 -3.2%
(3)	1.25	1.25	0.4%	1.23	1.22 -4.2%
(4)	1.26	1.27	5.0%	1.26	1.28 6.4%
(5)	1.27	1.26	-2.3%	1.27	1.26 -2.7%
(6)	1.23	1.21	8.9%	1.21	1.21 -3.3%

Key:- (1) + adjusted for reporting bias at Phase 1

(2) + adjusted for VDU use at Phase 1 and Phase 3

(3) + adjusted for current smoking and number of cigarettes at Phase 1 and Phase 3

(4) + adjusted for work social support at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(5) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(6) + adjusted for reporting bias and all potential mediators

* % change in the log of the odds ratio or the differences between adjusted and unadjusted

N.B. reporting bias = negative affect

Table 5.7 (4) Effect of reporting bias and potential mediators on sleep 9hrs or more/ average week night - men

	OR	Change to an Executive Agency is possible MEN			
		OR +	change*	OR	has happened OR + change*
(1)	Values too close to 1.0			1.83	1.77 -19.0%
(2)	Values too close to 1.0			1.60	1.58 -3.7%
(3)	Values too close to 1.0			1.54	1.54 0.2%
(4)	Values too close to 1.0			1.59	1.52 -10.1%
(5)	Values too close to 1.0			1.61	1.56 -5.5%
(6)	not computed			1.73	1.57 -17.5%

Table 5.7 (5) Effect of reporting bias and potential mediators on GHQ score - men

	OR	Change to an Executive Agency is possible MEN			
		OR +	change*	OR	has happened OR + change*
(1)	1.56	1.51	-8.1%	1.63	1.62 -2.3%
(2)	1.52	1.50	-1.3%	1.55	1.54 -2.0%
(3)	1.53	1.54	1.1%	1.58	1.58 -0.1%
(4)	1.50	1.45	-8.7%	1.56	1.51 -7.8%
(5)	1.52	1.52	0.1%	1.57	1.58 1.5%
(6)	1.58	1.48	-13.2%	1.65	1.60 -6.1%

Table 5.7 (6) Effect of reporting bias and potential mediators on possible/probable ischaemia on ECG or angina - women

	OR	Change to an Executive Agency is possible WOMEN			
		OR +	change*	OR	has happened OR + change*
(1)	1.56	1.54	-1.9%	1.12	1.11 -5.8%
(2)	1.65	1.66	1.0%	1.29	1.28 -1.8%
(3)	1.62	1.62	0.1%	1.24	1.26 8.2%
(4)	1.55	1.54	-0.2%	1.22	1.21 -0.9%
(5)	1.55	1.57	3.3%	1.20	1.20 -0.4%
(6)	1.67	1.68	1.8%	1.19	1.23 18.3%

Key:- (1) + adjusted for reporting bias at Phase 1

(2) + adjusted for VDU use at Phase 1 and Phase 3

(3) + adjusted for current smoking and number of cigarettes at Phase 1 and Phase 3

(4) + adjusted for work social support at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(5) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(6) + adjusted for reporting bias and all potential mediators

* % change in the log of the odds ratio between adjusted and unadjusted

N.B. reporting bias = negative affect

Table 5.7 (7) Effect of potential mediators on systolic blood pressure - men

	Diff	Change to an Executive Agency is possible		Diff	Change to an Executive Agency has happened	
		Diff +	MEN change*		Diff +	change*
(2)	0.257	0.221	-13.7%	2.175	2.143	-1.5%
(3)	0.267	0.234	-12.4%	2.153	2.125	-1.3%
(4)	0.221	0.192	-13.1%	2.151	2.160	0.4%
(5)	0.234	0.219	-6.4%	2.129	2.111	-0.8%
(6)	0.279	0.164	-41.2%	2.136	2.062	-3.5%

Table 5.7 (8) Effect of potential mediators on diastolic pressure - men

	Diff	Change to an Executive Agency is possible		Diff	Change to an Executive Agency has happened	
		Diff +	MEN change*		Diff +	change*
(2)	0.190	0.178	-6.3%	1.568	1.561	-0.4%
(3)	0.240	0.218	-9.2%	1.560	1.547	-0.8%
(4)	0.209	0.179	-14.4%	1.562	1.574	0.8%
(5)	0.196	0.183	-6.6%	1.531	1.512	-1.2%
(6)	0.221	0.142	-35.7%	1.544	1.515	-2.2%

Table 5.7 (9) Effect of potential mediators on body mass index - women and men

	Diff	Change to an Executive Agency is possible			Diff	Change to an Executive Agency has happened			Diff	Change to an Executive Agency is possible			Diff	Change to an Executive Agency has happened		
		Diff +	WOMEN change*			Diff +	change*			Diff +	MEN change*			Diff +	change*	
(2)	0.098	0.099	1.0%	0.299	0.291	-2.7%		0.138	0.138	0		0.215	0.213	-0.9%		
(3)	0.127	0.153	20.5%	0.327	0.322	-1.5%		0.143	0.141	-1.4%		0.215	0.202	-6.0%		
(4)	0.142	0.154	8.5%	0.348	0.353	1.4%		0.143	0.138	-3.5%		0.215	0.211	-1.9%		
(5)	0.142	0.151	6.3%	0.335	0.335	0		0.140	0.139	-0.7%		0.209	0.208	-0.5%		
(6)	0.110	0.146	32.7%	0.320	0.309	-3.4%		0.144	0.135	-6.3%		0.210	0.190	-9.5%		

Key:- (2) + adjusted for VDU use at Phase 1 and Phase 3

(3) + adjusted for current smoking and number of cigarettes at Phase 1 and Phase 3

(4) + adjusted for work social support at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(5) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

(6) + adjusted for all potential mediators

* % change in the difference between adjusted and unadjusted

N.B. reporting bias = negative affect

5.8 *Summary - Tables 5.8 (1) - (3)*

In women expecting transfer to an executive agency and women working in an executive agency a slight adverse trend was seen for most self-reported health status measures compared to control women. Among men in both exposure groups all self-reported morbidity measures increased. In most cases increases were significant compared to control men. Measures of sickness absence were considerably raised among men employed in executive agencies.

Adverse changes were seen in all physiological measures among women in both exposure groups, except for diastolic blood pressure among women expecting transfer to an executive agency. Generally these increases were greater among women employed in an executive agency than among those anticipating transfer. The relative increases in possible/probable ischaemia on ECG or angina among women anticipating change and BMI among women working in an executive agency were significant.

In common with the self-reported health status measures, adverse changes were seen in most physiological measures among men anticipating transfer and men working in an executive agency compared to control men. As among the women, these increases generally were greater among men employed in an executive agency than among men facing transfer. However, cholesterol remained relatively unchanged and relative change was positive for angina in both exposure groups. Among men working in an executive agency the relative deterioration in systolic and diastolic blood pressure was significant and the relative increase in BMI was significant in both exposure groups.

In the psychosocial sphere only a loss of social support at work among women anticipating transfer to an executive agency was significant compared with control women. Among men, both exposure groups experienced a significant loss of social support at work. Men already working in an executive agency also experienced significant improvement in skill

discretion and a significant increase in VDU use compared with control men.

Health-related behaviours among women in both exposure groups in general deteriorated slightly relative to controls. Alcohol and cigarette consumption, where they differed between exposure and control men, tended to favour those in the exposure groups. Among men already working in an executive agency the relative decrease in smoking compared with control men was significant. However, changes in exercise patterns were less beneficial.

Adjustment for negative affect and the potential mediators; current smoking, VDU use, and change in social support at work and skill discretion combined explained under 20% of the difference in all self-reported health outcomes. In the case of blood pressure, adjustment for all the potential mediators explained 41.2% of the difference in systolic and 35.7% of the difference in diastolic blood pressure among men expecting transfer to an executive agency. This indicates that most of the increase in morbidity in women and men in the exposure groups appears to be attributable to the short and long-term job insecurity generated by major organisational change.

Table 5.8 (1) Summary of self-reported health outcomes

	Change to an Executive Agency is expected		Change to an Executive Agency has happened	
	OR* (95% CI) WOMEN	OR* (95% CI) MEN	OR* (95% CI) WOMEN	OR* (95% CI) MEN
self-rated health average or worse	0.98 (0.78-1.24)	1.21 (1.00-1.46)	0.97 (0.72-1.29)	1.32 (1.03-1.62)
longstanding illness	1.25 (0.95-1.65)	1.26 (1.03-1.55)	1.19 (0.86-1.66)	1.26 (1.03-1.55)
sleep 5hrs or less per night	0.99 (0.63-1.55)	1.41 (0.98-2.04)	0.68 (0.36-1.25)	1.22 (0.80-1.88)
sleep 9hrs or more per night	1.70 (0.93-3.11)	1.03 (0.61-1.73)	1.16 (0.52-2.58)	1.60 (1.00-2.58)
GHQ caseness	1.02 (0.79-1.30)	1.52 (1.27-1.83)	1.10 (0.82-1.49)	1.56 (1.29-1.89)
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)
symptom score	0.46 (0.13) p<0.001*	0.48 (0.09) p<0.001	0.31 (0.16) p=0.05	0.42 (0.09) p<0.001

Table 5.8 (2) Summary of sickness absence

	Change to an Executive Agency is expected		Change to an Executive Agency has happened	
	OR* (95% CI) WOMEN	OR* (95% CI) MEN	OR* (95% CI) WOMEN	OR* (95% CI) MEN
one week or more in past year	1.00 (0.80-1.25)	1.09 (0.91-1.31)	1.08 (0.82-1.42)	1.20 (0.98-1.46)
two weeks or more in past year	1.14 (0.88-1.48)	1.03 (0.80-1.33)	1.19 (0.86-1.64)	1.24 (0.95-1.62)

Table 5.8 (3) Summary of physiological measures

	Change to an Executive Agency is expected		Change to an Executive Agency has happened	
	OR* (95% CI) WOMEN	OR* (95% CI) MEN	OR* (95% CI) WOMEN	OR* (95% CI) MEN
angina pectoris	1.59 (0.94-2.68)	0.87 (0.51-1.48)	1.43 (0.69-2.59)	0.68 (0.36-1.29)
possible/probable ischaemia on ECG	1.45 (0.77-2.74)	1.23 (0.77-1.95)	1.04 (0.44-2.45)	1.31 (0.81-2.11)
poss/prob ischaemia on ECG or angina	1.57 (1.03-2.41)	1.08 (0.74-1.56)	1.21 (0.69-2.11)	1.12 (0.76-1.66)
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)
systolic blood pressure	0.38 (0.56) p=0.50	0.23 (0.38) p=0.54	0.93 (0.70) p=0.18	2.16 (0.40) p<0.001
diastolic blood pressure	-0.13 (0.40) p=0.75	0.20 (0.28) p=0.47	0.73 (0.49) p=0.14	1.56 (0.29) p<0.001
cholesterol concentration	0.04 (0.04) p=0.38	-0.03 (0.03) p=0.26	0.06 (0.05) p=0.26	-0.03 (0.03) p=0.33
body mass index	0.13 (0.10) p=0.21	0.14 (0.05) p=0.007	0.33 (0.13) p=0.009	0.21 (0.05) p<0.001

* adjusted for age, grade, marital status and baseline values of the variable of interest

- p values show whether the observed difference is significantly greater or less than zero

Table 5.8 (4) Summary of psychosocial measures

	Change to an Executive Agency is expected OR* (95% CI) WOMEN OR* (95% CI) MEN		Change to an Executive Agency has happened OR* (95% CI) WOMEN OR* (95% CI) MEN	
Divorce/separation (married/cohabiting at Phase 1)	1.19 (0.61-2.35)	0.87 (0.52-1.46)	1.57 (0.74-3.30)	0.86 (0.49-1.50)
VDU use	0.86 (0.69-1.07)	1.07 (0.91-1.26)	1.05 (0.79-1.39)	1.26 (1.06-1.49)
Adverse change in social support	1.06 (0.84-1.34)	1.08 (0.92-1.27)	1.14 (0.86-1.51)	1.18 (0.99-1.39)
Beneficial change in social support	0.71 (0.57-0.90)	0.83 (0.70-0.98)	0.87 (0.66-1.15)	0.74 (0.62-0.89)
Adverse change in decision authority	1.02 (0.78-1.33)	1.08 (0.89-1.30)	1.00 (0.72-1.39)	0.95 (0.77-1.16)
Beneficial change in decision authority	0.99 (0.80-1.24)	0.95 (0.81-1.11)	0.95 (0.72-1.26)	0.95 (0.81-1.12)
Adverse change in skill discretion	0.94 (0.71-1.24)	1.13 (0.94-1.34)	0.93 (0.66-1.31)	0.93 (0.76-1.13)
Beneficial change in skill discretion	0.87 (0.68-1.12)	1.17 (0.99-1.39)	0.92 (0.68-1.24)	1.23 (1.02-1.47)
Adverse change in job demands	1.08 (0.87-1.34)	1.04 (0.89-1.22)	1.05 (0.81-1.38)	1.17 (0.99-1.38)
Beneficial change in job demands	0.83 (0.64-1.09)	0.91 (0.76-1.09)	1.21 (0.89-1.64)	0.88 (0.73-1.06)

Table 5.8 (5) Summary of health-related behaviours

	Change to an Executive Agency is expected OR* (95% CI) WOMEN OR* (95% CI) MEN		Change to an Executive Agency has happened OR* (95% CI) WOMEN OR* (95% CI) MEN	
Alcohol consumption - non-drinkers	1.08 (0.84-1.39)	1.00 (0.80-1.26)	1.05 (0.77-1.44)	1.18 (0.93-1.51)
Units/wk 15 or more (women) 22 or more (men)	0.92 (0.60-1.42)	0.93 (0.74-1.16)	1.24 (0.76-2.03)	1.05 (0.83-1.32)
Current smoking	1.41 (0.87-2.30)	0.79 (0.56-1.14)	1.17 (0.65-2.11)	0.66 (0.45-0.96)
None or only mild exercise	1.24 (0.99-1.55)	0.93 (0.75-1.16)	1.16 (0.88-1.54)	1.13 (0.90-1.41)
1 hour or more vigorous exercise per week	0.93 (0.70-1.24)	0.95 (0.81-1.11)	1.02 (0.72-1.43)	0.88 (0.75-1.05)

* adjusted for age grade, marital status and baseline values of the variable of interest

N.B. Divorce/separation adjusted for age and grade only

CHAPTER 6 RESULTS: STUDY 2 (PSA study) - pre-privatisation - the anticipation phase

The results of *Study 2* are presented over the next three chapters. *Study 2*, the PSA study, involved the analysis of data from Phases 1, 2 and 3 of the Whitehall II study and new data collected by questionnaire 18 months after the privatisation of PSA. As described previously (Chapter 4, section 4.4), the privatisation of PSA closely followed the phases of a typical workplace closure. Thus, for respondents in PSA, Phase 1 provided data from a period of secure employment, Phase 2 the anticipation phase and Phase 3 the pre-termination phase, both periods of job insecurity. Data from the PSA questionnaire provided data 1½ years after the sale of PSA Projects to the private sector.

Chapter 6 uses data from Phase 2 of the Whitehall II study to determine the effects of the anticipation phase for respondents in PSA. Effects on health of the pre-termination phase are examined in Chapter 7 using data from Phase 3 of the Whitehall II study, and Chapter 8 looks at health outcomes associated with labour market status 1½ years post-privatisation. In addition, Chapter 8 uses data from the PSA questionnaire to describe the effect of the privatisation on members of the PSA cohort in terms of their labour market experiences post-privatisation.

PSA study - sample

Of the 10,308 respondents to Phase 1 (1985/8) of the Whitehall II study, 666, mainly professional and technical staff in the construction industry, were employees of PSA. 526 (79%) of them, most of whom by 1989 worked for PSA Projects, completed the questionnaire at Phase 2 (1989/90). The Phase 3 questionnaire (Q) was completed by 567 (85%) of the original PSA cohort and 509 (76%) completed the Phase 3 clinical screening (CS), the majority being screened between September and October 1992. In March 1994, 16 months after the privatisation of PSA a questionnaire was mailed to all Whitehall II

respondents, except those known to have died (17 respondents), who were in PSA at baseline (Phase 1). 541 questionnaires were returned, a response rate of 83 % (541/649) when the dead are excluded from the denominator. 539 of these questionnaires provided usable data.

The other departments, whose respondents comprised the control group for the PSA study, contained 9642 respondents at baseline and 7607 respondents (79%) at Phase 2. 8,075 respondents (84%) in other departments completed the questionnaire at Phase 3 and 7595 (79%) attended the clinical screening.

Response Rates

	<u>PSA</u>	<u>Other departments</u>
Whitehall II	666	9642
baseline	153 ♀ 513 ♂	3260 ♀ 6382 ♂
Whitehall II	526 (79%)*	7607 (79%)
Phase 2	116 ♀ 410 ♂	2484 ♀ 5123 ♂
Whitehall II	567 (85%)	8075 (84%)
Phase 3 (Q)	124 ♀ 443 ♂	2577 ♀ 5498 ♂
Whitehall II	509 (76%)	7595 (79%)
Phase 3 (CS)	99 ♀ 410 ♂	2389 ♀ 5206 ♂
PSA questionnaire	541 (83%)	
	126 ♀ 415 ♂	

* %s are of baseline figures

Outline of Chapter

The aims of the analyses presented in this chapter are:-

(i) to determine whether non-response to Phase 2 of the Whitehall II study had a significant effect on comparisons between PSA respondents and non-PSA controls.

(ii) to determine the effects on self-reported health measures, psychosocial factors and health-related behaviours of the anticipation phase for respondents in PSA compared with respondents in the control group.

(iii) to determine whether differences in change over time in self-reported health between subjects and controls may be explained by changes in the personal characteristics, psychosocial factors or health-related behaviours measured.

Section 6.1 presents the results of analyses in which baseline values of all the variables used in subsequent analyses were tested to determine whether the differences between responders and non-responders in PSA differed significantly from those between responders and non-responders in the control group. In section 6.2 baseline demographic and socioeconomic data and negative affect for subjects and controls - responders only - were compared. Change between baseline and follow-up, the anticipation phase for respondents in PSA, in self-reported health outcomes, personal characteristics and psychosocial factors, and health-related behaviours for PSA respondents were compared with change for control respondents and are presented in sections 6.3, 6.4 and 6.5 respectively. Where change over time for the personal characteristics, psychosocial factors or health-related behaviours measured were found to be significantly different for PSA respondents compared with controls, their potential role in explaining the changes in self-reported health was examined in section 6.6. Section 6.7 presents a summary of the results for the anticipation phase.

6.1 Non-response to Phase 2 - the anticipation phase - Tables 6.1 (1) - (8)

In addition to those who failed to respond at Phase 2 to invitations to follow-up, non-responders included participants who had died and those who could not be traced. Non-response among PSA women and control women was 24%, while among men it was 20% for both subjects and controls.

The object of the analyses presented in later sections of this chapter was to compare health, personal, psychosocial and health-related behavioural outcomes for respondents in PSA with those for the controls. It is recognised that the existence of non-responders within PSA and within the control group will affect the results, in that non-responders are generally less healthy and have higher levels of self-damaging behaviour than responders³⁴⁰. However, the important question with regard to the subsequent comparative analyses was whether the difference between responders and non-responders differed between PSA subjects and non-PSA controls. If the difference between responders and non-responders in the exposure and control groups had differed significantly then the effect of interest would have differed between the samples of responders and non-responders making it difficult to make inferences about the total populations from the samples were derived.

Tables 6.1 (1) - 6.1 (8) compare baseline demographic and socioeconomic data, self-reported health, psychosocial variables, and health-related behaviour data for female and male responders and non-responders in PSA and in the rest of the cohort to Phase 2 of the Whitehall II study. For each variable a test of interaction was carried out. This test determines whether the difference between responders and non-responders differs significantly between PSA subjects and non-PSA controls.

Only four of the forty-two variables tested showed a significant interaction between department (PSA or non-PSA) and non-response. Thus, for the remaining variables the

differences between responders and non-responders were not related to their department of origin, for either women or men. However, it should be noted that when performing 42 tests of interaction, 2 of them would be expected to be significant by chance at the 5% level of significance⁴²³.

Among women, only the proportion of women doing vigorous exercise showed a significant interaction between response and department, with the percentage doing vigorous exercise being considerably less among the PSA non-responders. Significant interactions between response and department were seen for Clerical/Support grade, divorce or separation, and non-drinking among men. A smaller proportion of the male non-responders from PSA were in the Clerical/Support grades while a greater proportion of the male non-responders from other departments were in these grades. Divorce or separation and non-drinking followed the same pattern. In the case of vigorous exercise for women, and divorce and non-drinking for men these significant interactions mean that results for these outcomes cannot necessarily be generalised to the population from which the sample was derived. With respect to Civil Service employment grade, this was not used as an outcome and, as a confounder of the relationship between exposure and outcome, was controlled for in all subsequent analyses.

Table 6.1 (1) Comparison+ of baseline demographic and socioeconomic data for women responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Age in years (SE)	45.3 (0.1)	45.4 (0.2)	45.5 (0.6)	43.5 (1.0)	p=0.09
N for age	2484	776	116	37	
Administrative (highest) grade % (SE)	13.0 (0.7)	9.1 (1.1)	2.5 (1.4)	4.6 (2.9)	p=0.08
Professional/Executive grade % (SE)	42.1 (1.0)	34.4 (1.7)	42.5 (4.6)	26.6 (7.2)	p=0.35
Clerical/Support (lowest) grade % (SE)	45.0 (1.0)	56.5 (1.8)	55.0 (4.7)	68.9 (7.6)	p=>0.5
N for grade	2484	776	116	37	
Married/Cohabiting % (SE)	61.3 (1.0)	61.9 (1.8)	64.8 (4.5)	61.3 (8.7)	p=>0.5
Divorced/Separated % (SE)	13.9 (0.7)	14.3 (1.3)	10.8 (2.9)	18.8 (6.9)	p=0.32
N for marital status*	2472	772	115	36	

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 6.1 (2) Comparison+ of baseline demographic and socioeconomic data for men responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Age: (yrs)	44.2 (0.1)	43.4 (0.2)	44.4 (0.3)	43.9 (0.6)	p=0.67
N for age	5123	1259	410	103	
Administrative (highest) grade % (SE)	40.7 (0.7)	32.6 (1.3)	35.6 (2.3)	31.5 (4.4)	p=0.44
Professional/Executive grade % (SE)	51.1 (0.7)	50.6 (1.4)	60.7 (2.4)	65.7 (4.6)	p=0.31
Clerical/Support (lowest) grade % (SE)	8.2 (0.4)	16.8 (1.1)	3.6 (0.9)	2.9 (1.6)	p<0.001
N for grade	5123	1259	410	103	
Married/Cohabiting % (SE)	81.6 (0.5)	74.0 (1.3)	87.7 (1.6)	85.6 (3.4)	p=0.17
Divorced/Separated % (SE)	4.4 (0.3)	8.8 (0.8)	4.2 (1.0)	3.5 (1.7)	p=0.02
N for marital status*	5110	1252	410	103	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 6.1 (3) Comparison+ of baseline self-reported health status measures for women responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Self-rated health average or worse % (SE) N	34.5 (1.0) 2480	41.2 (1.8) 770	30.1 (4.2) 116	38.6 (7.8) 37	p > 0.5
Mean symptom score (SE) N	3.12 (0.06) 1822	3.16 (0.11) 535	2.59 (0.25) 81	2.62 (0.57) 25	p > 0.5
Mean health problems (SE) N	1.65 (0.04) 1822	1.78 (0.07) 535	1.38 (0.15) 79	1.52 (0.42) 26	p > 0.5
Longstanding illness % (SE) N	31.4 (1.1) 1832	30.6 (2.0) 547	26.7 (4.9) 81	25.7 (7.4) 24	p > 0.5
Minor psychiatric disorder % (SE) N	30.7 (0.9) 2448	31.4 (1.7) 751	28.9 (4.3) 115	29.5 (7.8) 37	p > 0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 6.1 (4) Comparison+ of baseline self-reported health status measures for men responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Self-rated health average or worse % (SE) N	21.5 (0.6) 5105	26.5 (1.3) 1252	20.9 (2.0) 410	25.3 (4.4) 102	p = 0.38
Mean symptom score (SE) N	2.48 (0.04) 3782	2.51 (0.08) 922	2.00 (0.11) 353	1.65 (0.20) 90	p = 0.12
Mean health problems (SE) N	1.31 (0.02) 3786	1.35 (0.05) 917	1.29 (0.07) 353	1.24 (0.13) 88	p > 0.5
Longstanding illness % (SE) N	31.9 (0.8) 3787	30.0 (1.5) 922	28.0 (2.4) 355	27.7 (4.7) 89	p > 0.5
Minor psychiatric disorder % (SE) N	25.1 (4.3) 5088	26.2 (1.3) 1243	22.4 (2.1) 406	24.6 (4.3) 101	p > 0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 6.1 (5) Comparison+ of baseline personal and psychosocial measures for women responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Negative affect % (SE) N	15.9 (0.9) 1798	15.4 (1.6) 524	15.2 (4.1) 81	6.6 (5.7) 25	p=0.26
Fatalistic attitude (health) % (SE) N	2.9 (0.4) 1835	3.4 (0.8) 544	3.5 (2.0) 81	13.2 (6.6) 26	p=0.19
Work social support - upper tertile (SE) N	28.7 (0.9) 2455	29.9 (1.7) 762	36.0 (4.4) 115	29.3 (7.5) 37	p=0.37
Decision authority - upper tertile (SE) N	30.2 (0.9) 2443	29.4 (1.7) 754	35.4 (4.5) 116	31.5 (7.6) 37	p>0.5
Skill discretion - upper tertile (SE) N	27.9 (0.9) 2464	23.9 (1.6) 768	36.1 (4.6) 115	18.8 (6.7) 37	p=0.11
Job demands - upper tertile (SE) N	42.5 (1.0) 2459	39.1 (1.8) 764	39.0 (4.7) 112	49.7 (1.0) 36	p=0.15

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 6.1 (6) Comparison+ of baseline personal and psychosocial measures for men responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Negative affect % (SE) N	18.7 (0.6) 3762	18.6 (1.3) 901	20.9 (2.2) 355	15.2 (3.8) 89	p=0.23
Fatalistic attitude (health) % (SE) N	1.3 (0.2) 3774	2.8 (0.6) 915	1.7 (0.7) 354	3.8 (2.2) 89	p>0.5
Work social support - upper tertile (SE) N	33.6 (0.7) 5111	31.3 (1.3) 1248	35.1 (2.4) 408	31.5 (4.5) 103	p>0.5
Decision authority - upper tertile (SE) N	35.3 (0.7) 5109	36.6 (1.4) 1250	39.2 (2.4) 408	41.9 (4.8) 103	p>0.5
Skill discretion - upper tertile (SE) N	33.5 (0.7) 5112	33.5 (1.4) 1253	30.6 (2.3) 410	25.6 (4.1) 103	p=0.21
Job demands - upper tertile (SE) N	44.6 (0.7) 5115	45.5 (1.4) 1257	42.1 (2.5) 405	41.6 (4.8) 102	p>0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 6.1 (7) Comparison+ of baseline health-related behaviours for women responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Non-drinkers % (SE) N	28.2 (0.9) 2457	29.5 (1.6) 767	29.2 (4.3) 113	36.0 (8.0) 37	p>0.5
'Heavy' drinkers % (SE) N	10.1 (0.6) 2457	10.9 (1.2) 767	3.4 (1.6) 113	7.4 (4.0) 37	p=0.48
Current smoker % (SE) N	21.1 (0.8) 2479	29.7 (1.7) 775	17.8 (3.4) 116	21.4 (7.1) 37	p>0.5
None or mild exercise % (SE) N	27.6 (0.9) 2456	30.2 (1.7) 759	27.3 (4.1) 113	38.2 (8.0) 37	p=0.37
Vigorous exercise % (SE) N	26.1 (0.9) 2456	24.0 (1.6) 759	34.6 (4.5) 113	10.3 (4.6) 37	p<0.001

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 6.1 (8) Comparison+ of baseline health-related behaviours for men responders and non-responders to Phase 2

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Non-drinkers % (SE) N	12.9 (0.5) 5082	15.2 (1.1) 1250	11.8 (1.6) 408	7.1 (2.6) 100	p=0.03
'Heavy' drinkers % (SE) N	18.2 (0.5) 5082	22.1 (1.2) 1250	12.0 (1.6) 408	16.4 (3.6) 100	p>0.5
Current smoker % (SE) N	14.6 (0.5) 5117	22.6 (1.2) 1257	10.5 (1.5) 410	16.5 (3.7) 103	p>0.5
None or mild exercise % (SE) N	10.9 (0.4) 5109	14.9 (1.0) 1250	5.0 (1.1) 409	6.0 (2.4) 103	p=0.29
Vigorous exercise % (SE) N	51.4 (0.7) 5109	44.6 (1.4) 1250	57.9 (2.4) 409	60.0 (4.8) 103	p=0.12

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

6.2 *Demographic and socioeconomic characteristics and negative affect for PSA respondents and controls at Phase 1 - Tables 6.2 (1) - (2)*

Table 6.2 (1) compares age-adjusted demographic and socioeconomic data and reporting bias (negative affect) at Phase 1 for female responders to Phase 2 in PSA and in non-PSA departments (controls). Negative affect was included in this table because the possible confounding of self-reported health outcomes by this trait was examined (*Tables 6.6*). The table shows that there were no significant differences between PSA respondents and controls in average age, distribution by marital status and prevalence of negative affect. Significant differences did exist in the grade structure between the groups, but as all subsequent analyses were adjusted for grade, this difference was adjusted for in the Phase 2 findings.

Table 6.2 (2) compares age-adjusted demographic and socioeconomic data and negative affect at Phase 1 for male responders to Phase 2 in PSA and in non-PSA departments. There were no significant differences between the groups in age and prevalence of negative affect. However, the grade structure and the distribution by marital status of the two groups differed significantly. All remaining analyses in this chapter were adjusted for grade and marital status.

In all subsequent tables age-adjusted distributions for the variable of interest are presented for the control group (non-PSA) and the subject group (PSA) at baseline and during the anticipation phase (Phase 2). These values are followed by comparisons between PSA and the control group, which formed the reference group. The odds ratio for change between baseline and the anticipation phase for the reference group was 1.0, while the adjusted difference was 0.0.

Table 6.2 (1) Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias among women responders to Phase 2

	Non-PSA	PSA	p
Age in years (SE)	45.3 (0.1)	45.4 (0.6)	p=0.77
N for age	2484	116	
Administrative (highest) grade % (SE)	13.0 (0.7)	2.5 (1.4)	
Professional/Executive grade % (SE)	42.0 (1.0)	42.8 (4.6)	p=0.004
Clerical/Support (lowest) grade % (SE)	45.1 (1.0)	54.7 (4.7)	
N for grade	2480	115	
Married/Cohabiting % (SE)	61.3 (1.0)	64.8 (4.5)	
Single % (SE)	22.2 (0.8)	18.4 (3.6)	p=0.13
Divorced/Separated % (SE)	13.9 (0.7)	10.9 (2.9)	
Widowed % (SE)	2.6 (0.3)	6.0 (2.2)	
N for marital status	2465	115	
Reporting bias % (SE)	15.8 (0.8)	12.2 (3.2)	p=0.33
N for reporting bias	2322	106	

* reporting bias = negative affect

Table 6.2 (2) Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic characteristics and reporting bias among men responders to Phase 2

	Non-PSA	PSA	p
Age: (yrs)	44.2 (0.1)	44.4 (0.3)	p=0.54
N for age	5123	410	
Administrative (highest) grade % (SE)	40.8 (0.7)	35.8 (2.3)	
Professional/Executive grade % (SE)	51.0 (0.7)	60.6 (2.4)	p<0.001
Clerical/Support (lowest) grade % (SE)	8.3 (0.4)	3.6 (0.9)	
N for grade	5107	409	
Married/Cohabiting % (SE)	81.7 (0.5)	87.7 (1.6)	
Single % (SE)	13.5 (0.5)	7.8 (1.3)	p=0.008
Divorced/Separated % (SE)	4.4 (0.3)	4.2 (1.0)	
Widowed % (SE)	0.4 (0.1)	0.3 (0.3)	
N for marital status	5110	410	
Reporting bias % (SE)	18.7 (0.6)	19.8 (1.9)	p=0.60
N for reporting bias	4663	444	

* reporting bias = negative affect

6.3 *Self-reported physical morbidity - Tables 6.3 (1) - 6.3 (5b)*

Comparisons between controls and subjects for all the self-reported health status measures were adjusted for age, grade, marital status, and baseline value of the variable of interest. Analyses adjusted, in addition, for the health-related behaviours; smoking, drinking and exercise, produced outcomes little different for those unadjusted for health-related behaviour. As an example, outcomes for health self-rated as average or worse are shown both unadjusted and adjusted for health-related behaviour - Table 6.3 (1).

Baseline differences

There was greater morbidity at baseline (secure employment phase) among control women than women in PSA for every self-reported health measure except depression, although tests for differences between the groups were not significant. This pattern of greater morbidity among the controls was repeated for men. For mean number of symptoms in the last fortnight and depression the health advantage of the PSA men was significant. These significant baseline differences among men partly reflect the differential employment grade distribution of subjects and controls. Symptom score in men³⁶⁹ and depressive symptoms as measured by a depression subscale of the GHQ³⁸⁵ have been shown to be significantly related to grade in the Whitehall II cohort. However, as all subsequent analyses were adjusted for grade and baseline values of the variable of interest, these differences at baseline were controlled for in the Phase 2 findings.

Phase 2 - Anticipation phase differences

As at baseline, PSA women generally experience less morbidity during the anticipation phase (Phase 2) than control women, except for the higher prevalence of symptoms in the last fortnight ($p=0.06$) and a considerable relative increase in minor psychiatric morbidity.

All the self-reported morbidity measures increase more among men in PSA between baseline and the anticipation phase (Phase 2), than among control men. This relative increase in morbidity was significant for health self-rated as average or worse, mean number of symptoms in the last fortnight, and number of health problems over the past year, and was considerable for longstanding illness. Relative changes in minor psychiatric morbidity and depression were similar in PSA and non-PSA men.

Table 6 .3. (1) Anticipation phase (Phase 2) Self-rated health - average or worse

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	34.6 (1.0)	31.0 (4.3)	0.44
<i>Number</i>	<i>2473</i>	<i>114</i>	
Men	21.5 (0.6)	21.0 (2.0)	0.86
<i>Number</i>	<i>5089</i>	<i>408</i>	

Age-adjusted percentages (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	36.8 (1.0)	33.0 (4.3)	0.36
Men	21.8 (0.6)	27.0 (2.2)	0.01

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline values*</i>	<i>+ health-related behaviours**</i>
Women	0.83 (0.56 - 1.24)	0.77 (0.52 - 1.16)	0.79 (0.52 - 1.18)	0.82 (0.53 - 1.29)	0.83 (0.52 - 1.32)
Men	1.33 (1.06 - 1.67)	1.35 (1.07 - 1.70)	1.37 (1.09 - 1.73)	1.51 (1.16 - 1.96)	1.57 (1.21 - 2.05)

** models are hierarchical i.e. these ORs (or Differences) are adjusted for age, grade, marital status and baseline value of the outcome. ORs for Non-PSA are 1.0, differences 0.0. This footnote applies to all subsequent tables.*

*** baseline smoking (% current smokers and number of cigarettes), drinking (non-drinking, 'heavy' drinking and number of units of alcohol/week) and exercise (physical exercise group; none/mild, moderate and vigorous)*

Table 6.3 (2) Anticipation phase (Phase 2) Mean number of symptoms in the last 14 days

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.13 (0.06)	2.59 (0.25)	0.07
<i>Number</i>	<i>1789</i>	<i>81</i>	
Men	2.48 (0.04)	2.00 (0.11)	<0.001
<i>Number</i>	<i>3776</i>	<i>350</i>	

Age-adjusted means (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.35 (0.06)	3.65 (0.30)	0.32
Men	2.63 (0.04)	2.73 (0.12)	0.47

Adjusted differences for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Adjusted differences (se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.29 (0.30)	0.26 (0.30)	0.21 (0.30)	0.47 (0.25) <i>p</i>=0.06
Men	0.09 (0.13)	0.10 (0.13)	0.10 (0.13)	0.35 (0.11) <i>p</i>=0.002

Table 6.3 (3) Anticipation phase (Phase 2) Health problems in the last 12 months

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	1.65 (0.04)	1.39 (0.15)	0.13
<i>Number</i>	<i>1811</i>	<i>78</i>	
Men	1.31 (0.02)	1.29 (0.07)	0.70
<i>Number</i>	<i>3775</i>	<i>353</i>	

Age-adjusted means (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	1.76 (0.04)	1.70 (0.17)	0.75
Men	1.36 (0.02)	1.48 (0.07)	0.18

Adjusted differences for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Differences (se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	-0.06 (0.18)	-0.11 (0.18)	- 0.09 (0.18)	0.10 (0.14) p=0.50
Men	0.10 (0.08)	0.11 (0.08)	0.11 (0.08)	0.12 (0.06) p=0.04

Table 6.3 (4) Anticipation phase (Phase 2) Longstanding illness

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	31.5 (1.1)	26.8 (4.9)	0.37
<i>Number</i>	<i>1830</i>	<i>181</i>	
Men	32.0 (0.8)	28.1 (2.4)	0.12
<i>Number</i>	<i>3787</i>	<i>408</i>	

Age-adjusted percentages (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	38.4 (1.1)	31.5 (5.1)	0.22
Men	35.9 (0.8)	37.0 (2.5)	0.74

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.74 (0.46 - 1.20)	0.74 (0.45 - 1.20)	0.76 (0.47 - 1.24)	0.79 (0.46 - 1.36)
Men	1.04 (0.83 - 1.31)	1.07 (0.85 - 1.34)	1.07 (0.85 - 1.35)	1.22 (0.94 - 1.59)

Table 6.3 (5a) Anticipation phase (Phase 2) Minor psychiatric disorder - GHQ caseness

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	30.8 (1.0)	29.3 (4.4)	0.60
<i>Number</i>	<i>2386</i>	<i>113</i>	
Men	25.2 (0.6)	22.4 (2.1)	0.21
<i>Number</i>	<i>5041</i>	<i>402</i>	

Age-adjusted percentages (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	33.8 (1.0)	37.6 (4.6)	0.52
Men	27.3 (0.6)	28.1 (2.2)	0.67

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.14 (0.77 - 1.69)	1.19 (0.80 - 1.76)	1.18 (0.79 - 1.76)	1.20 (0.79 - 1.84)
Men	1.05 (0.84 - 1.32)	1.05 (0.83 - 1.31)	1.05 (0.84 - 1.32)	1.11 (0.88 - 1.41)

Table 6.3 (5b) Anticipation phase (Phase 2) Depression (subscale of GHQ)

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	26.0 (0.9)	27.6 (4.1)	0.82
<i>Number</i>	<i>2401</i>	<i>115</i>	
Men	25.9 (0.6)	20.9 (2.0)	0.04
<i>Number</i>	<i>5035</i>	<i>402</i>	

Age-adjusted percentages (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	33.8 (1.0)	30.2 (4.1)	0.61
Men	26.6 (0.6)	24.6 (2.1)	0.43

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.90 (0.60-1.35)	0.90 (0.60-1.35)	0.88 (0.59-1.33)	0.89 (0.57-1.41)
Men	0.91 (0.73-1.15)	0.92 (0.73-1.16)	0.95 (0.75-1.21)	1.02 (0.79-1.33)

6.4 *Personal characteristics and Psychosocial measures - Tables 6.4 (1) - 6.4 (7b)*

In analyses unadjusted for marital status, divorce or separation during the anticipation phase (Phase 2) was analysed only among those married or cohabiting at baseline. Comparisons between PSA and the controls (non-PSA) for the remaining personal and psychosocial measures were adjusted for age, grade and marital status. Having a fatalistic attitude to health was also adjusted for the baseline value for this variable. Analyses of work characteristics examine those who have changed tertile between baseline and follow-up (Phase 2), see Chapter 5, section 5.

Baseline differences

Baseline values are presented only for having a fatalistic attitude to health. This attitude was more common among PSA respondents of both sexes compared with controls but these differences were not significant.

Phase 2 - Anticipation phase differences

Divorce or separation among women in PSA was twice that among control women during the anticipation phase, but the difference was not significant. The proportion of both PSA and non-PSA women with a fatalistic attitude to health decreased between baseline and Phase 2. Although the changes were not significant, the decrease among women in PSA relative to control women was less than half. No trends were apparent in the changes in characteristics of the work environment, adverse or beneficial, between PSA and control women. PSA women experienced a significant reduction in social support at work and a significant increase in job demands between baseline and the anticipation phase.

Compared with control men, divorce or separation was more common among the PSA men, but the difference was not significant. As among women, the percentage of both PSA

and non-PSA men with a fatalistic attitude to health decreased between baseline and Phase 2. Although the changes were not significant, in contrast to the women, the relative decrease among PSA men was more than double that among control men. Among men, relative changes in characteristics of the work environment tended to follow the pattern of relative increase in adverse change and a relative lack of beneficial change. In common with the women, PSA men suffered a significant loss of social support at work. They also experienced a significant drop in skill discretion and a considerable increase in job demands.

Table 6.4 (1) Anticipation phase (Phase 2) Divorce and separation amongst those married at Phase 1

Age-adjusted percentages (se) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	3.5 (0.5)	6.4 (2.6)	0.13
<i>Number</i>	<i>1476</i>	<i>73</i>	
Men	1.8 (0.2)	2.4 (0.8)	0.34
<i>Number</i>	<i>4135</i>	<i>360</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>
Women	2.05 (0.79 - 5.33)	2.02 (0.77 - 5.27)
Men	1.41 (0.70 - 2.84)	1.37 (0.68 - 2.77)

Table 6. 4 (2) Anticipation phase (Phase 2) Fatalism

Age-adjusted percentages (se) for subjects with a fatalistic attitude to health at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	2.5 (0.4)	3.6 (2.0)	0.47
<i>Number</i>	<i>1807</i>	<i>80</i>	
Men	1.3 (0.2)	1.8 (0.7)	0.46
<i>Number</i>	<i>3762</i>	<i>353</i>	

Age-adjusted percentages (se) for subjects with a fatalistic attitude to health at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	1.2 (0.3)	2.2 (1.5)	0.31
Men	1.0 (0.2)	0.6 (0.4)	0.42

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	2.11 (0.49 - 9.17)	1.81 (0.42 - 7.94)	1.76 (0.40 - 7.82)	2.42 (0.49 - 11.89)
Men	0.56 (0.14 - 2.35)	0.66 (0.16 - 2.80)	0.68 (0.16 - 2.88)	0.48 (0.10 - 2.35)

Table 6. 4 (3a) Adverse change in social support at work between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	36.9 (1.2)	49.7 (5.5)	0.03
<i>Number</i>	<i>1753</i>	<i>78</i>	
Men	35.6 (0.8)	42.8 (2.7)	0.006
<i>Number</i>	<i>3827</i>	<i>317</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.47 (0.98 - 2.21)	1.51 (1.10 - 2.28)	1.45 (0.97 - 2.21)
Men	1.38 (1.11 - 1.71)	1.38 (1.11 - 1.71)	1.36 (1.10 - 1.69)

Table 6. 4 (3b) Beneficial change in social support at work between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	34.4 (1.2)	42.1 (5.9)	0.23
<i>Number</i>	<i>1687</i>	<i>68</i>	
Men	31.9 (0.8)	32.4 (2.9)	0.94
<i>Number</i>	<i>3619</i>	<i>265</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.09 (0.70 - 1.70)	1.06 (0.68 - 1.65)	1.09 (0.70 - 1.70)
Men	0.89 (0.69 - 1.14)	0.89 (0.69 - 1.14)	0.90 (0.70 - 1.15)

Table 6. 4 (4a) Adverse change in decision authority between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	25.2 (1.1)	26.8 (5.2)	0.74
<i>Number</i>	<i>1723</i>	<i>72</i>	
Men	25.7 (0.7)	26.8 (2.6)	0.69
<i>Number</i>	<i>3665</i>	<i>303</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	0.98 (0.59 - 1.62)	1.03 (0.62 - 1.72)	1.03 (0.61 - 1.72)
Men	1.09 (0.84 - 1.40)	1.05 (0.82 - 1.36)	1.06 (0.82 - 1.37)

Table 6. 4 (4b) Beneficial change in decision authority between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	32.2 (1.1)	38.7 (5.2)	0.16
<i>Number</i>	<i>1898</i>	<i>87</i>	
Men	32.8 (0.7)	30.7 (2.6)	0.50
<i>Number</i>	<i>4053</i>	<i>321</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.35 (0.89 - 2.05)	1.33 (0.87 - 2.02)	1.34 (0.88 - 2.05)
Men	0.91 (0.72 - 1.15)	0.90 (0.71 - 1.14)	0.90 (0.71 - 1.14)

Table 6. 4 (5a) Adverse change in skill discretion between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	22.4 (1.0)	18.3 (4.1)	0.40
<i>Number</i>	<i>1871</i>	<i>87</i>	
Men	24.9 (0.7)	31.0 (2.5)	0.01
<i>Number</i>	<i>4000</i>	<i>337</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+marital status</i>
Women	0.84 (0.49 -1.45)	0.90 (0.52 - 1.56)	0.91 (0.53 -1.58)
Men	1.40 (1.11 -1.77)	1.35 (1.06 - 1.70)	1.34 (1.06 - 1.70)

Table 6. 4 (5b) Beneficial change in skill discretion between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	25.2 (1.0)	18.5 (3.7)	0.32
<i>Number</i>	<i>1936</i>	<i>89</i>	
Men	24.9 (0.7)	22.5 (2.4)	0.30
<i>Number</i>	<i>4011</i>	<i>300</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ martial status</i>
Women	0.80 (0.48 - 1.35)	0.80 (0.47 - 1.35)	0.79 (0.47 - 1.33)
Men	0.79 (0.61 -1.04)	0.76 (0.58 - 1.00)	0.76 (0.58 - 1.00)

Table 6. 4 (6a) Adverse change in job demands between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	39.1 (1.1)	56.7 (5.0)	0.005
<i>Number</i>	<i>1962</i>	<i>89</i>	
Men	32.5 (0.7)	37.2 (2.7)	0.07
<i>Number</i>	<i>4094</i>	<i>328</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.80 (1.21 - 2.68)	1.77 (1.19 - 2.63)	1.79 (1.20 - 2.67)
Men	1.23 (0.98 - 1.53)	1.21 (0.97 - 1.51)	1.19(0.95 - 1.49)

Table 6. 4 (6b) Beneficial change in job demands between Phases 1 and 2

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	24.9 (1.1)	29.4 (6.9)	0.83
<i>Number</i>	<i>1586</i>	<i>55</i>	
Men	25.0 (0.7)	25.8 (2.6)	0.71
<i>Number</i>	<i>3679</i>	<i>277</i>	

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+marital status</i>
Women	0.79 (0.45 - 1.41)	0.78 (0.44 - 1.39)	0.80 (0.45 - 1.42)
Men	0.98 (0.75 - 1.27)	0.97 (0.75- 1.27)	0.95 (0.75 - 1.28)

6.5 *Health-related behaviours - Tables 6.5 (1a) - 6.5 (3b)*

Comparisons between PSA respondents and controls (non-PSA) for all health-related behaviours were adjusted for age, grade, marital status and baseline value of the variable of interest. In the case of alcohol consumption, baseline values included both the number of non-drinkers and 'heavy' drinkers at baseline as well as the number of units per week of alcohol. 'Heavy' drinking was 15 or more units per week for women or 22 or more units per week for men³⁸⁴. For smoking, baseline values included non-smokers at Phase 1 as well as the number of cigarettes per week used by smokers.

Baseline differences

At baseline among the PSA women there was a larger proportion of non-drinkers and a significantly smaller proportion of heavy drinkers than among control women, and a smaller proportion of PSA women were smokers and a greater proportion took vigorous exercise. Among the PSA men the proportions of heavy drinkers, current smokers, and men who took none or only mild exercise was significantly ^{less} ~~greater~~, while the proportion of men who took vigorous exercise were significantly ^{greater} ~~less~~ than among control men. However, as baseline behaviour was controlled for in the final model for each measure, the Phase 2 differences in health related behaviours between subjects and controls were independent of these baseline differences.

Phase 2 - Anticipation phase differences

While non-drinking increased among PSA women by the anticipation phase, 'heavy' drinking also increased and there was a significant increase in smoking among the PSA women relative to control women. The percentage taking none or only mild exercise increased while the percentage taking vigorous exercise decreased in both groups of women between baseline and Phase 2, but the changes were more marked among the PSA women and they lost their advantage with respect to exercise.

Non-drinking increased considerably among men in PSA relative to control men by the anticipation phase. 'Heavy' drinking increased slightly among PSA men and decreased slightly among the rest of the men. However, the proportion of 'heavy' drinkers among PSA men remained below that in the control group and, despite reduction in the proportion of smokers in both groups, the proportion of smokers in PSA remained significantly less than among control men. As for the women, the percentage taking none or only mild exercise increased, while the percentage taking vigorous exercise decreased in both groups of men between baseline and Phase 2. Despite this the PSA men retained their advantage with respect to exercise.

Table 6. 5 (1a) Anticipation phase (Phase 2) Alcohol consumption - non-drinkers*

Percentages (age-adjusted) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	28.2 (0.9)	29.3 (4.3)	0.69
<i>Number</i>	<i>2450</i>	<i>113</i>	
Men	12.9 (0.5)	11.9 (1.6)	0.54
<i>Number</i>	<i>5073</i>	<i>407</i>	

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p-value for heterogeneity</i>
Women	30.5 (0.9)	34.5 (4.4)	0.32
Men	14.2 (0.5)	16.0 (1.8)	0.31

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.22 (0.82 - 1.82)	1.08 (0.72 - 1.61)	1.11 (0.74 - 1.67)	1.19 (0.74 - 1.92)
Men	1.15 (0.88 - 1.52)	1.18 (0.89 - 1.56)	1.18 (0.89 - 1.56)	1.26 (0.91 - 1.74)

**non-drinkers include those with 0 units / week, ex-drinkers and special occasions only*

Table 6. 5 (1b) Anticipation phase (Phase 2) Alcohol consumption 15 or more units/day (women) 22 or more units/day (men)

Percentages (age-adjusted) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	10.1 (0.6)	3.4 (1.6)	0.03
<i>Number</i>	<i>2450</i>	<i>113</i>	
Men	18.1 (0.5)	11.9 (1.6)	0.002
<i>Number</i>	<i>5073</i>	<i>407</i>	

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	8.7 (0.6)	6.9 (2.3)	0.63
Men	17.4 (0.5)	15.1 (1.8)	0.25

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.83 (0.40 - 1.74)	1.09 (0.52 - 2.31)	1.12 (0.53 - 2.36)	1.64 (0.73 - 3.67)
Men	0.85 (0.64 - 1.12)	0.84 (0.64 - 1.12)	0.86 (0.65 - 1.14)	1.15 (0.83 - 1.61)

Table 6. 5 (2) Anticipation phase (Phase 2) Smoking

Percentages (age-adjusted) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	20.9 (0.8)	17.2 (3.4)	0.42
<i>Number</i>	<i>2468</i>	<i>115</i>	
Men	13.7 (0.5)	9.5 (1.5)	0.02
<i>Number</i>	<i>5062</i>	<i>406</i>	

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	19.3 (0.8)	20.5 (3.6)	0.58
Men	12.7 (0.5)	8.3 (1.4)	0.01

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value*</i>
Women	1.14 (0.72 - 1.79)	1.06 (0.67 - 1.67)	1.07 (0.67 - 1.69)	3.05 (1.29 - 7.18)
Men	0.62 (0.43 - 0.89)	0.63 (0.44 - 0.91)	0.64 (0.45 - 0.92)	0.70 (0.37 - 1.30)

** % smokers and number of cigarettes smoked per day*

Table 6. 5 (3a) Anticipation phase (Phase 2) Takes none or only mild exercise in an average week

Percentages (age-adjusted) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.0 (0.9)	26.5 (4.1)	0.89
<i>Number</i>	2299	109	
Men	10.4 (0.4)	5.1 (1.1)	<0.001
<i>Number</i>	5006	407	

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	28.0 (0.9)	32.3 (4.5)	0.52
Men	11.8 (0.5)	8.3 (1.4)	0.04

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.15 (0.75 - 1.75)	1.07 (0.70 - 1.64)	1.08 (0.71 - 1.65)	1.16 (0.73 - 1.84)
Men	0.69 (0.48 - 0.99)	0.74 (0.51 - 1.06)	0.76 (0.53 - 1.10)	0.91 (0.62 - 1.34)

Table 6. 5 (3b) Anticipation phase (Phase 2) Does 1 hour or more of vigorous exercise in an average week

Percentages (age-adjusted) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	27.0 (0.9)	35.6 (4.6)	0.06
<i>Number</i>	<i>2299</i>	<i>109</i>	
Men	51.9 (0.7)	57.9 (2.4)	0.02
<i>Number</i>	<i>5006</i>	<i>407</i>	

Percentages (age-adjusted) for subjects at Phase 2 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	22.2 (0.9)	22.8 (4.0)	0.99
Men	45.7 (0.7)	48.7 (2.4)	0.23

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>Age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.00 (0.62 - 1.61)	1.07 (0.66 - 1.72)	1.01 (0.62 - 1.64)	0.81 (0.48 - 1.38)
Men	1.13 (0.92 - 1.39)	1.12 (0.91 - 1.37)	1.09 (0.89 - 1.34)	0.98 (0.78 - 1.24)

6.6 *Reporting bias and potential mediators of health outcomes - Tables 6.6 (1) - 6.6 (3)*

Three of the psychosocial measures were significantly raised among PSA respondents compared with controls by the anticipation phase. Adverse change in social support at work was significantly raised in both sexes, adverse change in skill discretion among men, and adverse change in job demands among women. Each of these psychosocial measures has been shown to be associated with morbidity^{370,400,401}. Of the health-related behaviours, smoking increased significantly, among women only, compared with controls. Smoking is a well known risk factor for morbidity^{403,424}. Increases in three morbidity measures between baseline and the anticipation phase were significant among subjects relative to controls; health in the last year self-rated as average or worse, mean number of symptoms in the last fortnight, and number of health problems in the last year, all among men. The effect of being in PSA on these three health outcomes was reexamined in analyses which adjusted for each of the potential mediating variables separately. Adjustment for reporting bias was also examined.

Reporting bias

As the health outcomes examined during the anticipation phase (Phase 2) were all self-reported, theoretically, reporting bias may have produced a spurious relationship between exposure and outcome if PSA respondents had been inclined to over-report negative events (negative affectivity). Adjustment for negative affect, however, showed that if subjects and controls had been equal with respect to negative affectivity at baseline, increases in health in the last year self-rated as average or worse, mean number of symptoms in the last fortnight and number of health problems in the last year during the anticipation phase for PSA men would have been greater - *Tables 6.6 (1) - (3)*

Possible mediators of changes in morbidity

In all cases adjustment for the potential mediator had a relatively small effect on the relationship between the exposure (anticipation phase) and the health outcome. Percentage changes ranged from -7.9 to 12.7. Most of the adjustments increased the difference between subjects and controls, indicating that had the potential mediator been equally distributed between the two groups then relative increases in morbidity amongst the PSA men would have been greater. The only potential mediator which seemed consistently to explain some of the relative increase in morbidity among the PSA men was social support at work.

Adjustment for all the potential mediators and negative affect combined also had little effect, with percentage changes ranging from -2.9 to 10.7. For health self-rated as average or worse and health problems adjustment potentiated the relative increase in morbidity among subjects compared with controls by approximately 10%. Only 3% of the relative increase in number of symptoms was associated with the combination of negative affect and all the potential mediators. These relatively minor changes mean that the effect of the anticipation phase on morbidity among subjects in PSA cannot be attributed to negative affect or to change in any of the potential mediating factors measured.

Table 6.6 (1) Effect of reporting bias and potential mediators on health in the last year self-rated as average or worse - men

	OR	PSA OR+	change*
(1)	1.49	1.53	6.6%
(2)	1.48	1.50	2.5%
(3)	1.51	1.47	-7.1%
(4)	1.50	1.52	1.9%
(5)	1.52	1.50	-3.6%
(6)	1.49	1.55	9.8%

Table 6.6 (2) Effect of reporting bias and potential mediators on mean number of symptoms in the last fortnight - men

	Diff	PSA Diff+	change*
(1)	0.347	0.355	2.3%
(2)	0.354	0.368	4.0%
(3)	0.359	0.356	-0.8%
(4)	0.355	0.400	12.7%
(5)	0.353	0.358	1.4%
(6)	0.354	0.392	10.7%

Table 6.6 (3) Effect of reporting bias and potential mediators on mean number of health problems in the last year - men

	Diff	PSA Diff+	change*
(1)	0.125	0.135	8.0%
(2)	0.122	0.126	3.3%
(3)	0.126	0.116	-7.9%
(4)	0.121	0.120	-0.8%
(5)	0.127	0.126	-0.8%
(6)	0.139	0.135	-2.9%

Key:- (1) + adjusted for reporting bias (negative affect) at Phase 1
 (2) + adjusted for current smoking and number of cigarettes at Phase 1 and Phase 2
 (3) + adjusted for work social support at Phase 1 (tertile) and adverse change between Phase 1 and Phase 2
 (4) + adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and Phase 2
 (5) + adjusted for job demands at Phase 1 (tertile) and adverse change between Phase 1 and Phase 2
 (6) + adjusted for reporting bias and all potential mediators
 * % change in the log of the Odds Ratio or Difference, PSA compared with non-PSA

6.7 *Summary - Tables 6.7 (1) - (3)*

At baseline, women and men in PSA occupied a position of either advantage or no difference for nearly every outcome measure relative to control women and men.

Although the prevalence of self-reported morbidity was generally lower among PSA women than among control women during the anticipation phase, the increase in morbidity between baseline and follow-up was greater than among control women for GHQ caseness, symptom score and number of health problems in the last year. For all of these measures relative increases were similar to or greater than those for men but due to the smaller number of women were not significant. Among PSA men all self-reported morbidity measures deteriorated compared to controls. For health self-rated as average or worse, number of symptoms in the past fortnight, and number of health problems over the last year, this relative change was significant.

In the psychosocial sphere PSA women experienced a significant increase in job demands and a significant reduction in social support at work relative to control women. PSA men experienced a significant loss of social support at work and a significant reduction in skill discretion during the anticipation phase compared with control men.

By the anticipation phase PSA women had lost the advantage with respect to health-related behaviour they had enjoyed relative to control women at baseline. The increase in smoking among PSA women compared with controls was significant. There were no significant changes in health-related behaviour among PSA men relative to controls.

The increase in self-reported morbidity in the PSA men was not explained by changes in the health-related behaviours measured. Adjustment for changes in characteristics of the work environment generally had little explanatory power, although social support at work attenuated the effect on self-rated health and number of health problems by 7% and 8% respectively.

Table 6.7 (1) Summary of self-reported health outcomes for PSA - Anticipation phase (Phase 2)

	OR* (95 % CI) WOMEN	OR* (95 % CI) MEN
self-rated health average or worse	0.82 (0.53 - 1.29)	1.51 (1.16 - 1.96)
longstanding illness	0.79 (0.46 - 1.36)	1.22 (0.94 - 1.59)
GHQ caseness	1.20 (0.79 - 1.84)	1.11 (0.88 - 1.41)
depression (subscale of GHQ)	0.89 (0.57 - 1.84)	1.02 (0.79 - 1.33)
	Diff* (SE)	Diff* (SE)
symptom score	0.47 (0.25) p=0.06~	0.35 (0.11) p=0.02
health problems	0.10 (0.14) p=0.50	0.12 (0.06) p=0.04

* adjusted for age, grade, marital status and baseline values of the variable of interest

~ p values show whether the observed difference is significantly greater or less than zero

Table 6.7 (2) Summary of personal and psychosocial measures for PSA - Anticipation phase (Phase 2)

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
Divorce/separation (married/cohabiting at Phase 1)	2.02 (0.77-5.27)	1.37 (0.68-2.77)
Fatalistic attitude to health	2.42 (0.49-11.89)	0.48 (0.10-2.35)
Adverse change in social support	1.45 (0.97-2.21)	1.36 (1.10-1.69)
Beneficial change in social support	1.09 (0.70-1.70)	0.90 (0.70-1.15)
Adverse change in decision authority	1.03 (0.61-1.72)	1.06 (0.82-1.37)
Beneficial change in decision authority	1.34 (0.88-2.05)	0.90 (0.71-1.14)
Adverse change in skill discretion	0.91 (0.53-1.58)	1.34 (1.06-1.70)
Beneficial change in skill discretion	0.79 (0.47-1.33)	0.76 (0.58-1.00)
Adverse change in job demands	1.79 (1.20-2.67)	1.19 (0.95-1.49)
Beneficial change in job demands	0.80 (0.45-1.42)	0.95 (0.75-1.28)

Table 6.7 (3) Summary of health-related behaviours for PSA - Anticipation phase (Phase 2)

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
Alcohol consumption - non-drinkers	1.19 (0.74-1.92)	1.26 (0.91-1.74)
Units/wk 15 or more (women) 22 or more (men)	1.64 (0.73-3.67)	1.15 (0.83-1.61)
Current smoking	3.05 (1.29-7.18)	0.70 (0.37-1.30)
None or only mild exercise	1.16 (0.73-1.84)	0.91 (0.62-1.34)
1 hour or more vigorous exercise per week	0.81 (0.48-1.38)	0.98 (0.78-1.24)

* adjusted for age grade, marital status and baseline values of the variable of interest

N.B. Divorce/separation adjusted only for age and grade

CHAPTER 7 RESULTS: STUDY 2 (PSA study) pre-privatisation - the pre-termination phase

Chapter 7 presents results from the pre-termination phase of the privatisation of PSA. Most respondents to Phase 3 of the Whitehall II study in the PSA cohort were screened between September and November 1992, immediately prior to the sale of their department on the 1st December 1992. Privatisation was a certainty and by October the name of the future purchaser was known. Some staff had already left by this time, but many had still to decide whether to join the new company, apply for severance in the form of early retirement or redundancy, or wait for compulsory redundancy.

When considering the findings presented in this chapter it should be noted that there are several reasons why the pre-termination phase results may be minimum estimates. Of the PSA cohort 26% had retired early or left the Civil Service by Phase 3 compared with an average of 11% for control departments. If these represented positive choices they may, to some extent, counter-balance negative changes among those facing undesired options or left behind in a declining organisation. Further, over 40% of civil servants in the 'control' departments were expecting transfer, or had already been transferred to an executive agency by Phase 3. For men, in particular, the adverse effect on self-reported and physiological measures of morbidity of the job insecurity generated by these changes (Chapter 5) may have narrowed the difference between PSA and other departments.

Outline of Chapter

The aims of the analyses presented in this chapter are:-

- (i) to determine whether non-response to Phase 3 of the Whitehall II study had a significant effect on comparisons between PSA respondents and non-PSA controls.

(ii) to determine the effects on self-reported health measures, sickness absence, physiological measurements, personal characteristics, psychosocial factors and health-related behaviours of the pre-termination phase for respondents in PSA compared with respondents in the control group.

(iii) to determine whether differences in change over time for health outcomes between PSA respondents and controls may be explained by changes in the personal characteristics, psychosocial factors or health-related behaviours measured.

Section 7.1 presents the results of analyses in which baseline values of the variables used in the subsequent analyses were tested to determine whether the differences between responders and non-responders to Phase 3 of the Whitehall II study in PSA differ significantly from those between responders and non-responders in the control group. This process is repeated in section 7.2 for data relating to the clinical screening at Phase 3. In section 7.3 baseline demographic and socioeconomic data and negative affect for PSA and non-PSA responders to Phase 3 of the Whitehall II study are compared. Self-reported health outcomes, sickness absence, physiological measures, personal characteristics and psychosocial factors, and health-related behaviours for respondents in PSA were compared with those for control respondents in sections 7.4, 7.5, 7.6, 7.7, and 7.8 respectively. Where change over time for the personal characteristics, psychosocial factors or health-related behaviours were found to be significantly different among subjects compared with controls, their potential role as mediators of the changes in health outcomes was examined in section 7.9. Section 7.10 presents a summary of the results for the pre-termination phase.

7.1 *Non-response at Phase 3 - Questionnaire variables - Tables 7.1(1) - 7.1(10)*

Non-response to the Phase 3 questionnaire was 19% among women in the PSA cohort and 21% among control women. Among men, non-response to the questionnaire was 14% in both subjects and controls.

Tables 7.1(1) - 7.1(10) compare baseline demographic and socioeconomic data, self-reported health, personal characteristics and psychosocial variables, and health-related behaviours for female and male responders and non-responders in PSA and in the rest of the cohort during the pre-termination phase (Phase 3). As during the anticipation phase, a test for interaction was carried out for each variable.

Six of the forty-six variables tested showed a significant interaction between department (PSA or non-PSA) and response. Among women, average age and the proportion of women sleeping 9 hours or more per night showed significant interaction between response and department. Women non-responders from PSA were younger than responders in PSA, and responders and non-responders from the other departments. None of the non-responders from PSA slept for 9 hours or more per night compared with over 5% of the responders.

Among men, significant interactions were seen between response and department for average age, the proportion employed in the Clerical/Support grades, the proportion married or co-habiting, and the proportion absent from work for 2 working weeks or more in the last year. As among the women, the average age of non-responders from PSA was lower than for other groups of men. The significant interaction in the case of employment in the Clerical/Support grades was due to the high proportion of non-responders in these grades from the non-PSA departments. For marriage/co-habitation, the interaction was due to the low proportion of men married or co-habiting among non-responders from non-PSA departments. For sickness absence, a smaller proportion of non-responders from PSA took

2 working weeks or more in the past year, compared with a greater proportion from the non-PSA departments.

In the case of sleeping for 9 hours or more for women and sickness absence for men, these significant interactions mean that results for these outcomes cannot necessarily be generalised to the population from which the sample was derived. However, it should be noted that 46 comparisons are likely to generate 2 significant interactions by chance at the 5% level of significance⁴²³.

With respect to Civil Service employment grade, age and marital status (married/cohabiting), these were not used as outcomes and, as confounders of the relationship between exposure and outcome, were controlled for in all subsequent analyses.

Table 7.1. (1) Comparison+ of baseline demographic and socioeconomic data for women responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Age: yrs (SE)	45.2 (0.1)	45.9 (0.2)	45.4 (0.5)	43.0 (1.2)	p=0.02
N for age	2577	683	124	29	
Administrative (highest) grade % (SE)	13.2 (0.7)	7.8 (1.1)	3.5 (1.7)	4.1 (3.7)	p=0.16
Professional/Executive % (SE)	42.2 (1.0)	33.1 (1.8)	42.1 (4.4)	23.3 (8.0)	p=0.30
Clerical/Support (lowest) grade % (SE)	44.7 (1.0)	59.2 (1.9)	54.4 (4.5)	72.6 (8.4)	p>0.5
N for grade	2577	683	124	29	
Married/Cohabiting % (SE)	61.5 (1.0)	61.0 (1.9)	61.5 (4.4)	71.6 (8.5)	p=0.28
Divorced/Separated % (SE)	13.7 (0.7)	15.1 (1.4)	11.9 (2.9)	20.1 (7.7)	p=0.42
N for marital status*	2566	678	122	29	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 7.1. (2) Comparison+ of baseline demographic and socioeconomic data for men responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Age: yrs (SE)	44.1 (0.1)	43.8 (0.2)	44.5 (0.3)	43.0 (0.8)	p=0.03
N for age	5498	884	443	70	
Administrative (highest) grade % (SE)	40.5 (0.8)	30.8 (1.6)	35.8 (2.3)	27.8 (5.0)	p>0.5
Professional/Executive % (SE)	51.2 (0.7)	49.6 (1.7)	61.3 (2.3)	65.1 (5.6)	p=0.40
Clerical/Support (lowest) grade % (SE)	8.3 (0.4)	19.7 (1.4)	2.9 (0.8)	7.2 (3.2)	p=0.05
N for grade	5498	884	443	70	
Married/Cohabiting % (SE)	81.3 (0.5)	72.5 (1.5)	87.9 (1.6)	84.4 (4.2)	p=0.002
Divorced/Separated % (SE)	5.0 (0.3)	7.4 (0.9)	4.2 (1.0)	2.4 (1.7)	p>0.5
N for marital status*	5481	881	443	70	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 7.1 (3) Comparison+ of baseline self-reported health status measures for women responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Self-rated health average or worse % (SE) N	34.5 (0.9) 2574	42.1 (1.9) 676	29.3 (4.0) 124	40.6 (8.1) 29	p > 0.5
Mean symptom score (SE) N	3.15 (0.06) 1857	3.04 (0.12) 478	2.61 (0.25) 86	2.10 (0.26) 20	p = 0.30
Longstanding illness % (SE) N	30.8 (1.1) 1888	32.8 (2.2) 491	28.0 (4.8) 85	23.8 (9.4) 20	p > 0.5
Sleep 5hrs or less/night (SE) N	5.7 (0.5) 2567	7.5 (1.0) 681	5.4 (2.0) 124	2.9 (2.7) 29	p = 0.23
Sleep 9hrs or more/night (SE) N	1.1 (0.2) 2567	1.9 (0.5) 681	5.2 (2.1) 124	0 29	p = 0.006
Minor psychiatric disorder % (SE) N	31.5 (0.9) 2538	28.8 (1.8) 661	30.7 (4.2) 123	19.2 (6.6) 29	p = 0.26

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (4) Comparison+ of baseline self-reported health status measures for men responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Self-rated health average or worse % (SE) N	21.5 (0.6) 5476	28.2 (1.5) 881	20.4 (1.9) 443	32.0 (5.7) 69	p = 0.43
Mean symptom score (SE) N	2.49 (0.03) 4056	2.50 (0.10) 648	1.97 (0.11) 381	1.82 (0.29) 62	p > 0.5
Longstanding illness % (SE) N	31.4 (0.7) 4061	32.4 (1.8) 648	28.3 (2.3) 382	25.4 (5.7) 62	p > 0.5
Sleep 5hrs or less/night (SE) N	3.9 (0.3) 5470	5.4 (0.8) 881	3.5 (0.9) 442	1.7 (1.6) 70	p = 0.10
Sleep 9hrs or more/night (SE) N	0.7 (0.1) 5470	1.4 (0.4) 881	0.7 (0.4) 442	1.3 (1.3) 70	p > 0.5
Minor psychiatric disorder % (SE) N	25.5 (0.6) 5461	24.1 (1.4) 870	24.2 (2.1) 438	14.7 (4.1) 69	p = 0.10

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (5) Comparison+ of baseline sickness absence for women responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Off work 1 week or more in last year % (SE)	43.8 (1.0)	50.9 (2.0)	41.3 (4.7)	53.5 (8.8)	p>0.5
N	2485	652	115	27	
Off work 2 weeks or more in last year % (SE)	23.1 (0.8)	27.0 (1.7)	25.5 (4.0)	26.6 (8.4)	p>0.5
N	2485	652	115	27	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (6) Comparison+ of baseline sickness absence for men responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Off work 1 week or more in past year % (SE)	23.5 (0.6)	32.3 (1.6)	25.8 (2.1)	25.1 (5.5)	p=0.12
N	5396	860	436	65	
Off work 2 weeks or more in past year % (SE)	10.1 (0.4)	15.2 (1.2)	11.0 (1.5)	5.7 (3.2)	p=0.006
N	5396	860	436	65	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (7) Comparison+ of baseline psychosocial variables for women responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Work social support - upper tertile % (SE) N	29.6 (0.9) 2544	26.5 (1.7) 673	37.4 (4.3) 123	20.4 (7.7) 29	p=0.12
Decision authority - upper tertile % (SE) N	31.4 (0.9) 2535	24.9 (1.7) 662	35.0 (4.4) 124	35.1 (7.9) 29	p=0.48
Skill discretion - upper tertile % (SE) N	27.3 (0.9) 2559	25.8 (1.7) 673	34.1 (4.3) 123	18.2 (6.5) 29	p=0.07
Job demands - upper tertile % (SE) N	42.2 (1.0) 2550	39.9 (1.9) 673	38.6 (4.5) 121	45.2 (9.6) 27	p=0.41

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (8) Comparison+ of baseline psychosocial variables for men responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Work social support - upper tertile % (SE) N	33.6 (0.6) 5479	30.7 (1.6) 880	35.5 (2.3) 441	30.0 (5.7) 70	p > 0.5
Decision authority - upper tertile % (SE) N	£35.5 (0.7) 5477	35.7 (1.6) 882	40.0 (2.3) 441	37.3 (5.9) 70	p > 0.5
Skill discretion - upper tertile % (SE) N	33.4 (0.6) 5483	34.4 (1.6) 882	29.8 (2.2) 443	27.3 (5.1) 70	p > 0.5
Job demands - upper tertile % (SE) N	44.5 (0.7) 5490	46.9 (1.7) 882	42.2 (2.4) 437	42.1 (6.0) 70	p > 0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (9) Comparison + of baseline health-related behaviours for women responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value + +
	Responder	Non-responder	Responder	Non-responder	
Non-drinkers % (SE)	27.1 (0.9)	33.4 (1.8)	29.8 (4.1)	40.4 (8.1)	p > 0.5
N	2554	670	121	29	
'Heavy' drinkers % (SE)	10.3 (0.6)	10.2 (1.2)	3.4 (1.7)	9.7 (5.2)	p = 0.25
N	2554	670	121	29	
Current smoker % (SE)	20.4 (0.8)	33.7 (1.9)	16.7 (3.3)	28.7 (8.7)	p > 0.5
N	2571	683	124	29	
None or mild exercise % (SE)	26.9 (0.9)	33.2 (1.8)	29.1 (4.0)	31.5 (8.2)	p > 0.5
N	2554	661	121	29	
Vigorous exercise % (SE)	26.7 (0.9)	21.2 (1.6)	30.5 (4.2)	20.6 (7.8)	p > 0.5
N	2554	661	121	29	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.1 (10) Comparison + of baseline health-related behaviours for men responders and non-responders to the Phase 3 Questionnaire

	Other Departments		PSA		Test for interaction p value + +
	Responder	Non-responder	Responder	Non-responder	
Non-drinkers % (SE)	12.8 (0.5)	16.5 (1.3)	10.7 (1.5)	13.1 (4.3)	p > 0.5
N	5462	870	439	69	
'Heavy' drinkers % (SE)	18.7 (0.5)	19.9 (1.3)	12.6 (1.6)	13.9 (3.9)	p > 0.5
N	5462	870	439	69	
Current smoker % (SE)	14.8 (0.5)	24.2 (1.4)	9.2 (1.4)	26.5 (5.3)	p = 0.16
N	5491	883	443	70	
None or mild exercise % (SE)	11.0 (0.4)	15.6 (1.2)	5.1 (1.1)	6.7 (3.2)	p = 0.41
N	5479	880	442	70	
Vigorous exercise % (SE)	51.4 (0.7)	42.1 (1.7)	59.5 (2.3)	51.2 (5.8)	p > 0.5
N	5479	880	442	70	

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

7.2 *Non-response at Phase 3 - Physiological measures - Tables 7.2(1) - 7.2(4)*

Non-attendance at the Phase 3 clinical screening was 35% among women in the PSA cohort and 27% among control women. Among men, non-attendance was 20% among men in the PSA cohort and 18% among control men.

Tables 7.2(1) - 7.2(4) compare baseline demographic and socioeconomic data and physiological measures for female and male responders and non-responders in PSA and in the rest of the cohort to the Phase 3 clinical screening of the Whitehall II study. The tables comparing demographic and socioeconomic data are repeated as 9% less of the PSA cohort and 5% less of the control cohort attended clinical screening than completed the questionnaire (see Chapter 6 *PSA study - sample*). For each variable a test of interaction was carried out. None of the variables tested showed a significant interaction between department (PSA or non-PSA) and response. Thus, for all the variables the differences between responders and non-responders were not significantly related to their department of origin, for either women or men.

Table 7.2 (1) Comparison+ of baseline demographic and socioeconomic data for women responders and non-responders to the Phase 3 Clinical Screening

	Other Departments		PSA		Test for interaction p value++
	Responder	Non-responder	Responder	Non-responder	
Age: yrs (SE)	45.0 (0.1)	46.1 (0.2)	45.2 (0.6)	44.6 (0.9)	p=0.10
N for age	2389	871	99	54	
Administrative (highest) grade % (SE)	13.4 (0.7)	8.1 (1.0)	3.4 (1.9)	4.1 (2.6)	p=0.08
Professional/Executive grade % (SE)	42.7 (1.0)	33.5 (1.7)	41.8 (5.0)	31.1 (6.1)	p>0.5
Clerical/Support (lowest) grade % (SE)	44.0 (1.0)	58.4 (1.7)	54.8 (5.0)	64.8 (6.5)	p>0.5
N for grade	2389	871	99	54	
Married/Cohabiting % (SE)	61.2 (1.0)	61.9 (1.7)	63.9 (4.9)	63.4 (6.4)	p>0.5
Divorced/Separated % (SE)	13.9 (0.7)	14.7 (1.2)	9.0 (2.9)	20.0 (5.3)	p=0.1
N for marital status*	(2380)	(864)	(97)	(54)	

+ Figures are age standardised means and percentages with standard errors given in brackets

++ The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 7.2 (2) Comparison+ of baseline demographic and socioeconomic data for men responders and non-responders to the Phase 3 Clinical Screening

	Other Departments		PSA		Test for interaction p value++
	Responder	Non-responder	Responder	Non-responder	
Age: yrs (SE)	44.0 (0.1)	44.2 (0.2)	44.4 (0.3)	43.9 (0.6)	p=0.32
N for age	5206	1176	410	103	
Administrative (highest) grade % (SE)	40.4 (0.7)	33.7 (1.4)	37.5 (2.4)	23.4 (4.1)	p=0.14
Professional/Executive grade % (SE)	51.4 (0.7)	49.3 (1.5)	60.1 (2.4)	68.9 (4.5)	p=0.04
Clerical/Support (lowest) grade % (SE)	8.2 (0.4)	17.0 (1.1)	2.4 (0.8)	7.7 (2.6)	p=0.24
N for grade	5206	1176	410	103	
Married/Cohabiting % (SE)	81.4 (0.5)	74.9 (1.3)	88.2 (1.6)	83.7 (3.6)	p>0.5
Divorced/Separated % (SE)	4.9 (0.3)	6.7 (0.7)	3.6 (0.9)	6.0 (2.3)	p>0.5
N for marital status*	5190	1172	410	103	

+ Figures are age standardised means and percentages with standard errors given in brackets

++ The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

* The categories Single (never married) and Widowed have been omitted

Table 7.2 (3) Comparison+ of baseline physiological measures for women responders and non-responders
to the Phase 3 Clinical Screening

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Systolic blood pressure mmHg (SE) N	119.1 (0.3) 2389	120.8 (0.5) 871	118.8 (1.4) 99	120.4 (2.5) 54	p >0.5
Diastolic blood pressure mmHg (SE) N	74.5 (0.2) 2388	75.6 (0.4) 871	74.4 (0.9) 99	74.7 (1.4) 53	p >0.5
Cholesterol concentration mmol/l (SE) N	5.82 (0.02) 2362	5.94 (0.04) 859	5.77 (0.10) 99	6.10 (0.16) 54	p =0.32
Body Mass Index (SE) N	24.5 (0.1) 2388	24.9 (0.2) 870	25.1 (0.5) 99	25.1 (0.7) 54	p >0.5
Ischaemia % (SE) N	9.4 (0.6) 2350	12.7 (1.2) 853	13.0 (3.4) 99	15.2 (4.8) 54	p >0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

Table 7.2 (4) Comparison+ of baseline physiological measures for men responders and non-responders
to the Phase 3 Clinical Screening

	Other Departments		PSA		Test for interaction p value+ +
	Responder	Non-responder	Responder	Non-responder	
Systolic blood pressure mmHg (SE) N	124.2 (0.2) 5199	127.0 (0.5) 1169	123.2 (0.6) 410	125.5 (1.3) 103	p >0.5
Diastolic blood pressure mmHg (SE) N	77.8 (0.1) 5199	79.1 (0.3) 1169	76.3 (0.5) 410	77.8 (0.9) 03	p >0.5
Cholesterol concentration mmol/l (SE) N	5.97 (0.02) 5187	6.13 (0.04) 1161	5.88 (0.05) 409	5.85 (0.09) 103	p =0.09
Body Mass Index (SE) N	24.6 (0.0) 5197	24.9 (0.1) 1173	24.3 (0.1) 410	24.8 (0.3) 103	p >0.5
Ischaemia % (SE) N	8.1 (0.4) 5154	9.7 (0.9) 1166	5.8 (1.2) 407	7.8 (2.6) 103	p >0.5

+ Figures are age standardised means and percentages with standard errors given in brackets

+ + The tests for interaction indicate whether the responder/non-responder differences differ between PSA and other departments

7.3 *Demographic and socioeconomic characteristics and negative affect for PSA and non-PSA respondents at Phase 1*

Demographic and socioeconomic data and reporting bias (negative affect) at Phase 1 for PSA and non-PSA respondents to the Phase 3 questionnaire and attendees at the Phase 3 clinical screening were compared. These variables were controlled for in subsequent analyses in this chapter as potential confounders of the relationship between the pre-termination phase and health outcomes. Respondents to Phase 3 of the Whitehall II study (questionnaire and clinical screening) differ slightly in number and composition to respondents to Phase 2, however, comparisons of baseline demographic and socioeconomic factors and negative affect differed little from those seen during the anticipation phase - *Tables 6.2 (1) and (2)*.

In all subsequent tables age-adjusted distributions for the variable of interest are presented for the control group (non-PSA) and the subject group (PSA) at baseline and at the pre-termination phase (Phase 3). These values are followed by comparisons between PSA and the control group, which formed the reference group. The odds ratio for change between baseline and the pre-termination phase for the reference group was 1.0, while the adjusted difference was 0.0.

7.4 *Self-reported physical morbidity - Tables 7.4(1) - 7.4(5b)*

Comparisons between controls and subjects for all the self-reported health status measures were adjusted for age, grade, marital status, and baseline value of the variable of interest. Analyses adjusted, in addition, for the health-related behaviours measured; smoking, drinking and exercise, produced outcomes little different to those unadjusted for health-related behaviour. As an example, outcomes for health self-rated as average or worse are shown both unadjusted and adjusted for health-related behaviour - Table 7.4 (1).

Baseline differences

As the number and composition of the respondents to Phase 3 of the Whitehall II study only differed slightly from Phase 2, as expected, there was greater morbidity at baseline among control women than women in PSA. This applied to every self-reported health measure except average sleep on a weekday night 9 hours or more. Significantly more women in PSA had this sleep pattern than control women. As at Phase 2, this pattern of greater morbidity among the controls was repeated for men. For mean number of symptoms in the last fortnight and depression the health advantage of the PSA men was significant.

Phase 3 - Pre-termination phase differences

Again during the pre-termination phase (Phase 3), PSA women, in general, experienced less morbidity than control women except for the measures of sleep. The relative increase in the number of PSA women sleeping 9 hours or more on an average week night was significant. Apart from GHQ caseness, all the self-reported morbidity measures among men in PSA deteriorated between baseline and the pre-termination phase (Phase 3), compared with control men. As among the PSA women, this relative deterioration was significant for sleeping 9 hours or more on an average week night.

Table 7.4 (1) Pre-termination phase (Phase 3) Self-rated health - average or worse

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	34.3 (1.0)	28.1 (4.2)	0.23
<i>Number</i>	<i>2459</i>	<i>110</i>	
Men	21.5 (0.6)	21.0 (2.0)	0.34
<i>Number</i>	<i>5307</i>	<i>413</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	33.8 (1.0)	28.1 (4.1)	0.29
Men	21.5 (0.6)	22.2 (2.0)	0.79

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline *</i>	<i>+ health-related behaviours **</i>
Women	0.80 (0.52 - 1.21)	0.75 (0.49 - 1.15)	0.77 (0.51 - 1.18)	0.86 (0.54 - 1.37)	0.84 (0.52 - 1.35)
Men	1.03 (0.81 - 1.32)	1.09 (0.85 - 1.39)	1.11 (0.87 - 1.42)	1.18 (0.90 - 1.54)	1.28 (0.98 - 1.68)

** models are hierarchical i.e. these ORs (or Differences) are adjusted for age, grade, marital status and baseline value of the outcome. ORs for Non-PSA are 1.0, differences 0.0. This footnote applies to all subsequent tables in this chapter.*

*** baseline smoking (% current smokers and number of cigarettes), drinking (non-drinking, 'heavy' drinking and units of alcohol/week), and exercise (physical exercise group; none/mild, moderate and vigorous)*

Table 7.4 (2) Pre- termination phase (Phase 3) Mean number of symptoms in the last 14 days

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.16 (0.06)	2.58 (0.26)	0.09
<i>Number</i>	<i>1779</i>	<i>77</i>	
Men	2.49 (0.04)	1.97 (0.11)	<0.001
<i>Number</i>	<i>3926</i>	<i>354</i>	

Age-adjusted means (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.60 (0.07)	3.58 (0.29)	0.84
Men	2.66 (0.04)	2.51 (0.11)	0.25

Adjusted differences for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Differences (se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.06 (0.32)	0.05 (0.32)	0.03 (0.32)	0.32 (0.27) <i>p</i>=0.24
Men	-0.15 (0.13)	-0.13 (0.13)	-0.12 (0.13)	0.16 (0.11) <i>p</i>=0.17

Table 7.4 (3a) Pre-termination phase (Phase 3) Average sleep on a weekday night - 5 hours or less

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	5.6 (0.5)	5.2 (2.1)	0.87
<i>Number</i>	<i>2452</i>	<i>110</i>	
Men	3.8 (0.3)	3.0 (0.9)	0.35
<i>Number</i>	<i>5288</i>	<i>412</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	5.6 (0.5)	6.8 (2.3)	0.54
Men	3.7 (0.3)	3.2 (0.9)	0.56

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.26 (0.60 - 2.65)	1.25 (0.59 - 2.63)	1.25 (0.59 - 2.64)	1.36 (0.61 - 3.04)
Men	0.84 (0.48 - 1.49)	0.92 (0.52 - 1.63)	0.94 (0.53 - 1.67)	0.99 (0.55 - 1.79)

Table 7.4 (3b) Pre-termination phase (Phase 3) Average sleep on a weekday night - 9 hours or more

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	1.2 (0.2)	4.9 (2.1)	0.002
<i>Number</i>	<i>2452</i>	<i>110</i>	
Men	0.7 (0.1)	0.7 (0.4)	0.98
<i>Number</i>	<i>5288</i>	<i>412</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.7 (0.4)	8.5 (2.7)	0.01
Men	3.0 (0.2)	5.1 (1.1)	0.02

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	2.40 (1.17 - 4.91)	2.31 (1.13 - 4.74)	2.44 (1.19 - 5.03)	2.22 (1.06 - 4.66)
Men	1.78 (1.11 - 2.84)	1.79 (1.12 - 2.87)	1.18 (1.13 - 2.89)	1.82 (1.13 - 2.94)

Table 7.4 (4) Pre-termination phase (Phase 3) Longstanding illness

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	30.9 (1.1)	28.0 (4.9)	0.54
<i>Number</i>	1886	85	
Men	31.4 (0.7)	28.3 (2.3)	0.21
<i>Number</i>	4059	382	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	35.0 (1.1)	28.0 (4.5)	0.27
Men	34.1 (0.7)	34.1 (2.4)	0.93

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.76 (0.47 - 1.23)	0.76 (0.47 - 1.23)	0.80 (0.49 - 1.29)	0.80 (0.47 - 1.36)
Men	1.01 (0.81 - 1.26)	1.03 (0.82 - 1.29)	1.04 (0.83 - 1.30)	1.13 (0.87 - 1.45)

Table 7.4 (5a) Pre- termination phase (Phase 3) Minor psychiatric disorder - GHQ caseness

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	31.8 (1.0)	27.9 (4.3)	0.39
<i>Number</i>	<i>2430</i>	<i>109</i>	
Men	25.6 (0.6)	24.2 (2.1)	0.56
<i>Number</i>	<i>5284</i>	<i>409</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.2 (0.9)	24.5 (4.0)	0.85
Men	20.4 (0.6)	22.0 (2.0)	0.47

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.96 (0.61 - 1.50)	1.02 (0.65 - 1.60)	1.04 (0.66 - 1.63)	1.06 (0.66 - 1.70)
Men	1.10 (0.86 - 1.40)	1.10 (0.86 - 1.41)	1.11 (0.87 - 1.43)	1.16 (0.90 - 1.50)

Table 7.4 (5b) Pre-termination phase (Phase 3) Depression (subscale of GHQ)

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	30.2 (0.9)	26.5 (4.1)	0.51
<i>Number</i>	<i>2433</i>	<i>110</i>	
Men	26.4 (0.6)	21.4 (2.0)	0.04
<i>Number</i>	<i>5284</i>	<i>411</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (anticipation)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	28.0 (0.9)	22.8 (3.8)	0.35
Men	24.1 (0.6)	23.0 (2.1)	0.67

Odds ratios for subjects at Phase 2 (anticipation) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.81 (0.51-1.26)	0.79 (0.51-1.24)	0.75 (0.47-1.19)	0.75 (0.45-1.24)
Men	0.95 (0.75-1.21)	0.96 (0.76-1.23)	1.01 (0.79-1.29)	1.07 (0.82-1.40)

7.5 *Sickness Absence - Tables 7.5 (1) - (2)*

Comparisons between PSA respondents and controls (non-PSA) for sickness absence are presented adjusted for age, grade, marital status, and baseline value of the variable of interest. Analyses adjusting for health-related behaviour were little different to those presented.

Baseline differences

Differences at baseline for sickness absence were small for both women and men. Absence of 1 working week or more and 2 working weeks or more was consistently higher in women than in men. At baseline, PSA women took slightly less absence of 1 working week or more than control women. With this exception, a slightly higher proportion of PSA women and men were absent from work for health reasons at baseline than controls.

Phase 3 - Pre-termination phase differences

By the pre-termination phase sickness absence had decreased in all groups. However, decreases were small among controls (0.8% - 5.7%) compared with those among PSA (3.9% - 14.5%). Relative decreases for women in PSA were significant for both 1 working week or more and 2 working weeks or more of absence and among PSA men for 1 working week of absence.

Table 7.5 (1) Pre-termination phase (Phase 3) Sickness absence - 1 working week or more in the last year

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	42.3 (1.03)	38.7 (5.0)	0.41
<i>Number</i>	<i>2311</i>	<i>97</i>	
Men	23.0 (0.6)	26.2 (2.2)	0.14
<i>Number</i>	<i>5261</i>	<i>411</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	36.6 (1.0)	25.1 (4.4)	0.02
Men	19.8 (0.6)	15.3 (1.8)	0.03

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.56 (0.35 - 0.90)	0.49 (0.30 - 0.79)	0.50 (0.31 - 0.81)	0.47 (0.29 - 0.77)
Men	0.73 (0.55 - 0.96)	0.75 (0.56 - 0.99)	0.75 (0.57 - 1.00)	0.70 (0.53 - 0.94)

Table 7.5 (2) Pre-termination phase (Phase 3) Sickness absence - 2 working weeks or more in the last year

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	21.7 (0.9)	24.2 (4.3)	0.53
<i>Number</i>	<i>2311</i>	<i>97</i>	
Men	9.7 (0.4)	11.0 (1.6)	0.44
<i>Number</i>	<i>5261</i>	<i>411</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	19.2 (0.8)	9.7 (3.1)	0.01
Men	8.9 (0.4)	7.1 (1.3)	0.28

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.43 (0.21 - 0.85)	0.38 (0.19 - 0.76)	0.39 (0.20 - 0.79)	0.36 (0.18 - 0.74)
Men	0.81 (0.55 - 1.19)	0.85 (0.58 - 1.26)	0.86 (0.59 - 1.27)	0.82 (0.56 - 1.23)

7.6 *Physiological measures - Tables 7.6 (1a) - (4)*

Comparisons between PSA respondents and controls (non-PSA) for most of the physiological measures were adjusted for age, grade, marital status, and baseline value of the variable in question. However, in order to analyse incident cases only, respondents positive at baseline were excluded and new cases at Phase 3 were analysed for angina by questionnaire, probable/possible ischaemia on ECG, and probable/possible ischaemia on ECG or angina. As indicated previously, serum cholesterol levels were over-estimated by approximately 0.33 mmol/l at follow-up³⁹¹. Analyses adjusting for health-related behaviour were little different to those presented.

Baseline differences

For the physiological measures there were no systematic differences at baseline between PSA women or men and control women and men. Tests of difference between the groups were not significant, except for diastolic blood pressure among the men. Diastolic blood pressure is significantly related to grade in the Whitehall II cohort³⁶⁹ and the control group contained a higher proportion of Clerical/Support grade men than the PSA group. However, after adjustment for grade this baseline difference in diastolic blood pressure, although attenuated, remained significant. As subsequent analyses of diastolic pressure were adjusted for baseline diastolic pressure, this difference was controlled for in the Phase 3 findings.

Phase 3 - Pre-termination phase differences

Adverse changes were seen in all physiological measures among PSA women compared with control women. All measures of ischaemia showed the proportion of incident cases at Phase 3 to be greater among respondents from PSA than among controls. Measures of, and measures including angina were higher and showed the greatest relative difference for

women. The ECG measure was higher and showed the greatest relative difference for men. Relative increases in systolic and diastolic blood pressure and BMI among the PSA women compared with control women were significant. Compared with control men, adverse changes were seen among PSA men for all the physiological measures, except blood pressure where a considerable but non-significant beneficial change in systolic blood pressure ($p=0.06$) and a small beneficial change in diastolic blood pressure were seen. Cholesterol concentration increased considerably among PSA men relative to controls between baseline and the pre-termination phase ($p=0.07$). As among the women, the relative increase in BMI was significant among PSA men compared with control men.

Table 7.6 (1a) Pre-termination (Phase 3) Angina Pectoris by questionnaire

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	4.0 (0.4)	7.3 (2.6)	0.16
<i>Number</i>	2337	101	
Men	2.1 (0.2)	2.4 (0.8)	0.64
<i>Number</i>	5139	402	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.75 (0.79 - 3.89)	1.72 (0.77 - 3.81)	1.74 (0.78 - 3.88)
Men	1.17 (0.61 - 2.62)	1.20 (0.62 - 2.33)	1.22 (0.63 - 2.36)

Table 7.6 (1b) Pre - termination (Phase 3) Possible/probable Ischaemia on ECG

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	2.5 (0.3)	3.0 (1.7)	0.73
<i>Number</i>	2204	93	
Men	3.1 (0.3)	4.8 (1.1)	0.09
<i>Number</i>	4885	391	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.23 (0.38 - 4.02)	1.26 (0.39 - 4.14)	1.28 (0.39 - 4.20)
Men	1.55 (0.94 - 2.56)	1.55 (0.94 - 2.57)	1.55 (0.94 - 2.57)

Table 7.6 (1c) Pre-termination phase (Phase 3) Possible/probable Ischaemia on ECG or angina

Age-adjusted percentages (se) for subjects at Phase3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	6.8 (0.6)	11.0 (3.4)	0.18
<i>Number</i>	2053	83	
Men	5.0 (0.3)	6.9 (1.3)	0.13
<i>Number</i>	4656	365	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.62 (0.79 - 3.31)	1.60 (0.78 - 3.27)	1.60 (0.78 - 3.30)
Men	1.39 (0.90 - 2.13)	1.40 (0.91 - 2.16)	1.41 (0.91 - 2.18)

Table 7.6 (2a) Pre-termination (Phase 3) Blood pressure - Systolic (mmHg)

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	119.0 (0.30)	118.8 (1.36)	0.71
<i>Number</i>	2385	99	
Men	124.2 (0.19)	123.2 (0.63)	0.12
<i>Number</i>	5187	408	

Age-adjusted means (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	117.3 (0.28)	120.8 (1.36)	0.02
Men	122.2 (0.18)	120.6 (0.61)	0.01

Adjusted differences for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Differences (se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	3.31 (1.39) p=0.02	3.22 (1.40) p=0.02	3.18 (1.41) p=0.02	3.49 (1.15) p=0.003
Men	-1.64 (0.67) p=0.01	-1.64 (0.67) p=0.01	-1.63 (0.68) p=0.02	-1.03 (0.53) p=0.06

Table 7.6 (2b) Pre-termination phase (Phase 3) Blood pressure - Diastolic (mmHg)

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	74.5 (0.20)	74.4 (0.89)	0.62
<i>Number</i>	2384	99	
Men	77.8 (0.14)	76.3 (0.45)	0.004
<i>Number</i>	5187	408	

Age-adjusted means (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	76.5 (0.19)	78.9 (0.88)	0.06
Men	81.2 (0.13)	80.3 (0.41)	0.02

Adjusted differences for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Differences (se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	2.12 (0.93) p=0.02	2.05 (0.93) p=0.03	2.12 (0.94) p=0.02	2.23 (0.80) p=0.006
Men	-0.90 (0.47) p=0.06	-0.88 (0.47) p=0.06	-0.86 (0.47) p=0.07	-0.10 (0.39) p=0.79

Table 7.6 (3) Pre-termination phase (Phase 3) Cholesterol concentration (mmol/l)

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	5.81 (0.02)	5.74 (0.10)	0.49
<i>Number</i>	2336	95	
Men	5.97 (0.02)	5.87 (0.05)	0.11
<i>Number</i>	5147	403	

Age-adjusted mean cholesterol concentration (se) for subjects at Phase 3 (pre-termination)*

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	6.46 (0.02)	6.47 (0.11)	0.77
Men	6.48 (0.02)	6.49 (0.05)	0.93

Adjusted differences for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Differences(se) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.04 (0.12) p=0.76	0.04 (0.12) p=0.76	0.05 (0.12) p=0.66	0.09 (0.08) p=0.27
Men	0.01 (0.06) p=0.93	0.00 (0.06) p=0.93	00.0 (0.06) p=0.96	0.07 (0.04) p=0.07

** cholesterol levels over-estimated by ~ 0.33 mmol/l (see Chapter 4, Section 4.3b(iii))*

Table 7.6 (4) Pre-termination phase (Phase 3) Body Mass Index

Age-adjusted means (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	24.5 (0.09)	25.1 (0.49)	0.23
<i>Number</i>	2384	99	
Men	24.5 (0.04)	24.3 (0.14)	0.17
<i>Number</i>	5178	406	

Age-adjusted means (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	25.6 (0.10)	26.9 (0.56)	0.02
Men	25.1 (0.04)	25.2 (0.16)	0.49

Adjusted differences for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Differences (se) adjusted for</i>	<i>Age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.17 (0.48) p=0.02	1.00 (0.48) p=0.04	1.09 (0.48) p= 0.02	0.65 (0.22) p=0.003
Men	0.11 (0.16) p=0.49	0.12 (0.16) p=0.45	0.11 (0.16) p= 0.51	0.30 (0.08) p<0.001

7.7 *Personal characteristics and Psychosocial measures - Tables 7.7 (1) - (5b)*

Divorce or separation during pre-termination (Phase 3) was analysed only among those married or cohabiting at baseline. Comparisons between PSA and the controls (non-PSA) for the work characteristics were adjusted for age, grade and marital status. The analyses examined those who had changed tertile between baseline and Phase 3, see Chapter 5, section 5. No baseline differences are presented for these variables.

Phase 3 - Pre-termination phase differences

By the pre-termination phase (Phase 3), divorce or separation among women in PSA was nearly 2½ times that among control women. A greater proportion of PSA women experienced adverse change in social support at work compared with control women and beneficial change in social support was slightly less among subjects than among controls. Relative to control women a slightly greater proportion of PSA women experienced adverse change in decision authority during the pre-termination phase, but the proportion of PSA women who experienced a beneficial change was significant. Concurrent with this significant relative increase in decision authority was a significant, more than double, increase in job demands and a non-significant relative decrease in skill discretion.

Divorce or separation during the pre-termination phase differed little between PSA and non-PSA men. As among the PSA women, a greater proportion of men experienced a loss of social support at work compared with control men. Slightly greater proportions of PSA men than control men experienced adverse and beneficial changes in decision authority. Changes in skill discretion were much more marked among men than among women. The proportion of PSA men experiencing adverse change between Phases 1 and 3 relative to controls was considerable and the relative lack of beneficial change was significant. Adverse and beneficial changes in job demands were very similar among both PSA and control men.

Table 7.7 (1) Pre-termination phase (Phase 3) Divorce and separation amongst those married at Phase 1

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	3.6 (0.49)	7.8 (3.19)	0.08
<i>Number</i>	<i>1460</i>	<i>65</i>	
Men	2.5 (0.24)	2.7 (0.85)	0.73
<i>Number</i>	<i>4267</i>	<i>365</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>
Women	2.33 (0.90 - 6.09)	2.39 (0.91 - 6.27)
Men	1.12 (0.58 - 2.17)	1.12 (0.58 - 2.17)

Table 7.7 (2a) Adverse change in social support at work between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	37.0 (1.2)	45.1 (6.7)	0.34
<i>Number</i>	<i>1565</i>	<i>55</i>	
Men	36.4 (0.8)	39.0 (3.1)	0.17
<i>Number</i>	<i>3674</i>	<i>239</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.25 (0.76 - 2.05)	1.33 (0.81 - 2.19)	1.34 (0.81 - 2.21)
Men	1.21 (0.95 - 1.56)	1.21 (0.94 - 1.55)	1.20 (0.94 - 1.54)

Table 7.7 (2b) Beneficial change in social support at work between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	37.3 (1.2)	40.2 (7.0)	0.59
<i>Number</i>	<i>1583</i>	<i>52</i>	
Men	33.1 (0.8)	33.0 (3.2)	0.94
<i>Number</i>	<i>3492</i>	<i>210</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.03 (0.62 - 1.72)	0.98 (0.58 - 1.64)	0.94 (0.56 - 1.60)
Men	0.92 (0.70 - 1.21)	0.92 (0.70 - 1.21)	0.92 (0.70 - 1.21)

Table 7.7 (3a) Adverse change in decision authority between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	24.4 (1.1)	33.1 (7.1)	0.19
<i>Number</i>	<i>1514</i>	<i>46</i>	
Men	24.1 (0.7)	30.7 (3.2)	0.06
<i>Number</i>	<i>3398</i>	<i>208</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.13 (0.64 - 2.01)	1.14 (0.64 - 2.04)	1.16 (0.65 - 2.08)
Men	1.20 (0.90 -1.60)	1.16 (0.87 - 1.55)	1.18 (0.88 - 1.58)

Table 7.7 (3b) Beneficial change in decision authority between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	36.4 (1.2)	51.1 (6.3)	0.01
<i>Number</i>	<i>1791</i>	<i>64</i>	
Men	36.2 (0.8)	42.4 (3.1)	0.05
<i>Number</i>	<i>4053</i>	<i>255</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.67 (1.06 - 2.65)	1.74 (1.10 - 2.76)	1.76 (1.11 - 2.80)
Men	1.20 (0.94 -1.53)	1.18 (0.92 - 1.50)	1.18 (0.92 - 1.50)

Table 7.7 (4a) Adverse change in skill discretion between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	21.1 (1.0)	24.2 (5.4)	0.53
<i>Number</i>	<i>1698</i>	<i>61</i>	
Men	24.8 (0.7)	29.5 (2.9)	0.12
<i>Number</i>	<i>3746</i>	<i>263</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	1.20 (0.67 - 2.13)	1.22 (0.68 - 2.19)	1.23 (0.69 - 2.21)
Men	1.35 (1.03 - 1.76)	1.29 (0.99 - 1.69)	1.30 (0.99 - 1.70)

Table 7.7 (4b) Beneficial change in skill discretion between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.7 (1.1)	26.0 (5.4)	0.96
<i>Number</i>	<i>1822</i>	<i>63</i>	
Men	28.4 (0.7)	23.2 (2.7)	0.05
<i>Number</i>	<i>3950</i>	<i>243</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	0.97 (0.56 - 1.67)	0.98 (0.57 - 1.71)	0.99 (0.57 - 1.72)
Men	0.69 (0.52 - 0.93)	0.67 (0.49 - 0.90)	0.67 (0.50 - 0.91)

Table 7.7 (5a) Adverse change in job demands between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	37.4 (1.2)	60.1 (6.1)	0.001
<i>Number</i>	<i>1779</i>	<i>63</i>	
Men	35.1 (0.8)	35.3 (3.0)	0.70
<i>Number</i>	<i>3856</i>	<i>245</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	2.14 (1.35 - 3.39)	2.12 (1.34 - 3.37)	2.18 (1.37 - 3.47)
Men	1.03 (0.80 - 1.32)	1.01 (0.79 - 1.30)	1.01 (0.78 - 1.30)

Table 7.7 (5b) Beneficial change in job demands between Phases 1 and 3

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.3 (1.1)	32.4 (7.6)	0.29
<i>Number</i>	<i>1516</i>	<i>39</i>	
Men	29.2 (0.8)	31.8 (3.1)	0.44
<i>Number</i>	<i>3529</i>	<i>226</i>	

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>
Women	0.94 (0.51 - 1.73)	0.92 (0.50 - 1.69)	0.94 (0.51 - 1.73)
Men	1.09 (0.83 - 1.43)	1.08 (0.82 - 1.41)	1.08 (0.82 - 1.42)

7.8 *Health-related behaviours - Tables 7.8 (1a) - (3b)*

Comparisons between PSA respondents and controls (non-PSA) for all health-related behaviours were adjusted as described in Chapter 6.5.

Baseline differences

As in Chapter 6 there were greater proportions of non-drinkers, non-smokers and women who took 1 hour or more of vigorous exercise at baseline among PSA women compared with control women. The proportion of PSA women who were 'heavy' drinkers was significantly lower than that for control women. Among men, the proportions of 'heavy' drinkers, smokers, and men who took none or only mild exercise were significantly lower at baseline for PSA men than for control men, while the proportion of PSA men who took vigorous exercise was significantly higher.

Phase 3 - Pre-termination phase differences

Between baseline and Phase 3 the proportions of non-drinkers, 'heavy' drinkers, and smokers had all increased among PSA women compared with control women. As for the women, non-drinking and 'heavy' drinking increased among men in PSA compared with control men by the pre-termination phase, but the PSA men still smoked considerably less than non-PSA men. The percentage taking none or only mild exercise increased, while the percentage taking vigorous exercise decreased in all groups between baseline and the pre-termination phase, but there remained a significantly greater proportion of the PSA men who took vigorous exercise than control men.

Table 7.8 (1a) Pre- termination phase (Phase 3) Alcohol consumption - non-drinkers

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.5 (0.9)	29.4 (4.4)	0.46
<i>Number</i>	<i>2446</i>	<i>107</i>	
Men	12.7 (0.5)	10.8 (1.5)	0.25
<i>Number</i>	<i>5290</i>	<i>408</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	29.9 (0.9)	31.1 (4.4)	0.74
Men	14.8 (0.5)	12.7 (1.6)	0.26

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>Age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value*</i>
Women	1.07 (0.71 - 1.63)	0.92 (0.60 - 1.42)	0.94 (0.61 - 1.45)	0.90 (0.55 - 1.48)
Men	0.84 (0.62 - 1.14)	0.88 (0.65 - 1.20)	0.90 (0.66 - 1.22)	0.92 (0.66 - 1.30)

**non - drinkers include those with 0 units / week, ex-drinkers and special occasions only*

Table 7.8 (1b) Pre-termination phase (Phase 3) Alcohol consumption - 15 or more units/day (women) 22 or more units/day (men)

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	10.5 (0.6)	2.9 (1.6)	0.01
<i>Number</i>	<i>2446</i>	<i>107</i>	
Men	18.7 (0.5)	12.8 (1.6)	0.003
<i>Number</i>	<i>5290</i>	<i>408</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	9.5 (0.6)	5.7 (2.3)	0.20
Men	18.3 (0.5)	16.5 (1.8)	0.37

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	0.58 (0.25 - 1.34)	0.75 (0.32 - 1.75)	0.77 (0.33 - 1.81)	1.14 (0.46 - 2.84)
Men	0.88 (0.67 - 1.16)	0.86 (0.66 - 1.13)	0.89 (0.68 - 1.17)	1.15 (0.84 - 1.59)

Table 7.8 (2) Pre-termination phase (Phase 3) Smoking

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	19.7 (0.8)	13.3 (3.2)	0.11
<i>Number</i>	<i>2453</i>	<i>110</i>	
Men	13.7 (0.5)	7.6 (1.3)	0.001
<i>Number</i>	<i>5267</i>	<i>411</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	16.6 (0.8)	14.5 (3.3)	0.53
Men	12.1 (0.5)	6.5 (1.2)	0.001

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value*</i>
Women	0.84 (0.49 - 1.45)	0.77 (0.45 - 1.33)	0.78 (0.45 - 1.35)	1.71 (0.65 - 4.50)
Men	0.51 (0.34 - 0.76)	0.54 (0.36 - 0.80)	0.56 (0.37 - 0.83)	0.75 (0.42 - 1.36)

** % smokers and number of cigarettes smoked per day*

Table 7.8 (3a) Pre-termination phase (Phase 3) Takes none or only mild exercise in an average week

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	26.8 (0.9)	29.9 (4.3)	0.44
<i>Number</i>	<i>2447</i>	<i>107</i>	
Men	11.0 (0.4)	4.9 (1.1)	<0.001
<i>Number</i>	<i>5306</i>	<i>413</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	34.3 (0.9)	38.9 (4.7)	0.38
Men	14.8 (0.5)	8.5 (1.4)	<0.001

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>Age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.20 (0.80 - 1.80)	1.14 (0.76 - 1.72)	1.20 (0.80 - 1.82)	1.22 (0.79 - 1.89)
Men	0.53 (0.37 - 0.76)	0.59 (0.41 - 0.84)	0.62 (0.44 - 0.89)	0.73 (0.50 - 1.05)

Table 7.8 (3b) Pre-termination phase (Phase 3) Does 1 hour or more of vigorous exercise in an average week

Age-adjusted percentages (se) for subjects at Phase 1 (baseline)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	27.0 (0.9)	30.2 (4.4)	0.53
<i>Number</i>	<i>2447</i>	<i>107</i>	
Men	51.5 (0.7)	60.0 (2.4)	0.001
<i>Number</i>	<i>5306</i>	<i>413</i>	

Age-adjusted percentages (se) for subjects at Phase 3 (pre-termination)

<i>Department</i>	<i>Non-PSA</i>	<i>PSA</i>	<i>p</i>
Women	18.2 (0.78)	19.2 (3.82)	0.75
Men	38.6 (0.67)	48.2 (2.45)	<0.001

Odds ratios for subjects at Phase 3 (pre-termination) PSA compared with Non-PSA

<i>Odds Ratios (95% CI) adjusted for</i>	<i>age</i>	<i>+ grade</i>	<i>+ marital status</i>	<i>+ baseline value</i>
Women	1.09 (0.66 - 1.80)	1.15 (0.69 - 1.92)	1.10 (0.65 - 1.84)	1.01 (0.58 - 1.76)
Men	1.48 (1.21 - 1.82)	1.44 (1.18 - 1.76)	1.41 (1.15 - 1.72)	1.30 (1.04 - 1.61)

7.9 Reporting bias and potential mediators of health outcomes - Tables 7.9 (1) - 7.9 (6)

Three of the psychosocial measures were significantly raised among PSA respondents compared with controls by the pre-termination phase (Phase 3). Significantly greater proportions of PSA women had experienced positive change in decision authority and negative change in job demands relative to control women, and a significant proportion of PSA men experienced a lack of positive changes in skill discretion relative to control men. Of the health-related behaviours, only the relative proportion of men taking vigorous exercise of 1 hour or more per week remained significantly greater among PSA men compared with controls. Exercise is a well known determinant of health⁴²⁵.

During the pre-termination phase, two morbidity measures were significantly elevated among PSA respondents of both sexes relative to controls; 9 hours or more sleep on an average week night and BMI. In addition, systolic and diastolic blood pressure were significantly raised among women. Sickness absence of 1 working week or more in the last year decreased significantly compared with controls for both PSA women and men and sickness absence of 2 working weeks or more decreased significantly among women.

The effect of the pre-termination phase on these six health outcomes was reexamined in analyses which adjusted for each of the potential mediating factors separately. As the relative decrease in systolic blood pressure was considerable among the PSA men ($p=0.06$), men were included in the reexamination of this measure. As sleep and absence from work were self-reports, the effect of adjusting for reporting bias (negative affect) was also examined for these outcomes.

Reporting bias

Adjustment for negative affect had very little effect on the self-reported health outcomes, percentage changes ranged from -0.1 to 4.7.

Possible mediators of changes in morbidity

Adjustment for change between baseline and the pre-termination phase in decision authority, skill discretion and job demands potentiated the differences between respondents in PSA and control respondents for sleeping 9 hours or more on an average week night (longsleeping). This means that had these factors been equally distributed between subjects and controls the relative increase in morbidity for this measure in the PSA group would have been greater by between 1.3 % and 38.9 %. The effects of adjusting for all the potential mediating variables and negative affect together were not additive. They potentiated the effect on longsleeing in women by 17% and in men by 47%. As for sleep, adjustment for characteristics of the work environment potentiated the relative difference between PSA women and controls for sickness absence of 1 working week or more and of 2 working weeks or more in the last year. Among men adjustment for characteristics of the work environment had little effect on sickness absence, with the exception of adverse change in job demands which explained 11.3% of the difference between PSA and control men.

Vigorous exercise had very little effect on the relationship between the exposure (pre-termination phase) and outcomes for blood pressure and BMI. Changes in characteristics of the work environment held much greater explanatory power, attenuating effects for all measures except BMI among men. Attenuation of effects were more marked in women who, as a group, had experienced significant increases in decision authority and job demands together with a loss of skill discretion. Among men, adjustment for all the mediating variables potentiated the relative increase in BMI compared with control men.

Table 7.9 (1) Effect of reporting bias and potential mediators on sleep 9 hrs or more on an average week night - women and men

	OR	PSA WOMEN OR +	change*	OR	PSA MEN OR +	change*
(1)	2.68	2.67	-0.2%	1.86	1.92	4.7%
(2)	2.32	2.37	2.3%	1.84	1.85	1.3%
(3)	2.22	2.94	34.8%	1.82	2.09	22.9%
(4)	1.97	2.43	31.6%	1.82	2.30	38.9%
(5)	2.36	2.99	28.0%	1.85	2.22	29.7%
(6)	2.65	3.13	17.1%	1.91	2.60	47.0%

Table 7.9 (2) Effect of reporting bias and potential mediators on absence from work of 1 week or more - women and men

	OR	PSA WOMEN OR +	change*	OR	PSA MEN OR +	change*
(1)	0.48	0.47	-0.4%	0.61	0.62	1.6%
(2)	0.48	0.48	0.7%	0.69	0.71	7.6%
(3)	0.47	0.54	17.5%	0.69	0.70	0.2%
(4)	0.45	0.49	10.1%	0.70	0.70	-0.4%
(5)	0.46	0.50	12.1%	0.71	0.68	-11.3%
(6)	0.40	0.43	7.0%	0.57	0.60	7.2%

Table 7.9 (3) Effect of reporting bias and potential mediators on absence from work 2 weeks or more - women

	OR	PSA WOMEN OR +	change*
(1)	0.40	0.40	-0.1%
(2)	0.39	0.39	1.1%
(3)	0.36	0.38	4.2%
(4)	0.37	0.37	0.5%
(5)	0.37	0.38	2.9%
(6)	0.44	0.41	-10.4%

Key:- (1) + adjusted for reporting bias (negative affect) at Phase 1
 (2) + adjusted for vigorous exercise at Phase 1 and Phase 3
 (3) + adjusted for decision authority at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3
 (4) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3
 (5) + adjusted for job demands at Phase 1 (tertile) and adverse change between Phase 1 and Phase 3
 (6) + adjusted for reporting bias and all potential mediators
 * % change in the log of the Odds Ratio, PSA compared with non-PSA
 N.B. reporting bias = negative affect

Table 7.9 (4) Effect of potential mediators on systolic blood pressure - women and men

	Diff	PSA WOMEN Diff+	change*	Diff	PSA MEN Diff+	change*
(2)	3.599	3.591	-0.2%	-1.070	-1.057	1.2%
(3)	3.384	2.884	-14.8%	-1.028	-0.985	4.2%
(4)	3.231	2.687	-16.8%	-1.029	-0.950	7.7%
(5)	3.135	2.521	-19.6%	-1.146	-1.043	9.0%
(6)	3.174	2.034	-35.9%	-1.185	-0.973	17.9%

Table 7.9 (5) Effect of potential mediators on diastolic pressure - women

	Diff	PSA WOMEN Diff+	change*
(2)	2.369	2.374	0.2%
(3)	2.263	2.053	-9.3%
(4)	2.177	1.992	-8.5%
(5)	2.082	1.776	-14.7%
(6)	2.179	1.632	-25.1%

Table 7.9 (6) Effect of potential mediators on body mass index - women and men

	Diff	PSA WOMEN Diff+	change*	Diff	PSA MEN Diff+	change*
(2)	0.696	0.693	-0.4%	0.284	0.288	1.4%
(3)	0.658	0.528	-19.8%	0.286	0.294	2.8%
(4)	0.662	0.553	-16.5%	0.290	0.302	4.1%
(5)	0.645	0.545	-15.5%	0.296	0.302	2.0%
(6)	0.727	0.615	-15.4%	0.289	0.307	6.2%

Key:- (2) + adjusted for vigorous exercise at Phase 1 and Phase 3
(3) + adjusted for decision authority at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3
(4) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3
(5) + adjusted for job demands at Phase 1 (tertile) and adverse change between Phase 1 and Phase 3
(6) + adjusted for all potential mediators
* % change in the difference, PSA compared with non-PSA

7.10 *Summary - Tables 7.10 (1) - (2)*

A rather inconsistent picture showed some adverse changes in self-reported morbidity among PSA women relative to controls during the pre-termination phase. Among PSA men there was a general increase in self-reported morbidity relative to control men. In PSA respondents of both sexes the proportion sleeping 9 hours or more on an average week night increased significantly compared with controls. Both measures of sickness absence among PSA women decreased significantly compared with women in other departments, and the decrease in the proportion of men taking a week or more of absence in the last year was also significant.

All physiological measures of morbidity for PSA women deteriorated during the pre-termination phase relative to women in other departments. Increases in systolic and diastolic blood pressure and BMI among the PSA women were significant compared with controls by the pre-termination phase. PSA men retained their baseline advantage with regard to blood pressure, but cholesterol, ischaemia and BMI ($p < 0.001$) all increased considerably relative to control men.

Divorce or separation increased considerably during the pre-termination phase among women in PSA compared with control women. PSA women experienced significantly more positive change in decision authority compared with control women and significantly more adverse changes in job demands by the pre-termination phase. Between baseline and the pre-termination phase PSA men reported significantly less positive change in skill discretion than control men.

None of the changes in health-related behaviours between baseline and the pre-termination phase were significant among the PSA women. Smoking again increased among PSA respondents and decreased among controls but the difference between them was non-significant. Relative change in health-related behaviour was not significantly different in

the two groups of men, except for 1 hour or more of vigorous exercise per week, in which the change favoured men in PSA.

Adjustment for negative affect had little effect on self-reported health outcomes. As expected, adjustment for vigorous exercise tended to potentiate differences in health outcome between PSA and non-PSA men. Adjustment for characteristics of the work environment potentiated differences between PSA women and controls for measures of sleep and sickness absence. In men, adjustment for work characteristics potentiated differences between PSA respondents and controls for sleeping 9 hours or more on an average week night, but adverse change in job demands attenuated the difference for sickness absence of 1 working week or more by 11.3%. Changes in decision authority, skill discretion and job demands attenuated the relationship between exposure and outcome for systolic and diastolic blood pressure and BMI in women, although they potentiated the differences in systolic blood pressure and BMI slightly among men.

Table 7.10 (1) Summary of self-reported health outcomes for PSA - pre-termination phase

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
self-rated health average or worse	0.86 (0.54 - 1.37)	1.18 (0.90 - 1.54)
longstanding illness	0.80 (0.47 - 1.38)	1.13 (0.87 - 1.45)
sleep 5hrs or less per night	1.36 (0.61 - 3.04)	0.99 (0.55 - 1.79)
sleep 9hrs or more per night	2.22 (1.06 - 4.66)	1.82 (1.13 - 2.94)
GHQ caseness	1.06 (0.66 - 1.70)	1.16 (0.90 - 1.50)
depression	0.75 (0.45 - 1.24)	1.07 (0.82 - 1.40)
	Diff* (SE)	Diff* (SE)
symptom score	0.32 (0.27) p=0.24~	0.16 (0.11) p=0.17

Table 7.10 (2) Summary of sickness absence for PSA - pre-termination phase

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
one week or more in past year	0.47 (0.29 - 0.77)	0.70 (0.53 - 0.94)
two weeks or more in past year	0.36 (0.18 - 0.74)	0.82 (0.56 - 1.23)

Table 7.10 (3) Summary of physiological measures for PSA - pre-termination phase

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
angina pectoris	1.74 (0.78 - 3.88)	1.22 (0.63 - 2.36)
possible/probable ischaemia on ECG	1.28 (0.39 - 4.20)	1.55 (0.94 - 2.57)
poss/prob ischaemia on ECG or angina	1.60 (0.78 - 3.30)	1.41 (0.91 - 2.18)
	Diff* (SE)	Diff* (SE)
systolic blood pressure	3.49 (1.15) p=0.003	-1.03 (0.53) p=0.06
diastolic blood pressure	2.23 (0.80) p=0.006	-0.10 (0.39) p=0.79
cholesterol concentration	0.09 (0.08) p=0.27	0.07 (0.04) p=0.07
body mass index	0.65 (0.22) p=0.003	0.30 (0.08) p<0.001

* adjusted for age, grade, marital status and baseline values of the variable of interest

~ p values show whether the observed difference is significantly greater or less than zero

Table 7.10 (4) Summary of personal and psychosocial measures for PSA - pre-termination phase (Phase 3)

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
Divorce/separation (married/cohabiting at Phase 1)	2.39 (0.91-6.27)	1.12 (0.58-2.17)
Adverse change in social support	1.34 (0.81-2.21)	1.20 (0.94-1.54)
Beneficial change in social support	0.94 (0.56-1.60)	0.92 (0.70-1.21)
Adverse change in decision authority	1.16 (0.65-2.08)	1.18 (0.88-1.58)
Beneficial change in decision authority	1.76 (1.11-2.80)	1.18 (0.92-1.50)
Adverse change in skill discretion	1.23 (0.69-2.21)	1.30 (0.99-1.70)
Beneficial change in skill discretion	0.99 (0.57-1.72)	0.67 (0.50-0.91)
Adverse change in job demands	2.18 (1.37-3.47)	1.01 (0.78-1.30)
Beneficial change in job demands	0.94 (0.51-1.73)	1.08 (0.82-1.42)

Table 7.10 (5) Summary of health-related behaviours for PSA - pre-termination phase (Phase 3)

	OR* (95% CI) WOMEN	OR* (95% CI) MEN
Alcohol consumption - non-drinkers	0.90 (0.55-1.48)	0.92 (0.66-1.30)
Units/week 15 or more (women) 22 or more (men)	1.14 (0.46-2.84)	1.15 (0.84-1.59)
Current smoking	1.71 (0.65-4.50)	0.75 (0.42-1.36)
None or only mild exercise	1.22 (0.79-1.89)	0.73 (0.50-1.05)
1 hour or more vigorous exercise per week	1.01 (0.58-1.76)	1.30 (1.04-1.61)

* adjusted for age grade, marital status and baseline values of the variable of interest

N.B. Divorce/separation adjusted only for age and grade

CHAPTER 8 RESULTS: STUDY 2 (PSA study) - post-privatisation

Chapter 8 presents data collected via postal questionnaire approximately 1½ years after the privatisation of PSA Projects. The PSA questionnaire sought retrospective data on the effects of the privatisation process, details of current employment and employment status and route of exit from PSA and/or the Civil Service. Most other questions were included to provide self-reported health outcome measures, psychosocial factors and health-related behaviours comparable to those collected by questionnaire at previous phases of the Whitehall II study. Chapter 8 uses data from the PSA questionnaire to describe what happened to members of the cohort in labour market terms through the privatisation of their department and the effect of current employment status on health and health-related outcomes. The PSA questionnaire was mailed only to members of the PSA cohort. Thus, with the exception of mortality and cardiac events, there was no control group for this phase of the PSA study.

Outline of Chapter

The aims of the analyses presented in Chapter 8 are:-

- (i) to determine whether non-response to the PSA questionnaire limits the applicability of the findings to the whole PSA cohort.

- (ii) to describe the effect of the privatisation on members of the PSA cohort in terms of route of exit from the PSA work force and current employment status.

- (iii) to determine the effects of current employment status on self-reported health measures, psychosocial factors and health-related behaviours 18 months after the privatisation.

(iv) to determine whether differences in change over time in self-reported health outcomes between the employment status groups may be explained by changes in the personal characteristics, financial and psychosocial factors or health-related behaviours measured.

As data were available for the whole Whitehall II cohort on primary cardiac endpoints to August 1995 and all-cause mortality to August 1997, a comparison of these endpoints for PSA and control respondents in other departments is included in this chapter. The aim of the analyses was to determine the risk relative to controls of primary cardiac endpoints for PSA respondents 2 years and 9 months post-privatisation and all-cause mortality 4 years 9 months post-privatisation.

The first section of Chapter 8 presents baseline values of the variables used in the subsequent analyses for responders and non-responders to the PSA questionnaire. This is followed by a description of employment status change during and after the privatisation, section 8.2. In section 8.3, baseline demographic and socioeconomic data and negative affect for PSA respondents grouped by employment status are discussed in relation to the subsequent analyses of health outcomes post-privatisation. Self-reported health outcomes, financial and psychosocial factors, and health-related behaviours by employment status group are presented in sections 8.4, 8.5 and 8.6 respectively, using the secure employed as the reference group. Where change over time in the financial and psychosocial factors or health-related behaviours were found to be significantly different to those for the reference group, their potential role as mediators of change in self-reported health was examined in section 8.7. As cardiac events and death are still rare events in the Whitehall II cohort, the risks of these outcomes for all respondents in PSA were compared with those for the rest of the cohort in section 8.8. A summary of the results post-privatisation is presented in section 8.9.

8.1 *Non-response to the PSA questionnaire - Tables 8.1 (1) - (8)*

Five hundred and forty one completed PSA questionnaires were returned. This represents 81 % of the 666 respondents in PSA at baseline screening and 83 % of those alive at the time of the questionnaire. One questionnaire was returned with no means of identification, and data from one other were unusable. Thus, 539 respondents provided data for analysis.

Non-response to the PSA questionnaire was as follows:-

82	no reply (70 of these could not be traced, 12 had withdrawn from the Whitehall II study at Phase 3 and were not followed further)
26	refused
17	deceased

Excluding the deceased, non-response to the PSA questionnaire was 17% for both women and men. Tables 8.1 (1) - (8) compare baseline demographic and socioeconomic data, self-reported health, psychosocial variables, and health-related behaviour data for female and male responders and non-responders to the PSA questionnaire. For each variable a test of difference was carried out.

For four of the forty-six measures tested there was a significant difference between responders and non-responders. Non-responder men were significantly younger than men who returned the questionnaire and they had a significantly lower GHQ score at baseline. A smaller proportion of the non-responders, both women and men, did vigorous exercise at baseline. This means that outcomes involving GHQ and vigorous exercise cannot be assumed to be representative of the whole cohort. However, it should be noted that when performing 46 tests of difference 2 of them would be expected to be significant by chance at the 5 % level of significance⁴²³. With respect to age, this was not used as an outcome and, as a confounder of the relationship between exposure and outcome, was controlled for in all subsequent analyses.

Table 8.1 (1) Comparison+ of baseline demographic and socioeconomic data for women responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Age in years (SE)	45.2 (0.5)	43.0 (1.2)	p = 0.10
N for age	125	25	
Administrative (highest) grade % (SE)	3.4 (1.7)	2.8 (2.6)	p = 0.29
Professional/Executive grade % (SE)	40.7 (4.4)	20.0 (7.3)	
Clerical/Support (lowest) grade % (SE)	55.9 (4.4)	77.2 (7.5)	
N for grade	125	25	
Married/Cohabiting % (SE)	63.7 (4.4)	69.8 (8.2)	p = 0.36
Divorced/Separated % (SE)	11.2 (2.8)	21.5 (7.8)	
N for marital status*	123	25	

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

* The categories Single (never married) and Widowed have been omitted

Table 8.1 (2) Comparison+ of baseline demographic and socioeconomic data for men responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Age: (yrs)	44.8 (0.3)	41.3 (0.5)	p < 0.001
N for age	414	85	
Administrative (highest) grade % (SE)	35.5 (2.3)	28.2 (5.4)	p = 0.26
Professional/Executive grade % (SE)	61.5 (2.4)	63.7 (6.0)	
Clerical/Support (lowest) grade % (SE)	3.0 (0.8)	8.1 (3.7)	
N for grade	414	85	
Married/Cohabiting % (SE)	87.5 (1.6)	87.1 (4.1)	p = 0.16
Divorced/Separated % (SE)	4.4 (1.0)	1.7 (1.2)	
N for marital status*	414	85	

+ Figures are age standardised means and percentages with standard errors given in brackets

* The categories Single (never married) and Widowed have been omitted

Table 8.1 (3) Comparison + of baseline self-reported health status measures for women responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Self-rated health average or worse % (SE) N	29.5 (4.0) 125	35.7 (8.6) 25	p = 0.27
Mean symptom score (SE) N	2.6 (0.3) 87	1.9 (0.2) 19	p = 0.41
Mean health problems (SE) N	1.4 (0.2) 86	1.2 (0.2) 19	p = 0.92
Longstanding illness % (SE) N	27.4 (4.8) 87	28.2 (11.2) 18	p = 0.91
Sleep 5 hrs or less % (SE) N	4.4 (1.7) 125	2.9 (2.7) 25	p = 0.21
Sleep 9 hrs or more % (SE) N	4.3 (1.8) 125	6.5 (5.6) 25	p = 0.97
GHQ 12 score (SE) N	1.8 (0.2) 125	1.9 (0.5) 25	p = 0.45

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

Table 8.1 (4) Comparison + of baseline self-reported health status measures for men responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Self-rated health average or worse % (SE) N	20.4 (2.0) 414	27.9 (5.6) 85	p = 0.30
Mean symptom score (SE) N	2.0 (0.1) 356	1.5 (0.3) 75	p = 0.11
Mean health problems (SE) N	1.3 (0.1) 354	1.1 (0.2) 75	p = 0.43
Longstanding illness % (SE) N	28.9 (2.4) 358	17.9 (4.7) 74	p = 0.20
Sleep 5 hrs or less % (SE) N	2.9 (0.8) 414	6.9 (3.5) 84	p = 0.21
Sleep 9 hrs or more % (SE) N	0.5 (0.4) 414	1.7 (1.2) 84	p = 0.19
GHQ 12 score (SE) N	1.5 (0.1) 411	1.0 (0.3) 85	p = 0.04

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

Table 8.1 (5) Comparison+ of baseline personal, financial and psychosocial measures for women responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Negative affect % (SE) N	13.7 (3.7) 87	4.1 (3.6) 19	p = 0.31
Mean number of money problems (SE) N	1.6 (0.2) 88	1.9 (0.5) 19	p = 0.37
Work social support - upper tertile (SE) N	32.3 (4.2) 124	22.9 (7.5) 25	p = 0.60
Decision authority - upper tertile (SE) N	13.6 (3.1) 125	2.8 (2.6) 25	p = 0.15
Skill discretion - upper tertile (SE) N	10.5 (2.8) 124	5.7 (3.8) 25	p = 0.74
Job demands - upper tertile (SE) N	12.7 (2.9) 123	6.9 (4.5) 22	p = 0.64

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

Table 8.1 (6) Comparison+ of baseline personal, financial and psychosocial measures for men responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Negative affect % (SE) N	20.4 (2.1) 356	15.1 (4.2) 76	p = 0.41
Mean number of money problems (SE) N	1.7 (0.1) 358	1.7 (0.3) 75	p = 0.96
Work social support - upper tertile (SE) N	32.2 (2.3) 412	35.3 (5.9) 85	p = 0.83
Decision authority - upper tertile (SE) N	39.9 (2.4) 413	41.5 (5.7) 84	p = 0.34
Skill discretion - upper tertile (SE) N	52.7 (2.5) 414	60.7 (6.0) 85	p = 0.20
Job demands - upper tertile (SE) N	32.0 (2.3) 409	31.1 (5.8) 84	p = 0.60

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

Table 8.1.(7) Comparison+ of baseline health-related behaviours for women responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Non-drinkers % (SE)	27.9 (4.0)	43.7 (9.5)	p = 0.15
N	123	24	
Heavy drinkers % (SE)	3.3 (1.6)	11.8 (6.5)	p = 0.06
N	123	24	
Current smoker % (SE)	17.7 (3.4)	30.8 (8.5)	p = 0.22
N	125	25	
None or mild exercise % (SE)	28.5 (4.0)	41.5 (10.1)	p = 0.12
N	122	25	
Vigorous exercise % (SE)	30.5 (4.1)	11.5 (6.3)	p = 0.03
N	122	25	

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

Table 8.1.(8) Comparison+ of baseline health-related behaviours for men responders and non-responders to the PSA questionnaire

	Responder	Non-responder	p
Non-drinkers % (SE)	11.5 (1.6)	12.0 (4.6)	p = 0.43
N	412	82	
Heavy drinkers % (SE)	13.0 (1.7)	10.8 (3.4)	p = 0.64
N	412	82	
Current smoker % (SE)	11.2 (1.6)	15.5 (4.9)	p = 0.71
N	414	85	
None or mild exercise % (SE)	4.6 (1.0)	10.5 (4.2)	p = 0.12
N	413	85	
Vigorous exercise % (SE)	60.6 (2.4)	46.5 (5.8)	p = 0.03
N	413	85	

+ Figures are age standardised means and percentages with standard errors (SE) given in brackets

8.2 *Privatisation and employment status change*

Recession in the early 1990s hit the construction industry particularly hard. The economic climate discouraged investment in building and the industry - reliant on central government finance for half its workload - was hit by the twin government policies of reduction in public expenditure and a freeze on the construction of new public housing. Then in November 1992 the Private Finance Initiative was launched⁴²⁶. This move to hand over services - hitherto provided by government - to the private sector came one month before the privatisation of PSA Projects. For the many PSA respondents whose skills were as professional or technical staff in the construction industry the privatisation could not have come at a worse time.

The following histogram shows the number of women and men leaving the PSA work force over the period of the study from 1985, baseline for the Whitehall II study, to 1994 the time of the PSA questionnaire. As would be expected, a number of respondents left the work force in every year of the study. Internal transfer between Civil Service departments is a relatively common practice in the senior Administrative grades. In addition to these, most posts lost prior to 1990, amongst the white-collar work force, would have been through 'natural wastage' such as freezing of posts and those over 58 taking early retirement. This changed early in 1990 and from March, staff who were left without a job as work ran down had the option of leaving voluntarily on compulsory redundancy terms. The practice of filling vacancies in the lower grades with casual and agency staff was also introduced. In January 1990, the invitation to apply for voluntary early retirement was extended to all employees over 55. By January 1991 this had been extended to all staff 'irrespective of age, grade or discipline'⁴²⁷. These changing practices are reflected in the pattern of departures which closely follows the privatisation timetable, most particularly among the men.

Year in which respondents left the PSA work force

a) Women

b) Men

Route of exit from PSA work force

The following table shows the route of exit from the PSA work force, regardless of the year in which the departure took place. Employment in the private sector is divided into three sections: transfer to the firm that purchased PSA Projects (Tarmac plc), employment in the private sector other than with Tarmac, and self-employment. The mandatory retirement age for most civil servants is 60. Official retirement on health grounds, described in the Civil Service as medical retirement, is paid for by the Treasury rather than the department. Consequently, the number of medical retirements is more a measure of the persuasive powers of departmental welfare officers vis a vis the medical officer at the Treasury, than of ill-health. Voluntary compulsory redundancy (VCR), is a Civil Service term for an arrangement which allows workers who volunteer to take redundancy to receive the same financial settlement as those compulsorily made redundant.

Route of exit	Women	Men
The purchaser (Tarmac)	3 (3%)	45 (11%)
Other private sector	4 (3%)	25 (6%)
Self-employment	1 (1%)	4 (1%)
Civil Service	46 (40%)	97 (25%)
Retirement at 60	6 (5%)	20 (5%)
Medical Retirement	4 (3%)	6 (1%)
Voluntary Early Retirement (VER)	34 (29%)	112 (29%)
Voluntary Compulsory Redundancy (VCR)	10 (9%)	53 (14%)
Redundancy	5 (4%)	19 (5%)
Other	4 (3%)	10 (3%)

Among women, 42% (49) left the work force through VER, VCR or redundancy, and 40% (46) transferred within the Civil Service. Only 7% moved to the private sector. At the time of the PSA questionnaire, 8 women were still working for PSA, 4 on secondment to the purchaser (Tarmac), and 4 in the residual organisation. Among men, 48% (184) left the PSA work force either through VER, VCR or redundancy. 25% (97) of the men transferred within the Civil Service and 18% (74) moved into the private sector. Of the latter, the majority, 61% (45) transferred to Tarmac. Twenty four men still had PSA as their employer, 12 of these were on secondment and 12 remained in the residual PSA.

Overall only 9.5% of the respondents in this PSA cohort transferred to the purchaser (Tarmac), 3 women and 45 men.

Effect of age on route of exit from PSA

Only 8 women found work in the private sector, 2 were between 45 - 49 and 6 between 50 - 54. Of the men who found work in the private sector 65% (48) were under 50 years old, and 5 were over 60, the general age for retirement in the Civil Service. Among those who transferred within the Civil Service, 57% (26) of the women and 60% (58) of the men were under 50, and 2 women and 5 men were over 60. Out of the entire cohort 50% (269) of the respondents left the PSA work force through retirement or redundancy. Of these, 51% (25) of the women and 59% (109) of the men were under 55, and 30% of the respondents were under 50.

Effect of employment grade on route of exit from PSA

Eight women found work in the private sector. One was in the Administrative (Admin) grades, 2 in the Professional/Executive (P/E) grades and 5 in the Clerical/Support (C/S) grades. Among men who moved to the private sector, 55% (41) were from the Administrative grades and 45% (33) from the Professional/Executive grades. 46 women transferred within the Civil Service, 26 were in the Professional/Executive grades, 17 in

the Clerical/Support grades and 3 in the Administrative grades. 7 of the 12 Clerical/Support men in the cohort transferred within the Civil Service. The remaining 90 men who transferred within the Civil Service were almost equally divided between the Administrative grades (51 %) and the Professional/Executive grades (49 %).

Day of sale

The mean age of the cohort on the 1st of December 1992, the date of the sale to Tarmac, was 51.7 years for women and 51.2 years for men, while the mean age of exit from the PSA work force was 50 years for both sexes.

Distribution of the cohort by age group and grade on the day of privatisation was as follows:-

	Women		Men	
41-44	15 %	(19)	18 %	(73)
45-49	28 %	(35)	28 %	(115)
50-54	21 %	(26)	21 %	(89)
55-59	23 %	(29)	21 %	(86)
60+	13 %	(17)	12 %	(52)
Total:	126		415	
Grade:	Women Admin	6 % (7)	P/E	49 % (62)
			C/S	45 % (57)
	Men Admin	48 % (198)	P/E	49 % (205)
			C/S	3 % (12)

Secondment to Tarmac plc

Secondment was an option secured by the Civil Service Trade Unions through industrial action. It provided the opportunity to work for the purchaser (Tarmac) but remain a civil

servant for up to 2 years, although in practice secondment for most people lasted only a few weeks or months. Seventy-six (14%) of the respondents in the PSA study went on secondment to Tarmac, 17 women (2 Admin, 6 P/E and 9 C/S) and 59 men (29 Admin, 29 P/E and 1 C/S). 19 respondents, 3 women and 16 men admitted they had applied for secondment and been rejected. During secondment the vast majority of people remained in the same job as in PSA 73/76 (96%). 36% of the secondees had no feelings either way about secondment, 26% regarded it as good/positive and slightly more, 38% regarded it as bad/negative. By the time they answered the questionnaire secondment was over for 60/76 (79%) of the respondents. For those whose secondment had ended, it was followed by:

Continued employment in PSA:	4 / 60
Jobsearch by Personnel Change Unit:	16 / 60
Employment in the Civil Service:	6 / 60
Voluntary Compulsory Redundancy (VCR):	34 / 60
Gardening leave*	15 / 60
Working while serving notice:	3 / 60
6 months pay in lieu of notice:	30 / 60
Voluntary Early Retirement (VER):	12 / 60
Other	5 / 60

* Gardening leave is a Civil Service term for being paid to stay at home. Usually gardening leave does not exceed 6 months in duration and in the context of the privatisation was generally followed by exit from the work force.

The majority of secondees took VCR (34/60 [57%]) or VER (12/60 [20%]) with a further 10/60 (17%) either returning to the residual PSA or to another department in the Civil Service. None transferred to the private company. 48/60 (80%) felt that they had a choice in what happened to them. Of those still on secondment, 16, most envisaged exit by VCR or VER, only 1 felt that continued employment with Tarmac was a viable option and only 3 felt continued employment with the residual PSA or elsewhere in the Civil Service was

possible.

Labour market position 18 months post-privatisation

By the time of the PSA questionnaire, some 18 months after the sale, the employment pattern of the respondents had changed considerably. Overall, 30% of the PSA cohort were still in the Civil Service, 29% were working in the private sector and 41% were not working.

	Women	Men
Still in CS	37 % (46)	28 % (117)
Non-employed	45 % (57)	40 % (164)
Private sector	18 % (23)	32 % (134)

Effect of grade on labour market position 18 months post-privatisation

Admin	Women	Men
Still in CS	43 % (3/7)	30 % (59/198)
Non-employed	43 % (3/7)	35 % (69/198)
Private sector	14 % (1/7)	35 % (70/198)

P/E	Women	Men
Still in CS	44 % (27/62)	25 % (50/205)
Non-employed	35 % (22/62)	44 % (92/205)
Private sector	21 % (13/62)	31 % (63/205)

C/S	Women	Men
Still in CS	28 % (16/57)	67 % (8/12)
Non-employed	56 % (32/57)	25 % (3/12)
Private sector	16 % (9/57)	8 % (1/12)

Security of labour market position

Data from the qualitative arm of the PSA study indicated that internal transfer within the Civil Service was seen by respondents as the 'safe' option at the time of the privatisation, but a question on job security 18 months later proved that this expectation of safety had, in many cases, been misplaced.

Women	Insecure/Very Insecure Civil Service = 54% (25)
	Insecure/Very Insecure Private Sector = 45% (10)
Men	Insecure/Very Insecure Civil Service = 55% (64)
	Insecure/Very Insecure Private Sector = 42% (56)

Altogether, approximately 50% of both women and men considered their current job to be either 'insecure' or 'very insecure' at the time of the PSA questionnaire - *Figure 1*.

The non-employed and the search for work

Under half, (21) of the 57 non-employed women wanted to find another job and 52% (11) of these were actively seeking work. Among women who wanted another job, 62% (13) rated their chances as poor or none, while 95% (20) rated their chances as fair, poor or none. Of those actively looking for work 55% (6) rated their chances as poor or none and 100% (11) rated their chances as fair, poor, or none.

Eighty of the 164 non-employed men wanted to find another job and 80% (64) of these were looking. Among men who wanted another job, 61% (48) rated their chances as poor or none, while 91% (72) rated their chances as fair, poor or none. Of those actively looking for work 54% (34) rated their chances as poor or none and 91% (57) rated their chances as fair, poor or none.

Figure 1: Employment status of PSA cohort 18 months post-privatisation

Categorisation of respondents for subsequent analysis

As explained in Chapter 4 section 4.4e (iv), when the PSA questionnaire was drafted, three a priori categories were selected to divide respondents to the PSA questionnaire for analysis: those who had remained in the Civil Service; those working in the private sector; and those not working. It was considered that respondents who had transferred within the Civil Service would be more secure in their employment and would thus have better health outcomes post-privatisation than those in the private sector. It was also considered that the employed as a group would have better health outcomes than the non-employed.

However, as described above, security was not exclusive to those who remained Civil Servants or to those in employment. Thus, comparisons of health outcomes for those working in the private sector and those no longer in paid employment with respondents who had transferred within the Civil Service showed health outcomes to differ little between the groups. This was similar to comparisons between the employed and the non-employed - data not shown.

The question on security of the respondent's present job enabled those in employment to be subdivided into those who were 'secure' and those who were 'insecure'. Respondents not in paid employment were divided according to whether they would like to find another job. The non-employed who did not want further employment were deemed to be 'secure' and those who did were deemed to be 'insecure'. Numbers of respondents falling into the four categories were as follows:-

secure employed	165 (33♀, 132♂)
insecure employed	155 (35♀, 120♂)
secure non-employed (permanently out of labour force)	118 (35♀, 83♂)
insecure non-employed (unemployed)	101 (21♀, 80♂)

The next part of Chapter 8 examines the effects on self-reported health measures, personal

characteristics, financial measures, psychosocial factors and health-related behaviours of current employment status 18 months after the privatisation. It then examines whether differences in change over time in self-reported health outcomes between the employment status groups may be explained by changes in the personal characteristics, financial measures, psychosocial factors or health-related behaviours measured. The first section in this part of Chapter 8 examines baseline values of those variables included as potential confounders in subsequent analyses.

8.3 *Demographic and socioeconomic characteristics and negative affect at Phase 1 for respondents to the PSA questionnaire by employment status - Tables 8.3 (1) - (2)*

Tables 8.3 (1) and (2) compare demographic and socioeconomic data and reporting bias (negative affect) at Phase 1 for women and men subdivided according to their employment status and security 1½ years post-privatisation. Negative affect was included in this table because the possible confounding of self-reported health outcomes by this trait was examined in section 8.7.

The tables show that there were no significant differences between the employment categories for marital status or negative affect in either women or men. Significant differences did exist in age between the groups, the secure non-employed - those who had permanently left the labour force - of both sexes being, on average, older than the other groups. The grade structure between the groups was also significantly different among men, due to the higher proportions of Administrative grade men who were secure both in and out of employment. All subsequent analyses were adjusted for age and employment grade so these baseline differences do not affect the post-privatisation findings.

Table 8.3 (1) Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic data and reporting bias* among responders to the PSA Questionnaire

	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p value**
Age in years (SE)	41.7 (0.8)	43.1 (0.8)	50.8 (0.7)	44.5 (1.3)	p < 0.001
N for age	33	35	35	21	
Administrative (highest) grade % (SE)	7.1 (3.8)	0.0	1.1 (1.0)	0.0	
Professional/Executive grade % (SE)	63.1 (6.5)	41.6 (8.5)	26.4 (10.6)	38.6 (10.3)	p = 0.27
Clerical/Support (lowest) grade % (SE)	29.7 (6.4)	58.4 (8.5)	72.6 (10.6)	61.4 (10.3)	
N for grade	33	35	35	21	
Married/Cohabiting % (SE)	47.0 (6.1)	62.8 (8.2)	75.3 (10.3)	59.6 (10.6)	
Single % (SE)	14.4 (5.2)	16.6 (5.2)	21.5 (10.3)	20.4 (8.6)	p = 0.69
Divorced/Separated % (SE)	36.4 (4.5)	15.5 (6.5)	1.1 (1.0)	15.2 (7.9)	
Widowed % (SE)	2.2 (2.1)	5.1 (3.4)	2.1 (1.4)	4.8 (4.2)	
N for marital status	33	35	35	21	
Reporting bias % (SE)	6.0 (4.0)	3.6 (3.3)	5.1 (2.6)	30.7 (10.4)	p = 0.12
N for reporting bias	25	22	23	17	

* reporting bias = negative affect ** for heterogeneity

Table 8.3 (2) Baseline age-adjusted means and percentages (standard error) for demographic and socioeconomic data and reporting bias* among men responders to the PSA Questionnaire

	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p value**
Age in years (SE)	42.6 (0.5)	42.4 (0.5)	51.0 (0.4)	45.6 (0.6)	p < 0.001
N for age	132	120	83	80	
Administrative (highest) grade % (SE)	44.2 (4.6)	28.6 (4.4)	30.7 (5.7)	20.5 (4.4)	
Professional/Executive grade % (SE)	51.6 (4.6)	67.9 (4.6)	64.8 (6.1)	78.2 (4.5)	p = 0.005
Clerical/Support (lowest) grade % (SE)	4.2 (2.1)	3.6 (1.6)	4.5 (3.5)	1.3 (1.3)	
N for grade	131	120	83	80	
Married/Cohabiting % (SE)	89.3 (2.9)	91.0 (2.9)	61.7 (4.4)	82.9 (4.5)	
Single % (SE)	5.7 (1.8)	7.2 (2.4)	6.7 (4.0)	12.2 (3.9)	p = 0.29
Divorced/Separated % (SE)	5.0 (2.3)	1.8 (1.7)	31.3 (2.0)	4.9 (2.3)	
Widowed % (SE)	0.0	0.0	0.4 (0.4)	0.0	
N for marital status	131	120	83	80	
Reporting bias % (SE)	19.4 (4.0)	30.6 (4.8)	18.0 (5.7)	16.0 (4.5)	p = 0.23
N for reporting bias	109	103	73	71	

* reporting bias = negative affect ** for heterogeneity

In all subsequent tables, those in secure employment were used as the reference group in comparative analyses. Results are presented as odds ratios with 95% confidence intervals or adjusted differences with standard errors. The odds ratio for change between baseline and 1½ years post-privatisation for the reference group was 1.0, while the adjusted difference was 0.0. All outcomes are presented adjusted sequentially for age, grade, marital status and baseline value of the variable of interest. Thus, the first outcome presented is adjusted for age, the next for age and grade, then age, grade and marital status and finally age, grade, marital status and baseline value of the variable of interest.

8.4 *Self-reported physical morbidity - Tables 8.4 (1) - 8.4 (7)*

The analyses of all self-reported health status measures were repeated, adjusting for the health-related behaviours measured; smoking, drinking and exercise, as potential confounders. These models produced outcomes little different to those unadjusted for health-related behaviour. As an example, outcomes for health self-rated as average or worse are shown both unadjusted and adjusted for health-related behaviour - Table 8.4 (1). Baseline data on GP consultations in the last year were not collected.

Baseline differences

As expected from the analyses presented in the previous section, in general, there was greater morbidity at baseline among women and men who ended up in the less favourable labour market positions post-privatisation, although tests of heterogeneity between the groups, for most self-reported health measures, were not significant. Tests of heterogeneity were significant for minor psychiatric disorder among women and for health-self-rated as average or worse and health problems in the last year among men. However, as subsequent analyses were adjusted for the baseline value of the health outcome of interest, baseline morbidity did not contribute to health outcomes post-privatisation.

Post-privatisation differences

As at baseline, there was generally greater morbidity post-privatisation among women and men who ended up in less favourable labour market positions, although tests of heterogeneity between the groups were not significant, except for four or more GP consultations in the last year among men. Among women and men not in secure employment the proportions consulting their GP four or more times a year were double or more those among the securely employed.

The proportion of respondents reporting their health as average or worse increased among all groups between baseline and follow-up, except among insecure non-employed men in whom it remained unchanged. Among women in insecure employment the proportion with self-rated health as average or worse was 47.4%. Longstanding illness generally decreased slightly between baseline and follow-up for women and men in employment post-privatisation, but increased for those out of employment. Similarly, sleep patterns were associated with employment, rather than security. Between baseline and follow-up, the proportion sleeping 5 hours or less per night had increased considerably among the employed, while the proportion sleeping 9 hours or more had increased among the non-employed. Conversely, minor psychiatric disorder was associated with security rather than employment. Higher levels of disorder were found among the insecure whether in or out of employment.

Insecure employment

For most of the self-reported measures there was a greater increase in morbidity among women in insecure employment post-privatisation than among securely employed women. The proportion with longstanding illness decreased slightly in both groups, but the proportion among the insecurely employed remained over three times that among the employed. There was a greater increase in the proportion of women sleeping five hours or less on an average week night among the securely employed than among the insecurely employed women. The relative increase in GHQ (12) score among women in insecure employment compared with women in the reference group was significant. Among women

in insecure employment, the proportion who had consulted their GP four or more times in the last year was nearly three times that among women securely employed.

Among men in insecure employment there was a greater increase in morbidity for all self-reported health measures between baseline and follow-up compared with men in secure employment, except for number of health problems in the last year and adverse patterns of sleep. As among women, the relative increase in minor psychiatric morbidity was significant. The proportion of men who consulted their GP four or more times in the last year was double that among securely employed men.

Secure non-employment (permanent exit from the labour force)

Among women permanently out of the labour force, the increase in the proportion rating their health as average or worse was less than for women in secure employment and the number of symptoms in the last fortnight remained unchanged in this group while increasing considerably in the reference group. Health problems in the last year decreased slightly in both the reference and exposure group between baseline and follow-up, but decreased slightly less among women permanently out of the labour force. On the other hand, the proportion of women with a longstanding illness had decreased among securely employed women and increased among women permanently out of the labour force, the relative difference in change between the two groups was highly significant (OR=7.16). GHQ outcome for the non-employed secure women was the same as that for securely employed women. The adjusted relative odds of non-employed secure women consulting their GP four or more times in the last year was 2.3.

Health self-rated as average or worse and symptom score were very similar for men permanently out of the labour force and men in secure employment post-privatisation. The number of health problems in the last year decreased slightly among non-employed secure men relative to controls, while the proportion with longstanding illness increased considerably. Relative to the reference group, sleeping for 5 hours or less on an average

week night had decreased significantly between baseline and follow-up for men permanently out of the labour force, and sleeping 9 hours or more had increased four-fold. GHQ (12) score decreased in both groups of men between baseline and follow-up. From a higher value at baseline the decrease among the non-employed secure men was considerable, making the difference between the two groups post-privatisation minimal. The adjusted relative odds of non-employed secure men consulting their GP four or more times in the last year was 2.2, very similar to that for women in the same position.

Insecure non-employment (unemployment)

From a higher level at baseline, the proportional increase in women who rated their health as average or worse and the increase in symptom score were lower among the unemployed than for women in secure employment. However, the number of health problems and the proportion of women with longstanding illness rose among the insecure non-employed while they dropped among the women in secure employment. The post-privatisation comparisons show that there was a high proportion of women with longstanding illness relative to the reference groups (OR 3.8) among unemployed women. GHQ (12) score increased considerably in this group compared to reference women and the proportion consulting their GP four or more times a year was relatively high.

The proportion of insecure non-employed men with self-rated health average or worse at baseline was high and remained so over time. Thus, although this outcome increased in the reference group the difference between the groups still favoured men in secure employment. Comparisons for symptom score, number of health problems and the proportion with longstanding illness show relative increases among unemployed men which are considerable in the case of symptoms and longstanding illness. The relative increase in GHQ (12) score and the proportion consulting their GP four or more times per year were significant. The only exception to this adverse trend was sleeping five hours or less on an average week night which decreased in this group relative to the reference group.

Table 8.4. (1) 18 months post-privatisation - health self-rated as average or worse

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p-value*
Women	11.6 (4.5)	32.2 (8.5)	34.1 (10.9)	33.7 (10.0)	p=0.32
<i>Number</i>	<i>33</i>	<i>35</i>	<i>35</i>	<i>21</i>	
Men	19.7 (3.7)	15.9 (3.9)	9.1 (4.1)	37.3 (5.5)	p=0.001
<i>Number</i>	<i>131</i>	<i>120</i>	<i>83</i>	<i>80</i>	

*for heterogeneity between the categories

Age-adjusted percentages (se) for subjects 18 months post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p-value*
Women	24.3 (5.9)	47.4 (8.9)	44.6 (4.6)	42.5 (10.0)	p=0.71
Men	25.7 (4.3)	28.2 (4.3)	20.1 (5.5)	36.2 (5.4)	p=0.25

Odds ratios for health self-rated as average or worse 18 months post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed
Women				
<i>age</i>	1.00	1.80 (0.65-4.98)	1.38 (0.39-4.91)	1.66 (0.51-5.45)
<i>+ grade</i>	1.00	1.70 (0.61-4.76)	1.28 (0.36-4.61)	1.54 (0.47-5.15)
<i>+ marital status</i>	1.00	1.61 (0.57-4.57)	1.20 (0.31-4.57)	1.29 (0.38-4.43)
<i>+ baseline self-rated health</i>	1.00	1.52 (0.52-4.51)	0.88 (0.21-3.65)	0.97 (0.27-3.44)
<i>(+ health-related behaviours**)</i>	1.00	1.65 (0.51-5.37)	0.91 (0.19-4.30)	0.92 (0.23-3.64)
Men				
<i>age</i>	1.00	1.41 (0.80-2.47)	1.01 (0.48-2.09)	1.75 (0.93-3.27)
<i>+ grade</i>	1.00	1.38 (0.78-2.45)	1.01 (0.49-2.11)	1.78 (0.93-3.38)
<i>+ marital status</i>	1.00	1.41 (0.79-2.49)	1.03 (0.49-2.17)	1.82 (0.96-3.49)
<i>+ baseline self-rated health</i>	1.00	1.66 (0.89-3.07)	1.02 (0.46-2.24)	1.48 (0.74-2.96)
<i>(+ health-related behaviours**)</i>	1.00	1.72 (0.92-3.23)	1.95 (0.42-2.12)	1.46 (0.72-2.98)

** baseline smoking (% current smokers and number of cigarettes), drinking (non-drinking, 'heavy' drinking and number of units of alcohol/week) and exercise (physical exercise group: none/mild, moderate or vigorous)

Table 8.4. (2) 18 months post-privatisation - mean number of symptoms in the last 14 days

Age-adjusted means (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.64 (0.3)	2.75 (0.7)	3.80 (0.9)	3.28 (0.6)	<i>p= 0.10</i>
<i>Number</i>	25	21	23	18	
Men	1.72 (0.2)	1.89 (0.2)	2.68 (0.4)	2.47 (0.3)	<i>p= 0.21</i>
<i>Number</i>	108	104	73	71	

*for heterogeneity between the categories

Age-adjusted means (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	3.37 (0.4)	5.14 (0.9)	3.73 (0.7)	4.4 (0.7)	<i>p=0.53</i>
Men	2.80 (0.2)	3.19 (0.2)	3.43 (0.4)	3.8 (0.4)	<i>p=0.31</i>

Adjusted differences for mean number of symptoms in the last 14 days - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	0.0	0.70 (0.9) <i>p=0.42</i>	-0.58 (1.0) <i>p=0.56</i>	0.10 (0.9) <i>p=0.91</i>
<i>+ grade</i>	0.0	0.69 (0.9) <i>p=0.43</i>	-0.61 (1.0) <i>p=0.54</i>	0.09 (0.9) <i>p=0.92</i>
<i>+ marital status</i>	0.0	0.44 (0.9) <i>p=0.61</i>	-1.05 (1.0) <i>p=0.31</i>	-0.42 (0.9) <i>p=0.64</i>
<i>+ baseline**</i>	0.0	0.13 (0.8) <i>p=0.88</i>	-1.57 (1.0) <i>p=0.12</i>	-0.83 (0.9) <i>p=0.36</i>
Men				
<i>age</i>	0.0	0.23 (0.3) <i>p=0.49</i>	0.10 (0.4) <i>p=0.82</i>	0.89 (0.4) <i>p=0.02</i>
<i>+ grade</i>	0.0	0.24 (0.3) <i>p=0.49</i>	0.08 (0.4) <i>p=0.85</i>	0.87 (0.4) <i>p=0.03</i>
<i>+ marital status</i>	0.0	0.25 (0.3) <i>p=0.47</i>	0.01 (0.4) <i>p=0.99</i>	0.91 (0.4) <i>p=0.02</i>
<i>+ baseline**</i>	0.0	0.29 (0.3) <i>p=0.35</i>	-0.09 (0.4) <i>p=0.81</i>	0.62 (0.4) <i>p=0.08</i>

** models are hierarchical i.e. these ORs (or Differences) are adjusted for age, grade, marital status and baseline value of the outcome. This footnote applies to all subsequent tables

Table 8.4. (3) 18 months post-privatisation - mean number of health problems in the last year

Age-adjusted means (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.47 (0.2)	1.18 (0.3)	2.16 (1.2)	1.62 (0.2)	<i>p= 0.02</i>
<i>Number</i>	25	22	22	17	
Men	1.09 (0.1)	1.04 (0.1)	1.59 (0.2)	1.54 (0.2)	<i>p=0.001</i>
<i>Number</i>	107	101	73	72	

*for heterogeneity between the categories

Age-adjusted means (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.40 (0.2)	2.13 (0.4)	2.11 (0.6)	2.06 (0.3)	<i>p=0.28</i>
Men	1.23 (0.1)	1.16 (0.1)	1.20 (0.2)	1.63 (0.2)	<i>p=0.16</i>

Adjusted differences in mean number of health problems in the last year - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	0.0	0.70 (0.5) <i>p= 0.15</i>	0.64 (0.6) <i>p= 0.25</i>	0.51 (0.5) <i>p= 0.32</i>
<i>+ grade</i>	0.0	0.71 (0.5) <i>p= 0.14</i>	0.67 (0.6) <i>p= 0.24</i>	0.52 (0.5) <i>p= 0.32</i>
<i>+ marital status</i>	0.0	0.57 (0.5) <i>p= 0.23</i>	0.40 (0.6) <i>p= 0.49</i>	0.22 (0.5) <i>p= 0.66</i>
<i>+ baseline</i>	0.0	0.58 (0.4) <i>p= 0.18</i>	0.13 (0.5) <i>p= 0.80</i>	0.16 (0.5) <i>p= 0.73</i>
Men				
<i>age</i>	0.0	-0.07 (0.2) <i>p= 0.70</i>	0.18 (0.2) <i>p= 0.44</i>	0.39 (0.2) <i>p= 0.06</i>
<i>+ grade</i>	0.0	-0.09 (0.2) <i>p= 0.62</i>	0.18 (0.2) <i>p= 0.45</i>	0.36 (0.2) <i>p= 0.09</i>
<i>+ marital status</i>	0.0	-0.09 (0.2) <i>p= 0.62</i>	0.19 (0.2) <i>p= 0.43</i>	0.37 (0.2) <i>p= 0.08</i>
<i>+ baseline</i>	0.0	-0.05 (0.2) <i>p= 0.78</i>	-0.13 (0.2) <i>p= 0.55</i>	0.18 (0.2) <i>p=0.34</i>

Table 8.4. (4) 18 months post-privatisation - longstanding illness

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	15.6 (6.0)	45.9 (10.1)	21.4 (10.5)	30.2 (11.0)	<i>p= 0.32</i>
<i>Number</i>	<i>25</i>	<i>22</i>	<i>23</i>	<i>17</i>	
Men	32.2 (4.9)	31.9 (4.9)	31.4 (6.2)	29.5 (5.2)	<i>p=0.85</i>
<i>Number</i>	<i>108</i>	<i>104</i>	<i>74</i>	<i>72</i>	

*for heterogeneity between the categories

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	12.9 (5.6)	43.1 (10.9)	39.2 (11.6)	38.9 (9.4)	<i>p= 0.15</i>
Men	31.8 (5.0)	34.6 (5.0)	43.1 (5.9)	38.7 (5.8)	<i>p= 0.51</i>

Odds ratios for longstanding illness - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	3.86 (0.95 - 15.70)	5.34 (1.14 - 25.10)	3.67 (0.83 - 16.16)
<i>+ grade</i>	1.0	3.94 (0.96 - 16.09)	5.70 (1.19 - 27.38)	3.74 (0.85 - 16.54)
<i>+ marital status</i>	1.0	4.13 (0.95 - 17.94)	5.60 (1.07 - 29.28)	3.72 (0.80 - 17.25)
<i>+ baseline</i>	1.0	3.65 (0.81 - 16.55)	7.16 (1.25 - 41.11)	3.84 (0.81 - 18.21)
Men				
<i>age</i>	1.0	1.06 (0.59 - 1.91)	1.62 (0.81 - 3.27)	1.37 (0.72 - 2.61)
<i>+ grade</i>	1.0	1.06 (0.58 - 1.93)	1.56 (0.77 - 3.19)	1.35 (0.70 - 2.60)
<i>+ marital status</i>	1.0	1.10 (0.60 - 2.01)	1.55 (0.76 - 3.18)	1.36 (0.70 - 2.64)
<i>+ baseline</i>	1.0	1.17 (0.62 - 2.23)	1.93 (0.90 - 4.16)	1.48 (0.73 - 2.99)

Table 8.4. (5a) 18 months post-privatisation - Average sleep on weekday night 5 hours or less

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p-value*
Women	4.7 (3.1)	7.8 (5.5)	5.2 (3.1)	0.0	p= 0.72
<i>Number</i>	33	35	35	19	
Men	0.8 (0.8)	1.8 (1.0)	2.3 (1.5)	5.0 (2.5)	p= 0.29
<i>Number</i>	130	120	82	78	

*for heterogeneity between the categories

Age-adjusted percentages (se) for subjects 18 months post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed	p-value*
Women	14.4 (4.5)	12.8 (6.4)	1.1 (1.1)	4.8 (4.4)	p= 0.07
Men	9.8 (2.7)	10.9 (3.0)	1.4 (1.3)	5.4 (2.7)	p= 0.22

Odds ratios for average sleep on a weekday night 5 hours or less - 18 months post-privatisation

Employment status and security	Secure employed	Insecure employed	Secure non-employed	Insecure non-employed
Women				
<i>age</i>	1.0	0.47 (0.11 - 2.06)	0.05 (0.00 - 0.60)	0.15 (0.01 - 1.69)
<i>+ grade</i>	1.0	0.42 (0.09 - 1.95)	0.04 (0.00 - 0.55)	0.13 (0.01 - 1.61)
<i>+ marital status</i>	1.0	0.44 (0.08 - 2.36)	0.03 (0.00 - 0.53)	0.12 (0.01 - 1.88)
<i>+ baseline</i>	1.0	0.23 (0.03 - 2.11)	0.0	0.15 (0.01 - 2.97)
Men				
<i>age</i>	1.0	1.07 (0.48 - 2.36)	0.18 (0.02 - 1.54)	0.49 (0.15 - 1.58)
<i>+ grade</i>	1.0	0.91 (0.40 - 2.04)	0.16 (0.02 - 1.38)	0.40 (0.12 - 1.31)
<i>+ marital status</i>	1.0	0.98 (0.43 - 2.23)	0.11 (0.01 - 1.06)	0.34 (0.10 - 1.18)
<i>+ baseline</i>	1.0	0.88 (0.38 - 2.05)	0.07 (0.01 - 0.74)	0.23 (0.06 - 0.88)

Table 8.4. (5b) 18 months post-privatisation - Average sleep on a weekday night 9hours or more

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	0.0	9.9 (5.8)	1.1 (1.1)	5.8 (5.0)	<i>p= 0.35</i>
<i>Number</i>	33	35	35	19	
Men	1.3 (0.9)	0.0	0.0	0.0	<i>p= 0.33</i>
<i>Number</i>	130	120	82	78	

*for heterogeneity between the categories

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	0.0	5.7 (5.1)	2.9 (2.7)	5.8 (5.0)	<i>p= 0.65</i>
Men	2.5 (1.2)	2.5 (1.9)	3.3 (1.6)	4.9 (2.7)	<i>p= 0.34</i>

Odds ratios for average sleep on a weekday night 9 hours or more - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	<i>small numbers</i>	<i>small numbers</i>	<i>small numbers</i>
<i>+ grade</i>	1.0	<i>small numbers</i>	<i>small numbers</i>	<i>small numbers</i>
<i>+ marital status</i>	1.0	<i>small numbers</i>	<i>small numbers</i>	<i>small numbers</i>
<i>+ baseline</i>	1.0	<i>small numbers</i>	<i>small numbers</i>	<i>small numbers</i>
Men				
<i>age</i>	1.0	0.52 (0.09 - 2.92)	2.98 (0.56 - 15.96)	1.50 (0.31 - 7.12)
<i>+ grade</i>	1.0	0.55 (0.10 - 3.09)	3.18 (0.57 - 17.83)	1.61 (0.32 - 8.02)
<i>+ marital status</i>	1.0	0.59 (0.10 - 3.35)	3.22 (0.55 - 18.79)	1.51 (0.30 - 7.61)
<i>+ baseline</i>	1.0	0.77 (0.12 - 4.82)	4.09 (0.63 - 26.77)	1.91 (0.34 - 10.65)

Table 8.4. (6) 18 months post-privatisation - minor psychiatric disorder - GHQ (12) score

Age-adjusted means (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	0.94 (0.3)	1.88 (0.5)	1.42 (0.4)	2.64 (0.7)	<i>p= 0.05</i>
<i>Number</i>	33	35	34	21	
Men	1.42 (0.2)	1.30 (0.2)	2.34 (0.4)	2.15 (0.4)	<i>p= 0.07</i>
<i>Number</i>	130	118	83	80	

*for heterogeneity between the categories

Age-adjusted means (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.02 (0.3)	3.12 (0.6)	1.01 (0.4)	3.13 (0.8)	<i>p= 0.44</i>
Men	1.12 (0.2)	2.62 (0.4)	0.91 (0.3)	2.62 (0.4)	<i>p= 0.13</i>

Adjusted differences for minor psychiatric disorder (GHQ 12) score - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	0.0	1.85 (0.7) <i>p= 0.01</i>	0.49 (0.9) <i>p= 0.58</i>	1.85 (0.8) <i>p= 0.03</i>
<i>+ grade</i>	0.0	1.84 (0.7) <i>p= 0.01</i>	0.48 (0.9) <i>p= 0.60</i>	1.84 (0.8) <i>p= 0.03</i>
<i>+ marital status</i>	0.0	1.80 (0.7) <i>p= 0.02</i>	0.36 (1.0) <i>p= 0.71</i>	1.82 (0.9) <i>p= 0.04</i>
<i>+ baseline</i>	0.0	1.56 (0.7) <i>p= 0.03</i>	-0.0 (0.9) <i>p= 1.0</i>	1.31 (0.9) <i>p=0.13</i>
Men				
<i>age</i>	0.0	1.55 (0.4) <i>p<0.001</i>	0.19 (0.5) <i>p=0.67</i>	1.51 (0.4) <i>p<0.001</i>
<i>+ grade</i>	0.0	1.55 (0.4) <i>p<0.001</i>	0.19 (0.5) <i>p=0.67</i>	1.52 (0.4) <i>p<0.001</i>
<i>+ marital status</i>	0.0	1.59 (0.4) <i>p<0.001</i>	0.15 (0.5) <i>p=0.74</i>	1.55 (0.4) <i>p<0.001</i>
<i>+ baseline</i>	0.0	1.58 (0.3) <i>p<0.001</i>	0.02 (0.4) <i>p=0.96</i>	1.27 (0.4) <i>p<0.002</i>

Table 8.4. (7) 18 months post-privatisation - 4 or more GP consultation in the last year

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	22.1 (5.8)	59.2 (8.2)	42.3 (10.8)	47.5 (9.6)	<i>p= 0.20</i>
<i>Number</i>	<i>33</i>	<i>35</i>	<i>35</i>	<i>21</i>	
Men	9.6 (2.9)	20.0 (4.3)	21.3 (5.7)	25.1 (4.8)	<i>p=0.04</i>
<i>Number</i>	<i>130</i>	<i>120</i>	<i>83</i>	<i>80</i>	

*for heterogeneity between the categories

Odds ratios for 4 or more GP consultations in the last year - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	2.99 (1.06 - 8.44)	2.65 (0.77 - 9.15)	2.24 (0.68 - 7.38)
<i>+ grade</i>	1.0	2.80 (0.98 - 7.98)	2.41 (0.69 - 8.48)	2.05 (0.61 - 6.85)
<i>+ marital status</i>	1.0	2.71 (0.94 - 7.80)	2.32 (0.62 - 8.69)	1.79 (0.52 - 6.11)
Men				
<i>age</i>	1.0	2.20 (1.00 - 4.85)	2.00 (0.83 - 4.85)	3.18 (1.41 - 7.16)
<i>+ grade</i>	1.0	2.22 (1.00 - 4.94)	2.04 (0.85 - 4.93)	3.31 (1.47 - 7.51)
<i>+ marital status</i>	1.0	2.00 (0.89 - 4.49)	2.21 (0.90 - 5.43)	2.99 (1.30 - 6.87)

8.5 *Personal, Financial and Psychosocial measures - Tables 8.5 (1) - 8.5 (5b)*

Fatalism with regard to health, divorce or separation post-privatisation (among those married or cohabiting at baseline), and number of adverse life events were investigated, however, the numbers in each employment status group were too small for meaningful analysis. Comparisons of the number of problems with money for food, clothes and bills for the different employment status groups are presented adjusted for age, grade, marital status and baseline financial problems. Analyses of the characteristics of the work environment were restricted to those in employment. The analyses examined those who had changed tertile between baseline and 18 months post-privatisation, see Chapter 5, section 5, adjusted for age, grade and marital status. No baseline differences are presented for these variables.

Baseline differences

Baseline differences between the groups in number of problems with money for food, clothes and bills were small.

Post-privatisation differences

Problems with money for food, clothes and bills had generally decreased between baseline and follow-up but those not in secure employment, apart from women permanently out of the labour force, had more problems than the securely employed.

Insecure employment

Insecurely employed women and men had more problems with money post-privatisation than securely employed women and men.

Compared with women in secure employment, none of the changes in characteristics of the work environment between baseline and follow-up were significant. Job demands decreased considerably for women in insecure employment compared with women securely employed.

A comparatively greater proportion of men in insecure employment had lost social support at work and a significantly greater proportion had lost authority over decision making compared with the reference group. The proportion of men in insecure employment who experienced adverse change in skill discretion between baseline and follow-up was considerably larger than the proportion among the securely employed ($p=0.07$), and the proportion who experienced beneficial change was significantly less. Both the proportions of men who experienced adverse changes in job demands and beneficial changes in job demands were greater among men in insecure employment compared with men in secure employment.

Secure non-employment (permanent exit from the labour force)

Comparisons between women permanently out of the labour force and women in secure employment showed the two groups to be very similar with respect to problems with money post-privatisation, although men permanently out of the labour force had comparatively more problems than men in the reference group.

Insecure non-employment (unemployment)

Compared with women in secure employment, unemployed women have considerably more problems with money post-privatisation, while unemployed men have significantly more problems relative to the reference group.

Table 8.5. (1) 18 months post-privatisation - number of money problems: food, clothes and bills

Age-adjusted means (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.3 (0.22)	2.1 (0.44)	1.0 (0.44)	1.5 (0.51)	<i>p</i> = 0.42
<i>Number</i>	25	22	23	18	
Men	1.8 (0.17)	2.1 (0.20)	2.8 (0.21)	1.9 (0.27)	<i>p</i> = 0.31
<i>Number</i>	109	103	73	73	

*for heterogeneity between the categories

Age-adjusted means (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	1.1 (0.20)	1.8 (0.45)	1.1 (0.51)	1.8 (0.47)	<i>p</i> = 0.71
Men	0.8 (0.11)	1.2 (0.19)	1.7 (0.21)	1.4 (0.21)	<i>p</i> =0.22

Adjusted differences in number of money problems with food, clothes and bills - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	0.0	0.73(0.50) <i>p</i> = 0.15	0.12(0.57) <i>p</i> =0.83	0.73(0.53) <i>p</i> =0.17
<i>+ grade</i>	0.0	0.71(0.50) <i>p</i> = 0.16	0.05(0.58) <i>p</i> =0.94	0.71(0.53) <i>p</i> =0.19
<i>+ marital status</i>	0.0	0.58(0.47) <i>p</i> = 0.21	0.04(0.56) <i>p</i> =0.94	0.60(0.50) <i>p</i> =0.24
<i>+ baseline</i>	0.0	0.40(0.45) <i>p</i> =0.38	0.19(0.54) <i>p</i> =0.73	0.64(0.49) <i>p</i> =0.19
Men				
<i>age</i>	0.0	0.32(0.20) <i>p</i> =0.11	0.09(0.25) <i>p</i> =0.71	0.62(0.23) <i>p</i> =0.006
<i>+ grade</i>	0.0	0.32(0.20) <i>p</i> =0.11	0.08(0.25) <i>p</i> =0.74	0.61(0.22) <i>p</i> =0.008
<i>+ marital status</i>	0.0	0.31(0.20) <i>p</i> =0.12	0.10(0.25) <i>p</i> =0.70	0.65(0.22) <i>p</i> =0.005
<i>+ baseline</i>	0.0	0.20(0.18) <i>p</i> =0.26	0.28(0.23) <i>p</i> =0.22	0.58(0.20) <i>p</i> =0.004

Table 8.5. (2a) Adverse change in social support at work between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	40.5 (7.7)	40.6 (8.1)	<i>p= 0.70</i>
<i>Number</i>	32	34	
Men	37.1 (4.3)	46.7 (4.7)	<i>p= 0.13</i>
<i>Number</i>	120	110	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	0.81 (0.29 - 2.27)
<i>+ grade</i>	1.0	0.79 (0.28 - 2.27)
<i>+ marital status</i>	1.0	0.74 (0.25 - 2.23)
Men		
<i>age</i>	1.0	1.51 (0.89 - 2.58)
<i>+ grade</i>	1.0	1.58 (0.92 - 2.73)
<i>+ marital status</i>	1.0	1.61 (0.93 - 2.78)

Table 8.5 (2b) Beneficial change in social support at work between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	16.0 (5.8)	17.5 (6.5)	<i>p</i> = 0.98
<i>Number</i>	32	34	
Men	24.4 (3.8)	16.3 (3.4)	<i>p</i> = 0.12
<i>Number</i>	120	110	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	0.98 (0.27 - 3.58)
<i>+ grade</i>	1.0	1.07 (0.28 - 4.05)
<i>+ marital status</i>	1.0	1.35 (0.34 - 5.45)
Men		
<i>age</i>	1.0	0.59 (0.31 - 1.15)
<i>+ grade</i>	1.0	0.58 (0.29 - 1.14)
<i>+ marital status</i>	1.0	0.58 (0.29 - 1.14)

Table 8.5. (3a) Adverse change in decision authority between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	23.3 (6.0)	26.1 (6.6)	<i>p= 0.95</i>
<i>Number</i>	<i>33</i>	<i>34</i>	
Men	15.6 (8.1)	27.8 (4.1)	<i>p= 0.02</i>
<i>Number</i>	<i>130</i>	<i>116</i>	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	1.04 (0.34 - 3.17)
<i>+ grade</i>	1.0	1.08 (0.35 - 3.37)
<i>+ marital status</i>	1.0	1.12 (0.33 - 3.80)
Men		
<i>age</i>	1.1	2.13 (1.13 - 4.02)
<i>+ grade</i>	1.0	2.03 (1.06 - 3.87)
<i>+ marital status</i>	1.0	2.06 (1.08 - 3.95)

Table 8.5 (3b) Beneficial change in decision authority between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	30.7 (7.1)	32.7 (7.4)	<i>p</i> = 0.97
<i>Number</i>	33	34	
Men	35.5 (4.1)	28.1 (4.1)	<i>p</i> =0.34
<i>Number</i>	130	116	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	1.02 (0.36 - 2.94)
<i>+ grade</i>	1.0	1.08 (0.37 - 3.15)
<i>+ marital status</i>	1.0	1.18 (0.38 - 3.68)
Men		
<i>age</i>	1.0	0.77 (0.44 - 1.32)
<i>+ grade</i>	1.0	0.78 (0.45 - 1.35)
<i>+ marital status</i>	1.0	0.79 (0.45 - 1.38)

Table 8.5. (4a) Adverse change in skill discretion between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	14.4 (5.9)	11.6 (5.4)	<i>p</i> = 0.62
<i>Number</i>	32	34	
Men	17.5 (3.3)	26.9 (3.9)	<i>p</i> = 0.07
<i>Number</i>	131	116	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	0.68 (0.16 - 2.94)
<i>+ grade</i>	1.0	0.61 (0.14 - 2.75)
<i>+ marital status</i>	1.0	0.57 (0.12 - 2.73)
Men		
<i>age</i>	1.0	1.76 (0.95 - 3.26)
<i>+ grade</i>	1.0	1.82 (0.97 - 3.42)
<i>+ marital status</i>	1.0	1.88 (1.00 - 3.56)

Table 8.5. (4b) Beneficial change in skill discretion between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	30.8 (7.4)	24.4 (6.9)	<i>p</i> = 0.57
<i>Number</i>	32	34	
Men	23.4 (3.7)	11.0 (2.9)	<i>p</i> = 0.01
<i>Number</i>	131	116	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	0.72 (0.24 - 2.19)
<i>+ grade</i>	1.0	0.67 (0.22 - 2.10)
<i>+ marital status</i>	1.0	0.79 (0.24 - 2.68)
Men		
<i>age</i>	1.0	0.40 (0.20 - 0.82)
<i>+ grade</i>	1.0	0.41 (0.20 - 0.83)
<i>+ marital status</i>	1.0	0.41 (0.20 - 0.85)

Table 8.5. (5a) Adverse change in job demands between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	54.7 (7.3)	36.4 (8.2)	<i>p</i> = 0.08
<i>Number</i>	32	33	
Men	23.1 (3.7)	29.3 (4.1)	<i>p</i> = 0.29
<i>Number</i>	129	116	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	0.37 (0.13 - 1.09)
<i>+ grade</i>	1.0	0.33 (0.11 - 1.01)
<i>+ marital status</i>	1.0	0.38 (0.12 - 1.18)
Men		
<i>age</i>	1.0	1.38 (0.77 - 2.46)
<i>+ grade</i>	1.0	1.40 (0.77 - 2.53)
<i>+ marital status</i>	1.0	1.44 (0.79 - 2.63)

Table 8.5. (5b) Beneficial change in job demands between baseline and 18 months post-privatisation

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>p-value*</i>
Women	13.7 (5.6)	23.2 (6.6)	<i>p</i> = 0.48
<i>Number</i>	32	33	
Men	22.6 (3.7)	27.3 (4.1)	<i>p</i> = 0.40
<i>Number</i>	129	116	

*for heterogeneity between the categories

Odds ratios, insecure employed compared with secure employed, 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>
Women		
<i>age</i>	1.0	1.63 (0.44 - 6.00)
<i>+ grade</i>	1.0	2.01 (0.51 - 7.84)
<i>+ marital status</i>	1.0	1.85 (0.43 - 8.01)
Men		
<i>age</i>	1.0	1.29 (0.72 - 2.31)
<i>+ grade</i>	1.0	1.35 (0.74 - 2.45)
<i>+ marital status</i>	1.0	1.32 (0.72 - 2.42)

Comparisons between respondents in the reference group (secure employed) and the exposure groups (insecure employed, secure non-employed and insecure non-employed) for all health-related behaviours were adjusted as described in Chapter 6.5.

Baseline differences

The proportions of non-drinkers were greater and the proportions of 'heavy' drinkers smaller at baseline among women who were in insecure employment and women permanently out of the labour force post-privatisation than among women in the other two groups. At baseline, the proportion of non-drinkers among women securely employed post-privatisation was the least, and the proportion of 'heavy' drinkers among women unemployed post-privatisation was the greatest. Smoking was more prevalent at baseline among women who were insecure post-privatisation. The smallest proportion of smokers at baseline was among women who were permanently out of the labour force post-privatisation. Taking little or no exercise was more prevalent at baseline among women who were insecure post-privatisation. A very small proportion of women who were securely employed post-privatisation took little or no exercise. Unsurprisingly, this group of women also contained the largest proportion of women who did vigorous exercise.

The proportion of non-drinkers was smallest and the proportion of 'heavy' drinkers was greatest at baseline among men who were in secure employment post-privatisation, although differences between all the groups were small. Among men, smoking at baseline was least among those in secure employment post-privatisation and greatest among men permanently out of the labour force. A greater proportion of men who were permanently out of the labour force post-privatisation took little or no exercise at baseline and a smaller proportion did vigorous exercise than in any other group.

Post-privatisation differences

18 months after the privatisation non-drinking had decreased among women in secure employment and increased among unemployed women. 'Heavy' drinking had increased in all groups of women, but was considerably lower among women in insecure employment and among the secure non-employed. Smoking increased considerably among women permanently out of the labour force. The proportion of women taking little or no exercise increased in all groups, except the secure non-employed, while vigorous exercise increased in all groups, except among those in insecure employment.

The proportion of non-drinkers 18 months after the privatisation had increased among both groups of men who were insecure. Conversely 'heavy' drinking had increased in all groups except the secure non-employed among whom the proportion had decreased. The proportion of smokers decreased in all groups of men, the smallest decrease was among men in secure employment. Proportions of men taking none or only mild exercise increased in all groups, while the proportion of men taking vigorous exercise decreased.

Insecure employment

Non-drinking was significantly higher among women insecurely employed post-privatisation and the relative increase in 'heavy' drinking was much less than for women in secure employment. Insecurely employed women were more likely to be smokers than women in secure employment post-privatisation. The likelihood of taking none or only mild exercise for women in insecure employment was considerably less, and taking vigorous exercise slightly greater post-privatisation than for women in secure employment.

Post-privatisation, the likelihood of non-drinking was less among men in insecure employment, although increases in 'heavy' drinking were similar in both employed groups. Smoking decreased among men in insecure employment post-privatisation relative to men in secure employment. No differences were seen in exercise patterns between the two groups.

Secure non-employment (permanent exit from the labour force)

Relative to those in secure employment, the odds for non-drinking among secure non-employed women post-privatisation were high (OR=3.9), but the increase in 'heavy' drinking post-privatisation was relatively low. Women permanently out of the labour force smoked considerably more than the reference group, while the odds of taking none or only mild exercise were significantly less and taking vigorous exercise considerably greater post-privatisation than among women in secure employment.

The likelihood of non-drinking post-privatisation was slightly higher, and the likelihood of 'heavy' drinking much lower among secure non-employed men compared with those in secure employment. Men permanently out of the labour force smoked twice as much as the reference group and the odds of taking none or only mild exercise were slightly less, and taking vigorous exercise considerably greater post-privatisation than among men in secure employment.

Insecure non-employment (unemployment)

Relative to those in secure employment, the odds for non-drinking post-privatisation among insecure non-employed women were very high (OR=4.4), while the odds for 'heavy' drinking were fairly low. Smoking among insecure non-employed women decreased relative to controls between baseline and follow-up. Considerably fewer unemployed women took little or no exercise at follow-up and considerably more (OR=3.9) took vigorous exercise post-privatisation than women in secure employment.

Among men post-privatisation the likelihood of non-drinking was less among unemployed men than among the securely employed. 'Heavy' drinking showed no differences between the two groups. Changes in smoking for men in secure employment relative to unemployed men were very similar. Unemployed men were less likely to take little or no exercise and more likely to take vigorous exercise post-privatisation than men in secure employment.

Table 8.6. (1a) 18 months post-privatisation - alcohol consumption - non-drinkers

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	15.7 (5.3)	42.6 (7.7)	43.7 (4.6)	24.0 (8.5)	<i>p= 0.67</i>
<i>Number</i>	32	35	34	21	
Men	10.3 (3.0)	12.6 (3.6)	12.8 (4.5)	12.2 (3.7)	<i>p=0.91</i>
<i>Number</i>	131	118	83	80	

*for heterogeneity between the categories

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	12.3 (4.9)	43.2 (9.0)	39.6 (4.3)	33.1 (9.7)	<i>p= 0.10</i>
Men	11.1 (2.8)	14.5 (3.9)	12.6 (3.8)	17.7 (5.5)	<i>p=0.64</i>

Odds ratios for non-drinking 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	4.26 (1.32 - 13.78)	2.44 (0.59 - 10.16)	2.97 (0.77 - 11.40)
<i>+ grade</i>	1.0	3.82 (1.16 - 12.58)	2.05 (0.48 - 8.80)	2.58 (0.66 - 10.16)
<i>+ marital status</i>	1.0	4.46 (1.28 - 15.62)	2.95 (0.63 - 13.89)	3.19 (0.77 - 13.23)
<i>+ baseline**</i>	1.0	5.23 (1.35 - 20.22)	3.90 (0.74 - 20.50)	4.39 (0.95 - 20.20)
Men				
<i>age</i>	1.0	0.80 (0.36 - 1.78)	1.49 (0.61 - 3.66)	1.00 (0.42 - 2.37)
<i>+ grade</i>	1.0	0.73 (0.33 - 1.63)	1.47 (0.60 - 3.59)	0.88 (0.37 - 2.12)
<i>+ marital status</i>	1.0	0.73 (0.33 - 1.64)	1.45 (0.59 - 3.59)	0.86 (0.36 - 2.08)
<i>+ baseline**</i>	1.0	0.68 (0.27 - 1.73)	1.32 (0.46 - 3.81)	0.84 (0.30 - 2.31)

** Non-drinkers include those with 0 units/week, ex-drinkers and special occasions only

Table 8.6. (1b) 18 months post-privatisation -alcohol consumption - 15 or more units / week (women), 22 or more units / week (men)

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	4.2 (2.9)	0.0	1.2 (1.2)	4.6 (4.2)	<i>p= 0.57</i>
<i>Number</i>	32	35	34	21	
Men	12.5 (2.5)	8.5 (2.2)	11.3 (4.9)	11.2(3.6)	<i>p= 0.65</i>
<i>Number</i>	131	118	83	80	

*for heterogeneity between the groups

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	11.4 (4.7)	2.3 (2.2)	2.4 (1.6)	9.8 (6.2)	<i>p= 0.38</i>
Men	19.5 (3.5)	13.8 (2.8)	6.6 (2.2)	17.4 (4.3)	<i>p= 0.73</i>

Odds ratios for 15 or more units/week (women), 22 or more units/week (men) - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	0.16 (0.02 - 1.50)	0.42 (0.05 - 3.78)	0.61 (0.10 - 3.71)
<i>+ grade</i>	1.0	0.20 (0.02 - 1.89)	0.62 (0.06 - 6.41)	0.81 (0.13 - 5.12)
<i>+ marital status</i>	1.0	0.19 (0.02 - 1.84)	0.46 (0.04 - 5.55)	0.77 (0.11 - 5.28)
<i>+ baseline</i>	1.0	0.37 (0.03 - 4.22)	0.39 (0.02 - 8.72)	0.69 (0.05 - 8.90)
Men				
<i>age</i>	1.0	0.72 (0.38 - 1.37)	0.68 (0.28 - 1.67)	0.84 (0.41 - 1.75)
<i>+ grade</i>	1.0	0.82 (0.45 - 1.57)	0.70 (0.28 - 1.74)	1.04 (0.49 - 2.21)
<i>+ marital status</i>	1.0	0.83 (0.43 - 1.60)	0.68 (0.27 - 1.69)	1.01 (0.48 - 2.15)
<i>+ baseline</i>	1.0	0.95 (0.46 - 1.96)	0.62 (0.23 - 1.71)	1.01 (0.46 - 1.45)

Table 8.6. (2) 18 months post-privatisation - smoking

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	8.5 (3.8)	21.8 (6.4)	7.7 (3.2)	14.8 (7.1)	<i>p= 0.28</i>
<i>Number</i>	33	35	35	21	
Men	7.2 (2.3)	12.5 (3.6)	36.2 (5.1)	13.0 (3.9)	<i>p= 0.43</i>
<i>Number</i>	131	120	83	80	

*for heterogeneity between the groups

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	10.6 (4.2)	21.8 (6.4)	21.6 (4.1)	9.8 (6.2)	<i>p= 0.37</i>
Men	6.1 (2.2)	6.5 (2.5)	31.3 (4.1)	10.6 (3.6)	<i>p= 0.20</i>

Odds ratios for smoking - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	1.94 (0.54 - 7.03)	0.69 (0.10 - 4.62)	0.54 (0.09 - 3.36)
<i>+ grade</i>	1.0	1.88 (0.51 - 6.88)	0.64 (0.09 - 4.40)	0.49 (0.08 - 3.13)
<i>+ marital status</i>	1.0	2.02 (0.54 - 7.53)	0.77 (0.11 - 5.57)	0.56 (0.09 - 3.58)
<i>+ baseline**</i>	1.0	1.30 (0.17 - 9.81)	1.79 (0.11 - 30.62)	0.58 (0.04 - 8.44)
Men				
<i>age</i>	1.0	0.85 (0.30 - 2.37)	3.54 (1.05 - 11.89)	2.03 (0.72 - 5.71)
<i>+ grade</i>	1.0	0.71 (0.24 - 2.08)	3.41 (1.01 - 11.44)	1.93 (0.66 - 5.62)
<i>+ marital status</i>	1.0	0.74 (0.25 - 2.15)	3.08 (0.89 - 10.63)	1.88 (0.64 - 5.53)
<i>+ baseline**</i>	1.0	0.73 (0.14 - 3.73)	2.09 (0.25 - 17.13)	1.08 (0.15 - 7.95)

** % smokers and number of cigarettes smoked per day

Table 8.6. (3a) 18 months post-privatisation - takes none or only mild exercise in an average week

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	4.7 (3.2)	34.5 (8.8)	22.4 (4.9)	37.2 (9.4)	<i>p</i> = 0.03
<i>Number</i>	33	34	33	21	
Men	3.6 (1.9)	6.9 (3.0)	26.1 (1.6)	7.0 (3.1)	<i>p</i> = 0.78
<i>Number</i>	131	120	82	80	

*for heterogeneity between the groups

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	24.8 (6.0)	46.3 (5.7)	14.0 (0.4)	38.4 (10.5)	<i>p</i> = 0.34
Men	12.3 (2.9)	15.2 (3.8)	30.6 (3.9)	13.7 (3.9)	<i>p</i> = 0.99

Odds ratios for little or no exercise 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	0.92 (3.33 - 2.60)	0.31 (0.08 - 1.24)	0.84 (0.25 - 2.86)
<i>+ grade</i>	1.0	0.81 (0.28 - 2.35)	0.26 (0.07 - 1.07)	0.72 (0.20 - 2.52)
<i>+ marital status</i>	1.0	0.76 (0.26 - 2.28)	0.23 (0.05 - 1.04)	0.79 (0.22 - 2.84)
<i>+ baseline</i>	1.0	0.42 (0.12 - 1.47)	0.09 (0.02 - 0.54)	0.44 (0.10 - 1.91)
Men				
<i>age</i>	1.0	1.04 (0.50 - 2.17)	0.87 (0.32 - 2.35)	1.01 (0.43 - 2.38)
<i>+ grade</i>	1.0	0.99 (0.46 - 2.12)	0.87 (0.32 - 2.37)	1.05 (0.44 - 2.54)
<i>+ marital status</i>	1.0	0.99 (0.46 - 2.13)	0.84 (0.31 - 2.30)	1.02 (0.42 - 2.46)
<i>+ baseline</i>	1.0	1.00 (0.45 - 2.21)	0.82 (0.28 - 2.39)	0.89 (0.35 - 2.28)

Table 8.6. (3b) 18 months post-privatisation - does 1 hour or more of vigorous exercise in an average week

Age-adjusted percentages (se) for subjects at Phase 1 (baseline) according to employment status post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	33.8 (6.3)	27.2 (7.8)	10.9 (4.2)	28.5 (9.7)	<i>p= 0.48</i>
<i>Number</i>	33	34	33	21	
Men	63.3 (4.6)	60.8 (5.0)	44.5 (5.9)	56.0 (5.5)	<i>p= 0.79</i>
<i>Number</i>	131	120	82	80	

*for heterogeneity between the groups

Age-adjusted percentages (se) for subjects 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>	<i>p-value*</i>
Women	45.6 (5.2)	16.9 (5.6)	23.5 (10.6)	38.4 (10.5)	<i>p=0.47</i>
Men	45.4 (4.8)	41.9 (4.9)	43.6 (6.1)	52.3 (6.1)	<i>p=0.34</i>

Odds ratios for 1 hour or more of vigorous exercise - 18 months post-privatisation

<i>Employment status and security</i>	<i>Secure employed</i>	<i>Insecure employed</i>	<i>Secure non-employed</i>	<i>Insecure non-employed</i>
Women				
<i>age</i>	1.0	0.75 (0.24 - 2.34)	0.97 (0.23 - 3.99)	1.96 (0.58 - 6.61)
<i>+ grade</i>	1.0	0.81 (0.26 - 2.58)	1.12 (0.26 - 4.76)	2.25 (0.65 - 7.80)
<i>+ marital status</i>	1.0	0.90 (0.27 - 2.98)	1.20 (0.25 - 5.69)	2.68 (0.74 - 9.68)
<i>+ baseline</i>	1.0	1.15 (0.31 - 4.26)	1.79 (0.33 - 9.70)	3.94 (0.91 - 17.08)
Men				
<i>age</i>	1.0	0.90 (0.55 - 1.49)	1.54 (0.81 - 2.93)	1.35 (0.77 - 2.40)
<i>+ grade</i>	1.0	0.91 (0.55 - 1.51)	1.54 (0.81 - 2.94)	1.33 (0.74 - 2.39)
<i>+ marital status</i>	1.0	0.91 (0.55 - 1.50)	1.57 (0.82 - 3.01)	1.32 (0.74 - 2.37)
<i>+ baseline</i>	1.0	0.94 (0.54 - 1.62)	1.80 (0.88 - 3.71)	1.64 (0.86 - 3.12)

8.7 Reporting bias and potential mediators of health outcomes - Tables 8.7 (1) - 8.7 (5)

Of the financial and psychosocial factors measured, those which differed significantly compared with the reference group were found among insecure men. Men in insecure employment experienced a significant relative loss of skill discretion and an adverse change in decision authority compared with the reference group, while unemployed men had significantly more problems with food, bills and clothes. With regard to the health-related behaviours, a significantly greater proportion of women in insecure employment were non-drinkers compared with women in secure employment, and a significantly smaller proportion of women permanently out of the labour force took little or no exercise compared with securely employed women.

1½ years post-privatisation four morbidity measures were significantly elevated among respondents in less favourable labour market positions relative to respondents in the reference group. Among women, longstanding illness increased significantly among women permanently out of the labour force and GHQ score among women in insecure employment. For men, significant decreases were seen in sleeping 5 hours or less per night among the non-employed, both secure and insecure. GHQ score increased significantly among insecure men, both employed and non-employed, and the proportions of men consulting their GP four or more times in the last year was significant for unemployed men relative to those in secure employment. As all the health measures were self-reports, the effect of adjusting for reporting bias was included in the re-analysis of these outcomes.

Reporting bias

Adjustment for reporting bias explained less than 10% of the difference in all the health outcomes.

Possible mediators of changes in morbidity

In general, adjustment for the potential mediating factors explained less than 10% of the difference in health outcomes, with some exceptions. Adjustment for problems with paying for food, clothes and bills increased the odds of longstanding illness among women permanently out of the labour market by 20.8%. However, the same variable explained 26.3% of the difference in sleeping 5 hours or less in an average night among unemployed men, in addition to 12.8% and 14.6% of the difference in GHQ score among insecure women, employed and non-employed respectively. Adjustment for non-drinking among women in insecure employment statistically explained 35.4% of the difference in longstanding illness, but held little explanatory power in any other group, or for any other health measure. Exercise explained at most 6.0% of the difference for any outcome in any group.

Among the employed, adjustment for characteristics of the work environment tended to increase the odds of longstanding illness among women in insecure employment and 4 or more GP consultations in the last year. Increases ranged from 12.1 to 22.1%.

Adjustment for reporting bias and all the potential mediators combined statistically explained: 58.3% of the difference in longstanding illness among women in insecure employment; 21.8% of the difference in sleeping 5 hours or less on an average week night among men insecurely non-employed; 33.3% of the difference in GHQ (12) score among women in insecure employment, and 49.3% among unemployed women; and potentiated effects for four or more GP consultations in the last year among men in insecure employment by 11.9%.

Table 8.7 (1) Effect of reporting bias and potential mediators on longstanding illness - women

	Insecure employed			Secure non-employed			Insecure non-employed		
	OR	OR+	change*	OR	OR+	change*	OR	OR+	change*
(1)	3.64	3.34	-6.8%	7.03	7.51	3.4%	3.50	3.43	-1.7%
(2)	3.65	3.22	-9.8%	7.16	10.79	20.8%	3.84	4.11	4.9%
(3)	3.61	2.29	-35.4%	6.62	5.81	-7.0%	3.88	3.73	-2.8%
(4)	3.65	3.75	2.1%	7.16	8.07	6.0%	3.84	4.02	3.3%
(5)	3.15	3.62	12.1%						
(6)	5.80	8.31	20.5%						
(7)	5.80	8.55	22.1%						
(8)	3.64	1.72	-58.3%	7.03	7.29	1.8%	3.50	3.47	-0.7%

Table 8.7 (2) Effect of reporting bias and potential mediators on sleep 5 hrs or less / average week night - men

	Secure non-employed			Insecure non-employed		
	OR	OR+	change*	OR	OR+	change*
(1)	0.08	0.08	1.0%	0.19	0.17	-8.9%
(2)	0.08	0.08	0.5%	0.19	0.12	-26.3%
(3)	0.07	0.06	-4.3%	0.23	0.23	0.2%
(4)	0.07	0.06	-2.9%	0.23	0.24	3.8%
(8)	0.08	0.06	-10.0%	0.19	0.13	-21.8%

Key:- (1) + adjusted for reporting bias (negative affect) at Phase 1
 (2) + adjusted for insufficient money for food, clothes and bills at Phase 1 and 18 months post-privatisation
 (3) + adjusted for non-drinking at Phase 1 and 18 months post-privatisation
 (4) + adjusted for none/mild exercise at Phase 1 and 18 months post-privatisation
 (5) + adjusted for decision authority at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (6) + adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (7) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and 18 months post-privatisation
 (8) + adjusted for reporting bias and all potential mediators, for the non-employed this does not include characteristics of the work environment
 * % change in the log of the odds ratio, adjusted compared with unadjusted

Table 8.7 (3) Effect of reporting bias and potential mediators on 4 or more GP consultations in the last year - men

	Insecure employed			Secure non-employed			Insecure non-employed		
	OR	OR+	change*	OR	OR+	change*	OR	OR+	change*
(1)	1.93	1.93	0.2%	2.52	2.53	0.4%	2.41	2.40	-0.4%
(2)	1.93	1.94	1.2%	2.53	2.74	8.2%	2.31	2.47	7.9%
(3)	1.92	1.95	2.8%	2.19	2.13	-3.7%	2.99	3.03	1.2%
(4)	2.00	1.96	-2.4%	2.26	2.32	3.1%	2.98	2.97	-0.2%
(5)	1.99	2.15	11.3%						
(6)	1.99	2.07	5.7%						
(7)	2.16	2.52	20.3%						
(8)	1.93	1.93	-0.3%	2.53	2.63	4.6%	2.41	2.67	11.9%

Key:- (1) + adjusted for reporting bias (negative affect) at Phase 1
 (2) + adjusted for insufficient money for food, clothes and bills at Phase 1 and 18 months post-privatisation
 (3) + adjusted for non-drinking at Phase 1 and 18 months post-privatisation
 (4) + adjusted for none/mild exercise at Phase 1 and 18 months post-privatisation
 (5) + adjusted for decision authority at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (6) + adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (7) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and 18 months post-privatisation
 (8) + adjusted for reporting bias and all potential mediators, for the non-employed this does not include characteristics of the work environment
 * % change in the log of the odds ratio, adjusted compared with unadjusted

Table 8.7 (4a) Effect of reporting bias and potential mediators on GHQ (12) score - women

	Insecure employed			Insecure non-employed		
	Diff	Diff+	change*	Diff	Diff+	change*
(1)	1.695	1.701	0.4%	1.237	1.280	3.5%
(2)	1.698	1.481	-12.8%	1.159	0.990	-14.6%
(3)	1.556	1.536	-1.3%	1.307	1.231	-5.8%
(4)	1.342	1.310	-2.4%	1.325	1.286	-2.9%
(5)	1.654	1.561	-5.6%			
(6)	1.623	1.493	-8.0%			
(7)	1.623	1.462	-9.9%			
(8)	1.695	1.131	-33.3%	1.237	0.627	-49.3%

Table 8.7 (4b) Effect of reporting bias and potential mediators on GHQ (12) score - men

	Insecure employed			Insecure non-employed		
	Diff	Diff+	change*	Diff	Diff+	change*
(1)	1.327	1.359	2.4%	1.213	1.195	-1.5%
(2)	1.327	1.294	-2.5%	1.178	1.166	-1.0%
(3)	1.611	1.632	1.3%	1.271	1.294	1.8%
(4)	1.587	1.604	1.1%	1.273	1.308	2.7%
(5)	1.614	1.512	-6.3%			
(6)	1.619	1.688	4.3%			
(7)	1.619	1.630	0.6%			
(8)	1.327	1.394	5.0%	1.213	1.186	-2.2%

Key:- (1) + adjusted for reporting bias (negative affect) at Phase 1
 (2) + adjusted for money problems food, clothes and bills at Phase 1 & 18 months post-privatisation
 (3) + adjusted for non-drinking at Phase 1 and 18 months post-privatisation
 (4) + adjusted for none/mild exercise at Phase 1 and 18 months post-privatisation
 (5) + adjusted for decision authority at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (6) + adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and 18 months post-privatisation
 (7) + adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and 18 months post-privatisation
 (8) + adjusted for reporting bias and all potential mediators, for the non-employed this does not include characteristics of the work environment
 * % change in the difference, * adjusted compared with adjusted

8.8 *Primary cardiac endpoints and all cause mortality - Table 8.8 (1)*

Primary cardiac endpoints up to August 1995, 2 years and 9 months after the privatisation of PSA Projects, and all cause mortality to August 1997 were compared between women and men in PSA and control women and men from the other departments. Primary cardiac endpoints included non-fatal MI (symptomatic and silent) and fatal CHD.

The proportion of women with primary cardiac endpoints was higher among PSA women relative to non-PSA women, but among PSA men the proportion was less. This was similar to all cause mortality which was higher among PSA women than control women, but little different in the two groups of men. None of the results were statistically significant.

Table 8.8 (1) Primary cardiac endpoints to August 1995 and all cause mortality to August 1997

Cardiac events~	Women			Men				
	events	n	Rate*	RR+(95% CI)	events	n	Rate*	RR+(95% CI)
Non-PSA	32	3188	1.21	1.00	154	6300	3.37	1.00
PSA	3	150	2.30	1.90 (0.57-6.31)	8	510	1.98	0.59 (0.29-1.20)
~ cardiac events: non-fatal MI (symptomatic and silent) and fatal CHD								
All-cause mortality	Women			Men				
	deaths	n	Rate*	RR+(95% CI)	deaths	n	Rate*	RR+(95% CI)
Non-PSA	80	3252	2.23	1.00	160	6373	2.54	1.00
PSA	5	152	2.79	1.26 (0.51-3.11)	14	513	2.43	0.96 (0.55-1.66)

* age adjusted rates per 1000 person years

+ age adjusted

8.9 *Summary - Tables 8.9 (1) - (6)*

There were numerous routes of exit from the PSA work force which could involve several transitional phases, particularly for those who went on secondment to the purchaser (Tarmac). Routes of exit were not necessarily indicative of labour market status 18 months after the privatisation. For example, a considerable number of respondents took voluntary early retirement or voluntary compulsory redundancy, but went on to further employment.

Only 9.5% of the PSA cohort transferred to the purchaser on the day of sale and a move to employment in any part of the private sector was uncommon. For women, the most common route of exit was via transfer within the Civil Service, while for men this was the second most common route after voluntary early retirement. 18 months after the privatisation employment in the private sector had increased for both sexes, but for respondents in employment the Civil Service remained the major employer of ex-PSA women and the employer of 47% of the ex-PSA men. 41% of the PSA cohort were non-employed at the time of the PSA questionnaire and of the 59% in employment 48% were insecure or very insecure in their job.

Change in health outcomes, financial and psychosocial factors and health-related behaviours 18 months post-privatisation - Tables 8.9 (1) - (6)

Women in insecure employment post-privatisation experienced greater self-reported morbidity for every outcome relative to women in secure employment, except for adverse patterns of sleep. For GHQ (12) score this relative increase in morbidity was significant. Compared with women in secure employment, none of the changes experienced by insecurely employed women in characteristics of the work environment between baseline and follow-up were significant. The relative proportion of non-drinkers was significantly higher in this group, and smoking and exercise increased relative to the reference group.

Post-privatisation, insecurely employed men experienced greater self-reported morbidity

for nearly every outcome relative to men in secure employment. For GHQ (12) score and 4 or more GP consultations in the last year this relative increase in morbidity was significant. Men in this group experienced a significant relative loss in decision authority and skill discretion compared with men in secure employment post-privatisation. In this group alcohol consumption increased, smoking decreased and exercise increased relative to the reference group.

Women permanently out of the labour force had very high rates of longstanding illness compared with control women and much higher proportions had consulted their GP four or more times in the previous year. However, for most other health status measures they were similar or showed less morbidity than women in secure employment. In this group alcohol consumption decreased, smoking increased and the proportion taking little or no exercise was significantly less than among women in secure employment.

Men permanently out of the labour force were very similar to securely employed men for most outcomes. However, the proportions with longstanding illness, a pattern of longsleeping, and 4 or more GP consultations in the last year were considerably higher than for securely employed men. In this group alcohol consumption decreased, smoking increased and exercise increased relative to the reference group.

The GHQ (12) score for unemployed women was considerably higher than scores for secure women whether employed or not employed. However, other health outcomes were similar to those for women permanently out of the labour force. In this group alcohol consumption and smoking decreased while exercise increased relative to the reference group.

Unemployed men displayed greater morbidity than any other group. Apart from a significant relative decrease in the proportion sleeping 5 hours or less per night, all measures showed adverse changes relative to men in the reference group. These changes were significant for GHQ (12) score and 4 or more GP consultations in the last year.

Problems in paying for food, clothes and bills were significantly more prevalent in this group of men. In this group, alcohol consumption, smoking and exercise all increased relative to the reference group.

Reporting bias statistically explained a little of the relative difference in longstanding illness among women in insecure employment and lack of sleep among unemployed men. Insufficient money for food, clothes and bills partially explained relative increases in morbidity among the insecure, both employed and unemployed. Non-drinking and none or only mild exercise accounted for little of the increase in morbidity, although non-drinking statistically explained over a third of the difference in longstanding illness among women in insecure employment. Among the insecurely employed, adjustment for changes in decision authority and skill discretion potentiated effects for physical morbidity measures, but explained some of the difference in GHQ (12) score.

Table 8.9 (1) Summary of self-reported health outcomes 18 months post-privatisation - women

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
self-rated health average or worse	1.52 (0.52 - 4.51)	0.88 (0.21 - 3.65)	0.97 (0.27 - 3.44)
longstanding illness	3.65 (0.81 - 16.55)	7.16 (1.25 - 41.11)	3.84 (0.81 - 18.21)
sleep 5 hrs or less per night	0.23 (0.03 - 2.11)	0.0	0.15 (0.01 - 2.97)
sleep 9 hrs or more per night	small numbers	small numbers	small numbers
4 or more GP consultations in past year**	2.71 (0.94 - 7.80)	2.32 (0.62 - 8.69)	1.79 (0.52 - 6.11)
	Diff* (SE)	Diff* (SE)	Diff* (SE)
symptom score	0.13 (0.8) p = 0.88~	-1.57 (1.0) p = 0.12	-0.83 (0.9) p = 0.36
health problems	0.58 (0.4) p = 0.18	0.13 (0.5) p = 0.80	0.16 (0.5) p = 0.73
GHQ (12) score	1.56 (0.7) p = 0.03	-0.00 (0.9) p = 1.0	1.31 (0.9) p = 0.13

Table 8.9 (2) Summary of self-reported health outcomes 18 months post-privatisation - men

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
self-rated health average or worse	1.66 (0.89 - 3.07)	1.02 (0.46 - 2.24)	1.48 (0.74 - 2.96)
longstanding illness	1.17 (0.62 - 2.23)	1.93 (0.90 - 4.16)	1.48 (0.73 - 2.99)
sleep 5 hrs or less per night	0.88 (0.38 - 2.05)	0.07 (0.01 - 0.74)	0.23 (0.06 - 0.88)
sleep 9 hrs or more per night	0.77 (0.12 - 4.82)	4.09 (0.63 - 26.77)	1.91 (0.34 - 10.65)
4 or more GP consultations in past year**	2.00 (0.89 - 4.49)	2.21 (0.90 - 5.43)	2.99 (1.30 - 6.87)
	Diff* (SE)	Diff* (SE)	Diff* (SE)
symptom score	0.29 (0.3) p = 0.35	-0.09 (0.4) p = 0.81	0.62 (0.4) p = 0.08
health problems	-0.05 (0.2) p = 0.78	-0.13 (0.2) p = 0.55	0.18 (0.2) p = 0.34
GHQ (12) score	1.58 (0.3) p < 0.001	0.02 (0.4) p = 0.96	1.27 (0.4) p = 0.002

* adjusted for age grade, marital status and baseline values of the variable of interest

** adjusted for age, grade and marital status

~ p values show whether the observed difference is significantly greater or less than zero

Table 8.9 (3) Summary of financial and psychosocial measures 18 months post-privatisation - women

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
Adverse change in social support	0.74 (0.25 - 2.23)		
Beneficial change in social support	1.35 (0.34 - 5.45)		
Adverse change in decision authority	1.12 (0.33 - 3.80)		
Beneficial change in decision authority	1.18 (0.38 - 3.68)		
Adverse change in skill discretion	0.57 (0.12 - 2.73)		
Beneficial change in skill discretion	0.79 (0.24 - 2.68)		
Adverse change in job demands	0.38 (0.12 - 1.18)		
Beneficial change in job demands	1.85 (0.43 - 8.01)		
	Diff* (SE)	Diff* (SE)	Diff* (SE)
Money problems food, clothes and bills	0.40 (0.45) p=0.38	0.19 (0.54) p=0.73	0.64 (0.49) p=0.19

Table 8.9 (4) Summary of financial and psychosocial measures 18 months post-privatisation - men

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
Adverse change in social support	1.61 (0.93 - 2.78)		
Beneficial change in social support	0.58 (0.29 - 1.14)		
Adverse change in decision authority	2.06 (1.08 - 3.95)		
Beneficial change in decision authority	0.79 (0.45 - 1.38)		
Adverse change in skill discretion	1.88 (1.00 - 3.56)		
Beneficial change in skill discretion	0.41 (0.20 - 0.85)		
Adverse change in job demands	1.44 (0.79 - 2.63)		
Beneficial change in job demands	1.32 (0.72 - 2.42)		
	Diff* (SE)	Diff* (SE)	Diff* (SE)
Money problems food, clothes and bills	0.20 (0.18) p=0.26	0.28 (0.23) p=0.22	0.58 (0.20) p=0.004

* adjusted for age grade, marital status and baseline values of the variable of interest

~ p values show whether the observed difference is significantly greater or less than zero

Table 8.9 (5) Summary of health-related behaviours 18 months post-privatisation - women

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
Alcohol consumption - non-drinkers	5.23 (1.35 - 20.22)	3.90 (0.74 - 20.50)	4.39 (0.95 - 20.20)
15 or more units alcohol/week	0.37 (0.03 - 4.22)	0.39 (0.02 - 8.72)	0.69 (0.05 - 8.90)
Current smoking	1.30 (0.17 - 9.81)	1.79 (0.11 - 30.62)	0.58 (0.04 - 8.44)
None or only mild exercise	0.42 (0.12 - 1.47)	0.09 (0.02 - 0.54)	0.44 (0.10 - 1.91)
1 hour or more vigorous exercise	1.15 (0.31 - 4.26)	1.79 (0.33 - 9.70)	3.94 (0.91 - 17.08)

Table 8.9 (6) Summary of health-related behaviours 18 months post-privatisation - men

	Insecure employed OR* (95% CI)	Secure non-employed OR* (95% CI)	Insecure non-employed OR* (95% CI)
Alcohol consumption - non-drinkers	0.68 (0.27 - 1.73)	1.32 (0.46 - 3.81)	0.84 (0.30 - 2.31)
22 or more units alcohol/week	0.95 (0.46 - 1.96)	0.62 (0.23 - 1.71)	1.01 (0.46 - 1.45)
Current smoking	0.73 (0.14 - 3.73)	2.09 (0.25 - 17.13)	1.08 (0.15 - 7.95)
None or only mild exercise	1.00 (0.45 - 2.21)	0.82 (0.28 - 2.39)	0.89 (0.35 - 2.28)
1 hour or more vigorous exercise	0.94 (0.54 - 1.62)	1.80 (0.88 - 3.71)	1.64 (0.86 - 3.12)

* adjusted for age grade, marital status and baseline values of the variable of interest

CHAPTER 9 DISCUSSION

Outline of Chapter

Chapter 9 opens with a discussion of the strengths and weaknesses of the study design and methods, section 9.1. The next section, 9.2, deals with issues relating to interpretation of the findings; chance, bias and confounding. These methodological sections are followed by summaries of the findings of *Study 1* and *Study 2*, sections 9.3 and 9.4 respectively. The results are then discussed in relation to previous research findings, paying particular attention to job insecurity as the main topic of this thesis. Discussion of the results, section 9.5, is divided into five sub-sections. The first section deals with the health endpoints, which include self-reported physical morbidity, physiological measures, and psychological morbidity. Sections two and three deal with premature mortality and the health-related outcomes, sickness absence and health service use, respectively. In the fourth section the effects on potential explanatory factors, characteristics of the work environment and health-related behaviour, are considered, and explanations of the relationship between employment status and health are discussed in the last section. Section 9.6 examines effects beyond the individual and gender differences, and the chapter concludes with recommendations for future research, section 9.7, and implications for policy, section 9.8.

Methodological issues - sections 9.1 and 9.2

The findings of any study cannot be accepted uncritically. In addition to the advantages and limitations of the study design and methods - in common with every epidemiological study - the potential problems of chance, bias and confounding need to be discussed before study results are interpreted.

9.1 Methodological issues - Strengths and weaknesses of the study design and methods

9.1.1 *Strengths*

As discussed in Chapter 2, section 2.5, many previous studies of the health effects of unemployment, job insecurity and workplace closure have been beset by a number of methodological limitations. They have either been unable, or have failed to: (i) collect data from a period of secure employment before any rumour of job loss; (ii) include a suitable control group; (iii) include a range of health outcomes collected by different methods; (iv) collect a range of data on personal, demographic and socioeconomic characteristics, and on potential explanatory factors, such as health-related behaviours; (v) comprise a sample of sufficient size which includes a reasonable proportion of women; and (vi) to cover all phases of the job loss process and have sufficient duration of follow-up. Also, due to the nature of previous recessions, few studies have been able to focus on white collar workers.

The studies described in this thesis were designed at the end of 1992 to take advantage of the 'natural experiments' which were taking place within the Whitehall II study. The design enabled each study, by virtue of existing Whitehall data, to overcome some of the above limitations as follows:-

(i) Whitehall II has extensive data on demographic and socioeconomic factors, personal characteristics, health status, psychosocial measures, and health related behaviours which were collected before major organisational change and the privatisation of PSA were anticipated. Previous history of ill-health is often the strongest predictor of subsequent morbidity. Comparison of paired data for individuals from a prior phase of secure employment with subsequent phases of job insecurity and job loss enabled the study to determine those changes consequent on threats to secure employment and loss of secure employment to be separated from the effects of prior health status and other confounding

factors such as age.

(ii) In addition to the advantage of data collected during a phase of secure employment, the Whitehall II study provided a suitable reference group for *Study 1*, and a suitable control group for the anticipation and pre-termination phases of *Study 2*. Whitehall II respondents, other than those in PSA, form a suitable control group for the PSA study as their departments were not being sold wholesale to the private sector. However, by the time of the Phase 3 data collection some departmental functions had been transferred to executive agencies while others were under consideration for such transfer. This meant that the effects of restructuring, which threatened secure employment across the Civil Service, could be examined by comparing these groups with respondents who remained unaffected by these changes. Further, it meant that the control group for the anticipation and pre-termination phases of the PSA study reflected changes that were taking place across the Civil Service and in many other public sector organisations at the time.

(iii) The Whitehall II and PSA questionnaires provided data on self-reported physical and psychological morbidity for every phase of *Studies 1 and 2*. Phases 1 and 3 of the Whitehall II study also provided physiological measures of health collected in a clinic setting.

(iv) Demographic and socioeconomic data were collected from all respondents on entry to the Whitehall II study. Questions on personal characteristics and potential explanatory factors, such as characteristics of the work environment and health-related behaviours have been included in the questionnaire at every phase of Whitehall II data collection and were included in the PSA questionnaire.

(v) *Study 1* has the advantage of a large sample size. Both studies include women and men, and analyse the data separately by sex. In addition, initial response to the Whitehall II study was high (72%) and attrition has been low (19-21%).

(vi) *Study 2* covers all phases of the privatisation of PSA. All-cause mortality data were available for PSA respondents and controls 4 years 9 months post-closure. The only other workplace closure study with a longer mortality follow up is the Sardine study²⁴¹. Further, all the PSA respondents remain enrolled in the Whitehall II study, providing the opportunity to study long-term effects on morbidity and mortality in the future.

In addition to addressing the above methodological limitations, the designs also confer on the studies a number of other methodological strengths. The combination of data from a period of secure employment and a longitudinal design in *Study 2* facilitated the use of an analysis strategy equivalent to an intention-to-treat analysis used in clinical trials. Thus, the analyses included all participants who were in PSA at baseline and from whom data were collected at follow-up. This means that the PSA cohort was entirely unselected and included respondents who left the PSA work force before any rumour of privatisation, and those who left PSA or transferred to another department during the process but for reasons other than the privatisation. Including respondents who had little or no exposure to the privatisation, or were relatively unaffected by it, results in conservative estimates of effects, but avoids overstating its impact.

As data for *Study 1* and for the anticipation and pre-termination phases of the PSA study were analysed retrospectively, neither participants nor investigators were aware which of the respondents were subjects and which controls. It is generally accepted that blindness of respondents and investigators to the aims of the study and the status of the individual respondent (i.e. subject or control) enhances the validity of the findings⁴²⁸. Unfortunately this advantage could not be extended to the post-privatisation phase of the PSA study, although the aims of the study were kept from the respondents as far as was possible. Gore has suggested that respondents concerned over their health selected themselves into the Michigan study, particularly in the control group³³⁸. Initial response to Whitehall II may have been biased by the study being known to participants as the 'Stress and Health' study. However, any such bias would not have differentiated between subjects and controls in

Studies 1 and 2. The title 'Change and Health' was chosen for the PSA study in an attempt to substitute 'Stress' with a more value-neutral word.

Job insecurity is a sensitive topic both to the individual and to the organisation. Thus, organisations undergoing financial crises or major change tend to be reluctant to permit investigation of possible effects on the health and well-being of their employees. This is understandable as such investigations themselves may generate further anxiety and uncertainty. The advantage of the Whitehall II study was that the first two phases of data collection had been completed before any mention was made of an investigation into the effects of major organisational change or the privatisation of PSA. Had the Civil Service been aware of the eventual response by the media^{429,430} to the first paper from the PSA study²⁸³ and the resulting question in the House of Commons^{431,432} - *Figure 1*, permission to explore the issues of organisational change and privatisation might have been more difficult to obtain.

*Figure 1 - Job Insecurity "It's all in the mind"*⁴³²

9.1.2 Weaknesses

As stated above, one of the advantages of the Whitehall II study is that baseline data were collected before major organisational change or privatisation were anticipated. However, the fact that *Studies 1 and 2* were not designed specifically to examine job insecurity was also their most serious limitation, in that information which would have been of value was not collected. For example, much time and effort has been spent in determining and documenting what happened to respondents in the PSA cohort between 1986 and 1992. However, it is not beyond the bounds of possibility that during that time something in addition to the privatisation happened to the PSA cohort which was missed.

In common with most studies of job insecurity, and workplace closure, the sample sizes for the two studies were given, the limitation being the number of workers in the exposure groups. This was not a problem for *Study 1*, but *Study 2* was limited to the 666 respondents in PSA at baseline. Although this makes it the fourth largest workplace closure study since 1970 and the largest study of white collar workers, sample sizes post-privatisation were very small when sub-divided by sex and employment status. This problem was particularly significant for the PSA women, who formed less than a quarter of the study group. With notable exceptions, changes in women and men in the PSA study were in the same direction and frequently of the same magnitude and it is possible that the non-significant effects among women are due to small sample size rather than a true absence of effect.

To the problem of sample size must be added consideration of the length of follow-up. Although the PSA study has one of the longest follow-up periods of any workplace closure study, the period post-privatisation is still relatively short. Some models of the association between economic change and health view exposure and outcome as contemporaneous²¹⁶, while others implicate lag periods of varying lengths²¹⁴. This problem is particularly relevant to outcomes such as all-cause mortality and primary cardiac endpoints and may apply to other outcomes such as longstanding illness.

Another problem with the post-privatisation phase of the PSA study was the absence of a control group. Those in secure employment were chosen as the reference group for analysis, but this group also consisted of respondents who had lost their original job in PSA. Thus, the analyses of health outcomes post-privatisation would more accurately be described as estimates of the chronic effects of job insecurity followed by secure or insecure employment, unemployment or permanent exit from the labour market. In this respect the PSA study is more limited, post-privatisation, than some of the studies that have preceded it, although it retains the advantage of baseline data from a prior period of secure employment.

It is a common dilemma in quasi-experimental field research that a trade-off exists between internal validity (strong causal inferences) and external validity (generalizability)²²⁰. In the case of most occupational studies external validity tends to be limited by the subjects under study, often a relatively homogeneous group working in one particular field or organisation. The generalizability of findings from the work presented in this thesis is limited by the fact that only white collar workers were studied, and participants were aged between 35 - 55 at baseline. Additionally, in the PSA study, many of the respondents were specialised professional and technical staff in the construction industry. However, PSA also employed a considerable number of administrators and general office staff such as personal assistants, secretaries, personnel and welfare officers, clerks and messengers. These workers make it equivalent to many office-based settings both in the public and private sector.

A limitation of the analysis strategy of the PSA study is that changes in health-related behaviours during earlier phases may have been missed in the analysis of health outcomes at later phases. It is to be expected that there will be a lag period between changes in health-related behaviour and changes in measures of health. For example, the significant increase in smoking and other adverse changes in health-related behaviour among the PSA women during the anticipation phase may have had more explanatory power with regard to

the pre-termination phase increases in physiological morbidity, than changes in health-related behaviour during the pre-termination phase.

A potential problem in *Study 1*, and in *Study 2* post-privatisation was that both the exposure and many of the outcomes were self-reports. There is a documented tendency for study respondents with a high level of negative affect to accentuate the adverse in appraising themselves, other people, the world in general, and to experience chronically high levels of distress¹⁵⁸. For example, in *Study 1* respondents scoring high on this trait might both be more likely to report that it was possible or probable that they would be transferred to an executive agency and to report high levels of symptoms or stress. In this respect, negative affect could generate a spurious link between insecurity and ill-health i.e. confound the relationship. However, negative affect was measured at baseline in the Whitehall II study and the potential confounding effect of this trait with regard to health outcomes was investigated - Chapters 5-8.

It has been suggested that the place one should look for the health effects of the closure of a particular workplace is among those currently doing the outsourced work under different employment conditions²⁶⁹, in the case of PSA Projects, Tarmac plc. PSA respondents who transferred to Tarmac did so under the Tupe regulations and so effects would not be expected among these workers, except for any changes arising from a transfer from the public to private sector, and Tarmac employees who were not ex-civil servants were not included in the study.

9.2 Methodological issues - Chance, Bias and Confounding

The subjects of epidemiological research are human beings and so epidemiologists can never achieve the degree of control possible under laboratory conditions. Thus, while the results of any epidemiological study may reflect the true effect of an exposure on the development of morbidity, a number of alternative explanations are also possible. One possibility is that any observed association is due to chance, which can occur any time a

sample of a population is examined. A second explanation is that the findings result from some bias or systematic error in the way participants were selected into the study, or the way in which information was obtained or reported. Finally, an observed association, or lack of one, could be due a mixing of effects between the exposure, the outcome and a third factor which is associated with the exposure and independently affects the risk of developing the outcome. If known, this third factor, or confounder, can be measured and controlled for at the analysis stage, but confounding may also be due to unknown or unmeasured factors³³⁹.

9.2.1 *Chance*

The aim of statistical tests are to determine whether observed associations are due to chance or random variation. Although all the outcomes presented in the results chapters were obtained using standard statistical procedures, the large number of tests carried out means that some outcomes may be significant due to chance alone. At the 95 % level of probability, for every 100 statistical tests performed, 5 % would be expected to be significant. Also, sub-sample sizes post-privatisation in *Study 2* were small, particularly among the women. This means that even where effects were large - for example, the odds ratio for longstanding illness among unemployed women, *Table 8.4.4* - they were not statistically significant. On the other hand, the wide confidence intervals suggest that these data are not incompatible with a true adverse effect, just that it is unlikely that a large or important effect exists. However, interpretations of the studies' findings do not rely only on the outcomes of statistical tests, but also on criteria laid down by Bradford Hill; hypotheses developed a priori, plausibility, coherence, analogy, strength of association and consistency of findings, and information concerning temporal sequence⁴³³.

9.2.2 *Bias*

Bias in an epidemiological study is any systematic error that results in an incorrect estimate of the association between an exposure and risk of disease. There are two general classes

of bias; selection bias, which refers to any error in the process of identifying or recruiting the study population, and information bias which refers to any error in the measurement of the exposure or outcome³³⁹.

Selection bias

The 6667 respondents who provided the data for *Study 1* represent just under half the original target population for the Whitehall II study. Normally this would represent a serious problem of selection bias through non-response. However, as discussed in Chapter 5, there is no evidence that health factors played any role in decisions regarding the transfer of particular functions of government to executive agencies and there is no other obvious reason why non-responders should be concentrated in any of the three groups compared. Inclusion of non-responders would thus have increased the level of adverse indices in all groups, but left unchanged the differences between them. It seems likely, therefore, that the outcomes from *Study 1* may be generalised across the Civil Service, and the similarity to changes taking place in other public sector workplaces and private corporations make it likely the results will apply more widely.

In prospective studies sample attrition is more crucial than initial response rate³⁴⁰. Thus, a potential problem in *Study 2* was that analyses were restricted to participants for whom data were available at baseline and follow-up. The possibility of selection bias due to differential response to follow-up between subjects and controls was explored in detail by comparing variables at baseline for responders and non-responders in PSA and the other departments at every data collection phase. For each variable a test of interaction was performed between response and department i.e. PSA or non-PSA. The tests of interaction showed that there were no substantial differences between PSA subjects and non-PSA controls in personal characteristics, demographic or socioeconomic factors, health measures, work characteristics, or health-related behaviours and probability of responding to the follow-up questionnaire at any data collection phase.

Information bias

Many of the measures of health status used in this study are self-reports. It is possible that the way in which health status is reported could be changed by job insecurity and job loss. This process might be expected to influence reporting of longstanding illness more than general health status, as longstanding illness is the prerequisite for permanent exit from the labour market on medical grounds, and for the receipt of various disability benefits for those out of the labour force. In *Study 2* general health status measures rather than longstanding illness deteriorated among PSA respondents relative to controls before the privatisation. However, post-privatisation longstanding illness among women and men permanently out of the labour market, or unemployed was raised relative to respondents in secure employment and it is possible that benefit eligibility criteria may have influenced reporting of this outcome. However, a high level of longstanding illness was also found among women in insecure employment post-privatisation, and in *Study 1* longstanding illness was raised in all sex/exposure groups compared with controls.

Measurements taken in the screening clinic; height, weight, blood pressure and ECGs were unlikely to be biased as observers were unaware of the categories into which participants in *Studies 1 and 2* would be placed during subsequent analysis. However, it is possible, as occurred in the measurement of cholesterol concentration at Phase 3 (see section 4.3b (iii) Cholesterol), that there were systematic errors in the measurement of these outcomes which have not been detected.

Major organisational change and, more particularly, impending closure are almost certain to alter characteristics of the work environment. For example, in the run up to the privatisation of PSA the nature of the work load changed for many Professional/Executive grade staff who moved from their traditional roles as architects, surveyors and engineers into contract management. Many Clerical and Support staff also reported taking on diverse roles as their colleagues left for new jobs or took early retirement. For a minority of respondents these new tasks proved to be a rewarding turning point in their career, but

others resented the change and felt their skills were being devalued. Questions used to determine characteristics of the work environment based on Karasek's demand-control model may not be best placed to capture the seemingly contradictory changes which may occur as an organisation is wound down. Psychosocial factors are difficult to measure and prone to misclassification under normal circumstances. If such misclassification is random it will merely produce underestimates of effects. However, it is possible that at times of rapid change there could also be bias in the reporting of these variables.

As documented in Chapter 8, labour market options during the privatisation were numerous and trajectories diverse to the extent that individuals could experience relatively unique circumstances. Assignment of cohort members to employment status categories greatly masks this diversity, but at the same time, failure to collapse categories would have defied any sort of group analysis. The division of the employed by security of employment was based on response to a specific questionnaire item. However, the division of the non-employed was more tenuous, being defined according to whether respondents wanted another job. Receipt of unemployment benefit is contingent on active job search and a number of the older men admitted during interview to answering this question in the affirmative although they were comfortable on their severance pay and had no intention of taking another job if they could avoid it. If health outcomes for these men were closer to those of the secure non-employed men, this misclassification bias will have diluted adverse outcomes for the insecure non-employed men.

9.2.3 *Confounding*

Job insecurity and loss of secure employment are just two of the many factors influencing the health outcomes measured. Many of these are mutually correlated. To estimate the independent effect of an exposure, it is necessary to take into account these other factors where they are known. In *Studies 1 and 2* this was approached by analysing outcomes separately for women and men, and adjusting for age, grade of employment and marital status.

Age, grade and marital status are known to be associated with some of the studies' exposure categories such as unemployment, and these characteristics may also be correlated with perceptions of job insecurity. A known association also exists between age, grade and marital status and the potential explanatory factors, such as smoking, and they are independently associated with most of the health outcomes measured³⁶⁹. Analyses were, therefore, presented before and after adjusting for these confounders. In some analyses, adjustment may have resulted in an under-estimation of the effect of the potential explanatory variable. For example, grade of employment may be a proxy global measure of characteristics of the work environment¹⁷⁰. Thus, when specific work characteristics were entered into models adjusted for grade some of the effects of interest may have been removed.

In addition to age, grade and marital status, factors which might explain the relationship between employment status and health were examined, mainly characteristics of the work environment and health-related behaviours. These measures have been shown to be independent determinants of health and as such, potential mediators of the association between employment status and health. If differentially distributed between subjects and controls at baseline each factor is also a potential confounder of the association. Potential confounding by VDU use in *Study 1* and by health-related behaviour in both studies was examined and found to be negligible. For characteristics of the work environment a measure of change from baseline to follow-up was analysed, so potential confounding by these variables was not an issue in these studies. However, it should borne in mind when considering the study findings, that the 'independent' association between job insecurity and health may be attributable to unknown or unmeasured confounders.

A relatively simple approach was adopted to the evaluation of the effects of job insecurity. Generally only the direct effect of the exposure on an outcome was determined. Indirect effects of potential explanatory factors were assessed only when a significant relationship between the exposure and the potential explanatory variable had already been

demonstrated. A more detailed assessment of interactions between different factors may have provided greater explanatory power, but would have increased the complexity of the analyses and the interpretation of the findings considerably.

Summary of findings - sections 9.3 and 9.4

9.3 Study 1 - Executive Agencies study

Study 1, the executive agencies study, involved the analysis of data from Phases 1 and 3 of the Whitehall II study to examine the effects of major organisational change which threatened job security across the Civil Service. Health outcomes for two exposure groups: respondents facing possible or probable transfer to an executive agency, and respondents already employed in an executive agency were compared with civil servants unaffected by change.

The general picture which emerges from *Study 1* is that the job insecurity associated with transfer to an executive agency and anticipation of transfer had adverse effects on self-reported health measures which translated into adverse effects on physiological measures with lengthening exposure to the stressor. Adverse effects on health among men were greater than among women, and men also demonstrated a considerable increase in sickness absence. There were few significant changes in characteristics of the work environment, except for a significant loss of social support at work. Men working in an executive agency also enjoyed a significant increase in skill discretion and VDU use. There was a slight adverse trend in all measures of health-related behaviour among women in the exposure groups, but alcohol consumption and smoking were much lower among men in the exposure groups relative to controls.

Explanations: The study provides evidence of some attenuation of the association between job insecurity and health outcomes on adjustment for social support at work. However, it is not possible to determine from the analyses whether social support at work acts as a

mediator or confounder, or is a non-causal factor related to the health outcome by chance, giving rise to over-adjustment. N.B. This caveat also applies to subsequent findings.

9.4 Summary of findings - Study 2 - PSA study

Study 2, the PSA study, used data from Phases 1, 2 and 3 of the Whitehall II study and new data collected by questionnaire after the privatisation to examine the consequences of job insecurity and loss of secure employment for PSA respondents, most of whom worked for PSA Projects division, sold in December 1992 to Tarmac plc³⁶⁰. Phase 1 data from the Whitehall II study represented a period of secure employment for all civil servants, Phase 2 the anticipation phase, and Phase 3 the pre-termination phase for PSA. The PSA questionnaire collected data from PSA respondents only, 18 months after the privatisation.

9.4.1 Pre-privatisation - Anticipation phase

At baseline, women and men in PSA occupied a position of either advantage or no difference on nearly every health or health-related measure relative to control women and men. By the anticipation phase, respondents in PSA had experienced greater increases in self-reported morbidity than control respondents. Many of these relative increases were significant among men. There was a non-significant relative increase in minor psychiatric morbidity in both sexes. The anticipation phase was accompanied by significant adverse changes in characteristics of the work environment for both women and men. PSA women lost their relative advantage with respect to all the health-related behaviours and smoking increased significantly relative to control women. However, there were no significant changes in health-related behaviour among the men.

Explanations: Changes in work characteristics and health-related behaviours generally had little explanatory power.

9.4.2 Pre-privatisation - Pre-termination phase

The pre-termination phase saw some adverse changes in self-reported morbidity among PSA women relative to controls, and a general relative increase in self-reported morbidity among men. Significant relative increases in detrimental patterns of sleep were seen in both sexes. Adverse relative changes were seen in all physiological measures for women and all measures for men, except blood pressure. Increases in blood pressure in women and BMI in men were significant. Coinciding with these adverse changes in measures of health was a significant relative decrease in sickness absence in both sexes.

Divorce or separation increased considerably during the pre-termination phase among women in PSA compared with control women and there were significant relative adverse changes in characteristics of the work environment among PSA respondents of both sexes. Changes in health-related behaviour were not significant except for vigorous exercise among men in which the change favoured men in PSA. Smoking had increased among PSA women relative to controls but the change was not significant.

Explanations: This phase of the study provides evidence of a potential explanatory role for some characteristics of the work environment. Adverse change in job demands partially attenuated the difference for sickness absence of 1 working week or more among men. Changes in decision authority, skill discretion and job demands attenuated the relationship between exposure and outcome for blood pressure and BMI in women only.

9.4.3 Privatisation and employment status change

One and a half years after the privatisation, 41 % of the original PSA cohort were no longer working and out of the 59 % in employment, 48 % were insecure or very insecure in their jobs. Less than 10 % of the respondents in this PSA cohort transferred to the purchaser (Tarmac). Routes of exit from the PSA work force were numerous and employment careers diverse to the extent that individuals could experience relatively unique circumstances.

9.4.4 *Post-privatisation*

Findings in this section include the comparative effects on health of employment status and security among PSA respondents 18 months after the privatisation, and differences between PSA and non-PSA respondents in all-cause mortality to August 1997 and cardiac endpoints to August 1995.

18 months after the privatisation the greatest increases in morbidity for women were seen among those in insecure employment, while among men they were greatest among the unemployed. Secure non-employed respondents closely resembled the securely employed, except for longstanding illness and GP visits. Insecurity, both in and out of employment, was significantly associated with increased psychiatric morbidity. There were no significant differences between PSA respondents and controls for primary cardiac endpoints and all-cause mortality. PSA women had a higher relative risk of primary cardiac endpoints and all-cause mortality compared with non-PSA respondents, while PSA men had a lower relative risk for both outcomes.

Women in insecure jobs generally experienced beneficial changes to characteristics of the work environment, while men experienced significant adverse changes in decision authority and skill discretion. All the less favourable labour market outcomes were associated with a relative insufficiency of money for food, clothes and bills, which was significant in the case of unemployed men. Overall, the health-related behaviour profiles associated with the less favourable labour market outcomes in both sexes were more favourable than those for the securely employed, with the exception of smoking among those permanently out of the labour market.

Explanations: Some adverse effects on health were partially attenuated by adjustment for financial problems, but the bulk of the change remained unexplained by the factors measured. Adjustment for health-related behaviours tended to strengthen associations between the less favourable labour market outcomes and morbidity.

9.5 Consistency of findings

There are two categories of job insecurity, objective and perceived. Objective job insecurity relates to threats external to the individual, while perceived job insecurity represents the individual's appraisal of the threat. In *Study 1* both anticipation of transfer to an executive agency and employment in an executive agency were situations associated with objective threats to long-term secure employment. The difference between the two exposure groups was that respondents already working in an executive agency had been exposed to job insecurity for longer. Similarly in the PSA study, respondents had been exposed to the objective job insecurity associated with impending privatisation much longer by the pre-termination phase than at the anticipation phase. However, data from *Study 1* are contemporaneous only with data from the pre-termination phase in *Study 2*. Post-privatisation all the respondents lost their original jobs in PSA and the insecurely employed continued to be exposed to job insecurity, although it was perceived, i.e. self-reported by respondents, rather than objective.

Perceived and objective job insecurity have been shown to be significantly associated in the expected direction^{140,141}. However, as the level of stress engendered by job insecurity has been shown to depend on the perceived probability and perceived severity of job loss⁶⁴, perceived job insecurity is likely to be a more potent stressor than objective job insecurity, as groups to whom job insecurity has been externally attributed will contain respondents who do not perceive themselves to be under threat.

Although there is consistency across the different types and stages of job insecurity for some outcome variables, there are also some notable inconsistencies. It has been stated that the intensive, longitudinal study of the effects of one stressful life event, such as job loss, is an exceedingly complex business. Different outcome variables may show strikingly different patterns of changes and all appear to be sensitive to characteristics of the person and the social situation³⁴⁶.

9.5.1a Self-reported physical morbidity - *Tables 1 and 2*

For women a relative increase in health self-rated as average or worse was seen only in the case of insecure employment post privatisation, otherwise there seemed to be no association between this outcome and either job insecurity or non-employment. In *Study 1*, longstanding illness was raised among women exposed to short and long-term objective job insecurity, but in *Study 2* the association was, if anything, negative. Post-closure, longstanding illness was positively associated with perceived job insecurity i.e. self-reported insecure employment, and with non-employment both secure and insecure. The association with permanent exit from the labour force was significant.

Symptom score was significantly positively associated with short and long-term job insecurity in *Study 1* and was much higher than values for controls among PSA women during the anticipation and pre-termination phases. Post-closure, symptom score showed a slight positive association with insecure employment, but was negatively associated with non-employment. Number of health problems in the last year was positively associated with the anticipation phase and all the less favourable labour market outcomes post-privatisation in the PSA study.

Among men, there was a significant positive association between health self-rated as average or worse and short-term job insecurity in *Studies 1 and 2*, and with long-term insecurity in *Study 1*. Post-closure there was a strong positive association between insecurity and self-rated health, whether the man was in or out of employment. Longstanding illness was significantly associated with short and long-term job insecurity among men in *Study 1*, and in the PSA study there was a strong positive association with job insecurity during the anticipation phase and with non-employment post-closure.

Symptom score was significantly positively associated with short-term insecurity among

Table 1: Summary of self-reported health measures - Studies 1 and 2 - women

	Study 1		Study 2		Study 2		Study 2		Study 2	
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emplmt OR* (95% CI)	Insecure non-emplmt OR* (95% CI)	Secure non-emplmt OR* (95% CI)			
self-rated health average or worse	0.98 (0.78-1.24)	0.97 (0.72-1.29)	0.82 (0.53-1.29)	0.86 (0.54-1.37)	1.52 (0.52-4.51)	0.97 (0.27-3.44)	0.88 (0.21-3.65)			
longstanding illness	1.25 (0.95-1.65)	1.19 (0.86-1.66)	0.79 (0.46-1.36)	0.80 (0.47-1.38)	3.65 (0.81-16.55)	3.84 (0.81-18.21)	7.16 (1.25-41.11)			
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)			
symptom score	0.46 (0.13) p < 0.001 [~]	0.31 (0.16) p = 0.05	0.47 (0.25) p = 0.06	0.32 (0.27) p = 0.24	0.13 (0.8) p = 0.88	-0.83 (0.9) p = 0.36	-1.57 (1.0) p = 0.12			
health problems			0.10 (0.14) p = 0.50		0.58 (0.4) p = 0.18	0.16 (0.5) p = 0.73	0.13 (0.5) p = 0.80			
N.B. EA = executive agency										

Table 2: Summary of self-reported health measures - Studies 1 and 2 - men

	Study 1	Study 1	Study 2	Study 2	Study 2	Study 2	Study 2	Study 2
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emplmt OR* (95% CI)	Insecure non-emplmt OR* (95% CI)	Secure non-emplmt OR* (95% CI)	
self-rated health average or worse	1.21 (1.00-1.46)	1.32 (1.08-1.62)	1.51 (1.16-1.96)	1.18 (0.90-1.54)	1.66 (0.89-3.07)	1.48 (0.74-2.96)	1.02 (0.46-2.24)	
longstanding illness	1.26 (1.03-1.55)	1.26 (1.03-1.55)	1.22 (0.94-1.59)	1.13 (0.87-1.45)	1.17 (0.62-2.23)	1.48 (0.73-2.99)	1.93 (0.90-4.16)	
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	
symptom score	0.48 (0.09) p < 0.001 ~	0.42 (0.09) p < 0.001	0.35 (0.11) p = 0.02	0.16 (0.11) p = 0.17	0.29 (0.3) p = 0.35	0.62 (0.4) p = 0.08	-0.09 (0.4) p = 0.81	
health problems			0.12 (0.06) p = 0.04		-0.05 (0.2) p = 0.78	0.18 (0.2) p = 0.34	-0.13 (0.2) p = 0.55	
* adjusted for age grade, marital status and baseline values of the variable of interest ~ p values show whether the observed difference is significantly greater or less than zero								

men in *Studies 1 and 2* and long-term job insecurity in *Study 1*. Post-closure, the associations between symptom score and insecurity were positive, but, as for women, symptom score was negatively associated with permanent exit from the labour force. Number of health problems in the last year among men was significantly associated with the anticipation phase in the PSA study. For respondents of both sexes in the PSA study the association between job insecurity and increased self-reported morbidity was less pronounced during the pre-termination phase than the association between job insecurity and morbidity during the anticipation phase of the PSA study, or short and long-term job insecurity in *Study 1*.

The changes in self-reported morbidity were generally consistent with findings from previous research. Considerable excess morbidity pre-closure has been reported in previous studies^{299,308,346,347,353}, although in blue collar men symptoms from a symptoms checklist remained stable³⁴⁶. Symptom scores in *Studies 1 and 2* tended to be greater during short-term exposure than prolonged exposure to job insecurity. This finding is in contrast to that of Heaney and colleagues who found chronic job insecurity had a significantly more potent effect on physical symptoms than acute job insecurity among blue collar men¹³⁶. Among nurses in the US, job insecurity has been shown to be significantly associated with poorer physical functioning, higher pain and increased physical role limitations¹³⁵.

Those who were insecurely employed, and unemployed men had the worst outcomes for most self-reported health measures. None of the workplace closure studies has specifically examined the effects on self-reported physical health of insecure employment post-closure, although results from the anticipation and pre-termination phases of these studies indicate the likelihood of adverse outcomes. A national representative survey of 2,557 adults in unified Germany in 1992 showed that the employed have better health than the unemployed only when they feel secure in their jobs⁴³⁴. Data from the Household and Community Survey component of the SCIELI study showed that self-ratings of health for women and men in insecure employment were much closer to those for the unemployed

than to those for the securely employed, and the findings overall point to a gradient in health which parallels the gradient in labour market advantage¹⁵⁴.

Most cross-sectional population studies have documented more illness^{173,174} and poorer self-rated health among the unemployed compared with the employed, after adjustment for social class and other sociodemographic factors^{123,175-178}. However, some longitudinal studies have failed to find adverse effects on health^{182,183}, and in the PSA study two measures, self-rated health and symptom score, failed to show a positive association with unemployment in women.

Re-employment following either redundancy³⁴⁶ or unemployment¹⁶² has been shown previously to decrease self-reported morbidity. Likewise among PSA respondents, those who found secure employment post-sale enjoyed the best self-reported physical health. Among those permanently out of the labour market physical health measures were generally better than for those wanting work, except for longstanding illness which was significantly higher among the secure non-employed than in any other group. Thus, current longstanding illness appears to determine which respondents decide not to seek work post-closure. However, longstanding illness at baseline did not predict who would end up unemployed or non-employed 18 months post-privatisation.

Sleep - Table 3

Sleeping 5 hours or less on an average week night demonstrated little relationship with job insecurity among women, but was considerably raised among men anticipating transfer to an executive agency. The same measure was significantly negatively associated with non-employment among men. For women and men, sleeping 9 hours or more per night was generally positively associated with both job insecurity and non-employment. These results run counter to the finding that the prevalence of insomnia was significantly higher among middle-aged women during the recession in Finland¹³⁷. However, they confirm reports of sleep disturbance among blue collar men³¹⁸ and women³⁰⁶ anticipating redundancy, and of

Table 3: Summary of sleep measures - Studies 1 and 2 - women and men

	Study 1 Change to EA expected OR* (95% CI)	Study 1 Change to EA happened OR* (95% CI)	Study 2 Anticipation phase OR* (95% CI)	Study 2 Pre-termination phase OR* (95% CI)	Study 2 Insecure emplant OR* (95% CI)	Study 2 Insecure non-emplmt OR* (95% CI)	Study 2 Secure non-emplmt OR* (95% CI)
WOMEN							
sleep 5hrs or less per night	0.99 (0.63-1.55)	0.68 (0.36-1.25)		1.36 (0.61-3.04)	0.23 (0.03-2.11)	0.15 (0.01-2.97)	
sleep 9hrs or more per night	1.70 (0.93-3.11)	1.16 (0.52-2.58)		2.22 (1.06-4.66)			
MEN							
sleep 5hrs or less per night	1.41 (0.98-2.04)	1.22 (0.80-1.88)		0.99 (0.55-1.79)	0.88 (0.38-2.05)	0.23 (0.06-0.88)	0.07 (0.01-0.74)
sleep 9hrs or more per night	1.03 (0.61-1.73)	1.60 (1.00-2.58)		1.82 (1.13-2.94)	0.77 (0.12-4.82)	4.09 (0.63-26.77)	1.91 (0.34-10.65)

* adjusted for age grade, marital status and baseline values of the variable of interest

N.B. EA = executive agency

increased length of sleep among the unemployed^{137,180,322}. Sleep patterns of 5 hours or less and 9 hours or more on an average week night have been shown to be associated with increased morbidity⁴³⁵ and mortality^{436,437}.

9.5.1b *Physiological measures* - Tables 4 and 5

Apart from the significant relative increases in ischaemia among women and BMI among men expecting transfer to an executive agency, short-term job insecurity appeared to have little effect on physiological measures. Among women, long-term job insecurity was consistently positively associated with all the physiological measures, however, among men the picture was less clear. Ischaemia was positively associated, and BMI significantly positively associated with long-term job insecurity both in *Studies 1 and 2*. Blood pressure in *Study 1* was significantly positively associated with long-term job insecurity in men, while in *Study 2* it was negatively associated with the pre-termination phase and vice versa for cholesterol concentration.

In general, it seems the initial response to short-term job insecurity is an increase in self-reported morbidity, while changes in physiological measurements, in which a lag phase would be expected, manifest themselves later. These observations follow those of House and colleagues that chronic, rather than acute job stress significantly increases mortality⁴³⁸.

The profile of adverse changes in physiological measures seems to support Theorell's finding of a relationship between work changes and myocardial infarction in men⁴³⁹, and between the finding in *Study 2* of a relative increase in primary cardiac endpoints among PSA women nearly 3 years post-privatisation. Siegrist and colleagues found that job insecurity was an independent predictor of ischaemic heart disease among blue collar men¹⁴⁷. Consultations for chronic illness, particularly sustained hypertension and myocardial infarction, increased significantly during the job insecure phase in the Harris study³¹⁰, and hospital admissions for cardiovascular diseases increased slightly in the Elsinore study³¹⁵.

Table 4: Summary of physiological measures - Studies 1 and 2 - women

	Study 1		Study 2		Study 2		Study 2		Study 2	
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emplt OR* (95% CI)	Insecure non-emplt OR* (95% CI)	Secure non-emplt OR* (95% CI)			
poss/prob ischaemia on ECG or angina	1.57 (1.03-2.41)	1.21 (0.69-2.11)		1.60 (0.78-3.30)						
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)			
systolic blood pressure	0.38 (0.56) p=0.50	0.93 (0.70) p=0.18		3.49 (1.15) p=0.003						
diastolic blood pressure	-0.13 (0.40) p=0.75	0.73 (0.49) p=0.14		2.23 (0.80) p=0.27						
cholesterol concentration	0.04 (0.04) p=0.38	0.06 (0.05) p=0.26		0.09 (0.08) p=0.27						
body mass index	0.13 (0.10) p=0.21	0.33 (0.13) p=0.009		0.65 (0.22) p=0.003						

N.B. EA = executive agency

Table 5: Summary of physiological measures - Studies 1 and 2 - men

	Study 1		Study 2		Study 2		Study 2		Study 2	
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emplt OR* (95% CI)	Insecure non-emplt OR* (95% CI)	Secure non-emplt OR* (95% CI)			
poss/prob ischaemia on ECG or angina	1.08 (0.74-1.56)	1.12 (0.76-1.66)		1.41 (0.91-2.18)						
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)			
systolic blood pressure	0.23 (0.38) p=0.54~	2.16 (0.40) p<0.001		-1.03 (0.53) p=0.06						
diastolic blood pressure	0.20 (0.28) p=0.47	1.56 (0.29) p<0.001		-0.10 (0.39) p=0.79						
cholesterol concentration	-0.03 (0.03) p=0.26	-0.03 (0.03) p=0.33		0.07 (0.04) p=0.07						
body mass index	0.14 (0.05) p=0.007	0.21 (0.05) p<0.001		0.30 (0.08) p<0.001						

* adjusted for age grade, marital status and baseline values of the variable of interest ~ p values show whether the observed difference is significantly greater than zero

Varying blood pressure findings prior to workplace closure have been reported in the literature, with elevated³⁴⁸ and depressed³¹⁸ levels being reported among men, and depressed levels among women³⁰⁶. The Brokerage study which found a slight increase in diastolic and a significant decrease in systolic pressure during pre-termination compared with secure employment controlled for BMI, which may be an over-adjustment if BMI had increased due to job insecurity. Among Brokerage respondents who were from a department which was sold to another firm on the day of screening, diastolic pressure was significantly elevated by 4.5 mmHg and systolic by 4.3 mmHg³²⁴, a result similar to that seen among PSA women during the pre-termination phase.

Elevated levels of total cholesterol consequent on the threat of unemployment have been found among blue collar men³¹⁸ and women³⁰⁶, although discrepant findings have also been reported³⁴⁹. No change in body weight was found among blue collar men during the pre-termination phase in the Michigan study²⁹⁷. However, the BRHS found that men who experienced non-employment unrelated to illness were significantly more likely to gain more than 10% in weight than men who remained continuously employed¹⁸⁶. Previous studies have shown that the development of obesity is closely related to prior socioeconomic status, but also that the presence of obesity can modify or determine socioeconomic status¹⁸⁸.

The extent to which findings such as the raised blood pressure and increased levels of serum cholesterol seen in *Studies 1 and 2* and which have been demonstrated in other workplace closure studies are predictive of ill-health in a clinical setting has been questioned²⁴¹, although they are well established as risk factors for mortality and major morbidity.

9.5.1c Psychological morbidity - Table 6

Job loss and the threat of job loss are part of an individual's broader biography that includes current and past events which influence the meaning of unemployment. If .pa

Table 6: Summary of psychological morbidity measures - Studies 1 and 2 - women and men

	Study 1 Change to EA expected OR* (95% CI)	Study 1 Change to EA happened OR* (95% CI)	Study 2 Anticipation phase OR* (95% CI)	Study 2 Pre-termination phase OR* (95% CI)	Study 2 Insecure emplmt OR* (95% CI)	Study 2 Insecure non-emplmt OR* (95% CI)	Study 2 Secure non-emplmt OR* (95% CI)
WOMEN							
GHQ caseness	1.02 (0.79-1.30)	1.10 (0.82-1.49)	1.20 (0.79-1.84)	1.06 (0.66-1.70)			
depression subscale of GHQ			0.89 (0.57-1.84)	0.75 (0.45-1.24)			
MEN							
GHQ caseness	1.52 (1.27-1.83)	1.56 (1.29-1.89)	1.11 (0.88-1.41)	1.16 (0.90-1.50)			
depression subscale of GHQ			1.02 (0.79-1.33)	1.07 (0.82-1.40)			
	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)	Diff* (SE)
WOMEN - GHQ (12) score					1.56 (0.7) p = 0.03 [~]	1.31 (0.9) p = 0.13	-0.00 (0.9) p = 1.0
MEN - GHQ (12) score					1.58 (0.3) p < 0.001	1.27 (0.4) p = 0.002	0.02 (0.4) p = 0.96

* adjusted for age grade, marital status and baseline values of the variable of interest

[~] p values show whether the observed difference is significantly greater or less than zero

employment plays only a peripheral or minor part in enabling an individual to maintain a sense of a meaningful life, if a job is unsatisfactory, or if job loss is desired and expected, effects on self-evaluations are likely to be positive. Alternatively, if loss of employment represents the loss of a meaningful identity, if the work is valued, or if loss of the job is undesired this would be expected to result in depression and lowered mental health.

Attributed job insecurity was positively associated with GHQ caseness for both sexes in *Studies 1 and 2*, and among men in *Study 1* the association with short-term and long-term job insecurity was significant. Depression was negatively associated with job insecurity pre-closure in *Study 2* among women, but showed a weak positive association in men. Apart from the outcomes for men in *Study 1*, these results seem to run counter to those from most workplace closure and population studies. In general, these studies have found job insecurity and threat of job loss to be related to significant increases in psychological disorder, anxiety and depression^{52,53,64,136,144,306,314,317,318,327}, and removal of the redundancy threat has been associated with reduction in psychological symptoms³²⁰.

Most workplace closure studies^{93,205,297,314,333} have compared mental health post-closure in the unemployed with that for the re-employed. Apart from the Pennsylvania study²⁰⁵, such comparisons show the re-employed to have better mental health than the unemployed, although long-term unemployment narrows or eliminates this difference. The problem with such comparisons is that differences may be due to the selective re-employment of those with better mental health^{198,200}. Post-privatisation in the PSA study, however, the re-employed were divided into those whose re-employment was secure and those whose was insecure. This division showed that psychological disorder was significantly elevated among the insecurely employed of both sexes compared with those in secure employment.

The significant relative increase psychological morbidity associated with insecure employment in PSA men is commensurate with Burchell's finding from the SCCLI study that, for men, the increased depression scores associated with unemployment are not reduced by re-employment in an insecure job¹⁴⁴. Unsatisfactory re-employment post-

closure among men in the Steel study significantly increased depression and decreased life satisfaction compared with satisfactory re-employment, while values for the unemployed fell between²⁰². Similarly in the GM study, one year post-closure, men in unsatisfactory employment had significantly raised levels of depression⁹³. The significant increase in GHQ (12) score among the PSA women runs counter to observations from the SCELLI study that GHQ scores among women improved significantly on re-employment regardless of the security of the job¹⁴⁴. However, a longitudinal population study of young women and men found psychological disorder to be higher among dissatisfied workers than the unemployed¹⁹⁵. Perceived job insecurity has also been associated with a significantly increased risk of minor psychiatric morbidity in women and men in cross-sectional studies in different occupational groups, predominantly white collar^{135,140,142,143}. Burchell has proposed that any job is not better than none and that cumulative labour market disadvantage may have more relevance for psychological well-being than unemployment alone¹⁴⁴.

GHQ (12) score was positively associated with unemployment 18 months after the privatisation in both sexes, and the association was significant in men. Unemployment has been shown in most workplace closure studies and numerous population studies to have adverse effects on a variety of mental health measures^{86,154,196,205,306,317,325,329,440-442}, with some evidence of adaptation over time^{196,312,422}.

Respondents of both sexes permanently out of the labour market had almost identical GHQ (12) scores to the securely employed. One year post-closure in the GM study the securely employed and the retired had similarly low levels of depression⁹³, as did older men in the Kockums study who accepted early retirement on full-pay³¹⁸.

Although current psychological disorder was strongly associated with unemployment, psychological disorder at baseline was not a significant predictor of unemployment post-privatisation in the PSA study. This result confirms the finding among men in the Nordhavn study that exposure to unemployment had adverse effects on psychological

health independent of pre-existing psychological morbidity during stable employment³¹².

9.5.2 *Premature mortality*

Relative risk for all-cause mortality 4 years 9 months after the privatisation was non-significantly raised in PSA women, but was lower in PSA men than in non-PSA respondents. The only two workplace closure studies to report data on mortality showed no excess after 3²⁹⁷ or 10 years²⁴¹, a finding confirmed in a population study of job insecurity in Finland¹⁴⁶. *Study 2* is the largest workplace closure study with data on mortality and while no significant differences are apparent at this stage, differential rates may emerge after 10 or 15 years of follow-up.

9.5.3 *Health-related outcomes - Table 7*

Sickness absence is actually a behavioural outcome and in that respect is comparable to GP and hospital referral rates. Health-related absence from work is important. It is an indication of lowered well-being among workers⁴⁴³ and has implications for health and social services as well as for the employer in terms of lost productivity.

In the Harris study, increases in GP consultations were equated with health. However, it is not clear whether consulting a doctor more often than before, or compared to a control person, means that the patient's health is worse. Since Talcot Parsons⁴⁴⁴, health has been studied from a behavioural point of view and the evidence suggests that the relationship between ill-health and help-seeking behaviour is complex. However, events such as GP visits are important to the individual, have implications for the workload of GP practices and, as 65 % of consultations end in a prescription³⁰⁸, they have economic consequences for national health services.

9.5.3a Sickness absence

In *Study 1* shorter sickness absence spells (one working week or less) rose slightly or remained the same for women in both exposure groups and for men expecting transfer to an executive agency compared with controls. Increases in shorter spells and in long spells of absence (two working weeks or more) were considerable among men already working in an executive agency relative to controls, and long spells increased noticeably among women in both exposure groups. Compared to controls, shorter spells of sickness absence dropped significantly during the pre-termination phase for women and men in PSA. Long spells also dropped significantly among women and considerably among men.

This lack of consistency in the association between job insecurity and sickness absence in *Studies 1 and 2* is reflected in findings from other studies. The findings from *Study 1*, that job insecurity is associated with an increase in sickness absence is largely supported by other studies of attributed job insecurity in the context of downsizing^{149,152,153}, while decreases in sickness absence have been found associated with threatened job loss^{445,446} and pre-closure in workplace closure studies^{335,353}. As work output is frequently seen as a buffer against job loss, an increase in absence would not be the expected response to job insecurity⁶⁴. Certainly during interview a number of PSA respondents mentioned the importance of being seen to be present in the run-up to the PSA privatisation, and civil servants failing to take leave when genuinely ill has been observed elsewhere in the Civil Service³³.

9.5.3b *Health Service use*

Four or more GP consultations in the last year showed a strong positive association with all of the less favourable labour market positions for both sexes 1½ years after the privatisation of PSA. The highest odds were associated with insecure employment in women and unemployment in men, which were also the labour market positions associated with the highest levels of self-reported morbidity. Data from the SCLEI study also showed that women and men in labour market positions associated with the poorest physical health - the non-employed and the unemployed - made many more visits to their GP in the last year

Table 7: Summary of sickness absence and health service use - Studies 1 and 2 - women and men

	Study 1 Change to EA expected OR* (95% CI)	Study 1 Change to EA happened OR* (95% CI)	Study 2 Anticipation phase OR* (95% CI)	Study 2 Pre-termination phase OR* (95% CI)	Study 2 Insecure emplt OR** (95% CI)	Study 2 Insecure non-emplt OR** (95% CI)	Study 2 Secure non-emplt OR** (95% CI)
WOMEN							
absence of one week or more in past year	1.00 (0.80-1.25)	1.08 (0.82-1.42)		0.47 (0.29-0.77)			
absence of two weeks or more in past year	1.14 (0.88-1.48)	1.19 (0.86-1.64)		0.36 (0.18-0.74)			
4 or more GP consultations in past year					2.71 (0.94-7.80)	1.79 (0.52-6.11)	2.32 (0.62-8.69)
MEN							
absence of one week or more in past year	1.09 (0.91-1.31)	1.20 (0.98-1.46)		0.70 (0.53-0.94)			
absence of two weeks or more in past year	1.03 (0.80-1.33)	1.24 (0.95-1.62)		0.82 (0.56-1.23)			
4 or more GP consultations in past year					2.00 (0.89-4.49)	2.99 (1.30-6.87)	2.21 (0.90-5.43)

* adjusted for age grade, marital status and baseline values of the variable of interest

** adjusted for age, grade and marital status

than those in employment. However, GP visits among men in insecure employment were lower than for men securely employed¹⁵⁴.

Evidence of increased health service use post-closure has been found in all the workplace closure studies which have collected data on these outcomes^{299,308,327,329}, with the exception of hospital admissions in the Elsinore study³¹⁵. Evidence of increased health service use by the unemployed has been demonstrated cross-sectionally in population studies^{173,178,244}, and in longitudinal studies which have demonstrated increased health service use among those becoming unemployed^{181,247}. No studies appear specifically to have investigated the relationship between re-employment in an insecure job and health service use.

9.5.4 *Effects on potential explanatory factors*

It was anticipated that the organisational change involved in the transfer of functions to executive agencies and in the run up to the privatisation of PSA could have significant effects on characteristics of the work environment. Such factors could also differentiate between secure and insecure re-employment post-privatisation in the PSA study. The possibility that responses to job insecurity might include changes in health-related behaviours was investigated in *Study 1* and at all phases of *Study 2*. Post-privatisation in the PSA study financial difficulties in the different employment status groups were also examined.

9.5.4a Materialist/Structural factors

Factors considered previously under this heading have been income and psychosocial measures. However, the only psychosocial factors examined as potential explanatory factors in *Studies 1 and 2* were characteristics of the work environment, because divorce or separation, fatalism and life events did not change significantly. Negative affect, which was considered as a potential explanatory factor was not analysed as an outcome.

(i) Income

For both sexes, the less favourable labour market outcomes were associated with insufficient money for food, clothes and bills compared with those in secure employment. In the case of unemployed men this relative insufficiency was significant. Although the reduction of income associated with unemployment is well known, with notable exceptions^{273,447}, few studies have documented relationships between unemployment, income and financial strain. The only workplace closure studies that have looked at income and financial strain have presented their findings in terms of explanations of the relationship between threatened job loss or unemployment and health.

(ii) Characteristics of the work environment - *Table 8*

Social support: In women, relative loss of social support at work was associated with short and long-term objective job insecurity in *Study 1*, and the anticipation and pre-termination phases in *Study 2*. The proportion of women not experiencing an improvement in social support among those expecting transfer to an executive agency was significant. However, rather surprisingly, insecure employment was associated with gaining social support among women. Adverse change and lack of beneficial change in social support at work was associated with major organisational change in *Study 1* and with both pre-privatisation phases and insecure re-employment in *Study 2* among men. The proportion of men not experiencing beneficial change was significant among both exposure groups in *Study 1*, and adverse changes in social support were significantly associated with the pre-termination phase in the PSA study.

The disruption of established work groups associated with the transfer of functions to executive agencies would be expected to have adverse effects on social support at work. Similarly, during the PSA interviews respondents reported a constant haemorrhage of colleagues in the run up to the privatisation which accelerated as the sale date drew closer - see Chapter 8, section 2.

Table 8: Summary of characteristics of the work environment - Studies 1 and 2 - women and men

	Study 1		Study 2		Study 2		Study 2		Study 2	
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emplmt OR* (95% CI)	Insecure non-emplmt OR* (95% CI)	Secure non-emplmt OR* (95% CI)			
WOMEN										
social support - adverse change	1.06 (0.84-1.34)	1.14 (0.86-1.51)	1.45 (0.97-2.21)	1.34 (0.81-2.21)	0.74 (0.25-2.23)					
social support - beneficial change	0.71 (0.57-0.90)	0.87 (0.66-1.15)	1.09 (0.70-1.70)	0.94 (0.56-1.60)	1.35 (0.34-5.45)					
decision authority - adverse change	1.02 (0.78-1.33)	1.00 (0.72-1.39)	1.03 (0.61-1.72)	1.16 (0.65-2.08)	1.12 (0.33-3.80)					
decision authority - beneficial change	0.99 (0.80-1.24)	0.95 (0.72-1.26)	1.34 (0.88-2.05)	1.76 (1.11-2.80)	1.18 (0.38-3.68)					
skill discretion - adverse change	0.94 (0.71-1.24)	0.93 (0.66-1.31)	0.91 (0.53-1.58)	1.23 (0.69-2.21)	0.57 (0.12-2.73)					
skill discretion - beneficial change	0.87 (0.68-1.12)	0.92 (0.68-1.24)	0.79 (0.47-1.33)	0.99 (0.57-1.72)	0.79 (0.24-2.68)					
job demands - adverse change	1.08 (0.87-1.34)	1.05 (0.81-1.38)	1.79 (1.20-2.67)	2.18 (1.37-3.47)	0.38 (0.12-1.18)					
job demands - beneficial change	0.83 (0.64-1.09)	1.21 (0.89-1.64)	0.80 (0.45-1.42)	0.94 (0.51-1.73)	1.85 (0.43-8.01)					
MEN										
social support - adverse change	1.08 (0.92-1.27)	1.18 (0.99-1.39)	1.36 (1.10-1.69)	1.20 (0.94-1.54)	1.61 (0.93-2.78)					
social support - beneficial change	0.83 (0.70-0.89)	0.74 (0.62-0.89)	0.90 (0.70-1.15)	0.92 (0.70-1.21)	0.58 (0.29-1.14)					
decision authority - adverse change	1.08 (0.89-1.30)	0.95 (0.77-1.16)	1.06 (0.82-1.37)	1.18 (0.88-1.58)	2.06 (1.08-3.95)					
decision authority - beneficial change	0.95 (0.81-1.11)	0.95 (0.81-1.12)	0.90 (0.71-1.14)	1.18 (0.92-1.50)	0.79 (0.45-1.38)					
skill discretion - adverse change	1.13 (0.94-1.34)	0.93 (0.76-1.13)	1.34 (1.06-1.70)	1.30 (0.99-1.70)	1.88 (1.00-3.56)					
skill discretion - beneficial change	1.17 (0.99-1.39)	1.23 (1.02-1.47)	0.76 (0.58-1.00)	0.67 (0.50-0.91)	0.41 (0.20-0.85)					
job demands - adverse change	1.04 (0.89-1.22)	1.17 (0.99-1.38)	1.19 (0.95-1.49)	1.01 (0.78-1.30)	1.44 (0.79-2.63)					
job demands - beneficial change	0.91 (0.76-1.09)	0.88 (0.73-1.06)	0.95 (0.75-1.28)	1.08 (0.82-1.42)	1.32 (0.72-2.42)					

* adjusted for age, grade and marital status

Decision authority (control at work): Among women, neither of the exposures in *Study 1* were associated with changes in decision authority. However, both pre-privatisation phases in *Study 2* were associated with an increase in decision authority which was significant among PSA women during the pre-termination phase. For men, both major organisational change and the run up to privatisation had only small effects on decision authority. However, re-employment in an insecure job post-privatisation was associated with a significant loss of control at work.

Previous research has suggested that job insecurity is primarily a function of the perception of a lack of control⁶⁵. Also, during the PSA interviews many respondents attributed the privatisation of PSA to political interests beyond the control of themselves or their senior management. However, this sense of lack of control does not seem to have translated into perceived loss of control for the individual in relation to their work.

Skill discretion: Smaller proportions of women in *Study 1* experienced either adverse or beneficial changes in skill discretion than control women, similarly during the anticipation phase in the PSA study, and for those re-employed in insecure jobs after the privatisation. However, women in PSA did experience some loss of skill discretion immediately prior to the sale. Anticipation of transfer to an executive agency was associated with considerable adverse and beneficial changes in skill discretion, and working in an executive agency was associated with a significant increase in skill discretion for men. Conversely, the anticipation and pre-termination phases pre-privatisation, and insecure employment post-privatisation for men in the PSA study were all associated with a significant loss of skill discretion.

Lack of change in skill discretion was associated with transfer to an executive agency among women, while considerable adverse and beneficial change was seen among the men. The majority of the women were in the lower grades, whereas the majority of the men were in the Professional/Executive grades or above. Transfer of work to an executive agency involved increased delegation of responsibility which meant relinquishing

responsibilities for some and taking up responsibilities for others. During the anticipation phase of the PSA study many of the respondents who had previously worked as architects and surveyors were moved into project management as PSA was forced to outsource its work. In the interviews many of these respondents commented with dismay on their transfer from professional to managerial roles.

Job demands: Neither exposure in *Study 1* was associated with significant changes in job demands among women. However, the pre-privatisation phases of the PSA study were associated with significant relative increases in job demands, while insecure employment post-privatisation was associated with a considerable decrease in job demands for women. Transfer of work to an executive agency and the anticipation phase of the PSA study involved considerable increases in job demands for men. Otherwise changes in job demands were relatively modest, although a polarisation of job demands was associated with insecure re-employment for men post-privatisation.

During the PSA interviews many of the women in the Clerical/Support grades reported that for several years prior to the privatisation colleagues who left were not replaced, or were replaced by employment agency staff. Consequently the women who remained had to take on an increasing workload.

With the exception of job satisfaction^{136,143}, little work outside that reported in this thesis seems to have examined the effect of situations which generate job insecurity on other characteristics of the work environment, although some studies have examined other work characteristics in explanations of the job insecurity-health relationship. However, one study found that the aspect associated with job insecurity which had the strongest impact on workers was the anticipated deterioration in working conditions¹⁴³.

VDU use was examined in addition to the constructs of the demand/control model of Karasek. The relative increase in VDU use was significant among men working in an executive agency and was probably a reflection of the type of function considered suited to

the application of private sector practice.

9.5.4b *Health-related behaviours* - Table 9

Alcohol: None of the measures of objective job insecurity were associated with an increase in non-drinking in women. However, each of the less favourable labour market outcomes post-privatisation in the PSA study were associated with a large relative increase in non-drinking, which was significant in the case of women in insecure re-employment. Drinking above the recommended limits increased relative to controls among women working in an executive agency and during the anticipation phase among PSA women, but was negatively associated with all the less favourable labour market outcomes post-privatisation.

Among men, a relative increase in non-drinking was associated with working in an executive agency, and with the anticipation phase and permanent exit from the labour market in the PSA study. Drinking above the recommended limits showed a weak positive association with the anticipation and pre-termination phases of the PSA study, but was negatively associated with secure non-employment and unemployment in men.

It is either surprising, or a tribute to the moderation of the PSA respondents that a greater increase in drinking above the recommended limits was not observed during the pre-termination phase, as in the PSA interviews respondents reported leaving parties every Friday in the months before the sale. Those workplace closure studies which have pre-closure data on alcohol, the Newspaper (white collar women and men), Telefon (blue collar women) and Kockums (blue collar men)^{306,318,320}, report no significant changes in consumption and no studies have investigated the effect of perceived job insecurity on alcohol intake.

Many studies have investigated the relationship between unemployment and alcohol consumption. Cross-sectional and longitudinal studies usually demonstrate that the unemployed have higher levels of alcohol use^{185,186,248,250} and higher proportions of the

Table 9. Summary of health-related behaviours - Studies 1 and 2 - women and men

	Study 1	Study 1	Study 2	Study 2	Study 2	Study 2	Study 2
	Change to EA expected OR* (95% CI)	Change to EA happened OR* (95% CI)	Anticipation phase OR* (95% CI)	Pre-termination phase OR* (95% CI)	Insecure emlpt OR* (95% CI)	Insecure non-emlpt OR* (95% CI)	Secure non-emlpt OR* (95% CI)
WOMEN							
non-drinking	1.08 (0.84-1.39)	1.05 (0.77-1.44)	1.19 (0.74-1.92)	0.90 (0.55-1.48)	5.23 (1.35-20.22)	4.39 (0.95-20.20)	3.90 (0.74-20.50)
15 or more units/week	0.92 (0.60-1.42)	1.24 (0.76-2.03)	1.64 (0.73-3.67)	1.14 (0.46-2.84)	0.37 (0.03-4.22)	0.69 (0.05-8.90)	0.39 (0.02-8.72)
smoking	1.41 (0.87-2.30)	1.17 (0.65-2.11)	3.05 (1.29-7.18)	1.71 (0.65-4.50)	1.30 (0.17-9.81)	0.58 (0.04-8.44)	1.79 (0.11-30.62)
none or mild exercise	1.24 (0.99-1.55)	1.16 (0.88-1.54)	1.16 (0.73-1.84)	1.22 (0.79-1.89)	0.42 (0.12-1.47)	0.44 (0.10-1.91)	0.09 (0.02-0.54)
vigorous exercise 1 hr or more	0.93 (0.70-1.24)	1.02 (0.72-1.43)	0.81 (0.48-1.38)	1.01 (0.58-1.76)	1.15 (0.31-4.26)	3.94 (0.91-17.08)	1.79 (0.33-9.70)
MEN							
non-drinking	1.00 (0.80-1.26)	1.18 (0.93-1.51)	1.26 (0.91-1.74)	0.92 (0.66-1.30)	0.68 (0.27-1.73)	0.84 (0.30-2.31)	1.32 (0.46-3.81)
15 or more units/week	0.93 (0.74-1.16)	1.05 (0.83-1.32)	1.15 (0.83-1.61)	1.15 (0.84-1.59)	0.95 (0.46-1.96)	1.01 (0.46-1.45)	0.62 (0.23-1.71)
smoking	0.79 (0.56-1.14)	0.66 (0.45-0.96)	0.70 (0.37-1.30)	0.75 (0.42-1.36)	0.73 (0.14-3.73)	1.08 (0.15-7.95)	2.09 (0.25-17.13)
none or mild exercise	0.93 (0.75-1.16)	1.13 (0.90-1.41)	0.91 (0.62-1.34)	0.73 (0.50-1.05)	1.00 (0.45-2.21)	0.89 (0.35-2.28)	0.82 (0.28-2.39)
vigorous exercise 1 hr or more	0.95 (0.81-1.11)	0.88 (0.75-1.05)	0.98 (0.78-1.24)	1.30 (1.04-1.61)	0.94 (0.54-1.62)	1.64 (0.86-3.12)	1.80 (0.88-3.71)

* adjusted for age, grade and marital status and baseline value of the variable of interest

unemployed are non-drinkers or problem drinkers^{248,250}. However, a review of longitudinal studies of changes in employment status and alcohol consumption found six studies in which consumption among the unemployed remained unchanged or decreased¹⁸⁴. Findings from the workplace closure studies that have reported data on alcohol show unemployment post-closure to be associated with significant excess drinking beyond the recommended limits³²⁷, significant increases in alcohol consumption³³⁴, decreased spending on alcohol³²², and significantly decreased consumption³³³ in blue collar men.

Smoking: Among women, exposure to objective job insecurity in both *Studies 1 and 2* was associated with a relative increase in smoking, which for PSA women during the anticipation phase was significant. Post-privatisation a relative increase in smoking was associated with re-employment in an insecure job and permanent exit from the labour force, but was negatively associated with unemployment among PSA women. In men, smoking decreased among all groups exposed to job insecurity, and working in an executive agency was associated with a significant decrease in smoking. Smoking among secure non-employed men was considerably higher than among securely employed men, but there was no difference in smoking between employed and unemployed men.

It is possible that the women in *Studies 1 and 2* used smoking to help them cope with adverse situations, as has been shown in previous research^{448,449}. This may offer a possible explanation why the PSA women showed fewer adverse changes in self-reported health status measures, particularly in the psychological sphere, but did exhibit changes in physiological measurements. Little work has examined the effect of job insecurity on smoking. A Finnish study of the effects of economic recession found that smoking decreased, particularly among white collar workers¹³⁷.

As for alcohol consumption, cross-sectional studies regularly find a higher proportion of smokers among the unemployed²⁴⁹. However, longitudinal studies have found unemployment to be associated with an increase in smoking in young people^{185,248}, a decrease in smoking among blue collar workers¹³⁷, and to have no effect on smoking

among men in the BRHS¹³⁴. None of the workplace closure studies^{306,318,327} which recorded tobacco use reported any significant changes, although in the Smith's Dock study spending on smoking decreased among the unemployed³²². It is possible that permanent exit from the labour market could be associated with smoking-related diseases which would account for the higher rates of smoking in this group in the PSA study. In the BRHS, men who became unemployed or retired due to ill health had higher levels of smoking than the employed and those whose unemployment was not health-related¹³⁴. However, it was also shown that the men who became unemployed or retired due to ill health were more likely to decrease their smoking¹⁸⁶.

Exercise: Taking little or no exercise was positively associated with objective job insecurity among women in *Study 1* and *Study 2*. However, post-privatisation there was a strong negative association between all the less favourable labour market outcomes and taking little or no exercise. This negative association was significant for women permanently out of the labour market. Vigorous exercise among women demonstrated no relationship with objective job insecurity in either study, but showed a strong positive relationship with non-employment in the PSA study post-privatisation. Both objective and perceived job insecurity had little effect on exercise patterns in men, apart from during the pre-termination phase of the PSA study when a significantly greater proportion of men in PSA took 1 hour or more of vigorous exercise than control men. As among women, non-employment post-privatisation showed a strong positive association with vigorous exercise.

No studies appear to have examined the effect of job insecurity on physical activity and none of the workplace closure studies have reported data on exercise. Cross-sectional studies have found the unemployed to report levels of physical activity comparable to those for the employed^{177,180}. However, a cross-sectional population study in Sweden found that women and men unemployed for 1 year or more had significantly raised levels of physical activity compared with men who had experienced little unemployment¹⁸⁴. The data from the PSA study seem to indicate that the non-employed were spending some of their increased leisure in physical activity. Most sports and leisure facilities in the UK have

special rates for unemployed and retired people to encourage uptake in these groups.

9.5.5 *Explanations of the relationship between job insecurity and workplace closure and health*

Previous studies of job insecurity and health have largely concentrated on a materialist/structural explanation of the relationship, namely changes in psychosocial factors such as characteristics of the work environment. Some workplace closure studies with data from the anticipation or pre-termination phase have also considered financial strain associated with future loss of income. In *Studies 1 and 2* elements of the four main explanations proposed in the Black Report^{157,450}; artefact, health selection, materialist/structural, and cultural/behavioural were examined. The possibility that the personality trait negative affect gave rise to over-reporting of adverse health outcomes as well as situations associated with job insecurity resulting in a relationship between the two that was an artefact, was explored - section 9.5.5a. Selection on health grounds and social selection were addressed in the analyses (section 9.5.5b). Materialist/structural explanations (section 9.5.5c), and a behavioural explanation (section 9.5.5d) were investigated in detail.

9.5.5a *Artefact*

In *Study 1*, it is possible that respondents with a high level of negative affect could both over-report being in one of the exposure groups, particularly 'expecting transfer to an executive agency' and over-report morbidity. Adjustment for negative affect in *Study 1* - *Table 10*, does partially attenuate effects on health outcomes. Generally the attenuation is very small, less than 10%, except for health self-rated as average or worse, and sleeping 9 hours or more on an average week night in men. However, there is very little attenuation of the relationship between perceived job insecurity and health on adjustment for negative affect in the PSA study. The only other study to examine the role of negative affect in the context of job insecurity found that in white collar workers confronted with imminent job

Table 10: Effect on health outcomes of controlling for reporting bias (negative affect) - Studies 1 and 2 - women and men

	Study 1 Change to EA expected	Study 1 Change to EA happened	Study 2 Anticipation phase	Study 2 Pre-termination phase	Study 2 Insecure emplant	Study 2 Secure non-emplant	Study 2 Insecure non-emplant
WOMEN							
number of symptoms	-5.3%	-8.7%					
longstanding illness					-6.8%	3.4%	-1.7%
sleep 9 hrs or more (average weekday)				-0.2%			
sickness absence 1 week or more				-0.4%			
sickness absence 2 weeks or more				-0.1%			
GHQ (12) score					0.4%	3.5%	
possible/probable ischaemia	-1.9%	-5.8%					
MEN							
self-rated health average or worse	-14.5%	-1.3%	6.6%				
number of symptoms	-9.2%	-5.5%	2.3%				
number of health problems			8.0%				
longstanding illness	-9.7%	-3.6%				1.0%	-8.9%
sleep 5 hrs or less (average weekday)							
sleep 9 hrs or more (average weekday)		-19.0%	4.7%				
sickness absence 1 week or more			1.6%				
GHQ (30) score	-8.1%	-2.3%					
GHQ (12) score					2.4%		-1.5%
4 or more GP consultations					0.2%	0.4%	-0.4%

loss, negative affect was the most important predictor of minor psychiatric morbidity measured by the GHQ (12)¹⁵⁸.

9.5.5b Selection

Selection effects at the level of the individual are not presented in this thesis. The possibility that those with disadvantages at baseline, such as older age or pre-existing morbidity, might be more vulnerable to job insecurity or selected into one of the less favourable employment status groups post privatisation was addressed in the analyses of all the health and health-related outcomes. All the analyses were adjusted for age, grade, marital status, health-related behaviours and pre-existing morbidity to take into account potential confounding by these factors.

In addition to consideration of selection factors at the individual level, it is possible, with regard to closure, that selection factors may operate at the level of the workplace. Slote's account of the closing of the Baker plant in the Michigan study makes it clear that the plant was considered by management to be inefficient. The machinery was out of date, the work force was unionised, and the factory carried a high proportion of the social overhead costs of employing labour, including acting as a sheltered workshop for some of the men. Interviews with PSA participants made it clear that many people within PSA, as well as in the wider construction industry and beyond, considered the whole outfit to be below standard, particularly with regard to keeping within budget and observing deadlines⁴⁵¹.

9.5.5c Materialist/Structural factors

(i) Income

Insufficient money for food, clothes and bills appeared partially to explain the relationship between perceived job insecurity and GHQ (12) score, and unemployment and GHQ (12) score in women, but had a negligible effect in men - *Table 11*. However, adjustment for

financial difficulties considerably attenuated the relationship between unemployment and sleeping 5 hours or less per night in men.

Many studies have linked the health effects of unemployment directly to financial problems. Low income associated with unemployment may affect health directly, or indirectly by reducing social activity, or by causing psychological stress¹⁸⁰. Relationships between unemployment and psychological symptoms in both sexes have been shown to weaken or disappear on adjustment for financial hardship²⁷⁸, and proportional change in family income has been shown to predict GHQ scores²⁷⁷. Household heat, food, clothing and debt poverty have been shown to play a significant role in mediating the impact of unemployment on GHQ (12) score, although unemployment continued to have a substantial independent effect in the unemployed individual²⁷³. Similarly, in the Netherlands, present or anticipated financial problems were found to be the mediating factors between unemployment and reported health problems in both women and men²⁷⁹.

Table 11 - Effect of controlling for insufficient money for food, bills and clothes on health outcomes

Health outcome (women)	Insecure emplt.	Secure non-emplt.	Unemplt.
longstanding illness	-9.8%	20.8%	4.9%
GHQ(12) score	-12.8%		-14.6%
<hr/>			
Health outcome (men)	Insecure emplt.	Secure non-emplt.	Unemplt.
sleep 5hrs or less		0.5%	-26.3%
GHQ (12) score	-2.5%		-1.0%
GP consultations	1.2%	8.2%	7.9%

Several of the workplace closure studies have also examined the role of loss of income. In the Kockums study, workers over 58.3 years offered early retirement on full pay

experienced no deterioration in psychological health, unlike younger men with no such reassuring prospects³¹⁸. Similarly in the GM study, poor financial situation was associated with significant increases in GHQ score³¹⁷, and in the Finnforest study financial difficulties were associated with high BDI scores³²⁵. The GM study also found that low income significantly increased somatic symptoms and anxiety among those made redundant. GP consultations in PSA men were not explained by adjusting for financial difficulties, but it seems possible that financial problems could mediate between unemployment and sleeping 5 hours or less per night.

Financial difficulties predicted increased depression and anxiety 1 year after redundancy among unemployed women in the Pennsylvania study, and re-employment in a temporary part-time job was also significantly correlated with higher depression at follow-up. This did not have an independent effect once financial difficulties had been taken into account, suggesting that this type of employment was a proxy for financial difficulties²⁰⁵. However, among PSA women the association between insecure re-employment and health post-privatisation was largely independent of financial difficulties.

(ii) Characteristics of the work environment

Social support at work: Social support at work explained a small part of the relationship between short and long-term job insecurity in *Study 1* and the anticipation phase in the PSA study, and all the self-reported health outcomes, including GHQ score, but excluding longstanding illness - *Table 12*. It also weakened the relationship between short-term job insecurity in *Study 1* and blood pressure in men.

The little research which has examined social support at work in the context of job insecurity has produced conflicting results. Weak support has been demonstrated for a moderating effect of social support on the relationship between perceived job insecurity and psychological symptoms¹⁴⁰, but neither support from colleagues, management nor unions modified the negative impact of job insecurity on psychological health among

public transport workers in Australia¹⁴⁵.

Table 12 - Effect of controlling for adverse changes in social support at work on health outcomes

Health outcome (women)	Study 1 Change to an EA*		Study 2 Anticipation
	is possible	has happened	
symptom score	-15.4%	-8.5%	
poss/prob ischaemia	-0.2%	-0.9%	
body mass index	8.5%	1.4%	
Health outcome (men)	Study 1 Change to an EA*		Study 2 Anticipation
	is possible	has happened	
self-rated health	-10.5%	-7.2%	-7.1%
symptom score	-5.9%	-5.3%	-0.8%
no. health problems			-7.9%
longstanding illness	5.0%	6.4%	
sleep 9hrs or more		-10.1%	
GHQ score	-8.7%	-7.8%	
systolic bp	-13.1%	0.4%	
diastolic bp	-14.4%	0.8%	
body mass index	-3.5%	-1.9%	

* EA - Executive Agency

Social support from family and friends and integration in a supportive network has been shown to modify the negative effects of unemployment¹⁶⁰⁻¹⁶². Although social support outside the workplace was not examined, data from the qualitative arm of the PSA study indicated that some respondents lost support during the privatisation process while others gained it.

Decision authority: Adjustment for beneficial changes in decision authority, in general, showed that increases in morbidity would have been greater had the respondents in PSA

not experienced these changes - *Table 13*. Low control at work has been shown to be associated with adverse health outcomes in the Whitehall II cohort^{385,397,398} and in other studies⁴⁵²⁻⁴⁵⁴. However, the findings for blood pressure and BMI in the PSA women do not follow this pattern and seem counter-intuitive. Adverse changes in decision authority explained a little of the difference in GHQ (12) score for both women and men in insecure employment post-privatisation.

Low control at work has been shown to increase significantly the risk of sickness absence related to organisational downsizing among both women and men¹⁵³. Contrary to most of the findings above, the effect of low control was weaker among women than men in this Finnish study, as is generally the case in the Whitehall II study¹⁶⁴. A study of black miners

Table 13 - Effect of controlling for decision authority on health outcomes*

Health outcome (women)	Study 2	
	pre-termination	insecure employment
longstanding illness		12.1%
sleep 9hrs or more	34.8%	
GHQ (12) score		-5.6%
absence 1wk or more	17.5%	
absence 2wks or more	4.2%	
systolic bp	-14.8%	
diastolic bp	-9.3%	
body mass index	-19.8%	

Health outcome (men)	Study 2	
	pre-termination	insecure employment
sleep 9hrs or more	22.9%	
GHQ (12) score		-6.3%
absence 1wk or more	0.2%	
GP consultations		11.3%
systolic bp	4.2%	
body mass index	2.8%	

* change in decision authority was beneficial during the pre-termination phase and adverse during insecure employment

found job control to moderate the adverse effect of job insecurity on blood pressure but not on psychological strain¹⁶⁵.

Skill discretion: Generally, adjustment for measures of adverse change in skill discretion had little effect, 10% or less - *Table 14*. For longstanding illness, sleeping 9 hours or more on an average night, sickness absence of 1 week or more, and 4 or more GP consultations in the last year, adjustment for measures of adverse change considerably strengthened the relationship between job insecurity and health outcomes.

Adjustment for lack of beneficial change in skill discretion partially attenuated the relationship between blood pressure and BMI, and objective job insecurity in *Study 1* among men, and in *Study 2* among women. The relationship between symptom score and short-term job insecurity among women in *Study 1* was weakened on adjustment for lack of beneficial change in skill discretion, but adjustment for adverse change in skill discretion strengthened the association between job insecurity and symptom score for men during the anticipation phase of the PSA study. No other published research appears to have looked at the effect of skill discretion on the relationship between job insecurity and health.

Job demands: Generally, adjustment for adverse changes in job demands strengthens the association between job insecurity and self-reported health outcomes in both sexes, although it partially attenuates the association with sickness absence of 1 week or more in men - *Table 15*. Controlling for adverse changes in job demands strengthens the association between job insecurity and physiological measures in men, but explains 15-20% of the relationship with blood pressure and BMI in women. No work appears to have been done on the role of job demands in the relationship between job insecurity and health.

Table 15 - Effect of controlling for job demands on health outcomes

Health outcome (women)	Study 2	
	anticipation	pre-termination
sleep 9hrs or more		28.0%
absence 1wk or more		12.1%
absence 2wks or more		2.9%
systolic bp		-19.6%
diastolic bp		-14.7%
body mass index		-15.5%

Health outcome (men)	Study 2	
	anticipation	pre-termination
self-rated health	-3.6%	
symptom score	1.4%	
no. health problems	29.7%	
sleep 9hrs or more		22.9%
absence 1wk or more		-11.3%
systolic bp		9.0%
body mass index		2.0%

VDU use: Adjustment for VDU use partially attenuated the small increase in blood pressure associated with short-term job insecurity among men in *Study 1*, but attenuated little of the much larger increases in blood pressure associated with long-term job insecurity, and had negligible effect on any other health outcome. It is possible that the introduction of VDUs creates anxiety and leads to more sedentary working practices, both of which may affect blood pressure.

9.5.5d Health-related behaviours

Non-drinking statistically explained 35% of the association between re-employment in an insecure job and longstanding illness among women in the PSA study. Otherwise non-drinking had little effect on the relationship between any of the less favourable labour

market outcomes and health in either sex.

Adjustment for smoking and number of cigarettes smoked had little effect on the relationship between job insecurity and the self-reported health outcomes - *Table 16*. However, it strengthened the relationship between short-term job insecurity among women in *Study 1* and BMI, and partially explained the relationship between job insecurity and blood pressure in men.

Table 16 - Effect of controlling for smoking on health outcomes

Health outcome (women)	Study 1 Change to an EA		Study 2 Anticipation
	is possible	has happened	
symptom score	-2.1 %	1.9 %	
poss/prob ischaemia	0.1 %	8.2 %	
body mass index	20.5 %	-1.5 %	
Health outcome (men)	Study 1 Change to an EA		Study 2 Anticipation
	is possible	has happened	
self-rated health	7.4 %	-0.3 %	2.5 %
symptom score	2.6 %	3.2 %	4.0 %
no. health problems			3.3 %
longstanding illness	0.4 %	-4.2 %	
sleep 9hrs or more		0.2 %	
GHQ score	1.1 %	-0.1 %	
systolic bp	-12.4 %	-1.3 %	
diastolic bp	-9.2 %	-0.8 %	
body mass index	-1.4 %	-6.0 %	

Adjusting for taking little or no exercise had a negligible effect on the association between insecure employment, permanent exit from the labour force, or unemployment and self-reported health measures in either sex. Similarly, adjusting for 1 hour or more of vigorous exercise in an average week had a negligible effect on the relationship between job

insecurity during the pre-termination phase and either self-reported morbidity or physiological measures.

No studies appear to have investigated the potential role of health-related behaviours in relation to job insecurity. A cross-sectional study in Australia found that excess serious chronic illness, recent health problems, and health self-rated as fair or poor among unemployed women and men could not be accounted for by differences in levels of smoking, drinking beyond the recommended limits, or physical inactivity¹⁷³. Evidence that unemployment gives rise to changes in health-related behaviours is conflicting. However, the BRHS has demonstrated that, compared with those who remained continuously employed, mortality was significantly increased in men unemployed and not citing ill-health as a reason, even after controlling for health status and health-related behaviours before unemployment¹³⁴. The lack of change in tobacco use and the inconsistency of the findings on alcohol in the workplace closure studies indicate that these health-related behaviours are unlikely to provide an explanation of observed increases in morbidity.

9.6 *Effects beyond the individual and gender differences*

A considerable, but non-significant, relative increase in divorce and separation in women was associated with long-term exposure to job insecurity in *Study 1* and the pre-privatisation phases in the PSA study. Job insecurity was slightly negatively associated with divorce and separation among men in *Study 1*, but showed a weak positive association pre-privatisation in the PSA study. Divorce or separation represents the extreme end of marital difficulty and so the elevated rates in the PSA group may indicate a much wider prevalence of marital discord. Examples of marital discord were recorded during the PSA interviews, usually by men, and several men admitted to having extra-marital affairs. One man felt that his affair had been a diversion from what was happening at work, so could ostensibly be described as a coping mechanism.

Job insecurity has been shown to have adverse effects on marital and family relations^{167,357}, and job insecurity at time of marriage has been shown to be associated with a significantly higher risk of subsequent divorce²⁸⁶. Slote's account of the closing of the Baker plant gives examples of increased pressure on relationships with wives, resulting in marital difficulties and two divorces³⁵⁰. In the GM study it was found that, relative to remaining in employment, the pre-termination phase had a significant adverse effect on conflict with spouse³⁵⁷, and adverse effects on marriages were reported in the Newspaper study during the period of uncertainty³²⁰. It is possible that the marital discord associated with unemployment in workplace closure studies^{321,334,356}, and other studies^{83,285,286} starts during the period of job insecurity prior to redundancy.

In both *Study 1* and the PSA study, with notable exceptions, the associations between job insecurity or an unfavourable labour market outcome and increased morbidity were more pronounced among men than women. As discussed in the methodological section, this absence of effect in women may be due to small numbers, particularly in the PSA study. However, other explanations exist in the literature, the most tenacious of which is the assumption that paid work of their own is less important to women. Womens' resilience to job loss is thought to be greater than mens' because they have alternative roles from which they derive a sense of self-worth²⁸². Arber has shown that self-rated health for women is less closely related to their own occupational class and employment status than it is for men. Factors outside the workplace, including partner's class and employment status (if married or co-habiting), and the material conditions in which the household lives are also important⁴⁵⁵. Domestic responsibilities and caring have also been shown to be important determinants of women's self-reported morbidity^{456,457}.

However, the importance of the work role is likely to vary between different groups of women, and change over the life cycle, and income - particularly for women who are principal breadwinners - is as salient as it is for men. This latter view was supported during the PSA interviews. Women who were married or cohabiting and were secondary breadwinners, particularly older married women, were much less distressed by the

privatisation than younger women, especially single women, principal breadwinners and single parents. Job insecurity has been shown elsewhere to be felt more acutely among employees who are more dependent on their jobs⁴⁵⁸, which is unsurprising given that the strength of the job loss threat has been shown to depend on the perceived probability and perceived severity of losing one's job⁶⁴.

9.7 *Recommendations for future research*

For reasons discussed in section 9.1.1, there have been few longitudinal studies of the relationship between job insecurity and health with data from a period of secure employment and a control group. Thus, the body of evidence to support a causal link between job insecurity and health remains small and explanations of the job insecurity or job loss and health relationship remain largely uninvestigated. As epidemiology is by its nature inexact, perhaps the most persuasive evidence to support a cause-effect relationship arises when a number of studies, conducted by different investigators, at various times, using alternative methodology, in a variety of geographical or cultural settings, and among different populations all show similar results³³⁹.

The prerequisite of health data from period of secure employment means that studies of job insecurity are of necessity opportunistic. Perceived job insecurity has become more widespread in all OECD countries during the 1990's⁴⁵⁹. Researchers could make this an opportunity to increase understanding of the effects of job insecurity by including relevant questions in forthcoming data sweeps of those existing longitudinal studies which have data on workers known to have been in secure employment. The Whitehall II study included questions on perceived job insecurity in the Phase 4 questionnaire in 1995/6 and the ongoing round of data collection (Phase 5). Other existing longitudinal studies, such as the 1958 British birth cohort, have also started to do this. However, job insecurity was dropped from the Health Survey for England after 1994 and has never been incorporated into the Health Survey for Scotland.

Very little research has been carried out on the long-term impact of periods of job insecurity or workplace closure on morbidity or mortality. Further follow-up of the health effects of transfer to an executive agency and of the respondents in the PSA study would shed further light on this issue.

Insecure employment is unequally distributed by social class and gender. Data from SCEDI have shown that insecure employment is inversely related to social class and that proportionally more women are insecurely employed than men¹⁵⁴. These data relate to objectively defined job insecurity. However, findings from the PSA study showed that higher proportions of respondents in the lower grades and a higher proportion of women perceived their job to be insecure post-privatisation (data not shown). There are few other data on the distribution of perceived job insecurity, but findings from a study in Finland showed it to be significantly associated with socioeconomic position⁴⁶⁰. Further research is needed to establish the distribution of perceived job insecurity by social class and gender in the UK and other populations. Alongside this, the contribution of acute and chronic perceived job insecurity to persisting and widening socioeconomic inequalities and to gender differences in morbidity and mortality require extensive investigation, as does the contribution of job insecurity to class and gender differences in health-related behaviours. Little work has been done in this area, although a start has been made in some of the projects contributing to Phase 1 of the Economic and Social Research Council's (ESRC) research programme on health variations. A recent publication from one of the participating projects examined the contribution of job insecurity to inequalities in self-rated health¹⁶⁹.

Perceived job insecurity is a psychological factor and more work is needed to explore both the psychological processes whereby objective changes in employment security translate into feelings of job insecurity, and the processes through which these have an adverse effect on health. Thus, in addition to the above programme of research based on quantitative data, qualitative research methods need to be employed to investigate (a) factors which potentiate or ameliorate perceptions of job insecurity, (b) factors in the

home as well as the work environment which explain the impact of perceived job insecurity on health.

The reverse causation hypothesis, that preexisting morbidity and/or personal, demographic or socioeconomic characteristics explain apparent social class and gender differences in the effects of perceived job insecurity on health, needs to be investigated at all stages in this research programme. Further, some health effects of any stressor are manifest immediately while others involve a lag period. Thus, any programme of work should plan to measure both the acute and longer-term effects of job insecurity. For the existing longitudinal studies which collect data every 5 or 10 years, longer-term effects are the only ones that can be measured, as data sweeps rarely coincide with changes in the labour market. For this reason, consideration should be given to 'rapid-response' additional data collections at times of large scale labour market change. This would require researchers to be abreast of key policy statements and positions with respect to the labour market.

Cohort effects should be considered in all research on the effects of employment status on health. At a time of marked change in the structure of the labour market it is important that inferences are not drawn from comparisons of the experiences of those at the beginning of their working life with those near the end. Undoubtedly the labour market trajectory of the younger generation over the next 20 years will be radically different to the past 20 years of the present generation⁴⁶¹. Any moves to restrict understanding of economic trends and their social impacts, such as the discontinuation of household surveys should be resisted.

In addition to effects on the individual, the wider impact of job insecurity on the family and on society require further investigation. Considerable evidence already exists of the adverse effects of job insecurity on the organisation. Job insecurity has been shown to decrease job satisfaction^{64,163}, organisational commitment^{64,145,165}, and work effort¹⁴³, and to increase proactive job search and noncompliant job behaviours^{163,462,463}. Although some work has been carried out on the spillover effects of these changes on the family^{167,464}, evidence remains sparse. The mechanisms linking parental labour market experiences and

family health, and the impact of prolonged job insecurity or unemployment on healthy child development need to be further explored.

Interviews with respondents in PSA indicated that many felt their dedication to public service had been betrayed and respondents expressed concern about devaluation of the notion of public service in general. Sennett in a new book on the personal consequences of the flexible labour market has documented the corrosion of individual commitment and trust⁴⁶¹, and anecdotal evidence suggests that adverse parental labour market experiences affect the labour market intentions and expectations of adolescents¹⁵. Research using qualitative methods that focuses on such issues, including conceptions of the roles of the citizen and the state, is needed to understand how changes in the nature of the labour market are being assimilated by individuals and families. It is through the grid of meaning and expectation that economic and labour market trends are made real in people's lives, and health outcomes can be expected in part to depend on the strain generated by defaults against these expectations¹³. The financial⁴⁶⁵ and societal⁴⁶¹ costs of job insecurity and labour market change have just begun to be considered and documented. In a policy context of increasing concern over the costs and cost-effectiveness of any social intervention, attempts should be made to measure and demonstrate the full financial consequences, direct and indirect, of the flexible labour market².

9.8 *Implications for policy*

In epidemiology, causation always remains a matter of belief or judgment based on all the available evidence. However, it is rare for the evidence on causation to be as unequivocal as that for cigarette smoking and lung cancer. Thus, there comes a point at which it becomes prudent to act on the premise that a causal relationship exists, rather than await further evidence⁴³³, although, in some respects building a compelling knowledge base is an easier task than constructing plans of action.

Evidence of a relationship between unemployment and health reached critical mass some time ago. The findings presented in this thesis, together with previous work on the health impact of job insecurity, will help to move the evidence on employment status change in the same direction. However, the impact of research on policy and practice is often tenuous and indirect, if it exists at all⁴⁶⁶. For example, although the evidence against unemployment is now overwhelming, not only in terms of its effects on health, but also on the economy and on society, interventions have tended to be piecemeal and ameliorative.

There are a number of ways in which the gap between research and policy can be addressed. Researchers could seek to involve policy makers and practitioners in the development of research ideas to ensure that findings are relevant and targeted to maximum effect. This practice is now increasingly being encouraged by funders of research, for example through the ESRC's User Fellowship scheme, and through intersectoral collaboration. Further, if research is to be useful to politicians and policy makers it needs to be more user-friendly and easier to assimilate into the policy making process. Training could be provided for researchers to develop strategies and alliances for influencing policy formation and implementation, and national research agencies and international agencies, such as the World Health Organisation, could attempt to exert greater influence in policy debates.

The results of the studies presented in this thesis have implications for public health practice in that the adverse effects of job insecurity on health are likely to have repercussions for health service use as well as employee well-being and organisational efficiency. It is important that health service professionals push for these costs to be taken into account. Findings from the studies are also relevant to policies aimed at reducing inequalities in health, with a specific focus on priorities identified in the government strategy to improve the 'Health of the Nation'⁴⁶⁷ (such as cardiovascular disease and obesity). Unfortunately, although it acknowledges the increase in job insecurity over the past two decades, the recent Independent Inquiry into Inequalities in Health chaired by Sir

Donald Acheson failed to document its adverse effects on health, or include the issue among its recommendations on employment⁴⁶⁸.

Interventions can be aimed at the level of the individual, the level of the organisation, or encompass the whole of society. At the level of the individual, suggestions have been made regarding enhancing the ability to cope with job insecurity. Social support, which has been shown to buffer the adverse effects of unemployment^{161,162} and work stress⁴⁶⁹ is a possibility. However, this would have to come from outside work as findings on the buffering role social support at work in relation to job insecurity are mixed^{140,145,163}, and the findings described in this thesis show work social support to be a casualty of loss of job security. Other researchers have suggested that aspects of personality dispositions associated with the trait of positive affect could be taught¹⁵⁸. However, in the same paper the authors indicate that the opposite trait of negative affect is stable over 30 years so this seems an unpromising avenue.

Very few interventions aimed at unemployed individuals have reached the scientific literature, although the UK government has numerous of such projects running at any one time⁴⁷⁰. One intervention in the US, designed to prevent psychological morbidity and promote re-employment, demonstrated higher levels of employment, higher earnings, fewer employer and job changes, and less depressive symptomatology at both short and long-term follow up (2½ years). Further, a cost-benefit analysis showed large net benefits of the intervention to the participants and to the federal and state government programmes that supported the project⁴⁷¹.

However, the problem with individual level interventions is that they tend to view the deficiencies or inadequacies of unemployed individuals as the cause of the problem when it may be more appropriate locate the deficiency or inadequacy in inequitable social relationships and the structural constraints which cause unemployment. An illustration of this can be found in monetarist policies which target inflation rather than unemployment, the former being more injurious to capital accumulation than the latter⁴⁷². Further,

although many studies report that finding a new job is an antidote to the harmful effects of unemployment, for a proportion of the reemployed the new job is hazardous, unsatisfactory, insecure, low-paid or stressful⁴⁵⁹. Interventions predicated on re-employment need to take such factors into account.

At the level of the organisation, once a wave of redundancies has been deemed inevitable, managers should consider ways to help job losers leave, and to help the insecure cope with uncertainty. Three types of coping strategy have been put forward. Initially coping strategies should be preventative, aimed at precluding a job insecurity crisis, particularly where a work force is intended to be kept basically in tact. If job loss cannot be avoided then ameliorative strategies are needed to minimise the hardships experienced by job losers, and also to affect the reactions of survivors. In the aftermath of a period of uncertainty or job loss, restorative strategies should be aimed at repairing the damage done to the commitment and morale of the survivors^{64,463}.

At the societal level it has been suggested that perceived job insecurity is significantly lower in countries with a better economic performance, with higher unemployment benefits, where there is a higher level of collective bargaining coverage, and where collective bargaining is more centralised⁴⁵⁹. In the UK, the post-welfare state consensus around a minimalist state based on free market principles has led to the abandonment or drastic reduction in social welfare provisions and social security safety nets for those in and out of employment, and a tranche of legislation has decimated the power of trade unions to protect their members¹⁸. It has been suggested that this model should be abandoned in favour of policies which invest adequately in the pursuit of sustainable economic growth, reinstate index linking of benefits and restore collective bargaining rights⁴⁷³.

Numerous other proposals, targeted mainly at academic audiences, have been put forward for radical changes to the organisation of societies and economies in the interest of health and well-being⁴⁷⁴⁻⁴⁷⁶. Shortt has suggested that long-term policy should address the

complex issue of work, unemployment and health in the 21st century. While this would demand little less than a basic restructuring of the relationship between work and the state, exactly such a consequence grew out of the last period of prolonged economic crisis, the Depression, resulting in the contemporary welfare state³⁵⁹. Robert Karasek, in a report commissioned by the Dutch government, has proposed a new means of production (conductive production), and an alternative social economic model for a section of the work force⁴⁷⁷. However, a more comprehensive solution to the problems associated with today's labour market requires changes in the means of production and economic relations on a scale unprecedented in recent human history⁴⁷⁸.

REFERENCES

- 1 O.E.C.D. A Review of Labour Markets in the 1980s. In: O.E.C.D. ed. *The OECD Employment Outlook*. Paris: O.E.C.D. 1991;29-61.
- 2 Platt S. Labour market changes and job insecurity: implications for research and policy. *WHO Regional Publications European Series* 1999;(in press).
- 3 Church J, Whyman S. A review of recent social and economic trends. In: Drever F, Whitehead M, eds. *Health inequalities. Decennial supplement. Office of National Statistics. Series DS No. 15*. London: The Stationary Office, 1997.
- 4 Mustard JF. Major technological change [the chips for neurons revolution] socio-economic changes [labour markets and job insecurity] and health and well-being. *WHO Regional Publications European Series* 1999;(in press).
- 5 The Report of the Commission on Social Justice. *Social Justice: strategies for national renewal*. London: Vintage, 1994.
- 6 Beatson M. Labour Market Flexibility. *Employment Department Research Series* 1995;48.
- 7 Taylor D. *Unemployment: Students' Notes*. London: Unemployment Unit, 1989.
- 8 O.E.C.D. Recent Labour Market Developments and Prospects. In: OECD, ed. *The OECD Employment Outlook*. Paris: OECD, 1991;3-12.
- 9 Taylor D, Convery P. Labour Force survey: Spring 1993. *Working Brief* 1993;48:18-19.
- 10 Murray I. Jobseekers bill starts commons passage. *Working Brief* 1995;61:1-7.
- 11 Murray I. Stricter benefit regime scales new heights. *Working Brief* 1996;77:18-21.
- 12 Gregg P, Wadsworth J. A short history of labour turnover, job tenure, and job security, 1975-93. *Oxford Review of Economic Policy* 1995;11:73-90.
- 13 Newman KS. The downsizing epidemic in the United States: toward a cultural analysis of economic dislocation. *WHO Regional Publications European Series* 1999;(in press).
- 14 Sampson A. Stuck in the nervous nineties. *Observer* 1995;4th June:23
- 15 MacErlean N. Down and out Britain. *Observer* 1996;17th March:1
- 16 *Work out - or Work in?: Contributions to the debate on the future of work*. York: York Publishing Services, 1995.
- 17 Ambrose M, Overell S. DOE Told to Deny Rights. *Morning Star* 1995;9th March:1
- 18 Hutton W. *The State We're In*. London: Jonathon Cape, 1995.

- 19 Convery P, Finn D. Autumn 1993 Budget: Employment measures. *Working Brief* 1994;50:1-3.
- 20 Hennessy P. *Whitehall*. London: Fontana Press, 1990.
- 21 National Union of Civil and Public Servants. *Agenda for the Future: The Civil Service towards the Twenty First Century*. London: National Union of Civil and Public Servants, 1991.
- 22 Next Steps Team. *Next Steps Briefing Note*. Cabinet Office, October, 1996.
- 23 Next Steps Team. *Next Steps Briefing Note*. Cabinet Office, October, 1997.
- 24 Next Steps Team. *Next Steps Briefing Note*. Cabinet Office, February, 1996.
- 25 The Efficiency Unit. *Government Opportunities*. Glasgow: Business Information Pub. Ltd. 1996.
- 26 Blackhurst C. Whitehall in crisis - ousted mandarin. *Independent* 1993;15th November:1
- 27 Sheldon J. This is not a test. *Morning Star* 1993;24th May:6-7.
- 28 Cristie C. Contracting out: not a mystery....just misery. *Morning Star* 1993;21st May:7
- 29 Bennett H. Home Office workers strike against testing. *Morning Star* 1993;16th July:3
- 30 Bennet H, Ambrose M. Sell-offs anger civil servants: 300,000 walk out. *Morning Star* 1993;5th November:1
- 31 Next Steps Team. *Next Steps Briefing Note*. Cabinet Office, April, 1996.
- 32 Ambrose M. 43,000 Civil Servants Face Job Axe. *Morning Star* 1995;10th March:3
- 33 McCloy E. Re-inventing government: the human factors and health impact. In: APA95-704, ed. *Work, Stress and Health '95: Creating Healthier Workplaces*. Englewood, CO: Sound Images Inc, 1995.
- 34 Draper P. Noble beginnings to government works. *Government Purchasing* 1995;April:12-13.
- 35 Draper P. The rise and demise of the PSA. *Government Purchasing* 1995;May:8-9.
- 36 The PSA stands by for the draft. *Building* 1988;26th February:23
- 37 Property agency to be put on business basis. *The Times* 1988;25th May:12
- 38 Bill P. Government to sell off PSA construction arm. *Building* 1988;2nd December:7
- 39 Hencke D. Top civil servants ready for management buy-out. *Guardian* 1989;28th September:4
- 40 Hencke D. March of the millionaire mandarins. *Guardian* 1989;30th September:25
- 41 Kitchen S. Changing timetable for PSA privatisation. *Building* 1989;21st July:6
- 42 Walker D. Financial rule eased to assist PSA sale. *The Times* 1989;6th December:4

- 43 Guest P. Staff cuts to trim pre-privatised PSA. *Building* 1989;8th December:10
- 44 Kitchen S. PSA facts and figures. *Building* 1989;25th August:5
- 45 Bill P. Cabinet ministers clash over PSA control. *Building* 1988;18th March:5
- 46 Manzie G. Chris Patten announces PSA is to be split. *Construction* 1989;72:3
- 47 Hencke D. PSA auction landed Whitehall in Duck Soup. *Guardian* 1992;1st December:2
- 48 Alexander D, Grant B. Tarmac bites £50M PSA carrot. *New Builder* 1992;1st October:8
- 49 Taylor A. Move on PSA sell-off expected. *Financial Times* 1992;1st October:10
- 50 Hencke D. Staff exodus raises property agency hive-off bill over £100m. *Guardian* 1992;10th November:2
- 51 Hencke D. Privatisation of PSA could cost £250m. *Guardian* 1992;1st December:1
- 52 Kasl SV. Changes in mental health status associated with job loss and retirement. In: Barrett JE, ed. *Stress and Mental Disorder*. New York: Raven Press, 1979;179-200.
- 53 Joelson L, Walquist L. The psychological meaning of job insecurity and job loss: Results of a longitudinal study. *Soc Sci Med* 1987;25:179-182.
- 54 Beale N, Nethercott S. A critical review of the effect of factory closures on health (letter). *Br J Ind Med* 1992;49:70.
- 55 Basset P. Price of workplace flexibility may be rising job insecurity. *The Times* 1996;11th June:31
- 56 Bielski H. New patterns of employment in Europe. *WHO Regional Publications European Series* 1999;(in press).
- 57 Ghazi P, Jones J. The future of work revealed. *Independent* 1997;28th September:8-11.
- 58 Ball J, Marland M. *Male earning mobility in the lifetime labour market database*. London: Department of Social Security, Analytical Services Division, 1996.
- 59 Convery P. One million fewer men have jobs than in 1990. *Working Brief* 1997;82:19-20.
- 60 Parnes HS, King R. Middle-aged job losers. *Industrial Gerontology* 1977;Spring:77-95.
- 61 Liem R, Liem JH. Psychological effects of unemployment on workers and their families. *Journal of Social Issues* 1988;44:87-105.
- 62 *Social Trends* 27. London: The Stationary Office, 1997.
- 63 Jackson C, Bevan S, Hirsh W, Hayday S. *Staff Attitudes in the Benefits Agency*. Brighton, U.K. Institute of Manpower Studies, 1992.

- 64 Hartley J, Jacobson D, Klandermans B, Van Vuuren T. *Job Insecurity: Coping with jobs at risk*. London: Sage Publications Ltd, 1991.
- 65 Greenhalgh L, Rosenblatt Z. Job insecurity: Towards conceptual clarity. *Academy of Management Review* 1984;9:438-448.
- 66 Jacobson D. A Personological Study of the Job Insecurity Experience. *Social Behaviour* 1987;2:143-155.
- 67 Davies RB, Elias P, Penn R. Husband's unemployment and wife's employment. In: Gallie D, Marsh C, Vogler C, eds. *Social change and the experience of unemployment*. Oxford: Oxford University Press, 1994;154-187.
- 68 Gallie D, Marsh C. The experience of unemployment. In: Gallie D, Marsh C, Vogler C, eds. *Social change and the experience of unemployment*. Oxford: Oxford University Press, 1994;1-30.
- 69 Laczko F, Phillipson C. *Changing Work and Retirement*. Milton Keynes, England: Open University Press, 1991.
- 70 Convery P. Half a million gap between Claimant Count and LFS. *Working Brief* 1997;89:27-28.
- 71 Convery P. How many people are unemployed? *Working Brief* 1996;October:23-26.
- 72 Thomas R. The labour force survey in the dock. *Radical Statistics* 1997;64/65:3-12.
- 73 Hutton W. Bad times for the good life. *Guardian* 1994;2nd August:2-3.
- 74 Sinfield RA. *What Unemployment Means*. Oxford: Martin Robinson, 1981.
- 75 Daniel WW. *A National Survey of the Unemployed*. London: Political and Economic Planning, 1974.
- 76 Shire D. Real level of black unemployment is double the official figure. *Working Brief* 1997;84:5-6.
- 77 Convery P. Labour market 'slack' at five million. *Working Brief* 1997;87:27-28.
- 78 Orwell G. *The Road to Wigan Pier*. London: Victor Gollancz, 1937.
- 79 Jahoda M, Lazarsfeld P, Zeisel H. *Marienthal: The Sociography of an Unemployed Community*. London: Tavistock, 1972.
- 80 Bakke EW. *The Unemployed Man*. London: Nisbet, 1933.
- 81 Cambell B. *Wigan Pier Revisited*. London: Virago, 1984.
- 82 Seabrook J. *Unemployment*. London: Quartet, 1982.
- 83 Fagin L, Little M. *The Forsaken Families*. Harmondsworth: Penguin Books Ltd. 1984.
- 84 Fineman S. The middle class: unemployed and underemployed. In: Fineman S, ed. *Unemployment: Personal and Social Consequences*. London: Tavistock Publications, 1987;74-93.

- 85 Fryer D, Payne RL. Proactivity in unemployment: Findings and implications. *Leisure Studies* 1984;3:273-295.
- 86 Smith R. "What's the point. I'm no use to anybody": the psychological consequences of unemployment. *Br Med J* 1985;291:1338-1341.
- 87 Smith R. "I feel really ashamed": How does unemployment lead to poorer mental health? *Br Med J* 1985;291:1409-1412.
- 88 Smith R. "He never got over losing his job": death on the dole. *Br Med J* 1985;291:1492-1495.
- 89 Smith R. "I'm just not right": the physical health of the unemployed. *Br Med J* 1985;291:1626-1629.
- 90 Smith R. "I couldn't stand it any more": suicide and unemployment. *Br Med J* 1985;291:1563-1566.
- 91 Smith R. "We get on each other's nerves": unemployment and the family. *Br Med J* 1985;291:1707-1710.
- 92 Mcfadyen RG. Coping with threatened identities: Unemployed people's self-categorizations. *Current Psychology* 1995;14:233-257.
- 93 Hamilton V, Hoffman.W., Broman CL, Rauma D. Unemployment, distress, and coping: A panel study of autoworkers. *J Pers Soc Psy* 1993;65:234-247.
- 94 Fryer D. Employment deprivation and personal agency during unemployment. *Social Behaviour* 1986;1:3-23.
- 95 Warr P. *Work, Unemployment and Mental Health*. Oxford: Oxford University Press, 1987.
- 96 Payne JN, Coy J, Milner PC, Patterson S. Are deprivation indicators a proxy for morbidity? A comparison of the prevalence of arthritis, depression, dyspepsia, obesity and respiratory symptoms with unemployment rates and Jarman scores. *J Publ Hlth Med* 1993;15:161-170.
- 97 Campbell DA, Radford JMC, Burton P. Unemployment rates: an alternative to the Jarman index? *Br Med J* 1991;303:750-755.
- 98 Pilgrim Trust. *Men Without Work*. Cambridge: Cambridge University Press, 1938.
- 99 Smith R. "Bitterness, shame, emptiness, waste": an introduction to unemployment and health. *Br Med J* 1985;291:1024-1027.
- 100 Smith R. "Gissa job": the experience of unemployment. *Br Med J* 1985;291:1263-1266.
- 101 White M. *Against Unemployment. PSI Research Report 686*. London: Policy Studies Institute, 1991.
- 102 Cohen M. *I was one of the unemployed*. London: Victor Gollancz Ltd, 1945.
- 103 Murray I. Job Seeker's Allowance: Forcing the unemployed into the 'dependency culture'. *Working Brief* 1994;56:3-6.

- 104 Jobseekers' Allowance. *Working Brief* 1997; *Annual Report* 1996/7:4
- 105 Department of Social Security. *Retiring? Your pension and other benefits*. London: H.M.S.O. 1990.
- 106 Schmitt J, Wadsworth J. The Rise in Economic Inactivity In: Glyn A, Miliband D, eds. *Paying for Inequality*. London: Institute for Public Policy Research, Rivers Oram Press, 1994;114-159.
- 107 Casey B. Paying for Early Retirement. *Journal of Social Policy* 1992;21:303-323.
- 108 Casey B, Laczko F. Early retired or long-term unemployed? The situation of non-working men aged 55-64 from 1979 to 1986. *Work, Empl and Society* 1989;3:509-526.
- 109 Casey B. Redundancy and early retirement: The interaction of public and private policy in Britain, Germany and the USA. *Br.J.Industrial Relations*. 1992;30:425-443.
- 110 Johnson P. The labour force participation of older men in Britain, 1951-81. *Work, Empl and Society* 1989;3:351-368.
- 111 Bytheway B. Redundancy and the older worker. In: Lee RM, ed. *Redundancy, Layoffs and Plant Closures*. London: Croom Helm, 1987.
- 112 Trinder C. Older Workers and the Recession - how not to manage workforce reductions. *Employment Policy Institute Economic Report* 1991;6(2):
- 113 Parker S. *Work and Retirement*. London: George Allen and Unwin, 1982.
- 114 Astrand N, Isacson S, Olhagen GO. Prediction of early retirement on the basis of a health examination. *Scand J Work Environ Health* 1988;14:110-117.
- 115 Bazzoli GJ. The early retirement decision: New empirical evidence on the influence of health. *Journal of Human Resources* 1985;20:215-234.
- 116 Norregaard C. Retirement from work. *Danish Medical Bulletin* 1992;39:244-246.
- 117 Myers RJ. Health and the early retirement decision debate. Why do people retire early from work? *Ageing and Work* 1982;5:39-55.
- 118 Cliff D. *Health Issues in Male Early Retirement*. 1991;(Conference paper).
- 119 Diderichsen F, Janlert U. Effects of economic change on male morbidity in neighbouring industrial and rural municipalities in northern Sweden. *J Epidemiol Community Health* 1992;46:605-607.
- 120 McGoldrick A, Cooper C. *Early Retirement*. Aldershot: Gower, 1988.
- 121 Henkens K, Tazelaar F. Early Retirement of Civil Servants in the Netherlands. *Journal of Applied Social Psychology* 1994;24:1927-1943.
- 122 Department of Social Services Analytical Division. *The Pensioners' Income Series 1993*. London: Government Statistical Office, 1994.

- 123 Bartley M, Owen C. Relation between socioeconomic status, employment, and health during economic change, 1973-93. *Br Med J* 1996;**313**:445-449.
- 124 Howard G. Advising early retirement on medical grounds. *Occupational Health* 1990;October:297-298.
- 125 Astrand N, E., Isacsson S, O. Back pain, back abnormalities, and competing medical, psychological, and social factors as predictors of sick leave, early retirement, unemployment, labour turnover and mortality: a 22 year follow up of male employees in a Swedish pulp and paper company. *Br J Ind Med* 1988;**45**:387-395.
- 126 Brindle D. Labour's secret benefit plan. *Guardian* 1997;21st November:1
- 127 <http://www.dss.gov.uk/hq/facts/fig1pg8.htm>. *Internet* 1998;April.
- 128 Disney R, Webb S. Why are there so many long term sick in Britain? *The Economic Journal* 1991;**101**:252-262.
- 129 Cook DG, Cummins MJ, Bartley MJ, Shaper AG. The health of unemployed middle aged men in Britain. *Lancet* 1982;i:1290-1294.
- 130 Moylan s, Millar J, Davies R. *For Richer for Poorer: DHSS Cohort Study*. London: HMSO, 1984.
- 131 Farrow SC. Monitoring the Health Effects of Unemployment. *J R Coll Physicians Lond* 1983;**17**:99-105.
- 132 Moser KA, Fox AJ, Jones DR. Unemployment and mortality in the OPCS Longitudinal Study. *Lancet* 1984;ii:1324-1329.
- 133 Moser KA, Goldblatt PO, Fox AJ, Jones DR. Unemployment and mortality: comparison of the 1971 and 1981 longitudinal study census samples. *Br Med J* 1987;**294**:86-90.
- 134 Morris JK, Cook DG, Shaper AG. Loss of Employment and Mortality. *Br Med J* 1994;**308**:1135-1139.
- 135 Amick III BC, Kawachi I, Coakley EH, Lerner D, Levine S, Colditz GA. Relationship of job strain and iso-strain to health status in a cohort of women in the United States. *Scand J Work Environ Health* 1998;**24**:54-61.
- 136 Heaney C, Israel B, House J. Chronic Job Insecurity Among Automobile Workers: Effects on Job Satisfaction and Health. *Soc Sci Med* 1994;**38**:1431-1437.
- 137 Hyypa MT, Kronholm E, Alanen E. Quality of sleep during economic recession in Finland: A longitudinal cohort study. *Soc Sci Med* 1997;**45**:731-738.
- 138 Knox SS, Theorell T, Svensson JC, Waller D. The relation of social support and working environment to medical variables associated with elevated blood pressure in young males: A structural model. *Soc Sci Med* 1985;**21**:525-531.

- 139 James SA, LaCroix AZ, Kleinbaum DG, Strogatz DS. John Henryism and blood pressure differences among black men. II. The role of occupational stressors. *J Behav Med* 1984;**7**:259-275.
- 140 Dooley D, Rook K, Catalano R. Job and non-job stressors and their moderators. *J Occ Psychol* 1987;**60**:115-132.
- 141 Catalano R, Rook K, Dooley D. Labour markets and help-seeking: A test of the employment security hypothesis. *Journal of Health and Social Behaviour* 1986;**27**:277-287.
- 142 Kuhnert KW, Sims RR, Lahey MA. The relationship between job security and employee health. *Group and Organization Studies* 1989;**14**:399-410.
- 143 Roskies E, Louis-Guerin C. Job insecurity in managers: Antecedents and consequences. *Journal of Organisational Behaviour* 1990;**11**:345-359.
- 144 Burchell B. The Effects of Labour Market Position, Job Insecurity, and Unemployment on Psychological Health. In: Gallie D, Marsh C, Vogler C, eds. *Social Change and the Experience of Unemployment*. Oxford: Oxford University Press, 1994;188-212.
- 145 Dekker SWA, Schaufeli WB. The Effects of Job Insecurity on Psychological Health and Withdrawal: A Longitudinal Study. *Australian Psychologist* 1995;**30**:57-63.
- 146 Valkonen T, Martikainen P. The association between unemployment and mortality: Causation or selection? In: Lopez AD, Gaselli G, Valkonen T, eds. *Adult mortality in developed countries: From description to explanation*. Oxford: Clarendon Press, 1995;201-222.
- 147 Siegrist J, Peter R, Junge A, Cremer P, Seidel D. Low status control, high effort at work and ischemic heart disease: Prospective evidence from blue-collar men. *Soc Sci Med* 1990;**31**:1127-1134.
- 148 Platt S. Unemployment and suicidal behaviour: A review of the literature. *Soc Sci Med* 1984;**19**:93-115.
- 149 Grunberg L, Anderson-Connolly R, Greenberg ES. Surviving layoffs: The effects on organisational commitment and job performance. *Work and Occupations* 1998;(in press)
- 150 Chevalier A, Luce D, Blanc C, Goldberg M. Sickness absence at the French National Electric and Gas Company. *Br J Ind Med* 1987;**44**:101-110.
- 151 Feeney A, North F, Head J, Canner R, Marmot M. Socioeconomic and sex differentials in reason for sickness absence from the Whitehall II study. *Occup Environ Med* 1998;**55**:91-98.
- 152 Vahtera J, Kivimaki M, Pentti J. Effect of organisational downsizing on health of employees. *Lancet* 1997;**350**:1124-1128.
- 153 Kivimaki M, Vahtera J, Thomson L, Griffiths A, Cox T, Pentti J. Psychosocial factors predicting employee sickness absence during economic decline. *J Appl Psychol* 1997;**82**:858-872.
- 154 Gallie D, Vogler C. Labour Market Deprivation, Welfare and Collectivism. In: Gallie D, et al, eds. *Social Change and the Experience of Unemployment*. New York: OUP, 1994;299-336.

- 155 Armstrong-Stassen M. The impact of organisational downsizing on the job satisfaction of nurses. *Canadian Journal of Nursing Administration* 1996;9:8-32.
- 156 Hein R. *Alkoholi ja huumeet 1996 - kulutus, kaytto ja haitat (Alcohol and narcotics - consumption, use and harmful effects; in Finnish)*. Tilastotiedote: Helsinki: National Research and Development Centre for Welfare and Health, 1997.
- 157 Townsend P, Davison N. *Inequalities in Health: The Black Report*. Harmondsworth: Penguin, 1982.
- 158 Roskies E, Louis-Guerin C, Fournier C. Coping with job insecurity: How does personality make a difference? *Journal of Organisational Behaviour* 1993;14:617-630.
- 159 Leeftang RLI, Klein-Hesselink DJ, Spruit IP. Health effects of unemployment - I. Long-term unemployed men in a rural and an urban setting. *Soc Sci Med* 1992;34:341-350.
- 160 Bolton W, Oatley. A longitudinal study of social support and depression in unemployed men. *Psychol Med* 1987;17:453-460.
- 161 Turner JB, Kessler RC, House JS. Factors facilitating adjustment to unemployment: Implications for intervention. *Am J Comm Psy* 1991;19:521-542.
- 162 Kessler RC, Turner JB, House JS. Effects of unemployment on health in a community survey: Main, modifying and mediating effects. *Journal of Social Issues* 1988;4:69-85.
- 163 Lim VKG. Job Insecurity and Its Outcomes: Moderating Effects of Work-Based and Nonwork-Based Social Support. *Human Relations* 1996;49:171-194.
- 164 North F, Syme SL, Feeney A, Head J, Shipley MJ, Marmot MG. Explaining socioeconomic differences in sickness absence: the Whitehall II study. *Br Med J* 1993;306:361-366.
- 165 Barling J, Kelloway EK. Job insecurity and health: the moderating role of workplace control. *Stress Medicine* 1996;12:253-259.
- 166 Rook K, Dooley D, Catalano R. Stress transmission: The effects of husbands' job stressors on the emotional health of their wives. *Journal of Marriage and the Family* 1991;53:165-177.
- 167 Larson JH, Wilson SM, Beley R. The Impact of Job Insecurity on Marital and Family Relationships. *Family Relations* 1994;43:138-143.
- 168 Henriksen TB, Hedegaard M, Secher NJ. The relation between psychosocial job strain, and preterm delivery and low birthweight for gestational age. *Int J Epidemiol* 1994;23:764-774.
- 169 Power C, Matthews S, Manor O. Inequalities in self-rated health: explanations from different stages of life. *Lancet* 1998;351:1009-1014.
- 170 Davey Smith G, Harding S. Is control at work the key to socioeconomic gradients in mortality? *Lancet* 1997;350:1369-1370.
- 171 Hunter D. *The diseases of occupations*. London: Hodder and Stoughton, 1955.

- 172 Vernon HM. *Health in relation to occupation*. London: Oxford University Press, 1939.
- 173 Mathers CD, Schofield DJ. The health consequences of unemployment: the evidence. *Med J Aust* 1998;**168**:178-182.
- 174 Claussen B. A clinical follow up of unemployed. I: Lifestyle, diagnoses, treatment and reemployment. *Scand J Prim Health Care* 1993;**11**:211-218.
- 175 Arber S, Lahelma E. Inequalities in women's and men's ill-health: Britain and Finland compared. *Soc Sci Med* 1993;**8**:1055-1068.
- 176 Arber S. Integrating nonemployment into research on health inequalities. *Int J Health Serv* 1996;**26**:445-481.
- 177 Grayson JP. Health, physical activity level and employment status in Canada. *Int J Health Serv* 1993;**23**:743-761.
- 178 D'Arcy C, Siddique CM. Unemployment and Health: An Analysis of "Canada Health" Data. *Int J Health Serv* 1985;**15**:609-635.
- 179 Anson O, Anson J. Women's health and labour force status: an enquiry using a multi-point measure of labour force participation. *Soc Sci Med* 1987;**25**:57-63.
- 180 Rodriguez E. Health consequences of unemployment in Barcelona. *Eur J Pub Health* 1994;**4**:245-251.
- 181 Linn MW, Sandifer R, Stein S. Effects of Unemployment on Mental and Physical Health. *Am J Public Health* 1985;**75**:502-506.
- 182 Ramsden S, Smee C. The health of unemployed men: DHSS cohort study. *Empire Gazette* 1981;397-401.
- 183 Hibbard JH, Pope CR. Health Effects of Discontinuities in Female Employment and Marital Status. *Soc Sci Med* 1993;**36**:1099-1104.
- 184 Janlert U. *Work Deprivation and Health: Consequences of job loss and unemployment*. Lulea, Sweden: Karolinska Institute, 1991.
- 185 Hammarstrom A. Health Consequences of Youth Unemployment. *Public Health* 1994;**108**:403-412.
- 186 Morris JK, Cook DG, Shaper AG. Non-employment and changes in smoking, drinking and body weight. *Br Med J* 1992;**304**:536-541.
- 187 Wannamethee G, Shaper AG. Body weight and mortality in middle-aged British men: impact of smoking. *Br Med J* 1989;**299**:1497-1502.
- 188 Gutierrez-Fisac JL, Regidor E, Rodriguez C. Economic and social factors associated with body mass index and obesity in the Spanish population aged 20-64. *Eur J Pub Health* 1995;**5**:193-198.

- 189 Weber A, Lehnert G. Unemployment and cardiovascular diseases: a causal relationship? *Int Arch Occ Environ Health* 1997;**70**:153-160.
- 190 Banks MH, Jackson PR. Unemployment and the risk of minor psychiatric disorder in young people: cross-sectional and longitudinal evidence. *Psychol Med* 1982;**12**:789-798.
- 191 Warr P, Jackson PR. Self esteem and unemployment among young workers. *Le Travail Humaine* 1983;**46**:355-366.
- 192 Stokes G, Cochrane R. A study of the psychological effects of redundancy and unemployment. *J Occ Psychol* 1984;**57**:309-322.
- 193 Tiggeman M, Winefield AH. The effects of unemployment on mood, self-esteem, locus of control and depressive affect of school leavers. *J Occ Psychol* 1984;**57**:33-42.
- 194 Warr P, Jackson P, Banks M. Unemployment and mental health: Some British studies. *Journal of Social Issues* 1988;**44**:47-68.
- 195 Greatz B. Health Consequences of Unemployment: Longitudinal Evidence for Young Men and Women. *Soc Sci Med* 1993;**36**:715-724.
- 196 Morrell S, Taylor R, Quine S, Kerr C, Western J. A cohort study of unemployment as a cause of psychological disturbance in Australian youth. *Soc Sci Med* 1994;**38**:1553-1564.
- 197 Frese M, Mohr G. Prolonged unemployment and depression in older workers: a longitudinal study of intervening variables. *Soc Sci Med* 1987;**25**:173-178.
- 198 Lahelma E. Unemployment and mental well-being: Elaboration of the relationship. *Int J Health Serv* 1992;**22**:261-275.
- 199 Layton C. Levels of state anxiety for males facing redundancy and subsequently reporting to be employed or unemployed. *Perceptual and Motor Skills* 1987;**65**:53-54.
- 200 Claussen B, Bjørndal A, Hjort PH. Health and re-employment in a two year follow up of long term unemployed. *J Epidemiol Community Health* 1993;**47**:14-18.
- 201 Warr P, Jackson PR. Factors influencing the psychological impact of prolonged unemployment and of re-employment. *Psychol Med* 1985;**15**:795-807.
- 202 Leana CR, Feldman DC. Finding new jobs after a plant closing: Antecedents and outcomes of the occurrence and quality of reemployment. *Human Relations* 1995;**48**:1381-1401.
- 203 Weich S, Lewis G. Poverty, unemployment, and common mental disorders: population based cohort study. *Br Med J* 1998;**317**:115-119.
- 204 Warr P, Banks MH, Jackson P. Duration of unemployment and psychological well-being in young men and women. *Curr Psychol Res* 1982;**2**:207-214.
- 205 Dew MA, Bromet EJ, Penkower L. Mental health effects of job loss in women. *Psychol Med* 1992;**22**:751-764.

- 206 Banks MH, Ullah P. Unemployment and less qualified urban youth. A longitudinal study. *Empire Gazette* 1986;**94**:205-210.
- 207 Fineman S. *White Collar Unemployment: Impact and Stress*. Chichester: John Wiley & Sons, 1983.
- 208 Fineman S. Back to employment: wounds and wisdoms. In: Fryer D, Ullah P, eds. *Unemployed People: Social and Psychological Perspectives*. Milton Keynes: Open University Press, 1987;268-284.
- 209 Cook DG. Can we detect an effect of unemployment on cardiovascular morbidity or mortality? *Postgrad Med J* 1986;**62**:801-804.
- 210 Crombie IK, Kenicer MB, Smith WCS, Tunstall-Pedoe HD. Unemployment, socioenvironmental factors, and coronary heart disease in Scotland. *Br Heart J* 1989;**61**:172-177.
- 211 Franks PJ, Adamson C, Bulpitt PF, Bulpitt CJ. Stroke death and unemployment in London. *J Epidemiol Community Health* 1991;**45**:16-18.
- 212 Brenner MH. Relation of economic change to Swedish health and social well-being, 1950-1980. *Soc Sci Med* 1987;**25**:183-195.
- 213 Brenner MH, Mooney A. Economic change and sex-specific cardiovascular mortality in Britain 1955-1976. *Soc Sci Med* 1982;**16**:431-442.
- 214 Brenner MH. Mortality and economic instability: Detailed analyses for Britain and comparative analyses for selected industrialized countries. *Int J Health Serv* 1983;**13**:563-620.
- 215 Bunn AR. Ischaemic heart disease mortality and the business cycle in Australia *Am J Pub Health* 1979;**69**:772-781.
- 216 Eyer J. Prosperity as a cause of death. *Int J Health Serv* 1977;**7**:125-150.
- 217 Eyer J. Does unemployment cause the death rate peak in each business cycle? A multifactor model of death rate change. *Int J Health Serv* 1977;**7**:625-662.
- 218 Brenner MH, Mooney A. Unemployment and health in the context of economic change. *Soc Sci Med* 1983;**17**:1125-1138.
- 219 Dooley D, Catalano R. Economic change as a cause of behavioral disorder. *Psychol Bull* 1980;**87**:450-468.
- 220 Kasl S. Strategies of research on economic instability and health. *Psychol Med* 1982;**12**:637-649.
- 221 Gravelle HSE, Stern J, Hutchinson G. Mortality and Unemployment: A critique of Brenner's Time-Series Analysis. *Lancet* 1981;675-679.
- 222 Stern J. Unemployment and its Impact on Morbidity and Mortality. *Centre For Labour Economics L S E Discussion paper* 93 1981;3-62.
- 223 Stern J. Does Unemployment really kill? *New Soc* 1982;421-422.

- 224 Colledge M. Economic cycles and health: towards a sociological understanding of the impact of the recession on health and illness. *Soc Sci Med* 1982;16:1919-1927.
- 225 Sogaard J. Econometric Critique of the Economic Change Model of Mortality. *Soc Sci Med* 1992;34:947-957.
- 226 M'Gonigle GCM, Kirby J. *Poverty and public health*. London: Golantz, 1936.
- 227 Morris JN, Titmuss RM. Health and social change: Recent history of rheumatic heart disease. *The Medical Officer* 1944;2:69-71,77-79,85-87.
- 228 Starrin B, Larsson G, Brenner SO. Regional variations in cardiovascular mortality in Sweden-structural vulnerability in the local community. *Soc Sci Med* 1988;29:911-917.
- 229 Charlton JRH, Bauer R, Thakore A, Silver R, Aristidou M. Unemployment and mortality: a small area analysis. *Journal of Epidemiology and Community Health* 1987;41:107-113.
- 230 Moser KA, Jones DR, Fox AJ, Goldblatt PO. Unemployment and mortality: Further evidence from the OPCS Longitudinal Study 1971-81. *Lancet* 1986;i:365-367.
- 231 Iversen L, Andersen O, Andersen PK, Christofferson K, Keiding N. Unemployment and mortality in Denmark. *Br Med J* 1987;295:879-884.
- 232 Martikainen PT. Unemployment and mortality among Finnish men. *Br Med J* 1990;301:407-411.
- 233 Martikainen PT, Valkonen T. Excess mortality of unemployed men and women during a period of rapidly increasing unemployment. *Lancet* 1996;348:909-912.
- 234 Bartley M. Unemployment and health selection. *Lancet* 1996;348:904
- 235 Martikainen PT, Valkonen T. The effects of differential unemployment rate increases of occupational groups on changes in mortality. *Am J Pub Health* 1998;88:1859-1861.
- 236 Platt SD, Kreitman N. Trends in parasuicide and unemployment among men in Edinburgh 1968-82. *Br Med J* 1984;289:1029-1032.
- 237 Platt SD, Kreitman N. Parasuicide and unemployment among men in Edinburgh 1968-82. *Psychol Med* 1985;15:113-123.
- 238 Platt SD, Kreitman N. Long term trends in parasuicide and unemployment in Edinburgh 1968-1987. *Soc Psychiatry Psychiatr Epidemiol* 1990;25:56-61.
- 239 Platt S, Micciolo R, Tansella M. Suicide and unemployment in Italy: Description, analysis and interpretation of recent trends. *Soc Sci Med* 1992;34:1191-1201.
- 240 Lewis G, Sloggett A. Suicide, deprivation, and unemployment: record linkage study. *Br Med J* 1998;317:1283-1286.
- 241 Westin S. *Unemployment and health: medical and social consequences of a factory closure in a ten-year controlled follow-up study*. Trondheim: University of Trondheim, 1990.

- 242 D'Arcy C. Unemployment and health: data and implications. *Can J Public Health* 1986;**77**(Suppl.1):124-131.
- 243 Westin S. Does unemployment increase the use of primary health care services? *Scand J Prim Health Care* 1993;**11**:225-227.
- 244 Yuen P, Balarajan R. Unemployment and patterns of consultation with the general practitioner. *Br Med J* 1989;**298**:1212-1214.
- 245 Virtanen P. Unemployment, reemployment and the use of primary health care services. *Scand J Prim Health Care* 1993;**11**:228-233.
- 246 Smith R. Workfare and health. *Br Med J* 1993;**306**:474.
- 247 Carrhill RA, Rice N, Roland M. Socioeconomic determinants of rates of consultation in general practices based on 4th national morbidity survey of general practices. *Br Med J* 1996;**312**:1008-1012.
- 248 Montgomery SM, Cook DG, Bartley MJ, Wadsworth MEJ. Unemployment, cigarette smoking, alcohol consumption and body weight in young British men. *Eur J Pub Health* 1998;**8**:21-27.
- 249 Lee AJ, Crombie IK, Smith WC, Tunstall-Pedoe H. Cigarette smoking and employment status. *Soc Sci Med* 1991;**33**:1309-1312.
- 250 Lee AJ, Crombie IK, Smith WC, Tunstall-Pedoe H. Alcohol consumption and unemployment among men: The Scottish Heart Health Study. *British Journal of Addiction* 1990;**85**:1165-1170.
- 251 Lahelma E, Kangas R, Manderbacka K. Drinking and unemployment: contrasting patterns among men and women. *Drug and Alcohol Dependency* 1995;**37**:71-82.
- 252 Dooley D, Fielding J, Levi L. Health and unemployment. *Ann Rev Public Health* 1996;**17**:449-465.
- 253 Turner JB. Economic context and the health effects of unemployment. *Journal of Health and Social Behavior* 1995;**36**:213-229.
- 254 Bloor M, Samphier M, Prior L. Artefact explanations of inequalities in health: an assessment of the evidence. *Sociol Health Illness* 1987;**9**:231-264.
- 255 Watkins SJ. Unemployment and health. *Lancet* 1984;**2**:1464-1465.
- 256 Cook D. Unemployment and health during a recession. *Practitioner* 1985;**229**:559-562.
- 257 Wagstaff A. Unemployment and health: some pitfalls for the unwary. *Health Trends* 1986;**18**:79-81.
- 258 Bartley M. *Authorities and Partisans: The Debate on Unemployment and Health*. Edinburgh: Edinburgh University Press, 1992.
- 259 Bartley M. Unemployment and health: selection or causation - a false antithesis? *Sociol Health Illness* 1988;**10**:41-67.

- 260 del Llano Senaris J, Aracil Rodriguez E, del Llano Senaris M, et al. Una enfermedad llamada paro: La trastienda del desempleo del larga duracion. *Gaceta Sanitaria* 1996;10:73-80.
- 261 Huey-tsyh C, Marks MR, Bersani CA. Unemployment classifications and subjective well-being. *Soc Rev* 1994;42:62-78.
- 262 Kessler RC, House JS, Turner JB. Unemployment and health in a community sample. *Journal of Health and Social Behavior* 1987;28:51-59.
- 263 Bartley M. Unemployment and ill health: understanding the relationship. *J Epidemiol Community Health* 1994;48:333-337.
- 264 Bartley M. Research on Unemployment and Health in Great Britain. In: Schwefel D, et al, eds. *Unemployment, Health and Social Vulnerability in Europe*. Munich: Springer, 1987;90-117.
- 265 Robinson JC. Job hazards and job security. *Journal of Health Policy, Politics and Law* 1986;11:1-17.
- 266 Montgomery SM, Bartley MJ, Cook DG, Wadsworth MEJ. Health and social precursors of unemployment in young men in Britain. *J Epidemiol Community Health* 1996;50:415-422.
- 267 Lee RM, Harris CC. Redundancy studies: Port Talbot and the future. *Quarterly Journal of Social Affairs* 1985;1:19-27.
- 268 Bartley M. Health and labour force participation. *Journal of Social Policy* 1991;20:327-364.
- 269 Bartley M. Redundancy and Health. In: Lee RM, ed. *Redundancy, Layoffs and Plant Closures: Causes and Consequences*. Beckenham, Kent: Croom Helm, 1986;305-329.
- 270 Byrne D, et al. *Housing and Health: The relationship between housing conditions and the health of council tenants*. Aldershot: Gower, 1986.
- 271 Lowry S. Housing and health: temperature and humidity. *Br Med J* 1989;299:1326-1328.
- 272 Jackson P, Warr P. Mental health of unemployed men in different parts of England and Wales. *Br Med J* 1987;295:525
- 273 Whelan C. The role of income, life-style deprivation and financial strain in mediating the impact of unemployment on psychological distress: Evidence from the Republic of Ireland. *J Occ Org Psychol* 1992;65:331-344.
- 274 Fryer DM. Poverty stricken? A plea for a greater emphasis on the role of poverty in psychological research on unemployment and mental health in the social context. In: Verhaar CHA, Jansma LG, eds. *On the mysteries of unemployment*. The Netherlands: Kluwer Academic Publishers, 1992;191-208.
- 275 Clark M. The unemployed on supplementary benefits. *Journal of Social Policy* 1978;7:385-410.
- 276 Bradshaw J, Cook K, Godfrey C. The impact of unemployment on the living standards of families. *Journal of Social Policy* 1983;12:433-452.

- 277 Jackson PR, Warr P. Unemployment and psychological ill-health: the moderating role of duration and age. *Psychol Med* 1984;14:605-614.
- 278 Rodgers B. Socio-economic status, employment and neurosis. *Soc Psychiatry Psychiatr Epidemiol* 1991;26:104-114.
- 279 Leeflang RLI, Klein-Hesselink DJ, Spruit IP. Health effects of unemployment - II. Men and women. *Soc Sci Med* 1992;34:351-363.
- 280 Kessler RC, Blake Turner J, House JS. Intervening processes in the relationship between unemployment and health. *Psychol Med* 1987;17:949-961.
- 281 Ullah P, Banks MH, Warr P. Social support, social pressures and psychological distress during unemployment. *Psychol Med* 1985;15:283-295.
- 282 Jahoda M. *Employment and Unemployment: A Social Psychological Analysis*. New York: Cambridge University Press, 1982.
- 283 Ferrie J, Shipley MJ, Marmot MG, Stansfeld S, Davey Smith G. Health effects of anticipation of job change and non-employment: longitudinal data from the Whitehall II study. *Br Med J* 1995;311:1264-1269.
- 284 Cook D. *Loss of employment and mortality. Seminar given to the Department of Epidemiology and Public Health, University College London, 7th December 1993*. 1993;(UnPub).
- 285 Hakim C. The Social Consequences of High Unemployment. *Journal of Social Policy* 1982;11:433-467.
- 286 Lampard R. An examination of the relationship between marital dissolution and unemployment. In: Gallie D, Marsh C, Vogler C, eds. *Social change and the experience of unemployment*. Oxford: Oxford University Press, 1994;264-298.
- 287 Dew MA, Bromet EJ, Schulberg HC. A Comparative Analysis of Two Community Stressors' Long-Term Mental Health Effects. *Am J Comm Psy* 1987;15:167-184.
- 288 Crow I. The unemployment/crime link. *Unemployment Unit Bulletin* 1982;4:6-9.
- 289 Taitz LS. Unemployment and child abuse. *Br Med J* 1987;294:1074-1076.
- 290 Johnson P, Reed H. Intergenerational mobility among the rich and poor - results from the National Child Development Survey. *Oxford Review of Economic Policy* 1996;12:127-142.
- 291 Macfarlane A, Cole T. From depression to recession - evidence about the effects of unemployment on mother's and babies' health 1930s-1980s. In: Durward L, ed. *Born unequal: perspectives on pregnancy and childbearing in unemployed families*. London: Maternity Alliance, 1985.
- 292 Brennan ME, Lancashire R. Association of childhood mortality with housing status and unemployment. *J Epidemiol Community Health* 1978;32:28-33.

- 293 Maclure A, Stewart GT. Admission of children to hospitals in Glasgow: Relation to unemployment and other deprivation variables. *Lancet* 1984;ii:682-685.
- 294 Bartley M, Ferrie J, Montgomery S. Living in a high unemployment economy: understanding the health consequences. In: Wilkinson RG, Marmot MG, eds. *Social determinants of health*. Oxford: OUP, 1999.
- 295 Bartley M, Fagin L. Hospital admissions before and after shipyard closure. *Br J Psychiat* 1990;156:421-424.
- 296 Ferrie JE. Labour market status, insecurity and health. *Journal of Health Psychology* 1997;2:373-397.
- 297 Cobb S, Kasl SV. *Termination: The consequences of job loss*. Cincinnati: DHEW-NIOSH Publication no 77-224, National Institutes for Occupational Safety and Health, 1977.
- 298 Cobb S, Brooks GW, Kasl SV, Connelly WE. The health of people changing jobs: A description of a longitudinal study. *Am J Pub Health* 1966;56:1476-1481.
- 299 Jacobsen K. Afskedigelse og sygelighed. *Ugeskr Laeg* 1972;134:352-354.
- 300 Jacobsen K. Arbejdsløshed og afsked som sygdomsfremkaldende faktorer. *Ugeskr Laeg* 1974;136:1650-1651.
- 301 Bjørndal A, Johnsen B. Konsekvenser av innskrenkninger ved en hjørnesteinsbedrift. *Tidsskr Nor Laegeforen nr* 1990;110:239-242.
- 302 Westin S, Norum D, Schlesselman JJ. Medical consequences of a factory closure: Illness and disability in a four-year follow-up study. *Int J Epidemiol* 1988;17:153-161.
- 303 Westin S, Schlesselman JJ, Korper M. Long-term effects of a factory closure: Unemployment and disability during ten years' follow-up. *J Clin Epidemiol* 1989;42:435-441.
- 304 Procaccini DA, Telesforo P, Zaccaria N, Pignatelli P, Del Gaudio M. Intravenous glucose tolerance test during muscular exercise. *Quad Sclavo Diagn* 1984;20:264-270.
- 305 Levi L, Brenner SO, Hall EM, et al. The psychological, social, and biochemical impacts of unemployment in Sweden. *Int J Ment Health* 1984;13:18-34.
- 306 Arnetz BB, Brenner S, Hjelm R, Levi L, Petterson I. Stress reactions in relation to threat of job loss and actual unemployment: Physiological, psychological and economic effects of job loss and unemployment. *Stress Research Reports, Karolinska Institute, Stockholm* 1988;No.206:
- 307 Hall EM, Johnson JV. Depression in unemployed Swedish women. *Soc Sci Med* 1988;27:1349-1355.
- 308 Beale N, Nethercott S. Job-loss and family morbidity: a study of a factory closure. *J R Coll Gen Pract* 1985;35:510-514.
- 309 Beale N, Nethercott S. The nature of unemployment morbidity. 1. Recognition. *J R Coll Gen Pract*

1988;**38**:197-199.

310 Beale N, Nethercott S. The nature of unemployment morbidity. 2. Description. *J R Coll Gen Pract* 1988;**38**:200-202.

311 Beale N, Nethercott S. The health of industrial employees four years after compulsory redundancy. *J R Coll Gen Pract* 1987;**37**:390-394.

312 Iversen L, Sabroe S. Plant closures, unemployment, and health: Danish experiences from the declining ship-building industry. In: Schwefel D, Svensson P, Zollner H, eds. *Unemployment, Social Vulnerability, and Health in Europe*. Berlin: Springer-Verlag, 1987;31-47.

313 Iversen L, Sabroe S. Participation in a follow up study of health among unemployed and employed people after a company closedown: drop outs and selection bias. *J Epidemiol Community Health* 1988;**42**:396-401.

314 Iversen L, Sabroe S. Psychological well-being among unemployed and employed people after a company closedown: A longitudinal study. *Journal of Social Issues* 1988;**44**:141-152.

315 Iversen L, Sabroe S, Damsgaard MT. Hospital admissions before and after shipyard closure. *Br Med J* 1989;**299**:1073-1076.

316 Grayson JP. Reported illness after a CGE closure. *Can J Public Health* 1989;**80**:16-19.

317 Hamilton VL, Broman CL, Hoffman WS, Renner DS. Hard times and vulnerable people: Initial effects of plant closing on autoworkers' mental health. *Journal of Health and Social Behavior* 1990;**31**:123-140.

318 Mattiasson I, Lindegärde F, Nilsson JÅ, Theorell T. Threat of unemployment and cardiovascular risk factors: longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *Br Med J* 1990;**301**:461-466.

319 Iversen L, Klausen H. *The closure of the Nordhavn shipyard*. Copenhagen Institute of Social Medicine: Kobenhavns Universitet Publikation 13, FADL, 1981.

320 Jenkins R, Macdonald A, Murray J, Strathdee G. Minor psychiatric morbidity and the threat of redundancy in a professional group. *Psychol Med* 1982;**12**:799-807.

321 Grayson JP. The closure of a factory and its impact on health. *Int J Health Serv* 1985;**15**:69-93.

322 Withington J. *The anatomy of a shipyard closure*. London: Bedford Square Press, 1989.

323 Wybrow P, Withington J. After the ships went down. *New Soc* 1988;**19th February**:14-16.

324 Schnall PL, Landsbergis PA, Pieper CF, et al. The impact of anticipation of job loss on psychological distress and worksite blood pressure. *Am J Ind Med* 1992;**21**:417-432.

325 Viinamaki H, Koskela K, Niskanen L, Arnkill R. Unemployment, financial stress and mental well-being: a factory closure studied. *Eur J Psychiat* 1993;**7**:95-102.

326 Koskela K, Viinamaki H, Niskanen L, Kontula O. Effects of unemployment on wellbeing and

- health. *WHO Regional Publications European Series* 1994;54:23-36.
- 327 Rowlands P, Huws R. Psychological effects of colliery closure. *Int J Soc Psychiatry* 1995;41:21-25.
- 328 Burke RJ. The closing at Canadian Admiral: Correlates of individual well-being sixteen months after shutdown. *Psychol Reports* 1984;55:91-98.
- 329 Studnicka M, Studnicka-Benke A, Wogerbauer G, et al. Psychological health, self-reported physical health and health service use. Risk differential observed after one year of unemployment. *Soc Psychiatry Psychiatr Epidemiol* 1991;26:86-91.
- 330 Westin S. The structure of a factory closure: Individual responses to job-loss and unemployment in a 10 year controlled follow-up study. *Soc Sci Med* 1990;31:1301-1311.
- 331 Burke R. Reemployment on a poorer job after a plant closing. *Psychol Reports* 1986;58:559-570.
- 332 Carpenter LM. Some observations on the healthy worker effect. *Br J Ind Med* 1987;44:289-291.
- 333 Iversen L, Klausen H. Alcohol consumption among laid-off workers before and after closure of a Danish ship-yard: A 2-year follow-up study. *Soc Sci Med* 1986;22:107-109.
- 334 Buss TF, Redburn FS, Waldron J. *Mass unemployment: Plant closings and community mental health*. Beverly Hills: Sage Publications, 1983.
- 335 Beale N, Nethercott S. Certificated sickness absence in industrial employees threatened with redundancy. *Br Med J* 1988;296:1508-1510.
- 336 Piachaud D. Disability, retirement and unemployment of older men. *Journal of Social Policy* 1986;15:145-162.
- 337 Fryer D, McKenna S. The laying off of hands - unemployment and the experience of time. In: Fineman S, ed. *Unemployment: Personal and Social Consequences*. London: Tavistock Publication Ltd, 1987;47-73.
- 338 Gore S. The effect of social support in moderating the health consequences of unemployment. *Journal of Health and Social Behaviour* 1978;19:157-165.
- 339 Hennekens CH, Buring JE. *Epidemiology in medicine*. Boston/Toronto: Little, Brown, 1987.
- 340 Alderson M. *An Introduction to Epidemiology*. London and Basingstoke: Macmillan, 1976.
- 341 Beale N, Nethercott S. Job-loss and morbidity in married men with and without young children. *J R Coll Gen Pract* 1986;36:557-559.
- 342 Beale N, Nethercott S. Job-loss and morbidity in a group of employees nearing retirement age. *J R Coll Gen Pract* 1986;36:265-266.
- 343 Beale N, Nethercott S. Job-loss and morbidity: the influence of job-tenure and previous work history. *J R Coll Gen Pract* 1986;36:560-563.
- 344 Glynn RJ, Rosner B, Silbert JE. Changes in Cholesterol and Triglyceride as Predictors of Ischemic

Heart Disease in Men. *Circulation* 1982;**66**:724-731.

345 Morris JK, Cook DG. A critical review of the effect of factory closures on health. *Br J Ind Med* 1991;**48**:1-8.

346 Kasl SV, Gore S, Cobb S. The experience of losing a job: Reported changes in health, symptoms and illness behaviour. *Psychosom Med* 1975;**37**:106-122.

347 Kasl S, V., Cobb S, Gore S. Changes in reported illness behavior related to termination of employment: A preliminary report. *Int J Epidemiol* 1972;**1**:111-118.

348 Kasl SV, Cobb S. Blood pressure changes in men undergoing job loss: A preliminary report. *Psychosom Med* 1970;**32**:19-38.

349 Kasl SV, Cobb S, Brooks GW. Changes in serum uric acid and cholesterol levels in men undergoing job loss. *J A M A* 1968;**206**:1500-1507.

350 Slote A. *Termination: The Closing at Baker Plant*. Indianapolis: Bobbs-Merrill, 1969.

351 Arnetz BB, Brenner S, Levi L, et al. Neuroendocrine and immunologic effects of unemployment and job insecurity. *Psychother Psychosom* 1991;**55**:76-80.

352 Brenner S, Levi L. Long-term unemployment among women in Sweden. *Soc Sci Med* 1987;**25**:153-161.

353 Owens C. Sick leave among railwaymen threatened by redundancy: A pilot study. *Occupational Psychology* 1966;**40**:43-52.

354 Beale N, Nethercott S. Job-loss and health - the influence of age and previous morbidity. *J R Coll Gen Pract* 1986;**36**:261-264.

355 Kasl SV, Cobb S. The experience of losing a job: some effects on cardiovascular functioning. *Psychother Psychosom* 1980;**34**:88-109.

356 Hinde K. Labour market experiences following plant closure: The case of Sunderland's shipyard workers. *Regional Studies* 1994;**28**:713-724.

357 Broman CL, Hamilton VL, Hoffman WS. Unemployment and its effects on families: Evidence from a plant closing study. *Am J Comm Psy* 1990;**18**:643-659.

358 Catalano R. The health effects of economic insecurity. *Am J Pub Health* 1991;**81**:1148-1152.

359 Shortt SED. Is unemployment pathogenic? A review of current concepts with lessons for policy planners. *Int J Health Serv* 1996;**26**:569-589.

360 Cabinet Office. *Civil Service Yearbook 1994*. London: H.M.Stationary Office, 1994.

361 Pope C, Mays N. Reaching the parts other methods cannot reach: An introduction to qualitative methods in health and health services research. *Br Med J* 1995;**311**:42-45.

- 362 Jones J, Hunter D. Consensus methods for medical and health services research. *Br Med J* 1995;**311**:376-380.
- 363 Tilford S, Delaney FG. Qualitative research in health education. *Health Education Res* 1992;**7**:451-455.
- 364 Jones R. Why do qualitative research? *Br Med J* 1995;**311**:2
- 365 Reid DD, Brett GZ, Hamilton PJS, Jarrett RJ, Keen H, Rose G. Cardiorespiratory disease and diabetes among middle-aged male civil servants. *Lancet* 1974;**i**:469-473.
- 366 Marmot MG, Shipley MJ, Rose G. Inequalities in death - specific explanations of a general pattern? *Lancet* 1984;**1**:1003-1006.
- 367 Marmot MG, Rose G, Shipley M, Hamilton PJS. Employment grade and coronary heart disease in British civil servants. *J Epidemiol Community Health* 1978;**32**:244-249.
- 368 Davey Smith G, Shipley MJ, Rose G. The magnitude and causes of socio-economic differentials in mortality: further evidence from the Whitehall study. *J Epidemiol Community Health* 1990;**44**:265-270.
- 369 Marmot MG, Davey Smith G, Stansfeld S, et al. Health inequalities among British civil servants: the Whitehall II study. *Lancet* 1991;**337**:1387-1393.
- 370 North FM. *Work and absence from work, unpublished PhD (London, University of London)*. 1990;(UnPub).
- 371 H.M.Treasury. *Pocket Pay Guide 1995 Settlements*. London: H.M Treasury PSPP Division, 1995.
- 372 Stansfeld SA, Marmot MG. Social class and minor psychiatric disorder in British Civil Servants: a validated screening survey using the General Health Questionnaire. *Psychol Med* 1992;**22**:739-749.
- 373 Brunner EJ. *Social class and risk factors for coronary heart disease (PhD thesis)*. London: University of London, 1994;(UnPub).
- 374 Government Statistical Service. *Civil Service Statistics 1997*. London: Cabinet Office, 1997.
- 375 Ben-Shlomo Y, Davey Smith G, Shipley M, Marmot MG. Magnitude and causes of mortality differences between married and unmarried men. *J Epidemiol Community Health* 1993;**47**:200-205.
- 376 Waldron I, Hughes ME, Brooks TL. Marriage protection and marriage selection - prospective evidence for reciprocal effects of marital status and health. *Soc Sci Med* 1996;**43**:113-123.
- 377 Idler EL, Kasl S. Health perceptions and survival - do global evaluations of health-status really predict mortality. *J.Gerontol* 1991;**46**:55S-65S.
- 378 Manderbacka K, Lahelma E, Martikainen P. Examining the continuity of self-rated health. *Int J Epidemiol* 1998;**27**:208-213.
- 379 Office of Population Censuses and Surveys. *General Household Survey 1987*. London: H.M. Stationery Office, 1987.

- 380 Office of Population Censuses and Surveys. *General Household Survey 1977*. London: H.M. Stationery Office, 1979.
- 381 Cartwright A. *Patients and their doctors*. London: Routledge and Kegan Paul, 1967.
- 382 Office of Population Censuses and Surveys. *Morbidity statistics in general practice 1970-71*. London: H.M. Stationery Office, 1982.
- 383 Goldberg DP. *Manual of the General Health Questionnaire*. Windsor: National Foundation for Education Research Publishing Co. 1979.
- 384 Bennet N, Dodd T, Flatley J, Freeth S, Bolling K. *Health Survey for England 1993*. London: HMSO, 1995.
- 385 Stansfeld S, Head J, Marmot MG. Explaining social class differences in depression and well-being. *Soc Psychiatry Psychiatr Epidemiol* 1998;33:1-9.
- 386 Nicholson A, White I, Macfarlane P, Brunner E, Marmot M. Rose questionnaire angina in younger men and women: gender differences in the relationship to cardiovascular risk factors and other reported symptoms. *J Clin Epidemiol* 1998;(in press)
- 387 Rose GA, Blackburn H, Gillum RF, Prineas RJ. *Cardiovascular survey methods, 2nd edition*. Geneva: WHO, 1982.
- 388 Beksinska M, Yea L, Brunner E. *Whitehall II study: Manual for screening examination 1991-93*. London: Department of Epidemiology and Public Health, University College London, 1995.
- 389 Rose G. Standardisation of observers in blood pressure measurement. *Lancet* 1965;i:673-674.
- 390 Brunner EJ, Marmot MG, White IR, et al. Gender and employment grade differences in blood cholesterol, apolipoproteins and haemostatic factors in the Whitehall II study. *Atherosclerosis* 1993;102:195-207.
- 391 Brunner EJ, Marmot MG, Nanchahal K, et al. Social inequality in coronary risk: central obesity and the metabolic syndrome. Evidence from the Whitehall II study. *Diabetologia* 1997;40:1341-1349.
- 392 Bradburn NM. *The structure of psychological wellbeing*. Chicago: Aldine, 1969.
- 393 Cox T. *Stress*. London: Macmillan, 1993.
- 394 Karasek R. Job demands, job decision latitude, and mental strain: Implications for job redesign. *Admin Sci Q* 1979;24:285-311.
- 395 Bosma H. *Validation of the demand-control-support model regarding the psychosocial work environment of British civil servants*. 1995;(UnPub).
- 396 Schnall PL, Landsbergis PA. Job strain and cardiovascular disease. *Ann Rev Public Health* 1994;15:381-411.

- 397 North FM, Syme SL, Shipley MJ, Feeney A, Marmot MG. Psychosocial Work Environment and Sickness Absence among British Civil Servants: The Whitehall II study. *Am J Public Health* 1996;**86**:332-340.
- 398 Bosma H, Marmot MG, Hemingway H, Nicholson A, Brunner EJ, Stansfeld S. Low job control and risk of coronary heart disease in the Whitehall II (prospective cohort) study. *Br Med J* 1997;**314**:558-565.
- 399 Alfredsson L, Karasek R, Theorell T. Myocardial infarction risk and psychosocial work environment: an analysis of the male Swedish working force. *Soc Sci Med* 1982;**16**:463-467.
- 400 Broadhead WE, Kaplan BH, James SA, et al. The epidemiologic evidence for a relationship between social support and health. *Am J Epidemiol* 1983;**117**:521-537.
- 401 Johnson JV, Hall EM. Job strain, work place social support, and cardiovascular disease: A cross-sectional study of a random sample of the Swedish working population. *Am J Pub Health* 1988;**78**:1336-1342.
- 402 *Health hazards of VDT's?* Chichester: John Wiley and Sons, 1984.
- 403 U.S.Department of Health Ea. *Smoking and Health*. Washington, D.C. U.S. Government Printing Office, 1964.
- 404 Doll R, Peto R. Mortality in relation to smoking: 20 years' observations on male British doctors. *Br Med J* 1976;**2**:1525-1536.
- 405 Public Health Service. *Smoking and health*. Washington D.C. Department of Health, Education and Welfare, 1979.
- 406 Berlin JA, Colditz GA. A meta-analysis of physical activity in the prevention of coronary heart disease. *Am J Epidemiol* 1990;**132**:612-628.
- 407 Powell KE, Caspersen CJ, Koplan JP, Ford ES. Physical activity and chronic diseases. *Am J Clin Nutr* 1989;**49**:999-1006.
- 408 Eckardt MJ, Harford TC, Kaelber CT, et al. Health hazards associated with alcohol consumption. *JAMA* 1981;**246**:648-666.
- 409 Marmot MG. Alcohol and cardiovascular disease. *Factfile (British Heart Foundation)* 1998;1.
- 410 Marmot MG, Shipley MJ, Rose G, Thomas BJ. Alcohol and mortality: a U-shaped curve. *Lancet* 1981;**1**:580-583.
- 411 Rimm EB, Giovannucci EL, Willett WC, et al. Prospective study of alcohol consumption and risk of coronary disease in man. *Lancet* 1991;**338**:464-468.
- 412 Morris JN, Chave SPW, Sirey AC, Epstein L, Sheehan DJ. Vigorous exercise in leisure time and the incidence of coronary heart disease. *Lancet* 1973;(i):334-339.

- 413 SAS Institute Inc. *SAS Language Reference Version 6 First Edition*. Cary, NC: SAS Institute Inc. 1990.
- 414 Dean AG, Dean JA, Burton AH, Dicker RC. *Epi Info, Version 5: a word processing, database and statistics program for epidemiology on microcomputers*. Stone Mountain, Georgia: USD, Incorporated, 1990.
- 415 Rothman KJ. *Modern Epidemiology*. Boston: Little, Brown and Company, 1986.
- 416 O.P.C.S. *Standard Occupational Classification Volume 2*. London: HMSO, 1991.
- 417 O.P.C.S. *Standard Occupational Classification Volume 3*. London: HMSO, 1991.
- 418 Catford JC, Nutbeam D, Davey Smith G. *Welsh Heart Health Survey 1985: Protocol and Questionnaire*. Cardiff: Heath Promotion Authority for Wales, 1985.
- 419 Pearlin LI, Schooler C. The structure of coping. *Journal of Health and Social Behavior* 1978;19:2-21.
- 420 Ruberman W, Weinblatt E, Goldberg JD, Chaudhary BS. Psychosocial influences on mortality after myocardial infarction. *N Engl J Med* 1984;311:552-559.
- 421 Next Steps Team. *Next Steps Briefing Note*. Cabinet Office; March, 1997.
- 422 Warr P, Jackson P. Adapting to the unemployed role: a longitudinal investigation. *Soc Sci Med* 1987;25:1219-1224.
- 423 Kirkwood BR. *Essentials of medical statistics*. Oxford: Blackwell Scientific Publications, 1988.
- 424 Royal College of Physicians of London. *Smoking or health?* London: Pitman Medical, 1977.
- 425 Morris JN, Everitt MG, Pollard R, Chave SPW, Semmence AM. Vigorous exercise in leisure-time: protection against coronary heart disease. *Lancet* 1980;2:1207-1210.
- 426 Roach SO. *The role of the professional architectural technician and technologist and a macro-view of the changing needs of the UK construction industry (University of Westminster, Dissertation)*. 1996;(UnPub).
- 427 Property Services Agency. PSA Services Non-Industrial Staff: Voluntary Early Retirement/Severance. *PSA Staff Notices* 1991;4th January:1-2.
- 428 Smith HW. *Strategies of social research*. Inglewood Cliffs, New Jersey: Prentice Hall International, 1975.
- 429 Hunt L. Job insecurity threat to the nation's health. *Independent* 1995;10th November:10
- 430 Ghazi P. Whitehall reform 'fuels insecurity': Human cost of cuts worries Civil Service chief. *Observer* 1995;12th November:4

- 431 Kemp D. Work fears all in the mind says Lang. *The Sun* 1995;16th November:2
- 432 Bell S. Job Insecurity "It's all in the mind" (Cartoon). *Guardian* 1995;17th November:7
- 433 Bradford Hill A. The environment and disease: association or causation? *Proc R Soc Med* 1965;58:295-300.
- 434 Geling OV. Unemployment, job insecurity and health: A survey of post-unification Germany. *Dissertation abstract* 1997;(Abstract)
- 435 Belloc B, Breslow L. Relationship of physical health status and health practices. *Prev Med* 1972;1:409-421.
- 436 Belloc N. Relationship of health practices and mortality. *Prev Med* 1973;2:67-81.
- 437 Breslow L, Enstrom J. Persistence of health habits and their relationship to mortality. *Prev Med* 1980;9:469-483.
- 438 House JS, Strecher V, Metzner HL, Robbins CA. Occupational Stress and Health Among Men and Women in the Tecumseh Community Health Study. *Journal of Health and Social Behavior* 1986;27:62-77.
- 439 Theorell T. Life events before and after the onset of a premature myocardial infarction. In: Dohrenwend BS, Dohrenwend BP, eds. *Stressful Life Events*. London: Wiley, 1974;101-117.
- 440 Viinamaki H, Koskela K, Niskanen L, Arnkill R, Tikkanen J. Unemployment and mental well-being: a factory closure study in Finland. *Acta Psychiatrica Scandinavica* 1993;88:429-433.
- 441 Feather NT. *The Psychological Impact of Unemployment*. New York: Springer Verlag, 1990.
- 442 Fryer D. Labour-market disadvantage, deprivation and mental health Benefit Agency? *Psychologist* 1995;8:265-272.
- 443 Marmot MG, Feeney A, Shipley M, North F, Syme SL. Sickness absence as a measure of health status and functioning: from the UK Whitehall II study. *J Epidemiol Community Health* 1995;49:124-130.
- 444 Parsons T. *The Social System*. New York: Free Press, 1951.
- 445 Virtanen V. 'An epidemic of good health' at the workplace. *Sociol Health Illness* 1994;16(3):394-401.
- 446 Knutsson A, Goine H. Occupation and unemployment rates as predictors of long-term sickness absence in two Swedish counties. *Soc Sci Med* 1998;47:25-31.
- 447 Ullah P. The association between income, financial strain and psychological well-being among unemployed youths. *J Occ Psychol* 1990;63:317-330.
- 448 Graham H. Women's smoking and family health. *Soc Sci Med* 1987;25:47-56.

- 449 Jacobson B, Amos A, Aghi M. World no tobacco day: A challenge for women's health. *Lancet* 1989;ii:1193-1194.
- 450 D.H.S.S. *Inequalities in Health: Report of a Research Working Group*. London: D.H.S.S. 1980.
- 451 Public lashings, private loyalties. *Building* 1990;30th March:5
- 452 Karasek RA, Theorell T, Schwartz J, Pieper C, Alfredsson L. Job, psychological factors and coronary heart disease. *Adv Cardiol* 1982;29:62-67.
- 453 Karasek R, Baker D, Marxer F, Ahlbom A, Theorell T. Job decision latitude, job demands and cardiovascular disease: a prospective study of Swedish men. *Am J Public Health* 1981;71:694-705.
- 454 Pieper C, LaCroix AZ, Karasek RA. The relation of psychosocial dimensions of work with coronary heart disease risk factors: A meta-analysis of five United States data bases. *Am J Epidemiol* 1989;129(3):483-494.
- 455 Arber S. Comparing inequalities in women's and men's health: Britain in the 1990s. *Soc Sci Med* 1997;44:773-787.
- 456 Macran S, Clarke L, Joshi H. Women's health: Dimensions and Differentials. *Soc Sci Med* 1996;42:1203-1216.
- 457 Elstad JI. Inequalities in health related to women's marital, parental, and employment status - A comparison between the early '70s and late '80s, Norway. *Soc Sci Med* 1996;42:75-89.
- 458 Orpen C. Job Dependence as a Moderator of Effects of Job Threat on Employees' Job Insecurity and Performance. *Psychol Reports* 1993;72:449-450.
- 459 O.E.C.D. Is job insecurity on the increase in OECD countries? In: *OECD Employment Outlook*. Paris: OECD, 1997.
- 460 Lynch JW, Kaplan GA, Salonen JT. Why do poor people behave poorly? Variation in adult health behaviours and psychosocial characteristics by stages of the socioeconomic lifecourse. *Soc Sci Med* 1997;44:809-819.
- 461 Christy D. Downsizing to disaster. *Guardian* 1998;November 5:8.
- 462 Armstrong-Stassen M. Production Workers Reactions to a Plant Closing - The Role of Transfer, Stress, and Support. *Anxiety Stress and Coping* 1993;6:201-214.
- 463 Hartley J. Models of job insecurity, and coping strategies by organisations. *WHO Regional Publications European Series* 1999;(in press).
- 464 Stewart W, Barling J. Fathers Work Experiences Effect Childrens Behaviours Via Job-Related Affect and Parenting Behaviours. *Journal of Organisational Behaviour* 1996;17:221-232.
- 465 Caulkin S. Treat'em mean and keep'em keen a game companies cannot win. *Observer* 1998;21st June:Business Section I-VIII.

- 466 Walt G. How far does research influence policy? *Eur J Pub Health* 1994;4:233-235.
- 467 Department of Health. *The Health of the Nation*. London: HMSO, 1992.
- 468 Acheson D. *Independent Inquiry into Inequalities in Health (Report)*. London: The Stationery Office, 1998.
- 469 House JS. *Work Stress and Social Support*. Reading, MA: Addison-Wesley, 1981.
- 470 New Deal Briefing. *Working Brief* 1998;100:6-11.
- 471 Vinokur AD, van Ryn M, Gramlich EM, Price RH. Long-term follow-up and benefit-cost analysis of the jobs program: A preventive intervention for the unemployed. *J Appl Psychol* 1991;76(2):213-219.
- 472 Ezzy D. Unemployment and Mental Health: A critical review. *Soc Sci Med* 1993;37:41-52.
- 473 Davey Smith G, Egger M, Blane D. Safety and health in the construction industry. *Br Med J* 1990;301:932.
- 474 Whitehead M. Inequalities and public policy. Part I - The international perspective. *Equity in Health Research and Development Unit* 1995.
- 475 Scott-Samuel A, Whitehead M, Connelly J. Inequalities and public policy. Part II - The UK perspective. *Equity in Health Research and Development Unit* 1995.
- 476 Proceedings of a European Conference. *Action on social inequalities and health*. London: BMJ Publishing Group, 1994.
- 477 Karasek R. Dutch labour participation and job quality policy for the late 1990's: Defining new alternatives and new visions. *WHO Regional Publications European Series* 1999;(in press).
- 478 Braverman H. *Labor and Monopoly Capital The Degradation of Work in the Twentieth Century*. New York: Monthly Review Press, 1974.

TABLE OF CONTENTS

Appendix I	Workplace closure studies - description of studies
Appendix II	Whitehall II study Phase 1 questionnaire
Appendix III	Whitehall II study Phase 2 questionnaire
Appendix IV	Whitehall II study Phase 3 questionnaire
Appendix V	PSA study questionnaire (Change and Health)
Appendix VI	PSA study invitation letter
	PSA study thank you letter .
	PSA study invitation letter to those who had withdrawn from the Whitehall II study
	PSA study reminder letter
	PSA study second reminder letter
	PSA study missing data letter
Appendix VII	PSA questionnaire (Change and Health) coding manual
Appendix VIII	Study 1 - Tables of adjustments for reporting bias (negative affect) and potential mediators on health outcomes
	Table 5.7 (I) Health self-rated as average or worse
	Table 5.7 (II) Longstanding illness
	Table 5.7 (III) Minor psychiatric morbidity
	Table 5.7 (IVa) Sleep 5 hours or less on an average night
	Table 5.7 (IVb) Sleep 9 hours or more on an average night
	Table 5.7 (V) Number of symptoms in the last 14 days
	Table 5.7 (VIa) Sickness absence 1 working week or more in the last year
	Table 5.7 (VIb) Sickness absence 2 working weeks or more in the last year
	Table 5.7 (VIIa) Angina pectoris
	Table 5.7 (VIIb) Possible/probable ischaemia on ECG
	Table 5.7 (VIIc) Possible/probable ischaemia on ECG or angina

Table 5.7 (VIIIa)	Systolic blood pressure mmHg
Table 5.7 (VIIIb)	Diastolic blood pressure mmHg
Table 5.7 (IX)	Cholesterol concentration (mmol/l)
Table 5.7 (X)	Body Mass Index
Table 5.7 (XI)	Adjustment for reporting bias (negative affect) and all potential mediators on self-reported health outcomes
Table 5.7 (XII)	Adjustment for reporting bias (negative affect) and all potential mediators on physiological measures

Appendix IX

Published papers

- 1 Ferrie J, Shipley MJ, Marmot MG, Stansfeld S, Davey Smith G. Health effects of anticipation of job change and non-employment: longitudinal data from the Whitehall II study. *Br Med J* 1995;311:1264-1269
- 2 Ferrie JE. Labour market status, insecurity and health. *Journal of Health Psychology* 1997;2:373-397
- 3 Ferrie JE, Shipley MJ, Marmot MG, Stansfeld S, Davey Smith G. The health effects of major organisational change and job insecurity. *Soc Sci Med* 1998;46:243-254
- 4 Ferrie JE, Shipley M, Marmot MG, Stansfeld S, Davey Smith G. An uncertain future: The health effects of threats to employment security in white-collar men and women. *Am J Public Health* 1998;88:1030-1036

APPENDIX I

APPENDIX I WORKPLACE CLOSURE STUDIES

As indicated in *Chapter 3*, twenty-one workplace closure studies with data on health and/or psychosocial and/or health-related outcomes were identified from the literature in the 25 years from 1970. This appendix provides a more detailed description of each study than is included in the literature review. The studies are presented in chronological order of closure.

1. Michigan manufacturing plants (United States) - commenced 1965

A seminal study of workplace closure was carried out by Cobb and Kasl in the United States in the mid-1960's, results from which were widely reported throughout the 1970's. Study subjects came from two plants that shut down permanently, given the pseudonyms Baker and Dawson. Baker, which manufactured paint, was located in Detroit, Dawson, which manufactured display fittings, in a rural community of less than 3,000 persons. Most Baker employees included in the study were machine operators, laboratory assistants or clerks, while the Dawson men were mostly machine operators and assembly line workers. There were four control factories. One was the maintenance department of a large university where the men were predominantly machinists and carpenters. Another was a plant that manufactured truck parts in a large metropolitan area, and the men were machine operators and assembly line workers. The other two companies were both rural manufacturing plants where the men were primarily machine operators and assembly line workers¹.

The study aimed to investigate health and behavioural effects of redundancy and ensuing unemployment or re-employment^{1,2}. To this end the men were seen in their homes by specially trained public health nurses². The first nurse visit took place some six weeks before the scheduled plant closing when the men were still in their old jobs but were well aware of the impending shutdown. The men were seen again about 6 weeks after the closure. All were either unemployed or in new jobs on probation. The next visit took place around 6 months after the closure. More men had found new jobs, this being a time and area of low unemployment, some were still unemployed and a few had made another job

change. Two further visits took place at 12 and 24 months. After one year most men had achieved stable re-employment but by 24 months a sizable minority had experienced additional job changes and further periods of unemployment¹.

Alfred Slote, a novelist, interviewed key actors involved in the closing of the Baker plant, from management, from the Union and the work force, both white and blue-collar. He also documented the effect the closure had on the men's wives and families. The end product, a sociological account more fascinating than most novels is full of insight and emotion both painful and funny³.

2. The Jacobsen Study (Denmark) factory - March 1971

The only data which seem to be available from this study in English are in the form of summaries^{4,5}. Jacobsen followed a group of 43 workers for 22 months from the first of January 1970, measuring their morbidity in terms of visits to a doctor. The factory closure was at the end of March 1971, providing 15 months data pre-closure and 7 months post-closure⁴. The first paper to be published did not mention a control group and the study, understandably, has been criticised for this omission⁶. A review published a year later strengthens the results from the study by indicating that the morbidity of 200 'men from the same area' did not alter over the study period⁵.

3. Sardine factory (Norway) - January 1975

Increasing production costs and a shrinking market produced a crisis in the sardine canning industry in Norway in 1974/5 which resulted in the closure of a number of factories. Westin and colleagues followed workers from two sardine factories located on an island of 16,000 inhabitants, 5km north-west of Bergen. The Norbest Canning Company factory in Hetlevik closed its sardine production on the 31st January 1975. Canning workers from this factory, all of whom lost their jobs, formed the study population⁷. The control population came from a sister factory run by the same company a few kilometres away in Davanger, which stayed open after a four-month suspension of production at the start of the study follow-up period. Participants in both groups had a minimum of four months seniority prior to the closure at Hetlevik⁸.

Employees at Hetlevik were officially notified in late November of the impending shut down in the New Year and the first round of data collection commenced in December. The authors note that 'Effects of the anticipated closure of the plant in Hetlevik could be observed shortly after this date'⁷(p 155). The study group were followed-up 1 year and 4 years after closure, at which time clinical examinations and interviews were extended to the controls. A fourth round of data was collected on all study participants alive 10 years after the closure; no one was lost to follow-up(p.436)⁸. Supplementary data were collected from the medical records of participant's General Practitioners, Social Security and Labour Market Authority records, and company records for all respondents.

The aim of the study was to quantify the effects of the closure on future employment, health-related social security consumption, and social readjustment over a 10-year follow-up period⁸. Thus, the Sardine study was more a study of labour market alternatives after workplace closure than a study of its health effects, a factor recognised by the investigators. 'Some of the recorded measures of health..... could be considered expressions of coping strategies by the unemployed'(p.441)⁸. Although local unemployment was low for the first 7 years of the study⁸, the canning factory workers belonged to a local segment of the labour market where unemployment was very high and job opportunities scarce⁹. However, the Norbest Company's reason for closing the factory at Hetlevik was reportedly based on its buildings and machinery being older than at Davanger, and not on factors related to the employees⁸.

Because of the 4-month production halt at Davanger only data for the second half of the first year were considered for employment and unemployment outcomes among the controls. There were no statistically significant differences between subjects and controls with regard to age, marital status and length of sickness absence in the year before closure, although control women had slightly more sickness absence than the study women. The reverse was true for the men. In the analyses, means for the controls were directly standardised to the study population group to adjust for potential confounding by age, sex, and sickness absence in the year prior to follow-up¹⁰.

4. Nordhavn shipyard (Denmark) - December 1976

The Nordhavn study was able to take advantage of a 'natural experiment'. The authors were pursuing a study of perceived health hazards in a small ship-repairing yard with a total work force of 101 men in Copenhagen in the spring of 1976. All except one of the men went through a general health examination, the data from which were later to form the baseline data of the workplace closure study. In September 1976 the management suddenly decided to close the yard and in December 1976 the last worker left and production stopped completely¹¹.

Unemployment benefit for those unemployed provided them with about 70% of their previous income¹¹. Immediately after the closure 37% of the cohort had another job. However, the number employed increased very slowly during the next three years and by 1979 was still only 66%. At termination 60% of the terminees were unemployed. This figure gradually decreased to 6% by the end of the study, but over the same period the number of workers who became economically inactive rose from 3% to 28%. Nearly 90% of those aged 19-49 years regained employment over the course of the study, whereas re-employment among those aged 50-59 never rose above 40% and those aged 60-67 never regained employment¹².

5. Youngstown steel mill (United States) - September 1977

This study was undertaken to provide information for public policies concerned with mass unemployment in industrial workers. In September 1977 the Lykes Corporation announced the immediate closure of the Campbell Works of its giant steel making subsidiary, Youngstown Sheet and Tube Company. Initially, nearly 4,100 workers were laid off, followed later by hundreds more.

A longitudinal panel study collected data from 328 male steel workers and their families 1 year and 2 years after the announcement. The study sample at year 1 included 273 steelworkers and 55 managers, 215 spouses and 100 children of steelworkers, and 39 spouses and 15 children of managers. Sample attrition between years 1 and 2 was high with 55% of steelworkers and 53% of managers completing both rounds of data collection. Workers remaining in employment in the steel mill were used as the control group. The

authors observe that 'Those who were continuously employed exhibited stress sometimes as debilitating as those who had lost their jobs. This may have occurred because employed workers were continually exposed to conflicting reports and rumours about further retrenchment or shutdowns.' (p.73). Data were collected by interview. The interviews covered employment status, health problems, psychological measures, family relations, alcohol and drug abuse¹³.

6. National Newspaper office (United Kingdom) - February 1981

The Newspaper study was an exploratory study designed to examine the relationship between threat of redundancy and mental health. In the autumn of 1980 a national newspaper came under threat of closure following a 2 year period of frequent industrial disputes and stoppages. During the year before the final threat of closure the journalists had been suspended for 50 weeks on full pay. Final redundancy notices were served in December 1980, 3 months before the planned date of closure. The aims of the study were to obtain preliminary data on the prevalence of minor psychiatric morbidity in professional men and women facing redundancy, and to determine changes over time. However, after the conception of the study the newspaper was sold and the journalists retained their jobs but were under new management. Three months post sale internal changes had been made in the hierarchy and in the format of the paper.

Minor psychiatric morbidity was measured using the 30-item General Health Questionnaire (GHQ). At pre-termination a sub-sample was interviewed using a social stress and support schedule and the Clinical Interview Schedule (CIS), a measure which validates results obtained by the GHQ. The authors assumed that the relationship between GHQ and CIS designated caseness would remain constant and so calculated 'probable prevalence' of CIS caseness at follow-up according to values obtained at initial interview¹⁴.

7. Canadian Admiral plant (Canada) - November 1981

The Canadian Admiral plant in Cambridge, Ontario closed in November 1981 during a period when plant closures were common and unemployment was steadily increasing. The closing of the Admiral plant added another 450 women and men to the unemployment figures. Admiral was a cross-sectional, descriptive study which collected data by

questionnaire mailed to 360 ex-employees on March 1st 1983, 16 months after the closure. 183 questionnaires were completed, a response rate of 51%. Data from 177 respondents, 22 women and 155 men were used in an analysis of the correlates of individual well-being. Due to the prevailing high level of unemployment in the area, only 42% of the sample were in employment at the time of the survey. The questionnaire gathered data on psychosomatic symptoms, life satisfaction, marital and family problems, global satisfaction, current smoking and alcohol consumption¹⁵. A sub-study of 61 former employees (5 women and 56 men), all of whom were re-employed in new jobs 16 months after the closure, examined the effect of job quality on the above measures¹⁶.

8. SKF Canada Ltd ball bearings manufacturer (Canada) - December 1981

In December 1981 the multi-national ball bearings manufacturer, SKF, closed its Canadian operation, making 310 men and women redundant. The first data collection point 5 months pre-closure can be described as the pre-termination phase as all employees by this time knew they would lose their jobs. Questionnaire surveys were carried out up to 26 months post-closure, but no indication is given how many employees were surveyed or responded. Most of the results presented are outcomes from path analyses. Inclusion in the path analyses for each time point is restricted to male blue-collar unemployed terminees or their wives from whom data were gathered during the pre-termination phase and the time point of interest. These eligibility criteria mean that the analyses are restricted to small numbers, the maximum being 59. In addition to the surveys, over 100 interviews were carried out with former employees and their wives over a 21 month period spanning the closure. The findings from these interviews were used for 'shedding light on some of the statistical findings'(p.72)¹⁷.

Data collection points in the SKF study were chosen to facilitate comparisons with the Michigan study. Also in common with the Michigan study, SKF closed its Canadian operation in the interests of economic efficiency; while in contrast, the closure took place at a time of high unemployment. The year following the closure had the highest unemployment since the Great Depression and over a year after the closure more than 60% of the terminees were still unemployed. Grayson also points out that, compared with European countries, workers who lose their jobs in Canada receive little protection¹⁷.

9 Telefon AB L M Ericsson plant telephone equipment manufacturer (Sweden) - 1982

In June 1981 employees of the Telefon AB L M Ericsson plant, a manufacturer of equipment for telephone exchanges, were informed that the plant would be closed and redundancy notices were served in April 1982. Although national unemployment in Sweden was low, in the area around the Telefon plant local unemployment was high¹⁸. Unemployment benefit was 90% of previous income and other social provisions were generous¹⁹.

The study had two control groups; one in insecure employment, the other securely employed in a safety equipment manufacturing facility²⁰. Participants in insecure employment worked in a plant which had been on the verge of being wound up three times between 1970-78. In 1979 the workers had taken over the plant but the situation was still not secure when the study started²¹. Respondents from the closing Telefon company were offered a psychosocial intervention programme which was taken up by 53 of them. The aim of the study was to conduct a multi-disciplinary investigation of the biochemical, psychological, social, and economic aspects of employment-unemployment^{18,21}.

10. C & T Harris Ltd meat products factory (United Kingdom) - July 1982

In July 1982 the factory of C & T Harris Ltd in Calne which manufactured meat products, closed. Calne is a small market town of around 11,000 in the United Kingdom in which Harris had been the main employer for over 200 years. In June 1979 10% of the work force were made redundant, followed by a further 50% in January 1980. Those remaining in the work force were given to understand that they had a year in which to increase productivity, a veiled threat of future closure that took two years to materialise. The study, undertaken by a GP with whom the majority of the work force were registered, aimed to examine aspects of health service use.

Data were collected retrospectively to July 1976, 6 years before the closure and for up to 4 years after, providing 10 years of follow-up²²⁻²⁴. Terminees, their spouses, and children under 16, were included in the study if the family were registered with the practice for the duration of the study, the respondents were full-time workers, in social class 3, 4 or 5 (Registrar General's classification), and under 61 if male, 56 if female i.e. under the age

of early retirement for manual workers at that time. Ten men aged 61-64 years and 10 women aged 56-59 were analysed separately²⁵. A control group who fulfilled criteria analogous to those for the subjects were selected from seven firms dealing with a variety of products and services²². Differences in outcome measures between Harris employees and the controls, when both groups were stably employed, were non-significant, except that Harris women had significantly fewer episodes of illness.

11. Elsinore shipyard (Denmark) - 1983

Denmark in the early 1980s had one of the highest rates of unemployment among western European countries²⁶. In 1983 one of the largest shipyards, Elsinore, was closed and about 2,100 workers were dismissed. All men with a seniority of more than 6 months who were employed at the shipyard in 1982 were recruited into the study. Of the 1,909 eligible, 1304, 303 salaried men and 1001 waged men, replied to the initial questionnaire, a response rate of 68%¹². A control group was recruited from the Dannebrog shipyard which was situated in another part of Denmark and did not close during the course of the study. Of the 549 eligible control men 448 responded to the initial questionnaire, a response rate of 82%, all of whom were waged workers. Later, all respondents who were not Danish citizens were excluded¹².

A more detailed description of the study population a year later numbers those eligible, both subjects and controls, as 2,504, 1816 of whom responded. The responders comprised several sub-populations, 273 male salaried staff, 1328 male wage earners, 61 female salaried staff and 154 people who were outside the labour market, primarily early retirement pensioners and students. Women and those outside the labour market were removed from study population, and before each round those who had become economically inactive in the intervening period were also excluded²⁷.

In one publication the stated aim of the study was to 'elucidate the health consequences of job loss following a company closedown.' (p. 397)²⁷. However, in another paper the authors state that the control group was included to enable them to investigate whether health effects of unemployment stemming from closure differed from those of layoffs due to normal fluctuations in production²⁶. As no such difference could be established, the two

populations were subsequently analysed together as one sample, except in analyses of hospital admissions.

Admissions to hospital were examined to determine whether the closure affected admission patterns in the study group. Data on hospital admissions were obtained from the Danish national register of patients for the years 1979-1986, five years prior to closure and three years after²⁸. The study period was divided into three phases: 1979-1980 was the secure employment phase prior to any mention of closure; 1981-1983 covered the anticipation and pre-termination phases, including the closure itself in November 1983; and 1984-1986 the post-closure years. Redundancies at Elsinore occurred over a period of time and so unemployment in the study group never exceeded 55%.

The study group consisted of 887 men from the Elsinore shipyard, the control group 441 men from the Dannebrog shipyard. The selection criteria cited are the same as those in previous papers and yet no explanation is given why there are only 887 men from Elsinore in this part of the study. Analyses presented in the paper were based solely on the main diagnosis recorded at discharge. Admissions were calculated as the number of men admitted to hospital per 1000 observation years for each of the three phases (repeated admissions counting only once). Admission rates in the two groups were compared by estimating the relative risk of admission in the study group in relation to the control group.

12. Canadian General Electric factory (CGE) - March 1984

In March 1984 the Canadian General Electric Factory (CGE) in Toronto, Ontario closed. Approximately 400 highly skilled employees, mainly men, lost their jobs. All data points were post-closure and phased, as in the SKF closure - conducted by the same investigator - to be consistent with those of the Michigan study. The number of workers invited to participate in the study is not stated but a maximum of 164 respondents are included in the analyses. Results were compared with responses by 2,756 economically active members of the general population of Ontario to a similar set of questions in the Canada Health Survey in 1981. Analyses were adjusted for age, sex, education and employment status²⁹.

At the end of the 27 month follow-up; 12% of terminees were still unemployed, 13% had retired, some had lost their first post-closure job, and approximately half the employees

and their spouses still rated the closure as a life event greater than or equal to divorce. The closure resulted in considerable economic loss for both the unemployed and the re-employed, whose new jobs paid less and required less skill²⁹, a factor which may explain why the impact of the closure continued to be felt by the unemployed, the re-employed and spouses so long after the factory had closed.

13. Furniture factory (Austria) - June 1986

This cross-sectional study, involving all 244 former workers at a furniture factory in a small rural town in north-east Austria, has data collected 1 year after the closure, in June 1986³⁰. 215 workers responded, 88%. Non-responders did not differ significantly from responders in labour market status. Those who had become economically inactive and apprentices were excluded from the study group leaving 172 subjects, of whom 66 were unemployed and 106 re-employed. Mean length of time out of work for the unemployed group was 11 months, 5 months for the re-employed. Only 18% of the final study population were female, so the data were not analysed by sex.

14. Pennsylvania assembly line (United States) - redundancies late 1985 - late 1986

The women in this study were enrolled into an investigation of occupational stress and low-level solvent exposure, and baseline data collection was for this purpose only. All the subjects were white, English speaking women, aged 18-65 who were blue-collar assembly line workers employed in a factory making small appliances in semi-rural Pennsylvania. All the women had a minimum of 6 months seniority. Current or prior solvent exposure was found to have negligible on the outcomes measured. However, during the subsequent year the work force was reduced, downsizing rather than closure, and the investigators took advantage of the opportunity to examine the effects of redundancy on psychological distress.

Four women, unemployed for reasons other than being made redundant, were removed from the analyses. The remaining 141 women were classified into three groups; 68 who retained their previous jobs, 35 unemployed for less than 6 months, and 38 unemployed for more than 6 months. Women who remained continuously employed on the assembly line formed the control group.

Initial data collection by face-to-face interview in the autumn of 1985 had a response rate of 73%. The authors initially claim that according to union reports, company information, and the subjects themselves, the redundancies had not been anticipated at the time of the initial interview. However, later they question the veracity of this, saying that the higher levels of their outcome measures, depression and anxiety, recorded in the autumn of 1985 may have been due to the women anticipating lay-off. Follow-up 1 year later was by telephone interview. Non-response to follow-up was 11% but no significant differences were seen between responders and non-responders³¹.

15. Smith's Dock shipyard (United Kingdom) - May 1986 - February 1987

Smith's Dock on the outskirts of Middlesbrough was the last shipyard on Teesside, an area that had once built 15% of the world's ships. Its closure, phased between May 1986 and February 1987, meant the loss of 1,400 jobs. In a longitudinal survey of labour market outcomes and psychological impact of the closure, 200 of the workers, 5% women, were interviewed ten times³². When the closure was announced, Cleveland, the county in which the yard was situated had the highest unemployment rate in Britain. Male unemployment in Middlesbrough was 28% and in some areas around the yard it was 50%. The government set up a special company with the aim of helping the ex-workers find employment³³. The redundant workers had little formal education and many had skills specific to shipbuilding, gained through apprenticeship. Forty three percent of the sample had been made redundant previously³².

16. General Motors (GM) car manufacturers (United States) - 1987

In November 1986, General Motors announced that it would be closing 9 plants and parts of 2 others, mostly by the end of 1987. The closings, stated to affect approximately 17,450 GM workers in Michigan alone, were unusual in their scope and unusual (for the US) in the amount of notice and benefits that were available to workers under their union-negotiated contract. Some workers were able to transfer from closing to non-closing plants before the event, or return to employment with GM after the event on the basis of seniority.

The study started in August 1987 and took random samples from 4 plants scheduled to close before the end of 1987 and 12 that were to remain open. All the plants were located in the Detroit and Flint areas of southeastern Michigan. Preliminary analyses of the first round of data showed that 198/813 of the respondents from closing plants had already been made redundant. This unemployed group existed because portions of some plants closed, some assembly lines shut down, and some workers were made redundant on the basis of seniority before final closing. As all the workers were blue-collar, social class was a constant. However, seniority was a very important determinant of whether or not a worker was in a closing or a non-closing plant and whether or not s/he had already been made redundant. Seniority, therefore, was included in the analyses to control for sample selection bias. Those still working faced the possibility of redundancy, but could not be certain of their fate^{34,35}.

The aim of the analysis of the pre-closing data from the GM study was to determine the effects of the closure on mental health³⁴. However, by the analyses of the follow-up data the focus of the study had changed. 'Our research questions concern the relationship of unemployment and distress rather than plant closing and distress'(p.238)³⁵.

17. Kockums AB Malmo shipyard (Sweden) - 1988

Kockums was a shipbuilding yard in Malmo, Sweden, which until 1988 had a mercantile and a naval facility. The decline of the Swedish shipbuilding industry started in the 1970s, and Kockums was the last yard producing new vessels. In March 1986 workers were given advance notice that the mercantile side would close and operations ceased in June 1988. All workers over 58.3 years accepted early retirement on full pay and those who could be redeployed in the naval arm were transferred. Substantial government support for job creation ensured most terminees had new jobs before their employment at Kockums ended. This means that measurements at follow-up may have been during the anticipation phase, the pre-termination phase, early retirement or re-employment depending on the man and his age.

The Kockums study had two aims. To ascertain whether there was a relationship between the threat of redundancy and changes in risk factors for cardiovascular disease, and whether mental stress and sleep disturbance were related to and might explain such

possible changes. The study had two data collection points; baseline data collected for other reasons during a period of economic stability for the company, six years before closure was announced, and data collected between March 1987 and January 1988 a period during which the majority of the study participants were terminated.

In October 1986 Kockums had 2,588 employees. Inclusion in the study was limited to male Malmo residents born between 1929 and 1949. All 1384 such men were invited to participate in a general health screening. Of the 1016 men who responded, data were available for 715 from a similar health screening 6 years earlier when employment at Kockums was secure. The control group were age-matched men from the general population of Malmo who had also been screened 6 years previously. A total of 290 men in the study group had come to Sweden as adult immigrants (41 %) compared with only 21 (8 %) of the controls³⁶.

18. Brokerage firm (United States) - May 1989

During an ongoing study of the effects of psychosocial factors on ambulatory blood pressure, sweeping redundancies in one of the firms involved provided the opportunity to examine the effects of the threatened redundancies on blood pressure. Study subjects came from a New York insurance firm which employed about 8,000 people when the redundancies were announced in early 1989, a period of recession in the insurance industry.

In 1986 870 employees from the firm had taken part in the ambulatory blood pressure study, 80 % of those eligible. The announcement in the spring of 1989 that over one-third of the employees would lose their jobs caused widespread consternation. Some employees were told that they would be relocated, others worked in parts of the organisation which would be sold to other firms, but many did not know whether they would lose their jobs.

As they had little time, the investigators concentrated their re-screening efforts on departments in the firm from which they had recruited a reasonable number of workers. Their target was 369 workers in 17 departments, however, the majority had either left the firm in the intervening three years, had already lost their jobs in the downsizing, or were absent on the day of screening. No effort was made trace these respondents and so only

139 respondents were rescreened, all white-collar workers. The respondents lost to follow-up in 1989 were significantly younger, had lower diastolic blood pressure and body mass index than those who participated. Rescreening was conducted 3-6 weeks after the redundancies had been announced and during the time they were taking place. On the day that one department was screened, it was sold to another insurance firm as a unit. The 21 employees in that department had been informed the previous week that such a transfer was planned.

A further follow-up screening was carried out in 1990, nine months after the 1989 screening when the firm announced it was declaring bankruptcy. The workers had 4 days notice that they were to lose their jobs. The investigators rescreened 28 members of the 1989 cohort whom they were able to locate on the firm's last day of business. 13 of these respondents belonged to the department which had been sold in 1989 and so were not to lose their jobs³⁷.

19. Finnforest wood processing plant (Finland) - August 1991

This is a cross-sectional study involving the entire personnel of the Finnforest wood processing factory in Hameenlinna, Finland. The plant closed after 58 years of production in August 1991 and the workers were surveyed 6 months later. 168 of the 211 strong work force responded, but 33 were excluded from the analyses because they had found employment. Of the remaining 135 respondents 43 were women and 92 men. As women and men did not differ on sociodemographic variables they were combined for subsequent analyses. The aim of the study was to look at the relationship between financial situation and mental well-being. Unemployment in Finland increased from 3.5% to 19% between 1990 and 1993, so unemployment was high and rising at the time of the factory closure, but the subjects were still receiving redundancy pay at the time of the study³⁸.

In a later paper from the same study a control group is included, 305 people from a similar wood processing factory. 198/305 of the controls responded, 65%, 167 men and 31 women. In this paper the number of men in the study group has increased to 93 and the findings are presented by sex³⁹.

20. Grimethorpe Colliery coal mine (United Kingdom) - October 1992

In the Autumn of 1992 the immediate closure of 31 collieries was announced by British Coal and the Government. Over the previous 10 years well over a hundred other collieries had closed and the 31 represented nearly two-thirds of the remaining deep mines in the United Kingdom. Two collieries were selected for the study. The 784 men from the Grimethorpe colliery, scheduled to close in October 1992, formed the study group and 350 men from the North Selby colliery, not threatened with immediate closure, the control group. Miners in the subject group had been actively encouraged to take redundancy and by the time of the study half had already done so. The majority of the remainder, although still technically employed by the colliery, were not actively working. Participants were surveyed cross-sectionally using a postal questionnaire which measured minor psychiatric morbidity, General Practitioner use and health-related behaviours⁴⁰.

21. Steel plant (US) - date of closure not stated

The aim of the Steel plant study was to examine the factors which influenced whether or not subjects made redundant found new jobs after their workplace shut down, and to examine the differences between satisfactory and unsatisfactory re-employment⁴¹. Most factory closure studies have taken re-employment as an undifferentiated endpoint which is assumed to be beneficial, thus, little research has addressed the quality of re-employment after job loss, although some economic studies have examined wage replacement rates in re-employment⁴².

The study population were recruited from workers made redundant when a small steel plant in the northeast of the United States shut down. 102 workers participated in the study during the pre-termination phase but only 59 participants provided usable data pre- and post-closure⁴¹.

REFERENCES

- 1 Cobb S, Kasl SV. *Termination: The consequences of job loss*. Cincinnati: DHEW-NIOSH Publication no 77-224, National Institutes for Occupational Safety and Health, 1977.
- 2 Cobb S, Brooks GW, Kasl SV, Connelly WE. The health of people changing jobs: A description of a longitudinal study. *Am J Pub Health* 1966;**56**:1476-1481.
- 3 Slote A. *Termination: The Closing at Baker Plant*. Indianapolis: Bobbs-Merrill, 1969.
- 4 Jacobsen K. Afskedigelse og sygelighed. *Ugeskr Laeg* 1972;**134**:352-354.
- 5 Jacobsen K. Arbejdsloshed og afsked som sygdomsfremkaldende faktorer. *Ugeskr Laeg* 1974;**136**:1650-1651.
- 6 Morris JK, Cook DG. A critical review of the effect of factory closures on health. *Br J Ind Med* 1991;**48**:1-8.
- 7 Westin S, Norum D, Schlesselman JJ. Medical consequences of a factory closure: Illness and disability in a four-year follow-up study. *Int J Epidemiol* 1988;**17**:153-161.
- 8 Westin S, Schlesselman JJ, Korper M. Long-term effects of a factory closure: Unemployment and disability during ten years' follow-up. *J Clin Epidemiol* 1989;**42**:435-441.
- 9 Westin S. *Unemployment and health: medical and social consequences of a factory closure in a ten-year controlled follow-up study*. Trondheim: University of Trondheim, 1990.
- 10 Westin S. The structure of a factory closure: Individual responses to job-loss and unemployment in a 10 year controlled follow-up study. *Soc Sci Med* 1990;**31**:1301-1311.
- 11 Iversen L, Klausen H. Alcohol consumption among laid-off workers before and after closure of a Danish ship-yard: A 2-year follow-up study. *Soc Sci Med* 1986;**22**:107-109.
- 12 Iversen L, Sabroe S. Plant closures, unemployment, and health: Danish experiences from the declining ship-building industry. In: Schwefel D, Svensson P, Zollner H, eds. *Unemployment, Social Vulnerability, and Health in Europe*. Berlin: Springer-Verlag, 1987;31-47.
- 13 Buss TF, Redburn FS, Waldron J. *Mass unemployment: Plant closings and community mental health*. Beverly Hills: Sage Publications, 1983.
- 14 Jenkins R, Macdonald A, Murray J, Strathdee G. Minor psychiatric morbidity and the threat of redundancy in a professional group. *Psychol Med* 1982;**12**:799-807.
- 15 Burke RJ. The closing at Canadian Admiral: Correlates of individual well-being sixteen months after shutdown. *Psychol Reports* 1984;**55**:91-98.
- 16 Burke R. Reemployment on a poorer job after a plant closing. *Psychol Reports* 1986;**58**:559-570.
- 17 Grayson JP. The closure of a factory and its impact on health. *Int J Health Serv* 1985;**15**:69-93.

- 18 Levi L, Brenner SO, Hall EM, et al. The psychological, social, and biochemical impacts of unemployment in Sweden. *Int J Ment Health* 1984;**13**:18-34.
- 19 Arnetz BB, Wasserman J, Petrini B, et al. Immune function in unemployed women. *Psychosom Med* 1987;**49**:3-11.
- 20 Hall EM, Johnson JV. Depression in unemployed Swedish women. *Soc Sci Med* 1988;**27**:1349-1355.
- 21 Arnetz BB, Brenner S, Hjelm R, Levi L, Petterson I. Stress reactions in relation to threat of job loss and actual unemployment: Physiological, psychological and economic effects of job loss and unemployment. *Stress Research Reports, Karolinska Institute, Stockholm* 1988;**No.206**.
- 22 Beale N, Nethercott S. Job-loss and family morbidity: a study of a factory closure. *J R Coll Gen Pract* 1985;**35**:510-514.
- 23 Beale N, Nethercott S. The nature of unemployment morbidity. 1. Recognition. *J R Coll Gen Pract* 1988;**38**:197-199.
- 24 Beale N, Nethercott S. The nature of unemployment morbidity. 2. Description. *J R Coll Gen Pract* 1988;**38**:200-202.
- 25 Beale N, Nethercott S. Job-loss and morbidity in a group of employees nearing retirement age. *J R Coll Gen Pract* 1986;**36**:265-266.
- 26 Iversen L, Sabroe S. Psychological well-being among unemployed and employed people after a company closedown: A longitudinal study. *Journal of Social Issues* 1988;**44**:141-152.
- 27 Iversen L, Sabroe S. Participation in a follow up study of health among unemployed and employed people after a company closedown: drop outs and selection bias. *J Epidemiol Community Health* 1988;**42**:396-401.
- 28 Iversen L, Sabroe S, Damsgaard MT. Hospital admissions before and after shipyard closure. *Br Med J* 1989;**299**:1073-1076.
- 29 Grayson JP. Reported illness after a CGE closure. *Can J Public Health* 1989;**80**:16-19.
- 30 Studnicka M, Studnicka-Benke A, Wogerbauer G, et al. Psychological health, self-reported physical health and health service use. Risk differential observed after one year of unemployment. *Soc Psychiatry Psychiatr Epidemiol* 1991;**26**:86-91.
- 31 Dew MA, Bromet EJ, Penkower L. Mental health effects of job loss in women. *Psychol Med* 1992;**22**:751-764.
- 32 Withington J. *The anatomy of a shipyard closure*. London: Bedford Square Press, 1989.
- 33 Wybrow P, Withington J. After the ships went down. *New Soc* 1988;**19th February**:14-16.
- 34 Hamilton VL, Broman CL, Hoffman WS, Renner DS. Hard times and vulnerable people: Initial effects of plant closing on autoworkers' mental health. *Journal of Health and Social Behaviour* 1990;**31**:123-140.

- 35 Hamilton V, Hoffman.W., Broman CL, Rauma D. Unemployment, distress, and coping: A panel study of autoworkers. *J Pers Soc Psy* 1993;**65**:234-247.
- 36 Mattiasson I, Lindegärde F, Nilsson JÅ, Theorell T. Threat of unemployment and cardiovascular risk factors: longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *Br Med J* 1990;**301**:461-466.
- 37 Schnall PL, Landsbergis PA, Pieper CF, et al. The impact of anticipation of job loss on psychological distress and worksite blood pressure. *Am J Ind Med* 1992;**21**:417-432.
- 38 Viinamaki H, Koskela K, Niskanen L, Arnkill R. Unemployment, financial stress and mental well-being: a factory closure studied. *Eur J Psychiat* 1993;**7**:95-102.
- 39 Koskela K, Viinamaki H, Niskanen L, Kontula O. Effects of unemployment on wellbeing and health. *WHO Regional Publications European Series* 1994;**54**:23-36.
- 40 Rowlands P, Huws R. Psychological effects of colliery closure. *Int J Soc Psychiatry* 1995;**41**:21-25.
- 41 Leana CR, Feldman DC. Finding new jobs after a plant closing: Antecedents and outcomes of the occurrence and quality of reemployment. *Human Relations* 1995;**48**:1381-1401.
- 42 Stevens AH. *Long term effects of job displacement: evidence from the panel study of income dynamics*. Cambridge, MA: National Bureau of Economic Research; NBER Working Paper Series, 1995.

APPENDIX II

HEALTH SURVEY

Conducted by the University College London/Middlesex
Hospital Medical School and the Civil Service
Medical Advisory Service.

CONFIDENTIAL

We are interested in identifying the characteristics of work and personal environment which may adversely or beneficially affect people's health. We should, therefore, be grateful if you would complete this questionnaire which asks some general background questions as well as a few questions about your activities.

The answers to all these questions will, of course, be kept strictly confidential. All information on individuals will go into statistics for all men and women in the study and it will not be possible to identify your responses from any reports or publications.

PLEASE USE BLOCK LETTERS THROUGHOUT

Once returned, the personal identification section below will be removed. This will ensure the preservation of confidentiality in subsequent handling of the questionnaires.

FORENAMES (in full)

SURNAME

HOME ADDRESS

MINISTRY/DEPARTMENT

DIVISION

BRANCH OR SECTION

Official telephone number
(if available)

Six to eight weeks following the examination you will be sent a letter about your results and appropriate advice. A letter for your general practitioner will be enclosed for you to give him/her

This questionnaire asks about features of your way of life which may affect your health. To study this we need to monitor your health over the next 5-7 years. Therefore, **we are asking your permission to obtain your sickness record from your department** and in cases of serious illness to obtain details from your general practitioner.

Again we wish to assure you that such information will be **absolutely confidential. Under no circumstances will an individual record be made available to anyone: either connected with the Civil Service or outside.** It will not be possible for anyone to be identified from any scientific publication.

Consent given: Yes No
(Please circle one)

If yes, please sign your name here

If you have given your consent, please could you provide the following information:

NATIONAL INSURANCE NUMBER
(you can get this from your payslip)

PAYROLL NUMBER/PAY REFERENCE
(also on your payslip)

NATIONAL HEALTH SERVICE NUMBER
(You can find your National Health
Service No. on your medical card or
obtain it from your general practitioner.
Please note that it is not the same as
your National Insurance No.)

Your General Practitioner's name NAME
and address

ADDRESS

THANK YOU

HEALTH SURVEY

General Instructions

Please read these notes before filling in the rest of the form

Please answer all the questions.

The answer to most questions
can be indicated by circling
the appropriate number.

e.g. What is your sex?

Male ☒ 1
Female ☐ 2

Where the answer requires
you to write numbers,
a rectangle is used.

e.g. What is your
date of birth?

12	3	19	45
Day	Month		Year

Where the answer is likely to
involve a phrase or sentence
lines are given.

e.g. What is your civil
service grade?

..... HEO

1. a) What is your date of birth?

<input type="text"/>	<input type="text"/>	19	<input type="text"/>
Day	Month		Year

b) Sex:

Male	1
Female	2

2 a) What is your civil service grade?
(e.g. HEO or SEO)

.....

b) What was your first civil service grade?

.....

3. In what year did you first join the civil service?

19

Year

4. a) How many changes of post within the civil service have you had during the last 5 years?

Enter numbers

b) How many changes of grade have you had during the last 5 years?

5. a) How old were you when you finished full-time education?

Age

b) Now thinking just of your **full-time** education: what type of school or college did you **last attend full-time**?

Elementary or secondary school

Circle one only
1

University/Polytechnic

2

Nursing School/Teaching Hospital

3

Some other type of college

4

Other, (please specify)

5

.....

6. What is your marital status

Circle one only

Married

1

If Yes, go to Question 7a

Cohabiting

2

If Yes, go to Question 7c

Single (never married)

3

Divorced or separated

4

Widowed

5

If Not now married or cohabiting, go to Question 8

7. If 'now married'

a) is this your first marriage?

Yes 1

No 2

If Yes, go to Question 7c

If No

b) How did your previous marriage end?

Widowed 1

Divorced 2

c) How old was your spouse [partner] when he/she finished full-time education?

age

d) Now thinking just of your spouse's [partner's] **full-time** education: what type of school or college did he/she **last attend full-time**?

Elementary or secondary school

Circle one only
1

University/Polytechnic

2

Nursing School/Teaching Hospital

3

Some other type of college

4

Other (please specify)

5

.....

Continued

e) Is your spouse [partner] currently doing any paid work?

- Circle one only*
- es: Full-time (over 30 hours/week) 1
- es: Part-time (less than 30 hours/week) 2
- o: Unemployed — seeking work 3
- o: Looking after the house/family 4
- o: Not working — other reasons 5

If, Not Working, go to Question 8

If spouse/partner is working:

f) What is your spouse's [partner's] main current job. What kind of work does he/she do in it?

g) What qualifications or training if any are necessary for that job?

h) Is he/she an employee 1

or: self employed 2

i) How many people work at his/her place of work?

Less than 25 employees 1

25 or more employees 2

j) Is he/she in charge of other people?

Yes 1

No 2

k) If Yes, how many?

l) Is the accommodation in which you live owned or rented?

Own outright or have mortgage 1

Rent from local authority 2

Rent privately unfurnished 3

Rent privately furnished 4

9. Does anyone live in your household besides you?

Yes 1

No 2

If No, go to Question 11

If Yes,

10. Who lives in your household besides you?

Answer all parts

Yes No

a) Spouse or partner 1 2

b) Your mother 1 2

c) Your father 1 2

d) Your spouse's mother 1 2

e) Your spouse's father 1 2

f) Children under 5
(If none write 0)

number

g) Children aged 5-15
(If none write 0)

h) Children over 15
(If none write 0)

i) Any other people?
(If none write 0)

11. Is there a car or van normally available for use by you or other members of your household?

Yes 1

No 2

12. a) How old was your **father** when he finished full-time education?

age

b) What is/was your **father's** main job, what kind of work does/did he do in it?

c) What qualifications or training, if any, are/were necessary for that job?

d) Is/was he an employee 1

or: self employed 2

e) How many people work/worked at his place of work?

Less than 25 employees 1

25 or more employees 2

f) Is/was he in charge of other people?

Yes 1

No 2

g) If Yes, how many?

h) Is your natural father still alive?

Yes	1
No	2

If Yes go to Question 13

If No

i) how old were you when he died?

years

j) how old was your father when he died?

years

k) what did he die from?

Heart Attack (coronary) 1

Stroke 2

Other heart condition (not a coronary) 3

Cancer 4

Other causes (please specify) 5

Don't know 6

13. a) How old was your mother when she finished full-time education?

age

(b) Is your natural mother still alive?

Yes	1
No	2

If Yes go to Question 14

If No

c) how old were you when she died?

years

d) how old was your mother when she died?

years

e) what did she die from?

Heart Attack (coronary) 1

Stroke 2

Other heart condition (not a coronary) 3

Cancer 4

Other causes (please specify) 5

Don't know 6

14. Has either of your parents suffered from the following?
(Please answer all questions)

	Yes	No/Don't know
a) Angina	1	2
b) Heart attack	1	2
c) Stroke	1	2
d) High blood pressure	1	2
e) Diabetes	1	2

15. Do you have any brothers or sisters?

Yes	1
No	2

If No brothers or Sisters go to Question 16

If Yes

Have any of your brothers or sisters suffered from the following?
(Please answer all questions)

	Yes	No/Don't know
a) Angina	1	2
b) Heart attack	1	2
c) Stroke	1	2
d) High blood pressure	1	2
e) Diabetes	1	2

THIS SECTION CONCERNS YOUR OWN HEALTH

16. Over the last 12 months would you say your health has been

Very good	1
Good	2
Average	3
Poor	4
Very poor	5

17. a) Do you have any longstanding illness, disability or infirmity?

(longstanding means anything that has troubled you over a period of time or that is likely to affect you over a period of time)

Yes	1
No	2

If Yes

b) What is the matter with you?

8. There are some kinds of health problems that keep recurring and some that people have all the time. In the last 12 months have you suffered from any of the following health problems?
(Please answer all questions)

	Yes	No
a) Bronchitis	1	2
b) Arthritis or rheumatism	1	2
c) Sciatica, lumbago or recurring backache	1	2
d) Persistent skin trouble (e.g. eczema)	1	2
.....		
e) Asthma	1	2
f) Hay fever	1	2
g) Recurring stomach trouble/indigestion	1	2
h) Being constipated all or most of the time	1	2
i) Piles	1	2
.....		
j) Persistent foot trouble (e.g. bunions, ingrowing toenails)	1	2
k) Trouble with varicose veins	1	2
l) Nervous trouble or persistent depression	1	2
m) Persistent trouble with your gums or mouth	1	2
.....		
n) Any other recurring health problem (Please specify)	1	2
.....		

PLEASE MAKE SURE YOU HAVE ANSWERED ALL THE ABOVE QUESTIONS.

19. Have you had any of the following symptoms in the last fourteen days?
(Please answer all questions)

	Yes	No
a) A cough, catarrh or phlegm	1	2
b) Diarrhoea	1	2
c) Heartburn, wind or indigestion	1	2
d) Shortness of breath	1	2
e) Dizziness or giddiness	1	2
.....		
f) Earache or discomfort in the ears	1	2
g) Swollen ankles	1	2
h) Nervy, tense or depressed	1	2
i) A cold or 'flu	1	2
j) A sore throat	1	2
.....		
k) Difficulty in sleeping	1	2
l) Pains in the chest	1	2
m) A backache or pains in the back	1	2
n) Nausea or vomiting	1	2
o) Feeling tired for no apparent reason	1	2
.....		
p) Rashes, itches or other skin trouble	1	2
q) Toothache or trouble with the gums	1	2
r) Any other complaint(s) in the last 14 days (Please specify)	1	2
.....		

PLEASE MAKE SURE YOU HAVE ANSWERED ALL THE ABOVE QUESTIONS.

20. a) Have you ever had any pain or discomfort in your chest?

Yes 1

No 2

If No go to Question 21

If Yes

b) do you get this pain or discomfort when you walk uphill or hurry?

Yes 1

No 2

c) do you get it when you walk at an ordinary pace on the level?

Yes 1

No 2

d) When you get any pain or discomfort in your chest, what do you do?

Stop 1

Slow down 2

Continue at the same pace 3

e) does it go away when you stand still?

Yes 1

No 2

f) how soon?

In 10 min. or less 1

More than 10 min. 2

g) Where do you get this pain or discomfort?

(mark the place(s) with a X on the diagram)

Front view

21. a) Have you ever had a severe pain across the front of your chest lasting for half an hour or more?

Yes 1

No 2

If No go to Question 22

If Yes

b) did you talk to a doctor about it?

Yes 1

No 2

If No, go to Question 22

If Yes,

c) What did he say it was?

d) How many of these attacks have you had?

number

22. a) Have you ever had heart trouble suspected or confirmed?

Yes 1

No 2

If No, go to Question 23

If Yes,

b) When was the first time? [give year]

19 year

c) What was the diagnosis?

Heart attack 1

Heart strain 2

High blood pressure 3

Valve disease 4

Hole in the heart 5

Other (please specify) 6

d) Did you attend a hospital?

Yes 1

No 2

e) Are you still attending a doctor for heart trouble?

Yes 1

No 2

3. Has your blood pressure ever been checked?

Yes	1
No	2

If No go to Question 26

4. If Yes, who has it been checked by?
(circle all that apply)

Yes	No
-----	----

a) General Practitioner (or practice nurse)	1	2
b) Hospital doctor (or nurse)	1	2
c) At work	1	2
d) Insurance exam	1	2
e) Others	1	2

5. a) Has a doctor ever told you that your blood pressure was above normal?

Yes	1
No	2

If No, go to Question 26

If Yes

b) when was the first time?

year

c) Have you ever had treatment for high blood pressure?

Yes	1
No	2

d) Are you taking drug treatment for high blood pressure now?

Yes	1
No	2

26. a) Do you get any pains in either leg on walking?

Yes	1
No	2

If No, go to Question 27

If Yes,

b) Does this pain ever begin when you are standing still or sitting?

Yes	1
No	2

c) Do you get this pain in your calf or calves?

Yes	1
No	2

d) Do you get it when you walk uphill or hurry?

Yes	1
No	2

e) Do you get it when you walk at an ordinary pace or on the level?

Yes	1
No	2

f) Does this pain ever disappear while you are still walking?

Yes	1
No	2

g) What do you do if you get it when you are walking?

Stop	1
Slow down	2
Continue at the same pace	3

h) What happens to it if you stand still?

Usually continues more than 10 mins.	1
Usually disappears in 10 mins. or less	2

27. Do you suffer from Diabetes?

Yes	1
No	2

28. a) Do you usually bring up any phlegm from your chest first thing in the morning in winter?

Yes 1

No 2

If No, go to Question 29

If Yes,

b) Do you usually bring up phlegm in the morning on most days for as much as three months in the winter?

Yes 1

No 2

c) In the past three years have you had a period of increased cough and phlegm lasting for three weeks or more?

None 1

One period 2

Two or more periods 3

29. a) What is your present weight? [approximately]

Stones lbs

b) How much did you weigh at the age of 25? [approximately]

Stones lbs

30. In the last 12 months how many days were you off work for health reasons?

Days

31. How many hours of sleep do you have on an average week night?

5 hours or less 1

6 hours 2

7 hours 3

8 hours 4

9 hours or more 5

32. In the last 14 days have you taken any of these medicines prescribed by a doctor?

Yes 1

a) Pain killers 1

b) Medicines for indigestion 1

c) Tranquillisers 1

d) Sleeping pills 1

e) Antidepressants 1

f) Laxatives (bowel opening medicine) 1

g) Other medicines prescribed by a doctor (Please specify) 1

.....

.....

h) In the last 2 weeks have you taken other medicines not prescribed by a doctor (e.g. tonics or cough syrup)

1 2

If Yes, please specify:

.....

.....

If MALE go to Question 38

33. a) Are you taking any contraceptive pills?

Yes 1

No 2

If No, go to Question 34

If Yes

b) At what age did you first start?

age

c) For how many years altogether have you taken the pill?

years

d) Which pill are you currently taking? Specify brand

.....

GO TO QUESTION 35

NOT NOW TAKING CONTRACEPTIVE PILLS

4. a) Did you ever take contraceptive pills?

Yes 1

No 2

If No, go to Question 35

If yes,

b) For how many years altogether did you take contraceptive pills?

years

5. a) Are you still having your periods?

Yes 1

No 2

If Yes, go to Question 36

If No,

b) At what age did you stop?

age

c) What was the cause of menopause?

Natural menopause 1

Hysterectomy (removal of womb only) 2

Hysterectomy plus removal of ovaries 3

d) Have you ever had hormone replacement therapy?

Yes 1

No 2

If No, go to Question 36

If Yes,

e) For how many months?

number

f) Please specify the name of the tablets

.....

.....

g) Are you still taking hormone replacement therapy?

Yes 1

No 2

36. a) Do you suffer from menopausal symptoms?
(Change of life)

Yes 1
No 2

If No, go to Question 37

If Yes,
What symptoms do you suffer from?

	Yes a lot	Yes Somewhat	Yes a little	No Not at all
b) Hot flushes	1	2	3	4
c) Depression	1	2	3	4
d) Sleep disturbance	1	2	3	4
e) Bone pains	1	2	3	4
f) Other	1	2	3	4

If Other, please specify:

37. If you are still having periods do you suffer from any premenstrual symptoms?

	Yes a lot	Yes Somewhat	Yes a little	No Not at all
a) Irritability	1	2	3	4
b) Swelling or weight gain (bloated feeling)	1	2	3	4
c) Breast tenderness	1	2	3	4
d) Other	1	2	3	4

If Other, (please specify)

38. a) All things considered how satisfied or dissatisfied are you with your present state of health?
Please circle one of the numbers on the 1-7 scale below to show how satisfied or dissatisfied you feel:—

Very dissatisfied	Moderately dissatisfied	Slightly dissatisfied	No feelings either way	Slightly satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

b) Which one of the following statements
best reflects your view on reducing the
chances of having a heart attack?

(circle one only)

There is very little you can do for yourself,
it is fate or bad luck

1

There are certain things you can do for yourself,
which **might** help reduce the chance of a heart attack

2

These are certain things you can do for yourself
which **will definitely** help reduce the chance of a heart attack

3

SMOKING HABITS

39. a) Do you smoke cigarettes now?
(i.e. not cigars/pipe)

Yes 1
No 2

If No, go to Question 40

If Yes,

b) What kind of cigarettes do you smoke?

circle all
that apply

Manufactured with filters 1

Manufactured without filters 2

Hand rolled 3

c) How many manufactured cigarettes do you smoke per day?

cigarettes

and/or

d) About how many ounces of tobacco do you use per week for handrolled cigarettes?

ounces

GO TO QUESTION 41

40. a) If not a present cigarette smoker did you smoke in the past?

Yes 1
No 2

If No, go to Question 42

If Yes,

b) How many manufactured cigarettes did you smoke per day?

cigarettes

and/or

c) How many ounces of tobacco did you use per week for handrolled cigarettes?

ounces

d) How old were you when you stopped smoking?

age

1. How old were you when you started smoking?

age

42. a) Do you smoke cigars?

Yes 1
No 2

If No, go to Question 42c

If Yes,

b) How many cigars per week?

cigars

c) Do you smoke a pipe?

Yes 1
No 2

If Yes,

d) How many ounces of tobacco do you smoke per week?

ounces

DRINKING HABITS

43. a) In the past 12 months have you taken an alcoholic drink:

circle one
only

Twice a day or more 1
Almost daily 2
Once or twice a week 3
Once or twice a month 4
Special occasions only 5
No 6

b) In the last 5 years have you changed your drinking habits?

Yes 1
No 2

If No, go to Question 44

If Yes,

c) Compared with your current habits did you drink?

A lot more 1
A bit more 2
A bit less 3
A lot less 4

Continued

- d) If you have given up or reduced drinking, what was the main reason?

	<i>circle one only</i>
Illness/doctor's orders	1
Health precautions	2
Finance	3
Other (please specify)	4

IF YOU ARE A NON DRINKER PLEASE GO TO QUESTION 46

44. a) Have you had an alcoholic drink in the last seven days?

Yes	1
No	2

If No, go to Question 45

If Yes,

In the last seven days how many drinks have you had of each of the following?

[please remember that a drink poured at home could be equivalent to 2 or 3 pub measures]

[If none write 0]

- b) Spirit (whisky, gin, rum, brandy, vodka etc) or liqueurs.

measures

- c) Wine (including sherry, port, vermouth)

glasses

- d) Beer (including lager or cider)

pints

45. a) When you drink spirits or wine how many drinks do you **usually** have during one occasion?
[If you have both wine and spirits, add them together — e.g. 1 measure of whisky and 2 glasses of wine = 3]

1 - 2	1
3 - 4	2
5 or more	3
I don't drink spirits or wine	4

- b) When you drink beer how many pints do you **usually** have during one occasion?

1 - 2	1
3 - 4	2
5 or more	3
I don't drink beer	4

- c) What is the **maximum** quantity of wine/spirits you would drink at one sitting?
[If none write 0]

wine/spirits

No. of drinks

- d) What is the **maximum** quantity of beer you would drink during one occasion?
[If none write 0]

beer

pints

- e) In what circumstances are you most likely to drink the maximum you might drink?

	Yes	No
Social occasions	1	2
When bored	1	2
When under pressure	1	2
When upset about something	1	2
Other (please specify)	1	2

COFFEE AND TEA CONSUMPTION

The following questions about your regular beverage apply to work as well as home.

IF YOU DO NOT DRINK TEA OR COFFEE GO TO QUESTION 47

46. How many cups of tea and coffee on average do you drink every day?

- a) Tea
[If none, write 0]

cups

- b) Coffee
[If none, write 0]

cups

IF YOU DO NOT DRINK COFFEE GO TO QUESTION 47

you drink coffee:

6.c) What sort of coffee do you mostly drink?

(Circle one only)

Instant	1
Filtered	2
Percolated	3
Decaffeinated	4
Other (specify)	5

FOOD CONSUMPTION

Please answer the following questions about your food habits (if you are not sure you may discuss this question with the person responsible for buying and cooking your food.)

7.a) What type of bread do you eat most frequently?

Circle one only

White	1
Wholemeal	2
Granary or wheatmeal	3
Other brown	4
Both brown and white	5

b) How many slices of bread do you usually eat daily?

None	1
1 - 2	2
3 - 6	3
7 - 12	4
13 slices or more	5

c) What type of butter or margarine do you use most frequently?

Circle one only

Butter	1
Hard margarine	2
Soft margarine	3
Margarine high in polyunsaturates (e.g. Flora)	4
Low calorie spread (e.g. Outline)	5
Rarely use butter or margarine	6

d) The drawing below shows cubes of butter or margarine in true scale. Pick the cube which most resembles the average amount you use for one slice of bread. If in doubt try buttering a slice [do not place butter or margarine on the questionnaire]

e) What type of milk do you usually use?

Circle one only

Do not use milk	1
Channel Islands Whole Milk (gold top)	2
Whole Milk (silver/red top or sterilised)	3
Skimmed milk	4
Semi-Skimmed milk	5
Other (please specify)	6

Continued

f) How much milk do you yourself use daily? (drinking and in cooking). Please estimate your share of the household supply and what you might drink at work or elsewhere.

None	1
Half a pint or less	2
Over half, up to one pint	3
Over 1, up to 2 pints	4
More than 2 pints	5

g) How often do you use cream?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

h) How often do you use cheese?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

i) How often does your meal consist of fish or fish dishes?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

j) How often do you eat fresh fruits or vegetables?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
Daily	7
2 or more times a day	8

k) How often do you eat meals containing meat (not fish or poultry)?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

l) How often do you eat eggs?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

m) How often do you eat breakfast cereals?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

If **Never**, go to Question 48

Continued

n) Which of the following breakfast cereals do you eat nowadays?
(Circle one only)

Allbran	1
Muesli	2
Weetabix	3
Branflakes	4
Puffed wheat	5
Other cereal (specify)	6

.....

PHYSICAL ACTIVITY

48. How often do you take part in sports or activities that are:

	3 times a week or more	once or twice a week	about once to three times a month	Never/ Hardly ever
a) Mildly energetic (e.g. walking, woodwork, weeding, hoeing, bicycle repair, playing darts, general housework)	1	2	3	4
b) Moderately energetic (e.g. scrubbing, polishing car, chopping, dancing, golf, cycling, decorating, lawn mowing, leisurely swimming).	1	2	3	4
c) Vigorous (e.g. running, hard swimming, tennis, squash, digging, cycle racing)	1	2	3	4

Please give the average number of
hours per week you spend in such
sports or activities.

d) Mildly energetic hours

e) Moderately energetic hours

f) Vigorous hours

Please give details of
these activities:

.....
.....
.....

WORK CHARACTERISTICS

49. The following questions are about your work. For each please circle the one answer that best describes your job or the way you deal with problems occurring at work.

[please answer all questions]

Concerning your particular work:	Often	Sometimes	Seldom	Never/ Almost never
a) Do you have to work very fast?	1	2	3	4
b) Do you have to work very intensively?	1	2	3	4
c) Do you have enough time to do everything?	1	2	3	4
d) Are your tasks such that others can help you if you do not have enough time?	1	2	3	4
e) Do you have the possibility of learning new things through your work?	1	2	3	4
f) Does your work demand a high level of skill or expertise?	1	2	3	4
g) Does your job require you to take the initiative?	1	2	3	4
h) Do you have to do the same thing over and over again?	1	2	3	4
i) Do you have a choice in deciding HOW you do your work?	1	2	3	4
j) Do you have a choice in deciding WHAT you do at work?	1	2	3	4

U. About your position at work — how often do the following statements apply:
[please answer all questions]

	Often	Sometimes	Seldom	Never/ Almost never
a) Others take decisions concerning my work	1	2	3	4
b) I have a good deal of say in decisions about work	1	2	3	4
c) I have a say in my own work speed	1	2	3	4
d) My working time can be flexible	1	2	3	4
e) I can decide when to take a break	1	2	3	4
f) I can take my holidays more or less when I wish	1	2	3	4
g) I have a say in choosing with whom I work	1	2	3	4
h) I have a great deal of say in planning my work environment	1	2	3	4

51. If problems occur at work concerning the way the job should be done, how are they solved?
[please answer all questions]

	Often	Sometimes	Seldom	Never/ Almost never	Not Applicable
a) By discussing it at a meeting	1	2	3	4	5
b) By discussing it with a superior	1	2	3	4	5
c) By discussing it with colleagues at work	1	2	3	4	5
d) By discussing it with colleagues out of work time	1	2	3	4	5
e) By discussing it with trade union representatives	1	2	3	4	5
f) Others take decisions and just tell me how to do my job.	1	2	3	4	5

52. About consistency and clarity regarding your job

[please answer all questions]

	Often	Sometimes	Seldom	Never	Not Applicable
a) Do different groups at work demand things from you that you think are hard to combine?	1	2	3	4	5
b) Do you get sufficient information from line management? (your superiors)	1	2	3	4	5
c) Do you get consistent information from line management? (your superiors)	1	2	3	4	5
d) Are you uncertain about the best way of doing your job?	1	2	3	4	5
e) Do you ever get praised for your work?	1	2	3	4	5
f) Do you ever get criticised constructively?	1	2	3	4	5
g) Do you ever get criticised unfairly?	1	2	3	4	5

53. Regarding job involvement

[please answer all questions]

	Often	Sometimes	Seldom	Never	Not Applicable
a) Does your job provide you with a variety of interesting things?	1	2	3	4	5
b) Is your job too varied and split up?	1	2	3	4	5
c) Is your job boring?	1	2	3	4	5
d) Do you consider your job very important?	1	2	3	4	5
e) Do you feel your immediate superior considers your job very important?	1	2	3	4	5
f) Do your colleagues consider your job very important?	1	2	3	4	5
g) How often do you wish that you were doing a different job?	1	2	3	4	5
h) How often do you feel that you are doing your job only for the money?	1	2	3	4	5

54. When you are having difficulties in your work:

[please answer all questions]

	Often	Sometimes	Seldom	Never	Not Applicable
a) How often do you get help and support from your colleagues?	1	2	3	4	5
b) How often are your colleagues willing to listen to your work related problems?	1	2	3	4	5
c) How often do you get help and support from your immediate superior?	1	2	3	4	5
d) How often is your immediate superior willing to listen to your problems?	1	2	3	4	5
e) How often can you delegate work effectively to your juniors?	1	2	3	4	5
f) How often can you get support from your trade union representative?	1	2	3	4	5

55. If you were to be treated unfairly or to come into conflict with your boss or supervisor, what would be your immediate reaction?

[please answer all questions]

	Often	Sometimes	Seldom	Never or Almost Never
a) Let it pass without saying anything	1	2	3	4
b) Walk away feeling strongly but not saying anything	1	2	3	4
c) Say something at once	1	2	3	4
d) Reason with the person	1	2	3	4
e) Become angry	1	2	3	4
What happens then?	Often	Sometimes	Seldom	Never or Almost Never
f) Forget about it	1	2	3	4
g) Talk to the person when you have calmed down	1	2	3	4
h) Complain to a colleague	1	2	3	4
i) Go to someone higher in position	1	2	3	4
j) Go to trade union representative	1	2	3	4
k) Feel ill (headache, stomach ache etc.)	1	2	3	4
l) Become miserable	1	2	3	4
m) Get angry and short tempered at home	1	2	3	4
n) Contemplate revenge	1	2	3	4

56. About your job in general. How satisfied have you been with the following:

	Very Satisfied	Satisfied	Dissatisfied	Very Dissatisfied
a) Your usual take home pay	1	2	3	4
b) Your work prospects	1	2	3	4
c) The people you work with	1	2	3	4
d) Physical working conditions	1	2	3	4
e) The way your department is run	1	2	3	4
f) The way your abilities are used	1	2	3	4
g) The interest and skill involved in your job	1	2	3	4
h) Your job as a whole taking everything into consideration	1	2	3	4

57. a) Do you work with visual display units (VDU's) or desk top television screens?

Yes 1

No 2

If No, go to Question 57e

If Yes,

b) When did you first start?

19

year

c) How many months you have worked with VDU?

months

d) On average how many hours per week do you use a VDU?

hours

e) Do you use a Home Computer or play video games?

Yes 1

No 2

If No, go to Question 58

If Yes,

f) On average how many hours do you spend on it per week?

hours

HERE IS A LIST OF SEVERAL TRAITS OR QUALITIES

58. For each will you circle the appropriate number to show whether each trait describes you very well, fairly well, somewhat or not at all.
[Please answer all questions]

	Very Well	Fairly Well	Somewhat	Not at all
a) Being bossy or dominating	1	2	3	4
b) Having a strong need to excel (be best) in most things	1	2	3	4
c) Usually being pressed for time	1	2	3	4
d) Being hard driving and competitive	1	2	3	4
e) Eating too quickly	1	2	3	4

Now we want to know how you have generally felt at the end of an average day at work:

	Yes	No
f) Have you often felt very pressed for time?	1	2
g) Has your work often stayed with you so that you were thinking about it after working hours?	1	2
h) Has your work often stretched you to the very limits of energy and capacity?	1	2
i) Have you often felt uncertain, uncomfortable or dissatisfied with how well you were doing in your work?	1	2

Finally in this section:

j) Do you get quite upset when you have to wait for anything?	Yes	1
	No	2
k) When you are faced with slow people, do you feel agitated or irritable?	Not at all	1
	Somewhat	2
	Very much	3
l) When you are being held up in a queue do you feel agitated or irritable?	Not at all	1
	Somewhat	2
	Very much	3

59. This section concerns people in your life who you feel close to and from whom you can obtain support (either emotional or practical) including close relatives and good friends.

How many people do you feel very close to? (It does not matter where they live or whether you have seen them recently).

PLEASE WRITE NUMBER IN THIS BOX

Who have you felt **closest** to in the last 12 months? Please describe in terms of their relationship to you: (e.g. WIFE, SON, AUNT, BOYFRIEND, MALE FRIEND, FEMALE FRIEND). Remember these are just examples and we would like you to write in whoever you feel closest to. If you feel close to more than one person, please list up to four below:—

WRITE IN THE PEOPLE YOU
ARE CLOSEST TO HERE:—

Closest

Second person

Only one person
on each line please

Third person

Fourth person

IF YOU ARE MARRIED NOW AND HAVE NOT PUT YOUR HUSBAND/WIFE IN ALREADY PLEASE
INCLUDE HIM/HER ON THE FIFTH LINE

Fifth

On the opposite page please tell us how you would rate the practical and emotional support each of the people you have listed above provide for you. (Each column refers to one of the persons you listed above). Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support from (a - n) **IN THE LAST 12 MONTHS**

1	2	3	4
Not at all	A little	Quite a lot	A great deal

for example:—

If the person you are closest to is your wife and the second a male friend, the columns on the next page might look this:—

	Closest Person	Second Person
Write in the people you are closest to here:—	Wife	Male friend
a) . . . How much in the last 12 months . . . did this person give you information, suggestions and guidance that you found helpful?	4	2

i.e. "a great deal" from wife, "a little" from friend. Of course, this is only an example. Please complete each row a - n on the 1 - 4 scale for the people listed above.

Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support:
1 = not at all, 2 = a little, 3 = quite a lot, 4 = a great deal

	Closest Person	Second Person	Third Person	Fourth Person	Spouse [if not already covered]
Write in the people you are closest to here:—					
a) . . . How much in the last 12 months . . . did this person give you information, suggestions and guidance that you found helpful?					
b) . . . How much in the last 12 months . . . could you rely on this person (was this person there when you needed him/her?)					
c) . . . How much in the last 12 months . . . did this person make you feel good about yourself?					
d) . . . How much in the last 12 months . . . did you share interests, hobbies and fun with this person?					
e) . . . How much in the last 12 months . . . did this person give you worries, problems and stress ?					

This section is about **confiding** in people, that is talking frankly or sharing feelings with them.
Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support:
1 = not at all, 2 = a little, 3 = quite a lot, 4 = a great deal.

	Closest Person	Second Person	Third Person	Fourth Person	Spouse [if not already covered]
Write in the people you are closest to here:—					
f) . . . How much in the last 12 months . . . did you want to confide in (talk frankly, share feelings with this person)?					
g) . . . How much in the last 12 months . . . did you confide in this person?					
h) . . . How much in the last 12 months . . . did you trust this person with your most personal worries and problems?					
i) . . . How much in the last 12 months . . . would you have liked to have confided more in this person?					
j) . . . How much in the last 12 months . . . did talking to this person make things worse?					
k) . . . How much in the last 12 months . . . did he/she talk about his/her personal worries with you?					

This section is about major and minor practical support. Rate each person on the scale from 1 - 4 to show how well they provided each stated type of support:
 1 = not at all, 2 = a little, 3 = quite a lot, 4 = a great deal.

	Closest Person	Second Person	Third Person	Fourth Person	Spouse [if not already covered]
Write in the people you are closest to here:—					
l) . . . How much in the last 12 months . . . did you need practical help from this person with major things (e.g. look after you when ill, help with finances, children)?					
m) . . . How much in the last 12 months . . . did this person give you practical help with major things?					
n) . . . How much in the last 12 months . . . would you have liked more practical help with major things from this person?					
o) . . . How much in the last 12 months . . . did this person give you practical help with small things when you needed it? (e.g. chores, shopping, watering plants etc.)					

Continued

We would also like a few details on each of these people:-

	Closest Person	Second Person	Third Person	Fourth Person	Spouse [if not already covered]
Write in the people you are closest to here:—					
p) How old are they? (in years)?					
q) What sex are they? (male/female)	M F	M F	M F	M F	M F
r) What is their marital status (married, single other)?	M S O	M S O	M S O	M S O	
s) Do they have children aged 16 or under now? (Yes/No)	Yes No	Yes No	Yes No	Yes No	Yes No
t) How long have you known them? (in years)					
u) Did they have further education after 18 years? Yes No Don't know Not applicable	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
v) Do they work with you? (Yes/No)	Yes No	Yes No	Yes No	Yes No	Yes No
w) About how many days did you see them in the last year (1 - 365)?					
x) How close do they live to you (with you, or number of miles away)?					

y) All things considered how satisfied or dissatisfied are you overall with your own personal relationships?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dissatisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

z) All things considered how satisfied or dissatisfied are you with the way you spend your leisure time?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dissatisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

60. a) Amongst your family and friends how many people are available to you with whom you talk frankly without having to watch what you say?

None	1
1 - 2	2
3 - 5	3
6 - 10	4
More than 10	5

b) Are there times when you are comforted by being held in someone's arms?

Almost daily	1
About once/week	2
About once/month	3
Never	4

61. a) Are there any relatives outside your household who you regularly visit or who visit you? [not necessarily the same person each time]

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5
No relatives outside household	6

If No relatives outside household go to Question 62

b) How many relatives do you see once a month or more?

None	1
1 - 2	2
3 - 5	3
6 - 10	4
More than 10	5

62. How often do you ever see anyone from work, socially out of work hours? (Excludes casual lunchtime meetings)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

63. a) Do you have any friends or acquaintances you visit or who visit you? (not necessarily the same person each time)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

b) How many friends or acquaintances do you see once a month or more?

None	1
1 - 2	2
3 - 5	3
6 - 10	4
More than 10	5

c) Do you have any friends or acquaintances with whom you are in contact only by telephone or letter?

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

64. How often do you attend religious services? (apart from weddings and funerals)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

6. Do you do any voluntary work for other people (e.g. visiting sick, disabled or elderly, belonging to Friends of the Hospital etc.)?

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

7. a) Do you belong to any clubs or organisations? (Social or recreational groups, trade union, commercial groups, professional organisations, political parties, sports clubs, cultural groups, pressure groups etc.)

Yes	1
No	2

If No, go to Question 67

If Yes,

b) Taking all of the above together, how often do you attend?

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

7. How often do you have parties at home? (including small dinner parties)

4 or more times a week	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

68. a) Do you have any hobbies? (other than watching TV or reading the newspaper)

Yes 1

No 2

If No, go to Question 69

If Yes,

b) In an average week how much time do you spend on your hobbies?

hours

Please specify your hobbies

69. How often do you have the feeling that there is little meaning in the things you do in your daily life?

Often	1
Sometimes	2
Seldom	3
Almost never	4

70. When you have difficulties in important aspects of your life, do you feel you will succeed in overcoming them?

Often	1
Sometimes	2
Seldom	3
Almost never	4

71. How often do you have the feeling that you do not have a clear idea of how your personal life will work out?

Often	1
Sometimes	2
Seldom	3
Almost never	4

72. a) All things considered how satisfied or dissatisfied are you with your standard of living?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dissatisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

b) All things considered how satisfied or dissatisfied are you with your present accommodation?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dissatisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

73. Below are five statements with which you may agree or disagree. Using the 1 - 7 scale below, indicate your agreement with each item by circling the appropriate number.

	Strongly disagree	Disagree	Slightly disagree	Neither agree nor disagree	Slightly agree	Agree	Strongly agree
a) In most ways my life is close to my ideal	1	2	3	4	5	6	7
b) The conditions of my life are excellent	1	2	3	4	5	6	7
c) I am satisfied with my life	1	2	3	4	5	6	7
d) So far I have got the important things I want in life	1	2	3	4	5	6	7
e) If I could live my life over again I would change almost nothing	1	2	3	4	5	6	7

74. This Section is about the way you are feeling these days. Please answer each question by circling the number which most nearly applies to you.

During the past few weeks did you feel:

	Not at all	A little	Quite a lot	A great deal
a) Particularly excited or interested in something	1	2	3	4
b) So restless you could not sit long in a chair	1	2	3	4
c) Proud because someone complimented you on something you had done	1	2	3	4
d) Very lonely or remote from other people	1	2	3	4
e) Pleased about having accomplished something	1	2	3	4
f) Bored	1	2	3	4
g) On top of the world	1	2	3	4
h) Depressed or very unhappy	1	2	3	4
i) That things were going your way	1	2	3	4
j) Upset because someone criticised you	1	2	3	4

75-78. The following is a list of things that can happen to people. Try to think back over the past 12 months and remember if any of these things happened to you and, if so, how much you were upset or disturbed by it?

		Very much	Moderately	Not too much	Not at all
a) Personal serious illness, injury or operation					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
b) Death of a close relative or friend					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
c) Serious illness, injury or operation of a close relative or friend					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
d) Major financial difficulty					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
e) Divorce, separation or break up of personal intimate relationship					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
f) Other marital or family problem					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
g) Any mugging, robbery, accident or similar event					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4
<hr/>					
h) Change of job or residence					
	Yes 1				
	No 2				
If Yes,					
How much did it upset you?		1	2	3	4

79. For each of the following questions on common concerns of everyday living circle one answer:
(If the question does not apply to you please circle not applicable)

a) How often do you wonder if your children are turning out the way you hoped?

Always	1
Often	2
Sometimes	3
Seldom	4
Never	5
Not Applicable	6

b) How often do your children fail to get along with others of the same age?

Always	1
Often	2
Sometimes	3
Seldom	4
Never	5
Not Applicable	6

c) How often do you have worries or problems with other relatives (e.g. parents or in-laws)?

Always	1
Often	2
Sometimes	3
Seldom	4
Never	5
Not Applicable	6

d) How often do you have to spend time looking after aged or disabled relatives?

Very often	1
Often	2
Sometimes	3
Seldom	4
Never	5
Not Applicable	6

e) How often does it happen that you do not have enough money to afford the kind of food or clothing you/your family should have?

Always	1
Often	2
Sometimes	3
Seldom	4
Never	5
Not Applicable	6

f) How much difficulty do you have in meeting the payment of bills?

Very great	1
Great	2
Some	3
Slight	4
Very little	5

g) To what extent do you have problems with your housing?
(e.g. too small, repairs, damp etc.)

Very great problems	1
Great	2
Some	3
Slight	4
Very little	5

h) To what extent do you have problems with the neighbourhood in which you live? (e.g. noise, unsafe street, few local facilities)

Very great problems	1
Great	2
Some	3
Slight	4
Very little	5

How strongly do you agree or disagree that:

i) Generally I give in more to my spouse's wishes than he/she gives in to mine

Strongly agree	1
Agree	2
Not sure	3
Disagree	4
Strongly disagree	5
Not applicable	6

GENERAL HEALTH QUESTIONS

Please read this carefully:

We should like to know if you have had any medical complaints, and how your health has been in general, **over the past few weeks**. Please answer **ALL** the questions on the following pages simply by circling the answer which you think most nearly applies to you. Remember that we want to know about present and recent complaints, not those that you had in the past.

It is important that you try to answer **ALL** the questions.

HAVE YOU RECENTLY:—

80.	— been able to concentrate on whatever you're doing?	Better than usual 1	Same as usual 2	Less than usual 3	Much less than usual 4
81.	— lost much sleep over worry?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
82.	— been having restless, disturbed nights?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
83.	— been managing to keep yourself busy and occupied?	More so than usual 1	Same as usual 2	Rather less than usual 3	Much less than usual 4
84.	— been getting out of the house as much as usual?	More so than usual 1	Same as usual 2	Less than usual 3	Much less than usual 4
85.	— been managing as well as most people would in your shoes?	Better than most 1	About the same 2	Rather less well 3	Much less well 4
86.	— felt on the whole you were doing things well?	Better than usual 1	About the same 2	Less well than usual 3	Much less well 4
87.	— been satisfied with the way you've carried out your task?	More satisfied 1	About same as usual 2	Less satisfied than usual 3	Much less satisfied 4
88.	— been able to feel warmth and affection for those near to you?	Better than usual 1	About same as usual 2	Less well than usual 3	Much less well 4
89.	— been finding it easy to get on with other people?	Better than usual 1	About same as usual 2	Less well than usual 3	Much less well 4
90.	— spent much time chatting with people	More time than usual 1	About same as usual 2	Less time than usual 3	Much less than usual 4
91.	— felt that you are playing a useful part in things?	More so than usual 1	Same as usual 2	Less useful than usual 3	Much less useful 4

HAVE YOU RECENTLY:—

92.	— felt capable of making decisions about things?	More so than usual 1	Same as usual 2	Less so than usual 3	Much less capable 4
93.	— felt constantly under strain?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
94.	— felt you couldn't overcome your difficulties?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
95.	— been finding life a struggle all the time?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
96.	— been able to enjoy your normal day-to-day activities?	More so than usual 1	Same as usual 2	Less so than usual 3	Much less than usual 4
97.	— been taking things hard?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
98.	— been getting scared or panicky for no good reason	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
99.	— been able to face up to your problems?	More so than usual 1	Same as usual 2	Less able than usual 3	Much less able 4
100.	— found everything getting on top of you?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
101.	— been feeling unhappy and depressed	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
102.	— been losing confidence in yourself?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
103.	— been thinking of yourself as a worthless person?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
104.	— felt that life is entirely hopeless?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
105.	— been feeling hopeful about your own future?	More so than usual 1	About same as usual 2	Less so than usual 3	Much less hopeful 4

HAVE YOU RECENTLY:—

106.	— been feeling reasonably happy, all things considered?	More so than usual 1	About same as usual 2	Less so than usual 3	Much less than usual 4
107.	— been feeling nervous and strung-up all the time?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
108.	— felt that life isn't worth living?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
109.	— found at times you couldn't do anything because your nerves were too bad?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4

110. Below are some of the statements which describe people's beliefs and attitudes and the way they might react to some situations. If the statement applies to you or describes you in general, circle "1" for True. If the statement does not describe you circle "2" for False.

	TRUE	FALSE
1) When someone does me a wrong I feel I should pay him back if I can, just for the principle of the thing.	1	2
2) I prefer to pass by school friends, or people I know but have not seen for a long time, unless they speak to me first.	1	2
3) I have often had to take orders from someone who did not know as much as I did.	1	2
4) I think a great many people exaggerate their misfortunes in order to gain the sympathy and help of others.	1	2
5) It takes a lot of argument to convince most people of the truth.	1	2
6) I think most people would lie to get ahead.	1	2
7) Someone has it in for me.	1	2
8) Most people are honest chiefly through fear of being caught.	1	2
9) Most people will use somewhat unfair means to gain profit or an advantage rather than to lose it.	1	2
10) I commonly wonder what hidden reason another person may have for doing something nice for me.	1	2
11) It makes me impatient to have people ask my advice or otherwise interrupt me when I am working on something important.	1	2
12) I feel that I have often been punished without cause.	1	2
13) Some of my family have habits that bother and annoy me very much.	1	2
14) My way of doing things is apt to be misunderstood by others.	1	2
15) I don't blame anyone for trying to grab everything he can get in this world.	1	2
16) No one cares much what happens to you.	1	2
17) It is safer to trust nobody.	1	2
18) I do not blame a person for taking advantage of someone who lays himself open to it.	1	2

Continued

	TRUE	FALSE
19) I have often felt that strangers were looking at me critically.	1	2
20) Most people make friends because friends are likely to be useful to them.	1	2
21) I am sure I am being talked about.	1	2
22) I am likely not to speak to people until they speak to me.	1	2
23) Most people inwardly dislike putting themselves out to help other people.	1	2
24) I tend to be on my guard with people who are somewhat more friendly than I had expected.	1	2
25) I have sometimes stayed away from another person because I feared doing or saying something that I might regret afterwards.	1	2
26) People often disappoint me.	1	2
27) It makes me feel like a failure when I hear of the success of someone I know well.	1	2
28) I have at times had to be rough with people who were rude or annoying.	1	2
29) People generally demand more respect for their own rights than they are willing to allow for others.	1	2
30) There are certain people whom I dislike so much that I am inwardly pleased when they are catching it for something they have done.	1	2
31) I am not easily angered.	1	2
32) I have often met people who were supposed to be experts who were no better than I.	1	2
33) I am often inclined to go out of my way to win a point with someone who has opposed me.	1	2
34) I have often found people jealous of my good ideas, just because they had not thought of them first.	1	2
35) I have frequently worked under people who seem to have things arranged so that they get credit for good work but are able to pass off mistakes on to those under them.	1	2
36) I strongly defend my own opinions as a rule.	1	2
37) People can pretty easily change me even though I thought that my mind was already made up on a subject.	1	2
38) Sometimes I am sure that other people can tell what I am thinking.	1	2

Date when form completed

day

month

year

PLEASE ADD COMMENTS BELOW OR OVERLEAF, IF YOU WISH:—

**TO ALL RESPONDENTS
THANK YOU VERY MUCH FOR YOUR COOPERATION**

APPENDIX III

CONFIDENTIAL

HEALTH SURVEY

Department of Community Medicine
University College London

Civil Service Occupational Health Service

HEALTH SURVEY

We are interested in identifying the characteristics of work and personal environment which may affect people's health. We should, therefore, be grateful if you would complete this questionnaire which asks for some general background information as well as questions about your activities.

The answers to all these questions will, of course, be kept strictly confidential. All information on individuals will go into statistics for all men and women in the study and it will not be possible to identify your responses from any reports or publications.

Under no circumstances will any information from an individual record be made available to anyone, either connected with the Civil Service or outside it.

PLEASE USE BLOCK LETTERS THROUGHOUT

Once returned, the personal identification section will be removed. This will ensure the preservation of confidentiality in subsequent handling of the questionnaires.

SURNAME

FORENAMES (in full)

HOME ADDRESS

MINISTRY/DEPARTMENT

ROOM NUMBER

WORK ADDRESS (in full)

WORK TELEPHONE
NUMBER

This questionnaire asks about features of your way of life which may affect your health.
To study this we need to monitor your health over the next 5-7 years.

In the last questionnaire we asked most of you to give us permission to monitor your health
via your departmental sickness records. We would like to continue collecting this information
for 5-7 years. We shall continue to treat all information with the strictest confidence.

If you agree, please indicate. Consent given: Yes No

(Please circle one)

If Yes, please sign your name here

If you have given consent, please could you provide the following information in order
that we can check the accuracy of our records.

NATIONAL INSURANCE NUMBER
(you can get this from your payslip)

PAYROLL NUMBER/PAY REFERENCE
(this is given in the top left hand corner of your payslip)

Your General Practitioner's name and address

NAME

ADDRESS

THANK YOU

HEALTH SURVEY

General Instructions

Please read these notes before filling in the rest of the form

Please answer all the questions.

The answer to most questions can be indicated by circling the appropriate number.

e.g. What is your sex?

Male

①

Female

2

Where the question requires you to write numbers, a rectangle is used.

e.g. What is your date of birth?

12	3	19	45
Day	Month		Year

Where the answer is likely to involve a phrase or sentence lines are given.

e.g. What was the main reason for you being in hospital?

(please specify)

acute bronchitis

CODER'S INITIALS

--

1. a) Give your grade title - IN FULL

b) Is your grade title on the following list?
If it is please circle one number.

Name of grade title

- 1 Senior Executive Officer
- 2 Higher Executive Officer
- 3 Executive Officer
- 4 Senior Scientific Officer
- 5 Higher Scientific Officer
- 6 Scientific Officer
- 7 Assistant Scientific Officer
- 8 Principal Professional Technology Officer
- 9 Higher Professional Technology Officer
- 10 Professional Technology Officer
- 11 Administrative Officer
(formerly Clerical Officer)
- 12 Administrative Assistant
(formerly Clerical Assistant)
- 13 Senior Personal Secretary
- 14 Personal Secretary
- 15 Typing Manager
- 16 Typist (including specialist, audio
shorthand typists)
- Support Staff (This includes Messengers,
Paperkeepers, Telephonists, Security Officers,
Porters, Reprographics Officers/Photoprinters
and Cleaners)
- 17 Support Manager 1 (includes Reprographics/
Photoprinter Manager)
- 18 Support Manager 2 (includes Chief
Reprographics/ Photoprinter Officer)
- 19 Support Manager 3 (includes Chief
Paperkeeper and Assistant Chief
Reprographics Officer)
- 20 Support Grade Band 1 (includes Senior
Messenger, Senior Paperkeeper and
Reprographics Operator 1)
- 21 Support Grade Band 2 (includes Messenger,
Paperkeeper and Reprographics
Operator 2)
- 22 Senior Information Officer
- 23 Information Officer
- 24 Assistant Information Officer

- 25 Unified Grade 1
- 26 Unified Grade 2
- 27 Unified Grade 3 (including Undersecretary)
- 28 Unified Grade 4
- 29 Unified Grade 5
(including Assistant Secretary)
- 30 Unified Grade 6 (formerly Senior Principal Le
- 31 Unified Grade 7 (formerly Principal Le
- 32 Superintendent of Specialist
Teleprinter Operators
- 33 Specialist Teleprinter Operator
- 34 Superintendent of Teleprinter Operators
- 35 Teleprinter Operator
- 36 Director of Audit (National Audit Office)
- 37 Deputy Director of Audit (NAO)
- 38 Chief Auditor (NAO)
- 39 Senior Auditor (NAO)
- 40 Auditor (NAO)
- 41 Assistant Auditor (NAO)
- 42 Superintendent Examiner (Patents Office)
- 43 Principal Examiner (Patents Office)
- 44 Senior Examiner (Patents Office)
- 45 Examiner (Patents Office)
- 46 Museum Warder Grade 1
- 47 Museum Warder Grade 2
- 48 Museum Warder Grade 3
- 49 Museum Warder Grade 4
- 50 Museum Warder Grade 5
- 51 Museum Warder Grade 6
- 52 Museum Warder Grade 7
- 53 Curatorial Officer Grade D
- 54 Curatorial Officer Grade E
- 55 Curatorial Officer Grade F
- 56 Curatorial Officer Grade G
- 57 Conservation Officer D
- 58 Conservation Officer E
- 59 Conservation Officer F
- 60 Conservation Officer G

c) If you DO NOT know your official grade title please give a brief description of your job, including level of seniority

2. a) What is your date of birth?

		19	
Day	Month	Year	

b) Sex: Male 1
Female 2

3. What is your marital status?

Circle one only

Married 1
Cohabiting 2
Single (never married) 3
Divorced or separated 4
Widowed 5

4. Is the accommodation in which you live owned or rented?

Own outright or have mortgage 1
Rent from local authority 2
Rent privately: unfurnished 3
Rent privately: furnished 4

5. a) Does anyone live in your household besides you?

Yes 1
No 2

If No, go to Question 6

If Yes,

Who lives in your household besides you?

Answer all parts

	Yes	No
b) Spouse or partner	1	2
c) Other adult(s)	1	2

How many other adults? (if none write 0)

d) Children 1 2

How many? (if none write 0)

6. Is there a car or van normally available for use by you or other members of your household?

Yes 1
No 2

7. a) Is your natural father still alive?

Yes 1
No 2

If Yes, go to Question 8

If No,

b) How old was your father when he died?

Years

c) What did he die from?

Heart Attack (coronary)	1
Stroke	2
Other heart condition
(not a coronary)	3
Cancer	4
Other causes
(please specify)	5

Don't know	6
------------	---

8. a) Is your natural mother still alive?

Yes	1
No	2

If Yes, go to Question 9

If No,

b) How old was your mother when she died?

Years

c) What did she die from?

Heart attack (coronary)	1
Stroke	2
Other heart condition
(not a coronary)	3
Cancer	4
Other causes
(please specify)	5

Don't know	6
------------	---

9. a) Do you have any brothers or sisters

Yes	1
No	2

If No brothers no sisters
go to Question 10

If Yes

Have any of your brothers or sisters suffered with the following?

(Please answer all questions)

	Yes	No	Don't know
b) Angina	1	2	3
c) Heart Attack	1	2	3
d) Stroke	1	2	3
e) High Blood Pressure	1	2	3
f) Diabetes	1	2	3

THIS SECTION CONCERNS YOUR OWN HEALTH

10. Over the last 12 months would you say your health has been

Very good	1
Good	2
Average	3
Poor	4
Very poor	5

11. a) Do you have any longstanding illness, disability or infirmity?

(longstanding means anything that has troubled you over a period of time or that is likely to affect you over a period of time)

Yes 1

No 2

If No, go to question 12

If Yes,

b) What is the matter with you?

12. a) Have you ever had any pain or discomfort in your chest?

Yes 1

No 2

If No, go to Question 13

If Yes,

b) Do you get this pain or discomfort when you walk uphill or hurry?

Yes 1

No 2

c) Do you get it when you walk at an ordinary pace on the level?

Yes 1

No 2

d) When you get any pain or discomfort in your chest, what do you do?

Stop 1

Slow down 2

Continue at the same pace 3

e) Does it go away when you stand still?

Yes 1

No 2

f) How soon?

In 10 mins or less 1

More than 10 mins 2

g) Where do you get this pain or discomfort?
(mark the place(s) with an X on the diagram)

RIGHT

LEFT

FRONT VIEW

13. a) Have you ever had a severe pain across the front of your chest lasting for half an hour or more?

Yes 1

No 2

If No, go to Question ~~15~~
14

If Yes,

b) Did you talk to a doctor about it?

Yes 1

No 2

If No, go to Question 14

If Yes,

c) What did he say it was?

d) How many of these attacks have you had?

number

14. a) Has a doctor ever told you that your blood pressure was above normal?

Yes 1

No 2

If No, go to part (c)

If Yes

b) when was the first time?

19

year

c) Have you ever had treatment for high blood pressure?

Yes 1

No 2

d) Are you taking drug treatment for high blood pressure now?

Yes 1

No 2

15. a) Have you ever had heart trouble suspected or confirmed?

Yes 1

No 2

If No, go to Question 16

If Yes,

b) When was the first time? (give year)

19

year

c) What was the diagnosis?

Heart attack 1

Heart strain 2

High blood pressure 3

Valve disease 4

Hole in heart 5

Other (please specify) 6

d) Did you attend a hospital?

Yes 1

No 2

e) Are you still attending
a doctor for heart trouble?

Yes 1

No 2

16. There are some kinds of health problems that keep recurring and some that people have all the time. In the last 12 months have you suffered from any of the following health problems?

(Please answer all questions)

	Yes	No
a) Bronchitis	1	2
b) Arthritis or rheumatism	1	2
c) Sciatica, lumbago or recurring backache	1	2
d) Persistent skin trouble (e.g. eczema)	1	2
e) Asthma	1	2
f) Hay fever	1	2
g) Recurring stomach trouble/indigestion	1	2
h) Being constipated all or most of the time	1	2
i) Piles	1	2
j) Persistent foot trouble (e.g. bunions, ingrowing toenails)	1	2
k) Trouble with varicose veins	1	2
l) Nervous trouble or persistent depression	1	2
m) Persistent trouble with your gums or mouth	1	2

n) Any other recurring
health problem
(please specify)

1 2

PLEASE MAKE SURE YOU HAVE ANSWERED
ALL THE ABOVE QUESTIONS

17. Have you had any of the following symptoms
in the last 14 days?

(Please answer all questions)

	Yes	No
a) A cough, catarrh or phlegm	1	2
b) Diarrhoea	1	2
c) Heartburn, wind or indigestion	1	2
d) Shortness of breath	1	2
e) Dizziness or giddiness	1	2
f) Earache or discomfort in the ears	1	2
g) Swollen ankles	1	2
h) Nervy, tense or depressed	1	2
i) A cold or 'flu'	1	2
j) A sore throat	1	2
k) Difficulty in sleeping	1	2
l) Pains in the chest	1	2
m) A backache or pains in the back	1	2
n) Nausea or vomiting	1	2
o) Feeling tired for no apparent reason	1	2
p) Rashes, itches or other skin trouble	1	2

q) Toothache or trouble
with the gums 1 2

r) Any other complaints
in the last 14 days 1 2
(Please specify)

PLEASE MAKE SURE YOU HAVE ANSWERED
ALL THE ABOVE QUESTIONS

18. Do you suffer from
Diabetes?

Yes 1

No 2

19. a) Do you usually bring
up any phlegm from your
chest first thing in the
morning in winter?

Yes 1

No 2

If No, go to question 20

If Yes,

b) Do you usually bring up
phlegm in the morning on
most days for as much as
three months in the winter?

Yes 1

No 2

20. In the past three years
have you had a period
of increased cough
and phlegm lasting for
three weeks or more?

None 1

One period 2

Two or more periods 3

21. What is your present
weight? (approximately)

Stones

lbs

22. a) This question concerns
any medicines prescribed by a
doctor that you may have taken
during the last fourteen days

Have you been taking any
medicines, tablets, tonics
or pills (including
contraceptive pills) within
the last fourteen days?

Yes 1

No 2

If Yes

b) Please list any medicines below:-

A. _____

B. _____

C. _____

D. _____

23. a) During the last 12 months,
were you in hospital as a
patient, overnight or longer?

Yes 1

No 2

If No go to question 24

If Yes

b) How many times did you
go into hospital overnight
or longer during the last
12 months?

number

c) How many days altogether
were you in hospital during
the last 12 months?

days

d) What were the main reasons
for you being in hospital?
(please specify)

24. Which one of the following
statements best reflects your view
on reducing the chances
of having a heart attack?

(circle one only)

There is very little you can
do for yourself, it is fate
or bad luck

1

There are certain things
you can do for yourself
which might help reduce
the chance of a heart attack

2

There are certain things
you can do for yourself
which will definitely help
reduce the chance
of a heart attack

3

SMOKING HABITS

25. a) Do you smoke cigarettes
now? (i.e. not cigars/pipe)

Yes 1

No 2

If No, go to Question 26

If Yes,

b) What kind of cigarettes
do you smoke?

Circle all
that apply

Manufactured
with filters 1

Manufactured
without filters 2

Hand rolled 3

- c) How many manufactured cigarettes do you smoke per day?

cigarettes

and/or

- d) About how many ounces of tobacco do you use per week for hand-rolled cigarettes?

ounces

GO TO QUESTION 27

26. a) If not a present cigarette smoker did you smoke in the past?

Yes 1

No 2

If No, go to Question 28

If Yes,

- b) How many manufactured cigarettes did you smoke per day?

cigarettes

and/or

- c) How many ounces of tobacco did you use per week for hand-rolled cigarettes?

ounces

- d) How old were you when you stopped smoking?

age

27. How old were you when you started smoking cigarettes

age

28. a) Do you smoke cigars?

Yes 1

No 2

If No, go to 28. c)

If Yes,

- b) How many cigars per week?

cigars

- c) Do you smoke a pipe?

Yes 1

No 2

If Yes,

- d) How many ounces of tobacco do you smoke per week?

ounces

DRINKING HABITS

29. a) In the past 12 months have you taken an alcoholic drink:

(circle one only)

Twice a day or more	1
Almost daily	2
Once or twice a week	3
Once or twice a month	4
Special occasions only	5
No	6

- b) In the last 5 years have you changed your drinking habits?

Yes	1
No	2

If No, go to Question 30

If Yes,

- c) Compared with 5 years ago do you now drink:

A lot more	1
A bit more	2
A bit less	3
A lot less	4

- d) If you have given up or reduced drinking, what was the main reason?

circle one only

Illness/doctor's orders	1
Health precautions	2
Finance	3
Other (please specify)	4
-

30. a) Have you had an alcoholic drink in the last seven days?

Yes	1
No	2

If No, go to Question 31

If Yes,

In the last seven days how many drinks have you had of each of the following?

[please remember that a drink poured at home could be equivalent to 2 or 3 pub measures]
[if none write 0]

- b) Spirits (whisky, gin, rum, brandy, vodka etc) or liqueurs

measures

- c) Wine (including sherry, port, vermouth)

glasses

- d) Beer (including lager and cider)

pints

31. a) When you drink spirits or wine how many drinks do you usually have during one occasion?

[If you have both wine and spirits, add them together e.g. 1 measure of whisky and 2 glasses of wine = 3]

1 - 2	1
3 - 4	2
5 or more	3
I don't drink spirits or wine	4

b) When you drink beer how many pints do you usually have during one occasion?

1 - 2	1
3 - 4	2
5 or more	3
I don't drink beer	4

c) What is the maximum quantity of wine/spirits you would drink at one sitting? [if none write 0]

wine/spirits

no of drinks

d) What is the maximum quantity of beer you would drink during one occasion? [[if none write 0]

beer

pints

FOOD CONSUMPTION

Please answer the following questions about your food habits. (if you are not sure you may discuss this question with the person responsible for buying and cooking your food).

32. a) What type of bread do you eat most frequently?

Circle one only

White	1
Wholemeal	2
Granary or wheatmeal	3
Other brown	4
Both brown and white	5

b) What type of milk do you usually use?

(circle one only)

Do not use milk	1
Channel Islands Whole milk (gold top)	2
Whole Milk (silver/red top or sterilised)	3
Skimmed milk	4
Semi-skimmed milk	5
Other (please specify)	6

c) How often do you eat
fresh fruits or vegetables?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
Daily	7
2 or more times daily	8

d) How often do you eat
meals containing meat
(not fish or poultry)?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

e) How often do you eat eggs?

Seldom or never	1
Less than once a month	2
1 - 3 times a month	3
1 - 2 times a week	4
3 - 4 times a week	5
5 - 6 times a week	6
7 or more times a week	7

33. a) Compared with four or five years ago, do you now eat more, less, or the same of the following.

CIRCLE ONE PER ITEM

	More	Same	Less	Don't know
White bread	1	2	3	4
Brown/wholemeal bread	1	2	3	4
Fruit	1	2	3	4
Butter	1	2	3	4
Vegetables	1	2	3	4
Meat products e.g. pies, sausages	1	2	3	4
Cod and other white fish	1	2	3	4
Poultry	1	2	3	4
Herring, mackerel, sardines etc	1	2	3	4
Beef, pork and lamb	1	2	3	4

- b) Which of the following do you now do more often than four or five years ago?

	More	Same	Less	Don't know
Grill food rather than fry it	1	2	3	4
Trim fat off meat before cooking it	1	2	3	4
Avoid additives	1	2	3	4
Buy more fast food (like burgers, chicken pieces, etc)	1	2	3	4
Look for lower fat alternatives when shopping	1	2	3	4
Eat more chips	1	2	3	4

If your diet has not changed in the last four to five years, go to Question 35.

34. If you have changed your food habits, in the last four to five years what was the main reason?

(circle one only)

- Taste 1
- Health precautions 2
- Availability 3
- To lose weight 4
- Finances 5
- Other (please specify) 6

PHYSICAL ACTIVITY

35. How often do you take part in sports or activities that are:

3 times a week or more once or twice a week about once to 3 times a month Never/hardly ever

a) Mildly energetic

(e.g. walking, woodwork, weeding, hoeing, bicycle repair, playing darts, general housework)

1 2 3 4

b) Moderately energetic

(e.g. scrubbing, polishing car, chopping, dancing, golf, cycling, decorating, lawn mowing, leisurely swimming)

1 2 3 4

c) Vigorous

(e.g. running, hard swimming, tennis, squash, digging, cycle racing)

1 2 3 4

Please give the average number of hours per week you spend in such sports or activities.

d) Mildly energetic e) Moderately energetic f) Vigorous

WORK CHARACTERISTICS

The following questions are about your work. For each please circle the one answer that best describes your job or the way you deal with problems occurring at work.

[Please answer all questions]

36. Concerning your particular work:

	Often	Sometimes	Seldom	Never/almost never
a) Do you have to work very fast?	1	2	3	4
b) Do you have to work very intensively?	1	2	3	4
c) Do you have enough time to do everything?	1	2	3	4
d) Are your tasks such that others can help you if you do not have enough time?	1	2	3	4
e) Do you have the possibility of learning new things through your work?	1	2	3	4
f) Does your work demand a high level of skill or expertise?	1	2	3	4
g) Does your job require you to take the initiative?	1	2	3	4
h) Do you have to do the same thing over and over again?	1	2	3	4
i) Do you have a choice in deciding HOW you do your work?	1	2	3	4
j) Do you have a choice in deciding WHAT you do at work?	1	2	3	4

37. About your position at work - how often do the following statements apply?

[Please answer all questions]

	Often	Sometimes	Seldom	Never/ Almost never
a) Others take decisions concerning my work	1	2	3	4
b) I have a good deal of say in decisions about work	1	2	3	4
c) I have a say in my own work speed	1	2	3	4
d) My working time can be flexible	1	2	3	4
e) I can decide when to take a break	1	2	3	4
f) I can take my holidays more or less when I wish	1	2	3	4
g) I have a say in choosing with whom I work	1	2	3	4
h) I have a great deal of say in planning my work environment	1	2	3	4

38. About consistency and clarity concerning your job

[Please answer all questions]

	Often	Sometimes	Seldom	Never
a) Do different groups at work demand things from you that you think are hard to combine?	1	2	3	4
b) Do you get sufficient information from line management? (your superiors)	1	2	3	4
c) Do you get consistent information from line management? (your superiors)	1	2	3	4
d) Are you uncertain about the best way of doing your job?	1	2	3	4
e) Do you ever get praised for your work?	1	2	3	4
f) Do you ever get criticised constructively?	1	2	3	4
g) Do you ever get criticised unfairly?	1	2	3	4

39. Regarding job involvement

[Please answer all questions]

	Often	Sometimes	Seldom	Never
a) Does your work provide you with a variety of interesting things?	1	2	3	4
b) Is your job too varied and split up?	1	2	3	4
c) Is your job boring?	1	2	3	4
d) Do you consider your job very important?	1	2	3	4
e) Do you feel your immediate superior considers your job very important?	1	2	3	4
f) Do your colleagues consider your job very important?	1	2	3	4
g) How often do you wish that you were doing a different job?	1	2	3	4
h) How often do you feel that you are doing your job only for the money?	1	2	3	4

40. When you are having difficulties in your work

[Please answer all questions]

	Often	Sometimes	Seldom	Never
a) How often do you get help and support from your colleagues?	1	2	3	4
b) How often are your colleagues willing to listen to your work related problems?	1	2	3	4
c) How often do you get help and support from your immediate superior?	1	2	3	4
d) How often is your immediate superior willing to listen to your problems?	1	2	3	4
e) How often can you delegate work effectively to your juniors?	1	2	3	4

41. About your job in general. How satisfied are you with your job as a whole, taking everything into consideration?

Very Satisfied	Satisfied	Dissatisfied	Very dissatisfied
1	2	3	4

42. a) Do you work with visual display units (VDU's) or desk top television screens?

Yes 1

No 2

If No, go to Question 43

If Yes,

b) When did you first start using VDU's regularly

19

Year

c) On average, how many hours per week do you use a VDU?

hours

SOCIAL LIFE

43. This section concerns people in your life who you feel close to and from whom you can obtain support (either emotional or practical) including close relatives and good friends.

How many people do you feel very close to? (It does not matter where they live or whether you have seen them recently.)

PLEASE WRITE NUMBER IN THIS BOX

Who have you felt closest to in the last 12 months? Please describe in terms of their relationship to you: (e.g. WIFE, SON, AUNT, BOYFRIEND, MALE FRIEND, FEMALE FRIEND). Remember these are just examples and we would like you to write in whoever you feel closest to. If you feel close to more than one person, please list two below:

WRITE IN THE PEOPLE YOU ARE CLOSEST TO HERE:

Closest person _____

Second person _____

Only one person on each line, please.

On the opposite page please tell us how you would rate the practical and emotional support each of the people you have listed above provides for you.
(Each column refers to one of the people you listed above).

Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support from (a - o) IN THE LAST 12 MONTHS.

Not at all	A little	Quite a lot	A great deal
1	2	3	4

for example:-

If the person you are closest to is your wife and the second a male friend, the columns on the next page might look like this:-

Write in the people you are closest to here:-

Closest Person	Second Person
Wife	Male friend
4	2

- a) How much in the last 12 months... did this person give you information, suggestions, and guidance that you found helpful?

e.g. "a great deal" from wife, "a little" from friend. Of course, these are only examples. Please complete each question (a) - (o) on the 1 - 4 scale for the person or two people you listed above.

Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support.

1 = not at all. 2 = a little. 3 = quite a lot. 4 = a great deal.

Write in the people you are closest to here:-

	Closest Person	Second Person
a) How much in the last 12 months... did this person give you information, suggestions and guidance that you found helpful?		
b) How much in the last 12 months... could you rely on this person (was this person there when you needed him/her?)		
c) How much in the last 12 months... did this person make you feel good about yourself?		
d) How much in the last 12 months... did you share interests, hobbies and fun with this person?		
e) How much in the last 12 months... did this person give you worries, problems and stress?		

This section is about confiding in people, that is talking frankly or sharing feelings with them. Rate each person on the scale from 1 - 4 to show how well they have provided each stated type of support:

1 = not at all. 2 = a little. 3 = quite a lot. 4 = a great deal.

Write in the people you are closest to here:-

	Closest Person	Second Person
f) How much in the last 12 months... did you want to confide in (talk frankly, share feelings with) this person?		
g) How much in the last 12 months... did you confide in this person?		
h) How much in the last 12 months... did you trust this person with your most personal worries and problems?		
i) How much in the last 12 months... would you have liked to confide more in this person?		
j) How much in the last 12 months... did talking to this person make things worse?		
k) How much in the last 12 months... did he/she talk to you about his/her personal worries with you?		

This section is about major and minor practical support. Rate each person on the scale from 1 - 4 to show how well they provided each type of support:

1 = not at all. 2 = a little. 3 = quite a lot. 4 = a great deal.

	Closest Person	Second Person
Write in the people you are closest to here:-		
l) How much in the last 12 months... did you need practical help from this person with major things (e.g. look after you when ill, help with finances, children)?		
m) How much in the last 12 months... did this person give you practical help with major things?		
n) How much in the last 12 months... would you have liked more practical help with major things from this person?		
o) How much in the last 12 months... did this person give you practical help with small things when you needed it? (e.g. chores, shopping, watering plants etc.)		

We would also like a few details on each of these people:-

	Closest Person	Second Person
Write in the people you are closest to here:-		
p) How old are they? (in years)		
q) What sex are they? (male/female)	M F	M F
r) How long have you known them? (in years)		
s) Do they work with you? (Yes/No)	Y N	Y N
t) About how many days did you see them in the last year (1 - 365)		
u) How close do they live to you? (with you, or number of miles away)		

- v) All things considered, how satisfied or dissatisfied are you overall with your own personal relationships?
Please circle one of the numbers on the 1 - 7 scale to show how satisfied or dissatisfied you feel:-

Very dis- satisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

- w) All things considered, how satisfied are you with the way you spend your leisure time?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dis- satisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

44. a) Are there any relatives outside your household whom you regularly visit or who visit you? (Not necessarily the same person each time)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5
No relatives outside household	6

If No relatives outside household
go to Question 45

- b) How many relatives do you see once a month or more?

None	1
1 - 2	2
3 - 5	3
6 - 10	4
More than 10	5

45. How often do you see anyone from work, socially out of work hours?
(Excludes casual lunchtime meeting)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

46. a) Do you have any friends or acquaintances you visit or who visit you?
(not necessarily the same person each time)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

b) How many friends or acquaintances do you see once a month or more?

None	1
1 - 2	2
3 - 5	3
6 - 10	4
More than 10	5

47. How often do you attend religious services? (apart from weddings and funerals)

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

48. a) Do you belong to any clubs or organisations? (Social or recreational groups, trade unions, commercial groups, professional organisations, political parties, sports clubs, cultural groups, pressure groups etc.)

Yes 1

No 2

If No, go to Question 49

If Yes,

b) Taking all the above organisations together, how often do you attend?

Almost daily	1
About once/week	2
About once/month	3
Once every few months	4
Never/almost never	5

49. All things considered, how satisfied or dissatisfied are you with your standard of living?
Please circle one of the numbers on the 1 - 7 scale below to show how satisfied or dissatisfied you feel:-

Very dis- satisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
1	2	3	4	5	6	7

50. This Section is about the way you are feeling these days. Please answer each question by circling the number which most nearly applies to you.

During the past few weeks did you feel:

	Not at all	A little	Quite a lot	A great deal
a) Particularly excited or interested in something	1	2	3	4
b) So restless you could not sit long in a chair	1	2	3	4
c) Proud because someone complimented you on something you had done	1	2	3	4
d) Very lonely or remote from other people	1	2	3	4
e) Pleased about having accomplished something	1	2	3	4
f) Bored	1	2	3	4
g) On top of the world	1	2	3	4
h) Depressed or very unhappy	1	2	3	4
i) That things were going your way	1	2	3	4
j) Upset because someone criticised you	1	2	3	4

51. The following is a list of things that can happen to people. Try to think back over the past 12 months and remember if any of these things happened to you and, if so, how much you were upset or disturbed by

		Very much	Moderately	Not too much	Not at all
a) Personal serious illness, injury or operation					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
b) Death of close relative or friend					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
c) Serious illness, injury or operation of a close relative or friend					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
d) Major financial difficulty					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
e) Divorce, separation or break up of personal intimate relationship					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
f) Other marital or family problem					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
g) Any mugging, robbery, accident or similar event					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4
h) Change of job or residence					
	Yes 1				
	No 2				
If Yes, How much did it upset you?		1	2	3	4

52. a) How often do you have worries or problems with other relatives
(e.g. parents or in-laws)?

Always	Often	Sometimes	Seldom	Never
1	2	3	4	5

b) How often does it happen that you do not have enough money to afford
the kind of food or clothing you/your family should have?

Always	Often	Sometimes	Seldom	Never
1	2	3	4	5

c) How much difficulty do you have in meeting the payment of bills?

Very great	Great	Some	Slight	Very little
1	2	3	4	5

d) To what extent do you have problems with your housing?
(e.g. too small, repairs, damp etc.)

Very great problems	Great	Some	Slight	Very little
1	2	3	4	5

e) To what extent do you have problems with the neighbourhood in which you live?
(e.g. noise, unsafe street, few local facilities)

Very great problems	Great	Some	Slight	Very little
1	2	3	4	5

GENERAL HEALTH QUESTIONS

Please read this carefully

We should like to know if you have had any medical complaints, and how your health has been in general over the past few weeks. Please answer ALL questions on the following pages simply by circling the answer which you think most nearly applies to you. Remember that we want to know about your present and recent complaints, not those that you had in the past.

It is important that you try to answer ALL the questions.

HAVE YOU RECENTLY:-

53. - been able to concentrate on whatever you're doing?	Better than usual
1	Same as usual
2	Less than usual
3	Much less than usual
4
54. - lost much sleep over worry?	Not at all
1	No more than usual
2	Rather more than usual
3	Much more than usual
4
55. - been having restless, disturbed nights?	Not at all
1	No more than usual
2	Rather more than usual
3	Much more than usual
4
56. - been managing to keep yourself busy and occupied?	More so than usual
1	Same as usual
2	Rather less than usual
3	Much less than usual
4
57. - been getting out of the house as much as usual?	More so than usual
1	Same as usual
2	Less than usual
3	Much less than usual
4
58. - been managing as well as most people would in your shoes?	Better than most
1	About the same
2	Rather less well
3	Much less well
4
59. - felt on the whole you were doing things well?	Better than usual
1	About the same
2	Less well than usual
3	Much less well
4
60. - been satisfied with the way you've carried out your task?	More satisfied
1	About same as usual
2	Less satisfied than usual
3	Much less satisfied
4
61. - been able to feel warmth and affection for those near to you?	Better than usual
1	About same as usual
2	Less well than usual
3	Much less well
4

HAVE YOU RECENTLY:-

62. - been finding it easy to get on with other people?	Better than usual 1	About same as usual 2	Less well than usual 3	Much less well 4
63. - spent much time chatting with people?	More time than usual 1	About same as usual 2	Less time than usual 3	Much less than usual 4
64. - felt that you are playing a useful part in things?	More so than usual 1	Same as usual 2	Less useful than usual 3	Much less useful 4
65. - felt capable of making decisions about things?	More so than usual 1	Same as usual 2	Less so than usual 3	Much less capable 4
66. - felt constantly under strain?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
67. - felt you couldn't overcome your difficulties?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
68. - been finding life a struggle all the time?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
69. - been able to enjoy your normal day-to-day activities?	More so than usual 1	Same as usual 2	Less so than usual 3	Much less than usual 4
70. - been taking things hard?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
71. - been getting scared or panicky for no good reason?	Not at all 1	No more than usual 2	Rather more than usual 3	Much more than usual 4
72. - been able to face up to your problems?	More so than usual 1	Same as usual 2	Less able than usual 3	Much less able 4

HAVE YOU RECENTLY:-

73. - found everything getting on top of you?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
74. - been feeling unhappy and depressed?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
75. - been losing confidence in yourself?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
76. - been thinking of yourself as a worthless person?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
77. - felt that life is entirely hopeless?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
78. - been feeling hopeful about your own future?	More so than usual	About same as usual	Less so than usual	Much less hopeful
	1	2	3	4
79. - been feeling reasonably happy, all things considered?	More so than usual	About same as usual	Less so than usual	Much less than usual
	1	2	3	4
80. - been feeling nervous and strung-up all the time?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
81. - felt that life isn't worth living?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4
82. - found at times you couldn't do anything because your nerves were too bad?	Not at all	No more than usual	Rather more than usual	Much more than usual
	1	2	3	4

Date when form completed

Day

Month

Year

PLEASE ADD COMMENTS OPPOSITE IF YOU WISH:-
THANK YOU VERY MUCH FOR YOUR COOPERATION

APPENDIX IV

CONFIDENTIAL

HEALTH SURVEY

**Stress and Health Study
Department of Epidemiology and Public Health
University College London**

Civil Service Occupational Health Service

We are interested in identifying the characteristics of work and personal environment which may affect people's health. We should, therefore, be grateful if you would complete this questionnaire which asks for some general background information as well as questions about your activities.

The answers to these questions will, of course, be kept strictly confidential. All information on individuals will go into statistics for all men and women in the study, and it will not be possible to identify your responses from any reports or publications.

Under no circumstances will any information from an individual record be made available to anyone, either connected with the Civil Service, or outside it.

PLEASE USE BLOCK LETTERS THROUGHOUT

Once returned, the personal identification section will be removed. This will ensure the preservation of confidentiality in subsequent handling of the questionnaires.

SURNAME
FORENAMES (in full)
HOME ADDRESS
MINISTRY/DEPARTMENT
ROOM NUMBER
BUILDING
WORK ADDRESS (in full)
WORK TELEPHONE NUMBER

This questionnaire asks about features of your way of life which may affect your health.

To study this we need to continue to monitor your health over the next few years.

In the last questionnaire we asked you to give us permission to monitor your health via your departmental sickness records. We would like to continue collecting this information and in cases of serious illness to obtain details from your general practitioner. We shall continue to treat all information with the strictest confidence.

If you agree, please complete the following.

Consent given: Yes No

(Please circle one)

If Yes, please sign your name here

Date

--	--	--

If you have given your consent, please could you provide your General Practitioner's name and address.

NAME

ADDRESS

General instructions

Please read these notes before filling in the rest of the Questionnaire

- Please answer all the questions.
- The answers to most questions can be indicated by blocking in the appropriate rectangle - you don't need to be too precise; a single bold stroke over the length of the rectangle will do
- Please use only an HB pencil
- Please DO NOT mark your answers like this:
- Where a question requires you to indicate a number, simply block in the rectangle next to the appropriate number. The example here shows "48":
- In some cases where a number is required, an opportunity is given for you also to WRITE in the number. This is provided to assist you but please note that the appropriate rectangles MUST be blocked in.
- Where the answer is likely to be a phrase or sentence please write in the space indicated

Example What is your sex? Male ☒ Female ☐

☒ ☒ ☒

Example What is her age? 10 20 30 40 50 60 70 80 90 100
her age? 1 2 3 4 5 6 7 8 9

Example What is your date of birth? DAY MONTH YEAR
2 1 1 2 19 3 1
10 1 10 1 10 1
20 2 20 2 20 2
30 3 30 3 30 3

Example: What was the main reason for being in hospital?

PLEASE SPECIFY

Awoke Bronchitis

THANK YOU

The Questionnaire

a) Please give your present or most recent grade title - IN FULL

GRADE TITLE

b) Is your grade title on the following list?
If it is please indicate ONE.

NAME OF GRADE TITLE

- ☐ Senior Executive Officer
- ☐ Higher Executive Officer
- ☐ Executive Officer
- ☐ Senior Scientific Officer
- ☐ Higher Scientific Officer
- ☐ Scientific Officer
- ☐ Assistant Scientific Officer
- ☐ Principal Professional Technology Officer
- ☐ Higher Professional Technology Officer
- ☐ Professional Technology Officer
- ☐ Administrative Officer (formerly Clerical Officer)
- ☐ Administrative Assistant (formerly Clerical Assistant)
- ☐ Senior Personal Secretary
- ☐ Personal Secretary
- ☐ Typing Manager
- ☐ Typist (including specialist, audio shorthand typists)
- ☐ Support Manager 1 (includes Reprographics/Photoprinter Manager)
- ☐ Support Manager 2 (includes Chief Reprographics/Photoprinter Officer)
- ☐ Support Manager 3 (includes Chief Paperkeeper and Assistant Chief Reprographics Officer)
- ☐ Support Grade Band 1 (includes Senior Messenger, Senior Paperkeeper and Reprographics Operator 1)
- ☐ Support Grade Band 2 (includes Messenger, Paperkeeper and Reprographics Operator 2)
- ☐ Senior Information Officer
- ☐ Information Officer
- ☐ Assistant Information Officer
- ☐ Unified Grade 1
- ☐ Unified Grade 2
- ☐ Unified Grade 3 (including Undersecretary)
- ☐ Unified Grade 4
- ☐ Unified Grade 5 (including Assistant Secretary)
- ☐ Unified Grade 6 (formerly Senior Principal)
- ☐ Unified Grade 7 (formerly Principal level)
- ☐ Superintendent of Specialist Teleprinter Operators
- ☐ Specialist Teleprinter Operator
- ☐ Superintendent of Teleprinter Operators
- ☐ Teleprinter Operator
- ☐ Director of Audit (National Audit Office)
- ☐ Deputy Director of Audit (NAO)
- ☐ Chief Auditor (NAO)

- ☐ Senior Auditor (NAO)
- ☐ Auditor (NAO)
- ☐ Assistant Auditor (NAO)
- ☐ Superintendent Examiner (Patents Office)
- ☐ Principal Examiner (Patents Office)
- ☐ Senior Examiner (Patents Office)
- ☐ Examiner (Patents Office)
- ☐ Museum Warder Grade 1
- ☐ Museum Warder Grade 2
- ☐ Museum Warder Grade 3
- ☐ Museum Warder Grade 4
- ☐ Museum Warder Grade 5
- ☐ Museum Warder Grade 6
- ☐ Museum Warder Grade 7
- ☐ Curatorial Officer Grade D
- ☐ Curatorial Officer Grade E
- ☐ Curatorial Officer Grade F
- ☐ Curatorial Officer Grade G
- ☐ Conservation Officer D
- ☐ Conservation Officer E
- ☐ Conservation Officer F
- ☐ Conservation Officer G

c) If you DO NOT know your **official** grade title, give a brief description of your job, including level of seniority

JOB DESCRIPTION

d) If you have left the civil service; please give your last civil service grade title and your leaving date. Please also state if you are working elsewhere, your current occupation and industry.

LAST GRADE

CURRENT OCCUPATION

INDUSTRY

LEAVING DATE

Day	Month	Year
-----	-------	------

10	1	10	1	1
20	2	2	2	2
30	3	3	3	3
4	4	4	4	4
5	5	50	5	5
6	6	60	6	6
7	7	70	7	7
8	8	80	8	8
9	9	90	9	9

RETIREMENT DATE

Day	Month	Year
-----	-------	------

10	1	10	1	1
20	2	2	2	2
30	3	3	3	3
4	4	4	4	4
5	5	50	5	5
6	6	60	6	6
7	7	70	7	7
8	8	80	8	8
9	9	90	9	9

e) If retired, please give your last civil service grade title and your leaving date. Please also state your retirement date and reasons for stopping work.

LAST GRADE TITLE

REASON FOR STOPPING WORK

2. a) What is your date of birth?

DATE OF BIRTH

Day		Month		Year	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

b) Sex Male ☐ Female ☐

3. a) Are you married/cohabiting?

Yes ☐ No ☐

If No, go to part (c)

If Yes,

b) Is this your first marriage/cohabitation?

Yes ☐ No ☐

Now go to Question 4

c) If **not** now married/cohabiting, which are you?

Single ☐ Widowed ☐ Divorced or separated ☐

4. a) How many brothers do you have?

b) How many sisters do you have?

c) How many of your own children do you have?

5. Is the accommodation in which you live owned or rented?

Own outright or have mortgage ☐

Rent from local authority ☐

Rent privately: unfurnished ☐

Rent privately: furnished ☐

6. Is there a car or van normally available for use by you or other members of your household?

Yes ☐ No ☐

7. Is your natural father still alive?

Yes ☐ No ☐

If Yes, how old is he?

If No, how old was your father when he died?

8. Is your natural mother still alive?

Yes ☐ No ☐

If Yes, how old is she?

If No, how old was your mother when she died?

9. How many **near relatives** (i.e. brothers, sisters, parents or your own children) have ever received treatment for any of the following disorders?
Please answer each part.

a) Senile Dementia	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Schizophrenia	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Manic-depression	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Depression	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Alcoholism	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Over the last 12 months would you say your health has been

Very good ☐ Good ☐ Average ☐
Poor ☐ Very Poor ☐

a) Do you have any longstanding illness, disability or infirmity? (*longstanding means anything that has troubled you over a period of time or that is likely to affect you over a period of time*)

Yes ☐ No ☐

If No, go to Question 12

If Yes,

b) What is the matter with you?

12. a) Have you ever had any pain or discomfort in your chest?

Yes ☐ No ☐

If No, go to Question 13

If Yes,

b) Do you get this pain or discomfort when you walk uphill or hurry?

Yes ☐ No ☐

c) Do you get it when you walk at an ordinary pace on the level?

Yes ☐ No ☐

d) When you get any pain or discomfort in your chest, what do you do?

Stop ☐ Slow down ☐ Continue at the same pace ☐

e) Does it go away when you stand still?

Yes ☐ No ☐

f) How soon?

In 10 mins or less ☐ More than 10 mins ☐

g) Where do you get this pain or discomfort?

Mark the place(s) with an X on the diagram.

RIGHT

LEFT

FRONT VIEW

13. a) Have you ever had a severe pain across the front of your chest lasting half an hour or more?

Yes ☐ No ☐

If No, go to Question 14

If Yes,

b) Did you talk to a doctor about it?

Yes ☐ No ☐

If No, go to Question 14

If Yes,

c) What did he say it was?

d) How many of these attacks have you had?

NUMBER

14. a) Have you ever had heart trouble suspected or confirmed by your GP or a hospital doctor?

Yes ☐ No ☐

If No, go to Question 15

If Yes,

b) When was the first time? *Give year.*

19

c) What was the diagnosis?

Heart attack ☐ Valve disease ☐
Angina ☐ Hole in heart ☐
High blood pressure ☐ Other (please specify) ☐

OTHER

d) Did you attend a hospital? Yes ☐ No ☐

e) Are you still attending a doctor for heart trouble? Yes ☐ No ☐

15. Have you had any of the following symptoms in the last 14 days? *Please answer all questions*

a) A cough, catarrh or phlegm Yes ☐ No ☐
b) Diarrhoea Yes ☐ No ☐
c) Heartburn, wind or indigestion Yes ☐ No ☐
d) Shortness of breath Yes ☐ No ☐
e) Dizziness or giddiness Yes ☐ No ☐
f) Earache or discomfort in the ears Yes ☐ No ☐
g) Swollen ankles Yes ☐ No ☐
h) Nervy, tense or depressed Yes ☐ No ☐
i) A cold or 'flu' Yes ☐ No ☐
j) A sore throat Yes ☐ No ☐
k) Difficulty in sleeping Yes ☐ No ☐
l) Pains in the chest Yes ☐ No ☐
m) A backache or pains in the back Yes ☐ No ☐
n) Nausea or vomiting Yes ☐ No ☐

- o) Feeling tired for no apparent reason Yes ☐ No ☐
- p) Rashes, itches or other skin trouble Yes ☐ No ☐
- q) Blocked or runny nose Yes ☐ No ☐
- r) Dry throat Yes ☐ No ☐
- s) Headache Yes ☐ No ☐
- t) Dry, itchy or tired eyes Yes ☐ No ☐
- u) Wheeziness Yes ☐ No ☐
- v) Toothache or trouble with the gums Yes ☐ No ☐
- w) Any other complaints in the last 14 days? *Please specify* Yes ☐ No ☐

OTHER COMPLAINTS

16. In the last 12 months how many days were you off work for health reasons?

100 200 300
 0 10 20 30 40 50 60 70 80 90
 0 1 2 3 4 5 6 7 8 9

17. Do you suffer from diabetes? Yes ☐ No ☐

18. a) Do you usually bring up any phlegm from your chest first thing in the morning in winter?

Yes ☐ No ☐

If No, go to Question 19

If Yes,

- b) Do you usually bring up phlegm in the morning on most days for as much as 3 months in the winter?

Yes ☐ No ☐

19. In the past three years have you had a period of increased cough and phlegm lasting for three weeks or more?

None ☐ One period ☐ Two or more periods ☐

FOR WOMEN ONLY

If MALE, go to Question 30

22. a) Are you taking any contraceptive pills?

Yes ☐ No ☐

If No, go to Question 23

If Yes,

- b) At what age did you first start? 10 20 30 40 50 60 70 80 90
 1 2 3 4 5 6 7 8 9

- c) For how many years altogether have you taken the pill? 10 20 30 40 50 60 70 80 90
 1 2 3 4 5 6 7 8 9

- d) Which pill are you currently taking?
Please specify brand

BRAND

Now go to Question 24

23. IF NOT NOW TAKING CONTRACEPTIVE PILLS:-

- a) Did you ever take contraceptive pills?

Yes ☐ No ☐

If No, go to Question 24

20. a) This question concerns any medicines that you may have taken during the last fourteen days. Have you been taking any medicines, tablets, tonics or pills **prescribed by a doctor** (excluding contraceptive pills) within the last fourteen days?

Yes ☐ No ☐

If Yes,

- b) Please list any medicines below:

i)

ii)

iii)

iv)

21. a) During the last 12 months, were you in hospital as an in-patient, overnight, or longer?

If No, go to Question 22

Yes ☐ No ☐

If Yes,

- b) How many times did you go into hospital overnight or longer during the last 12 months?

NUMBER

- c) How many days altogether were you in hospital during the last 12 months?

NUMBER

- d) What were the main reasons for you being in hospital? *Please specify*

If Yes,

- b) At what age did your first start?

10 20 30 40 50 60 70 80 90
 1 2 3 4 5 6 7 8 9

- c) For how many years altogether did you take contraceptive pills?

10 20 30 40 50 60 70 80 90
 1 2 3 4 5 6 7 8 9

24. a) Have you ceased having your periods?

Yes ☐ No ☐

If No, go to part d

If Yes,

- b) At what age did you stop?

10 20 30 40 50 60 70 80 90
 1 2 3 4 5 6 7 8 9

- c) What was the cause of menopause?

Natural menopause

Hysterectomy (removal of womb only)

Hysterectomy plus removal of ovaries

Other *Please specify*

OTHER

h) Have you ever had hormone replacement therapy? Yes ☐ No ☐

If No, go to Question 25

If Yes, 10 20 30 40 50 60 70 80 90

e) For how long? Years 1 2 3 4 5 6 7 8 9
Months 1 2 3 4 5 6 7 8 9 10 11 12

f) Please specify the names of the medicine(s)

MEDICINE

g) Are you still taking hormone replacement therapy? Yes ☐ No ☐

If you have ceased having your periods go to Question 29

Which of the following descriptions apply to your periods during the last 12 months?

- a) Normal for you in terms of regularity flow and duration? Yes ☐ No ☐
- b) Less regular than usual? Yes ☐ No ☐
- c) Shorter in duration over the year? Yes ☐ No ☐
- d) One or more skipped periods? Yes ☐ No ☐

a) What was the date of the start of your last period?

DATE

b) What is the usual length of your cycle?

DAYS

Are your periods regular?

Always ☐ Usually ☐ Sometimes ☐ Never ☐

SMOKING HABITS

a) Do you smoke cigarettes now?

(i.e. not cigars/pipe) Yes ☐ No ☐

If No, go to Question 31

b) How many manufactured cigarettes do you smoke per day?

NUMBER

and/or

c) About how many ounces of tobacco do you use per week for hand-rolled cigarettes?

OUNCES

a) Do you smoke cigars? Yes ☐ No ☐

If Yes,

b) How many cigars per week?

NUMBER

28. If you are still having periods, do you experience any premenstrual symptoms?

	Yes, a lot	Yes, somewhat	Yes, a little	No, not at all
a) Irritability	☐	☐	☐	☐
b) Swelling or weight gain (bloating feeling)	☐	☐	☐	☐
c) Breast tenderness	☐	☐	☐	☐
d) Lower back pain	☐	☐	☐	☐
e) Headache	☐	☐	☐	☐
f) Other Please specify	☐	☐	☐	☐

29. a) Do you experience menopausal symptoms?

Yes ☐ No ☐

If No, go to Question 30

If Yes, to what extent do you experience the following symptoms?

	Yes, a lot	Yes, somewhat	Yes, a little	No, not at all
b) Hot flushes	☐	☐	☐	☐
c) Depression	☐	☐	☐	☐
d) Sleep disturbance	☐	☐	☐	☐
e) Bone pains	☐	☐	☐	☐
f) Night sweats	☐	☐	☐	☐
g) Other Please specify	☐	☐	☐	☐

c) Do you smoke a pipe? Yes ☐ No ☐

If Yes,

d) How many ounces of tobacco do you smoke per week?

OUNCES

32. a) If currently a non-smoker, to what extent are you exposed to cigarette smoke at work?

Not at all ☐ A little ☐
Quite a lot ☐ Very much ☐

b) If currently a non-smoker, to what extent are you exposed to cigarette smoke at home?

Not at all ☐ A little ☐
Quite a lot ☐ Very much ☐

DRINKING HABITS

33. a) In the past 12 months have you taken an alcoholic drink?

Indicate one only

- Twice a day or more ☐
 Daily or almost daily ☐
 Once or twice a week ☐
 Once or twice a month ☐
 Special occasions only ☐
 No ☐

- b) If No, have you always been a non-drinker?

Yes ☐ No ☐

If always a non-drinker go to Question 36

- c) Compared with 5 years ago do you now drink:

- A lot more ☐ A bit more ☐ The same ☐
 A bit less ☐ A lot less ☐

- d) If you have **given up or reduced** drinking, what was the main reason?

Indicate one only

- Illness/doctors orders ☐ Health precautions ☐
 Finance ☐ Other Please specify ☐

OTHER

34. a) Have you had an alcoholic drink in the last seven days?

Yes ☐ No ☐

If No, go to Question 35

If Yes,

In the last seven days, how many drinks have you had of each of the following?

Please remember that a drink poured at home could be equivalent to 2 or 3 pub measures.

If none, indicate 0.

- b) Spirits (Whisky, gin, rum, brandy, vodka etc.) liqueurs

MEASURES

- c) Wine (including sherry, port, vermouth)

GLASSES

- d) Beer (including lager and cider)

PINTS

35. a) Have you ever felt that you ought to cut down on your drinking?

Yes ☐ No ☐

- b) Have people annoyed you by criticising your drinking?

Yes ☐ No ☐

- c) Have you ever felt bad or guilty about your drinking?

Yes ☐ No ☐

- d) Have you ever had a drink first thing in the morning to steady your nerves or get rid of a hangover?

Yes ☐ No ☐

COFFEE AND TEA CONSUMPTION

36. The following questions about your regular beverage apply to work as well as home.

If you do not drink tea or coffee go to Question 37

How many cups of tea or coffee on average do you drink every day?

- a) Tea *If none indicate 0*

CUPS

- b) Coffee *If none indicate 0*

CUPS

- c) If you drink coffee, how is it **usually** prepared? *(Please mark one box only)*

- Instant ☐
 Ground, freshly prepared ☐
 Boiled ground coffee, e.g. on filter machine with heated jug ☐

- d) Which type of coffee do you **usually** drink? *(Please mark one box only)*

- Caffeinated ☐
 Decaffeinated ☐

Please answer the following questions about your food habits.

17. a) What type of bread do you eat most frequently? *Indicate one only*

White ☐ Wholemeal ☐ Granary or wheatmeal ☐ Other brown ☐ Both brown and white ☐

b) What type of milk do you usually use? *Indicate one only*

Do not use milk ☐ Channel Islands Whole milk (gold top) ☐ Whole Milk (silver/red top or sterilised) ☐

Skimmed milk ☐ Semi-skimmed milk ☐ Other *Please specify* ☐

OTHER

38. How often do you eat fresh fruit or vegetables?

Seldom or never ☐ Less than once a month ☐ 1-3 times a month ☐ 1-2 times a week ☐

3-4 times a week ☐ 5-6 times a week ☐ Daily ☐ 2 or more times daily ☐

HEALTH AND DAILY ACTIVITIES

39. In general, would you say your health is:-

Please indicate one

Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor ☐

40. Compared to one year ago, how would you rate your health in general now?

Please indicate one

Much better now than one year ago ☐ Somewhat worse now than one year ago ☐

Somewhat better now than one year ago ☐ Much worse now than one year ago ☐

About the same as one year ago ☐

41. The following items are about activities you might do during a typical day.

Does **your health now limit you** in these activities? If so, how much?

Yes, limited a lot	Yes, limited a little	No, Not limited at all
--------------------------	-----------------------------	------------------------------

a) **Vigorous activities**, such as running, lifting heavy objects,
participating in strenuous sports

☐	☐	☐
--------------------------	--------------------------	--------------------------

b) Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling
or playing golf

☐	☐	☐
--------------------------	--------------------------	--------------------------

c) Lifting or carrying groceries

☐	☐	☐
--------------------------	--------------------------	--------------------------

d) Climbing **several** flights of stairs

☐	☐	☐
--------------------------	--------------------------	--------------------------

e) Climbing **one** flight of stairs

☐	☐	☐
--------------------------	--------------------------	--------------------------

f) Bending, kneeling or stooping

☐	☐	☐
--------------------------	--------------------------	--------------------------

g) Walking **more than one mile**

☐	☐	☐
--------------------------	--------------------------	--------------------------

h) Walking **half a mile**

☐	☐	☐
--------------------------	--------------------------	--------------------------

i) Walking **one hundred yards**

☐	☐	☐
--------------------------	--------------------------	--------------------------

j) Bathing and dressing yourself

☐	☐	☐
--------------------------	--------------------------	--------------------------

42. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**? Please indicate one answer for each question.

a) Cut down the amount of time you spent on work or other activities	Yes ☐	No ☐
b) Accomplished less than you would like	Yes ☐	No ☐
c) Were limited in the kind of work or other activities	Yes ☐	No ☐
d) Had difficulty performing the work or other activities (for example, it took extra effort)	Yes ☐	No ☐

43. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)?

Please indicate one answer for each question

a) Cut down the amount of time you spent on work or other activities	Yes ☐	No ☐
b) Accomplished less than you would like	Yes ☐	No ☐
c) Didn't do work or other activities as carefully as usual.	Yes ☐	No ☐

44. During the **past 4 weeks**, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbours or groups? Please indicate one

Not at all ☐	Slightly ☐	Moderately ☐	Quite a bit ☐	Extremely ☐

45. How much **bodily** pain have you had during the **past 4 weeks**?

Please indicate one

None ☐	Very mild ☐	Mild ☐	Moderate ☐	Severe ☐	Very severe ☐

46. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? Please indicate one

Not at all ☐	A little bit ☐	Moderately ☐	Quite a bit ☐	Extremely ☐

47. How much of the time during the **past 4 weeks**,

Please indicate one answer for each question

	All of the time ☐	Most of the time ☐	A good bit of the time ☐	Some of the time ☐	A little of the time ☐	None of the time ☐
a) Did you feel full of life?	☐	☐	☐	☐	☐	☐
b) Have you been a very nervous person?	☐	☐	☐	☐	☐	☐
c) Have you felt so down in the dumps that nothing could cheer you up?	☐	☐	☐	☐	☐	☐
d) Have you felt calm and peaceful?	☐	☐	☐	☐	☐	☐
e) Did you have a lot of energy?	☐	☐	☐	☐	☐	☐
f) Have you felt downhearted and blue?	☐	☐	☐	☐	☐	☐
g) Did you feel worn out?	☐	☐	☐	☐	☐	☐
h) Have you been a happy person?	☐	☐	☐	☐	☐	☐
i) Did you feel tired?	☐	☐	☐	☐	☐	☐

48. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting friends, relatives, etc.)?

Please indicate one

All of the time ☐	Most of the time ☐	Some of the time ☐	A little of the time ☐	None of the time ☐

49. Please choose the answer that best describes how **true** or **false** each of the following statements is for you:

Please indicate one answer for each question

	Definitely true ☐	Mostly true ☐	Don't know ☐	Mostly false ☐	Definitely false ☐
a) I seem to get sick a little easier than other people	☐	☐	☐	☐	☐
b) I am as healthy as anybody I know	☐	☐	☐	☐	☐
c) I expect my health to get worse	☐	☐	☐	☐	☐
d) My health is excellent	☐	☐	☐	☐	☐

59. The following questions are about your work. For each please indicate the one answer that best describes your job or the way you deal with problems occurring at work. *Please answer all questions*

Concerning your particular work:

	Often	Sometimes	Seldom	Never/Almost Never
a) Do you have to work very fast?	☐	☐	☐	☐
b) Do you have to work very intensively?	☐	☐	☐	☐
c) Do you have enough time to do everything?	☐	☐	☐	☐
d) Are your tasks such that others can help you if you do not have enough time?	☐	☐	☐	☐
e) Do you have the possibility of learning new things through your work?	☐	☐	☐	☐
f) Does your work demand a high level of skill or expertise?	☐	☐	☐	☐
g) Does your job require you to take the initiative?	☐	☐	☐	☐
h) Do you have to do the same thing over and over again?	☐	☐	☐	☐
i) Do you have a choice in deciding HOW you do your work?	☐	☐	☐	☐
j) Do you have a choice in deciding WHAT you do at work?	☐	☐	☐	☐

60. About your position at work - how often do the following statements apply? *Please answer all questions*

	Often	Sometimes	Seldom	Never/Almost Never
a) Others take decisions concerning my work	☐	☐	☐	☐
b) I have a good deal of say in decisions about work	☐	☐	☐	☐
c) I have a say in my own work speed	☐	☐	☐	☐
d) My working time can be flexible	☐	☐	☐	☐
e) I can decide when to take a break	☐	☐	☐	☐
f) I can take my holidays more or less when I wish	☐	☐	☐	☐
g) I have a say in choosing with whom I work	☐	☐	☐	☐
h) I have a great deal of say in planning my work environment	☐	☐	☐	☐

61. About consistency and clarity regarding your job. *Please answer all questions*

	Often	Sometimes	Seldom	Never
a) Do different groups at work demand things from you that you think are hard to combine?	☐	☐	☐	☐
b) Do you get sufficient information from line management (your superiors)?	☐	☐	☐	☐
c) Do you get consistent information from line management (your superiors)?	☐	☐	☐	☐

62. Regarding job involvement. *Please answer all questions*

	Often	Sometimes	Seldom	Never
a) Does your job provide you with a variety of interesting things?	☐	☐	☐	☐
b) Is your job too varied and split up?	☐	☐	☐	☐
c) Is your job boring?	☐	☐	☐	☐
d) Do you consider your job very important?	☐	☐	☐	☐
e) Do you feel your immediate superior considers your job important?	☐	☐	☐	☐
f) Do your colleagues consider your job very important?	☐	☐	☐	☐
g) How often do you wish you were doing a different job?	☐	☐	☐	☐
h) How often do you feel that you are doing your job only for the money?	☐	☐	☐	☐

63. How would you judge the contribution your job makes to the general welfare of society, compared with other jobs?

Harmful or no contribution ☐ Slight contribution ☐ Great contribution ☐ Very great contribution ☐

64. When you are having difficulties at work: *Please answer all questions*

	Often	Sometimes	Seldom	Never
a) How often do you get help and support from your colleagues?	☐	☐	☐	☐
b) How often are your colleagues willing to listen to your work related problems?	☐	☐	☐	☐
c) How often do you get help and support from your immediate superior?	☐	☐	☐	☐
d) How often is your immediate superior willing to listen to your problems?	☐	☐	☐	☐

65. Compared to people in a similar job, do you have more or less control over your work? *(Please mark one box)*

A lot more	☐	Somewhat more	☐	About the same	☐	Somewhat less	☐	A lot less	☐
------------	--------------------------	---------------	--------------------------	----------------	--------------------------	---------------	--------------------------	------------	--------------------------

66. How much supervision do you have at work? *(Please mark one)*

Far too much	☐	Rather too much	☐	About the right amount	☐	Rather too little	☐	Far too little	☐
--------------	--------------------------	-----------------	--------------------------	------------------------	--------------------------	-------------------	--------------------------	----------------	--------------------------

67. Major changes in the organisation and location of civil service departments have been made and/or are planned. Which of these changes affect you?

	Has happened	Is planned	Not certain what will happen	Is not planned
a) Change of your department into an agency	☐	☐	☐	☐
b) Major changes in the organisation or management of your department	☐	☐	☐	☐
c) Your department is being relocated	☐	☐	☐	☐

If your department has been, or will be relocated, please answer the following questions:

i. I moved/will move with the department	Yes ☐	No ☐
ii. I transferred/will transfer to another department within the civil service	Yes ☐	No ☐
iii. I will leave the civil service	Yes ☐	No ☐

68. What is the effect of the actual or planned changes as far as your job is concerned?

	Often	Sometimes	Seldom	Never
a) I am uncertain about the future	☐	☐	☐	☐
b) I feel these changes are a good thing	☐	☐	☐	☐

Now go to Question 70

69. If you retired, was it because of the recent changes in the organisation or location of the civil service?

Yes ☐	No ☐
------------------------------	-----------------------------

70. The following questions are about how you usually are as a person. Please indicate the extent to which each description applies to you in the appropriate column.

	Very much like me	Fairly like me	Not really like me	Very unlike me
a) I am over-perfectionistic	☐	☐	☐	☐
b) I am over-conscientious	☐	☐	☐	☐
c) I am always tense and apprehensive	☐	☐	☐	☐
d) I am always very shy	☐	☐	☐	☐
e) I need certainty and security	☐	☐	☐	☐
f) I let other people take over responsibility for major areas in my life	☐	☐	☐	☐

71. All things considered, rate how important each of the following areas are to your life at present.

	Extremely important	Very important	Fairly important	Slightly important	Not important
a) Your health	☐	☐	☐	☐	☐
b) Your marital or love relationship	☐	☐	☐	☐	☐
c) Your job	☐	☐	☐	☐	☐
d) Your sex life	☐	☐	☐	☐	☐
e) Your family life	☐	☐	☐	☐	☐
f) Your leisure time activities	☐	☐	☐	☐	☐

72. All things considered, how satisfied or dissatisfied are you with the following areas of your life? *If applicable*

	Very dissatisfied	Moderately dissatisfied	A little dissatisfied	No feelings either way	A little satisfied	Moderately satisfied	Very satisfied
a) Your marital or love relationship	☐	☐	☐	☐	☐	☐	☐
b) Your leisure time activities	☐	☐	☐	☐	☐	☐	☐
c) Your standard of living	☐	☐	☐	☐	☐	☐	☐
d) Your job	☐	☐	☐	☐	☐	☐	☐
e) Your health	☐	☐	☐	☐	☐	☐	☐
f) Your family life	☐	☐	☐	☐	☐	☐	☐
g) Your sex life	☐	☐	☐	☐	☐	☐	☐
h) The way you feel about yourself as a person	☐	☐	☐	☐	☐	☐	☐

73. On an average weekday, approximately how many hours do you spend on the following activities: *If applicable*

a) Work (daytime and work brought home)	b) Time with family	c) Sleep
1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 12

74. How often do you feel **physically exhausted** at the end of the day?

Hardly ever/never ☐ Once in a while ☐ Often ☐ Very often/always ☐

75. How often do you feel **emotionally or mentally exhausted** at the end of the day?

Hardly ever/never ☐ Once in a while ☐ Often ☐ Very often/always ☐

76. In general, how much stress or pressure have you experienced in your daily living **in the past four weeks?**

(Please mark one box) None ☐ A little ☐ A fair amount ☐ Quite a lot ☐ A great deal ☐

77. To what extent do you feel that the stress or pressure you have experienced in your life has affected your health?

(Please mark one box) Not at all ☐ Slightly ☐ Moderately ☐ A lot ☐ Extremely ☐

78. a) Are you currently providing any personal care or help to an aged or disabled relative(s)?

Yes ☐ No ☐

If Yes,

b) How many hours in an average week do you spend looking after this person(s)?

0	1	2	3	4	5	6	7	8	9
10	20	30	40	50	60	70	80	90	
100									

79. a) Are there any relatives outside your household whom you regularly visit or who visit you?

(Not necessarily the same person each time)

Almost daily ☐ About once a week ☐ About once a month ☐
 Once every few months ☐ Never/almost never ☐ No relatives outside household ☐

If you have no relatives outside household, go to Question 80.

b) How many relatives do you see once a month or more?

None ☐ 1 - 2 ☐ 3 - 5 ☐ 6 - 10 ☐ More than 10 ☐

80. a) Do you have any friends or acquaintances you visit or who visit you?

(Not necessarily the same person each time)

Almost daily ☐ About once a week ☐ About once a month ☐
 Once every few months ☐ Never/almost never ☐

b) How many friends or acquaintances do you see once a month or more?

None ☐ 1 - 2 ☐ 3 - 5 ☐ 6 - 10 ☐ More than 10 ☐

3. a) Are you an active member of: social or recreational groups, trade unions, commercial groups, professional organisations, political parties, sports clubs, cultural groups, pressure groups etc.?

Yes ☐ No ☐

If No, go to Question 82

If Yes,

b) Taking all the above organisations together, how many hours in an average month do you devote to activities of these organisations?

10 20 30 40 50 60 70 80 90 100 200
0 1 2 3 4 5 6 7 8 9

2. a) At what age do you think most people enter middle age?

10 20 30 40 50 60 70 80 90
1 2 3 4 5 6 7 8 9

b) At what age do you think most people leave middle age?

10 20 30 40 50 60 70 80 90
1 2 3 4 5 6 7 8 9

3. How much do you agree or disagree with the following statements?

Please indicate one for each of the following questions

	Strongly	DISAGREE Moderately	Slightly	Slightly	AGREE Moderately	Strongly
a) At Home, I feel I have control over what happens in most situations	☐	☐	☐	☐	☐	☐
b) At work, I feel I have control over what happens in most situations	☐	☐	☐	☐	☐	☐
c) Keeping healthy depends on things that I can do	☐	☐	☐	☐	☐	☐
d) There are certain things I can do for myself to reduce the risk of a heart attack	☐	☐	☐	☐	☐	☐
e) There are certain things I can do for myself to reduce the risk of getting cancer	☐	☐	☐	☐	☐	☐
f) I feel that what happens in my life is often determined by factors beyond my control	☐	☐	☐	☐	☐	☐
g) I have a sense of direction and purpose in my life	☐	☐	☐	☐	☐	☐
h) Over the next 5 - 10 years I expect to have many more positive than negative experiences	☐	☐	☐	☐	☐	☐
i) I often have the feeling that I am being treated unfairly	☐	☐	☐	☐	☐	☐
j) In the past ten years my life has been full of changes without my knowing what will happen next	☐	☐	☐	☐	☐	☐
k) One can always find a solution to painful things in life	☐	☐	☐	☐	☐	☐
l) My life in the future will probably be full of changes without my knowing what will happen next	☐	☐	☐	☐	☐	☐
m) I very often have the feeling that there's little meaning in the things I do in my daily life	☐	☐	☐	☐	☐	☐
n) I am certain that there will always be people whom I will be able to count on in the future	☐	☐	☐	☐	☐	☐

4. Do your family life and family responsibilities interfere with your performance on your job in any of the following ways?

Would you say:-

	Not at all	To some extent	A great deal	Not applicable
a) Family matters reduce the time you can devote to your job	☐	☐	☐	☐
b) Family worries or problems distract you from your work	☐	☐	☐	☐
c) Family activities stop you getting the amount of sleep you need to do your job well	☐	☐	☐	☐
d) Family obligations reduce the time you need to relax or be by yourself	☐	☐	☐	☐

85. To what extent do your job responsibilities **interfere with** your family life?

Would you say:-

	Not at all	To some extent	A great deal	Not applicable
a) Your job reduces the amount of time you can spend with the family	☐	☐	☐	☐
b) Problems at work make you irritable at home	☐	☐	☐	☐
c) Your job involves a lot of travel away from home	☐	☐	☐	☐
d) Your job takes so much energy you don't feel up to doing things that need attention at home	☐	☐	☐	☐

86. a) How often do you have worries or problems with other relatives (e.g. parents or in-laws)?

Always ☐ Often ☐ Sometimes ☐ Seldom ☐ Never ☐

b) How often does it happen that you do not have enough money to afford the kind of food or clothing your family should have?

Always ☐ Often ☐ Sometimes ☐ Seldom ☐ Never ☐

c) How much difficulty do you have in meeting the payment of bills?

Very great ☐ Great ☐ Some ☐ Slight ☐ Very little ☐ None ☐

d) To what extent do you have problems with your housing (e.g. too small, repairs, damp etc.)?

Very great problems ☐ Great ☐ Some ☐ Slight ☐ Very little ☐ None ☐

e) To what extent do you have problems with the neighbourhood in which you live (e.g. noise, unsafe street, few local facilities)?

Very great problems ☐ Great ☐ Some ☐ Slight ☐ Very little ☐ None ☐

GENERAL HEALTH QUESTIONS

Please read this carefully

We should like to know if you have had any medical complaints, and how your health has been in general **over the past few weeks**. Please answer ALL questions on the following pages simply by indicating the answer which you think most nearly applies to you. Remember that we want to know about your present and recent complaints, **not** those you had in the past.

It is important that you try to answer **ALL** the questions

HAVE YOU RECENTLY:-

87. Been able to concentrate on whatever you're doing?

Better than usual ☐ Same as usual ☐ Less than usual ☐ Much less than usual ☐

88. Lost much sleep over worry?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

89. Been having restless, disturbed nights?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

HAVE YOU RECENTLY:-

90. Been managing to keep yourself busy and occupied?

More so than usual ☐ Same as usual ☐ Rather less than usual ☐ Much less than usual ☐

91. Been getting out of the house as much as usual?

More so than usual ☐ About same as usual ☐ Less than usual ☐ Much less than usual ☐

92. Been managing as well as most people would in your shoes?

Better than most ☐ About the same ☐ Rather less well ☐ Much less well ☐

93. Felt on the whole you were doing things well?

Better than usual ☐ About the same ☐ Less well than usual ☐ Much less well ☐

94. Been satisfied with the way you've carried out your task?

More satisfied ☐ About same as usual ☐ Less satisfied than usual ☐ Much less satisfied ☐

95. Been able to feel warmth and affection for those near to you?

Better than usual ☐ About same as usual ☐ Less well than usual ☐ Much less well ☐

96. Been finding it easy to get on with other people?

Better than usual ☐ About same as usual ☐ Less well than usual ☐ Much less well ☐

97. Spent much time chatting with people?

More time than usual ☐ About same as usual ☐ Less time than usual ☐ Much less than usual ☐

98. Felt that you are playing a useful part in things?

More so than usual ☐ Same as usual ☐ Less useful than usual ☐ Much less useful ☐

99. Felt capable of making decisions about things?

More so than usual ☐ Same as usual ☐ Less so than usual ☐ Much less capable ☐

100. Felt constantly under strain?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

101. Felt you couldn't overcome your difficulties?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

102. Been finding life a struggle all the time?

Not at all ☐ No more than usual ☐ rather more than usual ☐ Much more than usual ☐

HAVE YOU RECENTLY:-**103. Been able to enjoy your normal day-to-day activities?**More so than usual ☐ Same as usual ☐ Less so than usual ☐ Much less than usual ☐**104. Been taking things hard?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**105. Been getting scared or panicky for no good reason?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**106. Been able to face up to your problems?**More so than usual ☐ Same as usual ☐ Less able than usual ☐ Much less able ☐**107. Found everything getting on top of you?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**108. Been feeling unhappy and depressed?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**109. Been losing confidence in yourself?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**110. Been thinking of yourself as a worthless person?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**111. Felt that life is entirely hopeless?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**112. Been feeling hopeful about your own future?**More so than usual ☐ About same as usual ☐ Less so than usual ☐ Much less hopeful ☐**113. Been feeling reasonably happy, all things considered?**More so than usual ☐ About same as usual ☐ Less so than usual ☐ Much less than usual ☐**114. Been feeling nervous and strung-up all the time?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**115. Felt that life isn't worth living?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐**116. Found at times you couldn't do anything because your nerves were too bad?**Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

PLEASE ADD ANY COMMENTS BELOW, IF YOU WISH

COMMENTS

APPENDIX 1

THANK YOU VERY MUCH FOR YOUR CO-OPERATION

FOR OFFICE USE ONLY
STUDY NUMBER

<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>A</u>	<u>N</u>
<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>B</u>	<u>O</u>
<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>C</u>	<u>P</u>
<u>3</u>	<u>3</u>	<u>3</u>	<u>3</u>	<u>3</u>	<u>3</u>	<u>D</u>	<u>Q</u>
<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>E</u>	<u>R</u>
<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>F</u>	<u>S</u>
<u>6</u>	<u>6</u>	<u>6</u>	<u>6</u>	<u>6</u>	<u>6</u>	<u>G</u>	<u>T</u>
<u>7</u>	<u>7</u>	<u>7</u>	<u>7</u>	<u>7</u>	<u>7</u>	<u>H</u>	<u>U</u>
<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>I</u>	<u>V</u>
<u>9</u>	<u>9</u>	<u>9</u>	<u>9</u>	<u>9</u>	<u>9</u>	<u>J</u>	<u>W</u>
						<u>K</u>	<u>X</u>
						<u>L</u>	<u>Y</u>
						<u>M</u>	<u>Z</u>

APPENDIX V

CONFIDENTIAL

CHANGE AND HEALTH

The Change and Health Study
Department of Epidemiology and Public Health
University College London

In this study we are interested in investigating the effects of organisational change. Within the civil service, the Property Services Agency (PSA) has experienced, to date, the greatest degree of organisational change. As a past or present member of PSA we would be most grateful if you would complete this questionnaire which asks for some details about your experience of organisational change in addition to some general background information and questions about your activities.

The answers to these questions will, of course, be kept strictly confidential. All the information on individuals will go into statistics for all men and women in the study and it will not be possible to identify your responses from any reports or publications.

Under no circumstances will any information from an individual record be made available to anyone.

PLEASE USE BLOCK LETTERS THROUGHOUT

Once returned, this personal identification section will be removed to ensure the confidentiality of the information you have provided.

SURNAME

FORENAMES (in full)

HOME ADDRESS

TELEPHONE NUMBER:

HOME

WORK

This questionnaire has been designed to be machine read so you would be grateful if you could follow the instructions carefully.

- The answers to most questions can be indicated by blocking in the appropriate box - you don't need to be too precise; a single bold stroke over the length of the box will do.

Example: Are you self-employed? Yes ☐ No ☒

- Please use only an **HB pencil** (one has been provided for your use).
- Please **DO NOT** tick, cross or circle your answers.
- Where a question requires you to indicate a number, simply block in the boxes adding up the appropriate number. The example shown here is **28**.

Example: How many hours a week do you look after this person?

10	20	30	40	50	60	70	80	90
1	2	3	4	5	6	7	8	9

- Where dates are required, there is the opportunity to write in the numbers. This is to assist you. Please **ALSO** fill in the appropriate boxes.

Example: When did your period of secondment end?

DAY		MONTH		YEAR	
0	1	0	3	9	3
10	1	10	1		1
20	2		2		2
30	3		3		3
	4		4		4
	5		5	50	5
	6		6	60	6
	7		7	70	7
	8		8	80	8
	9		9	90	9

- Where the answer is likely to be a phrase or sentence please write in the space indicated.

Example: What is your main field of work?

Main field
of work

Please answer all the questions

PART ONE: This part of the questionnaire concerns your working life

Section 1

1 When did you start working for PSA?

Month	J	F	M	A	M	J	J	A	S	O	N	D
Year	19	...		30	40	50	60	70	80	90		
	1	2	3	4	5	6	7	8	9			

2 Have you been **or** are you now on secondment to PSA Projects Ltd. (Tarmac Group)?

Yes ☐

No ☐

If you have never been on secondment please go to **SECTION 2**

3 If **yes**, when did your period of secondment commence?

DAY	MONTH	YEAR
10	1	1
20	2	2
30	3	3
4	4	4
5	5	50
6	6	60
7	7	70
8	8	80
9	9	90

4 On secondment were/are you in the same job as before privatisation?

Yes ☐

No ☐

5 Was/is your period of secondment? (Please mark one box only)

One of the best things that ever happened	☐
On the whole a good thing/positive event	☐
No feelings either way	☐
On the whole a bad thing/negative event	☐
One of the worst things that ever happened	☐

1.6a Has your period of secondment ended?

Yes ☐

No ☐

If secondment **NOT** ended, please go to **QUESTION 1.9**

If secondment **ended**

b When did your period of secondment end?

DAY	MONTH	YEAR
10	1	1
20	2	2
30	3	3
4	4	4
5	5	50
6	6	60
7	7	70
8	8	80
9	9	90

1.7 When your period of secondment ended, what came next? (Please answer all questions)

	YES	NO
a Continued employment in PSA	☐	☐
b Jobsearch by Personnel Change Unit	☐	☐
c Employment elsewhere in the civil service	☐	☐
d Voluntary Compulsory Redundancy	☐	☐
e Gardening leave while serving notice	☐	☐
f Working while serving notice	☐	☐
g 6 months pay in lieu of notice	☐	☐
h Voluntary Early Retirement	☐	☐
i Other	☐	☐

If **other**, please specify

1.8 Did you have any choice?

Yes ☐ No ☐

NOW, PLEASE GO TO SECTION 2

1.9 When your period of secondment ends, which options will be open to you?
(Please answer all questions)

If **other**, please specify

	Yes	No	Possibly applicable	Not applicable
a. Continued employment in PSA Projects Ltd (Tarmac)	☐	☐	☐	☐
b. Continued employment in PSA within the civil service	☐	☐	☐	☐
c. Jobsearch by Personnel Change Unit	☐	☐	☐	☐
d. Employment elsewhere in the civil service	☐	☐	☐	☐
e. Voluntary Compulsory Redundancy	☐	☐	☐	☐
f. Gardening leave while serving notice	☐	☐	☐	☐
g. Working while serving notice	☐	☐	☐	☐
h. 6 months pay in lieu of notice	☐	☐	☐	☐
i. Voluntary Early Retirement	☐	☐	☐	☐
j. Other	☐	☐	☐	☐

1.10 Please give your grade title while on secondment - IN FULL

Grade Title:

FOR OFFICE USE ONLY

1.11 Is your present job? Full time ☐ Part time ☐

NOW, PLEASE GO TO SECTION 8

Section 2

2.1a Are you still working for PSA as a civil servant? Yes ☐ No ☐ If still working for PSA as a civil servant, please go to SECTION 3 QUESTION 3.3

b If **No**, when did you finish working for PSA as a civil servant?

Month	J	F	M	A	M	J	J	A	S	O	N	D
Year 19...				30	40	50	60	70	80	90		
	1	2	3	4	5	6	7	8	9			

2.2a By which route did you leave PSA?
(Please mark one box only)

- Transfer to PSA Projects Ltd (Tarmac Group) ☐
- Transfer within the civil service ☐
- Retirement at 60 ☐
- Voluntary Early Retirement ☐
- Retirement on health grounds ☐
- Voluntary Compulsory Redundancy ☐
- Redundancy ☐
- Left to take a post outside the civil service ☐
- Left to become self-employed ☐
- Other ☐

If **other**, please specify

If you transferred within the civil service AND ARE STILL WORKING AS A CIVIL SERVANT, please go to SECTION 3

b When did you finally leave civil service employment?

Month	J	F	M	A	M	J	J	A	S	O	N	D
Year 19...				30	40	50	60	70	80	90		
	1	2	3	4	5	6	7	8	9			

Which of these sentences most nearly describes your experiences of leaving your job in the service? **(Please mark one box only)**

- One of the best things that ever happened ☐
On the whole a good thing/positive event ☐
No feelings either way ☐
On the whole a bad thing/negative event ☐
One of the worst things that ever happened ☐

NOW, PLEASE GO TO SECTION 4

Section 3

Which civil service department are you currently employed?

FOR OFFICE
USE ONLY ☐

Which of these sentences most nearly describes your experience of leaving your job in PSA?
Please mark one box only)

- One of the best things that ever happened ☐
On the whole a good thing/positive event ☐
No feelings either way ☐
On the whole a bad thing/negative event ☐
One of the worst things that ever happened ☐

Please give your present grade title - IN FULL

Grade
Title:

What is your present situation? **(Please indicate one only)**

- A permanent post ☐
A fixed term position ☐
A temporary post ☐
A temporary job while serving out notice ☐
Gardening leave ☐
Other ☐

If **other**, please specify

When did it **start/finish**

Month ☐ J ☐ F ☐ M ☐ A ☐ M ☐ J ☐ J ☐ A ☐ S ☐ O ☐ N ☐ D
Year 19... ☐ 30 ☐ 40 ☐ 50 ☐ 60 ☐ 70 ☐ 80 ☐ 90
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9

Month ☐ J ☐ F ☐ M ☐ A ☐ M ☐ J ☐ J ☐ A ☐ S ☐ O ☐ N ☐ D
Year 19... ☐ 30 ☐ 40 ☐ 50 ☐ 60 ☐ 70 ☐ 80 ☐ 90
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9

Is your present job? Full time ☐ Part time ☐

NOW, PLEASE GO TO SECTION 8

Section 4

4.1 Are you in paid employment? Yes ☐ No ☐

If you are in paid employment at present
please go to **SECTION 5**

If you are **NOT** in paid employment at present

4.2 Would you classify yourself as?
(Please mark one box only)

- Unemployed ☐ Long-term sick ☐
Retired ☐ Housewife/husband ☐
Semi-retired ☐ Other ☐

If **other**, please specify

4.3 How long is it since you were last in paid employment?

Months ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12
Years ☐ 10 ☐ 20 ☐ 30 ☐ 40 ☐ 50
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9

4.4a Would you like to find another job? Yes ☐ No ☐

b Are you currently looking for paid employment? Yes ☐ No ☐

c How would you rate your chances of finding another job? **(Please mark one box only)**

- Very good ☐ Fair ☐ No chance ☐
Good ☐ Poor ☐ at all

NOW, PLEASE GO TO PART TWO, SECTION 9

Section 5

5.1 Are you currently employed by PSA Projects Ltd (Tarmac Group)? Yes ☐ No ☐

If **NOT** employed by PSA Projects Ltd, please go to **SECTION 6**

5.2 Are you in the same post/job as before privatisation? Yes ☐ No ☐

5.3 Please give your present grade or post title - IN FULL

Grade
Title

5.4 Is your present job? Full time ☐ Part time ☐

FOR OFFICE
USE ONLY ☐

- 5.5 If the building trade had been healthier at the time of the privatisation of PSA Projects would you have transferred to the private company?

Yes ☐ No ☐

- 5.6 Has the privatisation of PSA been for you?
(Please mark one box only)

One of the best things that ever happened ☐
On the whole a good thing/positive experience ☐
No feelings either way ☐
On the whole a bad thing/negative experience ☐
One of the worst things that ever happened ☐

NOW, PLEASE GO TO SECTION 8

Section 6

- 6.1 Are you currently self-employed? Yes ☐ No ☐

If NOT self-employed, please go to SECTION 7

- 6.2a What is your current occupation?

FOR OFFICE
USE ONLY ☐

- b In which trade, industry or profession is the bulk of your work?

- 6.3a Do you have any employees working for you?

Yes ☐ No ☐

If you have employees working for you:

- b How many employees do you have?

1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐
10 ☐ 20 ☐ 30 ☐ 40 ☐ 50 ☐ 50+ ☐

- 6.4 Are you self-employed by choice? Yes ☐
No ☐

NOW, PLEASE GO TO SECTION 8

Section 7

FOR OFFICE
USE ONLY ☐

- 7.1a Please give the exact title of your present job

- b What is your main field of work?

- 7.2a Do you have anyone working for you? Yes ☐ No ☐

If you have people working for you:

- b How many people do you have?

1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 20 ☐ 30 ☐ 40 ☐ 50 ☐ 50+ ☐

- 7.3a Is your present job? (Please indicate one only)

A permanent post ☐ A temporary post ☐
A fixed term contract ☐ Other ☐

If other, please specify

Start Month J ☐ F ☐ M ☐ A ☐ M ☐ J ☐ J ☐ A ☐ S ☐ O ☐ N ☐
Year 19... 30 ☐ 40 ☐ 50 ☐ 60 ☐ 70 ☐ 80 ☐ 90 ☐
1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐

Finish Month J ☐ F ☐ M ☐ A ☐ M ☐ J ☐ J ☐ A ☐ S ☐ O ☐ N ☐
(if Year 19... 30 ☐ 40 ☐ 50 ☐ 60 ☐ 70 ☐ 80 ☐ 90 ☐
known) 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐

- b Is your present job? Full time ☐ Part time ☐

Section 8

- 8.1a How secure do you feel in your present job?
(Please mark one box only)

Very secure ☐ Not very secure ☐
Secure ☐ Very insecure ☐

- b Are you looking for another job? Yes ☐ No ☐

PART TWO: This part of the questionnaire concerns the effect of recent events

Section 9

1 When you realized that there were going to be major changes in PSA, did you make any plans? **(Please answer all the questions)**

For example:

	Yes	No
a. Look for another job	☐	☐
b. Discuss looking for another job	☐	☐
c. Apply for a transfer to another department	☐	☐
d. Apply for Voluntary Early Retirement	☐	☐
e. Take Voluntary Compulsory Redundancy	☐	☐
f. Start saving more	☐	☐
g. Seek extra qualifications	☐	☐
h. Other	☐	☐

If other, please specify

If you left PSA before the 1st December 1991, please go to **PART THREE**

If you were still in PSA on the 1st December 1991, please complete **SECTION 10**

Section 10

Over the 12 months between the 1st December 1991 and the 1st December 1992, a number of changes took place in PSA leading to privatisation:

10.1 How much were you affected by the following aspects of the privatisation process? **(Please answer all questions)**

	Not at all	A little	Quite a lot	A great deal
a. Not being fully informed about the proposed changes	☐	☐	☐	☐
b. The length of time it took	☐	☐	☐	☐
c. The uncertainty it produced	☐	☐	☐	☐
d. The limitation of promotion opportunities	☐	☐	☐	☐
e. Changes in relationships with colleagues	☐	☐	☐	☐
f. Other	☐	☐	☐	☐

If other, please specify

10.2 Did your workload change in the year before privatisation? **(Please mark one box only)**

Workload increased ☐

Workload decreased ☐

Workload did not change ☐

If unchanged, please go to **QUESTION 10.4**

10.3 Who was responsible for changing your workload? **(Please answer all questions)**

	Yes	No	Not applicable
a. It was my own decision	☐	☐	☐
b. It was a management decision	☐	☐	☐
c. It was something I decided together with my colleagues	☐	☐	☐
d. It was a product of the privatisation process	☐	☐	☐

- 10.4 When did you realise that PSA Projects was going to be privatised?
- Year 19... 30 40 50 60 70 80 90
- 1 2 3 4 5 6 7 8 9
- 10.5a Did you apply for secondment to PSA Projects Ltd (Tarmac Group)?
- Yes ☐ No ☐
- If you did apply for secondment,
- b Were you accepted? Yes ☐ No ☐
- 10.6 Has the privatisation of PSA affected your plans for retirement?
- A lot ☐ Some ☐ A little ☐ Not at all ☐

Section 11

- During the staff choice exercise:
- 11.1 From whom did you seek advice at work? (Please answer all questions)
	Yes	No
a. Management	☐	☐
b. Your line manager	☐	☐
c. Union	☐	☐
d. Personnel	☐	☐
e. Welfare	☐	☐
f. Out-placement services	☐	☐
g. Colleagues	☐	☐
h. No one	☐	☐
i. Others	☐	☐
- If others, please specify

- 11.2 At work, did any of these approach you to offer advice? (Please answer all questions)
	Yes	No
a. Management	☐	☐
b. Your line manager	☐	☐
c. Union	☐	☐
d. Personnel	☐	☐
e. Welfare	☐	☐
f. Out-placement services	☐	☐
g. Colleagues	☐	☐
h. No one	☐	☐
i. Others	☐	☐
- If others, please specify

- 11.3 From whom did you seek advice outside of work (Please answer all questions)
	Yes	No
a. Family	☐	☐
b. Friends	☐	☐
c. Career counselling	☐	☐
d. No one	☐	☐
e. Others	☐	☐
- If others, please specify

PART THREE: This part of the questionnaire concerns your daily life

Section 12

This section concerns people in your life who you feel close to and from whom you can obtain support (either emotional or practical) including close relatives and friends.

- 12.1 How many people do you feel close to? (It does not matter where they live or whether you have seen them recently)
- PLEASE WRITE THE NUMBER IN THIS BOX
- 12.2 Who have you felt closest to in the last 12 months? Please describe in terms of their relationship to you: (e.g. WIFE, SON, AUNT, BOYFRIEND, MALE FRIEND, FEMALE FRIEND). Remember those are just examples and we would like you to write in whoever you feel closest to.
- Closest person
- Second person
- The following questions are about various types of support these two people may have given. Beginning with the person closest to you, rate each person to show how well they have provided each type of support in the last 12 months:
- 12.3 How much in the past 12 months did this person give you information, suggestions and guidance that you found helpful?
	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.4 How much in the past 12 months could you **rely** on this person? (Was this person there when you needed him/her?)

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.5 How much in the past 12 months did this person make you **feel good** about yourself?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.6 How much in the last 12 months did you **share** interests, hobbies and fun with this person?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.7 How much in the last 12 months did this person give you **worries, problems and stress**?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

The next questions are about confiding in people, that is talking frankly or sharing feelings with them. Rate the two people to show how well they have provided each type of support.

12.8 How much in the last 12 months did you **want to confide in** (talk frankly, share feelings with) this person?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.9 How much in the last 12 months **did you confide** in this person?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.10 How much in the last 12 months did you trust this person with your most personal worries and problems?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.11 How much in the last 12 months would you have **liked to confide more** in this person?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.12 How much in the last 12 months did talking to this person make things worse?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.13 How much in the last 12 months did he/she talk to you about his/her personal worries?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

The next questions are about major practical support. Rate the two people to show how well they have provided each type of support:

12.14 How much in the last 12 months did you **need** practical help from this person with **major** things (e.g. look after you when ill, help with finances children)?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.15 How much in the last 12 months did this person give you **practical** help with **major** things?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.16 How much in the last 12 months would you have **liked more practical** help with major things from this person?

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

12.17 How much in the last 12 months did this person give you **practical** help with **small** things when you needed it? (e.g. chores, shopping, watering plants etc.)

	Not at all	A little	Quite a lot	A great deal
Closest person	☐	☐	☐	☐
Second person	☐	☐	☐	☐

Section 13

13.1a How often do you have worries or problems with other relatives (e.g. parents or in-laws)?

Always ☐ Often ☐ Sometimes ☐ Seldom ☐ Never ☐

b How often does it happen that you do not have enough money to afford the kind of food or clothing you/your family should have?

Always ☐ Often ☐ Sometimes ☐ Seldom ☐ Never ☐

c How much difficulty do you have in meeting the payment of bills?

Very great ☐ Great ☐ Some ☐ Slight ☐ Very little ☐ None ☐

d To what extent do you have problems with your housing (e.g. too small, repairs, damp etc.)?

Very great ☐ Great ☐ Some ☐ Slight ☐ Very little ☐ None ☐

13.2a Are you currently providing any personal care or help to an aged or disabled relative(s)? Yes ☐ No ☐

If yes:

b How many hours in an average week do you spend looking after this person(s)? hrs

13.3 Here is a list of some of the things households need to do. In your household, who would you say took the main responsibility for these tasks under normal circumstances? **(Please answer all questions)**

	Self	Male partner	Female partner	Male relative or friend	Female relative or friend	Shared equally	Outside help	Not applicable
a. Washing and ironing	☐	☐	☐	☐	☐	☐	☐	☐
b. Preparing main daily meal	☐	☐	☐	☐	☐	☐	☐	☐
c. Household cleaning	☐	☐	☐	☐	☐	☐	☐	☐
d. Household shopping	☐	☐	☐	☐	☐	☐	☐	☐
e. Paying regular bills	☐	☐	☐	☐	☐	☐	☐	☐
f. Repairing household equipment	☐	☐	☐	☐	☐	☐	☐	☐
g. Repairing car	☐	☐	☐	☐	☐	☐	☐	☐
h. Taking children to school	☐	☐	☐	☐	☐	☐	☐	☐
i. Looking after children when they are sick	☐	☐	☐	☐	☐	☐	☐	☐

13.4a How often do you socialise with anyone you work with now or used to work with in the civil service, out of work hours? **(Excluding casual meetings)**

Almost daily ☐ About once a week ☐ About once a month ☐ Once every few months ☐ Never/almost never ☐

b Do you have any friends or acquaintances you visit or who visit you? (Not necessarily the same person each time)

Almost daily

About once
a week

About once
a month

Once every
few months

Never/
almost never

☐☐☐☐☐

c How many friends or acquaintances do you see once a month or more?

None

1 - 2

3 - 5

6 - 10

More than 10

☐☐☐☐☐

5a Are there any relatives outside your household whom you regularly visit or who visit you? (Not necessarily the same person each time)

Almost daily

About once
a week

About once
a month

Once every
few months

Never/
almost never

No relatives
outside household

☐☐☐☐☐☐

If No relatives outside household, please go to QUESTION 13.6

b How many relatives do you see once a month or more?

None

1 - 2

3 - 5

6 - 10

More than 10

☐☐☐☐☐

6a Are you an active member of: social or recreational groups, trade unions, commercial groups, professional organisations, political parties, sports clubs, pressure groups etc.?

Yes ☐ No ☐

If Yes, b Taking all the above organisations together, how many hours in an average month do you devote to activities of these organisations?

hrs

7a Are you married/cohabiting?

Yes ☐ No ☐

If Yes, b. Is this your first marriage/cohabitation?

Yes ☐ No ☐

b If not now married/cohabiting, which are you?

Single ☐ Widowed ☐ Divorced or separated ☐

If you are in paid employment, please go to QUESTION 13.10

If you are not currently in paid employment:

8 Are there activities you have taken up since leaving your job? (Please answer all questions)

If other, please specify

a. Taking up new interests or hobbies

Yes

No

☐☐

b. Taking time to develop an existing pastime

☐☐

c. Catching up with jobs you have been meaning to do for years

☐☐

d. Planning or having more holidays or outings

☐☐

e. Planning or having more visits to friends and/or relatives

☐☐

f. Meeting up with ex-colleagues at lunchtime

☐☐

g. Enrolling in further education, open university or evening courses

☐☐

h. Other

☐☐

13.9 On weekdays do you **(Please answer all questions)**

	Always	Often	Occasionally	Never
a. get up at the same time as when you were working?	☐	☐	☐	☐
b. go to bed at the same time as when you were working?	☐	☐	☐	☐
c. keep to a routine?	☐	☐	☐	☐
d. manage to occupy your time?	☐	☐	☐	☐
e. find that time passes slowly?	☐	☐	☐	☐

13.10 Do you do any voluntary work for other people or organisations (e.g. visiting sick, disabled or elderly, belonging to friends of the hospital, school, governorships etc.)?

Almost daily	About once a week	About once a month	Once every few months	Never/almost never
☐	☐	☐	☐	☐

Section 14

14.1 When you have difficulties in important areas of your life, do you feel you will succeed in overcoming them?

Often	Sometimes	Seldom	Never
☐	☐	☐	☐

14.2 How often do you have the feeling that you do not have a clear idea of how your **personal** life will work out?

Often	Sometimes	Seldom	Never
☐	☐	☐	☐

14.3 The following is a list of things that can happen to people. Try to think back over the past 12 months and remember if any of these things happened to you and, if so, how much you were upset or disturbed by it.

			Very much	Moderately	Not too much
a. Personal serious illness or operation	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
b. Death of a close relative or friend	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
c. Serious illness, injury or operation of a close relative or friend	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
d. Major financial difficulty	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
e. Divorce, separation or break up of personal intimate relationship	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
f. Other marital or family problem	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
g. Any mugging, robbery, accident or similar event	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐
h. Change of job or residence	Yes ☐ No ☐	If Yes , how much did it upset you?	☐	☐	☐

14.4 On an average **weekday**, approximately how many hours do you spend on the following activities: If applicable

a. Work (daytime and work brought home)

0 1 2 3 4 5 6 7 8 9 10 11 12 hours

b. Time with partner and/or children when not working

0 1 2 3 4 5 6 7 8 9 10 11 12 hours

c. Time in bed

0 1 2 3 4 5 6 7 8 9 10 11 12 hours

d. Sleep

0 1 2 3 4 5 6 7 8 9 10 11 12 hours

PART FOUR: This part of the questionnaire concerns your present state of health

Section 15

15.1 Over the last 12 months would you say your health has been?

Very good ☐ Good ☐ Average ☐
Poor ☐ Very poor ☐

15.2a Do you have any longstanding illness, disability or infirmity? (**Longstanding means anything that has troubled you over a period of time or that is likely to affect you over a period of time**)

Yes ☐ No ☐

If no, please go to QUESTION 15.3

If yes,

b What is the matter with you?

15.3 How many times in the last 12 months have you consulted your GP?

0 1 2 3 4 5+

15.4 Have you had any of the following symptoms in the last 14 days? (**Please answer all questions**)

Yes No

a. A cough, catarrh or phlegm	☐	☐
b. Diarrhoea	☐	☐
c. Heartburn, wind or indigestion	☐	☐
d. Shortness of breath	☐	☐
e. Dizziness or giddiness	☐	☐
f. Earache or discomfort in the ears	☐	☐
g. Swollen ankles	☐	☐
h. Nervy, tense or depressed	☐	☐
i. A cold or 'flu'	☐	☐
j. A sore throat	☐	☐
k. Difficulty in sleeping	☐	☐
l. Pains in the chest	☐	☐
m. A backache or pains in the back	☐	☐
n. Nausea or vomiting	☐	☐
o. Feeling tired for no apparent reason	☐	☐
p. Rashes, itches or other skin trouble	☐	☐
q. Blocked or runny nose	☐	☐
r. Dry throat	☐	☐
s. Headache	☐	☐
t. Dry, itchy or tired eyes	☐	☐
u. Wheeziness	☐	☐
v. Toothache or trouble with the gums	☐	☐
w. Any other complaints in the last 14 days	☐	☐

If **other**, please specify

15.5 There are some kinds of health problems that keep recurring and some people have them all the time. In the last 12 months have you suffered from any of the following health problems? (**Please answer all questions**)

Yes No

a. Bronchitis	☐	☐
b. Arthritis or rheumatism	☐	☐
c. Sciatica, lumbago or recurring backache	☐	☐
d. Persistent skin trouble (e.g. eczema)	☐	☐
e. Asthma	☐	☐
f. Hay fever	☐	☐
g. Recurring stomach trouble/indigestion	☐	☐
h. Being constipated most or all of the time	☐	☐
i. Piles	☐	☐
j. Persistent foot trouble
(e.g. bunions, ingrowing toenails)	☐	☐
k. Trouble with varicose veins	☐	☐
l. Nervous trouble or persistent depression	☐	☐
m. Persistent trouble with your gums or mouth	☐	☐
n. Any other recurring health problem	☐	☐

If **other**, please specify

15.6 Which of the following statements best reflects your view on reducing the chances of having a heart attack? **(Please mark one box only)**

There is very little you can do for yourself, it is fate or bad luck ☐

There are certain things you can do for yourself, which **might** help reduce the chance of a heart attack ☐

There are certain things you can do for yourself which will **definitely** help reduce the chance ☐

15.7a This question concerns any medicines that you may have taken during the last fourteen days. Have you been taking any medicines, tonics or pills **prescribed by a doctor** (excluding contraceptive pills) within the last fourteen days?

Yes ☐ No ☐

If Yes,

b Please list any medicines below:

(i)

(ii)

(iii)

(iv)

PART FIVE: This part of the questionnaire concerns your lifestyle

Section 16

16.1a Do you smoke cigarettes now? (i.e. not cigars/pipe)

Yes ☐ No ☐

If No, go to QUESTION 16.2

b How many manufactured cigarettes do you smoke per day?

Number

and/or

c About how many ounces of tobacco do you use per week for hand-rolled cigarettes?

Ounces

16.2a Do you smoke cigars?

Yes ☐ No ☐

If yes,

b How many cigars per week?

Number

c Do you smoke a pipe?

Yes ☐ No ☐

If yes,

d How many ounces of tobacco do you smoke per week?

Ounces

16.3a In the past 12 months have you taken an alcoholic drink? **(Please mark one box only)**

Twice a day or more ☐

Daily or almost daily ☐

Once or twice a week ☐

Once or twice a month ☐

Special occasions only ☐

No ☐

b If **No**, have you always been a non-drinker?

Yes ☐ No ☐

If always a non-drinker, please go to Question 16.6

c Compared with 5 years ago do you now drink?

A lot more ☐ A bit less ☐

A bit more ☐ A lot less ☐

The same ☐

d If you have **given up or reduced** drinking, what was the main reason?

Illness/doctors orders ☐ Health precautions ☐

Finance ☐ Other ☐

If other, please specify

16.4a Have you had an alcoholic drink in the last seven days?

Yes ☐ No ☐

If No, go to QUESTION 16.5

If Yes,

In the last seven days, how many drinks have you had of each of the following? **Please remember that a drink poured at home could be equivalent to 2 or 3 pub measures. If none indicate 0.**

b Spirits (Whisky, gin, rum, brandy, vodka etc.)

Measures

c Wine (including sherry, port, vermouth)

Glasses

d Beer (including lager and cider)

Pints

16.5 In a **typical** seven days how many drinks do you have of each of the following?

Please remember that a drink at home could be equivalent to 2 or 3 pub measures. If none, indicate 0.

a. Spirits (Whisky, gin, rum, brandy, vodka, etc.)

Measures

b. Wine (including sherry, port, vermouth)

Glasses

c. Beer (including lager and cider)

Pints

16.6 How often do you take part in sports or activities that are mildly energetic, moderately energetic or vigorous?

See examples below

	3 times a week or more	Once or twice a week	About once to 3 times a month	Never/ hardly ever
a. Mildly energetic (e.g. walking, woodwork, weeding, hoeing, bicycle repair, playing darts, general housework)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b. Moderately energetic (e.g. scrubbing, polishing car, dancing, golf, cycling, decorating, lawn mowing, leisurely swimming)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c. Vigorous (e.g. running, hard swimming, tennis, squash, digging, cycle racing)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Please give the average number of hours per week you spend in such sports or activities.

d. Mildly energetic

hours

e. Moderately energetic

hours

f. Vigorous

hours

PART SIX: This part of the questionnaire concerns your health in general

Section 17

We would like to know if you have had any medical complaints, and how your health has been in general, **over the past 4 weeks**. Please answer all the questions simply by indicating the answer which you think most nearly applies to you. Remember that we want to know about present and recent complaints, **not** those that you have had in the past.

Have you recently:

17.1 Been able to concentrate on what you are doing?

Better than usual ☐ Same as usual ☐ Less than usual ☐ Much less than usual ☐

17.2 Lost much sleep over worry?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.3 Felt that you are playing a useful part in things?

More so than usual ☐ Same as usual ☐ Less useful than usual ☐ Much less useful ☐

17.4 Felt capable of making decisions about things?

More so than usual ☐ Same as usual ☐ Less so than usual ☐ Much less capable ☐

17.5 Felt constantly under strain?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.6 Felt you could **not** overcome your difficulties?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.7 Been able to enjoy your normal day-to-day activities?

More so than usual ☐ Same as usual ☐ Less than usual ☐ Much less than usual ☐

17.8 Been able to face up to your problems?

More so than usual ☐ Same as usual ☐ Less able than usual ☐ Much less able ☐

17.9 Been feeling unhappy and depressed?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.10 Been losing confidence in yourself?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.11 Been thinking of yourself as a worthless person?

Not at all ☐ No more than usual ☐ Rather more than usual ☐ Much more than usual ☐

17.12 Been feeling reasonably happy, all things considered?

More so than usual ☐ About the same ☐ Less so than usual ☐ Much less than usual ☐
as usual

Section 18

18.1 In general, would you say your health is: **(Please mark one box only)**

Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor ☐

18.2 Compared to one year ago, how would you rate your health in general now? **(Please mark one box only)**

Much better now than one year ago ☐ Somewhat worse now than one year ago ☐
Somewhat better now than one year ago ☐ Much worse now than one year ago ☐
About the same as one year ago ☐

18.3 The following items are about activities you might do during a typical day.

Does **your health now limit you** in these activities? If so, how much?

	Yes, limited a lot	Yes, limited a little	No, not limited at all
a. Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports	☐	☐	☐
b. Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling or playing golf	☐	☐	☐
c. Lifting or carrying groceries	☐	☐	☐
d. Climbing several flights of stairs	☐	☐	☐
e. Climbing one flight of stairs	☐	☐	☐
f. Bending, kneeling or stooping	☐	☐	☐
g. Walking more than one mile	☐	☐	☐
h. Walking half a mile	☐	☐	☐
i. Walking one hundred yards	☐	☐	☐
j. Bathing and dressing yourself	☐	☐	☐

18.4 During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health?** **(Please mark one box for each question)**

a. Cut down the amount of time you spent on work or other activities	Yes ☐	No ☐
b. Accomplished less than you would like	Yes ☐	No ☐
c. Were limited in the kind of work or other activities	Yes ☐	No ☐
d. Had difficulty performing the work or other activities (for example, it took extra effort)	Yes ☐	No ☐

18.5 During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)?

(Please mark one box for each question)

a. Cut down the amount of time you spent on work or other activities	Yes ☐	No ☐
b. Accomplished less than you would like	Yes ☐	No ☐
c. Didn't do work or other activities as carefully as usual	Yes ☐	No ☐

18.6 During the **past 4 weeks**, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbours or groups? **(Please mark one box only)**

Not at all	Slightly	Moderately	Quite a bit	Extremely
☐	☐	☐	☐	☐

18.7 How much **bodily** pain have you had during the **past 4 weeks**? **(Please mark one box only)**

None	Very mild	Mild	Moderate	Severe	Very severe
☐	☐	☐	☐	☐	☐

18.8 During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? **(Please mark one box only)**

Not at all	A little bit	Moderately	Quite a bit	Extremely
☐	☐	☐	☐	☐

18.9 How much of the time during the **past 4 weeks**, **(Please mark one box for each question)**

	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel full of life?	☐	☐	☐	☐	☐	☐
b. Have you been a very nervous person?	☐	☐	☐	☐	☐	☐
c. Have you felt so down in the dumps that nothing could cheer you up?	☐	☐	☐	☐	☐	☐
d. Have you felt calm and peaceful?	☐	☐	☐	☐	☐	☐
e. Did you have a lot of energy?	☐	☐	☐	☐	☐	☐
f. Have you felt downhearted and blue?	☐	☐	☐	☐	☐	☐
g. Did you feel worn out?	☐	☐	☐	☐	☐	☐
h. Have you been a happy person?	☐	☐	☐	☐	☐	☐
i. Did you feel tired?	☐	☐	☐	☐	☐	☐

18.10 During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting friends, relatives, etc.)? **(Please mark one box only)**

All of the time	Most of the time	Some of the time	A little of the time	None of the time
☐	☐	☐	☐	☐

18.11 Please choose the answer that best describes how **true** or **false** each of the following statements is for you: **(Please mark one box for each question)**

	Definitely true	Mostly true	Don't know	Mostly false	Definitely false
a. I seem to get sick a little easier than other people	☐	☐	☐	☐	☐
b. I am as healthy as anybody I know	☐	☐	☐	☐	☐
c. I expect my health to get worse	☐	☐	☐	☐	☐
d. My health is excellent	☐	☐	☐	☐	☐

If you are **NOT** currently in paid employment, you have now completed the Questionnaire. Thank you very much for your co-operation. If you wish to add any comments there is a space at the end of the Questionnaire.

PART SEVEN: This section concerns your life at work

Section 19

9.1 The following questions are about your work. For each please indicate the one answer that best describes your job or the way you deal with problems occurring at work. **(Please answer all questions)**

	Often	Sometimes	Seldom	Never/ Almost never
Concerning your particular work:				
a. Do you have to work very fast?	☐	☐	☐	☐
b. Do you have to work very intensively?	☐	☐	☐	☐
c. Do you have enough time to do everything?	☐	☐	☐	☐
d. Are your tasks such that others can help you if you don't have enough time?	☐	☐	☐	☐
e. Do you have the possibility of learning new things through your work?	☐	☐	☐	☐
f. Does your work demand a high level of skill or expertise?	☐	☐	☐	☐
g. Does your job require you to take the initiative?	☐	☐	☐	☐
h. Do you have to do the same thing over and over again?	☐	☐	☐	☐
i. Do you have a choice in deciding HOW you do your work?	☐	☐	☐	☐
j. Do you have a choice in deciding WHAT you do at work?	☐	☐	☐	☐

9.2 About your position at work - how often do the following statements apply? **(Please answer all questions)**

	Often	Sometimes	Seldom	Never/ Almost never
a. Others take decisions concerning my work	☐	☐	☐	☐
b. I have a good deal of say in decisions about work	☐	☐	☐	☐
c. I have a say in my own work speed	☐	☐	☐	☐
d. My working time can be flexible	☐	☐	☐	☐
e. I can decide when to take a break	☐	☐	☐	☐
f. I can take my holidays more or less when I wish	☐	☐	☐	☐
g. I have a say in choosing with whom I work	☐	☐	☐	☐
h. I have a great deal of say in planning my work environment	☐	☐	☐	☐

9.3 About consistency and clarity regarding your job? **(Please answer all questions)**

	Often	Sometimes	Seldom	Never/ Almost never	Not applicable
a. Do different groups at work demand things from you that you think are hard to combine?	☐	☐	☐	☐	☐
b. Do you get sufficient information from line management?	☐	☐	☐	☐	☐
c. Do you get consistent information from line management?	☐	☐	☐	☐	☐

9.4 Regarding job involvement. **(Please answer all questions)**

	Often	Sometimes	Seldom	Never/ Almost never	Not applicable
a. Does your job provide you with a variety of interesting things?	☐	☐	☐	☐	☐
b. Is your job too varied and split up?	☐	☐	☐	☐	☐
c. Is your job boring?	☐	☐	☐	☐	☐
d. Do you consider your job very important?	☐	☐	☐	☐	☐
e. Do you feel your immediate superior considers your job important?	☐	☐	☐	☐	☐
f. Do your colleagues consider your job very important?	☐	☐	☐	☐	☐
g. How often do you wish you were doing a different job?	☐	☐	☐	☐	☐
h. How often do you feel you are doing your job only for the money?	☐	☐	☐	☐	☐

19.5 When you are having difficulties at work: (Please answer all questions)

	Often	Sometimes	Seldom	Never/ Almost never	Not applicable
a. How often do you get help and support from your colleagues?	☐	☐	☐	☐	☐
b. How often are your colleagues willing to listen to your work related problems?	☐	☐	☐	☐	☐
c. How often do you get help and support from your immediate superior?	☐	☐	☐	☐	☐
d. How often is your immediate superior willing to listen to your problems?	☐	☐	☐	☐	☐

19.6 About your job in general. How satisfied have you been with the following? (Please answer all questions)

	Very satisfied	Satisfied	Dissatisfied	Very dissatisfied	Not applicable
a. Your usual take home pay?	☐	☐	☐	☐	☐
b. Your work prospects?	☐	☐	☐	☐	☐
c. The people you work with?	☐	☐	☐	☐	☐
d. Your physical working conditions?	☐	☐	☐	☐	☐
e. The way your department is run?	☐	☐	☐	☐	☐
f. The way your abilities are used?	☐	☐	☐	☐	☐
g. The interest and skill involved in your job?	☐	☐	☐	☐	☐
h. Your job as a whole taking everything into consideration?	☐	☐	☐	☐	☐

Please add any comments below, if you wish

APPENDIX VI

THANK YOU VERY MUCH FOR YOUR CO-OPERATION IN COMPLETING THIS QUESTIONNAIRE

FOR OFFICE USE ONLY
STUDY NUMBER

0	0	0	0	0	0	A	N
1	1	1	1	1	1	B	O
2	2	2	2	2	2	C	P
3	3	3	3	3	3	D	Q
4	4	4	4	4	4	E	R
5	5	5	5	5	5	F	S
6	6	6	6	6	6	G	T
7	7	7	7	7	7	H	U
8	8	8	8	8	8	I	V
9	9	9	9	9	9	J	W
						K	X
						L	Y
						M	Z

APPENDIX VI

APPENDIX VI - INVITATION LETTER

The Department of Epidemiology and Public Health is planning a study of the effects of job change, early retirement and non-employment on the physical health and psychological well-being of Civil Service employees. To enable us to do this, we would like everyone who was employed by the Property Services Agency at the time of the first Stress and Health survey between 1985 and 1987 to complete the enclosed questionnaire. Filling in the questionnaire will take approximately 45 minutes of your time, and when it is completed we would be grateful if you could return it as soon as possible in the stamped addressed envelope enclosed.

At the present time, increasing numbers in the workforce are facing job change and non-employment. It is thus vital that the effect of these factors on the health of individuals is ascertained so that, in the future, the effects are available to inform policy, both in the public and private sector. We are asking for your help in determining the magnitude and causes of these effects.

Some of the questions in the questionnaire will be familiar to you, but even if you have completed them fairly recently we do need you to answer them again. As with all the data that have been collected previously, your answers will be strictly confidential. No information on any individual will be released.

We would like to thank you for your help in the past and hope we are not taxing your patience with this further questionnaire.

Yours sincerely

Professor Michael Marmot

APPENDIX VI - THANKYOU LETTER

Dear

Thank you for sparing the time to complete and return the Change and Health questionnaire. It is vital for the success of the study that as many as possible of those who were employed by the Property Services Agency at the time of the first Stress and Health survey between 1985 and 1987 participate. Your help in reaching this target is greatly appreciated.

Yours sincerely

**pp. Professor George Davey Smith
Co-investigator, Change and Health Study**

APPENDIX VI - INVITATION LETTER TO THOSE WHO HAD WIRHDRAWN FROM THE WHITEHALL II STUDY

We know that, in the past, you were not keen to remain involved with the Stress and Health Survey. However, we are now embarking on a new smaller study, described below, in which it is very important that as many as possible of the original participants agree to take part. We ask you to complete this single questionnaire and return it to us. We will not bother you again.

The aim of this smaller study is to examine the effects of job change, early retirement and non-employment on the physical health and psychological well-being of Civil Service employees. To enable us to do this, we would like everyone who was employed by the Property Services Agency at the time of the first Stress and Health survey between 1985 and 1987 to complete the enclosed questionnaire. Filling in the questionnaire will take approximately 45 minutes of your time, and when it is completed we would be grateful if you could return it as soon as possible in the stamped addressed envelope enclosed.

At the present time, increasing numbers in the workforce are facing job change and non-employment. It is thus vital that the effect of these factors on the health of individuals is ascertained so that, in the future, the effects are available to inform policy, both in the public and private sector. We are asking for your help in determining the magnitude and causes of these effects.

Some of the questions in the questionnaire will be familiar to you, but even if you have completed them fairly recently we do need you to answer them again. As with all the data that have been collected previously, your answers will be **strictly confidential**. No information on any individual will be released.

If you would like to discuss any details at greater length, please telephone the study co-ordinator, Jane Ferrie on 071-387-7050 extension 5703.

We would like to thank you for your help in the past and hope we are not taxing your patience with this further questionnaire.

Yours sincerely

Professor Michael Marmot

APPENDIX VI - REMINDER LETTER

Sometime during the past month you should have received from us, by recorded delivery, an invitation to participate in the Change and Health study currently being carried out by our department. The aim of this study is to examine the health effects of job change, early retirement and non-employment on Civil Service and ex-Civil Service employees. To enable us to do this, we would like everyone who was employed by the Property Services Agency at the time of the first Stress and Health survey between 1985 and 1987, no matter where they are now, to complete the questionnaire.

If, for any reason, you either did not receive an invitation letter and a questionnaire, or you no longer have it in your possession, please ring or write to the study coordinator and she will send you one immediately. Filling in the questionnaire should take about 45 minutes of your time. We realise that this is a considerable imposition and so would like to take this opportunity to let you know how much we appreciate your contribution. It is vital for the validity of a study such as this that as many as possible of the original participants agree to take part. All your answers will be treated as **strictly confidential** and no information on any individual will be released, although the collective results will be published regardless of vested interest.

Six people have been kind enough to complete the questionnaire and return it to us but have omitted to complete the first page supplying us with their name and address. This means we are unable to remove them from our mailing list. If you have received this letter but know that you have returned your questionnaire, please would you telephone the study coordinator and she will ensure that you receive no further reminder letters from us.

Thank you for help and cooperation.

Yours sincerely

Professor Michael Marmot

Study Coordinator: Jane Ferrie, 071-387-7050 extension 5703

APPENDIX VI - SECOND REMINDER LETTER

About three months ago you should have received from us, by recorded delivery, an invitation to participate in the Change and Health study currently being carried out by our department. The aim of this study is to examine the health effects of job change, early retirement and non-employment on Civil Service and ex-Civil Service employees. To enable us to do this, we need everyone who was employed by the Property Services Agency at the time of the first Stress and Health survey between 1985 and 1987, no matter where they are now, or for whom they work now, to complete the questionnaire.

In case you did not receive a questionnaire we have enclosed another. Filling in the questionnaire should take between 45 and 60 minutes. We realise that this represents a considerable time commitment and would not ask if it were not vital to the validity of the study that as many as possible of the original participants agree to take part. All your answers will be treated as **strictly confidential** and no information on any individual will be released, although the collective results will be published in the scientific literature.

Thank you for help and cooperation.

Yours sincerely

Professor Michael Marmot

P.S. Since our last reminder two people have been kind enough to complete the questionnaire and return it to us but have omitted to complete the first page supplying us with their name and address. This means we are unable to remove them from our mailing list. If you have received this letter but know that you have returned your questionnaire, please would you telephone the study coordinator and she will ensure that you receive no further reminder letters from us.

Study Coordinator: Jane Ferrie, 071-387-7050 extension 5703

APPENDIX VI - MISSING DATA LETTER

When looking through your questionnaire it came to my attention that you had omitted a number of questions. I have, therefore, included a photocopy of these questions and a stamped addressed envelope in the hope that you may be willing to complete them now. If, however, the omission was deliberate and not just an oversight please ignore this letter.

Yours sincerely

**Dr George Davey Smith
Co-investigator, Change and Health Study**

APPENDIX VII

Whitehall II Study

Coding Manual For Change and Health Questionnaire

Compiled by Jane Ferrie and
Kim Morgan

Coding Manual for Change & Health Questionnaires (C& H)

Change & Health questionnaire data for a majority of the answers are recorded and validated automatically by the "scanner" (optical machine reader).

The following manual relates to the questions which the scanner is unable to read and which need to be manually coded or checked prior to data entry.

All "other" questions only need coding if the participant has answered in the positive or the question applies.

- 1.7 (code, enter, verify) When period of Secondment ended
 - 1.9 (code, enter, verify) When period of Secondment ends
 - 1.10 (code, enter, verify) Grade and Title
 - 2.2a (code, enter, verify) Route of leaving PSA
 - 3.1 (code, enter, verify) Current Civil Service Department
 - 3.3 (code, enter, verify) Grade and Title
 - 3.4a (code, enter, verify) Present situation (permanent etc.)
 - 4.2 (code, enter, verify) Classified as
 - 5.3 (code, enter, verify) Present grade and post
 - 6.2a (code, enter, verify) Current occupation (self employed) code number
 - 6.2b (code, enter, verify) (self employed) SEG
 - 7.1a (code, enter, verify) Current Occupation code number
 - 7.1b (code, enter, verify) SEG
 - 7.3a (code, enter, verify) Present job (Permanent etc.)
- Social Class Register General's Social Class (SC) (code, enter, verify)
- 9.1 (code, enter, verify) Plans made prior to changes at PSA
 - 10.1 (code, enter, verify) How much effect privatisation had
 - 11.1 (code, enter, verify) Where did you get advice
 - 11.2 (code, enter, verify) Who offered advice at work

- 11.3 (code, enter, verify) Who offered advice outside work
- 12.1 (enter, verify) How many people are you close to
- 12.2 (code, enter, verify) Who have you been close to in the last 12 months
- 13.2b (enter, verify) Caring for elderly or disabled relative
- 13.6b (enter, verify) Are you married/cohabiting
- 13.8 (code, enter, verify) Activities taken up after leaving job
- 15.2b (code, enter, verify) What is the matter with you
- 15.4 (check only) Symptoms in the last 14 days
- 15.5 (check only) Recurring health problems in the last 12 months
- 15.7b (code, enter, verify) Prescribed medicine taken during last 14 days
- 16.1b (enter, verify) Do you smoke cigarettes
- 16.1c (enter, verify) How many ounces of tobacco do you use
- 16.2b (enter, verify) How many cigars per week
- 16.2d (enter, verify) How many ounces of tobacco do you smoke per week
- 16.3d (code, enter, verify) Reasons for reducing or giving up alcohol
- 16.4b (enter, verify) How much spirit in the last seven days
- 16.4c (enter, verify) How much wine in the last seven days
- 16.4d (enter, verify) How much beer in the last seven days
- 16.5a (enter, verify) In a typical seven days how much spirits
- 16.5b (enter, verify) In a typical seven days how much wine
- 16.5c (enter, verify) In a typical seven days how much beer
- 16.6d (enter, verify) How often do you take part in mildly energetic sport
- 16.6e (enter, verify) How often do you take part in moderately energetic sport
- 16.6f (enter, verify) How often do you take part in vigorous sport

Comments (Code, entry, verify) Respondents comments

N.B. Notes to assist with possible ambiguities in the smoking questions can be found under Qs 16.1 & 16.2 and in the drink questions under Qs 16.4 & 16.5

EVERY QUESTION WHICH HAS NOT BEEN ANSWERED (Whether the respondent should have answered it or not) SHOULD BE CODED -1.

Questions not requiring additional coding are numbers only.

Explanations of coding procedures for questions requiring coding follow in question number order.

C&H coding for Q1.7 (other) & Q 1.9 (other)

Q1.7 When period of secondment ended

Q1.9 When period secondment ends

If a respondent has made an entry in "other" box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

- 01 Compulsory early retirement
- 02 Self employed consultant
- 03 Working elsewhere (but not civil service)
- 04 Miscellaneous

C & H coding for Q1.10, Q3.3 & Q5.3

Q 1.10 Grade and Title

Q 3.3 Grade and Title

Q 5.3 Grade and Title

Look up the grade title on the following list and when you can identify an exact match enter the ABBREV only.

Employment Grades in Whitehall II

The civil service classifies job descriptions by grade title. There are more than 2,000 non-industrial grades which are classified into 12 grade levels. We ask participants for their grade title and on the basis of this, classify them according to one of the 12 grade levels. These grade levels usually reflect differences in salary, level of job responsibility and education.

Examples of Employment Grade Titles and Levels

Grade Title	Grade Level
Permanent Secretary	1
Deputy Secretary	2
Under Secretary	3
(Unified Grade 4)	14
Assistant Secretary	6
Senior Principal	7
Principal	8
Senior Executive Officer	9
Higher Executive Officer	10
Executive Officer	11
Administrative Officer	12
Administrative Assistant/ Office Support	13

There are 12 non-industrial grades levels: 1-14

Levels 4 and 5 do not exist and Level 14 comes between 3 and 6

C & H Coding for Q1.10, Q3.3 & Q5.3

Title	Abbrev	LL	S	DD	P
* = Grade Equivalent					
LL = Grade Level (1-14)					
S = Social Class (1 - 6)					
DD = Dept (optional)					
P = Prof (optional)					
2nd Parliamentary Counsellor (1A)	2PARLCTN	2	1	0	0
Actuarial Officer	ACTO	11	2	0	1
Actuary	ACT	8	2	0	1
Administrative Assistant	AA	13	3	0	0
Administrative Officer	AO	12	3	0	0
Adviser on Domestic Services Management	ADSM	9	2	0	0
Advisory Officer 1 (MAFF)	ADVO1	8	2	19	1
Advisory Officer 2 (MAFF)	ADVO2	9	2	19	1
Advisory Officer 3 (MAFF)	ADVO3	10	2	19	1
Advisory Officer 4 (MAFF)	ADVO4	11	2	19	1
Architect (HPTO/PTO2)	2ARC	10	2	0	1
Architect (PTO/PTO4)	4ARC	11	2	0	1
Architect (SPTO/PTO1)	1ARC	8	2	0	1
Architectural DO (PTO/PTO4)	4ARCD0	11	2	0	1
Assistant Auditor (National Audit Office)	EO	11	2	17	1
Assistant Auditor General	AAG	14	1	0	0
Assistant Auditor (National Audit Office)	AAUD	11	2	17	1
Assistant Chief Driving Examiner	ACDX	10	2	0	1
Assistant Chief Engineer CE	ACCE	6	1	0	1
Assistant Chief Inspector (Home Office)	ACHI	7	2	8	0
Assistant Chief Inspector (Soc Serv Insp)	ACISSI	7	2	0	0
Assistant Chief Investigation Officer	ACIO	8	2	0	1
Assistant Chief Photoprinter	ACPHOP	11	2	0	0
Assistant Chief Planner	ACHPL	14	1	0	1
Assistant Chief Reprographics Operator	ACREPOP	9	2	0	0
Assistant Comptroller (Patents)	AC0PO	14	1	0	0
Assistant Director (MOD)	AD	6	1		
Assistant Divisional Officer	ADOF	9	2	0	0
Assistant Housing Services Adviser	AHSAD	8	2	0	1
Assistant Information Officer	AIO	11	2	0	0
Assistant Keeper (British Museum)	AKEEP	8	2		
Assistant Librarian	ALIB	11	2	0	1
Assistant Officer (Customs & Excise)	AO	12		9	0
Assistant Official Receiver B (Tr & Ind)	AORB	8	3	15	1
Assistant Parliamentary Counsellor	APARLCN	7	2	0	0
Assistant Photographer	APHOG	13	2	0	0
Assistant Preventive Officer	APO	11	3	9	0
Assistant Scientific Officer	ASO	12	2	0	1
Assistant Secretary	ASEC	6	2	0	0
Assistant Solicitor	ASOL	6	1	0	1
Assistant Statistician	ASTAT	11	2	0	1
Associate Director (Nat Audit Office)*	DD	7	2		
Audit Technician (NAO)*	EO	11	2		
Audit Technician Higher (NAO)*	HEO	10	2		
Audio Typist	AYTPST	13	3	0	0
Audit Manager (National Audit Office)	AM	8	2	17	1
Auditor (National Audit Office)	A	10	2	17	1
Building Surveyor (SPTO/PTO1)	1BS	9	2	0	1

Cartographer	CART	11	3	0	1
Chief Actuary	CACT	14	1	0	1
Chief Auditor (NAO) = Audit Manager	CAUD	8	2		
Chief Cartographer	CHCART	8	2	0	1
Chief Civilian Nursing Officer (MOD)	CCNO	8	2	0	
Chief Draughtsman (Cardographic&Record)	CDSMAN	9	2	0	1
Chief Driving Examiner	CDX	7	2	0	1
Chief Immigration Officer	CIMMOFF	10	2		
Chief Information Officer	CIO	7	2	0	0
Chief Information Officer A	CIOA	6	1	0	0
Chief Information Officer B	CIOB	7	2	0	0
Chief Inspector Of Schools (DES)	CHINSP	14	1	1	1
Chief Investigation Officer (MAFF)	CINVOFF	8	2	19	1
Chief Paperkeeper	CPPK	12	3	0	0
Chief Photographer	CPHOG	9	2	0	1
Chief Photoprinter	CPHOP	11	2	0	0
Chief Press Photographer (Cent. Off. Inf)	CPPR	9	2	18	1
Chief Reprographic Operator	CREPOP	11	2	0	0
Chief Statistician	CSTAT	6	1	0	1
Chief Superintendent Of Typists	CHSUT	10	2	0	0
Chief Supt Of Special. Telepr Operators	CSSTO	11	2	23	0
Chief Typing Manager	CTM	10	2	0	0
Civil Engineer (HPTO/PTO2)	2CENG	10	2	0	1
Civil Engineer (PTO/PTO4)	4CENG	11	2	0	1
Civil Engineer (SPTO/PTO1)	1CENG	9	2	0	1
Civilian Security Officer 1 (MOD)	CSO1	10	3	23	0
Civilian Security Officer 2 (MOD)	CSO2	11	4	23	0
Civilian Security Officer 3 (MOD)	CSO3	12	4	23	0
Civilian Security Officer 4 (MOD)	CSO4	12	4	23	0
Civilian Security Officer 5 (MOD)	CSO5	13	4	23	0
Cleaner	CLEAN	13	6	0	0
Clerical Assistant	AA	13	3	0	0
Clerical Officer	AO	12	3	0	0
Cloakroom Attendant	CLOAK	13	4	0	0
Communications Officer 1	COMOF1	10	2		
Communications Officer 2	COMOF2	10	2		
Communications Officer 3	COMOF3	11	3		
Communications Officer 4	COMOF4	11	3		
Conservation Officer A	CONSA	6	1	0	1
Conservation Officer B	CONSB	7	2	0	1
Conservation Officer C	CONSC	8	2	0	1
Conservation Officer D	CONSD	9	2	0	1
Conservation Officer E	CONSE	10	2	0	1
Conservation Officer F	CONSF	11	2	0	1
Conservation Officer G	CONSG	12	3	0	1
Constable Royal Parks Constabulary	CONRPC	12	3	0	0
Consultant (senior)	CNSLT	7	2		
Copy Typist	CTYP	13	3	0	0
Curatorial Officer A	CURATA	6	1	0	1
Curatorial Officer B	CURATB	7	2	0	1
Curatorial Officer C	CURATC	8	2	0	1
Curatorial Officer D	CURATD	9	2	0	1
Curatorial Officer E	CURATE	10	2	0	1
Curatorial Officer F	CURATF	11	2	0	1
Curatorial Officer G	CURATG	12	3	0	1
Data Processor	DP	13	3	0	0
Dental Officer	DO	7	2	0	1
Dep. Superintendent Of Custody Services	DSUCUS	11	2	0	
Deputy Chief Inspector (DHSS)	DCHI	14	1	0	1

Deputy Chief Scientific Officer	DCSO	6	1	0	1
Deputy Director (National Audit Office)	DD	7	2	17	1
Deputy Keeper (British Museum)	DKEEP	7	2		
Deputy Official Receiver B (Trade&Ind)	DORB	8	2	15	1
Deputy Secretary	DEPSEC	2	1	0	0
Directing Actuary	DIRACT	3	1	0	1
Director (National Audit Office)	D	6	1	17	1
Director A Architect	DAARC	6	1	0	1
Director A Estate Surveyor	DAES	3	1	0	1
Director B Architect	DBARC	6	1	0	1
Director B Civil Engineer	DBCE	6	1	0	1
Director Lower Band	DLBAND	14	1	0	0
District Inspector Of Sea Fish(MAFF)	DIFISH	9	2	0	1
Draughtsman	DSMAN	11	3	0	1
Driver	DV	13	3	0	0
Driver Messenger	DRMES	13	6	0	0
Driving Examiner	DX	11	2	0	1
Economic Advisor	ECAD	8	2	0	1
Economic Assistant	ECA	11	2	0	1
Electrical Engineer (HPTO/PTO2)	2EENG	10	2	0	1
Electrical Engineer(SPTO/PTO1)	1EENG	9	2	0	1
Environmental Health Officer	ENHO	7	2	0	1
Executive Officer	EO	11	2	0	0
First Permanent Secretary	PS1	1	1	0	0
Fishery Officer I (MAFF)	FISHOFF1	10	2	0	1
Fishery Officer II (MAFF)	FISHOFF2	11	2	0	1
Government Telephonist	GVTEL	13	3	0	0
Graphics Officer	GO	11	3	0	1
Head Of Sales (British Museum)	HSL	12	3	0	0
Her Majesty's Inspector (DES)	HMI	7	2	1	1
Higher Cartographer	HCART	11	3	0	1
Higher Draughtsman	HDSMAN	11	3	0	1
Higher Executive Officer	HEO	10	2	0	0
Higher Graphics Officer	HGO	10	2	0	1
Higher Instructional Officer	HINSTROF	10	2		
Higher Intelligence Officer	HINTELOF	10	2		
Higher Linguist Officer(MOD)	HLO	10	2	23	1
Higher Mapping & Charting Officer	HMCO	10	2	0	1
Higher Photographic Officer	HPHOG	10	2		
Higher Professional & Technology Officer	HPTO	10	2	0	1
Higher Scientific Officer	HSO	10	2	0	1
Higher Telecom Technical Officer	HTTO	10	2		
Historian 2	HISTN2	9	2		
Horticultural Marketing Inspector(MAFF)	HORTMI	11	2	0	0
House Assistant	HOUSEA	13	4		
Houseman (British Museum)	HOUSE	13	4	11	0
Immigration Officer (Home Office)	IMMOFF	11	2	0	0
Industrial Grades	INDUST	15	0	0	0
Information Officer	IO	10	2	0	0
Insolvency Examiner Grade A (Trade&Ind)	INYEXA	7	2	0	1
Insolvency Examiner Grade B (Trade&Ind)	INYEXB	8	2	0	1
Insolvency Examiner Grade C (Trade&Ind)	INYEXC	9	2	0	1
Insolvency Examiner Grade D (Trade&Ind)	INYEXD	10	2	0	1
Insolvency Examiner Grade E (Trade&Ind)	INYEXE	11	2	0	1
Inspector (Social Services Inspectorate)	ISSI	8	2	0	0
Inspector Of Taxes	INSPTX	10	2	0	0
Inspector Officer Of Railways	RAILI	7	2	0	1
Instructional Officer 1	INSTOFF1	10	2	0	0
Instructional Officer 3	INSTOFF3	11	2	0	0

Instructional Officer A	INSTOFFA	10	2	0	0
Intelligence Officer 2 Army	INTELOFA	11	2		
Intelligence Officer 2 CS	INTELOFC	10	2		
Investigating Officer 1(MOD)	IO1	10	2	23	0
Investigating Officer 2(MOD)	IO2	11	2	23	0
Investigating Officer(Physical)2 (MOD)	IO(P)2	11	2	23	0
Investigation Officer (MAFF/DTI)	INVOFF	10	2	19	1
Keeper (British Museum)	KEEP	6	1	0	1
Label Writer/Labeller	LABELWTR	12	4		
Laboratory Attendant	LABAT	13	4	0	0
Landscape Architect (SPTO/PTO1)	1LARC	9	2	0	1
Leading Houseman (British Library)	LHOUSEBL	13	3	12	0
Leading Houseman (British Museum)	LHOUSEBM	13	3	11	0
Leading Masons Assistant(British Museum)	LMA	12	3	0	0
Lecturer	LECTR	9	2		
Legal Assistant	LEGA	9	2	0	1
Legal Officer	LEGO	9	2	0	1
Librarian	LIB	10	2	0	1
Library Assistant 1 (British Library)	ALIB1	12	3	12	0
Library Assistant 2 (British Library)	ALIB2	13	3	12	0
Local Officer 1	LOC1	11	2	0	0
Local Officer 2	LOC2	12	3	0	0
M & E Engineer (PTO/PTO3)	3MEENG	11	2	0	1
M & E Engineer (SPTO/PTO1)	1ME	9	2	0	1
Mapping & Charting Officer	MCO	11	3	0	1
Masons Assistant (British Museum)	MA	12	3	11	0
Mech & Eng DO (PTO/PTO4)	4MEDO	11	2	0	1
Mechanical Engineer (HPTO/PTO2)	2MENG	10	2	0	1
Mechanical Engineer (SPTO/PTO1)	1MENG	9	2	0	1
Medical Officer	MED	7	2	0	1
Messenger	MESS	13	6	0	0
Museum Assistant	MUASS	12	3	0	0
Museum Support Grade III	MUSSPRT3	12	3		
Museum Support Grade V	MUSSPRT5	13	4		
Museum Support Grade IV	MUSSPRT4	12	3		
Museum Technician 1	MU1	11	2	0	1
Museum Technician Grade II	MU2	11	2	0	1
Museum Technician Grade III	MU3	12	2	0	1
Nursing Officer(Dep. Health)	NOFF	8	2	0	1
Nursing Sister (Cabinet Office)	NSIS	11	2	20	1
Occupational Hlth Nursing Advisor(CabOff)	OHNA	11	2	0	
Office Assistant 1	OA1	12	3	0	0
Office Keeper 1	OK1	11	3	0	0
Office Keeper 1A	OK1A	11	3	0	0
Office Keeper 2	OK2	12	4	0	0
Office Keeper 3	OK3	12	4	0	0
Paperkeeper	PPK	13	4	0	0
Parliamentary Counsellor(Cabinet Office)	PC	3	1	0	0
Parliamentary Undersecretary(Cabinet Off)	PUSS	3	1	0	0
Patent Examiner	PTEX	9	2	0	0
Patent Searcher(Trade&Ind)	PATSR	10	2	0	0
Permanent Secretary	PS	1	1	0	0
Personal Secretary/Executive Sec	PERSEC	12	3	0	0
Petroleum Specialist 1(Dep. Energy)	PET1	3	1	21	1
Petroleum Specialist 2(Dep. Energy)	PET2	14	1	21	1
Petroleum Specialist 3(Dep. Energy)	PET3	6	1	21	1
Petroleum Specialist 4(Dep. Energy)	PET4	8	2	21	1
Petroleum Specialist 5(Dep. Energy)	PET5	9	2	21	1
Pharmaceutical Officer 1	PHARM1	9	2	0	1

Photographer	PHOG	12	3	0	0
Photographic Officer	PHOTO	11	3		
Photoprinter 1	PHOP1	12	4	0	0
Photoprinter 2	PHOP2	13	4	0	0
Physiotherapy Officer	PHYOFF	8	2	0	1
Planning Assistant	PLASST	10	2	0	1
Planning Officer	PLANOFF	9	2	0	1
Plant Health & Seeds Inspector 2 (MAFF)	PHSI2	11	2	19	1
Plant Health And Seeds Inspector 1 (MAFF)	PHSI1	10	2	19	1
Pollution Inspector	POLIN	10	2		
Porter	PORT	13	6	0	0
Porter/Messenger	PORMES	13	6	0	0
Preventive Officer (Customs&Excise)	PO	11	2	9	0
Principal (now obsolete)	PRIN	8	2	0	0
Principal Architect	PARC	8	2	0	1
Principal Auditor	PAUD	8	2		
Principal Building Surveyor	PBS	8	2	0	1
Principal Chemist	PCHEM	8	2	0	1
Principal Civil Engineer	PCENG	8	2	0	1
Principal Conservator (Grade C)	PCON	8	2	11	1
Principal Crown Prosecutor	PCNPP	8	2		
Principal Electrical Engineer	PEENG	8	2	0	1
Principal Examiner (Patent Office)	PREXPO	6	2		
Principal Information Officer	PIO	8	2	0	0
Principal Intelligence Officer	PINTELOF	8	2		
Principal Legal Officer	PLO	8	2	0	1
Principal Librarian	PRLIB	8	2	0	1
Principal Mechanical Engineer	PMENG	8	2	0	1
Principal Medical Officer	PMED	14	1	0	1
Principal Nursing Officer (Dep. Health)	PNOFF	8	2	0	1
Principal Paperkeeper	PPKP	12	3	0	0
Principal Patent Examiner	PPTEX	6	2	0	0
Principal Pharmaceutical Officer	PPHARM	8	2	0	1
Principal Photographer	PPHOG	10	2	0	1
Principal Physicist	PRINPH	8	2	0	1
Principal Planning Officer	PRPLOF	8	2	0	1
Principal Plant Health & Seeds Inspector	PPHSI	8	2		
Principal Pollution Inspector	PRPOLIN	8	2		
Principal Professional & Technology Off.	PPTO	8	2	0	1
Principal Psychologist	PRPSY	8	2	0	1
Principal Quantity Surveyor	PQS	8	2	0	1
Principal Radiochemical Inspector	PRCIN	8	2	0	1
Principal Railway Employment Inspector	PREI	8	2	0	1
Principal Research Officer	PRO	8	2	0	1
Principal Scientific Officer	PSO	8	2	0	1
Process & General Supervisory D/C	PGSD/C	11	3	0	0
Process & General Supervisory E	PGSE	12	3	0	0
Professional & Technology Officer	PTO	11	2	0	1
Projectionist	PROJ	12	3	23	0
Psychologist	PSY	11	2	0	1
Quantity Surveying Assistant (PTO/PTO3)	3QST	11	2	0	1
Quantity Surveyor (SPTO/PTO1)	1QS	9	2	0	1
Radio Technician (MOD)	RT	11	3	0	0
Railway Employment Inspector (SPTO/PTO1)	1REI	9	2	0	1
Regional Horticultural Marketing Insp.	RHORTMI	9	2	19	1
Reprographic Operator	REPOP	13	4	0	0
Reprographics Manager	REPOPM	10	2	0	0
Reprographics Operator 1	REPOP1	13	4	0	0
Reprographics Operator 2	REPOP2	13	4	0	0

Research Assistant	RA	11	2	0	0
Research Officer	RO	10	2	0	1
Reservoir Evaluation Spec'list 4 (Energy)	RES4	7	2	21	1
Reservoir Evaluation Spec'list III (Energy)	RES3	14	1	21	1
Retired Officer 1	RETOFFR1	10	2	23	0
Retired Officer 2	RETOFFR2	10	2	23	0
Retired Officer 3	RETOFFR3	10	2		
Revenue Assistant (Customs & Excise)	RVAS	12	3	9	0
Revenue Constable (Customs & Excise)	RVC	12	3	9	0
Revenue Officer (Customs & Excise)	RVO	12	3	0	0
Sales Assistant (British Museum)	SLE	12	3	0	0
Sandwich Course Student	SCS	12	3	0	0
Scientific Officer	SO	11	2	0	1
Second Permanent Secretary	PS2	1	1	0	0
Secretary E & A	SECEA	12	3	0	0
Security Officer, Grade 2 (Supervisor)	SOF2U	10	3	0	
Security Officer, Grade 3	SOF3U	11	4	0	
Security Officer, Grade 4	SOF4U	12	4	0	0
Security Officer, Grade 5	SOF5U	12	4	0	0
Senior Actuary	SENACT	6	1	0	1
Senior Assistant Librarian (Brit Library)	SALIB	12	3	12	0
Senior Assistant Statistician	SASTAT	10	2	0	1
Senior Auditor (National Audit Office)	SA	9	2	17	1
Senior Cartographer	SENCART	10	2	0	1
Senior Catering Officer	SCATO	9	2	0	0
Senior Chief Sup Of Spec Teleprinter Opp	SCSSTO	10	2	23	0
Senior Data Processor	SDP	12	3	0	0
Senior Dental Officer	SDO	6	1	0	1
Senior Draughtsman	SDSMAN	10	2	0	1
Senior Driving Examiner	SDX	11	2	0	1
Senior Economic Adviser	SECAD	6	1	0	1
Senior Economic Assistant	SECA	10	2	0	1
Senior Engineering Inspector	SENGINSP	8	2		
Senior Examiner patents Office	SNREX	8	2		
Senior Executive Officer	SEO	9	2	0	0
Senior Graphics Officer	SGO	9	2	0	1
Senior Horticult. Market. Inspector (MAFF)	SENHORT	10	2	0	0
Senior Information Officer	SIO	9	2	0	0
Senior Instructional Officer	SINSTROF	9	2		
Senior Intelligence Officer	SINTELOF	9	2		
Senior Investigating Officer (C & E)	SINVGOF	8	2		
Senior Lecturer	SLECTR	8	2		
Senior Legal Assistant	SLEGA	7	2	0	1
Senior Librarian	SENLIB	9	2	0	1
Senior Library Assistant (British Library)	SLIBA	12	3	12	0
Senior Linguist Officer (MOD)	SLO	9	2	23	1
Senior Mapping & Charting Officer	SMCO	9	2	0	1
Senior Medical Officer	SMED	6	1	0	1
Senior Messenger	SNMES	13	4	0	0
Senior Nursing Officer (Dep. Health)	SNOFF	10	2	0	1
Senior Officer (Customs & Excise)*	HEO	10	2		
Senior Paperkeeper	SPPK	12	3	0	0
Senior Patent Examiner (Trade & Industry)	SPTEX	8	2	0	0
Senior Personal Secretary	SENPS	11	3	0	0
Senior Photographer	SPHOG	11	2	0	1
Senior Planning Officer	SNPLOF	8	2	3	1
Senior Porter	SPORT	12	4	0	0
Senior Principal	SPRIN	7	2	0	0
Senior Principal Legal Adviser	SPLA	7	2	0	1

C&H coding for Q2.2a (other)

Q2.2a Route of leaving PSA

If respondent has made a entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

- 01- TUPE to private sector other than Tarmac
- 02- Resigned
- 03- Dismissed
Voluntary/Compulsory Redundancy
Compulsory early retirement
- 04- Miscellaneous

C&H coding for Q3.1

Q 3.1 Current Civil Service Department

If the name given for a department does not appear to be on the following list please ask advice.

<u>CODE</u>	<u>DESCRIPTION</u>
ACAS	Arb. Con. Ad. Serv.
ACTUARIES	Actuaries
BM	British Museum
BL	British Library
BRE	Building Research Establishment
C&E	Customs and Excise
CO	Cabinet Office
COI	Central Office Info
CROWN EST	Crown Estate
CROWN PSC	Crown Prosecution
CROWN SUPP	Crown Suppliers (TCS)
CSA	Child Support Agency
CSC	Civ. Serv. Coll.
CSO	Cent. Statistical Off
CSOHS	Occupational Health
DES	Dept of Education
DH	Dept of Health
DHSS	Health Soc. Security
DNH	Dept. Nat. Heritage
DOE	Dept. of Environment
DOT	Dept. of Transport

<u>CODE</u>	<u>DESCRIPTION</u>
DRA	Defence Res. Agency
DSS	Dept Social Security
DTI	Dept of Trade and Industry
EMPLOYMENT	Training Agency
ENERGY	Dept Energy
FCO	Foreign, Commonwealth
HO	Home Office
HSE	Health and Safety Exec
IR	Inland Revenue
INT BOARD	Intervention Board
ITSA	Infor. Tech. Serv. Agen
LAD	Lord Advocate's Dept
LAND REGIS	Land Registry
LCD	Lord Chancellors Dep
LEFT	Left Civil Service
MAFF	Min. Agric, Fish, Food
MMC	Monop & Mergers Comm
MOD	Ministry of Defence
MSC	Manpower Services
NAO	National Audit Off.
NAT SAVING	National Savings
NERC	Natural Env. Res. Comm.
NIO	Northern Ireland Off.
OAL	Off. Arts & Libraries
ODA	Overseas Dev. Admin
OFT	Office of Fair Trading

OME	Office Manpower Econom
OPCS	Off Pop. Cen. Surv.
OPSS	Office Pub Serv and Sci
ORDIN SURV	Ordinance Survey
PCO	Parliam. Counsel Off.
PRO	Public Record Office
PSA	Property Service Agency
RDC	Rural Develop. Comm.
SCOT OFF	Scottish Office
SERC	Science and Eng Res Co
SFO	Serious Fraud Office
SHSA	Spec. Hosp. Serv Auth.
TREASURY	HM Treasury
WO	Welsh Office

30/10/95

Code	Description	Small
ACAS	Arb. Con. Ad. Serv.	Y
ACTUARIES	Actuaries	N
B M	British Museum	N
BA	Benefits Agency	Y
BL	British Library	N
C & E	Customs & Excise	N
CA	Contributions Agency	Y
CCTA	Govn Cntr Info System	Y
CO	Cabinet Office	N
COASTGUARD	Coastguard Agency	Y
COI	Central Office Info	N
CROWN EST	Crown Estate	Y
CROWN PSC	Crown Prosecution	Y
CROWN SUPP	Crown Suppliers (TCS)	Y
CSA	Child Support Agency	Y
CSC	Civ. Serv. Coll.	Y
CSO	Cent. Statistical Off.	Y
CSOHS	Occupational Health	Y
CVL	Central Veterinary Lab	Y
DASA	Defence Analytcl Serv Agy	Y
DES	Dept for Education	N
DS	Department of Health	N
DHSS	Health, Social Security	N
DNH	Dep Nat Heritage	Y
DOE	Dept Environment	N
DOT	Dept Transport	N
DRA	Defence Res. Agency	Y
DSA	Driving Standards Agy	Y
DSS	Dept. Social Security	N
DTI	Dep Trade & Industry	N
DVLA	Driv & Vehic Licn Agy	Y
EMPLOYMENT	Training Agency	N
ENERGY	Dept Energy	N
EPSRC	Eng & Phys Sci Res C	Y
FCO	Foreign, Commonwealth	Y
GOR	Govn Off for Regions	Y
HA	Highways Agency	Y
HMPRISON	HM Prison Service	Y
HO	Home Office	N
HRPA	Hist Royal Pal Agcy	Y
HSE	Health & Safety Executive	Y
I R	Inland Revenue	Y
INSOLVENCY	Insolvency Service	Y
INT BOARD	Intervention Board	Y
ITSA	Infor. Tech. Serv. Agy	Y
LAD	Lord Advocate's Department	Y
LAND REGIS	Land Registry	N

LEFT	Left Civil Service	N
MAFF	Min. Agric. Fish, Food	N
MCA	Medical Control Agency	Y
MDA	Medical Devices Agency	Y

Code	Description	Small
MET POLICE	Metropolitan Police	Y
MMC	Monop. & Mergers Commission	Y
MOD	Ministry of Defence	N
MSA	Marine Safety Agency	Y
MSC	Manpower Services	N
NAO	National Audit Off.	N
NAT SAVING	National Savings	Y
NERC	Natural Env. Res. Comm.	Y
NIO	Northern Ireland Office	Y
NRI	Natural Resources Inst	Y
OAL	Off. Arts & Libraries	Y
ODA	Overseas Dev. Admin.	Y
OFFER	Off Electricity Regulat	Y
OFGAS	Office Gas Supplies	Y
OFSTED	Off Standards Educn	Y
OFT	Office of Fair Trading	Y
OFTEL	Office of Telecommunications	Y
OMCS	O.M.C.S.	Y
OME	Off. Manpower Econom	Y
OPC	Off. of Parl. Commissioner	Y
OPCS	Off. Pop. Cen. Surv.	Y
OPSS	Office Pub. Serv. & Sci.	Y
ORDIN SURV	Ordinance Survey	Y
OST	Off of Science & Techy	Y
PATENT OFF	Patent Office	Y
PCA	Police Complaints Authority	Y
PCO	Parliam. Counsel Off.	Y
PLANNING	Planning Inspectorate	Y
PRO	Public Record Office	Y
PSA	Property Services Agency	N
RA	Radiocommunicns Agy	Y
RDC	Rural Development Agency	Y
REG FSOC	Regis Friendly Socs	Y
RETIRED	Retired from CS	N
RHA	Reg. Health Authority	Y
RTEST	Alan's test dept.	N
SAFE	Security Facil Exec	Y
SCOT OFF	Scottish Office	Y
SERC	Science & Eng Res Co	Y
SFO	Serious Fraud Office	Y
SHSA	Spec. Hosp. Serv. Auth.	Y
TARMAC	Tarmac	Y
TREASURY	HM Treasury	Y
V&A	Victoria & Albert Museum	Y
VMD	Veterinary Med Direc	Y
WO	Welsh Office	Y

C&H coding for Q3.4a (other)

Q3.4a Present Situation (permanent etc.)

If a respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit that database accordingly.

01- Secondment

02- Miscellaneous

C & H coding Q 4.2 (other)

Q4.2 What would you classify yourself as

If a respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

- 01 Student
- 02 Ill (but not long term)
- 03 Miscellaneous

C&H coding Qs 6.2a & b and Qs 7.1a & =b

Q6.2a	Current Occupation (Self employed)	SEG from SOC Vol 3
Q6.2b	Industry (Self employed)	From SOC Vol 2
Q7.1a	Current Occupation	as 6.2a
Q7.1b	Industry	as 6.2b
N.B.	See notes following	

SOC = Standard Occupational Classification
OCPS
HMSO London February 1990

Coding for Q1.10, Q3.3, Q5.3 and Registrar General's Social Class

This question requires three types of coding:

i)	civil service grade abbreviation	PRESGDE1,
PRESGDE3,
PRESGDE5
ii)	Registrar General's social class	PSCLASS

Current Grade List

To code grade abbreviation, first look up the grade title in the list of Current grades. If the grade is listed you will find the appropriate grade abbreviation, grade level and Registrar General's social class. This should be coded in red on the questionnaire at Q1.10, Q3.3, Q5.3, in the following order: grade abbreviation, grade level, social class. For example:

HEO 10 II

Civil Service Mandate Grade Code List

If the grade is not in the list of Current Grades then check the Civil Service Mandate Grade Code List which lists all current civil service grades. From this list you will be able to identify the appropriate grade level and grade abbreviation. If the same grade title is listed more than once in the CSMGCL, you will need to take note of the respondent's department to enable you to select the appropriate grade level.

The civil service grade abbreviation may be too long for our data entry program. If so, you will need to shorten the abbreviation to something which is 8 characters maximum. Once you have decided on an appropriate grade abbreviation, check that it is not already in use in the list of Current Grades.

Senior civil service grades

Civil servants in the senior grades tend not to have a job title but a Grade number which signifies their position from 1-7, one being most senior. For example, a Principle is now known as Unified Grade 7 or Grade 7; an Assistant Secretary as a Unified Grade 5 or Grade 5. If a civil servant has only put a grade number which lies between 1-7 and has not put a job title, then look this up in the current grade list under 'Unified Grade' and code the appropriate level.

Standard Occupational Classification

Grades which are not already in the Current Grade List will also need to have social class coded. You will need the OCPS Standard Occupational Classification volumes to enable you to do this.

First, look up the grade title in the alphabetical index in Volume 2. You will often have to check a number of the descriptive words which make up the grade before you find it listed. Occupation titles tend to be arranged under the work most nearly describing the job performed. For example, Higher Executive Officer is classified under 'Officer'. When you have found the grade, please make a note of the code number which accompanies it.

Look the code number up in Volume 3 Appendix A (pages 38 - 53) and record the appropriate social class. This will be coded as one of the following - I, II, IIIN, IIIM, IV, or V.

The appropriate code for each social class is as follows:

Social class I	1
Social class II	2
Social class IIIn	3
Social class IIIm	4
Social class IV	5
Social class V	6

Any queries with coding of grade of employment using the Standard Occupational Classification should be checked with either Mandy or Jenny.

In most cases, the social class coded in the Standard Occupational Classification is the same if the job title is coded from the 'Manager', 'Foreman' or 'Employee' columns. However, for some codes it differs:

Code	Manager	Foreman	Employees
310 Draughtsperson	II	IIIN	IIIN
386 Photographers, camera, sound and video equipment operators	II	IIIN	IIIN
462 Telephone operators		IIIN	IV

For those who have left the civil service, you will need to code their social class and socio-economic group. You will need to use the OPCS Standard Occupational Classification to do this.

Coding of social class is the same as outlined in Q2a.

Socio-Economic Group

Next to the code for social class is also the code for socio-economic group. The coding for socio-economic group ranges from 1 to 17.

If there are any queries as to how to code the occupation, then the answers to Q12 b,c,d,e,f should help as that give some further descriptive information.

The answers to Q12c and Q12d refer to:

- i) number of employees at workplace and
- ii) whether in charge of other people

This is important information for coding socio-economic group in the top two categories (1 and 2), where a distinction is made between having more or less than 25 employees and being a manager or an employee. This distinction is made as follows:

	Large organisation (>25 employees)	Small organisation (<25 employees)
Self-employed	1.1	2.1
Employee	1.1	2.1
Manager	1.2	2.2

Therefore, if the occupation has a choice of two socio-economic groups you will need to choose one based on the size of the organisation and whether the person is an employee or manager.

For example, if the occupation is classified as a Manager in an organisation that employs less than 25 people (small), then the correct socio-economic group is 2.2

If an employee works in a large organisation with more than 25 people (large), then the correct socio-economic group is 1.1

Insufficient information

If insufficient information is given and you are unable to obtain any further information, then code social class as 0 and socio-economic group as 17.

C&H coding Qs 6.2a & b and Qs 7.1a & =b

Q6.2a	Current Occupation (Self employed)	SEG from SOC Vol 3
Q6.2b	Industry (Self employed)	From SOC Vol 2
Q7.1a	Current Occupation	as 6.2a
Q7.1b	Industry	as 6.2b
N.B.	See notes following	

SOC = Standard Occupational Classification
OCPS
HMSO London February 1990

C & H coding Q7.3a (other)

Q 7.3a Present job

If respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

01 Serving notice

02 Miscellaneous

C & H coding Social Class

Registrar Generals Social Class is determined using the OPCS Standard Occupational Classification 1990. (See Qs 6.2 & 7.1) or the C.S Grade Dictionary (See Qs 1.10, 3.3 + 5.3)

Social class coding should only be done by someone who has been trained to do this.

01 = RGSC 1

02 = RGSC 2

03 = RGSC 3 NM

04 = RGSC 3 MM

05 = RGSC 4

06 = RGSC 5

For those respondents who are no longer in employment Social Class will have to be determined from their S3 questionnaire.

Written on Q

C & H coding Q9.1 (other)

Q 9.1 Plans made prior to changes at PSA

If a respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

01 - Left before major changes planned

02 - Not applicable e.g. in part of PSA already earmarked for transfer to another department

03 - Considered / took steps towards self-employment / consultancy

04 - Miscellaneous

C & H coding Q 10.1 (other)

Q 10.1 How much affect privatisation had

If a respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

- 01 - Colleagues leaving
- 02 - Loss of workload and responsibility
- 03 - Feelings of frustration/disillusion
- 04 - Other

Please photocopy the pages of everyone who has an “other” answer and file with the qualitative data.

C & H coding for Q11.1 (others)

Q 11. Where did you get advice

If a respondent has made an entry in “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

N.B. It is obvious that several respondents do not realise that Q 11.3 covers friends and family and others outside work. Therefore if “others” are friends, family members or folk obviously outside the work place the database will need to be edited. Please make a list of the study number involved and ask Jane or Kim (Room 210) to edit the database.

- 01 Not applicable
- 02 Ex-colleagues or work friends
- 03 Professional association or institute
- 04 The purchaser/Tarmac
- 05 Non-specific eg numerous or blank
- 06 Miscellaneous

C & H coding for Q11.2 (others)

Q11.2 Who offered advice at work

If respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly

N.B Focus is an out placement services, therefore, if someone has put Focus as “others” the database will need to be edited. Please make a note of the study numbers involved and ask Jane or Kim (Room 210) to edit the database.

Also see N.B. for Q11.1

- 01 Not applicable
- 02 ex-colleagues or work friends
- 03 Professional association or institute
- 04 The purchase/Tarmac
- 05 Non specific or blank
- 06 Miscellaneous

C&H coding Q11.3 (others)

Q11.3 Who offered advice outside work

If respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

01	Financial advisors
02	CAB
03	Job agency
04	Professional association or institute
05	The purchaser/Tarmac
06	Doctor/priest etc.
07	Non-specific or blank
08	Miscellaneous

C & H coding Q12.2

Q12.2 Who have you been close to in the last 12 months

Coding list of closest persons:

1. Each person should be coded according to a 3 digit code. The first digit should be either 1 or 2 corresponding to the position on the list of closest people, thus

CLOSEST PERSON - 1

SECOND PERSON - 2

If "a couple" of people are given instead of one, then code as 62, 63 or 64 or 65 or 66, i.e. parents, children etc.

2. The second and third digits are the codes below for each type of person : (e.g. closest son - 108)

3. If the respondent writes in that he/she has no close friends code 0 in box.

CLOSEST PEOPLE

Wife	01	Psychotherapist/psychologist	41
Husband	02	Counsellor	42
Mother	03	Priest	43
Father	04	God	44
Sister	05	Grandson	45
Brother	06	Granddaughter	46
Daughter	07	Daughter of female friend	47
Son	08	Nephew-in-Law	48
Child (sex unsp)	09	Cousin-in-Law	49
Grandmother	10	Female relative	50
Grandfather	11	Ex-spouse	51
Lover	12	Male relative	52
Aunt	13	Female relative	53
Uncle	14	In-laws (male)	54
Cousin (female)	15	In-laws (female)	55
Cousin (male)	16	In-laws (general)	56
Niece	17	Grandchildren	57
Nephew	18	Church sister/	
Great Aunt	19	Church housegroup	58
Great Uncle	20	Colleague	59
Stepmother	21	Tutor	60
Stepfather	22	Pets	61
Stepdaughter	23	Parents	62
Stepson	24	Children/Sons/Daughter	63
Step/half sister	25	(plural)	
Step/half brother	26	Other couples	64
Mother-in-law	27	Friends	65
Father-in-law	28	"Families"	66
Sister-in-law	29	Cousins wife	67
Brother-in-law	30	Guardian	68
Daughter-in-law	31	Neighbour	69
Son-in-law	32	God parent	70
Female friend	33	God children	71
Male friend	34	Adopted sister	72
Girlfriend	35	Deceased person	73
Boyfriend	36	Domestic employee	74
Cohabitee (female)	37	Friend	75
Cohabitee (male)	38	Partner	76
Doctor	39	Financial advisor	77
Social worker/nurse	40	Secretary	78
		No one person (numerous)	79

C & H coding Q 13.8 (other)

Q13.8 Activities taken up after leaving job

If respondent has made an entry in the "other" box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

- 01 Not applicable
- 02 Voluntary work/charity work
- 03 Church work
- 04 Miscellaneous

Coding for Q15.2 - Any longstanding illness?

If participant answers 'yes' to Q15.2a, the illness/illnesses should be coded as:
Code a maximum of 3 illnesses in the order that they are written. If more than 3 are listed prioritise the illnesses and exclude the more minor ones.

GROUP 1

Infectious or parasitic diseases/ fevers

001 Poliomyelitis/ pulmonary tuberculosis (TB) Glandular fever/ Sarcoidosis/ Arachnoiditis/ Brucellosis/ HIV+/ Aids/ Shingles/ Herpes (all)/ Malaria or other longterm infections

GROUP 2

Blood disorders

(005) (Leukaemia - coded in Group 3)
(005) (Hodgkin's disease - coded in Group 3)
015 Anaemia
015 Haemophilia
015 Other blood disorders

GROUP 3

Cancers

005 Any cancers/ malignant tumors or growths

GROUP 4

Mental and psychological complaints

020	Senile dementia/ senility
021	Schizophrenia
022	Anxiety state or chronic anxiety
022	Phobias inc agoraphobia
023	Depression or depressive illness
024	Nerves/ stress/ mental or emotional problems nes/nervous breakdown
024	Behaviour problems/ personality defect/ anorexia nerv.
024	Other mental illness nos.
025	Mental handicap/ subnormality
026	Alcohol and drug problems
027	Manic-depressive illness or bipolar affective disorder
(132)	(Dyslexia - coded in Group 13)

GROUP 5

Complaints of brain and nervous system

(001)	(Poliomyelitis - coded in Group 1)
030	Stroke/ hemiplegia/ brain haemorrhage
031	Parkinson's disease (paralysis agitans)
032	Multiple sclerosis
033	Cerebral palsy (spastic)
034	Paraplegia/ quadriplegia/ spinal injury
035	Head injury/ brain injury
036	Epilepsy (grand mal/ petit mal/ fits/ convulsions)
037	Migraines/ headaches
038	Carpal Tunnel Syndrome
038	Other complaints of central nervous or peripheral nervous system nos.
(104)	(Sciatica/ neuritis coded in Group 12)
120	Spina bifida
131	Dizziness/ vertigo/ giddiness (excl. ear problems)

GROUP 6

Eye complaints

(010)	(Caused by diabetes - coded in Group 13)
040	Cataract
041	Glaucoma
042	Congenital blindness
042	Retinitis pigmentosa
044	Macular degeneration
043	Detached/ scarred retina
043	Blindness (incl. colour blindness)/ loss of one eye
043	Poor eyesight
043	Other eye complaints (eg. Iritis)

GROUP 7

Ear complaints

050	Menieres disease
050	Nerve deafness
050	Deaf/ hard of hearing (incl. due to old age)
051	Otosclerosis
051	Conductive deafness
051	Perforated ear drum
052	Noise induced deafness
053	Tinnitus/ noises in the ear
054	Ear complaints causing balance problems
054	Other specific ear complaints nos.

GROUP 8

Complaints of heart, blood vessels and circulation

060	Heart attack/ coronary thrombosis
060	Angina
061	Valve disease
062	Hypertension (high blood pressure)
067	Hypotension (low blood pressure)
063	Other heart problems nos.
064	Varicose veins/ phlebitis/ ulcers (legs only)
064	Varicocele
064	Other complaints of circulatory systems nos.
065	Disease of circulation/ arteriosclerosis/ Raynaud's disease
065	Arterial thrombosis/ thrombosis nos.
065	Pulmonary embolism/Deep vein Thrombosis(DVT)
066	Haemorrhoids/Piles.
139	High cholesterol

GROUP 9

Complaints of lungs and breathing

(001)	(Pulmonary tuberculosis (TB) - coded in Group 1)
(005)	(Lung cancer - coded in Group 9)
070	Chronic bronchitis/ bronchitis nos.
070	Emphysema
071	Asthma
071	Allergy resulting in lung/ breathing problems (incl. hay fever/ rhinitis)
072	Industrial respiratory diseases
073	Sinusitis/ sinus trouble
074	Breathing problems/ bad chest
074	Other respiratory complaints nos.

GROUP 10

Digestive, excretory and reproductive system complaints

(010)	(Diabetes - coded in Group 13)
(066)	Haemorrhoids/ piles) - Coded in Group 8.
080	Ileostomy
080	Colostomy
081	Hiatus hernia/Oesophagus Reflux
081	Ulcers of the digestive system
081	Bad digestion/ stomach problems
082	Other hernia/ rupture nos.
085	Gall bladder problems
083	Coeliac disease
083	Other indigestion problems nos. (incl. pancreatitis)
083	Liver disease.
083	Other complaints of the digestive system
084	Colitis/ colon trouble/ uclerative colitis
084	Irritable Bowel Syndrome (I.B.S)
084	Diverticular disease/ Crohn's disease
084	Bowel problems nos.
090	Kidney disease (incl. kidney stones)
093	Prostate problems
091	Incontinence/ bladder problems nos.
091	Other complaints of the excretory system
092	Complaints of the female reproductive system (except cancer)
092	Complaints of the male reproductive system (except cancer)
092	Fibroids.
(095)	(Food allergies - coded in Group 11)

GROUP 11

Skin Complaints

095	Eczema
095	Psoriasis
095	Dermatitis
095	Rashes and irritations
095	Other skin complaints nos.

GROUP 12

Complaints of bones, joints and muscles

011	Osteomalacia/ rickets
100	Rheumatoid arthritis
100	Ankylosing spondylosis/ spondylitis
101	Spondylosis
101	Osteo-arthritis/ wear and tear arthritis
102	Arthritis (other or unspecified)
103	Rheumatism
104	Slipped disc/ prolapsed disc/ spondylolisthesis
104	Vertebrae, disc or spine problems nos/Diffuse Intervertebral Segmented Hyperostosis('DISH')
104	Other bad back/ back injury/ lumbago nos.
104	Sciatica/Neuritis
105	Knee problems nos.
106	Deformity of extremities/ injury at birth
107	Absence or loss of limbs
108	Fracture/ injury damage to extremities by trauma
108	Delayed healing
108	Broken hip/ hip replacement
109	Osteoporosis
110	Connective tissue disease (eg. systemic lupus erythematosus/ scleroderma/ polymyositis/ dermatomyositis/ polymyalgia rheumatica/ giant cell arteritis)
111	Other complaints of bones, joints or muscles (eg. gout/ fibrositis/ Myasthenia gravis/ congenital dislocation of hip(s)
112	Pain in neck
112	Trapped nerve in neck
112	Cervical spondylosis
112	Shoulder problems (including frozen shoulder)
112	Pain/ discomfort in upper limb (arm)
112	Repetition strain injury/Tenosynvinitis
120	Brittle bones
138	Muscular dystrophy

GROUP 13

Other complaints

006	Polyps/ benign lumps, masses or growths
010	Diabetes
012	Obesity
013	Thyroid trouble/ Thyrotoxicosis/ Myxedema/ Hypothyroidism
013	Hormone deficiency/ imbalance
132	Dyslexia
133	Speech problems
134	Other complaints (eg. insomnia/ fainting/ underweight/ bad teeth/ blocked ears or nose/ groin strain/ phlegm/ cough/ weakness/ pain etc.)

135	Old age nos.
136	Myalgic Encephalomyelitis (M.E)
136	Post Viral Fatigue Syndrome
137	Post Traumatic Stress Syndrome

C & H checking for Q15.4 (other) & Q 15.5 (other)

Q15.4 Symptoms in the last 14 days

Q15.5 Recurring problems in the last 12 months

If a respondent has made an entry in the “other” box that you feel actually fits into one of the categories that are already on offer please make a note of the study number and ask Jane or Kim, Room 210, to edit the database accordingly.

In addition to checking that any “other” symptoms or “other” health problems do not fall into one of the categories already provided, also check that they do not appear in response to Q15.2b. If they do, cross out the answer in the box and make a note of the study number so that the database can be edited to “NO” for 15.4w &/or 15.5n.

C & H coding for Q 15.7b

Notes to assist coding:

The coding system is based on the chapter headings of the September 1994 (brown) BNF. This version should be used for all coding.

It is important that all coding has six numbers - so that e.g. chpt 3.4.2. must be entered as 030402

Code up to 4 drugs. If a 2nd or later drug is put in the same group as a preceding drug, do not enter the same code again. Move onto the next drug.

The list should include many of the drugs that will be listed.

A. If a drug is not on the list

1. Look in the September 1994 BNF - and then code according to the chapter headings - remembering to add the zeros where needed.
2. If it is not in September '94 BNF - look in MIMS or later versions of the BNF and then refer back to September '94 to find the right chapter headings - chapter numbers may differ in different BNF'S. **If in any doubt as Amanda or Harry.**
3. Check it is not in one of the groups that require letter coding - see B2 & 3 below. If it is try and code the extra letter.

NB - The tables of digestion preparations BNF p31 should not all be coded as 010102 - look at the contents of each drug and code accordingly. Similarly cough preparations on BNF p141 may be 030901, 030902 or 031000.

Replacement corticosteroid therapy on BNF p280-285 inclusive should all be coded as 060304.

B. Different uses of drug

Most drugs have only one use and only one chapter number - however some drugs have different uses and appear in different chapters and some drugs have different uses but appear in only one chapter.

1. Drugs that appear in different chapters

Use the information given in reason for taking Q15.7b or in Q15.2a (longstanding illness) to decide why it is being taken and code in the correct chapter. If there is no reason/clue for taking and the drug is on the list - code as the code with asterisk.

2. Drugs with different uses but only one chapter heading

These drugs are mainly cardiovascular drugs and diuretics.

A letter has been added after the chapter number to subdivide the use as follows

H - for heart problems eg angina, ischaemia, after MI

B - for hypertension, high blood pressure

O - Other eg swollen ankles, panic attacks, thyroid disease, migraine.

These additional letters apply for the following chapters:

020400 - beta blockers - divide into - B,H and O

All 0202 drugs - diuretics - divide into B, H and O

020505 - ACE inhibitors - divide into B and H

020602 - calcium-channel blockers - divide into B, H and O

If any drug in one of these categories is coded with an H - any other drugs requiring a letter should also have H

H takes priority over B.

If you cannot decide what the drug is being used for code without the letter ie just 020400 for propranolol

3. Subdividing chapter headings

For certain categories of drug we wish to specify drugs more completely than the first 3 digits of the chapter heading allows. The BNF sometimes adds a fourth digit - but in certain cases we will add a letter.

This applies to 2 chapters - 1040701 - non opioid analgesics

060401 - hormone replacement therapy

040701

Please add a letter A after the code if the drug contains **aspirin**

Check in the box in BNF p183 and also in the list of drugs on p 181 to see if aspirin is contained in the drug.

eg	aspav	040701A
	solpadol	040701
	actron	040701A

060401

Following the subheadings in the chapter

6.4.1.1	combined (for women with uterus)	add C
	oestrogen only (for women without uterus)	add E
	tibolone, livial & ethinyloestradiol	add E

6.4.1.2	progestogens	add P
---------	--------------	-------

eg	estrapak	060401C
	estraderm	060401E
	provera	060401P

If a 2nd or later drug has the same code as a preceding drug, do not enter the same code again move onto the next drug.

CODING OF PRESCRIBED MEDICINES: ALPHABETICAL INDEX

Abidec	090607
Acebutolol: hypertension	020400B
heart	020400H
other	020400O
Acepril: hypertension	020505B
heart	020505H
other	020505O
Achromycin	050103
Acipimox	021200
Actal	010101
Actified	030902
Actraphane	060101
Actrapid	060101
Acupan	040701
Acyclovir	050300
Adalat, Adalat Retard: hypertension	020602B
heart	020602H
other	020602O
Adizem: hypertension	020602B
heart	020602H
other	020602O
AeroBec	030200
Aerocrom	030300
Aerolin	030101
Agarol	010602
Aldactide 25/50: hypertension	020204B
other	020204O
Aldactone: hypertension	020203B
other	020203O
Aldomet	020502
Aldosterone antagonists: hypertension	020203B
other	020203O
Algicon	010101
Algitec	010301
Alkeran	080101
Allegron	040301
Aller-ege	030401
Allopurinol	100104
Allyloestrenol	060401P
Alophen	010602
Aloprazolam	040102
Alrheumat	100101
Altacite	010101

Aludrox, Aludrox SA	010101
Aluhyde	010200
Aluminium Hydroxide: gastro-intestinal	010101*
for chronic diarrhoeas	010500
as mineral supplement	090502
Alupent	030101
Alu-Cap: antacid	010101*
hyperphosphataemia	090502
Alverine Citrate	010200
Amil-Co: hypertension	020204B
other	020204O
Amiloride: hypertension	020203B
other	020203O
Aminophylline	030103
Amitriptyline depression	040301*
bladder control	070402
Amlodipine: hypertension	020602B
heart	020602H
other	020602O
Amodarone Hydrochloride	020302
Amoxil	050101
Amoxycillin	050101
Ampicillin	050101
Ampiclox	050101
Amytal	040103
Anafranil	040301
Angilol: hypertension	020400B
heart	020400H
other	020400O
Anquil	040201
Antacids	010100
Antabuse	041000
Antepsin	010303
Antibiotics	050100
Antihistamine	030401
Anti-inflammatory: Musculoskeletal and joints	100101
Antiplatelet drugs	020900
Anti-sickness (diarrhoea pills)	040600
Anugestic-HC	010702
Anusol	010701
Anxiolytics	040102
APP Stomach powder	010200
Apresoline	020501
Aprinox: hypertension	020201B
other	020201O
Apsifen	100101
Apsin	050101

Apsolol:	hypertension	020400B
	heart	020400H
	other	020400O
Apsolox:	hypertension	020400B
	heart	020400H
	other	020400O
AQ cream		130201
Arelix:	hypertension	020202B
	other	020202O
Arret		010402
Artane		040902
Arthrotec		100101
Asacol		010500
Asilone		010101
Aspav		040701A
Aspirin:	antiplatelet, (heart) if right dose	020900*
	analgesic (painkiller)	040701A
	for rheumatic diseases	100101
Astemizole		030401
Atarax		030401
Atenolol:	hypertension	020400B
	heart	020400H
	other	020400O
Atensine		040102
Ativan		040102
Atromid		021200
Atropine Sulphate:	antispasmodic	010200
Augmentin		050101
Auranofin		100103
Auremomycin:	eye ointment	110301
	cream	131001
Aventyl		040301
Avloclor		050401
Azamune		080201
Azapropazone		100101
Azathioprine		080201
Bactrim		050108
Balneum		130201
Baratol		020504
Barbiturates		040103
Baycaron:	hypertension	020201B
	other	020201O
Beclazone 50		030200
Becloforte (inhaler)		030200
Beclomethasone Dipropionate		030200
Becodisks		030200
Beconase (nasal spray)		120201
Becotide (inhaler)		030200
Belladonna Alkaloids		010200

Bendogen		020503
Bendrofluazide:	hypertension	020201B
	other	020201O
Benoral		100101
Benorylate		100101
Benperidol		040201
Benzodiazepine		040100
Berkaprine		080201
Berkatens:	hypertension	020602B
	heart	020602H
	other	020602O
Berkolol:	hypertension	020400B
	heart	020400H
	other	020400O
Berkozide:	hypertension	020201B
	other	020201O
Berotec		030101
Beta-adalat:	hypertension	020400B
	heart	020400H
	other	020400O
Beta-Blocker (for anxiety)		040102
Beta-Cardone:	hypertension	020400B
	heart	020400H
	other	020400O
Betagan		110600
Betahistine		040600
Betaloc, Betaloc SA:	hypertension	020400B
	heart	020400H
	other	020400O
Betamethasone		060304
Betaxolol Hydrochloride:	hypertension	020400B
	heart	020400H
	other	020400O
Bethanidine Sulphate		020503
Betnesol-N (nasal drops)		120203
Betnovate Rectal Ointment		010702
Betnovate & Betnovate C and N for skin disorders		130400
Betoptic		110600
Betim:	hypertension	020400B
	heart	020400H
	other	020400O
Bezafibrate		021200
Bezalip		021200
Biguanides		060102
BiNovum		070301
Bisacodyl		010602
Bisacodyl Suppositories		010602
Bismuth Chelate		010303

Bisoprolol Fumarate:	hypertension	020400B
	heart	020400H
	other	020400O
Blocadren:	hypertension	020400B
	heart	020400H
	other	020400O
Bolvidon		040301
Bran		010601
Bretylate		020302
Bretylum Tosylate		020302
Brevinor		070301
Bricanyl		030101
Brocadopa		040901
Bromazepam		040102
Bromocriptine:	parkinson	040901
Brompheniramine		030401
Brufen		100101
Buccastem		040600
Bumetanide:	hypertension	020202B
	other	020202O
Buprenorphine		040702
Burinex:	hypertension	020202B
	other	020202O
Burinex A:	hypertension	020204B
	other	020204O
Burinex K:	hypertension	020208B
	other	020208O
Buscopan		010200
Busulphan		080101
Butacote		100101
Cafadol		040701
Cafergot		040704
Calabren		060102
Calcichew		090501
Calcichew (D3)		090604
Calcium and Ergocalciferol		090604
Calcium Folate		080103
Calcium Gluconate		090501
Calcium Leucovorin		080103
Calpol		040701
Camcolit		040203
Canesten:	skin cream	131002
	vaginal cream	070202
	ear solution	120101
Canesten HC		130400
Cantil		010200
Capoten:	hypertension	020505B
	heart	020505H
	other	020505O

Capozide:	hypertension	020505B
	heart	020505H
	other	020505O
Caprin		040701A
Captopril:	hypertension	020505B
	heart	020505H
	other	020505O
Carace:	hypertension	020505B
	heart	020505H
	other	020505O
Carbamazepine:	antiepileptic	040801*
	in manic depression	040203
	analgesic	040701
Carbellon		010103
Carbenoxlone:	stomach/peptic ulcer	010306
	mouth ulcers	120301
Carbimazole		060202
Cardene:	hypertension	020602B
	heart	020602H
	other	020602O
Cardiac glycosides		020101
Cardura		020504
Cascara		010602
Castor Oil		010602
Catapres		020502
Caved-s		010306
Cedocard-5, 10, 20, Regard, IV		020601
Cefaclor		050102
Cefadroxil		050102
Celechol:	hypertension	020400B
	heart	020400H
	other	020400O
Celevac		010601
Ceporex		050102
Cerumol		120103
Cetirizine Hydrochloride		030401
Chloractil		040201
Chloral Hydrate		040101
Chlorambucil		080101
Chloramphenicol:	antibiotic	050107
	eye drops	110301
	ear drops	120101
Chlordiazepoxide		040102
Chlormethiazole Edisylate		040101
Chlormezanone		040102
Chloromycetin:	eye drops	110301
Chlorothiazide:	hypertension	020201B
	other	020201O
Chlorpheniramine		030401

Chlorpromazine:	antipsychotic	040201
	nausea relief	040600
Chlorpropamide		060102
Chlorthalidone:	hypertension	020201B
	other	020201O
Cholestyramine		021200
Cilest		070301
Cimetidine		010301
Cinnarizine		040600
Ciproxin		050112
Clarityn		030401
Climagest		060401C
Climaval		060401E
Clobazam		040102
Clofibrate		021200
Clomipramine Hydrochloride		040301
Clonidine Hydrochloride		020502
Clopamide:	hypertension	020201B
	other	020201O
Clopixol		040202
Clorazepate Dipotassium		040102
Cloxacillin		050101
Co-amlofruse:	hypertension	020204B
	other	020204O
Co-Amilozide:	hypertension	020204B
	other	020204O
Co-Amoxiclav		050101
Co-Betaloc, Co-Betaloc SA:	hypertension	020400B
	heart	020400H
	other	020400O
Co-codamol		040701
Co-codaprin		040701A
Codafen Continus		100101
Co-danthramer Capsules		010602
Codeine		040702
Codeine Phosphate:	antidiarrhoeal	010402
	analgesic	040702*
Codeine Linctus		030901
Codis		040701A
Cod liver Oil		090601
Co-dydramol		040701
Cogentin		040902
Colchicine		100104
Colestid		021200
Colestipol		021200
Colifoam		010500
Colofac		010200
Colpermin		010200
Concordin		040301

Conova 30		070301
Co-proxamol		040701
Cordarone X		020302
Corgard:	hypertension	020400B
	heart	020400H
	other	020400O
Corgaretic 40:	hypertension	020400B
	heart	020400H
	other	020400O
Cordilox:	hypertension	020602B
	heart	020602H
	other	020602O
Coro-Nitro Spray		020601
Corticotrophin		060501
Cortisone Acetate		060304
Cortistab		060304
Cortisyl		060304
Co-tenidone:	hypertension	020400B
	heart	020400H
	other	020400O
Co-Trimoxazole		050108
Cough mixture	nos	030900
Cyclimorph		040702
Cyclizine		040600
Cyclogest (suppository)		060401P
Cyclopenthiiazide:	hypertension	020201B
	other	020201O
Cyclophosphamide		080101
Cyclo-Progynova		060401C
Cyklokapron		021100
Cyprostat		080304
Cytacon		090102
Cytotec		010304
Daktacort		130400
Dalmane		040101
Danazol		060702
Danol		060702
Danthron		010602
Daonil		060102
Debrisoquine		020503
Decadron:	corticosteriod	060304
	in rheumatic disease	100102
Deca-Durabolin:	nutrition and blood	090103
Declinax		020503
Decortisyl		060304
Deltacortril Enteric		060304
Deltastab:	endocrine	060304
	muscular and joint	100102
Depixol		040202

Depo-Medrone:	endocrine	060304
	muscular and joint	100102
Depo-Provera:	sex hormone	060401P
	contraceptive	070302
	in malignant disease	080302
Dermovate		130400
Deseril		040704
Desipramine Hydrochloride		040301
Dexamethasone:	corticosteroid	060304
	in rheumatic diseases	100102
	for the eye	110401
Dexa-Rhinaspray		120203
Dextromoramide		040702
Dextropropoxyphene		040702
De-Nol		010303
De-Noltab		010303
DF118		040702
DHC Continus		040702
Diabinese		060102
Diamicron		060102
Diamorphine Hydrochloride		040702
Diamox		110600
Diarrest		010402
Diastix		060106
Diazepam:	in anxiety states	040102*
	neuromuscular	100202
Diazoxide		020501
Dibenyline		020504
Diclofenac sodium		100101
Diclomax Retard		100101
Diconal		040702
Dicyclomine Hydrchloride		010200
Dicynene		021100
Didronel		060602
Diffiam (cream)		100302
Diflunisal		100101
Digitoxin		020101
Digoxin		020101
Dihydrocodeine		040702
Dijex		010101
Diltiazem:	hypertension	020602B
	heart	020602H
	other	020602O
Dimotane La		030401
Dimotapp		030901
Dindevan		020802
Dioctyl		010602
Dioctyl Sodium Sulphosuccinate		010602

Dioralyte		090201
Diovol		010101
Dipipanone Hydrochloride		040702
Diprosalic		130400
Dipyridamole		020900
Dirythmin SA		020302
Disopyramide		020302
Disprol		040701
Distaclor		050102
Distalgesic		040701
Ditropan		070402
Diuretics	nos	020200
Diurexan:	hypertension	020201B
	other	020201O
Dixarit		040704
Dolmatil		040201
Dolobid		100101
Doloxene		040702
Doloxene Compound		040702
Domical		040301
Domperidone		040600
Dopamet		020502
Doralese		070401
Dormonoct		040101
Dothapax		040301
Dothiepin		040301
Doxazosin		020504
Doxepin		040301
Doxycycline		050103
Droleptan:	anti-psychoses	040201
Dryptal:	hypertension	020202B
	other	020202O
Dulco-Lax		010602
Duphalac		010604
Duphaston		060401P
Dyazide:	hypertension	020204B
	other	020204O
Dydrogesterone		060401P
Dynese		010101
Dytac:	hypertension	020203B
	other	020203O
Dytide:	hypertension	020204B
	other	020204O
E45 (cream)		130201
Ebufac		100101
Edecrin:	hypertension	020202B
	other	020202O
Efcortelan Soluble		060304
Efcortisol		060304

Elantan 20, 40	020601
Elavil	040301
Eltroxin	060201
Emcor: hypertension	020400B
heart	020400H
other	020400O
Enalapril: hypertension	020505B
heart	020505H
other	020505O
Endoxana	080101
Epanutin	040801
Epilim	040801
Epogam	130501
Equagesic: hypnotics and anxiolytics	040102
analgesics	040701A
Equanil	040102
Ergotamine	040704
Erythrocin	050105
Erythromycin	050105
Erythroped, Erythroped A	050105
Esbatal: hypertension	020201B
other	020201O
Esidrex: hypertension	020201B
other	020201O
Estraderm	060401E
Estaderm (patch)	060401E
Estracombi	060401C
Estracombi TTS	060401C
Estrapak 50 (patch)	060401C
Ethacrynic Acid: hypertension	020202B
other	020202O
Ethinylloestradiol tablets	060401E
Etodolac	100101
Eudemine	060104
Euglucon	060102
Eugynon 30	070301
Eumovate: cream/ointment	130400
eye-drops	110401
Evorel	060401E
Eyedrops: chloramphenicol	110301
hypromellose (tear deficiency)	110801
hydrocortisone	110401
Exirel (capsules, inhaler)	030101
Faecal softeners	010603
Fefol	090101
Feldene capsules	100101
Feldene gel	100302
Femodene, Femodene ED	070301
Femulen	070302

Fenbid	100101
Fenbufen	100101
Fenoprofen	100101
Fenopron	100101
Feospan	090101
Fergon	090101
Ferrocip	090101
Ferrocontin Continus	090101
Ferrograd, Ferrograd C, Ferrograd Folic	090101
Ferromyn	090101
Ferrous Fumarate	090101
Ferrous Gluconate	090101
Ferrous Glycine Sulphate	090101
Ferrous Succinate	090101
Ferrous Sulphate, Ferrous Sulphate Compound	090101
Fersaday	090101
Fersamal	090101
Finasteride	060402
Flagyl	050111
Flecainide Acetate	020302
Fleotide (ventolin)	030200
Fletcher's Enemette	010602
Flexin	100101
Flixonase	120201
Flixotide	030200
Floxapen	050101
Fluanxol:	
psychoses	040201
stimulants	040304
Flucloxacillin	050101
Fludrocortisone Acetate	060304
Flunitrazepam	040101
Fluorometholone	110401
Fluorouracil	080103
Fluoxetine Hydrochloride	040304
Flupenthixol	040304
Fluphenazine Decanoate	040202
Flurazepam	040101
Flurbiprofen	100101
Flutamide	080304
Folic Acid:	
tablets	090102
with iron	090101
Forceval	090607
Fortagesic	040701
Fortral	040702
Franol	030104
Frisium	040102
Froben	100101
Frumil:	
hypertension	020204B
other	020204O

Frusemide:	hypertension	020202B
	other	020202O
Frusene:	hypertension	020204B
	other	020204O
Fungicide		131002
Fybogel		010601
Galfer, Galfer FA, Galfer-Vit		090101
Gamanil		040301
Gastrils		010101
Gastrocote		010101
Gastrozepin		010302
Gaviscon (tablets or liquid)		010101
Gelusil		010101
Gemfibrozil		021200
Gentamicin		050104
Genticin:	ear drops	120101
	eye drops	110301
	other infections	050104
Gestanin		060401P
Gestone		060401P
Gold (tablets or injection)		100103
Glibenclamide		060102
Glibenese		060102
Gliclazide		060102
Glipizide		060102
Gliquidone		060102
Glucophage		060102
Glurenorm		060102
Glycerol Suppositories		010602
Glyceryl Trinitrate		020601
Glycopyrronium Bromide		150103
Griseofulvin		050200
GTN 300		020601
Guanethidine Momosuphate		020503
Guar Gum		060102
Guarem		060102
Guarina		060102
Half-Inderal LA:	hypertension	020400B
	heart	020400H
	other	020400O
Haloperidol:	antipsychotic	040201
	in tremors/choreas	040903
Harmogen		060401E
Heminevrin:	hypnotic	040101*
	alcohol withdrawal	041000
Heparin (injections)		020801
Herpid		131003
Hexopal		020603
Hismanal		030401

Homeopathic Remedies	999999
Hormonin	060401E
HRT . . . nos	060401
Human Actraphane	060101
Human Actrapid	060101
Human Actrapid Penfill	060101
Human Initard 50/50	060101
Human Insulatard	060101
Human Mixtard 30/70	060101
Human Monotard	060101
Human Protaphane	060101
Human Ultratard	060101
Human Velosulin	060101
Humulin I	060101
Humulin Lente	060101
Humulin S	060101
Humulin Zn	060101
Hydralazine	020501
Hydrea	080105
Hydrenox:	
hypertension	020201B
other	020201O
Hydrochlorothiazide:	
hypertension	020201B
other	020201O
Hydrocortisone:	
chronic diarrhoeas	010500
haemorrhoids	010702
corticosteroid	060304
eye drops	110401
mouth treatment	120301
skin treatment (topical corticosteroid)	130400
Hydrocortisab:	
corticosteroid	060304
rheumatic disease	100102
skin	130400
Hydrocortone	060304
Hydroflumethiazide	020201
Hydromet	020502
HydroSaluric:	
hypertension	020201B
other	020201O
Hydroxocobalmin	090102
Hydroxyprogesterone	060401P
Hydroxyurea	080105
Hydroxyzine Hydrochloride	030401
Hygroton:	
hypertension	020201B
other	020201O
Hyoscine Butylbromide	010200
Hypnotics	040101
Hypovase:	
hypertension	020504
prostatic enlargement	070401
Hypromellose (eyedrops)	110801
Hypurin Isophane	060101

Hypurin Lente	060101
Hypurin Neutral	060101
Hypurin Protamine Zinc	060101
Ibular	100101
Ibuprofen: analgesic	040701
in rheumatic diseases	100101*
topical antirheumatic	100302
Imbrilon	100101
Imdur	020601
Imigran	040704
Imipramine	040301
Imodium	010402
Imuran	080201
Indapamide: hypertension	020201B
other	020201O
Inderal, Inderal LA: hypertension	020400B
heart	020400H
other	020400O
Inderetic: hypertension	020400B
heart	020400H
other	020400O
Inderex: hypertension	020400B
heart	020400H
other	020400O
Indocid	100101
Indolar	100101
Indomethacin: rheumatic diseases	100101*
gout	100104
Indomod	100101
Indoramin: antihypertensive	020504
uninary tract	070401
Inhalers	030000
Initard 50/50	060101
Innovace: hypertension	020505B
heart	020505H
other	020505O
Insulatard	060101
Insulin	060101
Insulin Zinc Suspension	060101
Insulin Zinc Suspension-Amorphous	060101
Insulin Zinc Suspension-Crystalline	060101
Intal	030300
Integrin	040201
Ipral	050108
Ipratropium Inhaler	030102
Iprindole	040301
Iron	090100
Ismelin (tablets): antihypertensive	020503
Ismo 20	020601

Isocarboxazid	040302
Isogel	010601
Isoket 5, 10, 20, Retard, IV	020601
Isometheptene Mucate	040704
Isophane Insulin Injection	060101
Isordil	020601
Isosorbide Dinitrate	020601
Isosorbide Mononitrate	020601
Ispaghula Husk	010601
Istin:	
hypertension	020602B
heart	020602H
other	020602O
Jectofer (injection)	090101
Kalspare:	
hypertension	020204B
other	020204O
Kalten:	
hypertension	020400B
heart	020400H
other	020400O
Keflex	050102
Kerlone:	
hypertension	020400B
heart	020400H
other	020400O
Kest	010603
Ketoconazole	050200
Ketoprofen	100101
Kinidin Durules	020302
Kliofem	060401C
Kolanticon	010200
Labetalol Hydrochloride	020400
Lactulose	010604
Ladropen	050101
Lamisil	050200
Lanoxin	020101
Lanvis	080103
Laractone:	
hypertension	020203B
other	020203O
Larflex	100101
Largactil	040201
Lariam	050401
Lasilactone:	
hypertension	020204B
other	020204O
Lasix:	
hypertension	020202B
other	020202O
Laxatives	010600
Laxoberal	010602
Ledercort:	
corticosteroids	060304
topical corticosteroids	130400
Lederfen	100101
Ledermycin	050103

Lentard MC	060101
Lenitizol	040301
Leukeran	080101
Levodopa	040901
Lexotan	040102
Lexpec	090102
Libanil	060102
Librium	040102
Lidifen	100101
Linctus: codeine, pholcodine	030901
simple	030902
Lingraine	040704
Lipostat	021200
Liquid Paraffin	010603
Liquorice Deglycyrrhizinised	010306
Lisinopril: hypertension	020505B
heart	020505H
other	020505O
Lithium	040203
Livial	060401E
Lobak	040701
Lodine	100101
Loestrin 20, Loestrin 30	070301
Lofepamine	040301
Logynon, Logynon ED	070301
Lomotil	010402
Loniten	020501
Loop Diuretics: hypertension	020202B
other	020202O
Loperamide	010402
Loprazolam	040101
Lopressor: hypertension	020400B
heart	020400H
other	020400O
Lopresoretic: hypertension	020400B
heart	020400H
other	020400O
Lormetazepam	040101
Lorazepam: anxioalytic	040102
antiepileptic	040802
sedation	150104
Losec	010305
Ludiomil	040301
Lustral	040304
Maalox, Maalox TC, Maalox plus	010101
Magnesium Carbonate	010101
Magnesium Salts (antacid)	010604
Magnesium Sulphate	010604
Magnesium Trisilicate	010101

Malaria Pills	050401
Malix	060102
Maprotiline Hydrochloride	040301
Marevan	020802
Marplan	040302
Marvelon	070301
Maxepa	021200
Maxolon	040600
Maxtrex	080103
Mebeverine Hydrochloride	010200
Medihaler	030101
Medihaler-Ergotamine	040704
Medihaler-iso (inhaler)	030101
Medised	040701
Medrone	060304
Medroxyprogesterone Acetate	070302
Mefenamic Acid	100101
Mefruside: hypertension	020201B
other	020201O
Melleril	040201
Melphalan	080101
Menophase	060401C
Menzol	060401P
Mepenzolate Bromide	010200
Meprobamate	040102
Meptazinol	040702
Meptid	040702
Merbentyl	010200
Mercaptopurine	080103
Mercilon	070301
Mesalazine	010500
Metenix: hypertension	020201B
other	020201O
Metformin	060102
Methadone: linctus	030901
analgesic	040702
substance dependence	041000
Methotrexate: malignant diseases	080103
psoriasis	130502
rheumatic disease	100103
Methyldopa	020502
Metoclopramide: antispasmodic	010200
in nausea/vertigo	040600
antimigraine	040704
Metoprolol Tartrate: hypertension	020400B
heart	020400H
other (eg migraine)	020400O
Metronidazole: antimicrobial	050111
Methylcellulose	010601

Methysergide	040704
Metirosine	020507
Metoclopramide Hydrochloride	010200
Metolazone: hypertension	020201B
other	020201O
Mexiletine Hydrochloride	020302
Mexitil, Mexitil PL	020302
Mianserin Hydrochloride	040301
Micolette Micro-enema	010604
Micralax Micro-enema	010604
Microgynon 30	070301
Micronor	070302
Microval	070302
Midamor: hypertension	020203B
other	020203O
Midrid	040704
Migraleve	040704
Migravess	040704
Migril	040704
Minocin	050103
Minodiab	060102
Minoxidil: tablets - antihypertensive	020501
lotion - baldness	130900
Min-I-Mix Methyprednisolone	060304
Minulet	070301
Mixtard 30/70	060101
Mobilan	100101
Modecate	040202
Moditen	040201
Moducren: hypertension	020400B
heart	020400H
other	020400O
Moduret 25: hypertension	020204B
other	020204O
Moduretic: hypertension	020204B
other	020204O
Mogadon	040101
Molipaxin	040301
Monit	020601
Mono-Cedocard 20, 40	020601
Monocor: hypertension	020400B
heart	020400H
other	020400O
Monotard MC	060101
Monovent (syrup)	030101
Morphine: linctus	030901
analgesic	040702
anaesthesia	150104
Motipress	040303

Motilium		040600
Motival		040303
Motrin		100101
MoveLat cream		100302
MST Continus		040702
Mucaine		010101
Mucogel		010101
Multivitamins		090607
Mycardol		020601
Myleran		080101
Myocrisin		100103
Mysoline		040801
Nabumetone		100101
Nacton		010200
Nadolol:	hypertension	020400B
	heart	020400H
	other	020400O
Nalbuphine Hydrochloride		040702
Nalorex		041000
Naprosyn		100101
Naproxen		100101
Naproxen Sodium		100101
Nardil		040302
Narphen		040702
Natrilix:	hypertension	020201B
	other	020201O
Natulan		080105
Navidrex K:	hypertension	020201B
	other	020201O
Navispare:	hypertension	020204B
	other	020204O
Nebuhaler		030105
Nefopam Hydrochloride		040701
Neocon 1/35		070301
Neo-cytamen (injection)		090102
Neo-Mercazole		060202
Neogest		070302
Neo-NaClex:	hypertension	020201B
	other	020201O
Nepenthe		040702
Neulacatil		040201
Neurofen		100101
Neutral Insulin Injection		060101
Nicardipine Hydrochloride:	hypertension	020602B
	heart	020602H
	other	020602O
Nicotinic Acid		021200
Nicoumalone		020802

Nifedipine:	hypertension	020602B
	heart	020602H
	other	020602O
Nifensar		020602
Niferex		090101
Nipride		020501
Nitrazepam		040101
Nitrocine		020601
Nitrolingual (spray)		020601
Nivaquine		050401
Nizoral Shampoo		131002
Noctec		040101
Nolvadex		080304
Nordox		050103
Norethisterone:	malignant diseases	080301
	menstrual disorder	060401P*
Norgeston		070302
Noriday		070302
Norimin		070301
Norinyl-1		070301
Noristerat (injection)		070302
Normacol		010601
Normax		010602
Nortriptyline		040301
Norval		040301
Nozinan		040201
Nubain		040702
Nuelin		030103
Nurofen:	rheumatic diseases	100101
	cold and flu	030902
Nu-Seals Aspirin...	see Aspirin	
Nuvelle		060401C
Nystan:	tablets	050200
	vaginal infections	070202
	oral/perioral infections	120302
	cream -for skin	131002
Nystatin		050200
Octovit		090607
Oestradiol (implants)		060401E
Oestriol:	Sex hormone/HRT	060401E
	vaginal cream	070201
Oestrogens, Conjugated		060401C
Ofloxacin		050112
Oilatum Emollient		130201
Olbetam		021200
Omeprazole		010305
Opticrom:	eye drops	110402
Optimax		040304
Oral Hypoglycaemic Drugs		060102

Orap		040201
Orbenin		050101
Orovite		090607
Ortho-dienoestrol (cream)		070201
Ortho-Novin 1/50		070301
Orudis		100101
Oruvail:	tablets	100101
	gel	100302
Otosporin		120101
Ovestin (Tablets):	sex hormone/HRT	060401E
Ovestin (Cream):	vaginal cream	070201
Ovran, Ovran 30		070301
Ovranette		070301
Ovysmen		070301
Oxazepam		040102
Oxivent		030102
Oxprenolol:	hypertension	020400B
	heart	020400H
	other	020400O
Oxybutinin		070402
Oxygen		030600
Oxytetracycline		050103
Painkiller		040700
Paldesic		040701
Palfium		040702
Paludrine		050401
Panadeine		040701
Panadol		040701
Paracetamol		040701
Paracodol		040701
Parake		040701
Paramax		040704
Paramol		040701
Parlodel		060701
Parmid		040600
Parnate		040302
Paroven		020603
Paroxetine		040304
Parstelin		040303
Pavacol-D		030901
Penbritin		050101
Pencillamine		100103
Penicillin, Penicillin V, Penicillin V-K		050101
Penmix Insulin		060101
Pentaerthritol Tetranitrate		020601
Pentazocine		040702
Pepcid		010301
Peppermint Oil		010200
Percutol		020601

Perindopril:	hypertension	020505B
	heart	020505H
Persantin		020900
Pertofran		040301
Pethidine		040702
Phenazocine Hydrochloride		040702
Phenelzine		040302
Phenergan		030401
Phenindione		020802
Phenobarbitone:	epilepsy	040801
Phenoxybenzamine		020504
Phenoxymethylpenicillin		050101
Phentolamine Mesylate		020504
Phenylbutazone		100101
Phenytoin		040801
Pholcodine linctus		030901
Phosphate Enema		010604
Phyllocontin Continus		030103
Physeptone		040702
Picolax		010602
Pilocarpine		110600
Pindolol:	hypertension	020400B
	heart	020400H
	other	020400O
Pipenzolate Bromide		010200
Pipeazine Oestrone Sulphate		050501
Piptalin		010200
Pirenzepine		010302
Piretanide:	hypertension	020202B
	other	020202O
Piriton		030401
Pivampicillin		050101
Plendil:	hypertension	020602B
	heart	020602H
	other	020602O
Plesmet		090101
Poldine Methysulphate		010200
Polythiazide:	hypertension	020201B
	other	020201O
Ponderax		040502
Ponstan		100101
Postassium Canrenoate:	hypertension	020203B
	other	020203O
Potassium Chloride		090201
Potassium-sparing diuretics:	hypertension	020203B
	other	020203O
Pravastatin		021200
Praxilene		020604

Prazosin Hydrochloride:	hypertension	020504
	prostatic enlargement	070401
Precortisyl		060304
Precotisyl Forte		060304
Prednesol		060304
Prednisolone		060304
Prednisone		060304
Predsol:	ear drops	120101
Pregaday		090101
Premarin:	(tablets) sex hormone	060401E*
	vaginal cream	070201
Prempak-C		060401C
Prestim, Prestim Forte:	hypertension	020400B
	heart	020400H
	other	020400O
Priadel		040203
Primolut N		060401P
Primperan		040600
Pro-banthine		010200
Procainamide Durules		020302
Procainamide Hydrochloride		020302
Procarbazine		080105
Prochlorperazine:	nausea	040600
	psychoses	040201
Proctofibe		010601
Proctofoam		010702
Procyclidine		040902
Progesic		100101
Progesterones		060401P
Progynova		060401E
Proluton Depot (injection)		060401P
Promazine		040201
Promethazine Hydrochloride:	allergic disorders	030401*
	hypnotic	040101
	nausea	040600
Prondol		040301
Pronestyl		020302
Propaderm		130400
Propain		040701
Propantheline Bromide		010200
Propranolol:	hypertension	020400B
	heart	020400H
	other	020400O
Proscar		060402
Prostate/ shrinking treatment		070401
Protamine Sulphate		020803
Protamine Zinc Insulin Injection		060101
Prothiaden		040301
Protriptyline Hydrochloride		040301

Prazosin Hydrochloride:	hypertension	020504
	prostatic enlargement	070401
Precortisyl		060304
Precotisyl Forte		060304
Prednesol		060304
Prednisolone		060304
Prednisone		060304
Predsol:	ear drops	120101
Pregaday		090101
Premarin:	(tablets) sex hormone	060401E*
	vaginal cream	070201
Prempak-C		060401C
Prestim, Prestim Forte:	hypertension	020400B
	heart	020400H
	other	020400O
Priadel		040203
Primolut N		060401P
Primperan		040600
Pro-banthine		010200
Procainamide Durules		020302
Procainamide Hydrochloride		020302
Procarbazine		080105
Prochlorperazine:	nausea	040600
	psychoses	040201
Proctofibe		010601
Proctofoam		010702
Procyclidine		040902
Progesic		100101
Progesterones		060401P
Progynova		060401E
Proluton Depot (injection)		060401P
Promazine		040201
Promethazine Hydrochloride:	allergic disorders	030401*
	hypnotic	040101
	nausea	040600
Prondol		040301
Pronestyl		020302
Propaderm		130400
Propain		040701
Propantheline Bromide		010200
Propranolol:	hypertension	020400B
	heart	020400H
	other	020400O
Proscar		060402
Prostate/ shrinking treatment		070401
Protamine Sulphate		020803
Protamine Zinc Insulin Injection		060101
Prothiaden		040301
Protriptyline Hydrochloride		040301

Provera... for use as sex hormone	060401P
Praxilene	020604
Prozac	040304
Pulmicort	030200
Puri-nethol	080103
Prodoxine B	090602
Pyridoxine	090602
Pyrogastrone	010306
Questran, Questran A	021200
Quinidine Sulphate	020302
Quinine: malaria -treatment or prevention	050401
leg cramps	100202*
Ranitidine	010301
Rapitard MC	060101
Rastinon	060102
Redeptin	040202
Refolinon	080103
Regulan	010601
Relifex	100101
Remedeine	040701
Replens	070201
Rheumacin	100101
Rheumox	100101
Rhinocort	120201
Rhumalgan	100101
Robaxin	100202
Rohypnol	040101
Rotahaler	030105
Rynacrom	120201
Rythmodan	020302
Salazopyrin: chronic diarrhoea	010500*
in rheumatic diseases	100103
Salbutamol (inhaler)	030101
Salofalk	010500
Saluric: hypertension	020201B
other	020201O
Salzone	040701
Sandocal (vitamin D)	090501
Sando-K	090201
Sandoz	090201
Sanomigran	040704
Schering PC4	070301
Secadrex: hypertension	020400B
heart	020400H
other	020400O
Seconal Sodium	040103
Sectral	020400

Prazosin Hydrochloride:	hypertension	020504
	prostatic enlargement	070401
Precortisyl		060304
Precortisyl Forte		060304
Prednesol		060304
Prednisolone		060304
Prednisone		060304
Predsol:	ear drops	120101
Pregaday		090101
Premarin:	(tablets) sex hormone	060401E*
	vaginal cream	070201
Prempak-C		060401C
Prestim, Prestim Forte:	hypertension	020400B
	heart	020400H
	other	020400O
Priadel		040203
Primolut N		060401P
Primperan		040600
Pro-banthine		010200
Procainamide Durules		020302
Procainamide Hydrochloride		020302
Procarbazine		080105
Prochlorperazine:	nausea	040600
	psychoses	040201
Proctofibe		010601
Proctofoam		010702
Procyclidine		040902
Progesic		100101
Progesterones		060401P
Progynova		060401E
Proluton Depot (injection)		060401P
Promazine		040201
Promethazine Hydrochloride:	allergic disorders	030401*
	hypnotic	040101
	nausea	040600
Prondol		040301
Pronestyl		020302
Propaderm		130400
Propain		040701
Propantheline Bromide		010200
Propranolol:	hypertension	020400B
	heart	020400H
	other	020400O
Proscar		060402
Prostate/ shrinking treatment		070401
Protamine Sulphate		020803
Protamine Zinc Insulin Injection		060101
Prothiaden		040301
Protriptyline Hydrochloride		040301

Prazosin Hydrochloride:	hypertension	020504
	prostatic enlargement	070401
Precortisyl		060304
Precotisyl Forte		060304
Prednesol		060304
Prednisolone		060304
Prednisone		060304
Predsol:	ear drops	120101
Pregaday		090101
Premarin:	(tablets) sex hormone	060401E*
	vaginal cream	070201
Prempak-C		060401C
Prestim, Prestim Forte:	hypertension	020400B
	heart	020400H
	other	020400O
Priadel		040203
Primolut N		060401P
Primperan		040600
Pro-banthine		010200
Procainamide Durules		020302
Procainamide Hydrochloride		020302
Procarbazine		080105
Prochlorperazine:	nausea	040600
	psychoses	040201
Proctofibe		010601
Proctofoam		010702
Procyclidine		040902
Progesic		100101
Progesterones		060401P
Prodynova		060401E
Proluton Depot (injection)		060401P
Promazine		040201
Promethazine Hydrochloride:	allergic disorders	030401*
	hypnotic	040101
	nausea	040600
Prondol		040301
Pronestyl		020302
Propaderm		130400
Propain		040701
Propantheline Bromide		010200
Propranolol:	hypertension	020400B
	heart	020400H
	other	020400O
Proscar		060402
Prostate/ shrinking treatment		070401
Protamine Sulphate		020803
Protamine Zinc Insulin Injection		060101
Prothiaden		040301
Protriptyline Hydrochloride		040301

Provera... for use as sex hormone	060401P
Praxilene	020604
Prozac	040304
Pulmicort	030200
Puri-nethol	080103
Prodoxine B	090602
Pyridoxine	090602
Pyrogastrone	010306
Questran, Questran A	021200
Quinidine Sulphate	020302
Quinine: malaria -treatment or prevention	050401
leg cramps	100202*
Ranitidine	010301
Rapitard MC	060101
Rastinon	060102
Redeptin	040202
Refolinon	080103
Regulan	010601
Relifex	100101
Remedeine	040701
Replens	070201
Rheumacin	100101
Rheumox	100101
Rhinocort	120201
Rhumalgan	100101
Robaxin	100202
Rohypnol	040101
Rotahaler	030105
Rynacrom	120201
Rythmodan	020302
Salazopyrin: chronic diarrhoea	010500*
in rheumatic diseases	100103
Salbutamol (inhaler)	030101
Salofalk	010500
Saluric: hypertension	020201B
other	020201O
Salzone	040701
Sandocal (vitamin D)	090501
Sando-K	090201
Sandoz	090201
Sanomigran	040704
Schering PC4	070301
Secadrex: hypertension	020400B
heart	020400H
other	020400O
Seconal Sodium	040103
Sectral	020400

Securon, Securon SR:	hypertension	020602B
	heart	020602H
	other	020602O
Selegiline		040901
Semi-Daonil		060102
Semitard MC		060101
Senna		010602
Senokot		010602
Septrin		050108
Serc		040600
Serenace		040201
Serevent (inhaler)		030101
Seroxat		040304
Sertraline		040304
Simple Linctus		030902
Simvastatin		021200
Sinemet		040901
Sinequan		040301
Sleeping tablets		040101
Slo-Indo		100101
Slo-Phyllin		030103
Sloprolol:	hypertension	020400B
	heart	020400H
	other	020400O
Slow-Fe		090101
Slow K		090201
Slow-Trasicor:	hypertension	020400B
	heart	020400H
	other	020400O
Sodium Amytal		040103
Sodium Bicarbonate		010102
Sodium Picosulphate		010601
Sodium Valproate		040801
Soframycin:	eye preparations	110301
	ear preparations	120101
	skin preparations	131001
Sofradex		120101
Solpadeine		040701
Solpadol		040701
Solu-Cortef		060304
Solu-Medrone		060304
Somnite		040101
Soneryl		040103
Soni-Slo		020601
Sorbichew		020601
Sorbid SA		020601
Sorbitrate		020601

Sotacor:	hypertension	020400B
	heart	020400H
	other	020400O
Sotalol Hydrochloride:	hypertension	020400B
	heart	020400H
	other	020400O
Sotazide:	hypertension	020400B
	heart	020400H
	other	020400O
Sparine		040201
Spasmonal		010200
Spiroctan-M:	hypertension	020203B
	other	020203O
Spirolone:	hypertension	020203B
	other	020203O
Spironolactone:	hypertension	020203B
	other	020203O
Stafoxil		050101
Staril:	hypertension	020505B
	heart	020505H
	other	020505O
Stelazine		040201
Stemetil		040600
Sterculia		010601
Stimulant laxatives		010602
Stugeron		040600
Sucralfate		010303
Sudafed:	cough preparations	030902
	nasal decongestant	030903
	nasal spray	120202
Sudocrem		130201
Sulphadiazine		050108
Sulphasalazine:	rheumatic diseases and gout	100103
Sulpitil		040201
Sumatriptan		040704
Surgam		100101
Surmontil		040301
Suscard Buccal		020601
Sustac		020601
Sustanon		060402
Syndol		040701
Synflex		100101
Synphase		070301
Syntaris (nasal spray)		120201
Syntopressin		060502
Sytron		090101
Tagamet		010301
Tambocor		020302
Tamoxifen		080304

Tegretol		040801
Temazepam		040101
Temgesic		040702
Tenif:	hypertension	020400B
	heart	020400H
	other	020400O
Tenoret 50:	hypertension	020400B
	heart	020400H
	other	020400O
Tenoretic:	hypertension	020400B
	heart	020400H
	other	020400O
Tenormin:	hypertension	020400B
	heart	020400H
	other	020400O
Tensium		040102
Teoptic		110600
Terfenadine		030401
Tertroxin		060201
Tetracycline:	antibiotic (tablets)	050103*
	eye ointment	110301
	ear ointment	120101
	oral use	120301
	skin ointment	131001
Theo-Dur		030103
Thioridazine		040201
Thyroxine		060201
Tiaprofenic Acid		100101
Tilade Mint (inhaler)		030300
Tildiem:	hypertension	020602B
	heart	020602H
	other	020602O
Tildine:	hypertension	020602B
	heart	020602H
	other	020602O
Timodine		130400
Timolol Maleate		110600
Timoptol		110600
Tocainide Hydrochloride		020302
Tofranil		040301
Tolanase		060102
Tolazamide		060102
Tolbutamide		060102
Tolectin		100101
Tolcrzide:	hypertension	020400B
	heart	020400H
	other	020400O
Tolmetin		100101
Tonocard		020302

Topal	010101
Trancopal	040102
Trandate:	
hypertension	020400B
heart	020400H
other	020400O
Transiderm-Nitro (patch)	020601
Tranxene	040102
Tranylcypromine	040302
Trasicor, Slow Trasicor:	
hypertension	020400B
heart	020400H
other	020400O
Trasidrex:	
hypertension	020400B
heart	020400H
other	020400O
Traxam	100302
Trental	020603
Trazodone Hydrochloride	040301
Treosulfan	080101
Triamcinolone	060304
Triameterene:	
hypertension	020203B
other	020203O
Triclofos Sodium	040101
Tricylic	040301
Tridil	020601
Trifluoperazine	040201
Tri-iodothyronine	060201
Triludan	030401
Trimethoprim	050108
Trimipramine	040301
Trinordiol	070301
TriNovum, TriNovum ED	070301
Triptafen	040303
Trisequens	060401E
Tritace:	
hypertension	020505B
heart	020505H
Tryptizol	040301
Tryptophan	040304
Tuinal	040103
Tylox	040701
Ultratard MC	060101
Unigest	010102
Univer:	
hypertension	020602B
heart	020602H
other	020602O
Uromitexan	080101
Urovlan	060401P
Vagifem	070201

Valium:	anxiolytic	040102*
	antiepileptic	040802
	sedation	150104
Vasopressin		060502
Veganin		040701A
Velosef		050102
Velosulin		060101
Ventodisks		030101
Ventolin		030101
Vepesid		080104
Verapamil:	hypertension	020602B
	heart	020602H
	other	020602O
Veripaque		010602
Vibramycin		050103
Viloxazine Hydrochloride		040301
Viskaldix:	hypertension	020400B
	heart	020400H
	other	020400O
Vitamins:	Vitamin A	090601
	Vitamin B	090602
	Vitamin C	090603
	Vitamin D	090604
	Vitamin E	090605
	Vitamin K	090606
Vitamins . . . NOS		090600
Vivalan		040301
Volmax		030101
Volraman		100101
Voltarol, Voltaral Retard		100101
Voltarol Emulgel		100302
Warfarin WBP		020802
Water tablets nos		020200
Welldorm		040101
Xamoterol		020701
Xanax		040102
Xyloproct		010702
Zantac		010301
Zestoretic:	hypertension	020505B
	heart	020505H
	other	020505O
Zestril:	hypertension	020505B
	heart	020505H
	other	020505O
Zimovane		040101
Zinc . NOS		999999
Zirtek		030401
Zocor:	lipid lowering	021200
Zopiclone		040101

Zoton	010305
Zovirax cream	131003
Zumenon	060401E
Zyloric	100104
Unable to code	999999

C & H notes to help with Q16.1 & Q16.2

Q 16.1 & Q16.2 - Smoking

If participant answers “yes” to smoking:

If smokes **less than 1** cigarette per **day**, still code as **1**.

If participant states how many per **week** average out for a daily amount.

* If participant states a range e.g. 10-15, enter the upper limit i.e 15.

If smokes **less than 1** cigar per week, still code as **1**.

If smokes a pipe, any amount less than **0.1** ounces per week, should be coded as **0.1**

For any amount over **1** enter as the amount.

If 1/2 is included e.g. 3 1/2 enter as 3.5

N.B. Tobacco now comes in 25 gram packets (previously 1 ounce)
(1/4 of an ounce should be coded as 0.3)

C & H Coding for 16.3d (other)

Q16.3d Reasons for reducing/giving up drinking

- 01 Changed taste, gone off drinking
- 02 Social life changed -including marriage, religious reasons or less opportunity
(unspecified)
- 03 Diet, or to lose weight
- 04 Changed working conditions - less daytime opportunity,
retired, unemployed
need to work effectively
- 05 Fitness reasons or well-being - both physical &/mental &/spiritual/
or thought it sensible to drink less
- 06 Drinking and driving avoidance
- 07 Adverse medical effects/ menopausal effects
- 08 Sends to sleep / effects of age
- 09 No real reason / blank/ not clearly defined

N.B. If work and social life mentioned, code as 04.

If “less opportunity” (unspecified) and participant is retired, code as 04

If “less opportunity” (unspecified) and participant is not retired, code as 02

C & H notes to help with Q 16.4 & 16.5

Q 16.4 & Q16.5 Drinks per week

1 bottle of spirits =30 measure

1 litre of wine =10 glasses

1 can of larger/beer =0.8 of a pint

3 pints of low alcohol beer =1 pint of normal beer

Half pints should be recorded as 0.5 e.g. 3 1/2 pnts =3.5

C & H coding for Q 16.6d,e &f

Q16.6 How often do you take part in mildly energetic sport

d-f: Code to the nearest quarter of an hour

e.g. 2 1/4 hours = 2.25
 2hrs 25 mins = 2.50 (nearest 1/4 hr is 2 1/2 hours)
 2 hrs 50 mins = 2.75 (nearest 1/4 hr is 2 3/4 hrs)

C & H coding comments (last page & inside back cover)

If anyone has written comments, please photocopy these. Make sure that each photocopied page is clearly marked with the study number.

File with the qualitative data.

01 = comments

02 = no comments

APPENDIX VIII

Table 5.7 (I) Reporting bias and potential mediators - Health in the last year self-rated as average or worse

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	0.95 (0.74-1.29)	0.97 (0.73-1.27)	0.98 (0.78-1.25)	0.98 (0.77-1.24)	0.98 (0.77-1.24)	0.97 (0.76-1.22)	0.95 (0.75-1.20)	0.98 (0.78-1.24)	0.98 (0.78-1.24)	0.98 (0.77-1.24)
N	1511		2052		2060	2052		2061		
Men	1.23 (0.98-1.54)	1.19 (0.95-1.49)	1.21 (1.01-1.47)	1.21 (1.00-1.47)	1.24 (1.02-1.51)	1.22 (1.01-1.48)	1.20 (0.99-1.45)	1.22 (1.01-1.48)	1.21 (1.00-1.47)	1.22 (1.01-1.48)
N	3380		4531		4454	4533		4535		

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.00 (0.72-1.39)	0.98 (0.71-1.37)	1.00 (0.75-1.34)	1.01 (0.76-1.36)	0.94 (0.70-1.26)	0.96 (0.72-1.29)	0.96 (0.71-1.28)	0.96 (0.71-1.28)	0.96 (0.72-1.29)	0.96 (0.72-1.29)
N	1511		2052		2060	2052		2061		
Men	1.41 (1.12-1.77)	1.40 (1.12-1.76)	1.33 (1.08-1.63)	1.32 (1.08-1.62)	1.36 (1.10-1.67)	1.32 (1.08-1.62)	1.29 (1.06-1.59)	1.32 (1.07-1.61)	1.32 (1.07-1.62)	1.32 (1.07-1.62)
N	3380		4531		4454	4533		4535		

These footnotes apply to Tables 5.7 (I) - 5.7 (VIIa), Table 5.7 (VIIc) and Table 5.7 (XI)

- the number (N) in the dataset analysed for each adjustment varies due to missing values
- + adjusted for reporting bias (negative affect) at Phase 1
- ++ adjusted for visual display unit use at Phase 1 and Phase 3
- +++ adjusted for current smoking and number of cigarettes at Phase 1 and Phase 3
- * adjusted for work social support at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3
- ** adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and Phase 3
- *** adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

Table 3.7 (II) Reporting bias and potential mediators - Longstanding illness

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR	OR+++	OR	OR*	OR	OR**	OR***
Women	1.20 (0.91-1.59)	1.18(0.89-1.56)	1.24(0.94-1.63)	1.24(0.94-1.64)	1.25(0.94-1.65)	1.25(0.95-1.65)	1.27(0.96-1.67)	1.21(0.87-1.68)	1.23(0.93-1.62)	1.22(0.93-1.61)	1.22(0.92-1.61)
N	1505	1505	1548	1548	1541	1541	1546	1546	1545	1545	
Men	1.25(1.02-1.54)	1.22(1.00-1.50)	1.26(1.02-1.54)	1.25(1.02-1.53)	1.25(1.02-1.54)	1.25(1.02-1.54)	1.26(1.03-1.54)	1.27(1.04-1.56)	1.27(1.03-1.55)	1.26(1.03-1.55)	1.26 (1.03-1.55)
N	3369	3369	3413	3413	3354	3354	3408	3408	3413	3413	

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR	OR+++	OR	OR*	OR	OR**	OR***
Women	1.16(0.83-1.62)	1.13(0.81-1.58)	1.21(0.87-1.68)	1.21(0.87-1.68)	1.20(0.86-1.66)	1.19(0.86-1.66)	1.21(0.87-1.68)	1.19(0.90-1.58)	1.19(0.86-1.65)	1.19(0.86-1.66)	1.20(0.86-1.66)
N	1505	1505	1548	1548	1541	1541	1546	1546	1545	1545	
Men	1.24(1.01-1.53)	1.23(1.00-1.52)	1.25(1.02-1.54)	1.24(1.01-1.53)	1.23(1.00-1.51)	1.22(0.99-1.50)	1.26(1.03-1.54)	1.28(1.04-1.57)	1.27(1.04-1.56)	1.26(1.03-1.55)	1.26(1.03-1.55)
N	3369	3369	3413	3413	3354	3354	3408	3408	3413	3413	

Table 5.7 (III) Reporting bias and potential mediators - Minor psychiatric morbidity (GHQ 30 score)

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR	OR+++	OR	OR*	OR	OR**	OR***
Women	1.22(0.91-1.63)	1.19(0.89-1.58)	1.02(0.80-1.31)	1.02(0.80-1.31)	1.01(0.79-1.30)	1.00(0.78-1.29)	1.02(0.80-1.31)	0.97(0.75-1.24)	1.02(0.79-1.30)	1.01(0.79-1.29)	1.02(0.79-1.30)
N	1498	1498	2049	2049	2042	2046	2046	2046	2046	2046	2046
Men	1.56(1.26-1.94)	1.51(1.21-1.88)	1.52(1.27-1.83)	1.52(1.27-1.82)	1.54(1.28-1.85)	1.54(1.28-1.85)	1.54(1.28-1.84)	1.46(1.21-1.75)	1.52(1.27-1.82)	1.51(1.26-1.82)	1.52(1.26-1.82)
N	3381	3381	4529	4529	4455	4519	4519	4519	4528	4528	4528

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR	OR++	OR	OR+++	OR	OR*	OR	OR**	OR***
Women	1.28(0.91-1.80)	1.23(0.87-1.73)	1.11(0.82-1.50)	1.11(0.82-1.50)	1.09(0.80-1.47)	1.08(0.80-1.47)	1.11(0.82-1.50)	1.06(0.78-1.43)	1.11(0.82-1.50)	1.11(0.82-1.50)	1.12(0.83-1.51)
N	1498	1498	2049	2049	2042	2046	2046	2046	2046	2046	2046
Men	1.63(1.32-2.03)	1.61(1.30-2.01)	1.56(1.29-1.89)	1.56(1.28-1.88)	1.58(1.30-1.91)	1.58(1.30-1.92)	1.57(1.30-1.90)	1.49(1.23-1.81)	1.57(1.29-1.90)	1.56(1.29-1.89)	1.58 (1.30-1.91)
N	3381	3381	4529	4529	4455	4519	4519	4519	4528	4528	4528

Table 5.7 (IVa) Reporting bias and potential mediators - Sleep 5 hours or less on an average week night

Change to an Executive Agency is possible. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.18(0.70-1.98)	1.12(0.66-1.89)	0.99(0.63-1.55)	0.97(0.61-1.52)	0.97(0.62-1.52)	0.93(0.59-1.47)	0.97(0.62-1.52)	0.97(0.62-1.53)	0.94 (0.60-1.49)
N	1507		2071	2065		2069		2069	
Men	1.37(0.89-2.11)	1.35(0.88-2.09)	1.41(0.98-2.04)	1.40(0.97-2.04)	1.41(0.98-2.04)	1.41(0.98-2.04)	1.41(0.98-2.04)	1.41(0.98-2.04)	1.45(1.00-2.10)
N	3365		4536	4462		4526		4535	

Change to an Executive Agency has happened. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	0.79(0.40-1.56)	0.75(0.38-1.49)	0.67(0.36-1.25)	0.66(0.35-1.22)	0.68(0.37-1.25)	0.65(0.36-1.22)	0.68(0.37-1.25)	0.68(0.37-1.25)	0.68(0.37-1.25)
N	1507		2071	2065		2069		2069	
Men	1.31(0.81-2.10)	1.30(0.88-2.09)	1.21(0.78-1.85)	1.25(0.81-1.92)	1.24(0.81-1.91)	1.22(0.80-1.88)	1.22(0.79-1.88)	1.22(0.80-1.88)	1.24(0.81-1.91)
N	3365		4536	4462		4526		4535	

Table 5.7 (IVb) Reporting bias and potential mediators - Sleep 9 hours or more on an average week night

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.83(0.89-3.75)	1.84(0.90-3.79)	1.65(0.90-3.04)	1.70(0.93-3.11)	1.73(0.94-3.17)	1.70(0.93-3.11)	1.66(0.90-3.05)	1.70(0.93-3.11)	1.69(0.92-3.11)
N	1507		2071		2065		2069		2069
Men	1.34(0.74-2.42)	1.27(0.70-2.30)	1.02(0.60-1.72)	1.03(0.61-1.74)	1.04(0.62-1.77)	1.00(0.59-1.69)	1.03(0.61-1.73)	1.02(0.60-1.72)	1.01(0.60-1.70)
N	3365		4536		4462		4526		4535

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.38(0.57-3.35)	1.39(0.57-3.39)	1.16(0.52-2.59)	1.16(0.52-2.58)	1.16(0.52-2.57)	1.14(0.51-2.54)	1.16(0.52-2.57)	1.16(0.52-2.58)	1.23(0.55-2.74)
N	1507		2071		2065		2069		2069
Men	1.83(1.07-3.13)	1.77(1.03-3.04)	1.59(0.99-2.56)	1.54(0.95-2.49)	1.64(1.02-2.64)	1.56(0.97-2.53)	1.60(1.00-2.58)	1.58(0.98-2.55)	1.56(0.97-2.53)
N	3365		4536		4462		4526		4535

Table 5.7 (V) Reporting bias and potential mediators - Number of symptoms in the last 14 days

Change to an Executive Agency is possible. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff+	Diff	Diff+ +	Diff	Diff+ + +	Diff*	Diff	Diff**	Diff***
Women	0.44(0.13)p<0.001	0.41(0.13)p=0.002	0.47(0.13)p<0.001	0.46(0.13)p<0.001	0.47(0.13)p<0.001	0.45(0.13)p<0.001	0.38(0.13)p=0.004	0.45(0.13)p<0.001	0.44(0.13)p<0.001	0.45(0.13)p<0.001
N	1496			1530		1528	1527		1526	
Men	0.50(0.09)p<0.001	0.45(0.09)p<0.001	0.48(0.09)p<0.001	0.48(0.09)p<0.001	0.48(0.09)p<0.001	0.50(0.09)p<0.001	0.45(0.09)p<0.001	0.47(0.09)p<0.001	0.46(0.09)p<0.001	0.47(0.09)p<0.001
N	3393			3431		3378	3424		3430	

Change to an Executive Agency has happened. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff+	Diff	Diff+ +	Diff	Diff+ + +	Diff*	Diff	Diff**	Diff***
Women	0.29(0.16)p=0.07	0.27(0.16)p=0.10	0.31(0.16)p=0.05	0.31(0.16)p=0.05	0.32(0.16)p=0.04	0.32(0.16)p=0.05	0.24(0.16)p=0.13	0.31(0.16)p=0.05	0.31(0.16)p=0.05	0.32(0.16)p<0.001
N	1496			1530		1528	1527		1526	
Men	0.41(0.09)p<0.001	0.39(0.09)p<0.001	0.42(0.09)p<0.001	0.42(0.09)p<0.001	0.41(0.09)p<0.001	0.42(0.09)p<0.001	0.39(0.09)p<0.001	0.42(0.09)p<0.001		

Table 5.7 (Via) Reporting bias and potential mediators - Sickness absence 1 working week or more in the past year

Change to an Executive Agency is possible. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.06(0.82-1.38)	1.05(0.81-1.36)	1.00(0.80-1.25)	1.01(0.81-1.26)	1.00(0.80-1.25)	0.96(0.77-1.21)	1.01(0.81-1.26)	1.00(0.80-1.25)	1.01(0.81-1.26)
N	1446	1446	1981	1976	1978	1978	1978	1978	1978
Men	1.11(0.89-1.37)	1.09(0.88-1.35)	1.09(0.90-1.31)	1.09(0.90-1.31)	1.09(0.90-1.31)	1.06(0.88-1.28)	1.09(0.90-1.31)	1.08(0.90-1.30)	1.09(0.90-1.31)
N	3317	3317	4460	4389	4450	4450	4439	4439	4439

Change to an Executive Agency has happened. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.12(0.83-1.51)	1.11(0.82-1.50)	1.08(0.82-1.42)	1.09(0.83-1.43)	1.06(0.81-1.39)	1.04(0.79-1.36)	1.08(0.82-1.42)	1.08(0.82-1.41)	1.07(0.81-1.41)
N	1446	1446	1981	1976	1978	1978	1978	1978	1978
Men	1.16(0.94-1.45)	1.16(0.93-1.44)	1.19(0.98-1.46)	1.20(0.99-1.47)	1.19(0.98-1.46)	1.18(0.97-1.44)	1.20(0.98-1.46)	1.19(0.98-1.45)	1.19(0.98-1.45)
N	3317	3317	4460	4389	4450	4450	4459	4459	4459

Table 5.7 (Vib) Reporting bias and potential mediators - Sickness absence 2 working weeks or more in the past year

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR++	OR*	OR	OR**	OR***
Women	1.18(0.87-1.60)	1.18(0.87-1.59)	1.14(0.88-1.48)	1.13(0.87-1.47)	1.14(0.87-1.48)	1.15(0.88-1.50)	1.12(0.86-1.46)	1.08(0.83-1.41)	1.15(0.88-1.49)	1.13(0.87-1.47)
N	1446	1446	1981	1976	1978	1978	1978	1978	1978	1978
Men	1.18(0.88-1.58)	1.15(0.86-1.55)	1.03(0.80-1.33)	1.02(0.79-1.32)	1.02(0.79-1.32)	1.03(0.80-1.33)	1.00(0.77-1.29)	1.04(0.81-1.34)	1.03(0.80-1.33)	1.03(0.80-1.33)
N	3317	3317	4460	4389	4450	4450	4450	4459	4459	4459

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR +	OR	OR ++	OR	OR + +	OR	OR + + +	OR	OR *	OR	OR **	OR ***
Women	1.24(0.87-1.77)	1.24(0.87-1.77)	1.19(0.86-1.64)	1.20(0.87-1.66)	1.20(0.87-1.66)	1.21(0.88-1.67)	1.20(0.87-1.66)	1.18(0.86-1.63)	1.19(0.86-1.64)	1.19(0.86-1.64)	1.19(0.86-1.64)	1.19(0.86-1.64)	1.19(0.86-1.64)
N		1446		1981		1976		1978		1978		1978	
Men	1.37(1.02-1.85)	1.36(1.01-1.83)	1.24(0.95-1.62)	1.22(0.93-1.60)	1.24(0.94-1.62)	1.24(0.95-1.63)	1.24(0.95-1.63)	1.22(0.93-1.59)	1.25(0.95-1.63)	1.24(0.95-1.62)	1.22(0.93-1.60)	1.24(0.95-1.62)	1.22(0.93-1.60)
N		3317		4460		4389		4450		4459		4459	

Table 5.7 (V11a) Reporting bias and potential mediators - Angina pectoris by questionnaire

Change to an Executive Agency is possible. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR +	OR	OR ++	OR	OR +++	OR	OR*	OR	OR**	OR***
Women	1.74(0.96-3.16)	1.67(0.92-3.04)	1.59(0.94-2.67)	1.59(0.94-2.68)	1.66(0.98-2.81)	1.62(0.95-2.75)	1.59(0.95-2.69)	1.51(0.90-2.56)	1.59(0.95-2.69)	1.59(0.94-2.68)	1.59(0.95-2.69)
N		1452		1985		1978		1982		1982	
Men	0.65(0.34-1.23)	0.63(0.33-1.19)	0.87(0.51-1.48)	0.87(0.51-1.48)	0.91(0.53-1.57)	0.93(0.54-1.60)	0.87(0.51-1.48)	0.89(0.52-1.51)	0.87(0.51-1.48)	0.87(0.51-1.48)	0.86(0.51-1.47)
N		3279		4405		4333		4396		4404	

Change to an Executive Agency has happened. Odds Ratios (95 % Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR +	OR	OR ++	OR	OR +++	OR	OR*	OR	OR**	OR***
Women	1.24(0.58-2.65)	1.19(0.55-2.56)	1.34(0.69-2.59)	1.33(0.69-2.59)	1.39(0.72-2.71)	1.40(0.72-2.72)	1.34(0.69-2.59)	1.29(0.66-2.50)	1.34(0.69-2.59)	1.33(0.69-2.59)	1.33(0.69-2.58)
N		1452		1985		1978		1982		1982	
Men	0.60(0.30-1.18)	0.59(0.30-1.15)	0.68(0.36-1.29)	0.66(0.35-1.26)	0.65(0.33-1.26)	0.65(0.33-1.26)	0.68(0.36-1.29)	0.70(0.37-1.32)	0.68(0.36-1.29)	0.68(0.36-1.29)	0.67(0.35-1.28)
N		3279		4405		4333		4396		4404	

Table 5.7 (VIIb) Potential mediators - Possible/probable ischaemia on ECG

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR++	OR	OR++	OR	OR++	OR	OR*	OR	OR**	OR***
Women	1.45(0.77-2.74)	1.44(0.76-2.72)	1.45(0.77-2.74)	1.49(0.79-2.82)	1.45(0.77-2.75)	1.57(0.82-2.98)	1.45(0.77-2.75)	1.47(0.78-2.80)	1.42(0.74-2.71)		
N	1879	1874	1877	4106	4175	1877	4175				
Men	1.25(0.78-1.99)	1.26(0.79-2.00)	1.26(0.79-2.00)	1.27(0.79-2.02)	1.18(0.74-1.88)	1.19(0.74-1.90)	1.23(0.77-1.95)	1.22(0.77-1.94)	1.20(0.75-1.91)		
N	4176	4106	4167	4175							

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR++	OR	OR++	OR	OR*	OR	OR**	OR***
Women	1.03(0.44-2.45)	1.05(0.44-2.48)	1.04(0.44-2.46)	1.08(0.45-2.56)	1.03(0.44-2.45)	1.08(0.45-2.56)	1.03(0.44-2.45)	1.03(0.44-2.45)	1.03(0.44-2.44)
N	1879	1874	1877	4106	4175	1877	4175		
Men	1.33(0.83-2.15)	1.35(0.84-2.19)	1.32(0.82-2.13)	1.33(0.82-2.14)	1.31(0.81-2.11)	1.32(0.82-2.13)	1.31(0.81-2.10)	1.30(0.81-2.10)	1.24(0.77-2.01)
N	4176	4106	4167	4175					

These footnotes apply to Tables 5.7 (VIIIa) - 5.7 (X) and Table 5.7 (XII)

- the number (N) in the dataset analysed for each adjustment varies due to missing values

++ adjusted for visual display unit use at Phase 1 and Phase 3

+++ adjusted for current smoking and number of cigarettes at Phase 1 and Phase 3

* adjusted for work social support at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

** adjusted for skill discretion at Phase 1 (tertile) and adverse change between Phase 1 and Phase 3

*** adjusted for skill discretion at Phase 1 (tertile) and beneficial change between Phase 1 and Phase 3

Table 5.7 (Vllc) Reporting bias and potential mediators - Possible/probable ischaemia on ECG or angina

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.55(0.95-2.54)	1.54(0.94-2.53)	1.57(1.03-2.41)	1.57(1.02-2.40)	1.61(1.05-2.48)	1.61(1.05-2.47)	1.58(1.03-2.42)	1.58(1.03-2.42)	1.57(1.02-2.41)
N	1318		1794		1798		1792	1792	
Men	0.91(0.59-1.41)	0.87(0.56-1.36)	1.09(0.75-1.58)	1.09(0.75-1.58)	1.12(0.77-1.64)	1.14(0.78-1.66)	1.05(0.72-1.52)	1.08(0.74-1.57)	1.06(0.73-1.54)
N	3014		4048		3981		4040	4047	

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	OR	OR+	OR++	OR+++	OR	OR*	OR	OR**	OR***
Women	1.12(0.60-2.09)	1.11(0.59-2.07)	1.21(0.69-2.12)	1.24(0.71-2.18)	1.25(0.72-2.20)	1.21(0.69-2.11)	1.21(0.69-2.11)	1.21(0.69-2.11)	1.20(0.69-2.10)
N	1318		1794		1789		1792	1792	
Men	0.92(0.59-1.43)	0.90(0.57-1.40)	1.13(0.76-1.68)	1.12(0.75-1.66)	1.12(0.75-1.67)	1.12(0.76-1.66)	1.13(0.76-1.68)	1.12(0.75-1.66)	1.09(0.73-1.61)
N	3014		4048		3981		4040	4047	

Table 5.7 (VIIIa) Potential mediators - Systolic blood pressure mmHg

Change to an Executive Agency is possible. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff+ +	Diff	Diff+ + +	Diff	Diff*	Diff	Diff**	Diff***
Women	0.37(0.56)p=0.51	0.37(0.56)p=0.51	0.37(0.56)p=0.51	0.57(0.56)p=0.31	0.37(0.56)p=0.51	0.22(0.57)p=0.70	0.39(0.56)p=0.49	0.38(0.56)p=0.50	0.33(0.57)p=0.57
N	2032			2033		2029		2029	
Men	0.23(0.38)p=0.54	0.23(0.38)p=0.54	0.27(0.38)p=0.48	0.23(0.38)p=0.54	0.22(0.38)p=0.57	0.23(0.38)p=0.54	0.23(0.38)p=0.55	0.23(0.38)p=0.54	0.22(0.38)p=0.57
N	4448			4382		4438		4447	

Change to an Executive Agency has happened. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff+ +	Diff	Diff+ + +	Diff	Diff*	Diff	Diff**	Diff***
Women	0.92(0.70)p=0.18	0.92(0.70)p=0.18	0.99(0.70)p=0.16	1.10(0.69)p=0.11	0.92(0.70)p=0.18	0.83(0.70)p=0.24	0.92(0.70)p=0.18	0.92(0.70)p=0.19	0.86(0.70)p=0.22
N	2032			2033		2029		2029	
Men	2.16(0.40)p<0.001	2.15(0.40)p<0.001	2.17(0.40)p<0.001	2.16(0.40)p<0.001	2.16(0.40)p<0.001	2.17(0.40)p<0.001	2.16(0.40)p<0.001	2.16(0.40)p<0.001	2.11(0.40)p<0.001
N	4448			4382		4438		4447	

Table 5.7 (VIIIb) Potential mediators - Diastolic blood pressure mmHg

Change to an Executive Agency is possible. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff++	Diff	Diff+++	Diff	Diff*	Diff	Diff	Diff**	Diff**
Women	-0.13(0.40)p=0.74	-0.14(0.40)p=0.73	-0.14(0.40)p=0.72	0.03(0.40)p=0.95	-0.13(0.40)p=0.75	-0.20(0.40)p=0.61	-0.14(0.40)p=0.73	-0.14(0.40)p=0.72	-0.16(0.40)p=0.70	
N	2031	2032	2032	4382	4438	4447				
Men	0.20(0.28)p=0.47	0.20(0.28)p=0.46	0.23(0.28)p=0.42	0.20(0.28)p=0.47	0.20(0.28)p=0.46	0.19(0.28)p=0.49	01.9(0.28)p=0.48	0.19(0.28)p=0.48	0.18(0.28)p=0.51	
N	4448	4382	4438	4447						

Change to an Executive Agency has happened. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff++	Diff	Diff+++	Diff	Diff*	Diff	Diff**	Diff**
Women	0.72(0.49)p=0.14	0.73(0.49)p=0.14	0.78(0.49)p=0.12	0.89(0.49)p=0.07	0.72(0.49)p=0.14	0.67(0.49)p=0.17	0.72(0.49)p=0.14	0.72(0.49)p=0.14	0.69(0.49)p=0.17
N	2031	2032	2032	4382	4438	4447			
Men	1.56(0.29)p<0.001	1.56(0.29)p<0.001	1.56(0.29)p<0.001	1.56(0.29)p<0.001	1.58(0.29)p<0.001	1.57(0.29)p<0.001	1.55(0.29)p<0.001	1.55(0.29)p<0.001	1.51(0.29)p<0.001
N	4448	4382	4438	4447					

Table 5.7 (IX) Potential mediators - Cholesterol mmol/l

Change to an Executive Agency is possible. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff + +	Diff	Diff + + +	Diff	Diff*	Diff	Diff**	Diff**
Women	0.04(0.04)p=0.39	0.03(0.04)p=0.40	0.04(0.04)p=0.36	0.04(0.04)p=0.35	0.03(0.04)p=0.43	0.03(0.04)p=0.51	0.03(0.04)p=0.45	0.03(0.04)p=0.43	0.03(0.04)p=0.43
N	1994			1995		1991		1991	
Men	-0.03(0.03)p=0.26	-0.03(0.03)p=0.24	-0.03(0.03)p=0.35	-0.02(0.03)p=0.38	-0.03(0.03)p=0.27	-0.03(0.03)p=0.34	-0.03(0.03)p=0.28	-0.03(0.03)p=0.27	-0.03(0.03)p=0.27
N	4432			4366		4421		4430	

Change to an Executive Agency has happened. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff + +	Diff	Diff + + +	Diff	Diff*	Diff	Diff**	Diff**
Women	0.06(0.05)p=0.26	0.06(0.05)p=0.26	0.06(0.05)p=0.25	0.06(0.05)p=0.25	0.06(0.05)p=0.25	0.05(0.05)p=0.29	0.06(0.05)p=0.26	0.06(0.05)p=0.26	0.06(0.05)p=0.26
N	1994		1995			1991		1991	
Men	-0.03(0.03)p=0.33	-0.03(0.03)p=0.29	-0.03(0.03)p=0.28	-0.03(0.03)p=0.29	-0.03(0.03)p=0.34	-0.02(0.03)p=0.40	-0.03(0.03)p=0.33	-0.03(0.03)p=0.32	-0.03(0.03)p=0.32
N	4432		4366			4421		4430	

Table 5.7 (X) Potential mediators - Body Mass Index

Change to an Executive Agency is possible. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff++	Diff	Diff+++	Diff*	Diff	Diff	Diff**	Diff***
Women	0.13(0.10)p=0.21	0.13(0.10)p=0.22	0.13(0.10)p=0.22	0.14(0.10)p=0.16	0.13(0.10)p=0.22	0.12(0.10)p=0.23	0.13(0.10)p=0.19	0.13(0.10)p=0.19	0.15(0.10)p=0.14
N	2030			2031		2027		2027	
Men	0.14(0.05)p=0.007	0.14(0.05)p=0.007	0.14(0.05)p=0.007	0.14(0.05)p=0.008	0.14(0.05)p=0.007	0.13(0.05)p=0.01	0.14(0.05)p=0.006	0.14(0.05)p=0.005	0.14(0.05)p=0.007
N	4445			4378		4435		4444	

Change to an Executive Agency has happened. Differences (SE) at Phase 3, adjusted for age, grade, marital status and baseline values

Gender	Diff	Diff++	Diff	Diff+++	Diff*	Diff	Diff	Diff**	Diff***
Women	0.33(0.13)p=0.009	0.33(0.13)p=0.009	0.33(0.13)p=0.009	0.33(0.13)p=0.008	0.33(0.13)p=0.009	0.33(0.13)p=0.01	0.33(0.13)p=0.009	0.33(0.13)p=0.009	0.33(0.13)p=0.008
N	2030			2031		2027		2027	
Men	0.21(0.05)p<0.001	0.21(0.05)p<0.001	0.22(0.05)p<0.001	0.22(0.05)p<0.001	0.21(0.05)p<0.001	0.20(0.05)p<0.001	0.21(0.05)p<0.001	0.22(0.05)p<0.001	0.21(0.05)p<0.001
N	4445			4378		4435		4444	

Table 5.7 (XI) Reporting bias and potential mediators combined - self-reported health measures

Change to an Executive Agency is possible. Odds Ratios (95% Confidence Intervals) at Phase 3

Health measure	Women		Men	
	OR	OR*	OR	OR*
Self-rated health average or worse N	0.94 (0.71-1.24) 1502	0.91 (0.68-1.21)	1.29 (1.03-1.63) 3316	1.24 (0.99-1.57)
Longstanding illness N	1.18 (0.89-1.56) 1496	1.18 (0.89-1.58)	1.23 (1.00-1.51) 3305	1.20 (0.98-1.49)
Minor psychiatric morbidity N	1.23 (0.92-1.65) 1489	1.23 (0.86-1.74)	1.58 (1.27-1.97) 3317	1.48 (1.18-1.85)
Sleep 5hrs or less per night N	1.12 (0.65-1.88) 1500	1.02 (0.59-1.76)	1.34 (0.86-2.08) 3302	1.33 (0.85-2.08)
Sleep 9hrs or more per night N	1.72 (0.83-3.58) 1500	1.66 (0.78-3.50)	1.35 (0.75-2.45) 3302	1.24 (0.68-2.27)
Sickness absence 1 week or more N	1.05 (0.81-1.37) 1438	1.04 (0.79-1.35)	1.08 (0.87-1.35) 3255	1.05 (0.84-1.31)
Sickness absence 2 weeks or more N	1.13 (0.83-1.54) 1438	1.12 (0.82-1.54)	1.18 (0.87-1.56) 3255	1.08 (0.80-1.47)
	Diff	Diff*	Diff	Diff*
Symptoms in the last 14 days N	0.46 (0.13)p=0.001 1482	0.39 (0.14)p=0.004	0.52 (0.09)p<0.001 3323	0.46 (0.09)p<0.001

Change to an Executive Agency has happened. Odds Ratios (95% Confidence Intervals) at Phase 3

Health measure	Women		Men	
	OR	OR*	OR	OR*
Self-rated health average or worse N	0.99 (0.71-1.38) 1502	0.99 (0.70-1.39)	1.46 (1.16-1.84) 3316	1.42 (1.12-1.79)
Longstanding illness N	1.17 (0.84-1.64) 1496	1.14 (0.81-1.61)	1.21 (0.98-1.50) 3305	1.21 (0.98-1.49)
Minor psychiatric morbidity N	1.25 (0.89-1.77) 1489	1.17 (0.86-1.58)	1.65 (1.33-2.06) 3317	1.60 (1.28-2.00)
Sleep 5hrs or less per night N	0.81 (0.41-1.50) 1500	0.75 (0.38-1.51)	1.34 (0.83-2.16) 3302	1.27 (0.84-2.22)
Sleep 9hrs or more per night N	1.38 (0.56-3.35) 1500	1.37 (0.55-3.36)	1.73 (1.00-2.98) 3302	1.57 (0.90-2.76)
Sickness absence 1 week or more N	1.12 (0.82-1.52) 1438	1.08 (0.79-1.48)	1.16 (0.93-1.44) 3255	1.13 (0.90-1.42)
Sickness absence 2 weeks or more N	1.25 (0.87-1.79) 1438	1.23 (0.85-1.77)	1.33 (0.98-1.80) 3255	1.22 (0.89-1.66)
	Diff	Diff*	Diff	Diff*
Symptoms in the last 14 days N	0.31 (0.16)p=0.06 1482	0.27 (0.16)p=0.09	0.41 (0.09)p<0.001 3323	0.38 (0.09)p<0.001

* adjusted for age, grade, marital status, baseline values, reporting bias and all potential mediators

Table 5.7 (XII) Reporting bias and potential mediators combined - physiological measures

Change to an Executive Agency is possible. Odds Ratios (95 % Confidence Intervals) at Phase 3

Health measure	Women		Men	
	OR	OR*	OR	OR*
Angina pectoris** N	1.95 (1.06-3.60) 1442	1.78 (0.95-3.34)	0.68 (0.36-1.30) 3216	0.66 (0.35-1.27)
Poss/prob ischaemia on ECG N	1.14 (0.54-2.41) 1870	1.26 (0.59-2.69)	1.11 (0.64-1.95) 4093	1.03 (0.58-1.84)
Poss/prob ischaemia on ECG or angina** N	1.67 (1.02-2.75) 1310	1.68 (1.01-2.78)	0.91 (0.58-1.44) 2954	0.88 (0.56-1.39)
	Diff		Diff	
		Diff**		Diff**
Systolic bp N	0.36 (0.57)p=0.53 2022	0.44 (0.57)p=0.45	0.28 (0.38)p=0.47 4360	0.17 (0.39)p=0.67
Diastolic bp N	-0.19 (0.41)p=0.64 2021	-0.12 (0.41)p=0.77	0.22 (0.28)p=0.43 4360	0.15 (0.28)p=0.59
Cholesterol N	0.03 (0.04)p=0.42 1984	0.03 (0.04)p=0.51	-0.02 (0.03)p=0.40 4346	-0.02 (0.02)p=0.48
Body mass index N	0.11 (0.10)p=0.27 2020	0.14 (0.10)p=0.14	0.14 (0.05)p=0.01 4356	0.14 (0.05)p=0.01

Change to an Executive Agency has happened. Odds Ratios (95 % Confidence Intervals) at Phase 3

Health measure	Women		Men	
	OR	OR*	OR	OR*
Angina pectoris** N	1.36 (0.63-2.95) 1442	1.31 (0.59-2.88)	0.56 (0.28-1.14) 3216	0.51 (0.25-1.04)
Poss/prob ischaemia on ECG N	0.89 (0.35-2.29) 1870	0.97 (0.37-2.53)	1.10 (0.62-1.93) 4093	1.10 (0.62-1.95)
Poss/prob ischaemia on ECG or angina** N	1.19 (0.63-2.23) 1310	1.23 (0.65-2.32)	0.95 (0.61-1.48) 2954	0.86 (0.54-1.36)
	Diff		Diff	
		Diff**		Diff**
Systolic bp N	0.88 (0.71)p=0.21 2022	0.87 (0.70)p=0.21	2.14 (0.41)p<0.001 4360	2.06 (0.41)p<0.001
Diastolic bp N	0.71 (0.50)p=0.16 2021	0.77 (0.50)p=0.12	1.54 (0.29)p<0.001 4360	1.52 (0.30)p<0.001
Cholesterol N	0.06(0.05)p=0.25 1984	0.06 (0.05)p=0.27	-0.03 (0.03)p=0.29 4346	-0.03 (0.03)p=0.31
Body mass index N	0.32 (0.12)p=0.009 2020	0.31 (0.12)p=0.01	0.21 (0.06)p<0.001 4356	0.19 (0.05)p<0.001

* adjusted for age, grade, marital status, baseline values and all potential mediators

** adjusted for age, grade, marital status, baseline values, reporting bias and all potential mediators

APPENDIX IX

Health effects of anticipation of job change and non-employment: longitudinal data from the Whitehall II study

Jane E Ferrie, Martin J Shipley, M G Marmot, Stephen Stansfeld, George Davey Smith

Abstract

Objective—To assess the effect of anticipating job change or non-employment on self reported health status in a group of middle aged male and female white collar civil servants.

Design—Longitudinal cohort study (Whitehall II study). Questionnaire data on self reported health status and health behaviour were obtained at initial screening and four years later, during the period when employees of the department facing privatisation were anticipating job change or job loss.

Setting—London based office staff in 20 civil service departments.

Subjects—666 members of one department threatened with early privatisation were compared with members of the 19 other departments.

Main outcome measures—Self reported health status measures and health related behaviours, before and during anticipation of privatisation.

Results—In comparison to the remainder of the cohort, the profile of health related behaviours of cohort members who faced privatisation was more favourable, both before and during anticipation of privatisation. There were no significant differences in the changes in health behaviours between cohort members moving into a period of job insecurity and the remainder of the cohort. Self reported health status, however, tended to deteriorate among employees anticipating privatisation when compared with that of the rest of the cohort.

Conclusions—The application of a longitudinal design, allowing the same individuals to be followed from job security into anticipation, provides more robust evidence than has previously been available that anticipation of job loss affects health even before employment status has changed.

of high unemployment in the 1930s.¹ These studies have, in general, shown that unemployment is associated with an increased risk of mortality,^{2,4} morbidity,^{5,7} and psychological ill health.⁸⁻¹⁰ Current unemployment in countries of the Organisation for Economic Co-operation and Development (OECD) is at a postwar high of 35 million, and an estimated further 15 million people have either given up looking for work or unwillingly accepted a part time job.¹¹ Therefore the potential of unemployment to damage health constitutes an important, and growing, problem.

Anticipation of redundancy or rationalisation is generally referred to as "the anticipation phase" in studies of the effects of job insecurity on health. It is often cited as being similar in effect on health to unemployment, but few studies have followed their subjects longitudinally from secure employment and into the phase of anticipation of job change or job loss. Furthermore, many previous studies of redundancy have lacked a control group of any kind, and even in the few studies where a control group has been included¹²⁻¹⁴ this has seldom been adequately matched to the group experiencing increasing job insecurity or unemployment.¹⁵

A major consideration when examining the relation between health and labour market experience is the extent to which the experience of job insecurity and subsequent events is a consequence, rather than a cause, of ill health. During times of economic contraction the least productive members of any workforce are the most likely to be shed. Therefore ill health may itself lead to a greater risk of unemployment. Similarly, for people in poor health, who recognise that their chances of re-employment are reduced, job insecurity may be a more salient and stressful life event. If this is the case, cross sectional studies of self reported levels of job insecurity and health could reveal associations that are of no causal significance. These issues can be resolved only if baseline data are collected before job loss and study participants are followed up through the entire period of change in employment. The ability to perform such

Department of
Epidemiology and Public
Health, University College
London Medical School,
London WC1E 6BT
Jane E Ferrie, research fellow
Martin J Shipley, senior
lecturer in medical statistics
M G Marmot, professor
Stephen Stansfeld, senior
lecturer in social and
community psychiatry

Department of Social
Medicine, University of
Bristol, Bristol BS8 2PR
George Davey Smith,
professor of clinical
epidemiology

Correspondence to:
Ms Ferrie.

BMJ 1995;311:1264-9

Introduction

The health consequences of redundancy and unemployment have been investigated since the period

before job loss has been anticipated cannot be planned for. The Whitehall II study, however, provides just such an opportunity. We investigated the health effects of job insecurity and the anticipation of job loss in an ongoing prospective study of the health of male and female civil servants,¹⁵ in which data were obtained during a phase of job security for the whole cohort; repeat data collection was performed when one group of the cohort was facing the prospect of job change or unemployment.

Subjects and methods

PARTICIPANTS

The target population for the Whitehall II study was all London based office staff working in 20 civil service departments between 1985 and 1988. With a response rate of 73%, the final cohort consisted of 10 308: 6895 men and 3413 women.¹⁵ The true response rates are likely to be higher, however, because around 4% of those on the list of employees had in fact moved before the study started and were thus not eligible for inclusion. Although most subjects were in non-manual occupations, they covered a wide range of grades from office support staff to permanent secretary. As of 1 January 1987 annual salaries ranged from £62 100 for a permanent secretary to £3061 for the lowest paid office support grade. Baseline screening took place between late 1985 and early 1988. This involved a clinical examination, in which physiological variables including blood pressure, electrocardiography, and serum cholesterol concentration were determined, together with a questionnaire survey that covered sociodemographic variables, health status measures, and health behaviours. In 1990 the second screening collected repeat data by postal questionnaire.

A separate study, specifically to investigate the physical, psychological, and social effects of the privatisation of the Property Services Agency, was initiated in 1994. This study is collecting quantitative data by questionnaire and qualitative data from in depth interviews to cover the experience of the cohort from this department over the privatisation period. The response to the questionnaire has been 80% (531/666) to date.

CONTEXT AND METHODS

Although the Whitehall II study did not originally set out to examine the effects of change in the labour market, the introduction of market forces into the civil service and the privatisation of the first complete civil service department, the Property Services Agency, provided an opportunity to overcome many of the methodological limitations of previous studies of job insecurity. After the restructuring and privatisation was widely reported in the daily press and journals of the construction industry in early 1988, the media continued to give a high profile to the impending privatisation of this department, which culminated in the sale of Property Services Agency Projects, the design and build division of the agency, to the private sector on 1 December 1992.¹⁶ A total of 666 employees of the Property Services Agency, mainly professional and technical staff, had been included in the baseline screening of the Whitehall II study; 526 of them, mostly now in Property Services Agency Projects, completed the follow up questionnaire.

The baseline screening of the Property Services Agency was complete by the end of 1986. In that year a government report, *Using Private Enterprise in Government*,¹⁷ recommended the examination of all government work to determine whether it could be improved by transfer to the private sector or should be jettisoned. Few civil servants would have been aware of the long

recommendations were only implemented from August 1988 through the "Next Steps" programme. For the Property Services Agency, however, rationalisation along these lines was being debated somewhat before this. Early in 1988 the future of the agency was envisaged in terms of a trading fund, a plan which had been jettisoned in favour of privatisation by December of the same year.¹⁸ The Property Services Agency Bill laying "the basis for selling off the Property Services Agency, probably in 1992" received its second reading in the House of Commons on 6 December 1989¹⁹ with Christopher Chope, the minister responsible for the Property Services Agency, forecasting "significant" staff cuts in the run up to the privatisation.²⁰ These were to be in addition to the 10% shrinkage in professional and technical staff that had already taken place in the 12 months to April 1989.²¹

Professional journals reported that by March 1988 staff of the Property Services Agency were "becoming demoralised at the continuing uncertainty surrounding the agency's future,"²² a situation which deteriorated over the coming months. Thus at the time of the postal questionnaire it was widely recognised that the Property Services Agency was in line for major change leading to eventual privatisation, and the employees were consequently anticipating job change, redundancy, or early retirement. By 1994, 43% of the Property Services Agency cohort were no longer in paid employment, and of those in work 52% considered their job to be insecure, indicating that these fears were not misplaced. It is therefore appropriate to describe the baseline (1986 for the Property Services Agency) as a period of secure employment for nearly all civil servants, while the follow up (1989 for the Property Services Agency) can be described as the "anticipation phase" for the Property Services Agency and a period of comparative job security for the other departments.

MEASURES

Items drawn from the questionnaire covered personal details (age, marital status, and current grade of employment); health (self rated health over the past 12 months, presence of longstanding illness, presence of 17 different symptoms in the previous 14 days, and presence of recurring health problems based on questions used in the general household survey²³); minor psychiatric morbidity (assessed using the 30 item general health questionnaire²⁴); health related behaviours (current smoking habits, alcohol consumption in past seven days, exercise patterns); and locus of control (the degree to which respondents think they can control their own health). Further details on these measures have been reported previously.¹⁵

An increased score on the general health questionnaire represents an increase in minor psychiatric morbidity. All those scoring 0-4 on this questionnaire are considered "non-cases" and those scoring 5 or more as "cases."²⁵

Alcohol was measured in units, with one unit of alcohol equivalent to half a pint of beer or cider, a single measure of spirits, or a glass of wine. Heavy drinking was defined as >21 units/week for men and >14 units/week for women.

STUDY SAMPLE AND STATISTICAL ANALYSIS

In all, 666 employees of the Property Services Agency were included in the baseline screening (513 men, 153 women), 526 of whom (79%) completed the follow up questionnaire (410 men, 116 women). The other departments contained 9642 respondents (6382 men and 3260 women) at baseline and 7607 respondents (79%; 5123 men and 2484 women) at follow up. In addition to those who failed to return the second

who had died and those who could not be traced. The size of the two populations was given by the original study design and was determined before this study of anticipation of job change or non-employment started.

Age adjusted means and proportions were calculated by direct standardisation using five year age groups with the total population as the standard. Differences in means were tested by analysis of covariance using the age groups as covariates, while differences in proportions were assessed using Cochran-Mantel-Haenszel tests of association. For all continuous variables, repeating the analyses after logarithmic transformation does not materially alter the results.

The main aim of the analysis was to compare the changes in the various measures between baseline and follow up (the anticipation phase for those in the Property Services Agency) with those in other departments. It has been recognised that such data cannot be analysed by using simple differences because the magnitude of the change would depend on the level at baseline.^{26,27} An imbalance in the means (or percentages) at baseline between the Property Services Agency and the other departments would result in comparison of the simple differences being biased. For continuous variables, therefore, differences at the anticipation phase (follow up) were assessed by using analysis of covariance with age, employment grade, and the baseline level of the variable of interest as covariates. To calculate adjusted differences in proportions for the dichotomous variables, logistic regression of the values at follow up on the baseline values was used to compute residuals, which were then analysed by using analysis of covariance, with age and employment grade as covariates.

Results

The response rate for the Whitehall II cohort at follow up was 79%, with non-response at 24% for

agency and the other departments. Baseline data for participants who did or did not respond to the follow up questionnaire are presented in table I. Responders and non-responders differed in age, employment grade, self rated health in the last year, smoking, exercise behaviour, and, in men, alcohol consumption. Of relevance to subsequent comparisons, the differences between responders and non-responders are similar for the participants recruited from the Property Services Agency and the other departments, with the exception of employment grade in men; the low response rate in the lower grades seen in the main cohort was not seen in the Property Services Agency cohort.

Table II shows age, grade, marital status, self reported health status, and health related behaviour variables for the Property Services Agency and the other departments at baseline. Any differences between these populations tended to show advantages for the Property Services Agency, which had a more favourable profile of health and health related behaviours than the other departments.

Health status measures as reported in the follow up questionnaire are presented in Table III. The differences in changes from baseline to follow up between the Property Services Agency and other departments are also shown, adjusted for age, employment grade, and measures of self reported health status at baseline. All the measures showed a deterioration in the self reported health of men in the Property Services Agency compared with men in the other departments, which was significant for self rated general health, the number of symptoms experienced over the past two weeks, and the number of health problems over the past year. In women the picture was less consistent, with the only significant difference relating to a relative worsening in the number of symptoms reported by women from the Property Services Agency compared with those in other departments. Table III also shows that change in health related behaviours between baseline and follow up did not differ significantly

TABLE I—Characteristics of responders and non-responders to follow up questionnaire for subjects in the Property Services Agency and other departments at baseline. Values in parentheses are standard errors

	Property Services Agency		Other departments		P value for difference†	P value for test for interaction*
	Responder	Non-responder	Responder	Non-responder		
<i>Men</i>						
No	410	103	5123	1259		
Mean (SE) age (years)	44.4 (0.3)	43.9 (0.6)	44.2 (0.1)	43.4 (0.2)	<0.001	>0.5
Grade:						
% Administrative	35.4 (2.3)	31.5 (4.4)	40.7 (0.7)	32.6 (1.3)	<0.001	0.42
% Clerical/support	3.6 (0.9)	2.9 (1.6)	8.3 (0.4)	16.8 (1.1)	<0.001	<0.001
Self reported health status measures						
% With self-rated health average or worse	20.9 (2.0)	25.3 (4.4)	21.5 (0.6)	26.5 (1.3)	<0.001	>0.5
% With longstanding illness	28.0 (2.4)	27.4 (4.6)	31.8 (0.8)	29.9 (1.5)	0.25	>0.5
Mean No of symptoms	2.01 (0.11)	1.66 (0.20)	2.48 (0.04)	2.51 (0.08)	>0.5	0.12
No of health problems	1.29 (0.07)	1.23 (0.13)	1.31 (0.02)	1.35 (0.05)	>0.5	>0.5
GHQ caseness	22.4 (2.1)	24.6 (4.3)	25.1 (0.6)	26.2 (1.3)	0.40	>0.5
Health behaviours						
Units alcohol in last week	11.0 (0.6)	11.3 (1.0)	12.6 (0.2)	13.9 (0.5)	0.007	0.43
% Current smokers	10.5 (1.5)	16.5 (3.7)	14.6 (0.5)	22.6 (1.2)	<0.001	>0.5
% Taking no exercise	5.0 (1.1)	6.0 (2.4)	10.9 (0.4)	14.9 (1.0)	<0.001	0.29
<i>Women</i>						
No	116	37	2484	776		
Mean (SE) age (years)	45.4 (0.6)	43.5 (1.0)	45.2 (0.1)	45.3 (0.2)	>0.5	0.10
Grade:						
% Administrative	3.9 (1.7)	4.6 (2.9)	13.1 (0.7)	9.1 (1.1)	0.005	0.20
% Clerical/support	53.6 (4.7)	68.9 (7.6)	44.8 (1.0)	56.3 (1.8)	<0.001	>0.5
Self reported health status measures						
% With self-rated health average or worse	30.1 (4.2)	38.6 (7.8)	34.5 (1.0)	41.2 (1.8)	<0.001	>0.5
% With longstanding illness	26.7 (4.9)	25.7 (7.4)	31.3 (1.1)	30.6 (2.0)	>0.5	>0.5
Mean No of symptoms	2.59 (0.25)	2.64 (0.57)	3.12 (0.06)	3.16 (0.11)	>0.5	>0.5
No of health problems	1.38 (0.15)	1.53 (0.42)	1.64 (0.04)	1.79 (0.07)	0.11	>0.5
GHQ caseness	28.9 (4.3)	29.6 (7.8)	30.7 (0.7)	31.4 (1.7)	>0.5	>0.5
Health behaviours						
Units alcohol in last week	4.6 (0.5)	4.7 (1.1)	5.6 (0.2)	5.8 (0.3)	>0.5	>0.5
% Current smokers	17.8 (3.4)	21.4 (7.1)	21.1 (0.8)	29.7 (1.7)	<0.001	>0.5
% Taking no exercise	27.3 (4.1)	38.2 (8.0)	27.6 (0.9)	30.3 (1.7)	0.12	0.37

GHQ=general health questionnaire.

*Whether differences between responders and non-responders differ between Property Services Agency and other departments.

†Responders v non-responders for all departments combined.

	Men			Women		
	Property Services Agency	Other	P value for difference	Property Services Agency	Other	P value for difference
Age (years)	44.4 (0.3)	44.2 (0.1)	>0.5	45.4 (0.6)	45.3 (0.1)	>0.5
Grade:						
% Administrative	35.4 (2.3)	40.7 (0.7)		3.9 (1.7)	13.0 (0.7)	
% Professional/executive	61.0 (2.4)	51.0 (0.7)	<0.001***	42.5 (0.6)	42.2 (0.1)	0.009**
% Clerical/support	3.6 (0.9)	8.3 (0.4)		53.6 (4.7)	44.8 (1.0)	
Marital status:						
Married/cohabiting	87.7 (1.6)	81.7 (0.5)		64.8 (4.5)	61.2 (1.0)	
Single	7.8 (1.3)	13.5 (0.5)	<0.001***	18.4 (3.6)	22.2 (0.8)	0.47
Divorced	4.2 (1.0)	4.4 (0.3)		10.8 (2.9)	13.9 (0.7)	
Widowed	0.3 (0.3)	0.4 (0.1)		5.9 (2.2)	2.6 (0.3)	
Self reported health status measures						
% With self rated health average or worse	20.9 (2.0)	21.5 (0.6)	>0.5	30.1 (4.2)	34.5 (1.0)	0.44
% With longstanding illness	28.0 (2.4)	31.8 (0.8)	0.13	26.7 (4.9)	31.3 (1.1)	0.36
Mean No of symptoms	2.01 (0.11)	2.48 (0.04)	<0.001***	2.59 (0.25)	3.12 (0.06)	0.07
No of health problems	1.29 (0.07)	1.31 (0.02)	>0.5	1.38 (0.15)	1.64 (0.04)	0.13
GHQ score	3.05 (0.23)	3.41 (0.07)	0.18	4.09 (0.64)	4.09 (0.12)	>0.5
GHQ caseness	22.4 (2.1)	25.1 (0.6)	0.21	28.9 (4.3)	30.7 (0.7)	>0.5
Health behaviours						
Units alcohol in last week	11.0 (0.6)	12.6 (0.2)	0.03*	4.6 (0.5)	5.6 (0.2)	0.16
% Non-drinkers	11.9 (1.6)	12.9 (0.5)	>0.5	29.3 (4.3)	28.2 (0.9)	>0.5
% Heavy drinkers	11.9 (1.6)	18.1 (0.5)	0.002**	3.4 (1.6)	10.1 (0.6)	0.03*
% Current smokers	10.5 (1.5)	14.6 (0.5)	0.02*	17.8 (3.4)	21.1 (0.8)	>0.5
% Taking no exercise	5.0 (1.1)	10.9 (0.4)	<0.001	27.3 (4.1)	27.6 (0.9)	>0.5
% With external locus of control	30.0 (2.4)	31.0 (0.8)	>0.5	35.5 (5.0)	39.1 (1.1)	>0.5

GHQ=general health questionnaire. *P<0.05, **P<0.01, ***P<0.001.

TABLE III—Age standardised means of self reported health status and health behaviours in the Property Services Agency and other departments at follow up

	Property Services Agency	Other	Difference	Adjusted difference (SE)*	P value†
<i>Self reported health status</i>					
% With self rated health average or worse					
Men	27.0	21.8	5.2	6.0 (2.0)	0.004
Women	33.2	36.8	-3.6	-3.6 (3.8)	0.34
% With longstanding illness					
Men	37.0	35.9	1.1	3.3 (2.3)	0.16
Women	31.5	38.4	-6.9	-4.7 (4.7)	0.32
Mean No of symptoms					
Men	2.73	2.63	0.10	0.36 (0.11)	0.004
Women	3.65	3.35	0.30	0.55 (0.23)	0.02
No of health problems					
Men	1.48	1.37	0.11	0.12 (0.06)	0.05
Women	1.70	1.76	-0.06	0.09 (0.13)	0.49
GHQ score					
Men	3.75	3.72	0.03	0.21 (0.27)	0.44
Women	5.37	4.70	0.67	0.71 (0.51)	0.16
GHQ caseness					
Men	28.1	27.3	0.8	1.8 (2.3)	0.44
Women	37.6	33.8	3.8	3.9 (4.2)	0.35
<i>Health behaviours</i>					
Alcohol (units/week)					
Men	10.9	12.4	-1.5	-0.4 (0.4)	0.40
Women	4.5	5.2	-0.7	0.2 (0.8)	>0.5
% Non-drinkers					
Men	16.0	14.2	1.8	3.1 (1.7)	0.08
Women	34.5	30.5	4.0	2.5 (3.2)	0.43
% Heavy drinkers					
Men	15.1	17.4	-2.3	0.7 (1.5)	>0.5
Women	6.8	8.7	-1.9	2.4 (2.8)	0.38
% Current smokers					
Men	8.7	13.4	-4.7	-0.9 (1.0)	0.36
Women	20.2	19.5	0.7	3.5 (1.8)	0.06
% Taking no exercise					
Men	5.4	8.8	-3.4	-1.6 (1.6)	0.32
Women	20.1	19.7	0.5	-0.2 (3.0)	>0.5
% With external locus of control					
Men	21.4	25.2	-3.8	-3.61 (2.3)	0.12
Women	38.2	31.4	6.8	8.32 (4.7)	0.07

*Adjusted for age, grade and for baseline values.

†Whether the adjusted difference is significantly different from zero.

between the Property Services Agency and other departments.

Discussion

From an initial position either of advantage or no difference to the rest of the cohort, employees in the Property Services Agency experienced a relative overall deterioration in self reported morbidity during the anticipation phase. This deterioration was not accompanied by a consistent worsening in the profile of health related behaviours.

METHODOLOGICAL CONSIDERATIONS

Most studies of job insecurity or job loss reported so

far have been cross sectional—with concurrent control groups of workers in similar workplaces unaffected by job change—or have compared the anticipation phase or unemployment with health after re-employment. Fewer studies have followed subjects and controls from before the anticipation phase, and studies with a longitudinal design have mainly used retrospective methods to collect data from before the anticipation phase. The present study, therefore, represents a substantial improvement on the methodology of earlier research on this topic.

A potential problem with this study is that data are available only for participants who responded both to the initial survey and to the follow up questionnaire. The possibility of bias being introduced by differential

and other departments was explored in detail by comparing baseline characteristics of responders and non-responders. There was no evidence that the association between health status or profile of health related behaviours and probability of responding to the follow up questionnaire differed substantially between the Property Services Agency and other departments. The main difference, of higher response rates among higher grades in the main cohort but not in the Property Services Agency, would tend to bias the results away from finding relative deterioration in health status in the Property Services Agency.

The measures of health status used in this study are all based on self reports. The way in which health status is reported could be changed by impending job change and possible job loss. This process might be expected to influence reporting of longstanding illness more than general health status, as longstanding illness is the prerequisite for permanent exit from the labour market on medical grounds. In the present study, however, general health status measures rather than longstanding illness showed relative deterioration in the Property Services Agency.

EFFECTS OF ANTICIPATION ON HEALTH STATUS

The adverse effect that the period of anticipation of job change or unemployment has on health status is consistent with results from one of the few prospective studies in the field, Kasl and Cobb's factory closure study in Michigan.¹² The phase of anticipation of plant closure had a detrimental effect on the number of days per fortnight on which the respondent "did not feel as well as usual." The Michigan study showed no effect of anticipation on symptom score, but our study showed significant relative increases in symptom scores for the Property Services Agency men and women between baseline and follow up in comparison to employees in other departments. Together with the relative deterioration in health problems among men in the Property Services Agency, these changes might be expected to translate into the increased incidence of illness and use of health services found in the follow up of the Harris factory closure at Calne in Wiltshire.²⁸

Self reported health status is not a clinically insignificant measure. Five recent epidemiological studies have now found that self reported health status predicts mortality over a period of years, even after adjustment for physical ill health at baseline.²⁹ Moreover this association does not seem to be explained away by confounding factors, inappropriate analysis techniques, involvement with medical care, social support, or internal resources such as depression and optimism.²⁹

The degree of increase in score on the general health questionnaire during the anticipation phase, greater in the Property Services Agency than in the other departments, although non-significant, is consistent in size with other studies examining anticipation of job change^{13,30,31}; it may be that unemployment, rather than anticipation of unemployment, is more likely to lead to psychological distress. The changes in reported physical health were larger for men, but changes in psychological health were larger for women—possibly because women tend to react to anticipation of job change with psychological symptoms and men with physical symptoms, albeit physical symptoms indicative of somatisation.³²

Overall the health related behaviour of the whole cohort changed little between the two time points. The few available data suggest that job insecurity has little effect on behaviour patterns that may damage health,³⁴ a phenomenon similar to that seen in the present investigation. The relative decline in health status of

Key messages

- Anticipation of job change has often been considered to have effects on health similar to actual unemployment, but few studies have gathered adequate prospective data on this topic
- Self reported health status measures for middle aged civil servants anticipating job change or job loss showed significant deterioration, relative to a group remaining in secure employment; this relative decline in health status could not be accounted for by changes in health related behaviours
- The consequences of such changes are relevant not only to the civil service but also to the privatisation of other public services and the rationalisation programmes being carried out in the private sector in Britain and elsewhere
- The increasing levels of job insecurity created by changes in the nature of employment relationships may lead to greater ill health in the general population, beyond the direct effects of unemployment

the Property Services Agency employees compared with those in other departments during the anticipation phase does not, therefore, seem to be due to changes in the health related behaviours measured. This result reflects recent findings that loss of employment is not associated with increased smoking or drinking⁴ or decreased physical activity³⁵ but is associated with increased mortality and morbidity, even after selection out of the workforce due to ill health is controlled for.⁴

Preliminary results from the in depth study of the Property Services Agency, started in 1994, indicate that the anticipation phase was experienced as a period of great stress and anxiety by most of the workforce. In an atmosphere where concrete information was scarce but rumour rife, the workforce had to adapt to new working practices which, in general, resulted in adverse changes to characteristics of the work environment and deteriorating relationships with management and between colleagues. This combination of factors was described by most employees in terms of adverse emotional responses, often accompanied by the onset of new health problems.

CONCLUSION

Among a group of white collar civil servants, anticipation of job change was associated with relative decline in self reported health status that was not accompanied by a relative worsening in the profile of health related behaviours. The application of a longitudinal design allowed the same people to be followed from job security into anticipation of job change or loss, and these results to confirm the evidence that such anticipation has an adverse effect on morbidity. More importantly, these data extend existing knowledge in this area by having controlled for health status before the anticipation phase.

We thank all participating civil service departments and their welfare and personnel officers, the Civil Service Occupational Health Service, the Civil Service Central Monitoring Service, Dr George Sorrie, Dr Adrian Semmence, and all participating civil servants. We also thank Dr Mel Bartley for her valuable contribution to this study.

Funding: The work presented in this paper was supported by grants from the John D and Catherine T MacArthur Foundation Research Network on Successful Midlife Development and the Economic and Social Research Council.

Conflict of interest: None.

- 1 M'Gonigle GCM, Kirby J. *Poverty and public health*. London: Golantz, 1936.
- 2 Morris JN, Titmuss RM. Health and social change: recent history of rheumatic heart disease. *Medical Officer* 1944;2:69-71, 77-9, 85-7.
- 3 Moser KA, Fox AJ, Jones DR. Unemployment and mortality in the OPCS longitudinal study. *Lancet* 1984;ii:1324-9.
- 4 Morris JK, Cook DG, Shaper AG. Loss of employment and mortality. *BMJ* 1994;308:1135-9.
- 5 Beale N, Nethercott S. Job-loss and family morbidity: a study of a factory closure. *J R Coll Gen Pract* 1985;35:510-4.
- 6 Cook DG, Cummins MJ, Bartley MJ, Shaper AG. The health of unemployed middle aged men in Britain. *Lancet* 1982;i:1290-4.
- 7 D'Arcy C, Siddique CM. Unemployment and health: an analysis of "Canada Health" data. *Int J Health Serv* 1985;15:609-35.
- 8 Jahoda M, Lazarsfeld P, Zeisel H. *Marienthal: the sociography of an unemployed community*. London: Tavistock, 1972.
- 9 Warr P, Jackson P, Banks M. Unemployment and mental health: some British studies. *Journal of Social Issues* 1988;44:47-68.
- 10 Platt SD, Kreitzman N. Trends in parasuicide and unemployment among men in Edinburgh 1968-82. *BMJ* 1984;289:1029-32.
- 11 Organisation for Economic Cooperation and Development. The OECD jobs study—facts, analysis and strategy. Paris: OECD, 1994.
- 12 Cobb S, Kasl SV. *Termination: the consequences of job loss*. Cincinnati: National Institutes for Occupational Safety and Health, 1977. (DHEW-NIOSH publication No 77-224.)
- 13 Hamilton VL, Broman CL, Hoffman WS, Renner DS. Hard times and vulnerable people: initial effects of plant closing on autoworkers' mental health. *Journal of Health and Social Behaviour* 1990;31:123-40.
- 14 Morris JK, Cook DG. A critical review of the effect of factory closures on health. *Br J Ind Med* 1991;48:1-8.
- 15 Marmot MG, Davey Smith G, Stansfeld S, Patel C, North F, Heald J, et al. Health inequalities among British civil servants: the Whitehall II study. *Lancet* 1991;337:1387-93.
- 16 Cabinet Office. *Civil service yearbook 1994*. London: HMSO, 1994.
- 17 Treasury Efficiency Unit. *Using private enterprise in government*. London: HMSO, 1986.
- 19 Walker D. Financial rule eased to assist PSA sale. *Times* 1989;December 6:4.
- 20 Guest P. Staff cuts to trim pre-privatised PSA. *Building* 1989;December 8:10.
- 21 Kitchen S. PSA facts and figures. *Building* 1989;August 25:5.
- 22 Bill P. Cabinet ministers clash over PSA control. *Building* 1988;March 18:5.
- 23 Office of Population Censuses and Surveys. *General household survey 1977*. London: HMSO, 1979.
- 24 Hennessey P. *Whitehall*. London: Fontana, 1990.
- 25 Stansfeld SA, Marmot MG. Social class and minor psychiatric disorder in British civil servants: a validated screening survey using the general health questionnaire. *Psychol Med* 1992;22:739-49.
- 26 Glynn RJ, Rosner B, Silbert JE. Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men. *Circulation* 1982;66:724-31.
- 27 Cain KC, Kronmal RA, Kosinski AS. Analysing the relationship between change in a risk factor and risk of disease. *Statistics in Medicine* 1992;11:783-97.
- 28 Beale N, Nethercott S. The health of industrial employees four years after compulsory redundancy. *J R Coll Gen Pract* 1987;37:390-4.
- 29 Idler EL, Kasl S. Health perceptions and survival—do global evaluations of health-status really predict mortality. *J Gerontol* 1991;46:55-65S.
- 30 Kasl SV. Changes in mental health status associated with job loss and retirement. In: Barrett JE, ed. *Stress and mental disorder*. New York: Raven Press, 1979:179-200.
- 31 Hartley J, Jacobson D, Klandermans B, Van Vuuren T. *Job insecurity: coping with jobs at risk*. London: Sage, 1991.
- 32 Burchell B. The effects of labour market position, job insecurity, and unemployment on psychological health. In: Gallie D, Marsh C, Vogler C, eds. *Social change and the experience of unemployment*. Oxford: Oxford University Press, 1994:188-212.
- 33 Stansfeld SA, Davey Smith G, Marmot MG. Association between physical and psychological morbidity in the Whitehall II study. *J Psychosomatic Res* 1993;37:1-12.
- 34 Mattiasson I, Lindegard F, Nilsson J, Theorell T. Threat of unemployment and cardiovascular risk factors: longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *BMJ* 1990;301:461-6.
- 35 Grayson JP. Health, physical activity level and employment status in Canada. *Int J Health Serv* 1993;23:743-61.

(Accepted 20 August 1995)

Labour Market Status, Insecurity and Health

JANE E. FERRIE

University College London, UK

JANE E. FERRIE MSc, Research Fellow, is a Doctoral Candidate in the Department of Epidemiology and Public Health at University College London. She has published work on the relationship between job insecurity and health in the Whitehall II Study.

ACKNOWLEDGEMENTS. I thank all participating civil service departments and their welfare and personnel officers, and all participating civil servants. The work presented in this article was supported by the Economic and Social Research Council (R000235083). The Whitehall II Study is funded by grants from the Medical Research Council, Health and Safety Executive, Department of Health, British Heart Foundation, National Heart, Lung and Blood Institute (2 R01 HL36310-04), Agency for Health Care Policy Research (5 R01 HS06516), Institute for Work and Health, and the John D. and Catherine T. MacArthur Foundation Research Network on Successful Midlife Development.

ADDRESS. Department of Epidemiology and Public Health, University College London, London WC1E 6BT, UK.

Journal of Health Psychology
Copyright © 1997 SAGE Publications
London, Thousand Oaks and New Delhi,
ISSN: 1359-1053 Vol 2(3) 373-397

Abstract

Workplace closure results in unselective unemployment. This unique feature has enabled studies of workplace closure to make a significant contribution to knowledge about the effect of unemployment on health. A review of recent longitudinal, controlled studies of workplace closure documents their contribution to this knowledge. It also identifies a number of methodological problems and the scarcity of data on white-collar workers and gender differences. Results are presented from a study of the health effects of job insecurity, change and loss among white-collar men and women which was able to address some of the methodological disadvantages of previous studies.

Keywords

*health, job insecurity,
unemployment, white-collar
work, workplace closure*

RECESSIONS DURING THE 1980s and early years of the 1990s, cuts in public spending, technological innovation, international competition and increasing dividends to shareholders are forcing many organizations, both public and private, to restructure. In the United Kingdom (UK) in the year to autumn 1995, 278,000 women and 484,000 men were made redundant (MacErlean, 1996). While a few find redundancy opens up positive opportunities (Fineman, 1987), the majority who go on to find other jobs end up in positions characterized by less security, lower income and poorer fringe benefits (Hartley, Jacobson, Klandermans, & Van Vuuren, 1991).

Between 1975 and 1993, the proportion of the population of working age classed as full-time, tenured employees fell from 55.5 percent to 35.9 percent (Gregg & Wadsworth, 1995). Many leaving the labour force joined the ranks of the economically inactive. By 1996, in addition to the 1.5 million unemployed, there were another 2.8 million men of working age no longer actively seeking employment, a rate of non-employment for men of 24 percent (Convery, 1996). In the 1980s this exodus from the labour force was mostly blue collar, but an increasing number of those facing insecurity, redundancy and job change in the 1990s work in white-collar sectors traditionally accustomed to long-term, secure employment.

Although similar trends exist in all industrialized countries, the UK Government's fiscal policies have exacerbated these industrial and employment problems (Hutton, 1993). The

Government believes in a non-interventionist stance on industrial affairs and has enacted several pieces of legislation which have weakened trade unions; made redundancy and dismissal easier; and created a climate which has facilitated the erosion of employment rights and the casualization of labour (Ambrose & Overell, 1995; Hutton, 1995). Further, a commitment to reducing public spending has had two effects on the labour market. First, cuts in public expenditure mean that jobs in the state sector are under threat. Second, cuts in welfare and unemployment benefits make non-employment even less attractive (Convery & Finn, 1994), exacerbating feelings of insecurity among both the employed and the unemployed.

The employment transition process

The processes of involuntary employment transition, workplace closure, rationalization in the private sector and privatization in the public sector bear many similarities to the unemployment process, as described by Joelson and Wahlquist (1987; see Figure 1). At baseline the workforce are in secure employment, unaware of future changes. Next comes a period of uncertainty and rumour, termed the *anticipation phase*. This phase, which may be protracted, is when the workforce realize that change is approaching but are not sure how, or if, they may be affected. The anticipation phase is followed either by the removal of the threat and

Figure 1. The employment transition process (adapted from Joelson & Wahlquist, 1987).

continued employment, or by the *pretermination phase*.

The pretermination phase is the period immediately prior to closure or sale. By this time, some workers will have already left and future job change or job loss for most will be certain. In cases where the whole process is very rapid, both the anticipation and pretermination phases may be very brief. After closure or sale workers undergo transfer, job change or experience non-employment in the form of early retirement, retirement or unemployment. Subsequent to this, non-employment may continue or re-employment may occur (Beale & Nethercott, 1992).

While a useful model, this is obviously an oversimplified view of any workplace closure as, inevitably, phases of the process overlap and will be perceived by individuals as occurring on different timescales.

Workplace closure studies

The health consequences of redundancy and unemployment have been actively investigated since the high unemployment period of the 1930s (M'Gonigle & Kirby, 1936; Pilgrim Trust, 1938). These studies have, in general, shown unemployment to be associated with an increased risk of mortality (Morris & Titmuss, 1944; Morris, Cook, & Shaper, 1994; Moser, Fox, & Jones, 1984), morbidity (Beale & Nethercott, 1985; Cook, Cummins, Bartley, & Shaper, 1982; D'Arcy & Siddique, 1985) and psychological ill health (Jahoda, Lazarsfeld, & Zeisel, 1972; Platt & Kreitman, 1984; Warr, Jackson, & Banks, 1988). However, a major consideration when examining the relationship between health and labour market experience is the extent of possible selection: Is the experience of job insecurity and subsequent events a consequence or a cause of ill health? With regard to answering this question, the prospective study of workplace closure has the advantage that all the respondents followed-up are made redundant through no fault of their own. This means there is no plausible selection process involved; personal characteristics such as poor health or depression are not influential in increasing the person's risk for losing her or his job. Thus, although studies of workplace closures form a relatively small proportion of the extensive literature on unemployment and

health, this unique feature has enabled them to make a significant contribution to knowledge about the effect of unemployment on the health of individuals (Kasl, 1982).

Although selection factors have no bearing on the risk of redundancy in workplace closure studies, they may still affect labour market outcome postclosure. For example, respondents in poor health who expect their chances of re-employment are limited may experience workplace closure as a more stressful and salient life event. This means that the extent to which labour market status outcome is a consequence, rather than a cause, of ill health remains a vital consideration. This issue cannot be addressed unless data are available for a period of secure employment, well before any rumour of closure. Workplace closures often result from significant changes in the economy. The omission of a control group makes it impossible to distinguish the effects of workplace closure and subsequent labour market experiences from much more general changes which affect the whole labourforce.

Ten workplace closure studies with longitudinal data and a control group were identified from the literature between 1970 and 1996. A brief description of each study is presented in chronological order of closure. Details of study populations and data collection are presented in Tables 1 and 2, and main findings of the studies are presented under the headings: mortality; clinical measures; morbidity, sickness absence and health-service use; psychological health; social, economic and occupational variables; health-related behaviours; and selection.

The Michigan Study

A seminal study of workplace closure was carried out by Cobb and Kasl (1977) in the United States in the mid-1960s, results from which were widely reported throughout the 1970s. Study subjects came from two closing plants, given the pseudonyms Baker and Dawson. Baker was located in Detroit, and Dawson in a small rural community. Controls came from four non-closing plants and data were collected by specially trained nurses during pretermination and for two years postclosure. The study aimed to investigate health and behavioural effects of redundancy and ensuing unemployment or re-employment (see also Cobb, Brooks, Kasl, & Connelly, 1966).

Table 1. Study population

Study and workplace	Date/period of closure	Subjects	n	Response rate ^a (%)	Controls	n	Response rate (%)	Notes
Michigan (US) manufacturing plants	Commenced 1965	Married, blue-collar men aged 35-60	100	62	Comparable men from 4 manufacturing/maintenance plants 2 urban, 2 rural	74	68	Local unemployment low, most men had achieved stable re-employment 1 yr postclosure
Jacobsen (Denmark) factory	Mar 1971	Men, blue-collar	43	100	'Men from the same area'	200	100	
Sardine (Norway) canning factory	Jan 1975	72 women, 13 men, blue-collar	85	100	66 women, 21 men from non-closing sister factory	87	100	Although local unemployment was low, opportunities for terminees were scarce
Telfon (Sweden) manufacturing plant	1982	134 women, 16 men blue-collar	150	43	2 groups, blue-collar insecurely employed securely employed	62 112	42 97	Local unemployment high Unemployment benefit 90% of previous salary Insecure group 52 women, secure group 60 women
Harris (UK) meat products factory	Jul 1982	80 men, 49 women mostly blue collar 74 spouses, 72 children	129	100	77 men, 22 women from 7 local firms 66 spouses, 55 children	99	100	All respondents in social classes 3, 4 or 5; all registered with same GP practice for duration of study
Elisnore (Denmark) shipyard	1983	Men, mostly blue-collar employed by yard in 1982 (hospital admissions) (subjects as above)	1304	70 ^b	Blue-collar men from Dannebrog, a non-closing shipyard (controls as above)	448	82	Time of high unemployment in Denmark; subjects and controls combined for most analyses except hospital admissions
CGE (Canada) electrical plant	Mar 1984	400 skilled employees	124	31	General population of Ontario	2756	nk	Local unemployment high; results compared with responses by the economically active population of Ontario to the Canada Health Survey 1981
Pennsylvania (US) manufacturing plant	Redundancies late 1985-late 1986	Blue-collar women made redundant	73	62	Blue-collar women retaining jobs at plant	68	62	Downsizing rather than closure
GM (US) car plants	1987	Blue-collar men and women from 4 closing plants	831	46	Blue-collar men and women from 12 non-closing plants	766	51	Local unemployment high; subjects and controls combined for most analyses
Kockums (Sweden) shipyard	1988	Men, 41% immigrants	715	52	Age-matched men from general population of Malmö	261	79	Most subjects had found another job before being made redundant; subjects and controls combined for most analyses

^a Including loss to follow-up^b No indication of differential loss to follow-up between subjects and controls

nk = not known

Table 2. Data collection

	Secure employment	Anticipation phase	Pretermination phase	Postclosure	Main data categories reported
Michigan			6 weeks' preclosure	6 weeks, 6, 12, 24 months	Mortality data, clinical measurements, self-reported morbidity, illness behaviours, psychosocial measures and smoking; data collected by physical examination, questionnaire and interview
Jacobsen	—	Monthly data for 15 months' preclosure	—	Monthly data for 7 months postclosure	Morbidity reported to GP
Sardine			1 month preclosure	1, 4, 10 years, data for most measures available annually	Mortality data, clinical measurements, labour market outcomes, sickness absence and disability benefit claims; data collected by physical examination, questionnaire, interview and from secondary sources including GP records
Telfon			1 month preclosure	1, 4, 8, 12, 24 months for subjects 1 & 2 years for controls	Clinical measurements, psychosocial measures, drinking and smoking; data collected by physical examination, questionnaire and interview
Harris	Annual data for 4 years	—	Annual data for 2 years	1, 2, 3, 4 years	GP consultations, episodes of illness, hospital referrals and outpatient visits; secondary data collected by GP
Elsinore	(Hospital admissions only) 2 years' data	—	3 years' data	Immediately postclosure, 1, 2 years 3 years' data postclosure	Self-reported morbidity, psychosocial measures, drinking and smoking; data collected by questionnaire; admissions categorized by main diagnosis at discharge; secondary data from Danish national register of patients
CCE				3, 15, 27 months' postclosure for subjects 1981 for controls	Self-reported morbidity and stress attributed to closure; data collected by questionnaire; self-reported morbidity measures for controls from Canada Health Survey 1981
Pennsylvania	Secure employment			1 year after baseline data collection, redundancies spread between	Psychological measures; data collected at baseline for other purposes by interview, follow-up data by telephone
GM			3 months' preclosure	1, 2 years	Psychosocial measures; data collected by interview and questionnaire for first two data points; many 2-year interviews by telephone
Kockums	6 years		—	March 1987–January 1988— data collected throughout redundancy period	Clinical measurements, health-related behaviours and psychosocial measures (follow-up only); baseline data collected for other purposes; data collection by clinical examination and questionnaire

The Jacobsen Study

Only summaries in English appear to be available for this study which followed a group of 43 workers for 15 months before and 7 months after a factory closure in Denmark (Jacobsen, 1972).

The Sardine Study

The 'sardine crisis' of 1974/75 caused several canning factories in Norway to close. Two sister factories on an island of 16,000 inhabitants near Bergen provided the Sardine Study's subjects and controls. The aim of the study was to quantify the effects of the closure on future employment, health-related social security consumption and social readjustment over a 10-year follow-up period (Westin, 1990a).

The Telefon AB L M Ericsson plant (Telefon) Study

Telefon Study subjects lost their jobs in 1982 when the Telefon AB L M Ericsson plant, a manufacturer of equipment for telephone exchanges, closed. The study had two control groups; one in insecure employment, the other securely employed, and its aim was to conduct a multidisciplinary investigation of the biochemical, psychological, social and economic aspects of employment-unemployment (Arnetz, Brenner, Hjelm, Levi, & Pettersson, 1988; Levi et al., 1984).

The C & T Harris (Calne) Ltd (Harris) Study

In 1982 the factory of C & T Harris (Calne) Ltd, manufacturers of meat products closed. Calne is a small market town of around 11,000 in the UK in which Harris had been the main employer for over 200 years. By 1980 over 50 percent of the workforce had been made redundant. The remaining workforce were given a veiled threat of future closure that took two years to materialize (Beale & Nethercott, 1985). The study, undertaken by a general practitioner (GP) with whom the majority of the workforce were registered, aimed to examine aspects of health service use.

The Elsinore Study

In 1983 Elsinore, one of the largest shipyards in Denmark closed. The original study population was all men employed at the shipyard in 1982

with over six months' seniority. Controls were recruited from the Dannebrog shipyard which remained open (Iversen & Sabroe, 1987). In one publication the stated aim of the study was to 'elucidate the health consequences of job loss following a company closedown.' (Iversen & Sabroe, 1988a, p. 397). However, in another work the authors state that the control group was included to enable them to investigate whether health effects of unemployment stemming from closure differed from those of layoffs due to normal fluctuations in production (Iversen & Sabroe, 1988b). As no such difference could be established, the two populations were subsequently analysed together as one sample, except in analyses of hospital admissions.

The Canadian General Electric factory (CGE) Study

In March 1984 the Canadian General Electric Factory (CGE) in Toronto, Ontario closed. Approximately 400 skilled workers, mainly men, lost their jobs. At the end of follow-up 12 percent were still unemployed, 13 percent had retired and some had lost their first postclosure job. The closure resulted in considerable economic loss for both the unemployed and the re-employed, whose new jobs paid less and required less skill (Grayson, 1989).

The Pennsylvania Study

The women in this study were enrolled into an investigation of occupational stress and low-level solvent exposure, and baseline data collection was for this purpose only. However, during the subsequent year the workforce was reduced and the investigators took advantage of the opportunity to examine the effects of redundancy on psychological distress. Four women, unemployed for reasons other than being made redundant, were removed from the analyses. The remaining 141 women were classified into three groups: 68 who retained their previous jobs; 35 unemployed for less than six months; and 38 unemployed for more than six months (Dew, Bromet, & Penkower, 1992).

The General Motors (GM) Study

In November 1986, GM announced widespread closures affecting 11 of its plants, involving approximately 17,450 GM workers in Michigan alone. The study which commenced in August

1987 took random samples from four plants scheduled to close and 12 that were to remain open. Preliminary analyses of the first round of data showed that 198/813 respondents from the closing plants had already been made redundant. Those still working faced the possibility of redundancy but were uncertain of their fate (Hamilton, Broman, Hoffman, & Renner, 1990; Hamilton, Hoffman, Broman, & Rauima, 1993).

The Kockums AB Malmö (Kockums) Study

Kockums was a shipbuilding yard which until 1988 had a mercantile and a naval facility. In March 1986 workers were given advance notice that the mercantile side would close and operations ceased in June 1988. All workers over 58.3 years accepted early retirement on full pay and those who could be redeployed in the naval arm were transferred. Substantial government support for job creation ensured most terminees had new jobs before their employment at Kockums ended. The Kockums Study aimed to examine the threat of redundancy in relation to changes in risk factors for cardiovascular disease, and whether these could be explained by mental stress and sleep disturbance (Mattiasson, Lindgårde, Nilsson, & Theorell, 1990).

Main findings from the workplace closure studies

Mortality

Inadequate duration of follow-up and/or small sample sizes probably explain why only two studies present mortality data. No excess mortality was found either among the 208 men from the Baker plant followed for three years (Cobb & Kasl, 1977), or among the 85 sardine factory workers followed for 10 years (Westin, 1990b). Two of the 46 Baker men more closely studied committed suicide, 30 times the expected number. However, numbers in all cases were too small for drawing conclusions (Cobb & Kasl, 1977).

Clinical measures

Blood pressure in the Michigan Study during pretermination, unemployment or probationary re-employment was significantly higher than levels among men stably re-employed, the greatest increases being during pretermination (Kasl

& Cobb, 1970). Although diastolic blood pressure remained elevated with prolonged unemployment this was not significant (Kasl, 1979). Blood pressure in the Telefon Study was only elevated above the mean for the securely employed once, at 18 months (Arnetz et al., 1988). Systolic blood pressure in the Kockums Study dropped 2 mmHg between secure employment and follow-up among all respondents and diastolic dropped by 0.1 mmHg in subjects, while rising by 0.6 mmHg among controls (Mattiasson et al., 1990).

The Michigan Study recorded an increase in body weight pretermination but little further increase with unemployment (Cobb & Kasl, 1977). Body weight among the unemployed in the Telefon Study was consistently lower than values for the insecure and securely employed (Arnetz et al., 1988).

Mean cholesterol values in the Michigan Study were higher for controls during pretermination and remained so throughout the study (Kasl, Cobb, & Brooks, 1968). Among the unemployed, cholesterol levels increased during short term unemployment by 11.9 mg/dl, but dropped if unemployment continued (Cobb & Kasl, 1977). Cholesterol decreased non-significantly when re-employment followed pretermination, and significantly when it followed short-term unemployment (Kasl et al., 1968). In the Telefon Study cholesterol was slightly raised during pretermination and at four months, and dramatically at eight months. HDL-cholesterol was below the level for the securely employed throughout the study (Arnetz et al., 1988). Cholesterol increased between secure employment and follow-up in Kockums Study subjects, the greatest increases being among men below early retirement age, 0.28 mmol/l. Combining subjects and controls who had been threatened with redundancy, cholesterol rose by 0.28 mmol/l compared with 0.15 mmol/l in men not threatened ($p = .004$). Multivariate analysis showed the increase in cholesterol concentration to be significantly correlated with a decrease in calcium concentration and increase in haemoglobin and triglyceride concentrations, weight and sleep disturbance (Mattiasson et al., 1990).

Serum uric acid was significantly elevated in the Michigan Study during the pretermination phase. It rose further during short-term unemployment, and dropped again among those whose

unemployment continued, but dropped significantly on re-employment following either pre-termination or unemployment, only among men from the urban plant (Cobb & Kasl, 1977). Men who quit early for a new job had consistently elevated uric-acid levels (Kasl et al., 1968). In the Telefon Study serum cortisol and prolactin were considerably raised during pre-termination. After an initial drop post-closure, serum cortisol increased over the first year of unemployment and returned to the value for the securely employed between 12–24 months. Prolactin remained elevated for only four months post-closure (Arnetz et al., 1988). Among women, lymphocyte reactivity to phytohaemagglutinin was depressed following nine months of unemployment (Arnetz et al., 1987), but increased toward values for the securely employed after 20 months (Arnetz et al., 1991). However, sample sizes were very small (Arnetz et al., 1987).

Morbidity, sickness absence and health-service use

The Michigan Study investigated illness behaviour measured as the number of days/fortnight the respondent 'did not feel as well as usual' (Kasl, Gore, & Cobb, 1975, p. 109) and number of illnesses. Both were significantly higher than mean values for controls pretermination, but fell during short-term unemployment and on re-employment. However, those who failed to gain stable re-employment had consistently raised scores. 'Days used drugs' (1975, p. 116) showed elevated values during pretermination which decreased at all subsequent data collection points (Kasl, Cobb, & Gore, 1972). Jacobsen (1972) observed considerable excess morbidity from the month in which workers became aware of closure, but no increase in morbidity among the 200 control men drawn from the local population (Jacobsen, 1974).

Increases in consultations for Harris men and women, and their families were significant in years 5–8 (anticipation, pretermination and two years postclosure) compared with the years of stable employment and compared with controls. Significant increases in hospital referrals and attendance at outpatient departments were also seen among Harris workers during years 5–8, but not among controls (Beale & Nethercott, 1985). Among workers who were low consulters during secure employment, all health-service

use measures increased significantly during years 5–8. Being both a low consulter and in the older age group had an additive effect on all measures (Beale & Nethercott, 1986a). Among the oldest group of Harris workers, those aged 61–64, consultations and episodes of illness increased significantly during years 5–8 compared to stable employment among men but not women (Beale & Nethercott, 1986b). Health-service use among men with dependent children was no different from men without (Beale & Nethercott, 1986c).

Significant increases were seen in consultations among men with shorter tenure during anticipation and pretermination and among men with long-tenure postclosure. Women showed no such changes (Beale & Nethercott, 1986d). Harris men who did not find re-employment within two years of closure had significantly more consultations during anticipation, pretermination and postclosure. Consultations and illness episodes in this group were significantly higher postclosure than among controls (Beale & Nethercott, 1987).

In the Sardinia Study average sickness absence in the first year postclosure among subjects was double that for controls, the difference among men being significant. This differential trend remained in the second year, but further comparisons were unreliable as decreasing numbers in the subject group were eligible (Westin, Norum, & Schlesselman, 1988). Certificated sickness absence dropped significantly among younger Harris workers during anticipation and pretermination. However, Harris men overall reported more illnesses, and took significantly longer periods of absence during this phase than controls (Beale & Nethercott, 1988a). The incidence of common illnesses either remained the same or declined significantly postclosure, throwing into doubt the claim that excess morbidity reported by the unemployed results only from lowered symptom tolerance (Beale & Nethercott, 1988b).

Among the Harris workers consultations for chronic illnesses, those requiring active management after one year, increased significantly during anticipation and pretermination, and consultations, investigations, referrals, outpatient attendance and days of drug therapy per patient per year all increased significantly postclosure (Beale & Nethercott, 1988c). In the CGE Study

the number of chronic illnesses reported by terminees and their spouses was more than twice those of the general population at all three data collection points. With the exception of heart disease, asthma and endocrine diseases, for which excess means were small, differences between all other means were significant. Correlations among illnesses were low, making it unlikely results could be attributed to over-reporting or generalized health problems among a minority (Grayson, 1989).

Admissions to hospital were examined to determine whether closure affected admission patterns in the Elsinore Study group. Among subjects admissions fell from 85.0/1000 observation years during secure employment to 70.2 during anticipation and pretermination, and 74.5 postclosure. Admissions among controls increased from 56.2 to 96.5, a decrease in relative risk among subjects from 1.29 to 0.74. However, the relative risk for circulatory diseases rose among subjects from 0.8 to 1.60, supporting other data from the study showing that unemployment of more than three months was significantly associated with symptoms of cardiovascular disease (Iversen & Sabroe, 1987). The greatest change was in admissions for accidents, the relative risk for subjects decreasing significantly from 1.33 to 0.46, accounting for much of the overall change in admission pattern between the two groups. Explanations have focused on the danger of working in a high-risk industry at times of increasing unemployment (Bartley & Fagin, 1990; Iversen, Sabroe, & Damsgaard, 1989), ignoring the fact that non-response among subjects was considerably greater than among controls.

Psychological health

The Michigan Study failed to show significant effects in the psychological sphere. Although the investigators felt 'the personal anguish experienced by the men and their families does not seem adequately documented by the statistics' (Cobb & Kasl, 1977, p. 180); these effects have been eloquently documented in a sociological account of the closing by Slote (1969).

Compared with the securely employed, Telefon terminees experienced increased psychological disorder during pretermination and at four months' postclosure which returned to the level of the securely employed by year 2 (Arnetz

et al., 1991). However, three times as many subjects in the unemployed group had high levels of psychological disorder as among the securely employed (Arnetz et al., 1988). A substudy using data collected two years' postclosure showed the unemployed had a relative odds of depression of 3.38 (95% CI 1.38–8.28), after controlling for social support and life events (Hall & Johnson, 1988).

The Elsinore Study showed that stability in employment status, prolonged employment or unemployment, did not affect psychological well-being. However, changes in employment status had significant effects. Fear of job loss among employed men made a significant contribution to psychological morbidity in all three years of the study (Iversen & Sabroe, 1988b). In the Pennsylvania Study duration of unemployment was significantly associated with depression, but not anxiety, although no significant differences were detected between subjects at baseline. A linear increase in the proportion of women demonstrating clinically meaningful scores was found across the employed, short- and longer-term unemployed groups. On the psychological variables measured, women re-employed at follow-up could not be distinguished from the unemployed. Redundancy effects appeared to be independent of demographic variables and baseline depression (Dew et al., 1992).

Cross-sectional analyses from the pretermination phase of the GM Study showed that demographic factors were related to increased psychological disorder among those already made redundant from the closing plants (Hamilton et al., 1990). Analyses of data one and two years' postclosure, in which unemployed subjects and controls were combined, showed that unemployment led to depression and depression led to unemployment. However, as the study had no data from secure employment the results cannot indicate direction of causation (Hamilton et al., 1993).

Analyses of these data more finely divided by labour market status showed that a year postclosure the securely employed and the retired had similarly low depression scores. The unsatisfactorily employed and the unemployed had significantly raised depression scores and the discouraged unemployed had scores significantly higher than any other category. Depres-

sion declined significantly between years one and two for unemployed respondents who were seeking work and found it and unemployed respondents who were not seeking work and did not find it. Depression also declined in workers who had an unsatisfactory job at year one, and who lost or left it by year two (Hamilton et al., 1993).

Psychological variables were only measured during follow-up in the Kockums Study and the most interesting results were the significant differences between native Swede and immigrant subjects for all psychological measures. Men in the study and comparison groups reporting threatened job loss had significantly higher scores for sleep disturbance, depression and anxiety than other men (Mattiasson et al. 1990).

Social, economic and occupational factors

One powerful source of variability in the Michigan Study concerned location of the plants. Unemployment had a stronger impact on work role deprivation in the rural setting and mental health in the urban setting (Gore, 1978). Adverse effects on economic and work-role deprivations during pretermination and short-term unemployment were reversed by re-employment, and while economic deprivation increased with duration of unemployment, effects on work role deprivation wore off (Kasl, 1979). Higher levels of perceived social support tended to ameliorate the negative impacts of closure on both psychological and physiological indicators. Job change, surprisingly, was found to be related to work-role deprivation and those with the most job changes had the least economic problems (Cobb & Kasl, 1977).

In the Sardine Study employment postclosure was significantly reduced for female and male subjects compared with controls for all 10 years of follow-up. Average time on unemployment benefit amounted to almost six months during the first two years' postclosure, but during the third year benefit was denied to anyone who refused the offer of a job. In a few months, 11 of the 30 subjects remaining unemployed received sick notes from their GPs and all but one was receiving disability benefit two years later. Disability as an outcome was commonest among women of 60 years and over, and on average the closure caused subjects to spend one year more

on disability benefit than controls. An alternative way of adapting, to withdraw from the labour market without receipt of benefit, was almost solely confined to women. The differential trend between subjects and controls was significant by the first year, but rose by year four to a substantially higher level at which it remained (Westin, 1990a; Westin, Schlesselman, & Korper, 1989).

Health-related behaviours

Only three of the 10 studies report on any health-related behaviours, even though these would be expected to have a direct bearing on some of the outcomes measured. The Michigan Study measured smoking but reported only in passing that neither the threat of redundancy nor unemployment nor job change had any effect. Alcohol was not measured (Cobb & Kasl, 1977). No significant changes in alcohol consumption or tobacco use were reported in the Telefon and Kockums Studies (Arnetz et al., 1988; Mattiasson et al., 1990).

Selection

While the experience of job loss in workplace closure studies is universal most data show that selection has a considerable effect on outcomes postclosure. Of the 26 long-term unemployed Harris men, six reached the age of 60 in the four years' postclosure and another six were issued with long-term medical certificates. Further investigation of 30 long-term unemployed Sardine workers showed that most of the medical diagnoses justifying disability benefit were known to GPs before the respondents lost their jobs (Westin, 1990a).

In the Michigan Study a small group of men, still unemployed 1–2 years postclosure, had stably elevated levels of poor mental and physical health throughout the study, including during pretermination. Kasl (1982) suggests that 'initially poor health was interfering with their ability (or desire) to find work' (p. 641). However, without stable employment data the study cannot eliminate the possibility that these men's health deteriorated during anticipation or pretermination and remained poor thereafter. A study of shipyard closure which had no control group, but did have data from a period of secure employment, showed no differences in mental health, use of medicines or alcohol consumption

between those who subsequently experienced short- or long-term unemployment or re-employment (Iversen & Sabroe, 1987).

Where selection is considered in workplace closure studies the general conclusion seems to be that redundancy and subsequent labour market experiences have harmful effects which cannot be attributed to selection. Thus those with 'handicaps' such as pre-existing ill health, little education or being older are put in double jeopardy.

Methodological and statistical matters

Baseline data

The majority of the studies discussed did not have the benefit of baseline data: Michigan, Sardine, Telefon, Elsinore (except hospital admissions) (Iversen et al., 1989), CGE and the GM Studies. Lack of baseline data in the Michigan Study proved particularly difficult as the controls were considerably less healthy on most measures during the first data collection round, even though this was the pretermination phase for men in the closing factories. Similar problems arose among women in the Harris Study and through the healthy-worker effect (Carpenter, 1987) in the Kockums Study.

Four studies have data from a phase of secure employment. Jacobsen, Harris and part of the Elsinore Study use retrospectively gathered health-service data. Kockums and the Pennsylvania Study took advantage of having data, collected for other purposes, before closure was first mentioned, although in the latter doubt is cast on the claim that the women were not anticipating redundancy during their first interview.

Controls

Although all the studies reviewed have control groups, few are without problem. The controls in the Sardine and GM Studies come from sister factories, in Elsinore another shipyard, and in the Pennsylvania Study women remaining employed in the same company. Although these controls are perfectly matched in terms of occupational exposure, they will be similarly threatened by the crisis in the industry involved and so the effects of closure may be underestimated.

The Telefon Study includes two control groups, one insecurely, the other securely employed. However, the presentation only of mean values for controls for years one and two reduces their value. This seems especially worrying when some variables in the unemployed group show considerable variation in the first year postclosure. A control group is not available for all analyses in the Harris Study (Beale & Nethercott, 1986b, 1986c, 1986d), and where one is available, as in the Michigan Study, the full potential is not realized. Only where controls show significant changes over time do analyses of the Michigan data consider whether these differ between subjects and controls. Most analyses in the Harris Study compare means for years 1-4 with means for years 5-8 in subjects and controls, rather than compare change over time between the two. It has been recognized that such data cannot be analysed using simple differences because the magnitude of change would depend on the level at baseline (Glynn, Rosner, & Silbert, 1982). An imbalance in means at baseline between subjects and controls would result in comparison of the simple differences being biased.

Jacobsen used men from the same area as controls (Jacobsen, 1974) and the CGE Study used the economically active population of Ontario. The latter has been criticized for not being a relevant control group (Morris & Cook, 1991). However, in the absence of data from respondents securely employed in a similar workplace, local population data, adjusted for age, sex, education and employment status should give some indication of the health impact of the closure.

In the Elsinore Study, a significant drawback is the pooling of data for subjects and controls in most analyses (Iversen & Sabroe, 1987, 1988a, 1988b). The reason given was the lack of differences in the health effects of unemployment between the two groups. However, early cross-sectional analyses showed that shipyard, Elsinore or Dannebrog, was significantly associated with symptoms of cardiovascular disease (Iversen & Sabroe, 1987), a finding supported by the later analysis of hospital admission data (Iversen et al., 1989), and psychosomatic symptoms (Iversen & Sabroe, 1987). Similar pooling of data occurred in the Kockums and GM Studies for many analyses. Pooling of data for

subjects and controls means that the effects of closure can no longer be examined, and leave studies with all the disadvantages of a workplace closure study but none of the advantages.

Bias

The Michigan, Harris, Elsinore and CGE Studies excluded subjects who became economically inactive. Whether in the study group alone or in both subjects and controls, such exclusions are likely to be a source of bias as unemployed people have been shown to be at greater risk of becoming economically inactive (Piachaud, 1986). In the Telefon Study 31 workers who found new jobs when the plant closed were excluded from the study and 53 unemployed respondents accepted the offer of an intervention. Although the authors claim that participation in the intervention had no significant effects on physical or mental well-being, both factors may have introduced bias.

Effects of the GM closure may be underestimated because workers were relatively accustomed to lay-offs, sometimes of long duration, and some respondents did not look for new jobs after redundancy as they were likely to be recalled to GM. Unemployment for such people, therefore, would have been more akin to lay-off, the effects of which Fryer has shown to be considerably muted compared with redundancy (Fryer & McKenna, 1987). Further underestimation of effects caused by loss to follow-up may occur in most closure studies. A detailed examination of loss to follow-up in the Elsinore Study found non-response to be significantly associated with longer unemployment at the first follow-up (Iversen & Sabroe, 1988a).

Samples and subsamples

The majority of subjects in all longitudinal, controlled workplace closure studies have been blue-collar workers. Michigan, Jacobsen, Elsinore and Kockums include men only and Pennsylvania women only. The remaining studies include men and women: Sardine, Telefon, Harris, CGE and GM. However, differential effects on men and women are largely ignored, and only in the Harris and Sardine Studies are results regularly presented by sex. The Michigan, Harris, GM and Kockums Studies also demonstrate the importance of subdividing the cohort to differentiate groups whose changes in

morbidity would otherwise cancel each other out. Michigan, Harris and GM also report effects on family members, recognizing that effects are not limited to those immediately involved. Suggestions have been made that effects may also be manifest in the wider community (Kasl, 1982), or in the place to where the work is transferred (Bartley, 1986), as in the case of Baker where the new plant was non-unionized and staff had lower expectations of pay and working conditions (Slote, 1969).

Sample size, response rate, validity

One of the limitations of workplace closure studies is that sample size is restricted to the number of workers in the closing plant who fit the eligibility criteria. Thus, only three of the studies reviewed had over 500 respondents: Elsinore, GM and Kockums. Two studies used only health-service data: Jacobsen and Harris. This means they have no measure of illness not presented to health-care professionals, but as data can be collected retrospectively a 100 percent response rate is assured. In three of the studies which collected primary data internal validity is compromised by a response rate, including loss to follow-up, of below 50 percent: Telefon, CGE and GM.

The generalizability of many workplace closure studies is limited because many of the subjects' occupations are very specific. For example, sardine canners are not very representative of blue-collar workers in general. Further, the meaning of redundancy may be different depending on the economic and social conditions specific to a particular time or location (Catalano & Dooley, 1983). In the Kockums Study nearly everyone had a new job before being made redundant and benefits in Sweden are generous compared with those in North America, while in the Michigan Study differences in impact on men from the rural factory and men from the urban factory were as great as those between subjects and controls.

Summary

Nearly all the workplace closure studies showed adverse effects on one or more of the following: clinical measurements, physical health, psychological health and health-service use during the anticipation and pretermination phases—in

those studies where data were obtained—and during the first year of unemployment. However, the health behaviour variables did not conform to this pattern and showed little change. Studies that examined re-employment, in common with population studies comparing the unemployed with the re-employed, in general showed adverse effects partially or completely reversed by re-employment. Although redundancy in workplace closure studies is universal, selection factors have a bearing on effects at all stages of the process.

While knowledge regarding the health effects of change in labour market status has been considerably advanced by the workplace closure studies discussed, the research has a number of limitations. In general, previous studies have failed to: collect baseline data during secure employment; include suitable control groups; focus on white-collar workers; and examine differential effects on men and women. The privatization of one complete department of the British Civil Service provided the opportunity, through the Whitehall II Study, to perform a workplace closure study which was able to resolve some of these limitations.

The Whitehall II Study

Whitehall II is an ongoing, prospective study of the health of male and female civil servants. The target population was all London-based office staff working in 20 civil service departments between 1985 and 1988. With a response rate of 73 percent, the final cohort consisted of 10,308; 6895 men and 3413 women (Marmot et al., 1991). Although most were non-manual, respondents covered a wide range of grades from office-support staff to permanent secretary. As of 1 January 1987 annual salaries ranged from £62,100 for a permanent secretary to £3061 for the lowest paid office-support grade. Baseline screening, *Phase 1*, took place between late 1985 and early 1988. This involved a clinical examination, which measured physiological variables such as blood pressure, ECG and cholesterol, and a questionnaire that covered: sociodemographic variables including employment grade, health-status measures, health behaviours and work characteristics. In 1990 the same questionnaire data were collected by post, *Phase 2*, and between 1992–1993 a further

round of questionnaire and clinical data collection was completed, *Phase 3*. Full details of the measures used have been reported elsewhere (Marmot et al., 1991).

Employment transition in the British Civil Service

The privatization of one of the 20 departments in the Whitehall II Study, the Property Services Agency (PSA) was complete by 1993. PSA was responsible for the design, construction and maintenance of all government buildings. Between April 1990 and July 1991, PSA was split into six stand-alone businesses. PSA Projects, which covered the design and construction side was sold to the private sector in December 1992 (Draper, 1995).

Baseline screening of PSA respondents was complete by November 1986. In that year a government report (Her Majesty's Treasury Efficiency Unit, 1986) recommended the examination of civil service functions to determine which could be abolished or transferred to the private sector. However, few civil servants were aware of the long-term implications of this report, whose recommendations were not initiated until August 1988. For PSA, however, restructuring was being debated somewhat before this. Early in 1988 its future was envisaged in terms of a trading fund, a plan jettisoned in favour of privatization by December (Bill, 1988). A year later the Bill laying the basis for selling PSA was passed (Walker, 1989), with the minister responsible forecasting 'significant' staff cuts in the run up to privatization (Guest, 1989). The sale of PSA Projects was launched in May 1992 (Draper, 1995), the successful bidder announced in October (Taylor, 1992), and the sale went to completion in December (Hencke, 1992). A condition of sale was that all workers be allowed to transfer to the private company, however, continued employment was not guaranteed for anyone whose skills were not required.

The PSA Study

A study specifically to investigate the health effects of the privatization of PSA commenced in 1994. The study population was all Whitehall II respondents working in PSA at baseline screening, all other respondents formed the

*Phase refers to the phase of data collection for the PSA sample in the Whitehall II Study

Figure 2. The privatization process.

control group. In addition to utilizing data from Phases 1–3 of Whitehall II, the PSA Study gathered quantitative data by self-administered questionnaire and qualitative data by depth interview from the PSA cohort 1½–2 years postprivatisation. Figure 2 shows how the data collection points for PSA fit the pattern of a workplace closure study.

Phase 1 provided data from a period of secure employment; Phase 2 the anticipation phase; and Phase 3 the pretermination phase, both periods of job insecurity. Data from the PSA questionnaire provided data at one and a half years' postsale. Participation in each phase of the study is shown in Box I.

Statistical analysis

The analysis strategy employed was equivalent to the intention-to-treat analysis used in clinical

trials. Thus, it included all participants in PSA at baseline, from whom data were collected at subsequent phases of the study, regardless of labour market outcome. By including respondents who quit the workforce early in response to impending change, this strategy results in conservative estimates, but avoids overstating the impact of privatization.

Age-adjusted means and proportions were calculated by direct standardization using 5-year age groups with the total population as the standard. Differences in means were tested by analysis of covariance using the age groups as covariates, while differences in proportions were assessed using Cochran-Mantel-Haenszel tests of association. Differences between the groups at Phase 2, Phase 3, and the PSA questionnaire were assessed using analysis of covariance for continuous variables and logistic regression for

Box I	PSA	Control departments
Whitehall II baseline	666 513 ♂ 153 ♀	9642 6382 ♂ 3260 ♀
Whitehall II Phase 2	526 (79%) 410 ♂ 116 ♀	7607 (79%) 5123 ♂ 2484 ♀
Whitehall II Phase 3	530 (80%) 418 ♂ 112 ♀	7824 (81%) 5347 ♂ 2477 ♀
PSA questionnaire	541 (81%) 415 ♂ 126 ♀	

dichotomous variables with age, employment grade and baseline level of the variable of interest as covariates where appropriate. Analyses were conducted separately for women and men. On occasion, the final adjusted estimates (differences or odds ratios) were pooled if there was no strong evidence (p value >0.1) for any difference in effects between men and women.

For the purpose of analysis civil service employment grade was collapsed to three categories: administrative (highest) grade; professional/executive grade; and clerical/support (lowest) grade.

Results

Preprivatization

Comparisons of baseline data for responders and non-responders to each phase of the PSA Study showed differences in a number of demographic, health and health-related behaviour variables. However, as differences between responders and non-responders were similar for participants

from PSA and from control departments, results cannot be attributed to non-response bias.

Stable employment phase Any differences between PSA subjects and respondents from control departments during the stable employment phase tended to show advantages for PSA, which had a more favourable profile for health measures and health-related behaviours than controls (Ferrie, Shipley, Marmot, Stansfeld, & Davey Smith, 1995).

Anticipation phase From a baseline position of either advantage or no difference, PSA subjects experienced an overall deterioration in self-reported morbidity compared to controls during the anticipation phase (see Table 3).

Among men in PSA all measures deteriorated compared to control men. For health self-rated as average or worse, number of symptoms in the past fortnight and number of health problems over the last year, the relative difference in change was significant. For women the picture was less consistent, with the only significant difference relating to a relative increase in the

Table 3. Means and percentages^a for self-reported health and health-related behaviours for men and women in PSA and other departments during the anticipation phase (Phase 2)

	Sex	PSA	Other	Differences	Adjusted ^b diff (SE)	p value [*]
Self-rated health average or worse (%)	M	27.0	21.8	5.2	6.0 (2.0)	$p = .004$
	F	33.2	36.8	-3.6	-3.6 (3.8)	$p = .34$
Long-standing illness (%)	M	37.0	35.9	1.1	3.3 (2.3)	$p = .16$
	F	31.5	38.4	-6.9	-4.7 (4.7)	$p = .32$
Mean number of symptoms	M	2.73	2.63	0.10	0.36 (0.11)	$p = .004$
	F	3.65	3.35	0.30	0.55 (0.23)	$p = .02$
Number of health problems	M	1.48	1.37	0.11	0.12 (0.06)	$p = .05$
	F	1.70	1.76	-0.06	0.09 (0.13)	$p = .49$
GHQ score	M	3.75	3.72	0.03	0.21 (0.27)	$p = .44$
	F	5.37	4.70	0.67	0.71 (0.51)	$p = .16$
Heavy drinking (%)	M	15.1	17.4	-2.3	0.7 (1.5)	$p = .5$
	F	6.8	8.7	-1.9	2.4 (2.8)	$p = .38$
Current smokers (%)	M	8.7	13.4	-4.7	-0.9 (1.0)	$p = .36$
	F	20.2	19.5	0.7	3.5 (1.8)	$p = .06$
No exercise (%)	M	5.4	8.8	-3.4	-1.6 (1.6)	$p = .32$
	F	20.1	19.7	0.5	-0.2 (3.0)	$p = > .5$

^a Means and percentages are age-standardized

^b Adjusted for age, grade and for baseline (Phase 1) values

^{*} p values show whether the observed difference is significantly different from zero

number of symptoms reported by subjects compared to controls. Change in health-related behaviour between subjects and controls between baseline and Phase 2 did not differ (see Table 3; Ferrie et al., 1995).

Pretermination phase Combining results for men and women, all self-reported morbidity measures deteriorate in PSA respondents compared to controls, with significantly more sleeping ≥ 9 hrs/night. PSA men retain their baseline advantage with regard to blood pressure during the pretermination phase (see Table 4). However, cholesterol, ischaemia and Body Mass Index (BMI) all show adverse changes relative to controls. All physiological measurements for PSA women deteriorate compared to control women. Where results for both sexes can be combined, there is a significant increase in ischaemia, cholesterol concentration and BMI among subjects compared with controls.

Among PSA men and women divorce or separation increased during pretermination compared with controls. However, for the health-

related behaviours measured, none of the differences between PSA and controls is significant, either separately or combined, except for exercise in which the difference favours respondents from PSA (see Table 4).

A factor that masked the full effects of the pretermination phase on PSA respondents was that over 40 percent of civil servants in the control departments were anticipating, or had experienced, transfer to an executive agency by Phase 3. These changes had adverse effects on self-reported health-status measures and physiological measurements (Ferrie, Shipley, Marmot, Stansfeld, & Davey Smith, 1997) which will have narrowed the difference between PSA and other departments.

Postprivatization

Effects on health of labour market status outcomes Data from the PSA questionnaire showed that by 1994 only 19/541 (3.6%) were still employed by the rump of the original organization: 30.3 percent (118 ♂ 46 ♀)

Table 4. Age-adjusted percentages and least squares means for physiological measurements for men and women in PSA and other departments during the termination phase (Phase 3)

1. Percentages	Sex	PSA	Other depts	OR ^a	Adjusted ^b OR (95% CI)	Test of interaction ^c
Ischaemia ^d	M	6.9	5.0	1.39	1.40 (0.9–2.2)	1.45 (1.0–2.1)*
	F	11.0	6.7	1.62	1.60 (0.8–3.3)	
Means	Sex	PSA	Other depts	Difference (SE error)	Adjusted ^e diff (SE)	
Systolic blood pressure (mmHg)	M	120.6	122.3	–1.6 (0.67)*	–1.0 (0.54)	$p < .001$
	F	120.8	117.5	3.3 (1.39)*	3.5 (1.14)**	
Diastolic blood pressure (mmHg)	M	80.3	81.2	–0.9 (0.47)	–0.1 (0.39)	$p < .01$
	F	78.7	76.6	2.1 (0.94)*	2.3 (0.80)**	
Cholesterol concentration (mmol/l)	M	6.51	6.49	0.02 (0.06)	0.07 (0.04)	0.08 (0.0–0.1)*
	F	6.52	6.49	0.03 (0.12)	0.09 (0.08)	
Body Mass Index (kg/m ²)	M	25.3	25.1	0.1 (0.16)	0.3 (0.08)***	0.3 (0.2–0.5)***
	F	26.8	25.7	1.2 (0.48)*	0.6 (0.21)**	

* $p < .05$, ** $p < .01$, *** $p < .001$

^a Odds ratios adjusted for age

^b Adjusted for age and grade

^c Test of difference in the adjusted estimates between men and women (for those outcomes where the p value is >0.1 , a combined [men and women] estimate and 95% confidence interval is given)

^d Excluding ischaemia positives at baseline

^e Adjusted for age, grade and for baseline (Phase 1) values

remained in the civil service, mainly through transfers to other departments; 29 percent (134 ♂ 23 ♀) were in the private sector; and 40.7 percent (163 ♂ and 57 ♀) were no longer working. Of those in work, 49 percent considered their job insecure.

As insecurity had already been demonstrated to be significantly related to health outcome in this population respondents were stratified for analysis as follows: securely employed; insecurely employed; secure non-employed (would not like another job); and insecure non-employed (would like another job).

Overall, respondents in secure employment enjoyed better self-reported health, less long-standing illness and less psychological disorder than those in any other group. This was despite their health-related behaviours being less favourable than any other group, except men in insecure employment. Non-employed men wanting work and insecurely employed women

had the poorest self-reported health status. Long-standing illness was higher among all non-employed respondents but was significantly higher among those not wanting work. Psychological disorder was significantly increased among insecurely employed men and women and among non-employed men who wanted a job, but both groups had a favourable profile of health-related behaviours (see Table 5).

Selection into unemployment and non-employment The effects of health and other factors at baseline on the probability of unemployment or non-employment postprivatization were investigated.

Among men, professional/executive employment grade, increasing age, being single/divorced/widowed, few financial problems, high health problems in the last year (≥ 3) and self-rated health average or worse at baseline were all significant predictors of unemployment (see Table

Table 5. Outcomes for PSA respondents 18 months after the sale of their department, according to employment status and security

Measures	Sex	Securely employed	Insecurely employed	Non-employed secure	Non-employed insecure
Numbers	M	131	120	80	83
	F	33	35	21	35
Self-rated health average or worse	M	1.0	1.52 (0.84–2.70)	1.13 (0.53–2.39)	1.54 (0.79–3.00)
	F	1.0	1.40 (0.39–5.20)	3.70 (0.27–239.5)	2.08 (0.39–12.5)
Long-standing illness	M	1.0	1.06 (0.53–2.12)	3.44 (1.17–11.17)	1.62 (0.74–3.59)
	F	1.0	3.39 (0.79–14.65)	7.00 (1.32–37.1)	3.76 (0.82–17.33)
Mean number of symptoms	M	3.35	3.63 ($p = .38$)	3.31 ($p = .92$)	3.94 ($p = .10$)
	F	4.28	4.47 ($p = .82$)	2.89 ($p = .15$)	3.60 ($p = .45$)
Number of health problems	M	1.39	1.34 ($p = .76$)	1.26 ($p = .50$)	1.57 ($p = .37$)
	F	1.72	2.39 ($p = .12$)	2.01 ($p = .57$)	2.03 ($p = .49$)
GHQ score	M	1.06	2.63 ($p = .0001$)	1.07 ($p = .98$)	2.29 ($p = .002$)
	F	1.34	2.82 ($p = .04$)	1.31 ($p = .97$)	2.57 ($p = .14$)
Vigorous exercise	M	1.0	0.94 (0.54–1.62)	1.80 (0.88–3.69)	1.67 (0.90–3.18)
	F	1.0	1.21 (0.34–4.38)	1.82 (0.36–9.06)	3.85 (0.91–16.4)
Alcohol drinker	M	1.0	1.49 (0.59–3.77)	0.72 (0.25–2.06)	1.19 (0.43–3.29)
	F	1.0	0.11 (0.00–0.85)	0.52 (0.01–6.30)	0.23 (0.00–3.35)
Cigarette smoker	M	1.0	0.67 (0.14–3.15)	2.66 (0.40–17.57)	1.52 (0.27–8.73)
	F	1.0	0.86 (0.07–8.12)	4.47 (0.06–353.2)	0.00 (0.00–65.0)

Results expressed as odds ratios, except symptoms, health problems and GHQ score

All values are adjusted for age, grade and baseline value of the variable

p values compare groups with the securely employed group

Table 6. Baseline predictors of unemployment and non-employment for PSA respondents postprivatization

Measures	Sex	Employed	Unemployed	Non-employed
Numbers	M	252	45	118
	F	69	14	32
Single/divorced/widowed	M	1.0	3.32 (1.35–8.14)	1.88 (0.80–4.45)
	F	1.0	0.88 (0.26–3.03)	0.72 (0.25–2.10)
Few poverty problems	M	1.0	2.33 (1.03–5.25)	2.05 (1.06–3.95)
	F	1.0	3.10 (0.51–18.74)	3.19 (0.81–12.6)
Self-rated health average or worse	M	1.0	2.12 (1.01–4.43)	1.49 (0.76–2.93)
	F	1.0	1.94 (0.52–7.27)	1.83 (0.61–5.48)
High symptom score (≥ 4)	M	1.0	1.32 (0.55–3.14)	2.99 (1.56–5.77)
	F	1.0	2.06 (0.59–7.22)	3.55 (1.23–10.2)
High health problems (≥ 3)	M	1.0	3.12 (1.33–7.33)	1.91 (0.96–3.83)
	F	1.0	1.24 (0.28–5.55)	1.91 (0.59–6.16)
Long-standing illness	M	1.0	0.58 (0.26–1.33)	0.97 (0.55–1.72)
	F	1.0	0.81 (0.22–2.98)	0.43 (0.13–1.43)
GHQ caseness	M	1.0	1.33 (0.64–2.77)	1.32 (0.72–2.44)
	F	1.0	1.50 (0.43–5.29)	0.82 (0.28–2.40)
Systolic blood pressure (per 10 mmHg)	M	1.0	0.94 (0.72–1.23)	1.17 (0.95–1.44)
	F	1.0	0.74 (0.44–1.24)	1.10 (0.78–1.56)
Diastolic blood pressure (per 10 mmHg)	M	1.0	1.08 (0.75–1.56)	1.37 (1.02–1.84)
	F	1.0	0.80 (0.40–1.59)	1.05 (0.62–1.80)
Cardiac ischaemia	M	1.0	1.49 (0.43–5.12)	1.69 (0.41–3.36)
	F	1.0	0.54 (0.06–5.13)	3.17 (0.86–11.7)
≥ 22 units/week alcohol	M	1.0	0.65 (0.18–2.34)	1.77 (0.56–5.57)
≥ 15 units/week alcohol	F	1.0	10.87 (0.48–248)	0.94 (0.06–15.0)
Cigarette smoker	M	1.0	1.37 (0.50–3.79)	1.78 (0.76–4.21)
	F	1.0	0.33 (0.04–2.88)	0.51 (0.13–2.06)

All values are adjusted for age and grade

p values compare groups with the securely employed group

6). A high symptom score (≥ 4), ischaemia, psychological disorder and smoking also predicted unemployment, but men with long-standing illness and heavier drinkers were less likely to end up unemployed. All factors were positively associated with non-employment in men, except long-standing illness and clerical/support grade. Age, few financial problems, high symptom score and raised diastolic blood pressure were significant predictors of non-employment.

Employment grade, age, few financial problems, all self-reported health-status measures, psychological disorder and drinking (≥ 15) units alcohol/week were all positively associated with unemployment among women. Women with

long-standing illness, raised blood pressure, ischaemia, the single/divorced/widowed and smokers were less likely to become unemployed. Among women, age and high symptom score were significantly associated with non-employment. All other morbidity measures were positively associated with non-employment, except long-standing illness and psychological disorder. Single/divorced/widowed women and smokers were less likely to be non-employed.

Discussion

As in other workplace closure studies (Beale & Nethercott, 1985; Cobb & Kasl, 1977; Mattias-

son et al., 1990), comparison of measures for PSA subjects and controls during the secure employment phase either showed no difference or favoured the subject group.

The changes in self-reported physical health-status measures in the job-insecure phases pre-privatization were generally consistent with results from studies reporting considerable excess morbidity prior to workplace closure (Beale & Nethercott, 1985, 1988c; Jacobsen, 1972; Kasl et al., 1972, 1975). Self-reported health status has been shown to predict mortality over a period of years, even after adjustment for physical ill health at baseline (Idler & Kasl, 1991).

As has been shown in population studies (Kessler, Turner, & House, 1988; Studnicka et al., 1991), re-employment following termination or unemployment was found to decrease self-reported morbidity in the Michigan Study (Kasl et al., 1975). Likewise among PSA respondents, those who found secure employment postsale enjoyed the best self-reported physical health. Among the non-employed not seeking work, physical health measures were generally better than among those wanting work, except for long-standing illness which was significantly higher than for any other group. Thus, current long-standing illness was a potent predictor of who would decide not to seek work postclosure, but long-standing illness at baseline did not predict which respondents would end up unemployed or non-employed. High ratings on other self-reported physical-health measures at baseline, however, predicted both unemployment and non-employment eight years later, and raised diastolic blood pressure at baseline was a significant predictor of subsequent non-employment. These results seem to suggest that existing ill health both prevents respondents from gaining and from seeking re-employment. Health selection has been shown to be a contributor to ill health among the unemployed and non-employed in other studies (Chirikos, 1993; Diderichsen & Janlert, 1992; Martikainen & Valkonen, 1996; McGoldrick & Cooper, 1988; Valkonen & Martikainen, 1995).

Those who were insecurely employed and those wanting work, including the unemployed, had the worst outcomes for most self-reported health measures. Unemployment has been shown in several workplace closure and popu-

lation studies to be associated with poorer self-reported health (Beale & Nethercott, 1988b; 1988c; Grayson, 1989; Kasl et al., 1975; Kessler et al., 1988; Studnicka et al., 1991) and increased use of health services (Beale & Nethercott, 1985; D'Arcy, 1986; Grayson, 1989; Jacobsen, 1972; Studnicka et al., 1991; Westin, 1993; Westin et al., 1988; Yuen & Balarajan, 1989). None of the workplace closure studies has examined specifically the effects on self-reported health of insecure employment post-closure, although results from the anticipation and pretermination phases indicate the likelihood of adverse outcomes.

Sleep quality has been shown to be adversely affected pretermination in three workplace closure studies (Arnetz et al., 1988; Jenkins, Macdonald, Murray, & Strathdee, 1982; Mattiasson et al., 1990). Compared to controls more PSA women slept ≤ 5 hours during anticipation and more men and women slept ≥ 9 hours during pretermination. These sleep patterns have been shown to be associated with increased morbidity (Belloc & Breslow, 1972) and mortality (Belloc, 1973; Breslow & Enstrom, 1980).

Psychological disorder increased in the PSA study during anticipation, particularly among women. Job insecurity and threat of redundancy have been related to increased psychological disorder, anxiety and depression in workplace closure and population studies (Arnetz et al., 1991; Heaney, Israel, & House, 1994; Iversen & Sabroe, 1988a; Jenkins et al., 1982; Joelsson & Wahlquist, 1987; Mattiasson et al., 1990). Most workplace closure studies (Cobb & Kasl, 1977; Dew et al., 1992; Hamilton et al., 1993; Iversen & Klausen, 1986; Iversen & Sabroe, 1988a), have compared health postclosure in the unemployed with that in the re-employed. Apart from the Pennsylvania Study (Dew et al., 1992), such comparisons show the re-employed to have better mental health than the unemployed, although long-term unemployment narrows or eliminates this difference. The problem with such comparisons is that differences may be due to the selective re-employment of those with better mental health (Claussen, Bjørndal, & Hjort, 1993; Lahelma, 1992).

In the PSA Study, however, the re-employed were divided into those whose employment was secure and those whose was insecure. This division showed that psychological disorder was

significantly elevated among the insecurely employed of both sexes compared with those in secure employment. Psychological disorder among secure non-employed respondents was almost identical to that among the securely employed, while morbidity among the unemployed and others who wanted work was slightly lower than that among the insecurely employed. Unemployment has been shown in most workplace closure studies (Arnetz et al., 1988, 1991; Dew et al., 1992; Hamilton et al., 1990; Iversen & Klausen, 1986; Studnicka et al., 1991; Viinamaki, Koskela, Niskanen, & Arnkill, 1993), and numerous population studies to have adverse effects on a variety of mental health measures (Feather, 1990; Fryer, 1995; Morrell, Taylor, Quine, Kerr, & Western, 1994; Smith, 1985; Viinamaki, Koskela, Niskanen, Arnkill, & Tikkanen, 1993), with some evidence of adaptation over time (Iversen & Sabroe, 1987; Morrell et al., 1994; Warr & Jackson, 1987).

One year post-closure in the GM Study the securely employed and the retired had low levels of depression, while the unemployed and the unsatisfactorily employed had significantly raised levels (Hamilton et al., 1993). A study of re-employment following closure of a steel plant found unsatisfactory re-employment significantly increased depression and decreased life satisfaction compared with satisfactorily re-employment, while values for the unemployed fell between (Leana & Feldman, 1995). A longitudinal population study also found psychological disorder to be higher among dissatisfied workers than the unemployed (Greatz, 1993). Burchell (1994) proposed that any job is not better than none and that cumulative labour-market disadvantage may have more relevance for psychological well-being than unemployment alone.

Although current psychological disorder was strongly associated with insecure non-employment, psychological disorder at baseline was not a significant predictor of unemployment or non-employment postsale in the PSA Study. This result confirms the finding among men in a Danish shipyard that psychological health during stable employment was independent of subsequent exposure to unemployment (Iversen & Sabroe, 1987).

During pretermination divorce or separation was higher among PSA men and women com-

pared with controls. Job insecurity has been shown to have adverse effects on marital and family relations (Broman, Hamilton, & Hoffman, 1990; Larson, Wilson, & Beley, 1994). Divorce or separation represents the extreme end of marital difficulty and so the elevated rates in the PSA group may indicate a much wider prevalence of marital discord. Divorced and separated men have been shown to have greater overall mortality than married men (Ben-Shlomo, Davey Smith, Shipley, & Marmot, 1993). PSA men who were single/divorced/widowed at baseline were more likely to end up non-employed, and significantly more likely to end up unemployed postclosure. Women and men with few financial problems at baseline were considerably more likely to end up unemployed or non-employed. In the Michigan Study men with the least economic problems had most job changes (Cobb & Kasl, 1977), possibly if unemployment then had been high they would have been the ones holding out for good jobs.

During pretermination, compared with controls, cholesterol, BMI and ischaemia were slightly but significantly raised among PSA respondents, and blood pressure was significantly raised among PSA women (Ferrie et al., 1997), a profile of adverse changes in physiological measures that seems to support Theorell's (1974) finding of a relationship between work changes and myocardial infarction. Elevated levels of total cholesterol consequent on the threat of unemployment have been found among blue-collar men (Mattiasson et al., 1990) and women (Arnetz et al., 1988), although discrepant findings have been reported (Kasl et al., 1968). Varying blood-pressure results prior to workplace closure have been reported in the literature with elevated (James, LaCroix, Kleinbaum, & Strogatz, 1984; Kasl & Cobb, 1970) and depressed (Mattiasson et al., 1990) levels being reported among men, and depressed levels among women (Arnetz et al., 1988). A study which found a slight increase in diastolic and a significant decrease in systolic pressure during pretermination compared with secure employment controlled for BMI which may be an over-adjustment. Among respondents in the same study from a department sold to another firm on the day of screening, diastolic pressure was significantly elevated by 4.5 mmHg and systolic

by 4.3 mmHg (Schnall et al., 1992), a result similar to that seen among PSA women during pretermination. The British Regional Heart Study found that men who experienced non-employment unrelated to illness were significantly more likely to gain more than 10 percent in weight than men who remained continuously employed (Morris, Cook, & Shaper, 1992).

Data on alcohol and tobacco consumption are scarce in workplace closure studies and mostly relate to men, while no data on exercise have been reported. Changes in alcohol consumption and smoking in workplace closure studies among blue-collar men (Mattiasson et al., 1990) and women (Arnetz et al., 1988) showed no difference between subjects and controls, and journalists facing redundancy reported no marked changes in alcohol consumption (Jenkins et al., 1982). In a shipyard closure study, a stratified analysis showed prolonged unemployment among younger men was significantly associated with a decrease in alcohol consumption, OR 3.95 (95% CI 1.14–13.70). A similar odds ratio was obtained for older men but the result was not significant (Iversen & Klausen, 1986).

In the PSA Study alcohol and tobacco consumption tended to decrease and exercise increase in the PSA men compared with controls during anticipation and pretermination and among the insecure, both employed and non-employed postclosure. Smoking is the exception to this for women preclosure and for the secure non-employed postclosure. However, it seems unlikely that the relative declines in health status, both self-report and physiological measurements, of PSA respondents over the course of the study can be explained by changes in the lifestyle factors measured. This result reflects findings that loss of employment is not associated with increased smoking or drinking (Morris et al., 1994) or decreased physical activity (Grayson, 1993), but is associated with increased mortality, and increased morbidity, even after controlling for selection out of the workforce due to ill health (Morris et al., 1994).

Summary

Among male and female civil servants the sale of their department, involving job loss or job

change for 96 percent of respondents, resulted in adverse effects on health before and after the sale. During the preclosure period adverse changes occurred in most self-reported and clinical health-status measures compared with control civil servants. After closure those who gained re-employment in insecure jobs and those who had no work but were looking for a job suffered considerably worse self-reported health than those who found secure employment. These findings could not be explained by changes in health-related behaviours among the men, which makes it less likely that this explanation holds for women. Although some measures of ill health at baseline were significant predictors of unemployment or non-employment eight years later, the study was able to address the issue of pre-existing morbidity by controlling for health status during secure employment.

The higher levels of job insecurity, frequent job change, unemployment and enforced retirement which are most often the results of restructuring and downsizing raise many issues and challenges for workers, employers and health providers. They are also matters of increasing concern to the wider community. Moves toward a flexible labour force have brought a sense of insecurity to far more people than will ever actually be made redundant (Bassett, 1996). Increasing unemployment and non-employment (OECD, 1994) contribute to widening inequalities in income (Goodman & Webb, 1994). Relative material deprivation has been shown to cause psychological damage (Whelan, 1992) and increase mortality rates (Wilkinson, 1996), as well as widening inequalities in health (McCarron, Davey Smith, & Womersley, 1994; Phillimore, Beattie, & Townsend, 1994). This indicates an urgent need to develop ways by which industrialized societies can meet the challenge of change and innovation while considering the needs and legitimate expectations of their workforce.

References

- Ambrose, M., & Overell, S. (1995, 9 March). DOE told to deny rights. *Morning Star*, p. 1.
- Arnetz, B. B., Brenner, S., Hjelm, R., Levi, L., & Petterson, I. (1988). *Stress reactions in relation to threat of job loss and actual unemployment*:

- Physiological, psychological and economic effects of job loss and unemployment.* Stress Research Reports, No. 206. Karolinska Institute, Stockholm.
- Arnetz, B. B., Brenner, S., Levi, L., Hjelm, R., Petterson, I., Wasserman, J., Petrini, B., Eneroth, P., Kallner, A., Kvetnansky, R., & Vigas, M. (1991). Neuroendocrine and immunologic effects of unemployment and job insecurity. *Psychotherapy and Psychosomatics*, 55, 76–80.
- Arnetz, B. B., Wasserman, J., Petrini, B., Brenner, S., Levi, L., Eneroth, P., Salovaara, H., Hjelm, R., Salovarra, L., Theorell, T., & Petterson, I. (1987). Immune function in unemployed women. *Psychosomatic Medicine*, 49, 3–11.
- Bartley, M. (1986). Redundancy and health. In R. M. Lee (Ed.), *Redundancy, layoffs and plant closures: Causes and consequences*. (pp. 305–329). Beckenham: Croom Helm.
- Bartley, M., & Fagin, L. (1990). Hospital admissions before and after shipyard closure. *British Journal of Psychiatry*, 156, 421–424.
- Bassett, P. (1996, 11 June). Price of workplace flexibility may be rising job insecurity. *The Times*, p. 31.
- Beale, N., & Nethercott, S. (1985). Job-loss and family morbidity: A study of a factory closure. *Journal of the Royal College of General Practitioners*, 35, 510–514.
- Beale, N., & Nethercott, S. (1986a). Job-loss and health—The influence of age and previous morbidity. *Journal of the Royal College of General Practitioners*, 36, 261–264.
- Beale, N., & Nethercott, S. (1986b). Job-loss and morbidity in a group of employees nearing retirement age. *Journal of the Royal College of General Practitioners*, 36, 265–266.
- Beale, N., & Nethercott, S. (1986c). Job-loss and morbidity in married men with and without young children. *Journal of the Royal College of General Practitioners*, 36, 557–559.
- Beale, N., & Nethercott, S. (1986d). Job-loss and morbidity: The influence of job-tenure and previous work history. *Journal of the Royal College of General Practitioners*, 36, 560–563.
- Beale, N., & Nethercott, S. (1987). The health of industrial employees four years after compulsory redundancy. *Journal of the Royal College of General Practitioners*, 37, 390–394.
- Beale, N., & Nethercott, S. (1988a). Certificated sickness absence in industrial employees threatened with redundancy. *British Medical Journal*, 296, 1508–1510.
- Beale, N., & Nethercott, S. (1988b). The nature of unemployment morbidity. 1. Recognition. *Journal of the Royal College of General Practitioners*, 38, 197–199.
- Beale, N., & Nethercott, S. (1988c). The nature of unemployment morbidity. 2. Description. *Journal of the Royal College of General Practitioners*, 38, 200–202.
- Beale, N., & Nethercott, S. (1992). A critical review of the effect of factory closures on health (letter). *British Journal of Industrial Medicine*, 49, 70.
- Belloc, B., & Breslow, L. (1972). Relationship of physical health status and health practices. *Preventive Medicine*, 1, 409–421.
- Belloc, N. (1973). Relationship of physical health status and health practices. *Preventive Medicine*, 2, 67–81.
- Ben-Shlomo, Y., Davey Smith, G., Shipley, M., & Marmot, M. G. (1993). Magnitude and causes of mortality differences between married and unmarried men. *Journal of Epidemiology and Public Health*, 47, 200–205.
- Bill, P. (1988, 2 December). Government to sell off PSA construction arm. *Building*, 2, p. 7.
- Breslow, L., & Enstrom, J. (1980). Persistence of health habits and their relationship to mortality. *Preventive Medicine*, 9, 469–483.
- Broman, C. L., Hamilton, V. L., & Hoffman, W. S. (1990). Unemployment and its effects on families: Evidence from a plant closing study. *American Journal of Community Psychology*, 18, 643–659.
- Burchell, B. (1994). The effects of labour market position, job insecurity, and unemployment on psychological health. In D. Gallie, C. Marsh, & C. Vogler, (Eds.), *Social change and the experience of unemployment* (pp. 188–212). Oxford: Oxford University Press.
- Carpenter, L. M. (1987). Some observations on the healthy worker effect. *British Journal of Industrial Medicine*, 44, 289–291.
- Catalano, R., & Dooley, D. (1983). Health effects of economic instability: A test of economic stress hypothesis. *Journal of Health and Social Behaviour*, 24, 46–60.
- Chirikos, T. N. (1993). The relationship between health and labour market status. *Annual Review of Public Health*, 14, 293–312.
- Claussen, B., Bjørndal, A., & Hjort, P. H. (1993). Health and re-employment in a two year follow up of long term unemployed. *Journal of Epidemiology and Public Health*, 47, 14–18.
- Cobb, S., Brooks, G. W., Kasl, S. V., & Connelly, W. E. (1966). The health of people changing jobs: A description of a longitudinal study. *American Journal of Public Health*, 56, 1476–1481.
- Cobb, S., & Kasl, S. V. (1977). *Termination: The consequences of job loss*. Cincinnati, OH: DHEW–NIOSH Publication no. 77–224, National Institutes for Occupational Safety and Health.
- Convery, P. (1996). How many people are unemployed? *Working Brief*, October, 78, 23–26.
- Convery, P., & Finn, D. (1994). Autumn 1993

- budget: Employment measures. *Working Brief*, 50, 1-3.
- Cook, D. G., Cummins, M. J., Bartley, M. J., & Shaper, A. G. (1982). The health of unemployed middle aged men in Britain. *Lancet*, 1, 1290-1294.
- D'Arcy, C. (1986). Unemployment and health: Data and implications. *Canadian Journal of Public Health*, 77(Suppl. 1), 124-131.
- D'Arcy, C., & Siddique, C. M. (1985). Unemployment and health: An analysis of 'Canada Health' data. *International Journal of Health Services*, 15, 609-635.
- Dew, M. A., Bromet, E. J., & Penkower, L. (1992). Mental health effects of job loss in women. *Psychological Medicine*, 22, 751-764.
- Diderichsen, F., & Janlert, U. (1992). Effects of economic change on male morbidity in neighbouring industrial and rural municipalities in northern Sweden. *Journal of Epidemiology and Public Health*, 46, 605-607.
- Draper, P. (1995, May). The rise and demise of the PSA. *Government Purchasing*, pp. 8-9.
- Feather, N. T. (1990). *The psychological impact of unemployment*. New York: Springer.
- Ferrie, J., Shipley, M. J., Marmot, M. G., Stansfeld, S., & Davey Smith, G. (1995). Health effects of anticipation of job change and non-employment: Longitudinal data from the Whitehall II study. *British Medical Journal*, 311, 1264-1269.
- Ferrie, J., Shipley, M. J., Marmot, M. G., Stansfeld, S., & Davey Smith, G. (1997). An uncertain future: The health effects of threats to employment security in white-collar men and women. *Social Science and Medicine*.
- Fineman, S. (1987). The middle class: Unemployed and underemployed. In S. Fineman (Ed.), *Unemployment: Personal and social consequences* (pp. 74-93). London: Tavistock.
- Fryer, D. (1995). Labour-market disadvantage, deprivation and mental health—benefit agency. *Psychologist*, 8, 265-272.
- Fryer, D., & McKenna, S. (1987). The laying off of hands—Unemployment and the experience of time. In S. Fineman (Ed.), *Unemployment: Personal and social consequences* (pp. 47-73). London: Tavistock.
- Glynn, R.J., Rosner, B., & Silbert, J.E. (1982). Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men. *Circulation*, 66, 724-731.
- Goodman, A., & Webb, S. (1994). *For richer for poorer: The changing distribution of income in the UK 1961-1991*. The Institute of Fiscal Studies commentary no. 42. London: The Institute of Fiscal Studies.
- Gore, S. (1978). The effect of social support in moderating the health consequences of unemployment. *Journal of Health and Social Behaviour*, 19, 157-165.
- Grayson, J. P. (1989). Reported illness after a CGE closure. *Canadian Journal of Public Health*, 80, 16-19.
- Grayson, J. P. (1993). Health, physical activity level and employment status in Canada. *International Journal of Health Services*, 23, 743-761.
- Greatz, B. (1993). Health consequences of unemployment: Longitudinal evidence for young men and women. *Social Science and Medicine*, 36, 715-724.
- Gregg, P., & Wadsworth, J. (1995). A short history of labour turnover, job tenure, and job security, 1975-93. *Oxford Review of Economic Policy*, 11, 73-90.
- Guest, P. (1989, 8 December). Staff cuts to trim privatised PSA. *Building*, p. 10.
- Hall, E. M., & Johnson, J. V. (1988). Depression in unemployed Swedish women. *Social Science and Medicine*, 27, 1349-1355.
- Hamilton, V. L., Broman, C. L., Hoffman, W. S., & Renner, D. S. (1990). Hard times and vulnerable people: Initial effects of plant closing on autoworkers' mental health. *Journal of Health and Social Behaviour*, 31, 123-140.
- Hamilton, V., Hoffman, W., Broman, C. L., & Rauma, D. (1993). Unemployment, distress, and coping: A panel study of autoworkers. *Journal of Personality and Social Psychology*, 65, 234-247.
- Hartley, J., Jacobson, D., Klandermans, B., & Van Vuuren, T. (1991). *Job insecurity: Coping with jobs at risk*. London: Sage.
- Heaney, C., Israel, B., & House, J. (1994). Chronic job insecurity among automobile workers: Effects on job satisfaction and health. *Social Science and Medicine*, 38, 1431-1437.
- Hencke, D. (1992, 1 December). Privatisation of PSA could cost £250m. *Guardian*, p. 1.
- Her Majesty's Treasury Efficiency Unit (1986). *Using private enterprise in government*. London: HMSO.
- Hutton, W. (1993, 4 May). Taking the yellow brick road to ruin. *Guardian*, p. 8.
- Hutton, W. (1995). *The state we're in*. London: Cape.
- Idler, E. L., & Kasl, S. (1991). Health perceptions and survival—Do global evaluations of health-status really predict mortality. *Journal of Gerontology*, 46, 55S-65S.
- Iversen, L., & Klausen, H. (1986). Alcohol consumption among laid-off workers before and after closure of a Danish ship-yard: A 2-year follow-up study. *Social Science and Medicine*, 22, 107-109.
- Iversen, L., & Sabroe, S. (1987). Plant closures, unemployment, and health: Danish experiences

- from the declining ship-building industry. In D. Schwefel, P. Svensson, & H. Zollner, (Eds.), *Unemployment, social vulnerability, and health in Europe* (pp. 31–47). Berlin: Springer Verlag.
- Iversen, L., & Sabroe, S. (1988a). Participation in a follow up study of health among unemployed and employed people after a company closedown: Drop outs and selection bias. *Journal of Epidemiology and Public Health*, 42, 396–401.
- Iversen, L., & Sabroe, S. (1988b). Psychological well-being among unemployed and employed people after a company closedown: A longitudinal study. *Journal of Social Issues*, 44, 141–152.
- Iversen, L., Sabroe, S., & Damsgaard, M. T. (1989). Hospital admissions before and after shipyard closure. *British Medical Journal*, 299, 1073–1076.
- Jacobsen, K. (1972). Afskedigelse og sygelighed. *Ugeskrift for læger*, 134, 352–354.
- Jacobsen, K. (1974). Arbejdsloshed og afsked som sygdomsfremkaldende faktorer. *Ugeskrift for læger*, 136, 1650–1651.
- Jahoda, M., Lazarsfeld, P., & Zeisel, H. (1972). *Marienthal: The sociography of an unemployed community*. London: Tavistock.
- James, S. A., LaCroix, A.Z., Kleinbaum, D. G., & Strogatz, D. S. (1984). John Henryism and blood pressure differences among black men. II. The role of occupational stressors. *Journal of Behavioural Medicine*, 7, 259–275.
- Jenkins, R., Macdonald, A., Murray, J., & Strathdee, G. (1982). Minor psychiatric morbidity and the threat of redundancy in a professional group. *Psychological Medicine*, 12, 799–807.
- Joelson, L., & Wahlquist, L. (1987). The psychological meaning of job insecurity and job loss: Results of a longitudinal study. *Social Science and Medicine*, 25, 179–182.
- Kasl, S. V. (1979). Changes in mental health status associated with job loss and retirement. In J. E. Barrett (Ed.), *Stress and mental disorder* (pp. 179–200). New York: Raven.
- Kasl, S. V. (1982). Strategies of research on economic instability and health. *Psychological Medicine*, 12, 637–649.
- Kasl, S. V., & Cobb, S. (1970). Blood pressure changes in men undergoing job loss: A preliminary report. *Psychosomatic Medicine*, 32, 19–38.
- Kasl, S. V., Cobb, S., & Brooks, G. W. (1968). Changes in serum uric acid and cholesterol levels in men undergoing job loss. *Journal of the American Medical Association*, 206, 1500–1507.
- Kasl, S. V., Cobb, S., & Gore, S. (1972). Changes in reported illness behaviour related to termination of employment: A preliminary report. *International Journal of Epidemiology*, 1, 111–118.
- Kasl, S. V., Gore, S., & Cobb, S. (1975). The experience of losing a job: Reported changes in health, symptoms and illness behaviour. *Psychosomatic Medicine*, 37, 106–122.
- Kessler, R. C., Turner, J. B., & House, J. S. (1988). Effects of unemployment on health in a community survey: Main, modifying and mediating effects. *Journal of Social Issues*, 4, 69–85.
- Lahelma, E. (1992). Unemployment and mental well-being: Elaboration of the relationship. *International Journal of Health Services*, 22, 261–275.
- Larson, J. H., Wilson, S. M., & Beley, R. (1994). The impact of job insecurity on marital and family relationships. *Family Relations*, 43, 138–143.
- Leana, C. R., & Feldman, D. C. (1995). Finding new jobs after a plant closing: Antecedents and outcomes of the occurrence and quality of reemployment. *Human Relations*, 48, 1381–1401.
- Levi, L., Brenner, S. O., Hall, E. M., Hjelm, R., Salovaara, H., Ametz, B., & Pettersson, I. (1984). The psychological, social, and biochemical impacts of unemployment in Sweden. *International Journal of Mental Health*, 13, 18–34.
- MacElean, N. (1996, 17 March). Down and out Britain. *Observer*, p. 1.
- Marmot, M. G., Davey Smith, G., Stansfeld, S., Patel, C., North, F., Head, J., White, I., Brunner, E. J., & Feeney, A. (1991). Health inequalities among British civil servants: The Whitehall II study. *Lancet*, 337, 1387–1393.
- Martikainen, P. T., & Valkonen, T. (1996). Excess mortality of unemployed men and women during a period of rapidly increasing unemployment. *Lancet*, 348, 909–912.
- Mattiasson, I., Lindegärde, F., Nilsson, J. Å., & Theorell, T. (1990). Threat of unemployment and cardiovascular risk factors: Longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *British Medical Journal*, 301, 461–466.
- McCarron, P., Davey Smith, G., & Womersley, J. J. (1994). Deprivation and mortality in Glasgow: Increasing differentials from 1980 to 1992. *British Medical Journal*, 309, 1481–1482.
- McGoldrick, A., & Cooper, C. (1988). *Early retirement*. Aldershot: Gower.
- M'Gonigle, G. C. M., & Kirby, J. (1936). *Poverty and public health*. London: Gollancz.
- Morrell, S., Taylor, R., Quine, S., Kerr, C., & Western, J. (1994). A cohort study of unemployment as a cause of psychological disturbance in Australian youth. *Social Science and Medicine*, 38, 1553–1564.
- Morris, J. K., & Cook, D. G. (1991). A critical review of the effect of factory closures on health. *British Journal of Industrial Medicine*, 48, 1–8.

- Morris, J. K., Cook, D. G., & Shaper, A. G. (1992). Non-employment and changes in smoking, drinking and body weight. *British Medical Journal*, 304, 536-541.
- Morris, J. K., Cook, D. G., & Shaper, A. G. (1994). Loss of employment and mortality. *British Medical Journal*, 308, 1135-1139.
- Morris, J. N., & Titmuss, R. M. (1944). Health and social change: Recent history of rheumatic heart disease. *The Medical Officer*, 2, 69-71, 77-79, 85-87.
- Moser, K. A., Fox, A. J., & Jones, D. R. (1984). Unemployment and mortality in the OPCS Longitudinal study. *Lancet*, 2, 1324-1329.
- Organization for Economic Cooperation and Development (1994). *The O.E.C.D. jobs study—Facts, analysis and strategy*. Paris: OECD.
- Phillimore, P., Beattie, A., & Townsend, P. (1994). Widening inequality of health in northern England, 1981-91. *British Medical Journal*, 308, 1125-1128.
- Piachaud, D. (1986). Disability, retirement and unemployment of older men. *Journal of Social Policy*, 15, 145-162.
- Pilgrim Trust (1938). *Men without work*. Cambridge: Cambridge University Press.
- Platt, S. D., & Kreitman, N. (1984). Trends in parasuicide and unemployment among men in Edinburgh 1968-82. *British Medical Journal*, 289, 1029-1032.
- Schnall, P. L., Landsbergis, P. A., Pieper, C. F., Schwartz, J., Dietz, D., Gerin, W., Schluskel, Y., Warren, K., & Pickering, T. G. (1992). The impact of anticipation of job loss on psychological distress and worksite blood pressure. *American Journal of Industrial Medicine*, 21, 417-432.
- Slote, A. (1969). *Termination: The closing at Baker Plant*. Indianapolis, IN: Bobbs-Merrill.
- Smith, R. (1985). 'What's the point. I'm no use to anybody': The psychological consequences of unemployment. *British Medical Journal*, 291, 1338-1341.
- Studnicka, M., Studnicka-Benke, A., Wogerbauer, G., Rastetter, D., Wenda, R., Gathmann, P., & Ringel, E. (1991). Psychological health, self-reported physical health and health service use. Risk differential observed after one year of unemployment. *Social Psychiatry and Psychiatric Epidemiology*, 26(2), 86-91.
- Taylor, A. (1992, 1 October). Move on PSA sell-off expected. *Financial Times*, p. 10.
- Theorell, T. (1974). Life events before and after the onset of a premature myocardial infarction. In B. S. Dohrenwend, & B. P. Dohrenwend (Eds), *Stressful life events* (pp. 67-81). London: Wiley.
- Valkonen, T., & Martikainen, P. (1995). The association between unemployment and mortality: Causation or selection? In A. D. Lopez, G. Gaselli, & T. Valkonen, (Eds.). *Adult mortality in developed countries: From description to explanation* (pp. 201-222). Oxford: Clarendon.
- Viinamaki, H., Koskela, K., Niskanen, L., & Arnkill, R. (1993). Unemployment, financial stress and mental well-being: A factory closure study. *European Journal of Psychiatry*, 7, 95-102.
- Viinamaki, H., Koskela, K., Niskanen, L., Arnkill, R., & Tikkanen, J. (1993). Unemployment and mental well-being: A factory closure study in Finland. *Acta Psychiatrica Scandinavica*, 88, 429-433.
- Walker, D. (1989, 6 December). Financial rule eased to assist PSA sale. *The Times*, p. 4.
- Warr, P., & Jackson, P. (1987). Adapting to the unemployed role: A longitudinal investigation. *Social Science and Medicine*, 25, 1219-1224.
- Warr, P., Jackson, P., & Banks, M. (1988). Unemployment and mental health: Some British studies. *Journal of Social Issues*, 44, 47-68.
- Westin, S. (1990a). *Unemployment and health: Medical and social consequences of a factory closure in a ten-year controlled follow-up study*. Trondheim: University of Trondheim.
- Westin, S. (1990b). The structure of a factory closure: Individual responses to job-loss and unemployment in a 10 year controlled follow-up study. *Social Science and Medicine*, 31, 1301-1311.
- Westin, S. (1993). Does unemployment increase the use of primary health care services? *Scandinavian Journal of Primary Health Care*, 11, 225-227.
- Westin, S., Norum, D., & Schlesselman, J. J. (1988). Medical consequences of a factory closure: Illness and disability in a four-year follow-up study. *International Journal of Epidemiology*, 17, 153-161.
- Westin, S., Schlesselman, J. J., & Korper, M. (1989). Long-term effects of a factory closure: Unemployment and disability during ten years' follow-up. *Journal of Clinical Epidemiology*, 42, 435-441.
- Whelan, C. (1992). The role of income, life-style deprivation and financial strain in mediating the impact of unemployment on psychological distress: Evidence from the Republic of Ireland. *Journal of Occupational and Organizational Psychology*, 65, 331-344.
- Wilkinson, R. G. (1996). *Unhealthy societies: The afflictions of inequality*. London: Routledge.
- Yuen, P., & Balarajan, R. (1989). Unemployment and patterns of consultation with the general practitioner. *British Medical Journal*, 298, 1212-1214.

THE HEALTH EFFECTS OF MAJOR ORGANISATIONAL CHANGE AND JOB INSECURITY

JANE E. FERRIE,¹* MARTIN J. SHIPLEY,¹ MICHAEL G. MARMOT,²
STEPHEN STANSFELD³ and GEORGE DAVEY SMITH³

¹Department of Epidemiology and Public Health, University College London Medical School, 1-19 Torrington Place, London WC1E 6BT, U.K., ²International Centre for Health and Society, University College London Medical School, 1-19 Torrington Place, London WC1E 6BT, U.K. and ³Department of Social Medicine, University of Bristol, Canynge Hall, Whiteladies Road, Bristol BS8 2PR, U.K.

Abstract—Since August 1988 an increasing proportion of the executive functions of government in the United Kingdom have been devolved to executive agencies. Transfer to an executive agency involves a period of uncertainty during which the options of elimination or transfer to the private sector are considered, followed by a marked change in management style and further periods of uncertainty when the agency's function is reconsidered for transfer to the private sector. This paper examines the effects of this major organisational change and consequent job insecurity on the health status of a cohort of 7419 white-collar civil servants by comparing groups either exposed to or anticipating exposure to this stressor, with controls experiencing no change. Compared with controls, men both already working in and anticipating transfer to an executive agency experienced significant increases in health self-rated as "average or worse", longstanding illness, adverse sleep patterns, mean number of symptoms in the fortnight before questionnaire completion, and minor psychiatric morbidity. Significant relative increases in body mass index were seen in both exposure groups while exposure to agency status was also associated with significant relative increases in blood pressure. Health-related behaviours, where they differed between exposure and control groups, tended to favour those in the exposure groups. Compared with controls, women in both exposure groups reported small increases in most self-reported morbidity measures and most clinical measurements, accompanied by slight beneficial changes in some health-related behaviours and small adverse changes in others. Significant relative increases were seen in mean number of symptoms, and ischaemia among women anticipating exposure and in body mass index among those exposed to agency status. Policy makers should be aware of the wider consequences of job insecurity when considering the efficiency of changes in employment policy. © 1998 Elsevier Science Ltd. All rights reserved

Key words—job insecurity, health, white-collar, longitudinal

INTRODUCTION

In the United Kingdom a combination of recent recessions, public spending cuts, technological innovation, and increased remuneration to shareholders has resulted in both public and private organisations subcontracting work and/or shedding labour (Hutton, 1995). The informal social contract governing employment relations has also changed. A tranche of legislation has weakened trade unions and a climate has been created in which employers are more willing to use the leeway the legal system allows. In this new climate a *flexible* labour market is seen as competitive and efficient (Beatson, 1995). However, the less acceptable corollary of this flexibility is job insecurity. In the U.K. in the year to autumn 1995, 278,000 women and 484,000 men were made redundant (MacErlean, 1996). While a few find redundancy opens up positive opportunities (Fineman, 1987), many who go on to find another job, end up in positions characterised by

less security, lower income and poorer fringe benefits (Hartley *et al.*, 1991). In the 1980s this exodus from the labour force was mostly blue-collar, but an increasing number of those facing insecurity, redundancy and job change in the 1990s are white-collar employees traditionally accustomed to long-term, secure employment.

Many countries over the 1980s turned towards privatisation and away from planned public ownership and provision (Hutton, 1995). The U.K. was no exception. Privatisation of the first public service came in 1984 with the sale of British Telecommunications. In 1986, a report *Using Private Enterprise in Government* recommended the examination of civil service functions to determine whether they could be abolished or transferred to the private sector. Implementation of this recommendation began in August 1988 through the "Next Steps" programme, which has aimed to separate executive and policy functions of government and transfer the executive functions to clearly designated units called agencies. The "Next Steps" programme is essentially a strategy for meeting the

*Author for correspondence.

goals of cutting public expenditure, cutting staff numbers and improving efficiency (National Union of Civil and Public Servants, 1991). The transfer of a particular government function to an executive agency involves a period of uncertainty during which the options of elimination or transfer to the private sector are considered, followed by a marked change in management style and further periods of uncertainty when the agency's function is reconsidered for transfer to the private sector.

Since 1988, 386,000 (74%) civil servants, have been moved into 130 executive agencies (Next Steps Team, 1997) whose progression toward commercial viability and privatisation are being accelerated (H.M.G., 1996). In an examination of the health and psychosocial effects of restructuring in government Dr Elizabeth McCloy, Chief Executive of the then Civil Service Occupational Health and Safety Agency (McCloy, 1995), identified several stressors generated by change to agency status: *delaying and the collapse of hierarchies*, which to the individual may appear as a threat to status or promotion prospects; *increased delegation of responsibility*, which for some has involved forgoing responsibility and for others has involved premature delegation of responsibility before training has been given and relevant skills acquired; *team working*, which requires increased personal interaction and may involve team performance-related pay with its attendant anxieties of individual remuneration dependent on the diligence of others; and *a marked increase in work hours* with no expectation of time off in lieu, which resulted in the genuinely sick coming to work and in guilt and feelings of inadequacy among those who do take leave.

Very little has been published about the health effects of major change within an organisation. Studies of change in labour market status usually deal with larger transitions, such as moves in and out of the workforce. In one study among managers and executives, change of job between branches of the same company was associated with negligible change in number of coronary events while transfer between departments was associated with a small decrease in events (Hinkle *et al.*, 1968). However, Theorell found that when eight work items were considered (change to a different line of work; retirement from work; major change in work schedule; increased responsibility; decreased responsibility; trouble with boss; trouble with colleagues; and unemployment for more than one month), 41% of his myocardial infarction group reported such changes during the year preceding onset of disease, while only 17% of the matched controls reported such changes (Theorell, 1974). An investigation of occupational stress in the Tecumseh community health study showed that although high levels of self-reported job stress at one point in time did not predict mortality, those who reported high levels of job tensions and pressures at two time points were

at a significantly increased risk (House *et al.*, 1986). In a longitudinal study of job insecurity Heaney showed that chronic job insecurity significantly decreased job satisfaction and increased physical symptoms over and above the effects of job insecurity at any single point in time (Heaney *et al.*, 1994).

The lack of data on the relationship between major organisational change and health does not apply to other labour market positions, whose effects on health have long been established. Those in employment are known to be healthier than those not working (the so-called "healthy worker effect" Carpenter, 1987). Numerous studies have documented a higher prevalence of physical and psychological morbidity, and excess mortality among the non-employed, particularly the unemployed, in studies using macro-economic time series or aggregated data (Morris and Titmuss, 1944; Moser *et al.*, 1984; Platt and Kreitman, 1990; Catalano and Dooley, 1983; Brenner and Mooney, 1983), and in studies of individuals (Haynes *et al.*, 1978; Morris *et al.*, 1994; Kessler *et al.*, 1987, 1988; Studnicka *et al.*, 1991). Several mechanisms through which unemployment may effect health have been given serious consideration: poverty, unemployment as a stressful life event, health-related behaviour and the effect of a spell of unemployment on subsequent work patterns (Bartley, 1994). Threat of redundancy has also been shown to have adverse effects on self-reported physical and psychological morbidity, sickness absence, health service use, and clinical measurements among individuals (Cobb and Kasl, 1977; Beale and Nethercott, 1985; Hartley *et al.*, 1991; Burchell, 1994; Arnetz *et al.*, 1988; Owens, 1966; Layton, 1987; Ferrie *et al.*, submitted). Possible mechanisms for these effects must, by default, be limited to stress or adverse changes in health-related behaviour. Evidence from the empirical literature to date indicate that the decline in physical and mental health during a phase of anticipated job loss are not attributable to changes in health-related behaviours (Arnetz *et al.*, 1988; Mattiasson *et al.*, 1990; Ferrie *et al.*, 1995).

A major consideration when examining the effect of labour market status change and job insecurity on health is the contribution of existing ill health to the outcome. Other factors, such as early life experiences, may also increase the likelihood of unemployment in adulthood (Montgomery *et al.*, 1996). Opportunities to study the effect of job insecurity or change in labour market status on health in situations where no plausible selection process is involved occur infrequently. An example is studies of workplace closure in which all respondents are made redundant regardless of personal characteristics such as poor health or depression, which might in other situations increase the individual's risk of job loss. Even in these studies, those who feel that their opportunities post-closure are limited may experience anticipation of redundancy as a

more stressful life event. However, where it is possible to control for the contribution of morbidity existing before any indication of change is apparent one aspect of this selection issue can be resolved. Such studies are rarely feasible as they require the collection of data before change is anticipated.

The decision to transfer a particular government function to an executive agency is dependent on the nature of that function and independent of the health of the employees who perform it. The Whitehall II study (Marmot *et al.*, 1991), an ongoing, prospective study of the health of male and female civil servants, for which baseline data were collected considerably before the implementation of the "Next Steps" programme, has thus provided the opportunity to study the health effects of major organisational change and job insecurity in a situation in which the contribution of health selection to the outcome is minimised.

We have previously reported data from the Whitehall II study in relation to the privatisation of one complete civil service department, the Property Services Agency (PSA) (Ferrie *et al.*, 1995; Ferrie *et al.*, submitted). The "anticipation phase" for PSA was approximately three years prior to the sale when change was an acknowledged, but distant event of uncertain outcome. "Pre-termination" for PSA was approximately three months prior to the sale when respondents were aware of their fate and a considerable number had already left the PSA labour force. By this time, changes in management style similar to those accompanying change to agency status were in place in preparation for sale to the private sector.

Results from the PSA study show increases in self-reported morbidity measures during the anticipation (Ferrie *et al.*, 1995) and pre-termination phases (Ferrie *et al.*, submitted) among respondents in PSA compared to respondents in other departments. During the anticipation phase several of these relative increases were significant at conventional levels. However, by the pre-termination phase the relative increase in self-reported morbidity was less, but deterioration in clinical measurements was clearly seen. Conventionally significant relative increases were found in cholesterol concentration, ischaemia and Body Mass Index (BMI) among PSA men and systolic and diastolic blood pressure and BMI among PSA women. Compared with controls the slight improvement in health-related behaviours observed among PSA men during the anticipation phase was repeated during pre-termination, while the reverse was observed among the PSA women.

The present study prospectively examined the effects of job insecurity and major organisational change on health and health behaviours throughout the Whitehall II cohort of civil servants. Some members of the cohort were unexposed to change, others were anticipating change and exposed to the job insecurity this entailed, while others were

experiencing major changes in management style and the continued job insecurity that accompanied executive agency status. Based on previous research in this area it was hypothesised that:

anticipation of transfer to an executive agency would have significant adverse effects on self-reported morbidity and psychological health, which would be potentiated by the continuing insecurity associated with experience of working in an executive agency;

while anticipation of transfer to an executive agency may have small adverse effects on clinical measurements, experience of working in an executive agency would be associated with larger adverse effects on clinical measurements, given the time lag involved in producing changes in such measures; and

any effects on health of major organisation change and job insecurity would not be purely attributable to changes in health-related behaviours.

PARTICIPANTS, CONTEXT AND METHODS

Participants

The target population for the Whitehall II study was all London-based office staff working in 20 civil service departments between 1985 and 1988. With a response rate of 73%, the final cohort consisted of 10,308: 6895 men and 3413 women (Marmot *et al.*, 1991). Although mostly white-collar, the respondents covered a wide range of grades from office support staff to permanent secretary. As of 1 August 1992 annual salaries ranged from £87,620 for a permanent secretary to £7387 for the lowest paid office support grade.

Baseline screening, Phase 1, took place between late 1985 and early 1988. This involved a clinical examination, in which, among other measurements, height, weight, blood pressure, electrocardiogram (ECG) and serum cholesterol were determined. A self-administered questionnaire which contained sections on demographic characteristics, health, lifestyle factors, work characteristics, social support, life events and chronic difficulties was completed by each respondent. In 1989/1990, Phase 2, the same questionnaire data were collected by post and between 1992–1993 a further round of clinical screening and questionnaire data collection was completed, Phase 3.

Context and methods

The Conservative manifesto of 1979 was vague about civil service reform, and their "strategy" appeared to be merely a belief that the civil service was too large and badly managed. However, an anti-public sector stance remained central to government policy and the government became

renowned for its hostility to the public sector in general and the civil service in particular (Hennessy, 1990). Civil servants were considered to have a "soft life" and the pursuit of efficiency, effectiveness, economy and value for money were used to justify the widespread introduction of private sector techniques such as; downsizing, contracting out, competitive tendering, and performance-related pay (National Union of Civil and Public Servants, 1991). Civil service employment conditions which used to be comparatively good now compare unfavourably with parts of the private sector. Considerable changes in terms and conditions of service and in working practices have taken place over the last fifteen years, but the rate of change has accelerated since 1988/1989 and the introduction of the "Next Steps" programme. Consequently many civil servants have seen extensive changes to their job descriptions, including increases in workload and pace of work.

Against this background a question was introduced into the Phase 3 questionnaire to differentiate those whose work had been transferred to an executive agency from those who were anticipating such a move, and those who did not expect their work to be so transferred. The statement "change of your department into an agency" was followed by the options: (1) has happened, (2) is planned, (3) not certain what will happen, and (4) is not planned. For the purpose of analysis, respondents selecting options (2) and (3) were combined and are described as those anticipating change. Respondents selecting option (1) are described as those exposed to change and those selecting option (4) are the control group.

All respondents to the baseline screening of the Whitehall II study were invited to participate at Phase 3, whether still in the civil service, working elsewhere or not working. However, the question "change of your department to an agency" only applied to those working in the civil service at time of screening. While it is possible that a few of these respondents may have experienced a period of unemployment between Phases 1 and 3, the vast majority of respondents to this question will have remained continuously employed in the civil service.

Measures

Items drawn from the Phase 1 and 3 questionnaires cover *personal details*: age, marital status and current grade of employment; *health*: the London School of Hygiene cardiovascular questionnaire on angina pectoris and possible myocardial infarction, hours of sleep on an average week night, self-rated health over the past 12 months, presence of long-standing illness, presence of seventeen different symptoms in the previous 14 days; *minor psychiatric morbidity*, assessed using the 30 item General Health Questionnaire; *health-related behaviours*: current smoking habits, alcohol consumption in last

seven days, and exercise patterns. Heavy drinking was defined as more than 21 units of alcohol per week for men and more than 14 units/week for women. An increase in General Health Questionnaire (GHQ) score represents an increase in minor psychiatric morbidity. All those scoring 0–4 on the GHQ are considered "non-cases" and those scoring 5 + , "GHQ cases" (Stansfeld and Marmot, 1992). Negative affectivity was measured by the Negative Affect subscale of the Affect Balance Scale (Bradburn, 1969).

At the screening examination, blood pressure in millimetres of mercury (mmHg) was measured twice with a Hawksley random zero sphygmomanometer while the participant remained seated after a five minute rest. Weight (wt) in kilogrammes and height (ht) in metres were recorded and BMI was calculated from these two measures as wt/ht^2 . Blood was taken and the serum cholesterol concentration in millimoles/litre was measured using the cholesterol oxidase/peroxidase colorimetric method (BCL kit). ECGs were recorded with the "Mingorec" system (Siemens) on magnetic tape. Tapes were analysed at Professor Peter McFarlane's laboratory (Department of Medical Cardiology, University of Glasgow) where Minnesota codes were assigned by computer. The criterion for probable ischaemia on ECG was the presence of Q waves with Minnesota codes 1–1 to 1–2; possible ischaemia included any Q wave with codes 1–1 to 1–3, S–T or T waves codes 4–1 to 4–4 or 5–1 to 5–3, or left-bundle branch block code 7–1–1. All ECG tracings designated "ischaemia probable or possible" by computer were independently coded by an experienced coder. For an ECG to be considered to show possible or probable ischaemia, it had to be labelled as such by both the computer and the human coder. Where the human coder did not confirm the computer designation the ECG was not classified as abnormal. Angina was diagnosed as pain located over the sternum or in both left chest and left arm, that comes on exertion, that causes the person to stop, and that goes away in 10 minutes or less. Respondents were judged to suffer ischaemia either if their ECG was abnormal and/or angina was diagnosed. Further details on these measures have been reported previously (Marmot *et al.*, 1991).

Study sample and statistical analysis

A total of 8354 respondents participated in Phase 3 of the Whitehall II study with a non-response rate of 24% for women and 16% for men. In addition to those who failed to respond to invitations for Phase 3 data collection, non-responders included participants who had died and those who could not be traced. Of those who responded, 7149 completed the question "change of your department to an agency", 86% of the men and 85% of the women. The majority of those omitting this question had already left the civil service.

The aim of the analysis was to compare changes between Phase 1 and Phase 3 in the various measures between those anticipating change, those exposed to change, and controls. The analysis of this form of data has received attention in recent years in the statistical literature (Plewis, 1985; Anderson *et al.*, 1980) much of it concerning whether simple differences can be used or whether adjustment is required for baseline values. Adjustment for baseline values using analysis of covariance seems to provide a more general method of analysis. Fortunately, for continuous variables, the analysis adjusting for baseline values gives identical results irrespective of whether the baseline (Phase 1) to Phase 3 difference or just the Phase 3 value is used as the outcome. We feel that the results are easier to comprehend if direct comparison of Phase 3 values is made between the two groups. Using the Phase 3 values as the outcome also allows for continuous and discrete variables to be analysed and presented in a similar manner. For continuous variables, therefore, differences between the groups at Phase 3 follow up were assessed using analysis of covariance with adjustment being made for age, employment grade and baseline (Phase 1) level of the variable of interest. For dichotomous variables, logistic regression was used to compare the Phase 3 measures in those anticipating and those exposed to change with the controls in terms of odds ratios and to adjust for age, employment grade and the baseline level of the variable of interest.

Adjustment was made for age and employment grade to ensure that changes between baseline and Phase 3 could not be attributed to any heterogeneity in the age and employment grade structure between the groups being compared. In the case of ischaemia, respondents positive at baseline were excluded and new cases at Phase 3 analysed. Age adjusted proportions were calculated by direct standardisation using five-year age groups with the total population as the standard. Differences in these proportions were assessed using Cochran-Mantel-Haenszel tests of association. Analyses were conducted separately in men and women.

RESULTS

On completing the Phase 3 questionnaire, 53.3% of the men reported themselves as working in departments where transfer to agency status was not planned, 25% reported transfer to agency status was possible or probable and 21.7% were already working in executive agencies. Among women, the equivalent figures were 54.1%, 29.7% and 16.2%, respectively.

Table 1 shows age, grade, marital status, self-reported health status, clinical measurements, and health-related behaviour variables for control and exposure groups at baseline. For men, the only sig-

nificant differences between the control and exposure groups are for mean number of symptoms and percentage of non-drinkers. Among the women, however, the differences between the groups are generally more marked. In both sexes these differences reflect the higher percentage of clerical/support staff in the group anticipating change. Symptom score, longstanding illness, marital status and body mass index are all related to grade. However, as all subsequent analyses are adjusted for grade and baseline values of the variable of interest, these differences at Phase 1 are controlled for in the Phase 3 findings.

Self-reported health status measures from the Phase 3 questionnaire are presented in Table 2. Comparisons between control and exposure groups are shown adjusted for age, employment grade and self-reported morbidity at baseline. Compared to controls, men in both exposure groups show increases in all self-reported morbidity measures. The relative increase is significant for health self-rated as average or worse, GHQ caseness, and mean number of symptoms in the last fortnight. A significant relative increase in longstanding illness and the percentage of men sleeping ≤ 5 hrs/night is seen among those anticipating change and sleeping ≥ 9 hrs/night among men exposed to change. Compared to control women, a less marked adverse trend is seen for self-reported morbidity in both exposure groups. The relative increase in mean number of symptoms in the last fortnight is significant among women anticipating change. This adverse trend fails to hold for sleeping ≤ 5 hrs/night in both exposure groups and for health self-rated as average or worse among women exposed to change.

Clinical measurements from the Phase 3 screening examination are presented in Table 3. Adverse changes are seen in blood pressure and BMI for men in both exposure groups compared to control men. For BMI this relative increase is significant in both exposure groups but for systolic and diastolic blood pressure the relative increase is only significant for men exposed to agency status. Adverse relative changes are seen in all clinical measures among women in both exposure groups, except for diastolic blood pressure among women anticipating agency status. The relative increases in the percentage of women with ischaemia among those anticipating change and BMI among those exposed to change are significant.

Health-related behaviours as reported in the Phase 3 questionnaire are presented in Table 4. Among men and women in both exposure groups most health-related behaviours differ little from those seen in the control group. Exceptions to this among men are the proportions of smokers, which show relative decreases in both exposure groups, significantly so among those exposed to change. In women the exceptions are the significant relative increase in the percentage taking no exercise and

Table 1. Means and percentages (age adjusted) for subjects at Phase 1 according to future change status

		Men			Women			P-value ^a	Has happened	Change to agency status	P-value ^a	Has happened	Change to agency status	P-value ^a
		Not planned	Change to agency status	Possible	Has happened	Not planned	Possible							
1. Number		2641	1240	1077	1185	650	356							
2. Demographic variables														
Age: (yrs)		43.2	43.3	43.5	44.3	44.9	44.6							0.07
Grade: Administrative (%)		42.5	27.6	43.4	15.7	7.5	9.4							
Professional/executive (%)		49.9	60.4	50.8	43.4	39.1	43.9							
Clerical/support (%)		7.6	12.0	5.8	40.9	53.4	46.7							<0.001
Marital: Married/co-habiting		82.0	80.9	83.1	58.3	65.3	65.5							
Single		12.9	14.3	11.1	22.9	20.3	19.1							0.03
Divorced		4.7	4.6	5.6	15.7	11.1	13.9							
Widowed		0.4	0.3	0.3	2.9	3.3	1.4							
3. Self-reported health status measures														
Self-rated health average or worse (%)		19.6	22.5	19.9	30.2	37.1	32.0							0.009
Longstanding illness (%)		28.4	32.2	30.3	26.6	33.3	30.6							0.04
Mean number of symptoms		2.4	2.6	2.3	3.0	3.1	3.2							0.31
GHQ caseness		23.9	25.7	24.3	30.4	30.8	27.1							0.44
Sleep 5 hrs or less (%)		4.0	4.2	2.5	5.0	5.7	5.6							>0.5
Sleep 9 hrs or more (%)		0.7	0.8	0.7	0.7	1.5	2.1							0.06
4. Physiological measurements														
Ischaemia		7.6	8.0	8.4	8.5	9.5	9.5							>0.5
Systolic blood pressure		124.4	124.0	123.7	118.5	119.5	119.0							0.25
Diastolic blood pressure		77.6	77.6	77.8	74.2	75.1	74.2							0.14
Cholesterol concentration		5.98	5.95	5.96	5.77	5.87	5.81							0.15
Body Mass Index		24.5	24.6	24.5	24.2	25.0	24.7							<0.001
5. Health behaviours														
Non-drinkers (%)		11.6	13.9	14.0	24.7	29.6	29.0							0.04
Heavy drinkers (%)		18.4	18.0	17.7	11.3	8.6	8.5							0.10
Current smokers (%)		13.9	13.9	14.2	17.8	21.7	21.8							0.07
No exercise (%)		10.5	12.0	9.9	25.5	29.7	24.5							0.06

^aP-value for heterogeneity.

Table 2. Age adjusted percentages and means for self-reported health status measures for men and women according to change status during Phase 3

	Sex	Change to agency status			OR* (95% CI) Possible	OR* (95% CI) Has happened
		Not planned	Possible	Has happened		
Number	M	2641	1240	1077		
	F	1185	650	356		
Self-rated health average or worse (%)	M	19.1	24.8	22.5	1.28** (1.07–1.53)	1.30** (1.08–1.57)
	F	30.7	34.1	31.5	1.02 (0.81–1.28)	1.00 (0.76–1.32)
Longstanding illness (%)	M	31.3	34.9	34.4	1.22* (1.00–1.48)	1.20 (0.99–1.46)
	F	30.0	34.2	34.3	1.20 (0.92–1.56)	1.16 (0.85–1.59)
GHQ caseness (%)	M	17.8	24.0	24.7	1.48*** (1.24–1.76)	1.56*** (1.30–1.86)
	F	26.1	25.7	24.7	1.05 (0.83–1.33)	1.03 (0.77–1.37)
Sleep 5 hrs or less (%)	M	3.4	4.9	3.3	1.42* (1.00–2.03)	1.24 (0.83–1.86)
	F	6.1	5.9	4.2	0.97 (0.62–1.50)	0.63 (0.34–1.16)
Sleep 9 hrs or more (%)	M	2.1	2.3	3.4	1.15 (0.72–1.85)	1.65* (1.06–2.56)
	F	2.3	4.0	3.3	1.65 (0.93–2.91)	1.23 (0.59–2.56)
Mean number of symptoms					Adj diff ^b (SE) Possible	Adj diff ^b (SE) Change has happened
	M	2.49	2.98	2.78	0.44*** (0.08)	0.38*** (0.08)
	F	3.37	3.69	3.58	0.43*** (0.13)	0.27 (0.15)

*Odds ratios compared with no change, adjusted for age, grade and baseline values.

^bDifferences compared with no change, adjusted for age, grade and baseline values.

* $P < 0.05$, ** $P < 0.01$, *** $P < 0.001$.

the relative increase in smoking, both among women anticipating change.

As the exposure categories and many of the outcomes are self-reports, theoretically, information bias may have produced overestimates of odds ratios and differences in the analysis, for example, if the exposure groups contained more respondents with a tendency to over-report negative events (negative affectivity). The analyses, therefore, were repeated adjusting for negative affect. Results adjusted in this way differ little from those pre-

sented. Similarly, when respondents from the Property Services Agency (PSA), which was undergoing privatisation during Phase 3 of the Whitehall II study, were removed from the analysis, the results remain the same.

DISCUSSION

Throughout the following discussion it should be borne in mind that the control group were also exposed to the general changes that took place in

Table 3. Age adjusted percentages and means for physiological measurements for men and women according to change status during Phase 3

	Sex	Change to agency status			OR* (95% CI) Possible	OR* (95% CI) Has happened
		Not planned	Possible	Has happened		
Number	M	2641	1240	1077		
	F	1185	650	356		
Ischaemia ^b (%)	M	7.3	7.4	8.2	1.03 (0.73–1.47)	1.14 (0.79–1.64)
	F	7.5	11.1	9.5	1.58* (1.05–2.37)	1.17 (0.68–2.01)
Mean systolic blood pressure (mmHg)					Adj diff ^c (SE) Possible	Adj diff ^c (SE) Has happened
	M	121.6	121.8	123.2	0.30 (0.36)	1.97*** (0.38)
	F	116.9	118.0	117.9	0.42 (0.55)	0.63 (0.67)
Mean diastolic blood pressure (mmHg)	M	80.7	81.0	82.2	0.30 (0.26)	1.46*** (0.28)
	F	76.4	76.8	77.0	–0.14 (0.39)	0.49 (0.48)
Mean cholesterol concentration (mmol/l)	M	6.51	6.47	6.49	–0.01 (0.03)	0.00 (0.03)
	F	6.41	6.55	6.48	0.04 (0.04)	0.03 (0.05)
Mean Body Mass Index (ht/wt ²)	M	25.0	25.3	25.3	0.17*** (0.05)	0.23*** (0.05)
	F	25.3	26.1	26.1	0.08 (0.10)	0.31 (0.12)

*Odds ratios compared with no change, adjusted for age, grade and baseline values.

^bExcluding ischaemia positives at baseline.

^cDifferences compared with no change, adjusted for age, grade and baseline values.

* $P < 0.05$, ** $P < 0.01$, *** $P < 0.001$.

Table 4. Age adjusted percentages for health-related behaviours among men and women according to change status during Phase 3

	Sex	Change to agency status			OR* (95% CI)	
		Not planned	Possible	Has happened	Possible	Has happened
Number	M	2641	1240	1077		
	F	1185	650	356		
Non-drinker (%)	M	14.4	16.2	15.8	1.06 (0.85–1.31)	1.16 (0.92–1.46)
	F	26.3	33.2	30.2	1.14 (0.89–1.45)	1.03 (0.76–1.40)
Heavy drinker (%)	M	18.8	17.6	20.1	0.94 (0.76–1.17)	1.13 (0.91–1.41)
	F	10.5	8.0	9.2	0.92 (0.60–1.39)	1.19 (0.74–1.93)
Current smoker (%)	M	13.0	12.0	11.8	0.77 (0.54–1.09)	0.68* (0.47–0.99)
	F	14.6	19.7	18.1	1.46 (0.91–2.33)	1.13 (0.64–1.98)
No exercise (%)	M	14.8	15.1	15.0	0.96 (0.78–1.18)	1.08 (0.87–1.33)
	F	31.8	38.5	34.1	1.27* (1.03–1.57)	1.11 (0.86–1.45)

*Odds ratios compared with no change, adjusted for age, grade and baseline values.

**P* < 0.05.

the civil service between 1979 and the time of the Phase 3 questionnaire, with the exception of transfer to an executive agency. This may have reduced differences in health between respondents in the control and exposure groups. Further, transfer of functions to executive agencies had been taking place gradually since 1988. It is thus possible that some respondents may have been exposed to the stressor in question, either anticipation or experience of agency status, for a considerable length of time. If, as in the case of unemployment and psychological morbidity, (Iversen and Sabroe, 1987; Warr and Jackson, 1987; Morrell *et al.*, 1994) lengthy exposure attenuates the relationship between stressor and outcome, this is likely to have minimised further the estimated effects of anticipation and experience of transfer to an executive agency. Thus, our study probably gives a minimum estimate of the effects on health produced by the job insecurity induced by the changes occurring to the work of the respondents.

Findings from the anticipation phase of the PSA study (Ferrie *et al.*, 1995) and studies of the health effects of insecure employment (Hartley *et al.*, 1991; Burchell, 1994) led us to hypothesise that anticipation of transfer to an executive agency would have significant adverse effects on self-reported morbidity and psychological health. The hypothesis was confirmed among men, who showed significant adverse changes in all but one of the self-reported health status measures. Women, however, showed only slight adverse changes except for a significant increase in the number of symptoms. The hypothesis that experience of working in an executive agency would potentiate effects on self-reported health measures was generally not supported by the data. Adverse effects on self-reported health measures among men and women already working in an executive agency were not very different from those seen amongst respondents anticipating transfer. This finding is commensurate with Burchell's finding that, among men, the increased GHQ scores associated with unemployment are not affected by

re-employment in an insecure job (Burchell, 1994) but does not confirm the evidence that chronic job insecurity has a significantly more potent effect on physical symptoms than acute job insecurity (Heaney *et al.*, 1994).

In general, the results for the self-reported health status measures are consistent with findings from other studies. Considerable excess physical morbidity has been reported prior to workplace closure (Cobb and Kasl, 1977; Jacobsen, 1972; Beale and Nethercott, 1985; Owens, 1966; Ferrie *et al.*, 1995). Compared to the control group a significantly greater percentage of men anticipating exposure to agency status were found to be sleeping ≤ 5 hrs/night, while a significantly greater percentage of those exposed to change, as for PSA men during the pre-termination phase, were found to be sleeping 9 hrs or more. These sleep patterns have been shown to be associated with increased morbidity (Belloc and Breslow, 1972) and mortality (Belloc, 1973; Breslow and Enstrom, 1980). Sleep disturbance has been reported in other studies both among blue-collar men (Mattiasson *et al.*, 1990) and women (Arnetz *et al.*, 1988) anticipating redundancy. Both anticipation of organisational change associated with uncertainty about future job security, and exposure to agency status were related to significant risk of GHQ caseness in men. Job insecurity and threat of job loss have been related to increased psychological disorder, anxiety and depression in workplace closure studies, (Arnetz *et al.*, 1988; Mattiasson *et al.*, 1990; Iversen and Sabroe, 1988) while removal of this threat has been associated with reduction in psychological symptoms (Jenkins *et al.*, 1982).

Largely supporting our hypotheses, differences in clinical measurements between controls and respondents anticipating change to agency status were generally very small, while among those already working in an executive agency, apart from cholesterol, they were considerable. No studies of workplace closure over the last 30 years have reported on clinical measurements during the rumour phase

prior to confirmation of closure. However, consultations for chronic illness, particularly sustained hypertension and myocardial infarction, increased significantly during this phase in one study (Beale and Nethercott, 1988) and hospital admissions for cardiovascular diseases increased slightly in another (Iversen *et al.*, 1989). Results from other workplace closure studies have demonstrated significant effects on clinical measurements in the pre-termination phase (Cobb and Kasl, 1977; Arnetz *et al.*, 1988; Mattiasson *et al.*, 1990; Ferrie *et al.*, submitted) in line with the finding by House and colleagues that chronic, rather than acute job stress significantly increases mortality (House *et al.*, 1986).

Varying findings with respect to blood pressure prior to workplace closure are reported in the literature. A study among blue-collar workers, mostly female, found blood pressure to be slightly lower prior to factory closure (Arnetz *et al.*, 1988), while another among blue-collar men found a relative rise in both systolic and diastolic blood pressure (Kasl and Cobb, 1970). Neither of these studies had stable employment data. However, Mattiasson, who did have stable employment data, found a relative drop of 2 mmHg in systolic and 0.1 mmHg in diastolic blood pressure (Mattiasson *et al.*, 1990). Schnall, who made similar comparisons with secure employment data, found a slight increase in diastolic and a significant decrease in systolic pressure among white-collar men and women during a period of widespread layoffs (Schnall *et al.*, 1992). However, over two-thirds of respondents were lost to follow up and the blood pressure results were adjusted for BMI which could be seen as over-adjustment, since increased BMI could be in the causal pathway between job disruption and blood pressure. Among men exposed to agency status we found significant relative increases in both systolic and diastolic blood pressure. The relative increase in BMI was significant among men in both exposure groups and among women experiencing change to agency status. The British Regional Heart study found men who experienced non-employment unrelated to illness were significantly more likely to gain more than 10% in weight than men who remained continuously employed (Morris *et al.*, 1992).

The profile of adverse changes in both self-report and clinical measures would seem to agree with Theorell's finding of a relationship between work changes and myocardial infarction (Theorell, 1974). Self-reported health status has been shown to predict mortality over a period of years, even after adjustment for physical ill health at baseline (Idler and Kasl, 1991). As in the PSA study (Ferrie *et al.*, 1995; Ferrie *et al.*, submitted), results across the two exposure groups indicate an initial response during anticipation of transfer to an executive agency that manifests itself in increases in self-reported morbidity. Changes in clinical measure-

ments, in which a lag phase would be expected, manifest themselves later, among respondents exposed to working in an executive agency.

Differences in the health-related behaviours between respondents in the control and exposure groups, on the whole, confirmed our hypothesis that the adverse effects on health cannot be attributed to changes in the behaviours measured. Data on potentially health damaging behaviour prior to workplace closure are scarce and mostly relate to men. Changes in alcohol consumption and smoking in a factory closure study among blue-collar men showed no difference between subjects and controls (Mattiasson *et al.*, 1990) and journalists facing redundancy reported no significant changes in alcohol consumption (Jenkins *et al.*, 1982). In the PSA study, if anything, slight improvements were found in health-related behaviours among men both during the anticipation and pre-termination phases (Ferrie *et al.*, 1995; Ferrie *et al.*, submitted). These results reflect findings that loss of employment is not associated with increased smoking or drinking (Morris *et al.*, 1994) or decreased physical activity (Grayson, 1993) but is associated with increased mortality and increased morbidity, even after controlling for selection out of the work force due to ill health (Morris *et al.*, 1994).

The results show very consistent differences between men and women. Men anticipating transfer to, and men already working in an executive agency exhibit considerably greater increases in self-reported physical and psychological morbidity than women. Arber has shown that self-rated health for women is less closely related to their own occupational class and employment status than it is for men. Factors outside the workplace, including partner's class and employment status (if married or co-habiting) and the material conditions in which the household lives are also important (Arber, 1997). Domestic responsibilities and caring have also been shown to be important determinants of women's self-reported morbidity (Macran *et al.*, 1996; Elstad, 1996). Burchell found that re-employment in an insecure job, for women reduced GHQ scores elevated during a spell of unemployment but did not reduce scores for men (Burchell, 1994). It is possible that women use health damaging behaviours to help them to cope with adverse situations, as has been shown in the case of smoking (Graham, 1987; Jacobson *et al.*, 1989). Thus, the small adverse changes in health-related behaviours seen among women facing job insecurity in the present study and the PSA study may explain why women exhibit changes in clinical measurements.

The 7149 respondents who provided the data for these analyses represent just over half the original target population for the Whitehall II study. Normally this would represent a serious problem of bias as non-responders are generally less healthy and have higher levels of self-damaging behaviour

than responders (Alderson, 1976). However, there is no reason to believe (Hennessy, 1990; National Union of Civil and Public Servants, 1991; Next Steps Team, 1996, 1997) that health factors played any role in decisions regarding timing of the transfer of particular functions of government to executive agencies and there is no other obvious reason why non-responders should be concentrated in any of the three groups analysed. Inclusion of non-responders would, thus, have increased the level of adverse indices in all groups but left unchanged the differences between them. We are confident, therefore, in the generalisability of our results across the civil service and feel that the similarity to many of the changes taking place in other workplaces makes it likely that the results will apply more generally.

Our results have implications for public health practice. Several of the factors which have contributed to current increasing levels of job insecurity look set to continue into the foreseeable future. The present study suggests that job insecurity has adverse effects on health. As these are likely to have repercussions for health service use as well as for employee well-being and organisational efficiency it is important that public health professionals push for these costs to be taken into account when the returns of the flexible labour market are counted.

CONCLUSION

Among civil servants anticipation of major organisational change results in an increase self-reported morbidity, significant for most measures among men, and small increases in clinical measurements. For civil servants already working in executive agencies self-reported morbidity is similar to that exhibited by those anticipating transfer, but there are larger and more consistent adverse changes in clinical measurements, particularly among men. These adverse trends cannot be explained by changes in the health damaging behaviours measured among the men and probably not among the women, despite a slight relative increase in such behaviours among the latter. More importantly, this study has addressed the issue of pre-existing morbidity by having controlled for health status during a period of stable employment well before any indication of change.

Acknowledgements—We thank all participating civil service departments and their welfare and personnel officers, the Civil Service Occupational Health Service, the Civil Service Central Monitoring Service, Dr Elizabeth McCloy, and all participating civil servants. Our thanks are also extended to two anonymous referees for their helpful comments on the first draft of this paper. The work presented in this paper was supported by the Economic and Social Research Council (R000235083). The Whitehall II study is funded by grants from the Medical Research Council, Health and Safety Executive, Department of Health, British Heart Foundation, National Heart, Lung and Blood Institute (2 R01 HL36310-04), Agency for Health

Care Policy Research (5 R01 HS06516), Institute for Work and Health, Toronto, Canada, and the John D. and Catherine T. MacArthur Foundation Research Network on Successful Midlife Development.

REFERENCES

- Alderson, M. (1976) *An Introduction to Epidemiology*. Macmillan, London and Basingstoke.
- Anderson, S., Auquier, A., Oakes, D., Vandele, W. and Weisberg, H. I. (1980) *Statistical Methods for Comparative Studies: Techniques for Bias Reduction*. Wiley, New York.
- Arber, S. (1997) Comparing inequalities in women's and men's health: Britain in the 1990s. *Social Science & Medicine* 44, 773–787.
- Arnetz, B. B., Brenner, S., Hjelm, R., Levi, L. and Petterson, I. (1988) *Stress Reactions in Relation to Threat of Job Loss and Actual Unemployment: Physiological, Psychological and Economic Effects of Job Loss and Unemployment*. Stress Research Reports, No. 206, Karolinska Institute, Stockholm.
- Bartley, M. (1994) Unemployment and ill health: understanding the relationship. *Journal of Epidemiology and Community Health* 48, 333–337.
- Beale, N. and Nethercott, S. (1985) Job-loss and family morbidity: a study of a factory closure. *Journal of the Royal College of General Practitioners* 35, 510–514.
- Beale, N. and Nethercott, S. (1988) The nature of unemployment morbidity. 2. Description. *Journal of the Royal College of General Practitioners* 38, 200–202.
- Beatson, M. (1995) Labour market flexibility. *Employment Department Research Series* 48.
- Belloc, N. (1973) Relationship of physical health status and health practices. *Preventive Medicine* 2, 67–81.
- Belloc, B. and Breslow, L. (1972) Relationship of physical health status and health practices. *Preventive Medicine* 1, 409–421.
- Bradburn, N. M. (1969) *The Structure of Psychological Well-being*. Aldine, Chicago.
- Brenner, M. H. and Mooney, A. (1983) Unemployment and health in the context of economic change. *Social Science & Medicine* 17, 1125–1138.
- Breslow, L. and Enstrom, J. (1980) Persistence of health habits and their relationship to mortality. *Preventive Medicine* 9, 469–483.
- Burchell, B. (1994) The effects of labour market position, job insecurity, and unemployment on psychological health. In *Social Change and the Experience of Unemployment*, eds D. Gallie, C. Marsh and C. Vogler, pp. 188–212. Oxford University Press, Oxford.
- Carpenter, L. (1987) Some observations on the healthy worker effect. *British Journal Industrial Medicine* 44, 289–291.
- Catalano, R. and Dooley, D. (1983) Health effects of economic instability: a test of economic stress hypothesis. *Journal of Health and Social Behavior* 24, 46–60.
- Cobb, S. and Kasl, S. V. (1977) *Termination: The consequences of Job Loss*. DHEW-NIOSH Publication No. 77-224, National Institutes for Occupational Safety and Health, Cincinnati.
- Elstad, J. I. (1996) Inequalities in health related to women's marital, parental, and employment status—a comparison between the early '70s and late '80s, Norway. *Social Science & Medicine* 42, 75–89.
- Ferrie, J., Shipley, M. J., Marmot, M. G., Stansfeld, S. Davey Smith, G. (1995) Health effects of anticipation of job change and non-employment: longitudinal data from the Whitehall II study. *British Medical Journal* 311, 1264–1269.
- Ferrie, J., Shipley, M., Marmot, M. G., Stansfeld, S. and Davey Smith, G. (submitted) An uncertain future: the

- health effects of threats to employment security in white-collar men and women. *American Journal of Public Health*.
- Fineman, S. (1987) The middle class: unemployed and underemployed. In *Unemployment: Personal and Social Consequences*, ed. S. Fineman, pp. 74-93. Tavistock, London.
- Graham, H. (1987) Women's smoking and family health. *Social Science & Medicine* 25, 47-56.
- Grayson, J. P. (1993) Health, physical activity level and employment status in Canada. *International Journal of Health Services* 23, 743-761.
- H.M.G. (1996) *Government Opportunities* 1(7). Business Information Publications Ltd, Glasgow.
- Hartley, J., Jacobson, D., Klandermans, B. and Van Vuuren, T. (1991) *Job Insecurity: Coping with jobs at risk*. Sage, London.
- Haynes, S. G., McMichael, A. J. and Tyroler, H. A. (1978) Survival after early and normal retirement. *Journal of Gerontology* 33, 269-278.
- Heaney, C., Israel, B. and House, J. (1994) Chronic job insecurity among automobile workers: effects on job satisfaction and health. *Social Science & Medicine* 38, 1431-1437.
- Hennessy, P. (1990) *Whitehall*. Fontana Press, London.
- Hinkle, L. E., Whitney, L. H., Lehman, E. W., Dunn, J., Benjamin, B., King, R., Plakun, A. and Flehinger, B. (1968) Occupation, education, and coronary heart disease. *Science* 161, 238-246.
- House, J. S., Strecher, V., Metzner, H. L. and Robbins, C. A. (1986) Occupational stress and health among men and women in the Tecumseh community health study. *Journal of Health and Social Behavior* 27, 62-77.
- Hutton, W. (1995) *The State We're In*. Jonathon Cape, London.
- Idler, E. L. and Kasl, S. (1991) Health perceptions and survival—do global evaluations of health-status really predict mortality? *Journal of Gerontology* 46, 55S-65S.
- Iversen, L. and Sabroe, S. (1987) Plant closures, unemployment, and health: Danish experiences from the declining ship-building industry. In *Unemployment, Social Vulnerability, and Health in Europe*, eds D. Schwefel, P. Svensson and H. Zollner, pp. 31-47. Springer, Berlin.
- Iversen, L. and Sabroe, S. (1988) Psychological well-being among unemployed and employed people after a company closedown: a longitudinal study. *Journal of Social Issues* 44, 141-152.
- Iversen, L., Sabroe, S. and Damsgaard, M. T. (1989) Hospital admissions before and after shipyard closure. *British Medical Journal* 299, 1073-1076.
- Jacobsen, K. (1972) Afskedigelse og sygelighed. *Ugeskrift for læger* 134, 352-354.
- Jacobson, B., Amos, A. and Aghi, M. (1989) World No Tobacco Day: a challenge for women's health. *Lancet* 334, 1193-1194.
- Jenkins, R., MacDonald, A., Murray, J. and Strathdee, G. (1982) Minor psychiatric morbidity and the threat of redundancy in a professional group. *Psychological Medicine* 12, 799-807.
- Kasl, S. V. and Cobb, S. (1970) Blood pressure changes in men undergoing job loss: a preliminary report. *Psychosomatic Medicine* 32, 19-38.
- Kessler, R. C., House, J. S. and Turner, J. B. (1987) Unemployment and health in a community sample. *Journal of Health and Social Behavior* 28, 51-59.
- Kessler, R. C., Turner, J. B. and House, J. S. (1988) Effects of unemployment on health in a community survey: main, modifying and mediating effects. *Journal of Social Issues* 4, 69-85.
- Layton, C. (1987) Levels of state anxiety for males facing redundancy and subsequently reporting to be employed or unemployed. *Perceptual and Motor Skills* 65, 53-54.
- MacFarlane, N. (1996) Down and out Britain. *Observer*, 17 March, p. 1.
- Macran, S., Clarke, L. and Joshi, H. (1996) Women's health: dimensions and differentials. *Social Science & Medicine* 42, 1203-1216.
- Marmot, M. G., Davey Smith, G., Stansfeld, S., Patel, C., North, F., Head, J., White, I., Brunner, E. J. and Feeney, A. (1991) Health inequalities among British civil servants: the Whitehall II study. *Lancet* 337, 1387-1393.
- Mattiasson, I., Lindegärde, F., Nilsson, J. Å. and Theorell, T. (1990) Threat of unemployment and cardiovascular risk factors: longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *British Medical Journal* 301, 461-466.
- McCloy, E. (1995) *Re-inventing Government: The Human Factors and Health Impacts. Work, Stress and Health '95—Conference of the American Psychological Association*. Sept. 14-16. Cassette, Sound Images, Englewood, CO.
- Montgomery, S. M., Bartley, M. J., Cook, D. G. and Wadsworth, M. E. J. (1996) Health and social precursors of unemployment in young men in Britain. *Journal of Epidemiology and Community Health* 50, 415-422.
- Morrell, S., Taylor, R., Quine, S., Kerr, C. and Western, J. (1994) A cohort study of unemployment as a cause of psychological disturbance in Australian youth. *Social Science & Medicine* 38, 1553-1564.
- Morris, J. K., Cook, D. G. and Shaper, A. G. (1992) Non-employment and changes in smoking, drinking and body weight. *British Medical Journal* 304, 536-541.
- Morris, J. K., Cook, D. G. and Shaper, A. G. (1994) Loss of employment and mortality. *British Medical Journal* 308, 1135-1139.
- Morris, J. N. and Titmuss, R. M. (1944) Health and social change: recent history of rheumatic heart disease. *Medical Officer* 2, 69-87.
- Moser, K. A., Fox, A. J. and Jones, D. R. (1984) Unemployment and mortality in the OPCS Longitudinal Study. *Lancet* II, 1324-1329.
- National Union of Civil and Public Servants (1991) *Agenda for the Future: The Civil Service towards the Twenty First Century*. National Union of Civil and Public Servants, London.
- Next Steps Team (1996) *Next Steps Briefing Note*. February, Cabinet Office, London.
- Next Steps Team (1997) *Next Steps Briefing Note*. March, Cabinet Office, London.
- Owens, C. (1966) Sick leave among railwaymen threatened by redundancy: a pilot study. *Occupational Psychology* 40, 43-52.
- Platt, S. D. and Kreitman, N. (1990) Long term trends in parasuicide and unemployment in Edinburgh 1968-1987. *Social Psychiatry and Psychiatric Epidemiology* 25, 56-61.
- Plewis, I. (1985) *Analysing Change: Measurement and Explanation Using Longitudinal Data*. Wiley, Chichester.
- Schnall, P. L., Landsbergis, P. A., Pieper, C. F., Schwartz, J., Dietz, D., Gerin, W., Schluskel, Y., Warren, K. and Pickering, T. G. (1992) The impact of anticipation of job loss on psychological distress and worksite blood pressure. *American Journal of Industrial Medicine* 21, 417-432.
- Stansfeld, S. A. and Marmot, M. G. (1992) Social class and minor psychiatric disorder in British civil servants: a validated screening survey using the General Health Questionnaire. *Psychological Medicine* 22, 739-749.
- Studnicka, M., Studnicka-Benke, A., Wogerbauer, G., Rastetter, D., Wenda, R., Gathmann, P. and Ringel, E. (1991) Psychological health, self-reported physical

- health and health service use. Risk differential observed after one year of unemployment. *Social Psychiatry and Psychiatric Epidemiology* 26, 86–91.
- Theorell, T. (1974) Life events before and after the onset of a premature myocardial infarction. In *Stressful Life Events*, eds B. S. Dohrenwend and B. P. Dohrenwend, pp. 101–117. Wiley, London.
- Warr, P. and Jackson, P. (1987) Adapting to the unemployed role: a longitudinal investigation. *Social Science & Medicine* 25, 1219–1224.

An Uncertain Future: The Health Effects of Threats to Employment Security in White-Collar Men and Women

ABSTRACT

Jane Elizabeth Ferrie, MSc, Martin John Shipley, MSc, Michael Gideon Marmot, FFPHM, FRCP, PhD, Stephen Alfred Stansfeld, PhD, and George Davey Smith, MD

Objectives. This study examined changes in the health status of civil servants whose employment security was threatened.

Methods. Data were derived from a longitudinal cohort of 10 308 men and women, office staff in 20 British civil service departments. Physiological measurements, self-reported morbidity, and health-related behaviors for 530 members of the department under threat were compared with those of 19 other departments, during the period of uncertainty and during stable employment 5 years earlier.

Results. From a position of advantage or no difference at baseline, self-reported morbidity and physiological risk factors tended to increase among respondents from the threatened department compared with those from other departments. For both sexes, increases were significant for body mass index ($P < .001$) and sleeping 9 or more hours (odds ratio [OR] = 1.88; 95% confidence interval [CI] = 1.3, 2.8; $P < .01$); modest but significant increases were seen in ischemia (OR = 1.45; 95% CI = 1.0, 2.1) and cholesterol concentration (0.08 mmol/L; 95% CI = 0.01, 0.14). Among women only, a significant relative increase in blood pressure ($P < .01$) was recorded. Over the same period health-related behaviors changed little.

Conclusions. Threats to employment security have adverse consequences for health status that are unexplained by health selection or health-related behaviors. (*Am J Public Health.* 1998;88:1030-1036)

Introduction

Links between labor market position and health have long been established. Early retirees and the unemployed tend to be less healthy than others,¹⁻⁵ although many studies have been unable to consider adequately whether health selection underlies observed associations. As the threat of job loss has also been shown to have adverse effects on health,⁶⁻⁹ only longitudinal studies that can measure employee health prior to any rumor of change are in a position to resolve this problem.

As an ongoing prospective study of the health of male and female civil servants in the United Kingdom, whose baseline data were collected prior to any indication of major restructuring in the civil service, the Whitehall II study¹⁰ is ideally placed to address the methodological limitations of previous studies of job insecurity and loss of employment. Early in the restructuring, one of the departments from which participants in the Whitehall II Study were recruited was sold to the private sector. Rumors reached the workforce 2 to 3 years prior to the sale, and during this "anticipation phase" there was a deterioration in self-reported health in this department, both compared with baseline and, crucially, compared with the other departments in the Whitehall II Study.¹¹ We now examine self-reported and clinical measures of health of participants in this department, compared with control participants, during the "termination phase," when the department was on the point of transfer in ownership.

Methods

Participants

The target population for the Whitehall II Study was all London-based office staff, aged 35 through 55, working in 20 civil service

departments. With a response rate of 73%, the final cohort consisted of 10 308 participants (6895 men and 3413 women).¹⁰ The true response rate is higher, however, because around 4% of those invited were not eligible for inclusion. Although mostly white-collar, respondents covered a wide range of grades from office support to permanent secretary. As of January 1, 1987, annual salaries ranged from £62 100 for a permanent secretary to £3 061 for the lowest-paid office-support grade.

Baseline screening (phase 1) took place between late 1985 and early 1988. This screening involved a clinical examination in which, among other physiological measurements, height, weight, blood pressure, electrocardiogram (ECG), and serum cholesterol were determined. A self-administered questionnaire containing sections on demographic characteristics, health, lifestyle factors, work characteristics, social support, life events, and chronic difficulties was completed by each respondent. In 1989 and 1990 (phase 2), the same questionnaire data were collected by mail, and between 1992 and 1993 a further round of clinical screening and questionnaire data collection was completed (phase 3).

Jane Elizabeth Ferrie, Martin John Shipley, Michael Gideon Marmot, and Stephen Alfred Stansfeld are with the Department of Epidemiology and Public Health, University College London Medical School, London, England. Dr Marmot and Dr Stansfeld are also with the International Centre for Health and Society, London. George Davey Smith is with the Department of Social Medicine, University of Bristol, Bristol, England.

Requests for reprints should be sent to Jane Elizabeth Ferrie, MSc, Department of Epidemiology and Public Health, University College London Medical School, 1-19 Torrington Pl, London WC1E 6BT, UK (e-mail: j.ferrie@public-health.ucl.ac.uk).

This paper was accepted December 12, 1997.

Editor's Note. See related editorial by Hurrell (p 1012) in this issue.

The opportunity to perform this methodologically robust study of job insecurity and loss of employment was provided by the privatization of the Property Services Agency (PSA). This agency was responsible for the design, construction, and maintenance of all government buildings. Between April 1990 and July 1991, PSA was split into 6 stand-alone businesses, of which PSA Projects covered the design and construction side. The remaining businesses were regional maintenance companies whose privatization was complete by October 1993.¹²

Baseline screening of PSA respondents was complete by November 1986. In that year a government report¹³ recommended the examination of civil service functions to determine which could be abolished or transferred to the private sector. However, few civil servants were aware of the long-term implications of this report, whose recommendations were only initiated in August 1988. For PSA, however, restructuring along these lines was being debated somewhat before this. Early in 1988 the future of PSA was envisaged in terms of a trading fund, a plan jettisoned in favor of privatization by December of the same year.¹⁴ The bill laying the basis for selling PSA in 1992 received its second reading on December 6, 1989,¹⁵ with the minister responsible forecasting "significant" staff cuts in the run up to the privatization.¹⁶ In May 1992 the sale of PSA Projects was launched.¹² The identity of bidders was kept secret,¹⁷ the successful bidder being announced on October 1¹⁸ and the sale going to completion December 1, 1992.¹² A condition of the sale was that all employees be allowed to transfer to the private company. However, on completion of the sale the company could give a month's notice to anyone whose skills were not required.

The above events fit the general pattern of workplace closure studies. At baseline the workforce are in stable employment, unaware of future changes (corresponding to phase 1 of the Whitehall II Study). Next comes a period of threat, uncertainty and rumor, the anticipation phase (corresponding to phase 2). During this phase, which can be protracted, most employees are unsure how, or whether, they may be affected. The anticipation phase may be followed by removal of the threat, or by the termination phase (corresponding to phase 3). The termination phase is the period immediately prior to closure or sale. By this time, some employees will have already left and future job changes or job loss for most will be certain.¹⁹

After the closure or sale, employees undergo job change, early retirement, retirement, or unemployment. A separate study,

which gathered quantitative and qualitative data from the PSA cohort after privatization, found that by 1994 only 3.5% (19/541) were still employed by the rump of the original organization, 41% were not in paid employment, and of those in work, 49% considered their jobs insecure.

Measures

Items drawn from the phase 1 and phase 3 questionnaires cover personal details (age, marital status, and current grade of employment); health (the London School of Hygiene cardiovascular questionnaire on angina pectoris and possible myocardial infarction, hours of sleep on an average weeknight, self-rated health over the last year, presence of long-standing illness, presence of 17 different symptoms in the previous 14 days); minor psychiatric morbidity (assessed by the 30-item General Health Questionnaire); and health-related behaviors (current smoking habits, alcohol consumption in last 7 days, and exercise patterns).

An increase in the General Health Questionnaire score represents an increase in minor psychiatric morbidity. Those scoring from 0 to 4 are considered "noncases" and those scoring 5 or higher, "General Health Questionnaire cases."²⁰

At the screening examination, blood pressure in millimeters of mercury (mm Hg) was measured twice, with a Hawksley random-zero sphygmomanometer, with the participant seated after a 5-minute rest. Weight in kilograms and height in meters were recorded. Body mass index (BMI) was calculated from these two measures as weight divided by height squared. Blood was taken and serum cholesterol concentration (mmol/L) measured by the cholesterol oxidase/peroxidase colorimetric method (BCL kit). ECGs were recorded with the Mingorec system (Siemens) on magnetic tape, and Minnesota codes were assigned by computer. All ECG tracings designated "ischemia probable or possible" by computer were independently coded by an experienced coder. Abnormal ECGs were those labeled "ischemia probable or possible" by both computer and coder. Angina was diagnosed according to criteria used previously.²¹ Respondents were judged to have ischemia if their ECG was abnormal or if angina was diagnosed. Further details of these measures have been reported previously.^{10,21}

Exercise patterns were derived from the frequency and time spent taking mild, moderate, or vigorous physical activity. One or more hours per week of vigorous exercise was classified as vigorous exercise; less than 1 hour per week of vigorous or moderate exercise was classified as no or mild exercise.

The baseline screening of the Whitehall II Study included 666 PSA employees (513 men and 153 women). Of these employees 526, mostly now in PSA Projects, completed phase 2; and 530 (80%; 418 men and 112 women) completed phase 3. A total of 91% of PSA respondents were screened before the sale, 84% between September and November 1992.

The control departments contained 9642 respondents (6382 men and 3260 women) at baseline and 7824 respondents (81%; 5347 men and 2477 women) at phase 3. The non-response rate at phase 3 was 27% for women and 19% for men in PSA and 24% for women and 16% for men in the control departments. In addition to those who failed to respond to invitations to participate, nonresponders included participants who had died and those who could not be traced.

The analysis strategy employed was equivalent to the intention-to-treat analysis used in clinical trials. Thus, the analysis included all participants who were in PSA at baseline from whom data were collected at phase 3, regardless of what happened to them in the interim. By including those respondents who quit the workforce early as a response to impending change, this strategy results in conservative estimates but avoids overstating the impact of privatization. Age-adjusted proportions were calculated by direct standardization, using 5-year age groups with the total population as standard. Differences in these proportions were assessed with Cochran-Mantel-Haenszel tests of association. For continuous variables, age-adjusted least squares means and tests of the differences between these means have been derived from analysis of covariance, with the age groups as covariates.

The aim of the analysis was to compare changes in the various measures for PSA respondents between baseline and phase 3, the termination phase for PSA respondents, with those of other departments. Such data cannot be analyzed by comparing simple differences because the magnitude of the change would depend upon the level at baseline.²² An imbalance in the means (or percentages) at baseline between PSA and the other departments would result in the comparison's being biased. Thus, for continuous variables, differences during phase 3 were assessed by analysis of covariance with age, employment grade, and baseline level of the variable of interest as covariates. For the dichotomous variables, logistic regression was used to compare phase 3 measures for PSA with those of control departments in terms of odds ratios and to adjust for age, employment grade, and baseline level of the variable of interest. In the case of ischemia, respondents judged to have ischemia

TABLE 1—Age-Adjusted Means and Percentages (SEs) for Subjects Facing Job Insecurity (PSA) and Control Subjects at Baseline (Phase 1, 1985–1988): The Whitehall II Study, United Kingdom

	Men			Women		
	PSA (n = 418)	Control (n = 5347)	P for Difference	PSA (n = 112)	Control (n = 2477)	P for Difference
Demographic variables						
Age, mean, y	44.4 (0.3)	44.0 (0.1)	>.5	45.2 (0.6)	45.1 (0.1)	>.5
Grade, %						
Administrative	36.8 (2.3)	40.4 (0.7)		5.4 (1.7)	13.3 (0.7)	
Professional/executive	61.1 (2.4)	51.3 (0.7)	<.0001	41.9 (0.6)	42.7 (0.1)	.04
Clerical/support	2.1 (0.7)	8.3 (0.4)		52.7 (4.7)	44.0 (1.0)	
Marital status, %						
Married/cohabiting	88.8 (1.5)	81.3 (0.5)		62.9 (4.6)	61.7 (1.0)	
Single	7.6 (1.3)	13.3 (0.5)	.002	21.1 (3.9)	22.0 (0.8)	.35
Divorced	3.4 (0.9)	5.0 (0.3)		10.7 (2.9)	13.7 (0.7)	
Widowed	0.2 (0.2)	0.4 (0.1)		5.3 (2.1)	2.6 (0.3)	
Self-reported health status measures						
Self-rated health average or worse, %	19.5 (1.9)	21.4 (0.6)	.34	27.6 (4.1)	34.3 (1.0)	.18
Long-standing illness %	28.2 (2.4)	31.2 (0.7)	.23	23.8 (4.8)	30.4 (1.1)	.22
GHQ caseness, %	24.2 (2.1)	25.6 (0.6)	>.5	27.5 (4.3)	31.7 (1.0)	.33
Sleep 5 h or less, %	3.0 (0.8)	3.9 (0.3)	.31	5.2 (2.1)	5.6 (0.5)	>.5
Sleep 9 h or more, %	0.7 (0.4)	0.7 (0.1)	>.5	4.8 (2.1)	1.2 (0.2)	.002
No. of symptoms, mean	1.97 (0.11)	2.49 (0.04)	<.001	2.54 (0.25)	3.15 (0.06)	.06
Physiological measurements						
Ischemia, %	6.3 (1.2)	8.0 (0.4)	.21	12.3 (3.1)	9.4 (0.6)	.33
Systolic blood pressure, mean, mm Hg	123.4 (0.6)	124.3 (0.2)	.12	118.8 (1.3)	119.2 (0.3)	>.5
Diastolic blood pressure, mean, mm Hg	76.4 (0.4)	77.8 (0.1)	.004	74.6 (0.8)	74.6 (0.2)	>.5
Cholesterol concentration, mean, mmol/L	5.87 (0.05)	5.97 (0.02)	.12	5.83 (0.09)	5.83 (0.02)	.49
Body mass index, mean, kg/m ²	24.4 (0.1)	24.5 (0.04)	.33	25.3 (0.5)	24.5 (0.1)	.08
Health behaviors, %						
Alcohol drinker	89.4 (1.5)	87.3 (0.5)	.004	71.1 (4.3)	73.4 (0.9)	<.001
Current smoker	8.3 (1.3)	14.5 (0.5)	<.001	13.2 (3.1)	19.7 (0.8)	.08
No exercise	4.9 (1.1)	11.1 (0.4)	<.00	30.2 (4.3)	27.0 (0.9)	.43

Note. Data are shown for responders to phase 3 only. PSA = Property Services Agency, a civil service department scheduled for privatization; control subjects were civil servants in other departments. GHQ = General Health Questionnaire.

at baseline were excluded and new cases at phase 3 were analyzed. Analyses were conducted separately for men and women, but final adjusted estimates were pooled if there was no strong evidence ($P > .1$) for any difference in effects between the sexes.

Results

A comparison of baseline data for responders and nonresponders at phase 3 shows differences in employment grade, self-rated health in the last year, blood pressure, cholesterol, BMI, ischemia, smoking, and exercise behavior among both men and women. Additional differences are seen for marital status in men and age in women. However, because differences between responders and nonresponders are similar for participants recruited from PSA and those recruited from control departments, the results cannot be attributed to nonresponse bias. (Tables of these

comparisons are available on request from the corresponding author.) Despite significantly greater numbers of smokers in the control group at baseline, adjustment for smoking had little effect on the outcomes measured.

Table 1 shows age, grade, marital status, self-reported morbidity, physiological measurements, and health-related behaviors for PSA and other departments at baseline. Profiles of health and health-related behaviors, in general, favor PSA compared with controls.

Self-reported health status measures are presented in Table 2. Differences at phase 3 between PSA and controls are shown adjusted for age, grade, and self-reported health status at baseline. For men, with the exception of 5 or fewer hours' sleep per night, a consistent adverse trend is seen for PSA compared with other departments; the difference in 9 or more hours' sleep per night is statistically significant. A similar trend among PSA women compared with control women is reversed in the case of self-rated health and long-standing ill-

ness. When results for both sexes are combined, all self-reported morbidity measures are increased in PSA respondents compared with controls, with the relative increase in 9 or more hours' sleep per night statistically significant.

Physiological measurements are presented in Table 3. Cholesterol, ischemia, and BMI all show a relative increase in PSA men compared with control men, with that for BMI being statistically significant. A consistent adverse trend is seen for all physiological measurements among PSA women compared with control women. For systolic and diastolic blood pressure and for BMI the relative increase is statistically significant. Combined measurements for PSA men and women show a statistically significant increase in ischemia, cholesterol concentration, and BMI compared with control respondents.

Health-related behaviors and divorce or separation are presented in Table 4. Among PSA men improvement is seen both in exercise patterns and in smoking (measured by

TABLE 2—Self-Reported Health Status Measures (Age-Adjusted Percentages and Least Squares Means) for Subjects Facing Job Insecurity (PSA) and Control Subjects During the Termination Phase (Phase 3, 1992–1993): The Whitehall II Study, United Kingdom

	PSA	Control	OR ^a	Adjusted OR ^b (95% CI)	Combined Adjusted Estimate ^c (95% CI)
Self-rated health average or worse, %					
Men	22.2	21.5	1.03	1.14 (0.9, 1.5)	1.06 (0.8, 1.3)
Women	28.1	33.7	0.80	0.84 (0.5, 1.3)	
Long-standing illness, %					
Men	33.9	33.8	1.01	1.11 (0.9, 1.4)	1.03 (0.8, 1.3)
Women	24.3	34.4	0.65	0.70 (0.4, 1.2)	
GHQ caseness, %					
Men	22.0	20.4	1.10	1.14 (0.9, 1.5)	1.11 (0.9, 1.4)
Women	24.5	26.2	0.96	1.05 (0.7, 1.7)	
Sleep 5 h or less, %					
Men	3.2	3.7	0.84	0.97 (0.5, 1.8)	1.09 (0.7, 1.8)
Women	6.8	5.7	1.26	1.35 (0.6, 3.0)	
Sleep 9 h or more, %					
Men	5.1	2.9	1.78*	1.82 (1.1, 2.9)*	1.88 (1.3, 2.8)**
Women	8.5	3.6	2.40*	2.02 (1.0, 4.3)	
			Difference (SE)	Adjusted Difference^b (SE)	
No. of symptoms, mean					
Men	2.50	2.69	−0.19 (0.12)	0.15 (0.11)	0.18 (0.0, 0.4)
Women	3.51	3.59	−0.08 (0.26)	0.33 (0.27)	

Note. PSA = Property Services Agency, a civil service department scheduled for privatization; control subjects were civil servants in other departments. OR = odds ratio; CI = confidence interval; GHQ = General Health Questionnaire.

^aAdjusted for age.

^bAdjusted for age, grade, and baseline (phase 1) values.

^cTests of difference in the adjusted estimates between men and women gave *P*'s > .1 for all outcomes.

P* < .05; *P* < .01.

both percentage of smokers and number of cigarettes smoked). In the case of alcohol, while prevalence increased marginally among PSA men, the number of units consumed was lower than among control men. Health-damaging behaviors among PSA women tended to increase slightly compared with control women. Divorce and separation increased among PSA men and women relative to control respondents. None of the differences between PSA and control departments are statistically significant, separately or combined, except for exercise, in which the difference favors respondents from PSA.

Discussion

Methodological Considerations

A major consideration in examining the relationship between health and labor market status is the extent to which changes in status cause or are a consequence of ill health. Only if baseline data are collected before change is anticipated and a suitable control group is included can this question be resolved. As a consequence, such studies are rarely feasible.

Fourteen workplace closure studies with longitudinal data have been reported in the literature since the early 1970s.^{1,8–9,23–46} Of the

9 studies presenting termination phase data,^{1,7,8,24,26,27,30,31} only 5 had data from the stable employment phase,^{1,7,24,27,31} and of these, 3 used retrospective data from secondary sources.^{1,24,27} The only study of white-collar workers with baseline and termination data from primary sources had a response rate below 40% and no control group.³¹ The present study, in which primary data are available for subjects and controls well before change was planned, thus represents a substantial advance on the methodology of earlier research on this topic.

Comparison of Anticipation and Termination Phase Data

We have already reported increases in morbidity among PSA respondents relative to controls during the anticipation phase.¹¹ During anticipation this increase was statistically significant for self-rated health and number of health problems in the last year among men and for mean number of symptoms among both men and women. At termination only the higher percentage of PSA respondents sleeping 9 or more hours is significant.

There are several reasons why the termination phase results are likely to be minimum estimates. Of the PSA cohort, 26% had retired early or left the civil service by phase

3, compared with an average of 11% for control departments. If these represented positive choices, they may counterbalance negative changes among those facing undesired options. Further, although no other departments were in line for privatization, selected government functions in every department were being transferred to agencies operating along private sector lines. By phase 3 more than 40% of civil servants in control departments were facing or had experienced such a transfer. While the threat was not as serious as in PSA, any adverse changes in the control group would tend to narrow the difference between that group and PSA. Further, in longitudinal studies, short-term changes in health may not coincide with data collection points.

Physiological measurements and sleep data were not collected during phase 2; thus no comparison of effects on these variables can be made. The slight improvement in health-related behaviors among PSA men observed during anticipation was repeated during termination, as was the slight negative trend among PSA women.

Effects of Termination on Health Status

The changes in self-reported morbidity during the termination phase for PSA are generally consistent with results from the few

TABLE 3—Physiological Measurements (Age-Adjusted Percentages and Least Squares Means) for Subjects Facing Job Insecurity (PSA) and Control Subjects During the Termination Phase (Phase 3, 1992–1993): The Whitehall II Study, United Kingdom

	PSA	Control	OR ^a	Adjusted OR ^b (95% CI)	Test of Interaction ^c
Ischemia, % ^d					
Men	6.9	5.0	1.39	1.40 (0.9, 2.2)	1.45 (1.0, 2.1)*
Women	11.0	6.7	1.62	1.60 (0.8, 3.3)	
			Difference (SE)	Adjusted Difference ^b (SE)	
Systolic blood pressure, mean, mm Hg					
Men	120.6	122.3	−1.6 (0.67)*	−1.0 (0.54)	<i>P</i> < .001
Women	120.8	117.5	3.3 (1.39)*	3.5 (1.14)**	
Diastolic blood pressure, mean, mm Hg					
Men	80.3	81.2	−0.9 (0.47)	−0.1 (0.39)	<i>P</i> < .01
Women	78.7	76.6	2.1 (0.94)*	2.3 (0.80)**	
Cholesterol concentration, mean, mmol/L					
Men	6.51	6.49	0.02 (0.06)	0.07 (0.04)	0.08 (0.0, 0.1)*
Women	6.52	6.49	0.03 (0.12)	0.09 (0.08)	
Body mass index, kg/m ²					
Men	25.3	25.1	0.1 (0.16)	0.3 (0.08)***	0.3 (0.2, 0.5)***
Women	26.8	25.7	1.2 (0.48)*	0.6 (0.21)**	

Note. PSA = Property Services Agency, a civil service department scheduled for privatization; control subjects were civil servants in other departments. OR = odds ratio; CI = confidence interval.

^aAdjusted for age.

^bAdjusted for age and grade.

^cTest of difference in the adjusted estimates between men and women (for those outcomes where *P* > .1, a combined estimate [men and women] and 95% confidence interval is given).

^dExcluding subjects who had ischemia at baseline.

^eAdjusted for age, grade, and baseline (phase 1) values.

P* < .05; *P* < .01; ****P* < .001.

reduced, the small increases in psychiatric disorder seen during anticipation have resolved.¹¹ Among journalists facing closure of their newspaper, levels of General Health Questionnaire caseness decreased once the newspaper had been purchased and the threat of redundancy removed.²⁶

Data on health-damaging behavior during termination are scarce and mostly relate to men. Changes in alcohol consumption and smoking in a workplace closure study among blue-collar men showed no difference between case subjects and controls,⁷ and journalists facing redundancy reported no marked changes in alcohol consumption.²⁶ In the present investigation health-related behaviors among PSA men, in general, improved slightly in relation to controls. The relative decline in health status of PSA men compared with controls during the termination phase does not, therefore, appear to be due to changes in the lifestyle factors measured. This result reflects recent findings that loss of employment is not associated with increased smoking or drinking⁴ or decreased physical activity⁵² but is associated with increased mortality and morbidity, even after controlling for health selection out of the workforce.⁴

Conclusion

The longitudinal design of this study allows these results to extend work carried out on the same cohort when the employment threat was distant rather than immediate. For most measures the adverse trend in self-reported morbidity seen during the earlier anticipation phase is seen closer to the event. In addition, the same adverse trend is seen for physiological measurements. These trends cannot be explained by changes in health-related behaviors among the men or the women, despite a slight relative increase in health-damaging behaviors among PSA women. Importantly, these data extend existing knowledge in this area by controlling for health status during stable employment and having an appropriate control group. □

Acknowledgments

The work presented in this paper was supported by the Economic and Social Research Council (R000235083). The Whitehall II Study is funded by grants from the Medical Research Council; Health and Safety Executive; Department of Health; British Heart Foundation; National Heart, Lung, and Blood Institute (2 R01 HL36310-04); Agency for Health Care Policy Research (5 R01 HS06516); Institute for Work and Health; and John D. and Catherine T. MacArthur Foundation Research Network on Successful Midlife Development. Mr Shipley is supported by the British Heart Foundation. Dr Marmot is an MRC research professor. Dr Davey Smith was a Wellcome Fellow in

prospective studies in the field. Considerable excess morbidity during the termination phase has been reported in previous studies,^{23,32,35} although in blue-collar men symptoms from a symptom checklist remained stable.³² Sleep disturbance has been reported among blue-collar workers, both men⁷ and women.⁶ A significantly greater percentage of PSA men than controls were found to be sleeping 9 or more hours, a sleep pattern that has been shown to be associated with increased morbidity⁴⁷ and mortality.^{48,49}

The job-loss threat and unemployment have been associated with elevated levels of cholesterol among blue-collar men^{6,7} and women,⁶ although discrepant findings have been reported.³⁴ Conflicting results have also been reported for blood pressure during the termination phase. In one study, blood pressure among blue-collar workers, mostly female, was slightly lower,⁶ while in another both systolic and diastolic pressure were elevated among blue-collar men.³³ However, neither study had data collected during stable employment. Mattiasso et al., who had such data, found a drop of 2 mm Hg in

systolic and 0.1 mm Hg in diastolic blood pressure among blue-collar men,⁷ a result replicated among PSA men. Also in keeping with the present findings, the British Regional Heart Study found that men who experienced loss of employment unrelated to illness were significantly more likely to gain more than 10% in weight than men who remained continuously employed.⁵⁰

Divorce and separation increased among PSA respondents compared with controls. Divorced and separated men have been shown to have greater overall mortality than married men.⁵¹ In a study of white-collar men and women, 21% reported adverse effects on their marriage during the termination phase.²⁶ Divorce and separation represent the extreme end of marital difficulty and may indicate a much wider prevalence of marital discord.

General Health Questionnaire caseness fell in all groups between baseline and termination. The decrease was less in PSA, however, leading to a nonsignificant unfavorable trend for PSA. It may be that by termination, when the uncertainty of job outcome has been

TABLE 4—Health Behaviors and Divorce or Separation Rates (Age-Adjusted Percentages and Least Squares Means) for Subjects Facing Job Insecurity (PSA) and Control Subjects During the Termination Phase (Phase 3, 1992–1993): The Whitehall II Study, United Kingdom

	PSA	Control	OR ^a	Adjusted OR ^b (95% CI)	Test of Interaction ^c
Alcohol drinker, %					
Men	87.3	85.1	1.20	1.17 (0.8, 1.6)	1.13 (0.9, 1.5)
Women	67.7	70.1	0.90	1.05 (0.7, 1.7)	
Current smoker, %					
Men	6.9	12.7	0.52	0.74 (0.4, 1.3)	0.94 (0.6, 1.6)
Women	14.5	16.7	0.84	1.77 (0.7, 4.6)	
No exercise, %					
Men	8.5	14.9	0.53	0.69 (0.5, 1.0)*	P=.05
Women	40.0	34.3	1.25	1.21 (0.8, 1.9)	
Vigorous exercise, %					
Men	48.1	38.6	1.49	1.32 (1.1, 1.6)*	1.27 (1.0, 1.6)*
Women	18.1	18.2	1.02	0.98 (0.6, 1.7)	
Divorced/separated, % (among married at phase 1)					
Men	2.7	2.4	1.12	1.12 (0.6, 2.2)	1.44 (0.8, 2.5)
Women	7.4	3.4	2.33	2.42 (0.9, 6.4)	
			Difference (SE)	Adjusted Difference ^b (SE)	
No. of cigarettes, mean (smokers only)					
Men	14.4	16.6	-2.2 (2.2)	-2.5 (1.51)	-1.8 (-3.9, 0.4)
Women	18.2	15.6	2.5 (2.3)	-0.8 (1.6)	
Units of alcohol, mean (drinkers only)					
Men	12.6	14.5	-1.9 (0.76)*	-0.6 (0.53)	-0.5 (-1.3, 0.3)
Women	6.41	7.5	-1.1 (0.92)	-0.3 (0.66)	

Note. PSA = Property Services Agency, a civil service department scheduled for privatization; control subjects were civil servants in other departments. OR = odds ratio; CI = confidence interval.

^aAdjusted for age.

^bAdjusted for age, grade, and baseline (phase 1) values.

^cTest of difference in the adjusted estimates between men and women (for those outcomes where $P > .1$, a combined estimate [men and women] and 95% confidence interval is given).

* $P < .05$.

- Marmot MG, Davey Smith G, Stansfeld S, et al. Health inequalities among British civil servants: the Whitehall II study. *Lancet*. 1991;337:1387–1393.
- Ferrie J, Shipley MJ, Marmot MG, Stansfeld S, Davey Smith G. Health effects of anticipation of job change and non-employment: longitudinal data from the Whitehall II Study. *BMJ*. 1995;311:1264–1269.
- Draper P. The rise and demise of the PSA. *Government Purchasing*. May 1995:8–9.
- Her Majesty's Treasury Efficiency Unit. *Using Private Enterprise in Government*. London, England: Her Majesty's Stationery Office; 1986.
- Bill P. Government to sell off PSA construction arm. *Building*. December 2, 1988:7.
- Walker D. Financial rule eased to assist PSA sale. *The Times*. December 6, 1989:4.
- Guest P. Staff cuts to trim pre-privatised PSA. *Building*. December 8, 1989:10.
- Hencke D. PSA auction landed Whitehall in duck soup. *Guardian*. December 1, 1992:2.
- Taylor A. Move on PSA sell-off expected. *Financial Times*. October 1, 1992:10.
- Joelson L, Walquist L. The psychological meaning of job insecurity and job loss: results of a longitudinal study. *Soc Sci Med*. 1987;25:179–182.
- Stansfeld SA, Marmot MG. Social class and minor psychiatric disorder in British civil servants: a validated screening survey using the General Health Questionnaire. *Psychol Med*. 1992;22:739–749.
- Rose G, Hamilton PS, Keen H, Reid DD, McCartney P, Jarrett RJ. Myocardial ischaemia, risk factors and death from coronary heart-disease. *Lancet*. 1977;i:105–109.
- Glynn RJ, Rosner B, Silbert JE. Changes in cholesterol and triglycerides as predictors of ischemic heart disease in men. *Circulation*. 1982;66:724–731.
- Jacobsen K. Afskedigelse og sygelighed. *Ugeskr Laeg*. 1972;134:352–354.
- Westin S. The structure of a factory closure: individual responses to job-loss and unemployment in a 10 year controlled follow-up study. *Soc Sci Med*. 1990;31:1301–1311.
- Iversen L, Sabroe S. Plant closures, unemployment, and health: Danish experiences from the declining ship-building industry. In: Schwefel D, Svensson P, Zollner H, eds. *Unemployment, Social Vulnerability, and Health in Europe*. Berlin, Germany: Springer-Verlag; 1987:31–47.
- Jenkins R, Macdonald A, Murray J, Strathdee G. Minor psychiatric morbidity and the threat of redundancy in a professional group. *Psychol Med*. 1982;12:799–807.
- Iversen L, Sabroe S, Damsgaard MT. Hospital admissions before and after shipyard closure. *BMJ*. 1989;299:1073–1076.
- Grayson JP. Reported illness after a CGE closure. *Can J Public Health*. 1989;80:16–19.
- Dew MA, Bromet EJ, Penkower L. Mental health effects of job loss in women. *Psychol Med*. 1992;22:751–764.
- Hamilton V, Hoffman W, Broman CL, Rauma D. Unemployment, distress, and coping: a panel study of autoworkers. *J Pers Soc Psychol*. 1993;65:234–247.
- Schnall PL, Landsbergis PA, Pieper CF, et al. The impact of anticipation of job loss on psy-

Clinical Epidemiology when baseline data for this study were collected.

We thank all participating Civil Service departments and their welfare and personnel officers; the Civil Service Occupational Health Service; Dr Elizabeth McCloy; and all participating civil servants.

References

- Beale N, Nethercott S. Job-loss and family morbidity: a study of a factory closure. *J R Coll Gen Pract*. 1985;35:510–514.
- Haynes SG, McMichael AJ, Tyroler HA. Survival after early and normal retirement. *J Gerontol*. 1978;33:269–278.
- Moser KA, Fox AJ, Jones DR. Unemployment and mortality in the OPCS Longitudinal Study. *Lancet*. 1984;ii:1324–1329.
- Morris JK, Cook DG, Shaper AG. Loss of employment and mortality. *BMJ*. 1994;308:1135–1139.
- Burchell B. The effects of labour market position, job insecurity, and unemployment on psy-

chological health. In: Gallie D, Marsh C, Vogler C, eds. *Social Change and the Experience of Unemployment*. Oxford, England: Oxford University Press; 1994:188–212.

- Ametz BB, Brenner S, Hjelm R, Levi L, Pettersson I. Stress reactions in relation to threat of job loss and actual unemployment: physiological, psychological and economic effects of job loss and unemployment. Stockholm, Sweden: Karolinska Institute; 1988. Stress Research Reports, No. 206.
- Mattiasson I, Lindegärde F, Nilsson JÅ, Theorell T. Threat of unemployment and cardiovascular risk factors: longitudinal study of quality of sleep and serum cholesterol concentrations in men threatened with redundancy. *BMJ*. 1990;301:461–466.
- Cobb S, Kasl SV. *Termination: The Consequences of Job Loss*. Cincinnati, Ohio: National Institute for Occupational Safety and Health; 1977. DHEW Publication NIOSH 77–224.
- Beale N, Nethercott S. Certificated sickness absence in industrial employees threatened with

- enological distress and worksite blood pressure. *Am J Ind Med.* 1992;21:417-432.
32. Kasl SV, Gore S, Cobb S. The experience of losing a job: reported changes in health, symptoms and illness behaviour. *Psychosom Med.* 1975;37:106-122.
33. Kasl SV, Cobb S. Blood pressure changes in men undergoing job loss: a preliminary report. *Psychosom Med.* 1970;32:19-38.
34. Kasl SV, Cobb S. Changes in serum uric acid and cholesterol levels in men undergoing job loss. *JAMA.* 1968;206:1500-1507.
35. Kasl SV, Cobb S, Gore S. Changes in reported illness behavior related to termination of employment: a preliminary report. *Int J Epidemiol.* 1972;1:111-118.
36. Westin S, Norum D, Schlesselman JJ. Medical consequences of a factory closure: illness and disability in a four-year follow-up study. *Int J Epidemiol.* 1988;17:153-161.
37. Westin S, Schlesselman JJ, Korper M. Long-term effects of a factory closure: unemployment and disability during ten years' follow-up. *J Clin Epidemiol.* 1989;42:435-441.
38. Iversen L, Klausen H. Alcohol consumption among laid-off workers before and after closure of a Danish ship-yard: a 2-year follow-up study. *Soc Sci Med.* 1986;22:107-109.
39. Beale N, Nethercott S. Job-loss and health—the influence of age and previous morbidity. *J R Coll Gen Pract.* 1986;36:261-264.
40. Beale N, Nethercott S. Job-loss and morbidity in a group of employees nearing retirement age. *J R Coll Gen Pract.* 1986;36:265-266.
41. Beale N, Nethercott S. Job-loss and morbidity in married men with and without young children. *J R Coll Gen Pract.* 1986;36:557-559.
42. Beale N, Nethercott S. Job-loss and morbidity: the influence of job-tenure and previous work history. *J R Coll Gen Pract.* 1986;36:560-563.
43. Iversen L, Sabroe S. Participation in a follow-up study of health among unemployed and employed people after a company closedown: drop-outs and selection bias. *J Epidemiol Community Health.* 1988;42:396-401.
44. Iversen L, Sabroe S. Psychological well-being among unemployed and employed people after a company closedown: a longitudinal study. *J Soc Issues.* 1988;44:141-152.
45. Beale N, Nethercott S. The health of industrial employees four years after compulsory redundancy. *J R Coll Gen Pract.* 1987;37:390-394.
46. Leana CR, Feldman DC. Finding new jobs after a plant closing: antecedents and outcomes of the occurrence and quality of reemployment. *Hum Relations.* 1995;48:1381-1401.
47. Belloc B, Breslow L. Relationship of physical health status and health practices. *Prev Med.* 1972;1:409-421.
48. Belloc N. Relationship of health practices and mortality. *Prev Med.* 1973;2:67-81.
49. Breslow L, Enstrom J. Persistence of health habits and their relationship to mortality. *Prev Med.* 1980;9:469-483.
50. Morris JK, Cook DG, Shaper AG. Non-employment and changes in smoking, drinking and body weight. *BMJ.* 1992;304:536-541.
51. Ben-Shlomo Y, Davey Smith G, Shipley M, Marmot MG. Magnitude and causes of mortality differences between married and unmarried men. *J Epidemiol Community Health.* 1993;47:200-205.
52. Grayson JP. Health, physical activity level and employment status in Canada. *Int J Health Serv.* 1993;23:743-761.