

Data availability. Data sharing is not applicable as no new data were generated or analysed during this study.

Conflicts of interest. The authors declare no conflicts of interest.

Declaration of funding. This report is independent research supported by the NIHR ARC North Thames. JG, FB and LJ report receiving NIHR funding to research digital sexual health (NIHR129157 (FB, JG, LJ) and NIHR200856 (JG)). DS holds a clinical fellowship funded by the Wellcome Trust (102186/B/13/Z). SM receives funding from Unitaid (2017-21-Wits-PrEP); FHI360 (639391218); USAID (72067419CA00001); the Bill and Melinda Gates Foundation (INV-022667). MS is an NIHR Global Research Professor (NIHR 301634). MS also receives funding from US National Institutes of Health (NIH) R01 (5R01MH114560-03); Wellcome Trust (082384/Z/07/Z) and the Bill and Melinda Gates Foundation (INV-033650). This study is funded by the NIHR Health Services and Delivery Research Programme (NIHR129157). For the purpose of open access, the authors have applied a CC BY public copyright license to any Author Accepted Manuscript version arising from this submission. The views expressed are those of the authors and not necessarily those of the NIHR, the Department of Health and Social Care, NIH, the Bill and Melinda Gates Foundation or the Wellcome Trust.

Author affiliations

^AInstitute for Global Health, University College London, London, UK.

^BHeath Economics Unit, University of Birmingham, Birmingham, UK.

^CWits RHI, Faculty of Health Sciences, University of Witwatersrand, Johannesburg, South Africa.

^DRoyal Free London NHS Foundation Trust, London, UK.

^EAfrica Health Research Institute, Durban, KwaZulu-Natal, South Africa.

^FUniversity of KwaZulu-Natal, Durban, KwaZulu-Natal, South Africa.