

Correction

Orthogonal representations for robust context-dependent task performance in brains and neural networks

Timo Flesch,^{*} Keno Juechems, Tsvetomira Dumbalska, Andrew Saxe,^{*} and Christopher Summerfield^{*}

^{*}Correspondence: timo.flesch@psy.ox.ac.uk (T.F.), a.saxe@ucl.ac.uk (A.S.), christopher.summerfield@psy.ox.ac.uk (C.S.)
<https://doi.org/10.1016/j.neuron.2022.12.004>

(Neuron 110, 1258–1270.e1–e11; April 6, 2022)

We thank the authors of Mante et al. (2013) for alerting us to a labeling error in the presentation of our reanalysis of their data. Unfortunately, we switched the labels for "colour" and "motion" in Figures 4 and 6 as well as Figures S4 and S5, which provoked a discrepancy with the findings presented in the original report. The figures have now been corrected online. We apologize for any confusion this may have caused.




Figure 4. Task representations in human fMRI and macaque unit recordings (corrected)




Figure 4. Task representations in human fMRI and macaque unit recordings (original)




Figure 6. Neural network and NHP data in support of gating theory (corrected)




Figure 6. Neural network and NHP data in support of gating theory (original)




Figure S4. Control analyses on the human fMRI and NHP datasets (corrected)




Figure S4. Control analyses on the human fMRI and NHP datasets (original)




Figure S5. Gating in MLPs, NHPs and RNN model (corrected)

