

BMJ Open Interventions to improve perinatal outcomes among migrant women in high-income countries: a systematic review protocol

Kerrie Stevenson ¹, K Ogunlana,¹ Samuel Edwards,² William G Henderson,³ Hannah Rayment-Jones ⁴, Majel McGranahan,² Maria Marti-Castaner,⁵ Gracia Fellmeth,⁶ Serena Luchenski,⁷ Fiona A Stevenson,⁸ Marian Knight,⁶ Robert W Aldridge ¹

To cite: Stevenson K, Ogunlana K, Edwards S, *et al.* Interventions to improve perinatal outcomes among migrant women in high-income countries: a systematic review protocol. *BMJ Open* 2023;**13**:e072090. doi:10.1136/bmjopen-2023-072090

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2023-072090>).

Received 20 January 2023
Accepted 28 July 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Kerrie Stevenson;
k.stevenson@ucl.ac.uk

ABSTRACT

Introduction Women who are migrants and who are pregnant or postpartum are at high risk of poorer perinatal outcomes compared with host country populations due to experiencing numerous additional stressors including social exclusion and language barriers. High-income countries (HICs) host many migrants, including forced migrants who may face additional challenges in the peripartum period. Although HICs' maternity care systems are often well developed, they are not routinely tailored to the needs of migrant women. The primary objective will be to determine what interventions exist to improve perinatal outcomes for migrant women in HICs. The secondary objective will be to explore the effectiveness of these interventions by exploring the impact on perinatal outcomes. The main outcomes of interest will be rates of preterm birth, birth weight, and number of antenatal or postnatal appointments attended.

Methods and analysis This protocol follows the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) Protocols guidelines. EMBASE, EMCARE, MEDLINE and PsycINFO, CENTRAL, Scopus, CINAHL Plus, and Web of Science, as well as grey literature sources will be searched from inception up to December 2022. We will include randomised controlled trials, quasi-experimental and interventional studies of interventions, which aim to improve perinatal outcomes in any HIC. There will be no language restrictions. We will exclude studies presenting only qualitative outcomes and those including mixed populations of migrant and non-migrant women. Screening and data extraction will be completed by two independent reviewers and risk of bias will be assessed using the Quality Assessment Tool for Quantitative Studies. If a collection of suitably comparable outcomes is retrieved, we will perform meta-analysis applying a random effects model. Presentation of results will comply with guidelines in the Cochrane Handbook of Systematic Reviews of Interventions and the PRISMA statement.

Ethics and dissemination Ethical approval is not required. Results will be submitted for peer-reviewed publication and presented at national and international conferences. The findings will inform the work of the Lancet Migration European Hub.

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ We will employ rigorous methodology in accordance with the Cochrane Handbook of Systematic Reviews and report in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Protocol statement.
- ⇒ We aim to assess if included studies employed co-production methods at any point in intervention development or analysis.
- ⇒ The search strategy was developed with an experienced medical librarian and adapted for each database searched.
- ⇒ No language restrictions will be employed, and we are doing an extensive and systematic grey literature search which is often omitted in similar reviews.
- ⇒ The certainty of evidence may be limited by the number of studies available and because some studies may be of low quality without a quantitative outcome assessment.

PROSPERO registration number CRD42022380678.

INTRODUCTION

Rationale

There are an estimated 281 million international migrants in the world, constituting 3.6% of the global population.¹ Of these, approximately 13% are forced migrants, including refugees and asylum seekers who often face significant hardships during migration and when settled in their host country.² The remainder are economic migrants who often choose to migrate to reunite with family or for better job prospects, but they may also experience marginalisation due to poverty, social isolation, and discrimination.¹ Between 2000 and 2022, the international migrant population increased by 108 million, and although the majority of international migrants originate from low-income and middle-income countries

(LMICs), increasing numbers hope to settle in high-income countries (HICs).¹ HICs are not always well adapted to care for the needs of marginalised migrants, and many HICs struggle to adapt to this changing migration landscape.¹

Women constitute approximately half of the international migrant population.² Women who migrate and who are pregnant or postpartum can face significant barriers to accessing maternity care, putting them at increased risk of poor mental and physical health.³⁻⁶ They may experience poor social support in their host country, an inability to access to healthcare and language barriers.^{5,7} Forced migrant women who are pregnant or postpartum experience additional challenges including premigration stressors such as the trauma of war, transition stressors including dangerous migration journeys and gender-based violence, and postmigration stressors such as poor access to legal entitlements, discrimination and sociocultural barriers in obstetric care.^{7,8} They are also more likely to have poor access to antenatal care and experience higher rates of perinatal mortality, miscarriage, and stillbirth than non-refugee women.⁹ HICs often have some of the resources needed to support marginalised pregnant and postpartum migrant women, but often struggle to provide optimum care.⁸

To our knowledge, no previous review has sought to quantitatively synthesise the literature on the most effective interventions to improve perinatal outcomes for migrant women in HICs. Balaam *et al* conducted a systematic review in 2020 which aimed to identify social support interventions for asylum-seeking and refugee women in Europe.¹⁰ The findings were qualitatively synthesised and women valued peer support and interventions that addressed their needs in a holistic way.¹⁰ The UK National Institute of Health and Care Research commissioned a systematic review to explore interventions to improve maternity care for migrant women in the UK in 2017.¹¹ The review included only UK studies and identified just four interventions. These included peer support and specialist maternity care interventions, but they were not robustly evaluated, so it was difficult to draw conclusions on their effectiveness.¹¹

Objectives

This systematic review aims to identify the most effective interventions to improve perinatal outcomes for migrant women in HICs by quantitatively synthesising the literature. The primary objective will be to determine what interventions exist to improve perinatal outcomes for migrant women in HICs. The secondary objective will be to explore the effectiveness of these interventions by exploring the impact on perinatal outcomes. The main outcomes of interest will be rates of preterm birth, birth weight, and number of antenatal or postnatal appointments attended.

METHODS AND ANALYSIS

Registration and protocol adherence

This systematic review will be reported in accordance with the Preferred Reporting Items for Systematic Reviews and

Meta-Analyses (PRISMA) guidelines and was registered on PROSPERO: CRD42022380678 on 9 December 2022.

Definitions

For the purposes of this review, migrant women will be defined as being aged 16 years or older and who were born outside their host country. Eligible maternity care interventions are any hospital-based or community-based initiatives offered in the antenatal, perinatal, or postnatal period up to 1-year postpartum. The perinatal period is defined as pregnancy and up to 1-year postpartum.

Eligibility criteria and patient, intervention, comparison and outcome framework

Patient, intervention, comparison and outcome framework

- ▶ Population: Perinatal migrant women (those who were not born in their host country) aged 16 years or older and living in HICs (defined as being in the World Bank high-income economy category).¹²
- ▶ Intervention: Any hospital- or community-based activity undertaken with the aim of improving perinatal outcomes and delivered during the antenatal period and up to 1-year postpartum.
- ▶ Control: Usual care if data are available.
- ▶ Outcome: The main outcomes of interest will be rates of preterm birth, birth weight and number of antenatal or postnatal appointments attended as these are crucial measures of quality of maternity care in accordance with the WHO guidelines for Quality of Care for Pregnant Women and Newborns.¹³ Improvements in perinatal outcomes (rates of miscarriage, preterm birth, stillbirth, birth weight, mode of delivery, APGAR score, maternal/neonatal critical care admission, breastfeeding initiation and duration, maternal/neonatal death, perinatal mental illness); number of antenatal or postnatal appointments attended or change in maternal well-being as assessed by validated mental illness or well-being screening scales, as well as any other outcomes retrieved from included studies.

Inclusion and exclusion criteria

Observational, quasi-experimental, and experimental intervention studies published from inception will be included. Abstracts, non-empirical research, opinion or editorial pieces will be excluded. If duplicate reports or publications of the same data are retrieved, the less complete or recent version will be excluded if the same data are reported. Studies including only a qualitative outcome assessment will be excluded. Interventions that were not specifically designed or adapted for migrant women in the perinatal period will be excluded. This is to ensure our results are focused on interventions that could be directly implemented for migrant women and have a direct impact on their outcomes. Additionally, we felt this ensures the systematic review is focused and won't return an unmanageable number of results.

Patient and public involvement

Migrant women who are residing in the UK helped with the review's inception and design, and will also help with data extraction, analysis, and interpretation. They will also help with disseminating the work through co-authorship on peer-reviewed manuscripts and presentations at conferences.

Search strategy and data sources

EMBASE, EMCARE, MEDLINE and PsycINFO via Ovid, Cochrane Central Register of Controlled Trials (CENTRAL) via Cochrane Library, Scopus, CINAHL Plus via EBSCOHost, and Web of Science from inception to December 2022 (online supplemental appendix 1). Grey literature sources including Google Scholar and trial registries were searched up until December 2022. The first 150 results from the following supplementary sources will be searched: Google Scholar, WHO International Clinical Trials Registry Platform (ICTRP), ClinicalTrials.gov, the WHO Website, and the UN Refugee Agency website. Forward citation searching will be employed on all included articles, and the reference lists of all included articles will also be searched. No language restrictions will be employed. If studies are published in a language other than English, one of the research team who is fluent in that language will assess for likely relevance and extract the data, if appropriate. The article will also be translated using Google Translate and a second reviewer will review its relevance and extract the data, if appropriate. If none of the research team are fluent in the language, we will pay UCL's graduate linguistics programme to translate the article. The Boolean operators 'AND' and 'OR' will be employed to combine the descriptors. An experienced medical librarian helped to develop the search strategy and it has been adapted for each database. A search strategy is provided in online supplemental appendix 1. EndNote will be used to collect and manage studies retrieved.¹⁴ Covidence will be used for deduplication and for study selection.¹⁵

Data extraction (selection and coding)

Two independent reviewers will screen the titles and abstracts of all the citations for relevance. Full text manuscripts for relevant articles will be obtained. Full texts will be independently assessed for eligibility using a checklist of the inclusion and exclusion criteria by two independent reviewers. Studies meeting the inclusion criteria will be selected for inclusion in the review. All excluded articles from the full text screening will be retained with reason for exclusion noted. Disagreements between reviewers will be discussed and agreement sought from a third reviewer if necessary. If data are not accessible from the paper, the authors will be contacted. All extracted data will be recorded on the piloted data extraction form by two separate reviewers and cross-checked. The main data fields will be: (A) author, publication year; (B) country; (C) study design; (D) population and baseline characteristics; (E) context (community or hospital based or online);

(F) intervention details; (G) control or comparison; (H) timing of outcome measurements; (I) outcome measures (type, scale used, scale validation status); (J) outcomes; (K) quality assessment; (L) reported according to (Consolidated Standards of Reporting Trials) CONSORT guidelines and (M) coproduction methods used. A flow chart will summarise the selection process in line with the PRISMA 2020 guidelines. Study characteristics will be summarised and presented in tables.

Quality assessment and risk of bias

Two reviewers will perform the critical appraisal independently and this will be independently cross-checked. The Quality Assessment Tool for Quantitative Studies will be used to assess rigour for each included study.¹⁶ This was chosen as it has been developed and validated to assess both observational and experimental studies and shows reliability and validity. It assesses selection bias, study design, confounders, blinding, data collection, withdrawals, intervention integrity and statistical analysis. To assess time-related biases, we will include components of the Risk of Bias in Non-Randomised Studies of Interventions tool.¹⁷ If meta-analysis is conducted, publication bias will be assessed using a funnel plot.

Data synthesis

Study characteristics including outcomes, for example, raw proportions, mean scores and ORs/risk ratios will be extracted and presented in tabular form. Narrative synthesis will be conducted according to Cochrane guidance and will include the creation of categories of interventions based on included papers, for example, specialist midwifery services, interpreting services and use of a doula.^{18 19} If appropriate, heterogeneity between studies will be explored using the I^2 statistic. Random effects meta-analysis will be conducted with 95% CIs to allow for expected heterogeneity between different study populations, if appropriate. If possible, pooled estimates of OR/risk ratios with 95% CIs will be calculated to explore outcomes among migrant women compared with usual care. Subgroup analyses according to migration status (economic and forced) and study context (hospital based or community based) will be conducted, if appropriate. Sensitivity analysis according to study quality and method of recruitment will be undertaken. If meta-analysis is not possible due to a lack of standardised outcome data, alternative quantitative methods will be used following the Cochrane Handbook for Systematic Reviews of Interventions guidance.¹⁹ The handbook details several approaches, but it is likely a Harvest Plot will be most appropriate. A Harvest Plot provides a visual extension of vote counting by categorising studies based on their effect (eg, 'beneficial effect' or 'detrimental effect').²⁰ Vote counting is recommended when there are inconsistent effect measures across studies. Traditional vote counting methods using statistical significance, magnitude of effect or subjective rules have been shown to be misleading.¹⁹ Instead, we will create a standardised binary metric,

'beneficial' or 'detrimental' based on direction of effect for each intervention according to outcome category (eg, birth weight, stillbirth rates or antenatal appointment attendance).¹⁹ We will calculate the proportion of beneficial studies, 95% CI (binomial exact calculation) and p value (binomial probability test) to demonstrate if there is any evidence of an effect. We will present the findings on a Harvest Plot, which will take the form of a 'supermatrix' which visually displays the vote counting results for each intervention.¹⁹ All statistical analyses will be conducted using R Studio.²¹ Meta-biases such as publication bias across studies will not be assessed.

Confidence in cumulative evidence

Confidence in the strength of evidence found will be assessed using the overall assessment outlined in the Quality Assessment Tool for Quantitative Studies checklist.¹⁶ This will be done by two reviewers and possible disagreement will be assessed by third reviewer.

ETHICS AND DISSEMINATION

Ethical approval is not required for this study as no primary data are being collected. We intend to publish the results in a peer-reviewed open access publication and present results at national and international conferences. The findings will inform the work of the Lancet Migration European Regional Hub.

DISCUSSION

This systematic review will provide a comprehensive overview of interventions being used to improve perinatal outcomes for migrant women in HICs. It will make a systematic assessment of the most effective interventions, which will help to inform policy and clinical decision-making across these regions. The findings can also be used by researchers planning or adapting maternity care interventions for migrant women in HICs, as well as to guide resource allocation decisions by funders and healthcare managers. Potential limitations include the retrieval of low-quality studies with poor evaluation of outcomes which will inhibit our ability to robustly assess the evidence of effectiveness of these interventions. Attempts to retrieve all available literature have been used such as involving a medical librarian in the development of our search strategy to ensure a broad and sensitive selection of search terms and searching multiple databases and additional supplementary and grey literature sources, however, it is possible that some relevant studies/data may be missed. The certainty of evidence may also be limited by few studies including quantitative outcome assessments of interventions. Additionally, we are only including studies conducted in HICs which means we may miss effective interventions which were developed and tested in LMICs. Studies including antenatal interventions and subsequent perinatal outcomes can be affected by time-related biases if women are recruited at various

points throughout their pregnancy, that is, person-time of observation is not properly accounted for in the design or analysis of a study.²² We are unable to adjust for these biases in quantitatively synthesising our findings, but will consider the implications of this in our conclusions. We are taking a coproduction approach to the planning, conducting and interpretation of this work by ensuring migrant women who have given birth or been pregnant in their host country are involved throughout. We will also be assessing if included studies have taken a coproduction approach at any point in intervention development, implementation or evaluation to gain an understanding of the prevalence of coproduction in this field. We will identify gaps in the evidence to guide future research priorities.

Author affiliations

¹Institute of Health Informatics, University College London, London, UK

²Warwick Medical School, University of Warwick, Coventry, UK

³Library Services, University College London, London, UK

⁴Women and Children's Health, King's College London, London, UK

⁵Health Department of Public Health, University of Copenhagen, Kobenhavn, Denmark

⁶National Perinatal Epidemiology Unit, Nuffield Department of Population Health, University of Oxford, Oxford, UK

⁷Collaborative Centre for Inclusion Health, Institute of Epidemiology & Health Care, University College London, London, UK

⁸Institute of Epidemiology & Health Care, University College London, London, UK

Twitter Kerrie Stevenson @drkstevenson, Hannah Rayment-Jones @HannahTLGG and Robert W Aldridge @rob_aldridge

Contributors KS, KO, FAS, MK and RWA conceived of the review. KS, KO, SE, WGH, HR-J, MM, MM-C, GF, SL, FAS, MK and RWA developed the approach and protocol. KS developed the search strategy. KS wrote the first draft of the protocol, and all authors were invited to comment. KS is the guarantor of the review. All authors approved the final version of the protocol.

Competing interests None declared.

Patient and public involvement Patients and/or the public were involved in the design, or conduct, or reporting, or dissemination plans of this research. Refer to the Methods section for further details.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

ORCID iDs

Kerrie Stevenson <http://orcid.org/0000-0001-5881-1402>

Hannah Rayment-Jones <http://orcid.org/0000-0002-3027-8025>

Robert W Aldridge <http://orcid.org/0000-0003-0542-0816>

REFERENCES

- 1 UN. World migration report. 2022.
- 2 UN Refugee Agency. 2022. Available: <https://www.unhcr.org/uk/figures-at-a-glance.html>
- 3 Sudbury H, Robinson A. Barriers to sexual and reproductive health care for refugee and asylum-seeking women. *British Journal of Midwifery* 2016;24:275–81.
- 4 Fair F, Raben L, Watson H, *et al.* Migrant women's experiences of pregnancy, childbirth and maternity care in European countries: a systematic review. *PLoS ONE* 2020;15:e0228378.
- 5 Almeida LM, Caldas J, Ayres-de-Campos D, *et al.* Maternal Healthcare in migrants: A systematic review. *Matern Child Health J* 2013;17:1346–54.
- 6 Anderson FM, Hatch SL, Comacchio C, *et al.* Prevalence and risk of mental disorders in the perinatal period among migrant women: a systematic review and meta-analysis. *Arch Womens Ment Health* 2017;20:449–62.
- 7 Fair F, Raben L, Watson H, *et al.* Migrant women's experiences of pregnancy, childbirth and maternity care in European countries: A systematic review. *PLoS ONE* 2020;15:e0228378.
- 8 World health organization regional office for Europe, improving the health care of pregnant refugee and migrant women and newborn children. 2018.
- 9 Sturrock S, Williams E, Greenough A. Antenatal and perinatal outcomes of refugees in high income countries. *J Perinat Med* 2020;49:80–93.
- 10 Balaam M-C, Kingdon C, Haith-Cooper M. A systematic review of perinatal social support interventions for asylum-seeking and refugee women residing in Europe. *J Immigr Minor Health* 2022;24:741–58.
- 11 Higginbottom GMA, Evans C, Morgan M, *et al.* Experience of and access to maternity care in the UK by immigrant women: A narrative synthesis systematic review. *BMJ Open* 2019;9:e029478.
- 12 The World Bank. World Bank country and lending groups. 2022. Available: <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>
- 13 Tunçalp Ö., Were WM, MacLennan C, *et al.* Quality of care for pregnant women and newborns-the WHO vision. *BJOG* 2015;122:1045–9.
- 14 Endnote. *Endnote*. Philadelphia, PA: Clarivate, 2013.
- 15 Veritas, Covidence systematic review software. Veritas Health Innovation: Melbourne, Australia, 2021.
- 16 Effective public Healthcare panacea project. quality assessment tool for quantitative studies. 2022. Available: <https://www.ehpp.ca/quality-assessment-tool-for-quantitative-studies/>
- 17 Sterne JA, Hernán MA, Reeves BC, *et al.* ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions [BMJ (Clinical)]. *BMJ* 2016;i4919.
- 18 Popay Jet *al.* Guidance on the conduct of narrative synthesis in systematic reviews. 2006.
- 19 Cochrane collaboration training, Cochrane Handbook for systematic reviews of interventions. 2022.
- 20 Ogilvie D, Fayter D, Petticrew M, *et al.* The harvest plot: a method for Synthesising evidence about the differential effects of interventions. *BMC Med Res Methodol* 2008;8:8.
- 21 Rstudio team, Rstudio, in R: A language and environment for statistical computing. Vienna, Austria, 2020.
- 22 Ukah UV, Aibibula W, Platt RW, *et al.* Time-related biases in perinatal Pharmacoepidemiology: A systematic review of observational studies. *Pharmacoepidemiol Drug Saf* 2022;31:1228–41.

APPENDIX 1 – Search Strategies

Emcare

- 1 (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or "Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar * or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug* or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*).ti,ab. 1458038
- 2 developed country/ or european union/ 13481
- 3 developed countr*.mp. 13352
- 4 (high income countr* or high-income countr*).mp. 6622
- 5 industrialised countr*.mp. 623
- 6 more economically developed countr*.mp. 22
- 7 MEDC.mp. 8
- 8 advanced countr*.mp. 158
- 9 advanced econom*.mp. 92
- 10 developed econom*.mp. 161
- 11 industrialized econom*.mp. 11
- 12 industrialised econom*.mp. 8
- 13 (Migrant* or refugee* or immigrant* or foreigner* or newcomer* or new-comer* or migration or immigration or emigrant* or nonnative* or non-native* or diaspora or border crossing* or transient* or asylum-seek*).mp. 163314
- 14 ((displaced or undocumented or foreign* or resettle* or settle* or displace*) adj3 (person* or people)).mp. 1301
- 15 exp Migration/ 8976
- 16 exp Refugee/ 7217
- 17 13 or 14 or 15 or 16 163953

- 18 (pregnan* or postpartum or post-partum or postnatal or post-natal or puerper* or antenatal or ante-natal or prenatal or pre-natal or antepartum or ante-partum or peripartum or peri-partum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or peri-natal or childbirth* or obstetric* or maternity or maternal).mp. 460639
- 19 exp perinatal period/ or exp puerperium/ or exp pregnancy/ 125861
- 20 18 or 19 464076
- 21 (intervention* or prevent* or program* or strateg* or class* or special*).mp. 2320749
- 22 (Peer-led or "peer led" or doula* or midwi*).mp. 22932
- 23 ((antenatal or Postnatal) and (session* or lesson* or workshop*)).mp. 1060
- 24 21 or 22 or 23 2333617
- 25 1 and 17 and 20 and 24 2274
- 26 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 27873
- 27 17 and 20 and 26 212
- 28 25 or 27 2410

Embase

- 1 (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or "Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar * or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug* or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*).ti,ab. 5387298
- 2 developed country/ or european union/ 64842
- 3 developed countr*.mp. 65772
- 4 (high income countr* or high-income countr*).mp. 16400
- 5 industrialised countr*.mp. 1957
- 6 more economically developed countr*.mp. 49

- 7 MEDC.mp. 51
- 8 advanced countr*.mp.668
- 9 advanced econom*.mp. 218
- 10 developed econom*.mp. 516
- 11 industrialized econom*.mp. 40
- 12 industrialised econom*.mp. 11
- 13 (Migrant* or refugee* or immigrant* or foreigner* or newcomer* or new-comer* or migration or immigration or emigrant* or nonnative* or non-native* or diaspora or border crossing* or transient* or asylum-seek*).mp. 1056344
- 14 ((displaced or undocumented or foreign* or resettle* or settle* or displace*) adj3 (person* or people)).mp. 2841
- 15 exp Migration/ 48713
- 16 exp Refugee/ 16436
- 17 13 or 14 or 15 or 16 1057673
- 18 (pregnan* or postpartum or post-partum or postnatal or post-natal or puerper* or antenatal or ante-natal or prenatal or pre-natal or antepartum or ante-partum or peripartum or peri-partum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or peri-natal or childbirth* or obstetric* or maternity or maternal).mp. 2417880
- 19 exp perinatal period/ or exp puerperium/ or exp pregnancy/ 824664
- 20 18 or 19 2436673
- 21 (intervention* or prevent* or program* or strateg* or class* or special*).mp. 9841412
- 22 (Peer-led or "peer led" or doula* or midwi*).mp. 47440
- 23 ((antenatal or Postnatal) and (session* or lesson* or workshop*)).mp. 3201
- 24 21 or 22 or 23 9869943
- 25 1 and 17 and 20 and 24 6620
- 26 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 114481
- 27 17 and 20 and 26 956
- 28 25 or 27 7319

SCOPUS

TITLE-ABS-KEY (aruba* OR andorra* OR "United Arab Emirates" OR uae OR emirati* OR antigua* OR barbuda* OR australia* OR austria* OR belgi* OR bahrain* OR baham* OR bermuda* OR barbad* OR brunei* OR canada* OR switzerland OR swiss OR "Channel Islands" OR chile OR chilean* OR curacao* OR "Cayman Islands" OR caymanian* OR cypr* OR czech* OR german* OR denmark OR danish OR spain* OR estonia* OR finland OR finish OR france OR french OR faroe* OR

"United Kingdom" OR uk OR england OR wales OR scotland OR brit* OR scot* OR english OR "Gibraltar*" OR gree* OR greenland* OR guam* OR chamorros OR "Hong Kong*" OR croatia* OR hungar* OR "Isle of Man" OR manx OR ireland OR irish OR iceland* OR israel* OR ital* OR japan* OR "St Kitts" OR korea* OR kuwait* OR liechtenstein* OR lithuania* OR luxembourg* OR latvia* OR maca* OR "St Martin*" OR "Sint Maarten*" OR monaco OR monegasqu* OR malta OR maltese OR "Northern Mariana Island*" OR "New Caledonia*" OR netherlands OR dutch OR norw* OR nauru* OR "New Zealand" OR kiwi OR oman* OR palau* OR poland OR polish OR "Puerto Ric*" OR portug* OR "French Polynesia*" OR qatar* OR "Saudi Arabia*" OR singapor* OR "San Marino" OR sammarinese OR slovak* OR slovenia* OR sweden OR swedish OR seychell* OR creole OR "Turks Caicos" OR trinidad* OR tobago* OR uruguay* OR "United States" OR usa OR america* OR venezuela* OR "Virgin Island*" OR eu OR "European Union" OR european* OR "high income countr*" OR "high-income countr*" OR "industrialised countr*" OR "more economically developed countr*" OR "advanced countr*" OR "advanced econom*" OR "MEDC" OR "developed econom*" OR "industrialized econom*" OR "industrialised econom*") **AND** TITLE-ABS-KEY (migrant* OR refugee* OR immigrant* OR foreigner* OR newcomer* OR new-comer* OR migration OR immigration OR emigrant* OR nonnative* OR non-native* OR diaspora OR "border crossing*" OR transient* OR asylum-seek* OR "Displaced people*" OR "undocumented people*" OR "foreign* people*" OR "resettle* people*" OR "settle* people*" OR "Displaced person*" OR "undocumented person*" OR "foreign* person*" OR "resettle* person*" OR "settle* person*") **AND** TITLE-ABS-KEY (pregnan* OR postpartum OR post-partum OR postnatal OR post-natal OR puerperal OR antenatal OR ante-natal OR prenatal OR pre-natal OR antepartum OR ante-partum OR peripartum OR peri-partum OR birth* OR trimester* OR mother* OR mum OR mums OR mom OR moms OR perinatal OR peri-natal OR childbirth* OR obstetric* OR puerper* OR maternity OR maternal) **AND** TITLE-ABS-KEY ((intervention* OR prevent* OR program* OR strateg* OR class* OR special* OR peer-led OR "peer led" OR doula* OR midwi*) OR ((antenatal OR postnatal) **AND** (class* OR session* OR lesson* OR workshop*)))

8815

MEDLINE**Ovid MEDLINE(R) ALL <1946 to December 09, 2022>**

1 (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or "Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar* or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug*

or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*).ti,ab. 3264235

2 developed countries/ or european union/ 38606

3 developed countr*.mp. 59651

4 (high income countr* or high-income countr*).mp. 11176

5 industrialised countr*.mp. 1502

6 more economically developed countr*.mp. 36

7 MEDC.mp. 43

8 advanced countr*.mp.492

9 advanced econom*.mp. 233

10 developed econom*.mp. 455

11 industrialized econom*.mp. 43

12 industrialised econom*.mp. 11

13 (Migrant* or refugee* or immigrant* or foreigner* or newcomer* or new-comer* or migration or immigration or emigrant* or nonnative* or non-native* or diaspora or border crossing* or transient* or asylum-seek*).mp.782544

14 ((displaced or undocumented or foreign* or resettle* or settle* or displace*) adj3 (person* or people)).mp. 4461

15 exp Human Migration/27663

16 Refugees/ 12718

17 "Transients and Migrants"/ 13851

18 13 or 14 or 15 or 16 or 17 784919

19 (pregnan* or postpartum or post-partum or postnatal or post-natal or antenatal or ante-natal or prenatal or pre-natal or antepartum or ante-partum or peripartum or peri-partum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or peri-natal or childbirth* or obstetric* or puerper* or maternity or maternal).mp. 1856432

20 exp peripartum period/ or exp postpartum period/ or exp pregnancy/ 1013266

21 19 or 20 1878022

22 (intervention* or prevent* or program* or strateg* or class* or special*).mp. 7862429

23 (Peer-led or "peer led" or doula* or midwi*).mp. 41688

24 ((antenatal or Postnatal) and (session* or lesson* or workshop*)).mp. 1994

25 22 or 23 or 24 7888583

26 1 and 18 and 21 and 25 4520

27 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 89366
28 18 and 21 and 27 1198
29 26 or 28 5360

Web of Science Search Strategy

Database: Web of Science Core Collection

Entitlements:

- WOS.IC: 1993 to 2022
- WOS.CCR: 1985 to 2022
- WOS.SCI: 1900 to 2022
- WOS.AHCI: 1975 to 2022
- WOS.BHCI: 2005 to 2022
- WOS.BSCI: 2005 to 2022
- WOS.ESCI: 2015 to 2022
- WOS.ISTP: 1990 to 2022
- WOS.SSCI: 1900 to 2022
- WOS.ISSHP: 1990 to 2022

Searches:

1: TS=(Aruba* OR Andorra* OR "United Arab Emirates" OR UAE OR Emirati* OR Antigua* OR Barbuda* OR Australia* OR Austria* OR Belgi* OR Bahrain* OR Baham* OR Bermuda* OR Barbad* OR Brunei* OR Canada* OR Switzerland OR Swiss OR "Channel Island*" OR Chile OR Chilean* OR Curacao* OR "Cayman Island*" OR Caymanian* OR Cypr* OR Czech* OR German* OR Denmark OR Danish OR Spain* OR Estonia* OR Finland OR Finnish OR France OR French OR Faroe* OR "United Kingdom" OR UK OR England OR Wales OR welsh OR Scotland OR Brit* OR Scot* OR English OR "Gibraltar *" OR Gree* OR Greenland* OR Guam* OR Chamorros OR "Hong Kong*" OR Croatia* OR Hungar* OR "Isle of Man" OR Manx OR Ireland OR Irish OR Iceland* OR Israel* OR Ital* OR Japan* OR "St Kitts" OR Korea* OR Kuwait* OR Liechtenstein* OR Lithuania* OR Luxembourg* OR Latvia* OR Maca* OR "St Martin*" OR "Sint Maarten*" OR Monaco OR Monegasqu* OR Malta OR Maltese OR "Northern Mariana Island*" OR "New Caledonia*" OR Netherlands OR Dutch OR Norw* OR Nauru* OR "New Zealand" OR Kiwi OR Oman* OR Palau* OR Poland OR Polish OR "Puerto Ric*" OR Portug* OR "French Polynesia*" OR Qatar* OR "Saudi Arabia*"

OR Singapor* OR "San Marino" OR Sammarinese OR Slovak* OR Slovenia* OR Sweden OR Swedish OR Seychell* OR Creole OR "Turks Caicos" OR Trinidad* OR Tobago* OR Uruguay* OR "United States" OR USA OR America* OR Venezuela* OR "Virgin Island*" OR EU OR "European Union" OR European* OR "high income countr*" OR "high-income countr*" OR "industrialised countr*" OR "more economically developed countr*" OR "advanced countr*" OR "advanced econom*" OR "MEDC" OR "developed econom*" OR "industrialized econom*" OR "industrialised econom*")

Date Run: Mon Dec 12 2022 13:10:27 GMT+0000 (Greenwich Mean Time)

Results: 10269737

2: TS=(migrant* OR refugee* OR immigrant* OR foreigner* OR newcomer* OR new-comer* OR migration OR immigration OR emigrant* OR nonnative* OR non-native* OR diaspora OR "border crossing*" OR transient* OR asylum-seek* OR "Displaced people*" OR "undocumented people*" OR "foreign* people*" OR "resettle* people*" OR "settle* people*" OR "Displaced person*" OR "undocumented person*" OR "foreign* person*" OR "resettle* person*" OR "settle* person*")

Date Run: Mon Dec 12 2022 13:12:33 GMT+0000 (Greenwich Mean Time)

Results: 1534587

3: TS=(pregnan* OR postpartum OR post-partum OR postnatal OR post-natal OR antenatal OR ante-natal OR prenatal OR pre-natal OR antepartum OR ante-partum OR peripartum OR peri-partum OR birth* OR trimester* OR mother* OR mum OR mums OR mom OR moms OR perinatal OR peri-natal OR childbirth* OR obstetric* OR puerper* OR maternity OR maternal)

Date Run: Mon Dec 12 2022 13:13:05 GMT+0000 (Greenwich Mean Time)

Results: 1676056

4: TS=((intervention* OR prevent* OR program* OR strateg* OR class* OR special* OR peer-led OR "peer led" OR doula* OR midwi*) OR ((antenatal OR postnatal) AND (class* OR session* OR lesson* OR workshop*)))

Date Run: Mon Dec 12 2022 13:13:46 GMT+0000 (Greenwich Mean Time)

Results: 12259143

5: #4 AND #3 AND #2 AND #1

Date Run: Mon Dec 12 2022 13:13:54 GMT+0000 (Greenwich Mean Time)

Results: 5662

APA PsycInfo <1806 to December Week 1 2022>

- 1 (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or "Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar * or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug* or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*).ti,ab. 998036
- 2 developed countries/ 1444
- 3 developed countr*.mp. 6366
- 4 (high income countr* or high-income countr*).mp. 2276
- 5 industrialised countr*.mp. 162
- 6 more economically developed countr*.mp. 9
- 7 MEDC.mp. 4
- 8 advanced countr*.mp. 149
- 9 advanced econom*.mp. 164
- 10 developed econom*.mp. 377
- 11 industrialized econom*.mp. 54
- 12 industrialised econom*.mp. 3
- 13 (Migrant* or refugee* or immigrant* or foreigner* or newcomer* or new-comer* or migration or immigration or emigrant* or nonnative* or non-native* or diaspora or border crossing* or transient* or asylum-seek*).mp. 106941
- 14 ((displaced or undocumented or foreign* or resettle* or settle* or displace*) adj3 (person* or people)).mp. 1523
- 15 exp Human Migration/17211
- 16 13 or 14 or 15 108706
- 17 (pregnan* or postpartum or post-partum or postnatal or post-natal or antenatal or ante-natal or prenatal or pre-natal or antepartum or ante-partum or peripartum or peri-partum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or peri-natal or childbirth* or obstetric* or puerper* or maternity or maternal).mp. 286207

18 exp Intrapartum Period/ or exp Antepartum Period/ or Perinatal Period/ or exp pregnancy/ or Postnatal Period/ or exp Birth/ or exp Prenatal Care/ 54584

19 17 or 18 287131

20 (intervention* or prevent* or program* or strateg* or class* or special*).mp. 1754113

21 (Peer-led or "peer led" or doula* or midwi*).mp. 5292

22 ((antenatal or Postnatal) and (session* or lesson* or workshop*)).mp. 857

23 20 or 21 or 22 1756811

24 1 and 16 and 19 and 23 1693

25 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 9141

26 16 and 19 and 25 69

27 24 or 26 1739

Cochrane Central Register of Controlled Trials

Issue 11 of 12, November 2022

Search Name: CL

Date Run: 22/12/2022 10:48:39

Comment:

ID	Search Hits	
#1	MeSH descriptor: [Developed Countries] explode all trees	52
#2	MeSH descriptor: [European Union] explode all trees	65
#3	(developed countr*):ti,ab,kw	4180
#4	(high income countr*):ti,ab,kw	2009
#5	(high-income countr*):ti,ab,kw	854
#6	(industrialised countr*):ti,ab,kw	459
#7	(economically developed countr*):ti,ab,kw	35
#8	(MEDC):ti,ab,kw	2
#9	(advanced countr*):ti,ab,kw	1500
#10	(advanced econom*):ti,ab,kw	957
#11	(developed econom*):ti,ab,kw	3125
#12	(industrialized econom*):ti,ab,kw	62

- #13 (industrialised econom*):ti,ab,kw 62
- #14 {OR #1-#13} 10948
- #15 (Migrant*):ti,ab,kw 441
- #16 (refugee):ti,ab,kw 444
- #17 (immigrant*):ti,ab,kw 839
- #18 (foreigner):ti,ab,kw 21
- #19 (newcomer*):ti,ab,kw 48
- #20 (new-comer*):ti,ab,kw 5
- #21 (migration):ti,ab,kw 3759
- #22 (immigration):ti,ab,kw 231
- #23 (emigrant*):ti,ab,kw 238
- #24 (nonnative*):ti,ab,kw 86
- #25 (non-native*):ti,ab,kw 77
- #26 (diaspora):ti,ab,kw 4
- #27 (border crossing*):ti,ab,kw 16
- #28 (transient*):ti,ab,kw 19243
- #29 (asylum-seek*):ti,ab,kw 82
- #30 ((displaced or undocumented or foreign* or resettle* or settle* or displace*) NEAR/3 (person* or people)):ti,ab,kw 89
- #31 MeSH descriptor: [Human Migration] explode all trees 68
- #32 MeSH descriptor: [Refugees] this term only 173
- #33 MeSH descriptor: [Transients and Migrants] this term only 80
- #34 {OR #15-#33} 24729
- #35 (pregnan* or postpartum or post-partum or postnatal or post-natal or antenatal or ante-natal or prenatal or pre-natal or antepartum or ante-partum or peripartum or peri-partum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or peri-natal or childbirth* or obstetric* or puerper* or maternity or maternal):ti,ab,kw 119742
- #36 MeSH descriptor: [Peripartum Period] explode all trees 21
- #37 MeSH descriptor: [Postpartum Period] explode all trees 1942
- #38 MeSH descriptor: [Pregnancy] explode all trees 25029
- #39 {OR #35-#38} 119890
- #40 #14 AND #34 AND #39 54

Interface - EBSCOhost Research Databases
Search Screen - Advanced Search
Database - CINAHL Plus

#	Query	Limiters/Expanders	Results
S1	MH "developed countries"	Search modes - Boolean/Phrase	4,144
S2	(MH "European Union")	Search modes - Boolean/Phrase	6,324
S3	TX developed countr*	Search modes - Boolean/Phrase	14,015
S4	TX high income countr*	Search modes - Boolean/Phrase	5,938
S5	TX high-income countr*	Search modes - Boolean/Phrase	5,253
S6	TX industrialised countr*	Search modes - Boolean/Phrase	409
S7	TX economically developed countr*	Search modes - Boolean/Phrase	113
S8	TX MEDC	Search modes - Boolean/Phrase	9
S9	TX advanced countr*	Search modes - Boolean/Phrase	564
S10	TX advanced econom*	Search modes - Boolean/Phrase	406
S11	TX developed econom*	Search modes - Boolean/Phrase	1,039
S12	TX industrialized econom*	Search modes - Boolean/Phrase	50
S13	TX industrialised econom*	Search modes - Boolean/Phrase	11
S14	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13	Search modes - Boolean/Phrase	27,284
S15	TX Migrant* or refugee* or immigrant* or foreigner* or	Search modes - Boolean/Phrase	106,229

	newcomer* or new-comer* or migration or immigration or emigrant* or nonnative* or non-native* or diaspora or border crossing* or transient* or asylum-seek*		
S16	TX (displaced or undocumented or foreign* or resettle* or settle* or displace*) n3 (person* or people)	Search modes - Boolean/Phrase	1,998
S17	(MH "Refugees+") OR (MH "Transients and Migrants")	Search modes - Boolean/Phrase	14,390
S18	S15 OR S16 OR S17	Search modes - Boolean/Phrase	107,366
S19	TX pregnan* or postpartum or postpartum or postnatal or post-natal or antenatal or antenatal or prenatal or pre-natal or antepartum or antepartum or peripartum or peripartum or birth* or trimester* or mother* or mum or mums or mom or moms or perinatal or perinatal or childbirth* or obstetric* or puerper* or maternity or maternal	Search modes - Boolean/Phrase	502,585
S20	(MH "Pregnancy+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	246,130
S21	(MH "Postnatal Period+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	16,885

S22	(MH "Postnatal care+") OR (MH "Prenatal Care") OR (MH "Perinatal Care")	Search modes - Boolean/Phrase	29,500
S23	S19 OR S20 OR S21 OR S22	Search modes - Boolean/Phrase	504,522
S24	S14 AND S18 AND S23	Search modes - Boolean/Phrase	237
S25	TI (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or "Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar * or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or	Search modes - Boolean/Phrase	1,194,855

<p>Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug* or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*) OR AB (Aruba* or Andorra* or "United Arab Emirates" or UAE or Emirati* or Antigua* or Barbuda* or Australia* or Austria* or Belgi* or Bahrain* or Baham* or Bermuda* or Barbad* or Brunei* or Canada* or Switzerland or Swiss or "Channel Island*" or Chile or Chilean* or Curacao* or</p>		
---	--	--

	<p>"Cayman Island*" or Caymanian* or Cypr* or Czech* or German* or Denmark or Danish or Spain* or Estonia* or Finland or Finnish or France or French or Faroe* or "United Kingdom" or UK or England or Wales or welsh or Scotland or Brit* or Scot* or English or Gibraltar * or Gree* or Greenland* or Guam* or Chamorros or Hong Kong* or Croatia* or Hungar* or "Isle of Man" or Manx or Ireland or Irish or Iceland* or Israel* or Ital* or Japan* or "St Kitts" or Korea* or Kuwait* or Liechtenstein* or Lithuania* or Luxembourg* or Latvia* or Maca* or "St Martin*" or "Sint Maarten*" or Monaco or Monegasqu* or Malta or Maltese or "Northern Mariana Island*" or "New Caledonia*" or Netherlands or Dutch or Norw* or Nauru* or "New Zealand" or Kiwi or Oman* or Palau* or Poland or Polish or "Puerto Ric*" or Portug* or "French Polynesia*" or Qatar* or "Saudi Arabia*" or Singapor* or "San Marino" or "Sammarinese" or Slovak* or Slovenia* or Sweden or</p>		
--	---	--	--

	Swedish or Seychell* or Creole or "Turks Caicos" or Trinidad* or Tobago* or Uruguay* or "United States" or USA or America* or Venezuela* or "Virgin Island*" or EU or "European Union" or European*)		
S26	S18 AND S23 AND S25	Search modes - Boolean/Phrase	4,466
S27	TX intervention* or prevent* or program* or strateg* or "classes" or "specialist" OR "specialists" OR Peer-led or "peer led" or doula* or midwi*	Search modes - Boolean/Phrase	2,112,926
S28	TX (antenatal or Postnatal) AND (session* or lesson* or workshop*)	Search modes - Boolean/Phrase	1,184
S29	S27 OR S28	Search modes - Boolean/Phrase	2,113,168
S30	S26 AND S29	Search modes - Boolean/Phrase	1,960
S31	S24 OR S30	Search modes - Boolean/Phrase	2,128

Grey Literature and Registry Searching:

WHO International Clinical Trials Registry Platform (ICTRP):

<https://trialsearch.who.int/AdvSearch.aspx> using Pregnancy AND migrant

Clinicaltrials.gov:

<https://clinicaltrials.gov/ct2/search/advanced?cond=&term=&cntry=&state=&city=&dist=>

using the terms 'Pregnancy' 'Migrant' in the 'other terms' search field

Google Scholar:

Pregnancy refugee OR migrant OR asylum "high income"

World Health Organization Website:

site:who.int pregnancy refugee OR migrant OR asylum "high income":

<https://www.google.com/search?q=site%3Awho.int+pregnancy+refugee+OR+migrant+OR+asylum+%22high+income%22>

UN Refugee Agency Website:

site:unhcr.org pregnancy refugee OR migrant OR asylum "high income":

<https://www.google.com/search?q=site%3Aunhcr.org+pregnancy+refugee+OR+migrant+OR+asylum+%22high+income%22>