

# A Guide to Reviewing Published Evidence for use in Health Impact Assessment



## How to use this Guide

This Guide provides a step-by-step framework to assist practitioners in reviewing literature for use in a health impact assessment (HIA). A literature review is an essential component of the evidence used in the appraisal stage (see Figure). As there may be limited time and resources available, this guide presents both essential components that must be included, even in a brief literature review, and additional elements that can be included when resources (including time and skills) permit, for more comprehensive literature reviews.

When using this Guide, please consider what type of review you are undertaking. If you are yourself making (or commissioning) a **new review** of original research papers, this resource should help you ensure your review is rigorous. When commissioning a review, consider what is practical within the available resources (time and people/money) as well as what standards are wanted.


This Guide may also be used to help appraise the quality of an **existing review**, whether based on original studies or drawing on one or more reviews by other authors. In this case each review will provide 'second-hand' reports of several original studies. This resource aims to help you judge the quality of the review process that other authors have applied.

A **glossary** of key terms used in this Guide can be found at [www.lho.org.uk/HIA/ReviewingEvidence.aspx](http://www.lho.org.uk/HIA/ReviewingEvidence.aspx)

## The need for this Guide

**Evidence** in HIA includes:

- *published evidence* from elsewhere (eg peer-reviewed journal articles and 'grey' literature)



- *local data* (eg community profiles, census data)
- *stakeholder experience* (write-ups from stakeholder workshops, surveys, etc.) (see Figure).

This Guide is limited to helping the reader to review *published evidence*, both scientific (research) literature in peer-reviewed journals and grey literature, mostly internal documents from a range of disparate organisations, including other HIAs. This then needs to be integrated with the other sources of evidence.

Reviewing evidence for use in HIA presents a number of challenges:

- A focus on complex and/or multiple interventions or policy proposals, and their diverse effects on determinants of health.
- Diversity of the evidence – relevant disciplines, study designs, quality criteria and sources of information. Because of the wide range of interventions and approaches that may contribute to improving health and the broad range of health impacts, there is a need to search, obtain and appraise a broad literature.

- Need for, but paucity of, evidence on the reversibility of adverse factors damaging to health (most evidence is of associations between factors and adverse effects, not studies of reversing these).
- Need to seek evidence about potential impacts on inequalities as well as on overall effects.
- Broad range of stakeholders involved.
- Need to apply HIA within the realities of policy-making, planning and decision-making processes, which can often mean short time scales and limited resources.
- Pragmatic need to inform decision-makers, even if evidence is sparse.

These factors have implications for commissioning and conducting literature reviews to ensure ethical use of evidence. For more detail see Mindell *et al.* (2004)\*.

## Types of literature review

A number of terms are used to describe the approaches to conducting literature reviews. More information on types of literature review and different approaches to conducting them can be found at: [www.lho.org.uk/hia/ReviewingEvidenceHIA.aspx](http://www.lho.org.uk/hia/ReviewingEvidenceHIA.aspx)

In this Guide we use two terms: **brief** and **more comprehensive**. While it is acknowledged that a comprehensive, systematic review of all relevant literature will provide the best evidence, such reviews generally take many person-months (or years) to complete and require resources not generally available to those conducting HIA. In practice, brief reviews are generally conducted, taking a few days or weeks. These have been of variable quality. Critical appraisal of such reviews is hampered when the methods used are not explicitly stated.

This Guide indicates the minimum criteria that are essential in any literature review, however brief or however limited the resources, and also suggests additional elements to be included when circumstances permit, to add to the robustness of a review's conclusions.

## Nine steps to reviewing the evidence

The following tables provide details on the nine steps reviewers should follow. Less-experienced reviewers will find it helpful to work through the steps in the order presented, to ensure the review process proceeds in rational stages. More experienced reviewers will be familiar with the steps involved in carrying out a review, and may want to focus on certain areas to confirm particular aspects of good practice.

Reviewing evidence is an iterative process. The question/s to be answered need to be formulated at the beginning (**step A**), but the availability and content of primary studies and/or reviews (**steps B, E and F**) often refine the question/s remaining to be answered. For example, to answer the question 'What are the potential impacts of congestion charging on health and inequalities?', an absence of specific evidence on congestion charging might generate less specific questions on the impacts of congestion, traffic reduction, access, or job losses. Although framing the question is the first step, it will often need to be revised.

Those conducting a literature review should be familiar with the basic concepts of critical appraisal (assessing the quality and relevance of evidence) and research methods. Some organisations offer critical appraisal training in the UK (see below).

### Training organisations

- Critical Appraisal Skills Programme, Oxford <http://www.phru.nhs.uk/casp/casp.htm>
- Centre for Reviews and Dissemination – Systematic reviews and critical appraisal <http://www.york.ac.uk/inst/crd/crdtraining.htm#sr>
- National Training and Research Appraisal Group – Critical appraisal of qualitative research <http://www.ntrag.co.uk>

### Weblinks

- Catalogue of evidence-based medicine/healthcare websites: <http://www.herts.ac.uk/lis/subjects/health/ebm.htm#ebmint>
- Health Impact Assessment: <http://www.publichealth.nice.org.uk/hiagateway>

\*Mindell J, Boaz A, Joffe M, Curtis S, Birley M. Enhancing the evidence base for health impact assessment. *Journal of Epidemiology and Community Health* 2004; 58(7): 546-551. <http://jech.bmjournals.com/cgi/reprint/58/7/546.pdf>

<b>Step A: Framing the question/s</b>	
<b>Essential steps in a brief literature review</b>	<b>Tips and resources</b>
A1. The question/s the literature review seeks to answer should be clear and focused, relating to the topic of the HIA	<p>An HIA on any specific proposal is likely to involve a number of topics, e.g. transport, employment and social cohesion. Each of these may require a number of questions to be answered, e.g. potential impacts of a transport proposal on physical activity levels, road traffic collisions, and access to goods, services, jobs and education. The evidence relevant to each of these may be found in different places and require different reviews. One may also decide to review some questions in depth, and be satisfied with a brief review for others. Questions will generally need to focus on potential changes that may occur due to implementation of the proposal being assessed.</p> <p>Examine the proposal on which the HIA is being conducted to inform the formulation of the question/s. It is likely that a number of different primary study designs and/or existing reviews may be included to answer the questions relevant to an HIA</p> <p>One approach to broader questions is to use a series of linked, more focused reviews</p> <p>For a list of websites offering advice on focusing the question (but with a very clinical focus): <a href="http://www.shef.ac.uk/scharr/ir/focusing.html">http://www.shef.ac.uk/scharr/ir/focusing.html</a></p>
A2. The question/s asked by the literature review should be relevant to the local context of the HIA	<p>Decisions made at the scoping stage of an HIA should help to frame the question/s.</p> <p>It is useful for stakeholders to decide at the start of an HIA what level and type of evidence is required</p> <p>Consulting stakeholders on the scope of the question/s can help to build their ownership of the literature review, and also to check the relevance of the question/s</p>
A3. The population groups and demographic factors relevant to the HIA should be stipulated, including vulnerable groups and others with different exposure or susceptibility (see Step G)	<p>It may be helpful to focus on the detail of the proposal for which the HIA is being undertaken</p>
A4. The following issues are important as they may provide information for mitigation or alternative scenarios: <ul style="list-style-type: none"> <li>evidence of effectiveness of interventions or mitigation strategies (if identified as part of scoping)</li> <li>evidence of reversibility</li> <li>effect on inequalities</li> <li>economic appraisal</li> </ul>	<p>There may be little or no information available, but it should be sought rather than assumed – e.g. it should not be assumed that if exposure to an adverse determinant of health (such as unemployment) causes poorer mental health, then providing job opportunities will reverse that.</p> <p>The lack of information on economic appraisal (e.g. evidence of cost-effectiveness) is mentioned in the 2004 Wanless report: <a href="http://www.hm-treasury.gov.uk/consultations_and_legislation/wanless/consult_wanless03_index.cfm">http://www.hm-treasury.gov.uk/consultations_and_legislation/wanless/consult_wanless03_index.cfm</a></p>

## Step B: Determining whether a literature review is required, and its scope

Tips and resources		
Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	
<p>B1. Check if there are existing relevant, systematic literature review/s in relevant areas</p> <p>Check key databases and websites</p> <p>Ask colleagues and professional networks and topic experts</p>	<p>Search of literature reviews published in peer-reviewed literature (e.g. through electronic databases of journals such as PubMed, PsychLit, etc.), using 'systematic review' or 'meta-analysis', for example, as one of the search terms</p>	<p>Readily available systematic literature reviews can be found by searching:</p> <ul style="list-style-type: none"> <li>• The Cochrane Collaboration: <a href="http://www.cochrane.org/index0.htm">http://www.cochrane.org/index0.htm</a></li> <li>• The Campbell Collaboration: <a href="http://www.campbellcollaboration.org/">http://www.campbellcollaboration.org/</a></li> <li>• EPPI-Centre (Evidence for Policy and Practice Information) and its Database of Promoting Health Effectiveness Reviews, DoPHER: these are not EPPI-Centre reviews, but ones that they have searched for and keyworded according to topic and quality markers: <a href="http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=61">http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=61</a></li> <li>• EPPI-Centre: <a href="http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=185">http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=185</a></li> <li>• National Institute for Health and Clinical Excellence (NICE) Public Health: <a href="http://www.publichealth.nice.org.uk/page.aspx?o=home">http://www.publichealth.nice.org.uk/page.aspx?o=home</a></li> <li>• Centre for Reviews and Dissemination (CRD), University of York: Database of Abstracts of Reviews of Effects (DARE): <a href="http://www.york.ac.uk/inst/crd/crddatabases.htm#DARE">http://www.york.ac.uk/inst/crd/crddatabases.htm#DARE</a></li> <li>• CRD's Health Technology Assessment: <a href="http://www.york.ac.uk/inst/crd/crddatabases.htm">http://www.york.ac.uk/inst/crd/crddatabases.htm</a></li> <li>• Health Evidence Bulletins – Wales: <a href="http://hebw.uwcm.ac.uk">http://hebw.uwcm.ac.uk</a></li> <li>• Turning Research into Practice (TRIP) Database of evidence-based articles: <a href="http://www.tripdatabase.com">http://www.tripdatabase.com</a></li> <li>• Community Guide (Guide to Community Preventive Services): <a href="http://www.thecommunityguide.org">www.thecommunityguide.org</a></li> </ul> <p><b>Reviews found on the above websites are already quality-assured</b></p> <ul style="list-style-type: none"> <li>• Economic and Social Research Council (ESRC) UK Centre for Evidence Based Policy and Practice, Queen Mary, University of London: <a href="http://www.evidencenetwork.org">http://www.evidencenetwork.org</a></li> <li>• World Health Organization (WHO) Health Evidence Network: <a href="http://www.euro.who.int/HEN">www.euro.who.int/HEN</a> (also provides links to many other online databases: <a href="http://www.euro.who.int/HEN/20030602_2">http://www.euro.who.int/HEN/20030602_2</a>)</li> <li>• HIA Gateway: <a href="http://www.publichealth.nice.org.uk/hiagateway">http://www.publichealth.nice.org.uk/hiagateway</a></li> <li>• London Health Commission: <a href="http://www.londonshhealth.gov.uk/allpubs.htm#hia">http://www.londonshhealth.gov.uk/allpubs.htm#hia</a></li> </ul>
	<p>The quality of existing literature reviews should be critically appraised</p>	<p>CRD has produced a list of criteria for DARE reviews. These have been used as the basis of an appraisal tool developed by <i>Health Evidence Bulletins – Wales</i>: <a href="http://hebw.uwcm.ac.uk/projectmethod/appendix5.htm">http://hebw.uwcm.ac.uk/projectmethod/appendix5.htm</a></p> <p>Another methodology for assessing quality can be found at: <a href="http://www.fhi.se/shop/material_pdf/r200410Knowledgebased2.pdf">http://www.fhi.se/shop/material_pdf/r200410Knowledgebased2.pdf</a></p>
<p>B2. For areas of relevance not covered by existing good quality literature reviews, proceed via steps C–I below</p>	<p>Primary studies published since the first literature search should be sought, reviewed, and their findings integrated with those of the earlier review. Discrepancies should be discussed and explained where possible.</p>	

## Step C: Purpose, organisation and structure

Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	Tips and resources
C1. The organisation producing the review, and the purpose of the review, should be stated clearly		
C2. It should be clear who is conducting the literature review (name and position)	If several staff are involved, it should be clear who is responsible for which role	
C3. The review should be structured to include: <ul style="list-style-type: none"> <li>• the review question</li> <li>• details of the literature search conducted (Step E)</li> <li>• findings (Steps F and G)</li> <li>• references for all articles and reports included</li> <li>• conclusions (Step H)</li> <li>• date of completion of literature review</li> </ul>	The review could also include: <ul style="list-style-type: none"> <li>• who contributed to formulating the review question/s?</li> <li>• a summary of each study included</li> <li>• critical appraisal of each article or report included (Step F)</li> <li>• discussion of the author's biases and values</li> </ul>	A brief review may be based on existing reviews and/or on primary research reports
C4. The review should be read by at least one person not involved in conducting it	The review should be subject to external peer review before dissemination, and details of the peer-review process should be noted	
	For confidence in the unbiased nature of the review, the work should be steered by peers or a suitable advisory panel, including stakeholders	The CRD systematic review of Public Water Fluoridation had an expert Advisory Board: <a href="http://www.york.ac.uk/inst/crd/pdf/fluorid.pdf">http://www.york.ac.uk/inst/crd/pdf/fluorid.pdf</a>  NHS Service Delivery and Organisation (SDO) reviews tend to involve advisory groups eg <i>Nurse innovations for patients in the community with COPD: an extended systematic review</i> : <a href="http://www.ichs.qmul.ac.uk/research/gppc/publichealth">http://www.ichs.qmul.ac.uk/research/gppc/publichealth</a>
	If it is envisaged that the literature review will be used beyond this HIA, a date for updating should be planned	

## Step D: Setting inclusion and exclusion criteria

Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	Tips and resources
<p>D1. There needs to be a clear statement of the type(s) of study sought to answer the review question(s). More than one study design may be included in the review</p>	<p>The inclusion criteria for a more comprehensive literature review would tend to encompass all relevant published and unpublished studies capable of answering the review question, from any country (where this is consistent with the review's purpose)</p>	<p>The choice of studies to include/exclude is not an inherent feature of the systematic review method, but a decision made by the reviewers. It is guided by the review question, by theoretical considerations, and by the needs of anticipated users of the review. Guidance on setting appropriate inclusion and exclusion criteria can be found in:</p> <ul style="list-style-type: none"> <li>• Cochrane Collaboration reviewer's handbook (chapters 3 and 4): <a href="http://www.cochrane.dk/cochrane/handbook/hbook.htm">http://www.cochrane.dk/cochrane/handbook/hbook.htm</a></li> <li>• <i>CRD Report 4: Undertaking Systematic Reviews of Research on Effectiveness</i> (see <a href="http://www.york.ac.uk/inst/crd/report4.htm">www.york.ac.uk/inst/crd/report4.htm</a> and in particular Stage II, Phase 4 for guidance on this topic)</li> </ul>
<p>D2. Restricted inclusion criteria: The inclusion/exclusion criteria for brief literature reviews may be restricted in many ways – see 'tips' for examples</p>	<p>The inclusion/exclusion criteria should describe clearly which study designs, populations, interventions and outcomes are included and excluded in the review</p>	<p>The inclusion/exclusion criteria for brief literature reviews may be restricted in many ways – e.g. a brief review may be limited to systematic reviews alone; to particular study designs; to studies from particular countries or particular languages (such as English); and/or studies published within a restricted time frame (e.g. past 10 years)</p>
<p>D3. It is common practice to include a statement outlining which countries/languages are eligible for inclusion (or exclusion). This gives readers an idea of the degree of comprehensiveness of the review</p>		<p>Inclusion/exclusion criteria sometimes exclude unpublished and other grey literature for reasons of cost and difficulty of access</p> <p>The inclusion/exclusion criteria for a review are also determined by the outcomes of interest, e.g. systematic reviews investigating the adverse effects of interventions may include observational study designs (such as case-control studies and cohort studies). Such studies may also be included in reviews that explore causal relationships (e.g. reviews of aetiology)</p>
<p>D4. A statement is needed outlining the study designs, interventions and populations that are eligible for inclusion</p>	<p>The inclusion/exclusion criteria should be described in detail in the final report or journal article</p>	<p>Systematic reviews that include qualitative research are also possible, and these may help answer questions about meanings and experiences, and about the implementation of interventions (among other things)</p>

Step E: Literature search		
Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	Tips and resources
The literature review should be explicit about the search strategies used. Specific issues that need to be recorded include:	Involve a librarian or information specialist on search terms, search strategies and databases	<a href="http://www.evidencenetwork.org">http://www.evidencenetwork.org</a>
E1. Range of years (publication dates) included		
E2. Literature database/s searched		<a href="http://evidencenetwork.org/resources.html">http://evidencenetwork.org/resources.html</a>
E3. Details of search terms used		You may wish to keep your search terms broad to identify the full range of relevant information, but this may mean being overwhelmed with the number of hits. When short of time, aim for specificity rather than sensitivity (a high ratio of relevant to irrelevant hits)
E4. Languages of articles included		
E5. List of experts contacted (if any)		
E6. Whether grey literature was included, and how it was identified		Specify search criteria and sources used, e.g. Internet, contact with organisations, date/s of search
	Search cited references from articles identified	
	Hand-search contents of potentially relevant journals	
E7. Number of articles or reports identified by the search that contribute to the literature review	<p>A tally should be kept of:</p> <ul style="list-style-type: none"> <li>total number of items identified before inclusion and exclusion criteria are applied</li> <li>number that meet inclusion criteria</li> <li>number excluded (with reasons)</li> </ul> <p>Ideally, two independent assessors should apply the inclusion and exclusion criteria</p>	It is important to ensure removal of duplicate records of identical papers found in different databases. Where a series of articles present different results from the same study population, it is valid to include these, but where similar results are reported more than once (e.g. five-year and 10-year follow-up; or an identical study reported in different papers), ensure there is no double-counting when considering the weight of evidence
E8. Comments on any constraints, e.g. if the literature review was limited by time, access to databases, or inability to obtain copies of papers		

Step F: Critical appraisal		
Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	Tips and resources
F1. Any weaknesses in a study that may affect your confidence in its conclusion (which may affect the quality of the literature review) should be explicitly noted, e.g. lack of impartiality of sources; suitability and rigour of research methods (including sufficient sample size); how far conclusions are supported by results	Apply appropriate quality criteria according to the study design of each article or literature review identified for inclusion in the review (if such a tool exists)	It may be more efficient in a time-limited review to use relevant critical appraisal tools, or to specify a few 'fatal flaws' to look out for, e.g. when appraising an existing review, if the search strategy is so inadequate (or not specified at all) that the review findings are meaningless, you may exclude it without further appraisal For examples of quality appraisal tools: <a href="http://www.who.org.uk/viewResource.aspx?id=10616">http://www.who.org.uk/viewResource.aspx?id=10616</a> <a href="http://www.nhmrc.gov.au/publications/synopses/cp65syn.htm">www.nhmrc.gov.au/publications/synopses/cp65syn.htm</a> <a href="http://www.fhi.se/templates/Page_1305.aspx">http://www.fhi.se/templates/Page_1305.aspx</a>
F2. It should be stated explicitly if any articles or reports have been excluded on the grounds of quality	Report on any method used to grade the quality of each paper (e.g. strong–weak; 1–5; good enough/not good enough)	If the literature is sparse, there may be a need to include lower-quality studies or articles but their deficiencies should be highlighted when discussing the study and its findings and drawing conclusions. However, a lower-quality study may be answering a different question, or be from a real-life setting, so may have better external validity
	Quality should be appraised by two independent assessors, and discrepancies detailed	
	If quality criteria are used to exclude studies, specify how this was done and detail the studies excluded	



Step G: Interpretation		
Essential steps in a brief literature review include:	Additional elements for a more comprehensive literature review include:	Tips and resources
G1. Details of any process or methods used to combine and synthesise the findings of the studies reviewed (either quantitative or qualitative/narrative methods)	Details of method/s used for extracting data from individual articles and reports Methods of synthesising study findings (e.g. thematic analysis, content analysis around themes or questions, or meta-analysis if appropriate). Are the techniques applied appropriate? (e.g. statistics) Is there heterogeneity between studies?	See HDA paper on integrating qualitative and quantitative research: <a href="http://www.publichealth.nice.org.uk/page.aspx?0=502695">http://www.publichealth.nice.org.uk/page.aspx?0=502695</a> ESRC project on narrative synthesis: <a href="http://www.ccsr.ac.uk/methods/projects/posters/popay.shtml">www.ccsr.ac.uk/methods/projects/posters/popay.shtml</a>
G2. Discussion of gaps in the evidence found by the literature search		
G3. Factors affecting the quality of the literature review (e.g. bias, confounding of articles, search; Step E)	Is there any suggestion of publication bias?	The smaller or shorter a study, the lower its power to detect a real difference. If most small studies show large positive effects, this may be due to selective publication of positive studies. This can be assessed formally.
G4. If applicable, specific consideration of the evidence for effectiveness of interventions or mitigation measures		
G5. If available, specific consideration of the evidence for effect on inequalities		
G6. If available, specific consideration of the evidence from economic appraisals		
G7. A summary of all studies included in the review – must contain full references for the studies	Ideally, a summary of all studies should also contain: <ul style="list-style-type: none"> <li>• study design, location and context</li> <li>• methods used to collect information (e.g. survey design)</li> <li>• methods used to analyse information</li> <li>• results and conclusions drawn</li> </ul>	<a href="http://www.evidencenetwork.org/cgi-win/enet.exe/biblioview?406">www.evidencenetwork.org/cgi-win/enet.exe/biblioview?406</a> <a href="http://www.education.ex.ac.uk/dll/studyskills/harvard_referencing.htm">www.education.ex.ac.uk/dll/studyskills/harvard_referencing.htm</a> <a href="http://www.rdg.ac.uk/studyskills/study%20guides/references%202.htm">www.rdg.ac.uk/studyskills/study%20guides/references%202.htm</a> Cite Them Right: referencing made easy – <a href="http://northumbria.ac.uk/sd/central/library/ir/organfo/">http://northumbria.ac.uk/sd/central/library/ir/organfo/</a>

## Step G: Interpretation *continued*

Essential steps in a brief literature review	Additional elements for a more comprehensive literature review	Tips and resources
<p>G8. The review should discuss the comparability of the studies reviewed with the specific context of the HIA</p>	<p>If the literature review is carried out not for a specific HIA, the generalisability of specific studies and overall findings should be discussed</p>	<p>For a generic review of a subject, it is important to consider the transferability of the findings of specific studies to other situations (often referred to as generalisability).</p> <p>A review undertaken for a specific HIA needs to consider only whether the circumstances (and therefore the findings) of specific studies are transferable to the particular situation of that HIA (relevance and transferability to the population groups and topic areas of interest in the HIA).</p>
<p>G9. Consider whether the literature being reviewed has addressed issues of cause and effect</p>	<p>Consider whether the literature being reviewed has addressed issues of cause and effect:</p> <ul style="list-style-type: none"> <li>• chance</li> <li>• bias</li> <li>• confounding</li> <li>• criteria for assessing causality</li> </ul>	<ul style="list-style-type: none"> <li>• Hill, AB. (1965) The environment and disease: association or causation? <i>Proc. Roy. Soc. Med.</i> 58: 295–300.</li> <li>• Assessing causality: <a href="http://www.lho.org.uk/viewResource.aspx?id=9377">http://www.lho.org.uk/viewResource.aspx?id=9377</a></li> </ul>
<p>G10. Ideally, if the information is available, the literature review should report any exposure-effect / dose-response relationship</p>	<p>More detailed information on the shape of any causal relationship, and the existence and threshold level for any effect should be stated. The magnitude of any effect should be estimated.</p>	<p>For most environmental exposures or determinants of health, the effects on health increase as the exposure increases (e.g. particulate air pollution, income and education each have a graded effect on health) <a href="http://www.environment-agency.gov.uk">http://www.environment-agency.gov.uk</a></p>
<p>G11. If there is conflicting evidence identified in the review, the principles used to draw conclusions should be stated explicitly, e.g. the weight given to the evidence could be determined using quality criteria (Step F). In some cases, it may not be possible to reach a conclusion.</p>		<p>Some people have a hierarchical view of evidence, but this is less relevant to most evidence reviews for HIA than is the suitability of the research design for answering the research question.</p> <p>See Petticrew M, Roberts H (2003) Evidence hierarchies and typologies: horses for courses. <i>Journal of Epidemiology and Community Health</i> 57: 527–529. <a href="http://jech.bmjournals.com/cgi/reprint/57/7/527">http://jech.bmjournals.com/cgi/reprint/57/7/527</a></p>

<b>Step H: Conclusions</b>	
<b>All reviews require the following:</b>	
H1. The literature review should provide clear conclusions concerning the studies reviewed. These will not necessarily provide clear recommendations specifically about the options for an HIA, unless this was part of the review question	
H2. Conclusions of the literature review should be: <ul style="list-style-type: none"> <li>• based on the results presented</li> <li>• justified by the evidence – any limitations of the evidence should be described clearly, including gaps and bias. Conclusions should state if the evidence is of poor quality, conflicting or not comparable</li> </ul>	
H3. Relevance to the topic and to the population groups of the HIA should be mentioned	
H4. If included, specific conclusions should be drawn regarding: <ul style="list-style-type: none"> <li>• implications for interventions and mitigation measures</li> <li>• reversibility</li> <li>• effect on inequalities</li> <li>• economic appraisal</li> </ul>	

<b>Step I: Reporting</b>		
<b>Essential steps in a brief literature review</b>	<b>Additional elements for a more comprehensive literature review</b>	<b>Tips and resources</b>
I1. The report should contain all the information listed as essential in the steps described above: B1–2, C1–3, D1–4, E1–8, F1–2, G1–11, H1–4	Ideally, those reviewing the literature should produce a detailed report, giving as much information as is available	CRD's <i>Effective Health Care</i> bulletins are a good example of how to present detailed information simply for a review: <a href="http://www.york.ac.uk/inst/crd/ehcb.htm">http://www.york.ac.uk/inst/crd/ehcb.htm</a>
I2. A short 'lay summary' should also be prepared for distribution to local stakeholders, including community members. It should: <ul style="list-style-type: none"> <li>• be easy to read, but rigorous in content</li> <li>• use lay language</li> <li>• make it clear that there is a detailed report, and how to obtain this</li> </ul>	There may be a range of summaries for local practitioners, community members and other stakeholders Where possible, both lay summary and detailed report should be available both as hard copy and via the Internet	The format of the <i>Guide to Community Preventive Services (Community Guide)</i> illustrates one way of summarising the conclusions for local stakeholders: <a href="http://www.thecommunityguide.org">http://www.thecommunityguide.org</a> The Canadian Health Services Research Foundation has developed a two-page guide to presenting and communicating research findings for policy-makers and practitioners: <a href="http://www.chsrf.ca/knowledge_transfer/pdf/cn-1325_e.pdf">http://www.chsrf.ca/knowledge_transfer/pdf/cn-1325_e.pdf</a> – the 1:3:25 method, referring to the need to publish: <b>1 page</b> (maximum) Summary of main message bullets <b>3 page</b> (maximum) Executive Summary <b>25 page</b> (maximum) full Report of the research

*Finally, the literature review is used by those conducting the HIA as part of their assessment of potential health impacts and as part of the evidence on which recommendations are made.*

## Acknowledgements

This work was undertaken by the London Health Observatory, which received funding from the Department of Health (grant number 030 0072, Policy Research Programme). The views expressed in this publication are those of the authors and not necessarily those of the Department of Health.

This document was developed by:

Dr J Biddulph, University College London  
Ms A Boaz, Queen Mary University of London  
Ms A Boltong, London Health Observatory  
Professor S Curtis, Queen Mary University of London  
Dr M Joffe, Imperial College London  
Dr K Lock, London School of Hygiene & Tropical Medicine  
Dr J Mindell, London Health Observatory  
Ms L Taylor, former Health Development Agency

Thanks to the Advisory Group and all those who took part in the research, discussions of previous drafts, piloting and peer reviewing this resource for their valuable contributions.

## London Health Observatory

The London Health Observatory (LHO) was set up in 2001 following the government White Paper *Saving Lives – Our Healthier Nation* (1999). The LHO brings together the information and know-how needed to analyse and research health in the capital. It also has a role in helping all those working to improve the health of Londoners to make better use of health and health-related information. The LHO is part of a national network of public health observatories, and has a lead role on health inequalities, social exclusion, regeneration and tobacco. <http://www.lho.org.uk>

Further printed copies of this resource can be obtained from: London Health Observatory, 11–13 Cavendish Square, London W1G 0AN Tel: 020 7307 2826, Email: [enquiries@lho.org.uk](mailto:enquiries@lho.org.uk)

This Guide is also available on the LHO website:

- as a pdf to download: <http://www.lho.org.uk/viewResource.aspx?id=10846>

A report to the Department of Health describing the work undertaken to develop this Guide can be found on the London Health Observatory website at [www.lho.org.uk/HIA/ReviewingEvidence.aspx](http://www.lho.org.uk/HIA/ReviewingEvidence.aspx)

Your feedback on this Guide will be used to produce a second edition in 2008. Please send comments to [j.mindell@ucl.ac.uk](mailto:j.mindell@ucl.ac.uk)

Mindell J, Biddulph JP, Boaz A, Boltong A, Curtis S, Joffe M, Lock K, Taylor L. *A Guide to Reviewing Evidence for use in Health Impact Assessment*. London: London Health Observatory, 2006.

ISBN: 0-9542956-5-X

© London Health Observatory 2006