



OPEN

Quantifying the Digital Traces of Hurricane Sandy on Flickr

SUBJECT AREAS: INFORMATION THEORY AND COMPUTATION

Tobias Preis¹*, Helen Susannah Moat^{1,2}*, Steven R. Bishop³*, Philip Treleaven⁴* & H. Eugene Stanley²*

INFORMATION TECHNOLOGY

APPLIED PHYSICS

COMPUTATIONAL SCIENCE

¹Warwick Business School, University of Warwick, Scarman Road, Coventry, CV4 7AL, UK, ²Department of Physics, Boston University, 590 Commonwealth Avenue, Boston, Massachusetts 02215, USA, ³Department of Mathematics, UCL, Gower Street, London, WC1E 6BT, UK, ⁴Department of Computer Science, UCL, Gower Street, London, WC1E 6BT, UK.

Received 31 January 2013

Accepted 21 October 2013

Published 5 November 2013

Correspondence and requests for materials should be addressed to T.P. (Tobias.Preis@ wbs.ac.uk)

* These authors contributed equally to this work. Society's increasing interactions with technology are creating extensive "digital traces" of our collective human behavior. These new data sources are fuelling the rapid development of the new field of computational social science. To investigate user attention to the *Hurricane Sandy* disaster in 2012, we analyze data from *Flickr*, a popular website for sharing personal photographs. In this case study, we find that the number of photos taken and subsequently uploaded to *Flickr* with titles, descriptions or tags related to *Hurricane Sandy* bears a striking correlation to the atmospheric pressure in the US state New Jersey during this period. Appropriate leverage of such information could be useful to policy makers and others charged with emergency crisis management.

teadily increasing quantities of data are being generated through society's interactions with technology, automatically documenting human actions in a previously unimaginable fashion¹⁻¹⁰. Analysis of such "big data" is opening up new windows for a more precise quantification of real world social phenomena. A particularly fruitful area of research has focused on the analysis of Internet user search queries, as logged by search engines such as *Google*. Strong links have been found between changes in the information users are seeking online and events in the real world, ranging from reports of flu infections across the USA¹¹ to trading volume in the US stock markets¹². A recent study has also shown that Internet users from countries with a higher per capita GDP are significantly more likely to search for information about years in the future than years in the past¹³. Preis, Moat and Stanley have demonstrated that changes in the number of searches for financially related terms on *Google* may have contained early warning signs of stock market moves¹⁴. Moat *et al.* presented evidence that increases in the number of views of financially related pages on *Wikipedia* could be detected before stock market falls¹⁵.

Collective human attention to topics can be measured by various indices into online information flow. While analysis of search volume provides insight into the information that people are seeking, there are other data sources which one can analyze to gain insight into information that people are distributing. This information can take various forms, from text to multimedia, such as photos and videos.

In this case study, we analyze the usage of a prominent photo sharing website, $Flickr^{16-20}$. We investigate whether we can identify any relationship between catastrophic events such as natural disasters, and users' photo sharing activity on Flickr, to provide insight into the dynamics of human attention to such events.

The subject of our case study is *Hurricane Sandy*—a hurricane that devastated portions of the Caribbean and the Mid-Atlantic and Northeastern United States during late October 2012. "Sandy", classified as the eighteenth named storm and tenth hurricane of the 2012 Atlantic hurricane season, made landfall near Atlantic City, New Jersey at 00:00 *Coordinated Universal Time* (UTC) on 30 October 2012²¹.

Results

We examine photos uploaded to *Flickr* and labeled with the terms *Hurricane*, *Sandy* or *Hurricane Sandy* in their tags, title or description text. We analyze the times at which these photos were taken by users around the world. We normalize hourly counts of photos labeled with these hurricane related terms by the hourly count of all photos taken. To eliminate daily periodicity in the *Flickr* data, the counts for photos labeled with the terms *Hurricane*, *Sandy*, *Hurricane Sandy*, and for all photos taken are transformed to represent at each hour t the average value from a surrounding moving window of Δt hours $(t - \Delta t/2; t + \Delta t/2]$. Visualization of the data reveals that the normalized number of photos taken increased continuously while "Sandy" was moving toward the coast of the United States (Figure 1A).






Figure 1 | Hurricane Sandy related Flickr photos and atmospheric pressure in the US state New Jersey. (A) We identify all photos taken between 20 October 2012 and 20 November 2012 which were subsequently uploaded to Flickr with any of the three terms Hurricane, Sandy and Hurricane Sandy in their tags, title or description text. Here we show the number of these Hurricane Sandy related Flickr photos normalized by the total number of photos taken and subsequently uploaded to Flickr. The data are analyzed at an hourly granularity. To eliminate daily periodicity in the hourly Flickr data, the data are transformed to represent the average value from a moving window spanning 24 hours ($\Delta t = 24$ hours). Date lines denote the beginning of a day in UTC. (B) The atmospheric pressure in New Jersey between 20 October 2012 and 20 November 2012. Atmospheric pressure data is compiled from average measurements from 62 stations in New Jersey that form part of the Automated Surface Observing System (ASOS). Again, the data are analyzed at an hourly granularity.

In this case study, we compare the normalized number of *Hurricane Sandy* related *Flickr* photos taken to a direct measure of the environment during the development of *Hurricane Sandy*: the atmospheric pressure in the US state New Jersey between 20 October 2012 and 20 November 2012 (Figure 1B). Atmospheric pressure data are compiled from average measurements from 62 stations in New Jersey forming part of the *Automated Surface Observing System* (ASOS), and are analyzed at an hourly granularity.

We find a striking correlation between the moving average of the normalized number of *Hurricane Sandy* related *Flickr* photos taken and the atmospheric pressure in New Jersey for $\Delta t=24$ hours (Kendall's tau = -0.37, z=-15.14, p<0.001). Notably, the time of landfall of *Hurricane Sandy* not only marks the time of lowest air pressure, but also the time at which the largest number of *Flickr* photos labeled with terms related to *Hurricane Sandy* were taken. We find qualitatively similar results for a moving average window with $\Delta t=12$ hours (Kendall's tau = -0.36, z=-14.62, p<0.001). Analysis of the interval starting 48 hours before and ending 48 hours after landfall of *Hurricane Sandy* also reveals qualitatively similar results for $\Delta t=24$ hours (Kendall's tau = -0.83, z=-12.02, p<0.001) and $\Delta t=12$ hours (Kendall's tau = -0.73, z=-10.63, p<0.001).

Discussion

In summary, the number of photos taken and subsequently uploaded to *Flickr* with labels related to *Hurricane Sandy* bears a striking correlation to the atmospheric pressure in the US state New Jersey in the period from 20th October 2012 until 20th November 2012. We propose two possible interpretations of this result. First, we suggest that users may have taken more photos as the severity of the problem increased – in this case, atmospheric pressure dropping and therefore wind speed increasing. This would suggest that in cases where no external sensors were available, it may be possible to measure the

number of *Flickr* photos relating to a topic to gauge the current level of this category of problems. A second alternative interpretation would be that users were well informed as to the expected time of landfall due to extensive media coverage, and that their attention to the problem increased as the anticipated climax of the disaster approached, leading to an increase in the numbers of photos taken. This would equally open the possibility that increases in *Flickr* photo counts with particular labels may reveal notable increases in attention to an issue, such that issues which have received less extensive media coverage but which may merit further investigation may be identified. Future research investigating other examples of catastrophic events would be needed to demonstrate universality of the results we find. Such research should also take into account the number of active *Flickr* users in a country, given the country's population.

We suggest that *Flickr* can be considered as a system of large scale real-time sensors documenting collective human attention. The analysis of other examples of catastrophic events, beyond this case study of Hurricane Sandy, is however needed to evaluate whether an appropriate leverage of such a system could be of interest to policy makers and others charged with emergency crisis management.

Methods

We retrieved data on image uploads to Flickr by accessing the Flickr API (http://www.flickr.com/services/api/flickr.photos.search.html) on 3 December 2012. The photo search function used returns a list of photos matching given criteria. We retrieved data on atmospheric pressure from 62 weather stations in New Jersey which form part of the Automated Surface Observing System (http://www.ncdc.noaa.gov/land-based-station-data/automated-surface-observing-system-asos) on 28 December 2012.

- Johnson, N. et al. Pattern in Escalations in Insurgent and Terrorist Activity. Science 333, 81–84 (2011).
- 2. Lazer, D. et al. Computational Social Science. Science 323, 721–723 (2009).
- Conte, R. et al. Manifesto of computational social science. Eur. Phys. J. Spec. Top. 214, 325–346 (2012).



- 4. Moat, H. S. et al. Using big data to predict collective behavior in the real world. Behav. Brain Sci. (in press).
- Batty, M. The Size, Scale, and Shape of Cities. Science 319, 769-771 (2008).
- Preis, T., Schneider, J. J. & Stanley, H. E. Switching processes in financial markets. PNAS 108, 7674-7678 (2011).
- 7. Vespignani, A. Predicting the Behavior of Techno-Social Systems. Science 325, 425-428 (2009).
- Stanley, H. E. et al. Correlated randomness and switching phenomena. Physica A 389, 2880-2893 (2010).
- Preis, T., Kenett, D. Y., Stanley, H. E., Helbing, D. & Ben-Jacob, E. Quantifying the Behavior of Stock Correlations Under Market Stress. Sci. Rep. 2, 752; DOI:10.1038/srep00752 (2012).
- 10. Feng, L. et al. Linking agent-based models and stochastic models of financial markets. PNAS 109, 8388-8393 (2012).
- 11. Ginsberg, J. et al. Detecting influenza epidemics using search engine query data. Nature 457, 1012-1014 (2009).
- 12. Preis, T., Reith, D. & Stanley, H. E. Complex dynamics of our economic life on different scales: insights from search engine query data. Phil. Trans. R. Soc. A 368, 5707-5719 (2010).
- 13. Preis, T., Moat, H. S., Stanley, H. E. & Bishop, S. R. Quantifying the Advantage of Looking Forward. Sci. Rep. 2, 350 (2012).
- 14. Preis, T., Moat, H. S. & Stanley, H. E. Quantifying trading behavior in financial markets using Google Trends. Sci. Rep. 3, 1684 (2013).
- 15. Moat, H. S. et al. Quantifying Wikipedia usage patterns before stock market moves. Sci. Rep. 3, 1801 (2013).
- 16. Goodchild, M. F. & Glennon, J. A. Crowdsourcing geographic information for disaster response: a research frontier. Int. J. Digital Earth 3, 231-241 (2010).
- 17. Angus, E., Thelwall, M. & Stuart, D. General patterns of tag usage among university groups in Flickr. Online Inform, Rev. 32, 89-101 (2008).
- 18. Rafferty, P. & Hidderley, R. Flickr and Democratic Indexing: dialogic approaches to indexing. Aslib Proc. 59, 397-410 (2007).
- 19. Cox, A. M. Flickr: a case study of Web2.0. Aslib Proc. 60, 493-516 (2008).
- 20. Singla, A. & Weber, I. Camera Brand Congruence and Camera Model Propagation in the Flickr Social Graph. ACM Trans. Web 5, 20 (2011).

21. Brown, D. Post-Tropical Cyclone Sandy Discussion Number 31 (http://www.nhc. noaa.gov/archive/2012/al18/al182012.discus.031.shtml). National Hurricane Center. Retrieved on 28th December 2012.

Acknowledaments

T.P., H.S.M., S.R.B. and P.T. acknowledge the support of Research Councils UK via Grant EP/K039830/1. HES thanks NSF Grant CMMI 1125290. TP, HSM and HES were also supported by the Intelligence Advanced Research Projects Activity (IARPA) via Department of Interior National Business Center (DoI/NBC) contract number D12PC00285. The U.S. Government is authorized to reproduce and distribute reprints for Governmental purposes notwithstanding any copyright annotation thereon. Disclaimer: The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of IARPA, DoI/NBC, or the U.S. Government.

Author contributions

T.P., H.S.M., S.R.B., P.T. and H.E.S. performed analyses, discussed the results, and contributed to the text of the manuscript.

Additional information

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Preis, T., Moat, H.S., Bishop, S.R., Treleaven, P. & Stanley, H.E. Quantifying the Digital Traces of Hurricane Sandy on Flickr. Sci. Rep. 3, 3141; DOI:10.1038/ srep03141 (2013).



This work is licensed under a Creative Commons Attribution 3.0 Unported license. To view a copy of this license, visit http://creativecommons.org/licenses/by/3.0