

- Agurell, S., Holmsted.B, & Lindgren, J. E. (1969). Alkaloids in certain species of virola and other south american plants of ethnopharmacologic interest. *Acta Chemica Scandinavica*, 23(3), 903-
- Akama, K. T., & Van Eldik, L. J. (2000). beta-amyloid stimulation of inducible nitric-oxide synthase in astrocytes is interleukin-1 beta- and tumor necrosis factor-alpha (TNF alpha)-dependent, and involves a TNF alpha receptor-associated factor- and NF kappa B-inducing kinase-dependent signaling mechanism. *Journal of Biological Chemistry*, 275(11), 7918-7924.
- Akira, S., & Hemmi, H. (2003). Recognition of pathogen-associated molecular patterns by TLR family. *Immunology Letters*, 85(2), 85-95.
- Akiyama, H., Barger, S., Barnum, S., Bradt, B., Bauer, J., Cole, G. M., (2000). Inflammation and Alzheimer's disease. *Neurobiol Aging*, 21(3), 383-421.
- Allan, S. M., Allan, S. M., & Rothwell, N. J. (2001). Cytokines and acute neurodegeneration. [10.1038/35094583]. *Nat. Rev. Neurosci.*, 2(10), 734-744.
- Aoki, T., Nishimura, M., Ishibashi, R., Kataoka, H., Takagi, Y., & Hashimoto, N. (2010). Toll-like receptor 4 expression during cerebral aneurysm formation. *Journal of Neurosurgery*, 113(4), 851-858.
- Araujo, D. M., & Cotman, C. W. (1992). Beta-amyloid stimulates glial-cells invitro to produce growth-factors that accumulate in senile plaques in alzheimers-disease. *Brain Research*, 569(1), 141-145.
- Arenz, A., Bracey, E. F., & Margrie, T. W. (2009). Sensory representations in cerebellar granule cells. *Current Opinion in Neurobiology*, 19(4), 445-451.
- Bachi, M. D., Balanov, A., & Bar-Ner, N. (1994). Thiol Mediated Free Radical Cyclization of Alkenyl and Alkynyl Isocyanides. *J. Org. Chem.*, 59(25), 7752-7758.
- Bailly, C., Laine, W., Baldeyrou, B., De Pauw-Gillet, M. C., Colson, P., Houssier, C., (2000). DNA intercalation, topoisomerase II inhibition and cytotoxic activity of the plant alkaloid neocryptolepine. *Anti-Cancer Drug Design*, 15(3), 191-201.
- Banik, B. K. (1999). Tributyltin hydride induced intramolecular aryl radical cyclizations: Synthesis of biologically interesting organic compounds. *Current Organic Chemistry*, 3(5), 469-496.
- Barton, G. M., & Kagan, J. C. (2009). A cell biological view of Toll-like receptor function: regulation through compartmentalization. *Nature Reviews Immunology*, 9(8), 535-542. doi: 10.1038/nri2587
- Bascop, S. I., Sapi, J., Laronze, J. Y., & Levy, J. (1994). On the synthesis of the oxindole alkaloid - (+/-)-horsfiline. *Heterocycles*, 38(4), 725-732.
- Beaulieu, F., Arora, J., Veith, U., Taylor, N. J., Chapell, B. J., & Snieckus, V. (1996). 1,3-Asymmetric Induction via 1,5-Hydrogen Atom Translocation Reactions. Highly Enantioselective Synthesis of Î²²-Substituted Î²-Amino Acids. *J. Am. Chem. Soc.*, 118(36), 8727-8728.

- Bilimoria, P. M., & Bonni, A. (2013). Molecular Control of Axon Branching. *Neuroscientist*, 19(1), 16-24.
- Blasi, E., Barluzzi, R., Bocchini, V., Mazzolla, R., & Bistoni, F. (1990). Immortalization of murine microglial cells by a v-raf/v-myc carrying retrovirus. *Journal of Neuroimmunology*, 27(2-3), 229-237.
- Block, M. L., & Hong, J. S. (2007). Chronic microglial activation and progressive dopaminergic neurotoxicity. *Biochemical Society Transactions*, 35, 1127-1132.
- Booth, P. L., & Thomas, W. E. (1991). EVIDENCE FOR MOTILITY AND PINOCYTOSIS IN RAMIFIED MICROGLIA IN TISSUE-CULTURE. *Brain Research*, 548(1-2), 163-171.
- Brown, G. C. (2007). Mechanisms of inflammatory neurodegeneration: iNOS and NADPH oxidase *Biochemical Society Transactions* (Vol. 35, pp. 1119-1121).
- Brown, G. C., & Bal-Price, A. (2003). Inflammatory neurodegeneration mediated by nitric oxide, glutamate, and mitochondria. *Molecular Neurobiology*, 27(3), 325-355.
- Butchi, N. B., Pourciau, S., Du, M., Morgan, T. W., & Peterson, K. E. (2008). Analysis of the Neuroinflammatory Response to TLR7 Stimulation in the Brain: Comparison of Multiple TLR7 and/or TLR8 Agonists. *J. Immunol.*, 180(11), 7604-7612.
- Butchi, N. B., Woods, T., Du, M., Morgan, T. W., & Peterson, K. E. (2011). TLR7 and TLR9 trigger distinct neuroinflammatory responses in the CNS.. *Am. J. Pathol.*, 179(2), 783-794.
- Buttini, M., Limonta, S., & Boddeke, H. (1996). Peripheral administration of lipopolysaccharide induces activation of microglial cells in rat brain. *Neurochemistry International*, 29(1), 25-35.
- Cameron, B., & Landreth, G. E. (2010). Inflammation, microglia, and alzheimer's disease. *Neurobiology of Disease*, 37(3), 503-509.
- Chang, M.-Y., Pai, C.-L., & Kung, Y.-H. (2005). Synthesis of (±)-coerulescine and a formal synthesis of (±)-horsfiline. *Tetrahedron Letters*, 46(49), 8463-8465.
- Cheret, C., Gervais, A., Lelli, A., Colin, C., Amar, L., Ravassard, P., (2008). Neurotoxic activation of microglia is promoted by a Nox1-dependent NADPH oxidase. *J. Neurosci.*, 28(46), 12039-12051.
- Cimanga, K., DeBruyne, T., Pieters, L., Claeys, M., & Vlietinck, A. (1996). New alkaloids from *Cryptolepis sanguinolenta*. *Tetrahedron Letters*, 37(10), 1703-1706.
- Cravotto, G., Giovenzani, G. B., Pilati, T., Sisti, M., & Palmisano, G. (2001). Azomethine ylide cycloaddition/reductive heterocyclization approach to oxindole alkaloids: Asymmetric synthesis of (-)-horsfiline. *Journal of Organic Chemistry*, 66(25), 8447-8453.

- Cui, C. B., Kakeya, H., Okada, G., Onose, R., & Osada, H. (1996). Novel mammalian cell cycle inhibitors, tryprostatins A, B and other diketopiperazines produced by *Aspergillus fumigatus*. 1. Taxonomy, fermentation, isolation and biological properties. *Journal of Antibiotics*, 49(6), 527-533.
- Davalos, D., Grutzendler, J., Yang, G., Kim, J. V., Zuo, Y., Jung, S., (2005). ATP mediates rapid microglial response to local brain injury in vivo. [10.1038/nn1472]. *Nat. Neurosci.*, 8(6), 752-758.
- Denisov, E., Denisova, T., & Ismail, F. (2005). Intramolecular reactions of free radicals formed from artemisinin. *International Journal of Chemical Kinetics*, 37(9), 554-565.
- Edmondson, S., Danishefsky, S. J., Sepp-Lorenzino, L., & Rosen, N. (1999). Total synthesis of spirotryprostatin A, leading to the discovery of some biologically promising analogues. *Journal of the American Chemical Society*, 121(10), 2147-2155.
- Escolano, C., & Jones, K. (2002). Aryl radical cyclisation onto pyrroles. *Tetrahedron*, 58(7), 1453-1464.
- Fang, H., Kaur, G., Yan, J., & Wang, B. (2005). An efficient synthesis of sterically hindered arylboronic acids. *Tetrahedron Letters*, 46(10), 1671-1674.
- Färber, K., & Kettenmann, H. (2005). Physiology of microglial cells. *Brain Research Reviews*, 48(2), 133-143.
- Fede, A., Billeter, M., Leupin, W., & Wuthrich, K. (1993). Determination of the nmr solution structure of the hoechst 33258-d(gtggaattccac)(2) complex and comparison with the x-ray crystal-structure. *Structure*, 1(3), 177-186.
- Fernstrom, J. D., & Fernstrom, M. H. (2005). Brain and nervous system. In C. Editor-in-Chief: Benjamin (Ed.), *Encyclopedia of Human Nutrition (Second Edition)* (pp. 225-232). Oxford: Elsevier.
- Ferreira, R., Xapelli, S., Santos, T., Silva, A. P., Cristovao, A., Cortes, L., (2010). Neuropeptide Y Modulation of Interleukin-1 beta (IL-1 beta)-induced Nitric Oxide Production in Microglia. *Journal of Biological Chemistry*, 285(53), 41921-41934.
- Fischer, S., Nishio, M., Peters, S. C., Tschernatsch, M., Walberer, M., Weidemann, S., (2009). Signaling mechanism of extracellular RNA in endothelial cells. *Faseb Journal*, 23(7), 2100-2109.
- Fukuyama, T., Rahman, T., Sato, M., & Ryu, (2008). Adventures in inner space: Microflow systems for practical organic synthesis. *Synlett*(2), 151-163.
- Gambuzza, M., Licata, N., Palella, E., Celi, D., Cuzzola, V. F., Italiano, D., (2011). Targeting Toll-like receptors: Emerging therapeutics for multiple sclerosis management. *Journal of Neuroimmunology*, 239(1-2), 1-12.

- Giordano, G., & Costa, L. G. (2011). Primary Neurons in Culture and Neuronal Cell Lines for In Vitro Neurotoxicological Studies. In L. G. Costa, G. Giordano & M. Guizzetti (Eds.), *In Vitro Neurotoxicology: Methods and Protocols* (Vol. 758, pp. 13-27).
- Glenn, J. A., Jordan, F. L., & Thomas, W. E. (1989). Further-studies on the identification of microglia in mixed brain-cell cultures. *Brain Research Bulletin*, 22(6), 1049-1052.
- Goermen, M., Le Goff, R., Lawson, A. M., Daich, A., & Comesse, S. (2013). Tandem aza-Michael/spiro-ring closure sequence: access to a versatile scaffold and total synthesis of (+/-)-coeruleine. *Tetrahedron Letters*, 54(17), 2174-2176.
- Graeber, M. B. (2009). Glial Cells: Microglia during Normal Brain Aging. In R. S. Editor-in-Chief: Larry (Ed.), *Encyclopedia of Neuroscience* (pp. 761-763). Oxford: Academic Press.
- Gregoire, P. J., Mellor, J. M., & Merriman, G. D. (1991). Synthesis of 11-azasteroids from aromatic-amines, formaldehyde and cyclopentadiene. *Tetrahedron Letters*, 32(48), 7099-7102.
- Grieco, P. A., & Bahsas, A. (1988). Role reversal in the cyclocondensation of cyclopentadiene with heterodienophiles derived from aryl amines and aldehydes - synthesis of novel tetrahydroquinolines. *Tetrahedron Letters*, 29(46), 5855-5858.
- Hadden, M., & Stevenson, P. J. (1999). Regioselective synthesis of pyrroloquinolines - Approaches to martinelline. *Tetrahedron Letters*, 40(6), 1215-1218.
- Hanamsagar, R., Hanke, M. L., & Kielian, T. (2012). Toll-like receptor (TLR) and inflammasome actions in the central nervous system. *Trends Immunol.*, 33(7), 333-342.
- Henn, A., Lund, S., Hedtjarn, M., Schratzenholz, A., Porzgen, P., & Leist, M. (2009). The suitability of BV2 cells as alternative model system for primary microglia cultures or for animal experiments examining brain inflammation. *Altx*, 26(2), 83-94.
- Hercouet, A., Neu, A., Peyronel, J. F., & Carboni, B. (2002). Suzuki coupling reactions in heterocyclic chemistry: Synthesis of 3-substituted pyrrolines and pyrroles. *Synlett*(5), 829-831.
- Hilton, S. T., Ho, T. C. T., Pljevaljcic, G., & Jones, K. (2000). A new route to spirooxindoles. *Org. Lett.*, 2(17), 2639-2641.
- Ho, T. C. T., & Jones, K. (1997). A synthesis of the tricyclic pyrroloquinoline core of martinelline. *Tetrahedron*, 53(24), 8287-8294.
- Honda, S., Sasaki, Y., Ohsawa, K., Imai, Y., Nakamura, Y., Inoue, K., (2001). Extracellular ATP or ADP induce chemotaxis of cultured microglia through G(i/o)-coupled P2Y receptors. *Journal of Neuroscience*, 21(6), 1975-1982.

- Hughes, V. (2012). The Constant Gardeners. *Nature*, 485(7400), 570-572.
- Inoue, K., Nakajima, K., Morimoto, T., Kikuchi, Y., Koizumi, S., Illes, P., (1998). ATP stimulation of Ca²⁺-dependent plasminogen release from cultured microglia. *British Journal of Pharmacology*, 123(7), 1304-1310.
- Ishiyama, T., & Miyaura, N. (2000). Chemistry of Group 13 element-transition metal linkage - the platinum- and palladium-catalyzed reactions of (alkoxo)diborons. *Journal of Organometallic Chemistry*, 611(1-2), 392-402.
- Itagaki, S., McGeer, P. L., Akiyama, H., Zhu, S., & Selkoe, D. (1989). Relationship of microglia and astrocytes to amyloid deposits of Alzheimer disease. *J Neuroimmunol*, 24(3), 173-182.
- Johnson, C. N., Stemp, G., Anand, N., Stephen, S. C., & Gallagher, T. (1998). Palladium(0)-catalyzed arylations using pyrrole- and indole-2-boronic acids. *Synlett*(9), 1025-1027.
- Jones, K., & Wilkinson, J. (1992). A total synthesis of horsfiline via aryl radical cyclisation. [10.1039/C39920001767]. *Journal of the Chemical Society, Chemical Communications*(24), 1767-1769.
- Kaushal, V., & Schlichter, L. C. (2008). Mechanisms of microglia-mediated neurotoxicity in a new model of the stroke penumbra. *Journal of Neuroscience*, 28(9), 2221-2230.
- Kawaguchi, S., Nagata, S., Shirai, T., Tsuchii, K., Nomoto, A., & Ogawa, A. (2006). Photochemical behaviors of tetraphenyldiphosphine in the presence of alkynes. *Tetrahedron Letters*, 47(23), 3919-3922.
- Kawano, T., Kunz, A., Abe, T., Girouard, H., Anrather, J., Zhou, P., (2007). iNOS-derived NO and nox2-derived superoxide confer tolerance to excitotoxic brain injury through peroxynitrite. *Journal of Cerebral Blood Flow and Metabolism*, 27(8), 1453-1462.
- Kim, S. U., de, V. J., & Editors. (2005). *Special Issue: Microglia in Health and Disease*. [In: *J. Neurosci. Res.*; 2005, 81(3)]: Wiley-Liss, Inc.
- Kloss, C. U., Bohatschek, M., Kreutzberg, G. W., & Raivich, G. (2001). Effect of lipopolysaccharide on the morphology and integrin immunoreactivity of ramified microglia in the mouse brain and in cell culture. *Exp Neurol*, 168(1), 32-46.
- Knight, L. W., Huffman, J. W., & Isherwood, M. L. (2003). 2-bromo-N-(p-toluenesulfonyl)pyrrole: A robust derivative of 2-bromopyrrole. *Synlett*(13), 1993-1996.
- Koff, J. L., Shao, M. X. G., Ueki, I. F., & Nadel, J. A. (2008). Multiple TLRs activate EGFR via a signaling cascade to produce innate immune responses in airway epithelium. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 294(6), L1068-L1075.
- Kokatla, H. P., Yoo, E., Salunke, D. B., Sil, D., Ng, C. F., Balakrishna, R., (2013). Toll-like receptor-8 agonistic activities in C2, C4, and C8 modified thiazolo 4,5-c quinolines. *Organic & Biomolecular Chemistry*, 11(7), 1179-1198.

- Kroemer, G., Galluzzi, L., Vandenabeele, P., Abrams, J., Alnemri, E. S., Baehrecke, E. H., (2009). Classification of cell death: recommendations of the Nomenclature Committee on Cell Death 2009. *Cell Death and Differentiation*, 16(1), 3-11.
- Kumar, A., Katiyar, S. B., Agarwal, A., & Chauhan, P. M. S. (2003). Perspective in antimalarial chemotherapy. *Current Medicinal Chemistry*, 10(13), 1137-1150.
- Lakshmaiah, G., Kawabata, T., Shang, M. H., & Fuji, K. (1999). Total synthesis of (-)-horsfiline via asymmetric nitroolefination. *Journal of Organic Chemistry*, 64(5), 1699-1704.
- Lawson, L. J., Perry, V. H., Dri, P., & Gordon, S. (1990). Heterogeneity in the distribution and morphology of microglia in the normal adult-mouse brain. *Neuroscience*, 39(1), 151-170.
- Leardini, R., Pedulli, G. F., Tundo, A., & Zanardi, G. (1984). Aromatic annelation by reaction of arylimidoyl radicals with alkynes - a new synthesis of quinolines. *Journal of the Chemical Society-Chemical Communications*(20), 1320-1321.
- Lijia, Z., Zhao, S., Wang, X., Wu, C., & Yang, J. (2012). A self-propelling cycle mediated by reactive oxide species and nitric oxide exists in LPS-activated microglia. *Neurochemistry international*, 61(7), 1220-1230.
- Lindberg, C., Hjorth, E., Post, C., Winblad, B., & Schultzberg, M. (2005). Cytokine production by a human microglial cell line: Effects of beta-amyloid and alpha-melanocyte-stimulating hormone. *Neurotoxicity Research*, 8(3-4), 267-276.
- Liu, B., Gao, H. M., Wang, J. Y., Jeohn, G. H., Cooper, C. L., & Hong, J. S. (2002). Role of nitric oxide in inflammation-mediated neurodegeneration. In C. C. Chiueh, J. S. Hong & S. K. Leong (Eds.), *Nitric Oxide: Novel Actions, Deleterious Effects and Clinical Potential* (Vol. 962, pp. 318-331).
- Lizos, D. E., & Murphy, J. A. (2003). Concise synthesis of (+/-)-horsfiline and (+/-)-coerulecine by tandem cyclisation of iodoaryl alkenyl azides. *Organic & Biomolecular Chemistry*, 1(1), 117-122.
- Loos, T., Dekeyzer, L., Struyf, S., Schutyser, E., Gijssbers, K., Gouwy, M., (2006). TLR ligands and cytokines induce CXCR3 ligands in endothelial cells: enhanced CXCL9 in autoimmune arthritis. *Laboratory Investigation*, 86(9), 902-916.
- Lovely, C. J., & Mahmud, H. (1999). An approach to the pyrroloquinoline core of martinelline and martinellid acid. *Tetrahedron Lett.*, 40(11), 2079-2082.
- Lund, S., Christensen, K. V., Hedtjarn, M., Mortensen, A. L., Hagberg, H., Falsig, J., (2006). The dynamics of the LPS triggered inflammatory response of murine microglia under different culture and in vivo conditions. *Journal of Neuroimmunology*, 180(1-2), 71-87.
- Lygin, A. V., & de, M. A. (2010). Isocyanides in the Synthesis of Nitrogen Heterocycles. *Angew. Chem., Int. Ed.*, 49(48), 9094-9124.

- Ma, D., Xia, C., Jiang, J., & Zhang, J. (2001). First Total Synthesis of Martinelllic Acid, a Naturally Occurring Bradykinin Receptor Antagonist. *Org. Lett.*, 3(14), 2189-2191.
- Majumdar, K. C., & Debnath, P. (2008). Thiol-mediated radical cyclizations. *Tetrahedron*, 64(42), 9799-9820.
- Mandrekar-Colucci, S., & Landreth, G. E. (2010). Microglia and Inflammation in Alzheimer's Disease. *Cns & Neurological Disorders-Drug Targets*, 9(2), 156-167.
- Martin, S. F., & Cheavens, T. H. (1989). Synthesis of polycyclic lactams via intramolecular dipolar cycloadditions of stabilized azomethine ylides. *Tetrahedron Lett.*, 30(50), 7017-7020.
- Martino, G. (2004). How the brain repairs itself: new therapeutic strategies in inflammatory and degenerative CNS disorders. *Lancet Neurology*, 3(6), 372-378.
- Matteson, D. S., Sadhu, K. M., & Lienhard, G. E. (1981). (R)-1-acetamido-2-phenylethaneboronic acid - a specific transition-state analog for chymotrypsin. *Journal of the American Chemical Society*, 103(17), 5241-5242.
- Mead, E. L., Mosley, A., Eaton, S., Dobson, L., Heales, S. J., & Pocock, J. M. (2012). Microglial neurotransmitter receptors trigger superoxide production in microglia; consequences for microglial-neuronal interactions. *Journal of Neurochemistry*, 121(2), 287-301.
- Medana, I. M., Hunt, N. H., & Chaudhri, G. (1997). Tumor necrosis factor-alpha expression in the brain during fatal murine cerebral malaria - Evidence for production by microglia and astrocytes. *American Journal of Pathology*, 150(4), 1473-1486.
- Mellor, J. M., & Merriman, G. D. (1995). Reaction of electron-rich alkenes with anilines and formaldehyde - syntheses of tetrahydroquinolines. *Tetrahedron*, 51(21), 6115-6132.
- Mellor, J. M., Merriman, G. D., & Riviere, P. (1991). Synthesis of tetrahydroquinolines from aromatic-amines, formaldehyde and electron rich alkenes - evidence for nonconcertedness. *Tetrahedron Letters*, 32(48), 7103-7106.
- Mitamura, T., Tsuboi, Y., Iwata, K., Tsuchii, K., Nomoto, A., Sonoda, M., (2007). Photoinduced thiotelluration of isocyanides by using a (PhS)(2)-(PhTe)(2) mixed system, and its application to bithiolation via radical cyclization. *Tetrahedron Letters*, 48(34), 5953-5957.
- Miyata, O., Shirai, A., Yoshino, S., Nakabayashi, T., Takeda, Y., Kiguchi, T., (2007). Development of radical addition-cyclization-elimination reaction of oxime ether and its application to formal synthesis of (+/-)-martinelline. *Tetrahedron*, 63(40), 10092-10117.

- Moarbess, G., Deleuze-Masquefa, C., Bonnard, V., Gayraud-Paniagua, S., Vidal, J.-R., Bressolle, F., (2008). In vitro and in vivo anti-tumoral activities of imidazo 1,2-a quinoxaline, imidazo 1,5-a quinoxaline, and pyrazolo 1,5-a quinoxaline derivatives. *Bioorganic & Medicinal Chemistry*, 16(13), 6601-6610.
- Mothana, B., Ban, F., Boyd, R. J., Thompson, A., & Hadden, C. E. (2005). The effect of electron-withdrawing groups on ¹⁵N and ¹³C chemical shifts: A density functional study on a series of pyrroles. *Mol. Phys.*, 103(6-8), 1113-1129.
- Muzio, L., Martino, G., & Furlan, R. (2007). Multifaceted aspects of inflammation in multiple sclerosis: The role of microglia. *Journal of Neuroimmunology*, 191(1-2), 39-44.
- Nagyoszi, P., Wilhelm, I., Farkas, A. E., Fazakas, C., Dung, N. T. K., Hasko, J., (2010). Expression and regulation of toll-like receptors in cerebral endothelial cells. *Neurochemistry International*, 57(5), 556-564.
- Naito, T. (2008). Heterocycle synthesis via radical reactions. *Pure and Applied Chemistry*, 80(4), 717-726.
- Nakai, M., Hojo, K., Taniguchi, T., Terashima, A., Kawamata, T., Hashimoto, T., (1998). PKC and tyrosine kinase involvement in amyloid beta (25-35)-induced chemotaxis of microglia. *Neuroreport*, 9(15), 3467-3470.
- Nimmerjahn, A., Kirchhoff, F., & Helmchen, F. (2005). Resting Microglial Cells Are Highly Dynamic Surveillants of Brain Parenchyma in Vivo. *Science (Washington, DC, U. S.)*, 308(5726), 1314-1318.
- Nitta, T., Hata, M., Gotoh, S., Seo, Y., Sasaki, H., Hashimoto, N., (2003). Size-selective loosening of the blood-brain barrier in claudin-5-deficient mice. *Journal of Cell Biology*, 161(3), 653-660.
- Nomura, Y., Kimura, M., Takeuchi, Y., & Tomoda, S. (1978). Enamines .8. Acid-catalyzed 4+2 cycloaddition between enamines and benzyldeneanilines - synthesis of 1,2,3,4-tetrahydroquinoline derivatives. *Chemistry Letters*(3), 267-270.
- Nyerges, M., Fejes, I., & Toke, L. (2000). An intermolecular 1,3-dipolar cycloaddition approach to the tricyclic core of martinelline and martinellic acid. *Tetrahedron Letters*, 41(41), 7951-7954.
- O'Neill, P. M., Bray, P. G., Hawley, S. R., Ward, S. A., & Park, B. K. (1998). 4-aminoquinolines - Past, present, and future: A chemical perspective. *Pharmacology & Therapeutics*, 77(1), 29-58.
- Okun, E., Griffioen, K. J., Lathia, J. D., Tang, S. C., Mattson, M. P., & Arumugam, T. V. (2009). Toll-like receptors in neurodegeneration. *Brain Research Reviews*, 59(2), 278-292.
- Oliver-Bever, B. (1986). Medicinal plants in tropical west africa. *Cambridge University Press*.

- Ono, K., Suzuki, H., & Sawada, M. (2010). Delayed neural damage is induced by iNOS-expressing microglia in a brain injury model. *Neurosci Lett*, 473(2), 146-150.
- Pal, D., Audus, K. L., & Siahaan, T. J. (1997). Modulation of cellular adhesion in bovine brain microvessel endothelial cells by a decapeptide. *Brain Research*, 747(1), 103-113.
- Palmisano, G., Annunziata, R., Papeo, G., & Sisti, M. (1996). Oxindole alkaloids. A novel non-biomimetic entry to (-)-horsfiline. *Tetrahedron-Asymmetry*, 7(1), 1-4.
- Pellegrini, C., Strassler, C., Weber, M., & Borschberg, H. J. (1994). Synthesis of the oxindole alkaloid (-)-horsfiline. *Tetrahedron-Asymmetry*, 5(10), 1979-1992.
- Perlmutter, L. S., Barron, E., & Chui, H. C. (1990). Morphologic association between microglia and senile plaque amyloid in Alzheimer's disease. *Neurosci Lett*, 119(1), 32-36.
- Perry, V. H., & Gordon, S. (1988). Macrophages and microglia in the nervous-system. *Trends in Neurosciences*, 11(6), 273-277.
- Pocock, J. M., & Kettenmann, H. (2007). Neurotransmitter receptors on microglia. *Trends in Neurosciences*, 30(10), 527-535.
- Possel, H., Noack, H., Putzke, J., Wolf, G., & Sies, H. (2000). Selective upregulation of inducible nitric oxide synthase (iNOS) by lipopolysaccharide (LPS) and cytokines in microglia: In vitro and in vivo studies. *Glia*, 32(1), 51-59.
- Posson, H., Hurvois, J. P., & Moinet, C. (2000). Imino Diels-Alder reaction: Application to the synthesis of diverse cyclopenta c quinoline derivatives. *Synlett*(2), 209-212.
- Powell, D. A., & Batey, R. A. (2002). Total synthesis of the alkaloids martinelline and martinelliac acid via a hetero Diels-Alder multicomponent coupling reaction. *organic letters*, 4(17), 2913-2916.
- Pryshchep, O., Ma-Krupa, W., Younge, B. R., Goronzy, J. J., & Weyand, C. M. (2008). Vessel-specific Toll-like receptor profiles in human medium and large arteries. *Circulation*, 118(12), 1276-1284.
- Quan, Y., Jiang, C.-t., Xue, B., Zhu, S.-g., & Wang, X. (2011). High glucose stimulates TNF alpha and MCP-1 expression in rat microglia via ROS and NF-kappa B pathways. *Acta Pharmacologica Sinica*, 32(2), 188-193.
- Rainier, J. D., & Kennedy, A. R. (2000). Cascades to substituted indoles. *Journal of Organic Chemistry*, 65(19), 6213-6216.
- Raivich, G. (2005). Like cops on the beat: the active role of resting microglia. *Trends Neurosci.*, 28(11), 571-573.
- Saegusa, T., Kobayash.S, & Ito, Y. (1970). Radical Reaction of Isocyanide with Thiol. *Journal of Organic Chemistry*, 35(7), 2118-&.

- Sastre, M., Klockgether, T., & Heneka, M. T. (2006). Contribution of inflammatory processes to Alzheimer's disease: molecular mechanisms. *Int J Dev Neurosci*, *24*(2-3), 167-176.
- Sawada, M., Kondo, N., Suzumura, A., & Marunouchi, T. (1989). Production of tumor necrosis factor-alpha by microglia and astrocytes in culture. *Brain Research*, *491*(2), 394-397.
- Schollkopf, U. (1977). Recent applications of alpha-metalated isocyanides in organic-synthesis. *Angewandte Chemie-International Edition in English*, *16*(6), 339-348.
- Selvakumar, N., Azhagan, A. M., Srinivas, D., & Krishna, G. G. (2002). A direct synthesis of 2-arylpropenoic acid esters having nitro groups in the aromatic ring: a short synthesis of +/-coerulescine and +/-horsfiline. *Tetrahedron Letters*, *43*(50), 9175-9178.
- Setzu, A., Lathia, J. D., Zhao, C., Wells, K., Rao, M. S., Ffrench-Constant, C., (2006). Inflammation stimulates myelination by transplanted oligodendrocyte precursor cells. *Glia*, *54*(4), 297-303.
- Sharaf, M. H. M., Schiff, P. L., Tackie, A. N., Phoebe, C. H., & Martin, G. E. (1996). Two new indoloquinoline alkaloids from *Cryptolepis sanguinolenta*: Cryptosanguinolentine and cryptotackieine. *Journal of Heterocyclic Chemistry*, *33*(2), 239-243.
- Shukla, N. M., Malladi, S. S., Day, V., & David, S. A. (2011). Preliminary evaluation of a 3H imidazoquinoline library as dual TLR7/TLR8 antagonists. *Bioorganic & Medicinal Chemistry*, *19*(12), 3801-3811.
- Shukla, N. M., Malladi, S. S., Mutz, C. A., Balakrishna, R., & David, S. A. (2010). Structure-Activity Relationships in Human Toll-Like Receptor 7-Active Imidazoquinoline Analogues. *Journal of Medicinal Chemistry*, *53*(11), 4450-4465.
- Singh, A. K., & Jiang, Y. (2004). How does peripheral lipopolysaccharide induce gene expression in the brain of rats? *Toxicology*, *201*(1-3), 197-207.
- Stence, N., Waite, M., & Dailey, M. E. (2001). Dynamics of microglial activation: A confocal time-lapse analysis in hippocampal slices. *Glia*, *33*(3), 256-266.
- Streit, W. J. (2002). Microglia as neuroprotective, immunocompetent cells of the CNS. *Glia*, *40*(2), 133-139.
- Takeda, Y., Nakabayashi, T., Shirai, A., Fukumoto, D., Kiguchi, T., & Naito, T. (2004). A formal synthesis of martinelline via a combination of two types of radical reactions. *Tetrahedron Letters*, *45*(17), 3481-3484.
- Tambuyzer, B. R., Ponsaerts, P., & Nouwen, E. J. (2009). Microglia: gatekeepers of central nervous system immunology. *Journal of Leukocyte Biology*, *85*(3), 352-370.

- Taylor, D. L., Jones, F., Kubota, E., & Pocock, J. M. (2005). Stimulation of microglial metabotropic glutamate receptor mGlu2 triggers tumor necrosis factor alpha-induced neurotoxicity in concert with microglial-derived fas ligand. *Journal of Neuroscience*, 25(11), 2952-2964.
- Tokuyama, H., Watanabe, M., Hayashi, Y., Kurokawa, T., Peng, G., & Fukuyama, T. (2001). A novel protocol for construction of indolylmethyl group at aldehydes or ketones. *Synlett*(9), 1403-1406.
- Tsuji, J., Takahashi, H., & Morikawa, M. (1965). Organic syntheses by means of noble metal compounds XVII. Reaction of π -allylpalladium chloride with nucleophiles. *Tetrahedron Letters*, 6(49), 4387-4388.
- Umkehrer, M., Kolb, J., Burdack, C., & Hiller, W. (2005). 2,4,5-Trisubstituted thiazole building blocks by a novel multi-component reaction. *Synlett*(1), 79-82.
- Vabulas, R. M., Ahmad-Nejad, P., da Costa, C., Miethke, T., Kirschning, C. J., Hacker, H., (2001). Endocytosed HSP60s use toll-like receptor 2 (TLR2) and TLR4 to activate the Toll/interleukin-1 receptor signaling pathway in innate immune cells. *Journal of Biological Chemistry*, 276(33), 31332-31339.
- Walter, L., & Neumann, H. (2009). Role of microglia in neuronal degeneration and regeneration. *Semin Immunopathol*, 31(4), 513-525.
- Walton, N. M., Sutter, B. M., Laywell, E. D., Levkoff, L. H., Kearns, S. M., Marshall, G. P., 2nd, (2006). Microglia instruct subventricular zone neurogenesis. *Glia*, 54(8), 815-825.
- Wang, J. Z., Seefeld, M. A., & Luengo, J. (2011). Unusual ligand-dependent chemoselective Suzuki-Miyaura cross-coupling reactions of 3-bromo-4-triflyl-thiophenes. *Tetrahedron Letters*, 52(48), 6346-6348.
- Wang, X., Smith, C., & Yin, H. (2013). Targeting Toll-like receptors with small molecule agents. *Chemical Society Reviews*, 42(12), 4859-4866.
- Wen, J., Ribeiro, R., & Zhang, Y. M. (2011). Specific PKC isoforms regulate LPS-stimulated iNOS induction in murine microglial cells. *Journal of Neuroinflammation*, 8.
- Wilkinson, B. L., & Landreth, G. E. (2006). The microglial NADPH oxidase complex as a source of oxidative stress in Alzheimer's disease. *Journal of Neuroinflammation*, 3.
- Witherup, K. M., Ransom, R. W., Graham, A. C., Bernard, A. M., Salvatore, M. J., Lumma, W. C., (1995). Martinelline and Martinelllic Acid, Novel G-Protein Linked Receptor Antagonists from the Tropical Plant *Martinella iquitosensis* (Bignoniaceae). *J. Am. Chem. Soc.*, 117(25), 6682-6685.
- Xia, C., Heng, L., & Ma, D. (2002). Total synthesis of (\hat{A} \pm)-martinelline. *Tetrahedron Lett.*, 43(51), 9405-9409.
- Yoon, H. J., Jun, C. D., Kim, J. M., Rim, G. N., Kim, H. M., & Chung, H. T. (1994). Phorbol ester synergistically increases interferon-gamma-induced nitric oxide synthesis in murine microglial cells. *Neuroimmunomodulation*, 1(6), 377-382.

- Yoshino, Y., Yamamoto, S., Kohsaka, S., Oshiro, S., & Nakajima, K. (2011). Superoxide anion contributes to the induction of tumor necrosis factor alpha (TNF alpha) through activation of the MKK3/6-p38 MAPK cascade in rat microglia. *Brain Research*, 1422, 1-12.
- Zakrzewski, J., & Krawczyk, M. (2009). Synthesis and Pesticidal Properties of Thio and Seleno Analogs of Some Common Urea Herbicides. *Phosphorus Sulfur and Silicon and the Related Elements*, 184(7), 1880-1903.
- Zehntner, S. P., Bourbonniere, L., Hassan-Zahraee, M., Tran, E., & Owens, T. (2004). Bone marrow-derived versus parenchymal sources of inducible nitric oxide synthase in experimental autoimmune encephalomyelitis. *Journal of Neuroimmunology*, 150(1-2), 70-79.
- Zhu, J., & Mohan, C. (2010). Toll-like receptor signaling pathways--therapeutic opportunities. *Mediators of inflammation*, 2010, 781235-781235.
- Ziv, Y., Ron, N., Butovsky, O., Landa, G., Sudai, E., Greenberg, N., (2006). Immune cells contribute to the maintenance of neurogenesis and spatial learning abilities in adulthood. *Nature Neuroscience*, 9(2), 268-275.

Publications & Presentations

B. Patel, G. Saviolaki, C. Ayats, M. A. E. Garcia, T. Kapadia and S. T. Hilton (2014). Tuneable radical cyclisations: a tin-free approach towards tricyclic and spirocyclic heterocycles via a common precursor. *RSC Adv.*, 4, 18930-18932

International poster presentation entitled "*Heterocycles targeting Neuroinflammation*" at 15th Asian Chemical Congress (ACC) – Singapore 19-22/08/2013

UCL School of Pharmacy research day talk presentation entitled: "*Biologically active compounds targeting Neuroinflammation*"- London 21/09/2013

Poster presentation entitled "*Radicals under Flow: A New approach towards the synthesis of the Pyrroloquinoline Core of Martinelline and Related Heterocycles*" at RSC- Innovations in Chemical Synthesis Conference – London 03/12/2013

International talk Presentation entitled "*Radicals Under Flow- A New Approach towards the synthesis of Biologically active Heterocycles*" at National Hellenic Research Institute- Chemistry for Health International Conference – Athens 14/09/2012

International poster presentation entitled "*A Novel Flow radical approach towards the synthesis of Biologically active Heterocycles*" at Aristotle University- Flow Analysis International Conference – Thessaloniki 28/09/2012