

Supplemental Table - Matrix showing the numbers of scans and scan pairs available for inclusion in the statistical analysis. All participants provided forward and backward measurements for each pair. The blue cells represent the number of control scans and scan pairs available, from a maximum of 23, while the red cells represent the AD scans and scan pairs available, from a maximum of 46. The number of scans and scan pairs that were excluded from analysis due to poor image quality are listed in brackets.

		Follow-up (weeks)		Baseline		2		6		12		26		38		52		78		104	
		Scan (1 or 2)		1		2		1		1		1		2		1		1		1	
Follow-up (weeks)	Scan (1 or 2)	Scans																			
		Scan Pairs																			
Baseline	1	Scans	45(3)	Scan Pairs		22	22	22	22	22	22	22	22	22	22	22	22	23	13(1)	8	
	2		43(1)		43(3)		21	21	21	21	21	21	21	21	21	21	21	21	22	12(1)	7
2	1		44		44(3)	42(1)		21	21	21	21	21	21	21	21	21	21	22	13(1)	8	
6	1		45(1)		44(3)	42(1)	43		22	21	21	21	21	21	21	21	21	22	12(1)	7	
	2		41		41(2)	40(1)	40	41		21	21	21	21	21	21	21	22	12(1)	7		
12	1		46(2)		45(5)	43(2)	44(2)	45(3)	41(1)		22	22	22	22	22	22	22	22	13(1)	8	
26	1		44		43(3)	41(1)	43	43(1)	40	44(2)		22	22	22	22	22	22	13(1)	8		
38	1		38		38(3)	36(1)	38	37	34	38(1)	37		22	22	13(1)	8					
	2		35		35(2)	34(1)	35	34	33	35	34	35		22	13(1)	8					
52	1		44(1)		43(3)	41(1)	43	43(1)	39	44(3)	43(1)	38	35		13(1)	8					
78	1		26		26(2)	25(1)	26	25	25	26	26	26	26	26	26	26		8			
104	1		14		14	13	14	13	13	14	14	13	13	14	13						