

words: 800

Psychodynamic therapy: a well-defined concept with increasing evidence

Falk Leichsenring¹, DSc, Allan Abbass², MD, FRCPC, William Gottdiener³, PhD, Mark Hilsenroth⁴, PhD, John R. Keefe⁵, MA; Patrick Luyten⁶, PhD, Sven Rabung⁷, PhD, Christiane Steinert¹, PhD

- 1 Department of Psychosomatics and Psychotherapy, Justus-Liebig-University Giessen, Ludwigstr. 76, D-35392 Giessen, Germany
- 2 Department of Psychiatry, Dalhousie University; Centre for Emotions and Health, Halifax, 8203 5909 Veterans Memorial Lane, Halifax, NS, Canada, B3H 2E2
- 3 Psychology Department, 524 West 59th Street, New York, NY 10019
- 4 The Derner Institute of Advanced Psychological Studies, Adelphi University, Hy Weinberg Center, Room 301 1 South Avenue, Garden City, NY 11530-0701, USA
- 5 Department of Psychology, University of Pennsylvania, 3720 Walnut Street, Philadelphia, PA 19104, USA
- 6 Faculty of Psychology and Educational Sciences, University of Leuven, Belgium, and Research Department of Clinical, Educational and Health Psychology, University College London, UK
- 7 Department of Psychology, Alpen-Adria-Universität Klagenfurt, Universitätsstr. 65-67, A-9020 Klagenfurt, Austria, and Department of Medical Psychology, University Medical Center Hamburg-Eppendorf, Martinistr. 52, D-20246 Hamburg, Germany

Corresponding author:
Prof. Dr. Falk Leichsenring
Department of Psychosomatics and Psychotherapy
University of Giessen
Ludwigstrasse 76
35392 Giessen
Germany
Falk.Leichsenring@psycho.med.uni-giessen.de

The efficacy of psychodynamic therapy (PDT) is well established^{1,2} and has been acknowledged by independent review committees.^{3,4} Stefan Hofmann, however, again questioned the empirical status of PDT.⁴ When confronted with evidence refuting his claims⁴, Hofmann ignored the data and repeated his critique in this journal.⁵

We again address Hofmann's claims.

1. Definition of PDT

Hofmann criticized PDT as a “poorly defined concept” claiming that all therapies including CBT would meet its definition.⁵ However, there is evidence that PDT and CBT can be significantly differentiated by blind raters (e.g. references # 26, 27, 40, 42, 46, 64, 67, 70, 81 in Leichsenring et al.¹) – also showing adequate treatment integrity in contrast to Hofmann's claims.⁵ Thus, PDT is well enough defined to reliably discriminate PDT from CBT.⁶

Including a large variety of behavioural and cognitive approaches, CBT is an umbrella concept, too - at least as wide as PDT. Hofmann has never criticized CBT for being “poorly defined”. It appears he is applying double standards when judging PDT vs. CBT.

2. Quality of research on PDT

Hofmann argues that RCTs of PDT suffer from almost any conceivable methodological flaw⁵ - again ignoring the evidence refuting his claims⁴:

- As shown by independent researchers including proponents of both CBT and PDT, the quality of PDT and CBT studies does not differ significantly.^{7, p. 22,8}

Most of the RCTs listed in the criticized review¹ were included in this comparison.^{7,8}

- Even if there are flaws, there is no evidence that study quality favors PDT (rather than resulting e.g. in greater error in effect estimates overall). Meta-analyses failed to find significant relationships between methodological quality and outcome for PDT e.g.⁸ - but did so for CBT.⁷
- If study quality questions PDT, this would equally apply to RCTs of CBT showing comparable study quality. Hofmann has never criticized these RCTs, although the vast majority of CBT RCTs on depression was recently shown to have a high risk of bias and to be underpowered.⁹ Instead, Hofmann highlighted 269 CBT meta-analyses⁵ - which, however, show considerable overlap thus not providing independent information.
- In contrast to Thoma et al.^{7,8}, Hofmann⁵ failed to include proponents of both PDT and CBT (adversarial collaboration).

3. Systematic Review

Hofmann's claim that⁵ "... treatments ... were combined in the meta-analysis" is simply not true, since we presented a systematic review, not a meta-analysis.¹ This is of note since possible shortcomings of individual studies would not affect the review as a whole.

4. Mechanisms of change

Hofmann misconstrues the purpose of RCTs which focus on outcome, not on process.⁵ Furthermore, there is a consensus that mechanisms of change of psychotherapy are far from being clear.^{10,11} This is true for CBT as well¹¹, so

Hofmann's claim that this is a unique limit of PDT is gratuitous, all the more so as there is evidence that gains in self-understanding are related to outcome in PDT.¹⁰

5. Conclusions

All the information listed above were demonstrably available to Hofmann.⁴ From his recent comment we question why he chose to ignore them. It appears that his article misuses research as a political means to devalue PDT and to idealize CBT.

Due to Hofmann's negative publicly expressed opinions about of PDT^{4,12} and the way he conducted this critique⁵, we respectfully ask again that if he writes about PDT that he involve psychodynamic researchers in the process in order to facilitate a balanced dialogue.⁴ We again would welcome the collaboration with CBT researchers.⁴

References

1. Leichsenring F, Luyten P, et al. Psychodynamic therapy meets evidence-based medicine: a systematic review using updated criteria. *Lancet Psychiatry* 2015;2:648-60.
2. Abbass AA, Kisely SR, et al. Short-term psychodynamic psychotherapies for common mental disorders. *Cochrane Database Syst Rev* 2014;7.
3. www.wbpsychotherapie.de.
4. <http://www.ncbi.nlm.nih.gov/pubmed/26303562>.
5. Hofmann SG. Psychodynamic therapy: a poorly defined concept with questionable evidence. *Evid Based Ment Health* 2016.
6. Blagys MD, Hilsenroth MJ. Distinctive features of short-term psychodynamic-interpersonal psychotherapy: a review of the comparative psychotherapy process literature. *Clin Psychol* 2000;7:167-88.
7. Thoma NC, McKay D, et al. A quality-based review of randomized controlled trials of cognitive-behavioral therapy for depression: an assessment and metaregression. *Am J Psychiatry* 2012;169.
8. Gerber AJ, Kocsis JH, et al. A quality-based review of randomized controlled trials of psychodynamic psychotherapy. *Am J Psychiatry* 2011;168:19-28.
9. Cuijpers P. Are all psychotherapies equally effective in the treatment of adult depression? The lack of statistical power of comparative outcome studies. *Evid Based Ment Health* 2016.

10. Crits-Christoph P, Connolly Gibbons MB, et al. Psychotherapy process outcome research. In: Lambert MJ, ed. *Bergin and Garfield's handbook of psychotherapy and behavior change* 6ed. New York: Wiley; 2013:298-340.
11. Kazdin AE. Understanding how and why psychotherapy leads to change. *Psychother Res* 2009;19:418-28.
12. Hofmann SG, Sawyer AT, et al. The effect of mindfulness-based therapy on anxiety and depression: a meta-analytic review *J Consult Clin Psychol* 2010; 78 169-83.