

TABLE I: Prevalence of and factors associated with infertility by sex

TABLE I	WOMEN						MEN					
	Pregnancy attempt 12 months or longer		Age-adjusted regression				Pregnancy attempt 12 months or longer		Age-adjusted regression			
	%	95% CI	AOR	95% CI	p-value	Denominators (unweighted, weighted)	%	95% CI	AOR	95% CI	p-value	Denominators (unweighted, weighted)
ALL	12.5%	(11.7-13.3)				8066, 7052	10.1%	(9.2-11.1)				5553, 6811
Age at interview					<0.0001						<0.0001	
16-24	5.3	(4.3-6.6)	1.00			1695, 944	3.7	(2.6-5.1)	1.00			1325, 971
25-34	12.0	(10.7-13.5)	2.43	(1.87-3.17)		2366, 1306	8.5	(7.0-10.2)	2.44	(1.62-3.67)		1421, 1274
35-44	17.7	(15.7-20.0)	3.85	(2.92-5.06)		1173, 1403	14.9	(12.4-17.8)	4.62	(3.10-6.87)		780, 1377
45-54	12.5	(10.6-14.7)	2.56	(1.90-3.45)		1062, 1374	14.5	(11.8-17.7)	4.48	(2.95-6.81)		741, 1328
55-64	13.2	(11.0-15.6)	2.71	(2.00-3.66)		972, 1170	7.8	(5.9-10.3)	2.24	(1.41-3.56)		697, 1094
65-74	11.4	(9.2-14.0)	2.29	(1.65-3.18)		798, 854	8.2	(6.1-11.0)	2.35	(1.47-3.74)		589, 767
Relationship history												
Relationship status at interview					<0.0001						<0.0001	
Married/cohabiting	15.2	(14.1-16.4)	1.00	-		4348, 4669	12.6	(11.3-14.0)	1.00	-		2925, 4640
Non-cohabiting partnership	6.1	(4.8-7.8)	0.39	(0.29-0.51)		1355, 786	4.0	(2.7-5.8)	0.29	(0.18-0.45)		941, 755
No 'steady' partner	7.6	(6.5-9.0)	0.46	(0.38-0.57)		2326, 1573	5.3	(4.2-6.7)	0.39	(0.29-0.51)		1653, 1384
Ever cohabited with a partner					<0.0001						<0.0001	
Never	2.2	(1.5-3.2)	1.00			1499, 855	2.1	(1.3,3.3)	1.00			1481, 1151
Ever	13.8	(12.9-14.8)	7.50	(5.01-11.25)		6350, 6013	11.8	(10.7,13.0)	6.91	(4.13-11.55)		3920, 5465
Age at first cohabitation					0.0685						0.8975	
Under 20	12.9	(11.3-14.7)	1.00			1970, 1685	11.6	(9.0-14.9)	1.00			574, 677
20-29	13.8	(12.7-15.1)	1.09	(0.91-1.30)		3972, 3856	11.9	(10.6-13.4)	1.05	(0.77-1.44)		2852, 3982
30 or older	17.6	(13.9-22.0)	1.45	(1.06-1.99)		402, 464	11.1	(8.5-14.5)	0.98	0.65-1.48)		465, 763
Number of cohabiting relationships ever					0.1034						0.2639	
1	13.7	(12.6-14.9)	1.00			4565, 4272	11.5	(10.2-12.9)	1.00			2718, 3773
2	13.2	(11.2-15.5)	0.97	(0.78-1.20)		1370, 1343	11.5	(9.4-14.1)	1.02	(0.78-1.33)		860, 1221
3+	17.7	(14.0-22.2)	1.37	(1.01-1.85)		415, 398	14.6	(11.0-19.1)	1.33	(0.94-1.89)		342, 471
Reproductive history												
Ever had a child					0.0880						0.0070	
Yes	13.2	(12.2-14.3)	1.00			5248, 5110	11.7	(10.4-13.2)	1.00			2694, 4031
No	10.5	(9.2-11.9)	0.83	(0.68-1.03)		2808, 1935	7.9	(6.7-9.3)	0.68	(0.52-0.90)		2857, 2775
Age at birth of first child²					<0.0001						<0.0001	
<25	9.0	(7.9-10.3)	1.00			3047, 2709	7.6	(5.9-9.7)	1.00			946, 1234
25-29	13.2	(11.3-15.3)	1.54	(1.23-1.92)		1337, 1392	10.2	(8.1-12.7)	1.44	(1.00-2.06)		902, 1363
30-34	20.9	(17.6-24.6)	2.63	(2.03-3.40)		616, 709	14.5	(11.4-18.3)	2.08	(1.41-3.08)		520, 852

35+	35.1	(28.6-42.1)	5.57	(3.97-7.83)	227, 278	19.8	(15.3-25.4)	3.27	(2.16-4.96)	301, 550
Abortion ever					0.5855					
No	12.4	(11.5-13.3)	1.00	-	6853, 6046					
Yes	12.9	(10.7-15.5)	1.07	(0.84-1.35)	1176, 968					
Socio-economic position										
Educational level¹					0.0006					0.5684
Degree	14.5	(12.8-16.3)	1.00		1938, 1755	12.0	(10.1-14.2)	1.00		1375, 1904
A-level/equivalent	13.5	(11.6-15.7)	0.90	(0.72-1.14)	1546, 1420	11.0	(9.1-13.1)	0.90	(0.68-1.19)	1336, 1762
GCSE, O-level or equivalent	13.9	(12.4-15.6)	0.93	(0.76-1.13)	2496, 2294	10.3	(8.6-12.4)	0.84	(0.64-1.12)	1382, 1750
Foreign or other	11.3	(5.8-21.0)	0.76	(0.36, 1.62)	86, 67	12.9	(5.8-26.5)	1.11	(0.44-2.77)	46, 57
None	8.8	(7.1-10.9)	0.53	(0.40, 0.71)	966, 950	9.2	(6.7-12.4)	0.73	(0.48-1.09)	530, 701
Social Class (NS-SEC)					<0.0001					0.0003
Managerial and prof occupations	15.2	(13.5-17.0)	1.00		2341, 2230	12.8	(11.1-14.6)	1.00		1786, 2514
Intermediate occupations	13.5	(11.6-15.7)	0.87	(0.70, 1.09)	1586, 1426	10.0	(7.9-12.6)	0.76	(0.55-1.03)	871, 1159
Semi-routine/,routine occupations	11.1	(9.7-12.7)	0.70	(0.58, 0.86)	2282, 1874	9.3	(7.9-11.0)	0.71	(0.55-0.91)	1926, 2235
No job (10+ hrs/week) or not in the last 10 years	11.7	(9.8-14.0)	0.71	(0.55, 0.93)	1098, 1045	7.4	(4.7-11.4)	0.52	(0.31-0.88)	387, 426
Student in full-time education	2.9	(1.8-4.7)	0.18	(0.11, 0.30)	721, 443	2.3	(0.9-5.8)	0.18	(0.07-0.49)	565, 456
Index of Multiple Deprivation (IMD) - quintile					0.5362					0.2590
1-2 (least deprived)	13.2	(11.9-14.6)	1.00		3062, 2909	11.1	(9.6-12.8)	1.00		2197, 2870
3	12.5	(10.7-14.5)	0.96	(0.78-1.18)	1570, 1371	8.7	(6.9-11.0)	0.78	(0.57-1.05)	1080, 1329
4-5 (most deprived)	11.7	(10.5-13.1)	0.91	(0.76-1.08)	3434, 2772	9.8	(8.4-11.4)	0.90	(0.71-1.15)	2276, 2613
Health status and behaviour										
Longstanding illness, disability or infirmity at interview					0.5323					0.7067
None	11.9	(10.9-12.9)	1.00		5528, 4654	9.6	(8.4-10.8)	1.00		3904, 4625
Non-limiting	13.6	(11.4-16.2)	1.10	(0.88-1.38)	1109, 1046	11.6	(9.2-14.5)	1.14	(0.83-1.57)	754, 1050
Limiting	13.6	(11.7-15.9)	1.10	(0.89-1.35)	1428, 1351	11.0	(8.8-13.8)	1.07	(0.79-1.46)	893, 1135
Body Mass Index at interview					0.1552					0.7047
Underweight/normal)	11.5	(10.3-12.7)	1.00	-	4078, 3378	9.4	(8.1-11.0)	1.00	-	2480, 2709
Overweight	13.4	(11.8-15.1)	1.14	(0.95-1.38)	2041, 1913	10.2	(8.7-11.8)	1.03	(0.80-1.32)	1943, 2612
Obese	14.1	(12.1-16.4)	1.22	(0.98-1.51)	1443, 1347	11.3	(9.2-13.8)	1.13	(0.85-1.50)	937, 1290
Treated for depression in the last 12 months					0.0780					0.1560
No	12.2	(11.3-13.1)	1.00		6938, 6141	10.0	(9.0-11.0)	1.00		5164, 6390
Yes	14.4	(12.0-17.2)	1.23	(0.98-1.54)	1126, 909	12.9	(9.2-17.6)	1.32	(0.90-1.95)	387, 420
Ever smoked regularly					0.7471					0.1897
No	12.3	(11.2-13.5)	1.00	-	3993, 3648	10.7	(9.3-12.2)	1.00	-	2535, 3120
Yes	12.6	(11.5-13.9)	1.03	(0.88-1.20)	4073, 3404	9.7	(8.5-11.0)	0.87	(0.70-1.07)	3018, 3691
Binge drinking³					0.2716					0.9991
Never/rarely	13.1	(12.1-14.2)	1.00	-	5121, 4682	10.3	(9.1-11.6)	1.00	-	3011, 3924
Monthly	11.5	(9.4-13.8)	0.93	(0.73-1.19)	1121, 846	9.6	(7.5-12.2)	0.99	(0.72-1.36)	960, 1074

Minimum weekly	10.3	(8.0-13.1)	0.80	(0.60-1.06)	942, 772	9.8	(7.9-12.1)	1.00	(0.75-1.32)	1222, 1384
Ever diagnosed with an STI					0.2631					0.0352
No	12.3	(11.5-13.3)	1.00	-	6650, 5982	9.7	(8.7-10.8)	1.00	-	4780, 5870
Yes	13.1	(11.1-15.5)	1.13	(0.91-1.40)	1363, 1023	12.8	(10.0-16.3)	1.39	(1.02-1.88)	724, 879
Ever diagnosed with chlamydia					0.8825					0.0102
No	12.5	(11.6-13.4)	1.00	-	7357, 6585	9.9	(9.0-11.0)	1.00	-	5189, 6442
Yes	11.2	(8.5-14.5)	0.98	(0.71-1.34)	612, 379	15.0	(10.2-21.4)	1.81	(1.15-2.84)	275, 257

Denominator: All those who reported having experience of heterosexual sex and who gave a valid answer to the question on experience of infertility

¹Participants aged 21 and older only

²Only those who had a child

³Binge drinking defined as how often do you drink >6 (for women) or >8 (for men) units on one occasion

TABLE II: Prevalence of and factors associated with help seeking among those with experience of infertility by sex

TABLE II	WOMEN						MEN					
	%	95% CI	AOR	95% CI	p-value	<i>Denominators (unweighted, weighted)</i>	%	95% CI	AOR	95% CI	p-value	<i>Denominators (unweighted, weighted)</i>
ALL	57.3	(53.6-61.0)				923,879	53.2	(48.1-58.1)				470,691
Age group					<0.0001						0.0004	
16-24	32.6	(22.9-44.0)	0.49	0.28-086		93, 50	14.1	(6.8-27.1)	0.17	0.07- 0.41		47, 36
25-34	49.5	(43.1-55.9)	1.00			278, 157	49.6	(40.1-59.1)	1.00			112, 108
35-44	63.3	(56.0-70.0)	1.76	1.18-2.63		208, 249	56.9	(47.2-66.2)	1.34	0.78-2.33		116, 206
45-54	58.0	(49.0-66.5)	1.41	0.91-2.20		136, 172	56.1	(45.4-66.3)	1.30	0.73-2.30		94, 193
55-64	58.3	(48.8-67.2)	1.43	0.90-2.27		120, 154	58.1	(43.8-71.1)	1.41	0.71-2.80		54, 86
65-74	64.9	(54.0-74.4)	1.89	1.13-3.15		88, 97	53.1	(38.7-67.0)	1.15	0.57-2.30		47, 63
Relationship history												
Relationship status at interview					<0.0001						0.0049	
Married/cohabiting	60.5	(56.3-64.5)	1.00			660, 710	56.1	(50.5-61.6)	1.00			348, 585
Non-cohabiting partnership	47.5	(35.6-59.7)	0.68	0.40-1.13		88, 48	28.9	(15.2-48.1)	0.35	0.15-0.81		34, 30
No 'steady' partner	43.2	(35.1-51.7)	0.43	0.30-0.64		173,120	39.9	(29.1-51.7)	0.53	0.32-0.89		85, 74
Ever cohabited with a partner					0.0202						0.0017	
Never	26.7	(12.3-48.7)	1.00			37,,19	14.9	(6.1-32.3)	1.00			25,24
Ever	58.1	(54.3-61.9)	3.10	1.19-8.07		853,832	54.7	(49.3-59.9)	5.63	1.91-16.58		424,643
Age at first cohabitation					0.0838						0.0259	
Under 20	51.8	(44.6-59.0)	1.00			253,217	36.9	(25.3-50.2)	1.00			68,78
20-29	61.4	(56.7-65.8)	1.44	1.03-2.04		532,533	56.6	(50.3-62.7)	2.11	1.13-3.93		298,474
30 or older	53.7	(41.0-66.0)	1.05	0.58-1.91		68,82	64.0	(49.8-76.1)	2.83	1.26-6.35		55,85
Number of cohabiting relationships ever					0.5119						0.0175	
1	58.8	(54.3-63.2)	1.00			612,584	59.6	(53.0-65.7)	1.00			280,433
2	54.4	(45.9-62.7)	0.83	0.56-1.22		170,177	46.1	(35.5-57.1)	0.57	0.34-0.96		93,141
3+	61.9	(49.5-72.9)	1.14	0.67-1.96		71, 70	41.6	(27.7-56.8)	0.47	0.24-0.92		51, 69
Reproductive history												
Ever had a child					0.0452						0.3770	
Yes	57.0	(52.7-61.2)	1.00			683,676	52.3	(46.0-58.6)	1.00			293,471
No	58.7	(51.5-65.4)	1.14	0.81-1.59		239,203	54.9	(46.6-62.9)	1.22	0.79-1.88		177,220
Age at birth of first child					<0.0001						0.0092	
<25	43.0	(36.1- 50.1)	1.00			297,245	32.3	(21.2-45.8)	1.00			74, 94
25-29	59.3	(51.5-66.7)	1.89	1.22-2.92		184,183	48.9	(37.5-60.3)	1.82	0.86-3.87		89,139
30-34	65.8	(56.5-74.0)	2.51	1.54-4.09		129,148	68.0	(54.8-78.8)	4.14	1.85-9.24		68,129
35 plus	74.6	(62.8-83.7)	3.73	1.99-6.99		71, 98	56.4	(43.0-68.8)	2.42	1.08-5.41		57,109

Abortion ever					0.954						
No	57.4	(53.4-61.3)	1.00			788,749					
Yes	56.3	(46.2-66.0)	0.99	0.64-1.52		131,125					
Socio-economic position											
Educational level¹					0.0001					0.0158	
Degree	65.5	(58.8-71.7)	1.00			242,255	66.9	(57.4-75.1)	1.00	131,228	
A-level/equivalent	58.0	(50.1-65.5)	0.73	0.47-1.12		202,197	47.0	(37.8-56.5)	0.44	0.25-0.77	131,198
GCSE, O-level or equivalent	55.6	(49.6-61.5)	0.64	0.44-0.94		360,330	46.4	(37.1-56.0)	0.45	0.26-0.79	149,189
Foreign or other	7.1	(0.9-38.1)	0.05	0.01-0.41		11, 8	32.8	(9.27-69.9)	0.27	0.05-1.45	7,7.
None	42.9	(32.9-53.5)	0.33	0.20-0.56		106, 89	45.8	(31.2-61.2)	0.40	0.19-0.86	52, 68
Social Class (NS-SEC)					0.0069					0.0136	
Managerial and prof occupations	63.0	(56.9-68.6)	1.00			312,338	60.2	(52.6-67.4)	1.00	195,322	
Intermediate occupations	62.2	(54.2-69.7)	0.96	0.63-1.46		201,193	53.8	(41.8-65.4)	0.77	0.42-1.38	80,116
Semi-routine/routine occupations	47.0	(39.8-54.2)	0.54	0.37-0.81		256,209	42.8	(34.5-51.6)	0.53	0.33-0.85	161,208
No job (10+ hrs/week) or not in the last 10 years	52.3	(42.7-61.8)	0.56	0.35-0.89		131,123	37.0	(18.7-60.1)	0.34	0.13-0.91	24,32
Student in full-time education	46.2	(24.0-70.0)	0.64	0.23-1.80		18,13	78.2	(40.6-94.9)	2.85	0.59-13.90	8,11
Index of Multiple Deprivation (IMD) - quintile					0.0583					0.0912	
1-2 (least deprived)	63.3	(57.7-68.6)	1.00			360,383	60.5	(53.0-67.6)	1.00	193,319	
3	54.6	(46.1-62.8)	0.71	0.47-1.09		175,171	47.1	(35.2-59.3)	0.60	0.34-1.09	79,116
4-5 (most deprived)	51.8	(45.7-57.8)	0.67	0.47-0.94		388,326	46.7	(38.8-54.9)	0.62	0.39-1.00	198,256
Health status and behaviour											
Longstanding illness, disability or infirmity					0.2087					0.7814	
None	58.1	(53.7-62.5)	1.00			600,553	52.3	(46.0-58.4)	1.00	305,443	
Non-limiting	51.9	(42.6-61.0)	0.68	0.44-1.04		136,142=	57.5	(45.2-68.9)	1.11	0.63-1.96	79,122
Limiting	59.1	(50.8-66.9)	0.91	0.62-1.35		187,184	51.8	40.0-63.4)	0.87	0.50-1.52	85,125
Body Mass Index at interview					0.4549					0.7502	
Underweight	61.9	(39.3-80.3)	1.29	0.52-3.18		22, 17	44.3	(10.9-83.7)	0.77	0.12-4.86	6, 9
Normal	57.5	(52.1-62.7)	1.00			401,370	54.9	(46.5-63.1)	1.00	175,247	
Overweight	61.2	(54.3-67.6)	1.12	0.78-1.60		261,256	50.2	(42.0-58.3)	0.77	0.47-1.25	175,266
Obese	52.8	(44.5-60.9)	0.80	0.54-1.19		191,190	54.6	(43.6-65.1)	0.93	0.53-1.64	98,145
Treated for depression in the last 12 months					0.6310					0.4820	
No	57.8	(53.8-61.7)	1.00			771, 748	53.7	(48.4-58.9)	1.00	426, 637	
Yes	54.8	(45.8-63.6)	0.91	0.61-1.35		152, 131	46.6	(30.1-63.9)	0.77	0.37-1.60	44, 54
Ever smoked regularly					0.2400					0.1310	
No	59.6	(54.4-64.7)	1.00			438,448	57.3	(50.0-64.3)	1.00	209,334	
Yes	54.9	(49.6-60.1)	0.84	0.62-1.13		485,431	49.3	(42.4-56.2)	0.73	0.48-1.10	261,357
Binge drinking²					0.1592					0.0532	
Never or less than monthly	56.1	(52.0-60.1)	1.00			726,702	58.1	(51.7-64.3)	1.00	289,452	
Monthly	59.6	(49.0-69.3)	1.28	0.81-2.01		112, 97	42.4	(30.9-54.8)	0.56	0.32-0.99	78,103

At least weekly	65.9	(53.9-76.1)	1.57	0.93-2.63	84,79	44.7	(34.1-55.9)	0.61	0.36-1.02	103,136
Ever diagnosed with an STI					0.5740					0.2220
No	57.3	(53.2-61.3)	1.00		755,738	55.1	(49.6-60.5)	1.00		385,569
Yes	58.1	(49.3-66.5)	1.12	0.75-1.67	162,134	45.8	(33.9-58.2)	0.71	0.42-1.23	79,113
Ever diagnosed with chlamydia					0.5220					0.1180
No	57.9	(54.0-61.71)	1.00		841,822	55.0	(49.7-60.1)	1.00		429,640
Yes	49.2	(36.0-62.6)	0.82	0.45-1.49	68,42	34.9	(18.4-56.1)	0.49	0.20-1.20	33,39

Denominator: all those who reported experience of heterosexual sex and of infertility

¹Participants aged 21 and older only

²Binge drinking defined as how often do you drink >6 (for women) or >8 (for men) units on one occasion

TABLE III: Associations between experience of infertility and aspects of current well-being and relationship quality among women aged 50 and younger at interview*

TABLE III															
WOMEN	DEPRESSION ¹					DISSATISFIED WITH SEX LIFE ²					HAPPY IN RELATIONSHIP ³				
	%	AOR	95% CI	p-value	N (unweighted, weighted)	%	AOR	95% CI	p-value	N (unweighted, weighted)	%	AOR	95% CI	p-value	N (unweighted, weighted)
Experience of infertility				0.002					0.031					0.689	
No	11.4	1.00			5238, 3964	13.1	1.00			5230, 3962	62.4	1.00			3018, 2561
Yes	15.3	1.63	1.20-2.21		667, 566	16.2	1.37	1.03-1.83		664, 563	64.2	1.05	0.83-1.34		482, 444
Age at interview				0.078					<0.001					0.016	
16-24	14.1	1			2001, 1119	9.8	1			1985, 1109	66.3	1			756, 430
25-34	9.6	0.9	0.69-1.17		2419, 1339	12.8	1.56	1.17-2.09		2409, 1334	66.2	0.8	0.61-1.04		1541, 909
35-50	12.3	1.2	0.88-1.71		1885, 2325	15.7	2.1	1.47-3.01		1875, 2316	59.8	0.63	0.45-0.87		1226, 1683
Highest educational qualification				<0.001					<0.001					0.238	
Degree	7.6	1.00			1659, 1382	18.2	1.00			1655, 1378	64.5	1.00			1101, 980
A-level or equivalent	11.1	1.45	1.07-1.97		1753, 1296	12.3	0.62	0.48-0.80		1742, 1288	64.1	1.06	0.84-1.34		919, 772
GCSE, O-level or equivalent	14.2	1.83	1.37-2.42		2347, 1715	11.0	0.51	0.40-0.65		2330, 1707	61.6	1.00	0.80-1.25		1254, 1075
Other	8.2	1.32	0.47-3.77		85, 66	3.6	0.25	0.09-0.73		85, 66	65.0	1.01	0.46-2.23		47, 35
None	23.7	3.36	2.27-4.98		454, 318	13.7	0.57	0.38-0.86		449, 315	50.8	0.65	0.43-0.97		199, 158
Relationship status at interview				<0.001					<0.001					0.002	
Married/cohabiting	9.5	1.00			3130, 2940	11.2	1.00			3121, 2933	63.5	1.00			2754, 2583
Non-cohabiting partnership	12.6	1.24	0.92-1.68		1258, 697	6.5	0.74	0.52-1.04		1258, 697	57.5	0.62	0.46-0.84		769, 440
No 'steady' partner	17.9	2.26	1.74-2.93		1881, 1125	24.0	3.67	2.88-4.66		1872, 1119
Duration of relationship				0.159					0.289					0.103	
1 year or less	13.8	1.00			2431, 1397	13.4	1.00			2411, 1385	63.5	1.00			765, 450
2 to 5 years	12.1	0.90	0.64-1.27		1288, 843	13.5	0.85	0.59-1.22		1281, 839	66.7	1.46	1.04-2.04		845, 599
6 to 10 years	9.6	0.67	0.45-1.00		1026, 803	12.5	0.72	0.49-1.07		1021, 801	66.0	1.52	1.06-2.18		746, 613
11 years or more	10.9	0.69	0.45-1.06		1250, 1544	14.0	0.91	0.59-1.40		1247, 1542	59.8	1.32	0.92-1.89		958, 1229
Age at first cohabitation				0.007					0.112					0.007	
Never cohabited	13.3	1.00			1792, 1008	12.6	1.00			1775, 998	66.8	1.00			473, 257

Under 20	16.3	1.57	1.09-2.25	1374, 1000	13.9	1.64	1.10-2.45	1369, 996	57.6	0.51	0.32-0.79	857, 672
20-29	9.6	1.08	0.74-1.56	2715, 2358	13.5	1.37	0.96-1.97	2704, 2352	63.7	0.66	0.43-1.00	1910, 1788
30 or older	9.2	0.92	0.51-1.67	265, 297	15.6	1.47	0.86-2.51	263, 297	66.6	0.75	0.43-1.31	188, 224
Experience of parenthood	.			0.891	.			0.326				0.056
No	12.0	1.00		2884, 1862	13.7	1.00		2867, 1852	67.9	1.00		1247, 877
Yes	12.0	1.02	0.79-1.31	3405, 2907	13.4	0.89	0.70-1.12	3393, 2899	60.5	0.81	0.65-1.01	2273, 2143

Denominator: all women 50 years and younger with experience of heterosexual sex and of infertility

* adjusted for all variables

¹ Positive response to composite question on depressive symptoms in two weeks before interview.

² Responded 'disagree' or 'disagree strongly' with statement: 'I feel satisfied with my sex life'.

³ Responded 1 or 2 to question: 'On a scale of 1 to 7, how happy or unhappy are you with your relationship with your partner, all things considered?'
(1=very happy and 7= very unhappy)