

**Table 3:** Regression analyses with single items as predictors

Step	Variables	R <sup>2</sup>	change in R <sup>2</sup>	Significance of R <sup>2</sup> change	Standardized beta coefficient in the final model	Significance of beta coefficient
<b>Criterion: (i) "Pained expression"</b>						
1	"Looking tense"	<b>0.295</b>	0.295	<0.001	0.317	<0.001
2	"Narrowed eyes"	<b>0.371</b>	0.076	<0.001	0.140	0.024
3	"Tearful eyed"	<b>0.416</b>	0.045	<0.001	0.194	0.001
4	"Tightened lips"	<b>0.455</b>	0.039	<0.001	0.211	0.001
5	"Frowning"	<b>0.469</b>	0.014	0.019	0.151	0.019
<b>Criterion: (ii) "Pain intensity"</b>						
1	„Frowning“	<b>0.258</b>	0.258	<0.001	0.508	<0.001
2	„Looking tense“	<b>0.346</b>	0.088	<0.001	0.360	<0.001
3	„Tightened lips“	<b>0.405</b>	0.059	<0.001	0.331	<0.001
4	„Opened mouth“	<b>0.423</b>	0.018	0.010	0.320	0.004
5	„Looking sad“	<b>0.435</b>	0.012	0.038	0.287	0.007
6	„Empty gaze“	<b>0.447</b>	0.012	0.032	0.253	0.032