















# Towards standard practices for sharing computer code and programs in neuroscience

 Stephen J. Eglen<sup>1,†</sup>,  Ben Marwick<sup>2</sup>,  Yaroslav O. Halchenko<sup>3</sup>,  Michael Hanke<sup>4,5</sup>,  
 Shoaib Sufi<sup>6</sup>,  Padraig Gleeson<sup>7</sup>,  R. Angus Silver<sup>7</sup>,  Andrew P. Davison<sup>8</sup>,  
 Linda Lanyon<sup>9</sup>,  Mathew Abrams<sup>9</sup>,  Thomas Wachtler<sup>10</sup>,  
 David J. Willshaw<sup>11</sup>,  Christophe Pouzat<sup>12</sup>,  Jean-Baptiste Poline<sup>13,†</sup>

February 28, 2017

<sup>1</sup> Cambridge Computational Biology Institute, Department of Applied Mathematics and Theoretical Physics, University of Cambridge, UK

<sup>2</sup> Department of Anthropology, University of Washington, Seattle, WA 98195-3100 USA

<sup>3</sup> Department of Psychological and Brain Sciences, Dartmouth College, Hanover, NH 03755 USA

<sup>4</sup> Institute of Psychology II, Otto-von-Guericke-University Magdeburg, 39106 Magdeburg, Germany

<sup>5</sup> Center for Behavioral Brain Sciences, 39106 Magdeburg, Germany

<sup>6</sup> Software Sustainability Institute, University of Manchester, UK

<sup>7</sup> Department of Neuroscience, Physiology and Pharmacology, University College London, UK

<sup>8</sup> Unité de Neurosciences, Information et Complexité, CNRS, Gif sur Yvette, France

<sup>9</sup> International Neuroinformatics Coordinating Facility, Karolinska Institutet, Stockholm, Sweden

<sup>10</sup> Department of Biology II, Ludwig-Maximilians-Universität München, Germany

<sup>11</sup> Institute for Adaptive and Neural Computation, School of Informatics, University of Edinburgh, UK

<sup>12</sup> MAP5 Paris-Descartes University and CNRS UMR 8145, 45 rue des Saints-Pères, 75006 Paris, France

<sup>13</sup> Henry H. Wheeler, Jr. Brain Imaging Center, Helen Wills Neuroscience Institute, University of California, Berkeley, USA

† Corresponding authors: S. J. Eglen@damtp.cam.ac.uk, jbpoline@gmail.com

## Background

2 Many areas of neuroscience are now critically dependent on computational tools to help  
understand the large volumes of data being created. Furthermore, computer models are  
4 increasingly being used to help predict and understand the function of the nervous sys-  
tem. Many of these computations are complex and usually cannot be concisely reported  
6 in the methods section of a scientific article. In a few areas there are widely used software  
packages for analysis (e.g., SPM, FSL, AFNI, FreeSurfer, Civet in neuroimaging) or sim-  
8 ulation (e.g. NEURON, NEST, Brian). However, we often write new computer programs  
to solve specific problems in the course of our research. Some of these programs may be  
10 relatively small scripts that help analyze all of our data, and these rarely get described  
in papers. As authors, how best can we maximize the chances that other scientists can  
12 reproduce our computations, find errors, or reuse our methods on their data? Is our  
research reproducible<sup>1</sup>?

14 To date, the sharing of computer programs underlying neuroscience research has  
been the exception (see below for some examples), rather than the rule. However, there  
16 are many potential benefits to sharing these programs, including increased understand-  
ing and reuse of your work. Furthermore, open source programs can be scrutinized and  
18 improved, whereas the functioning of closed source programs remains forever unclear<sup>2</sup>.  
Funding agencies, research institutes and publishers are all gradually developing policies  
20 to reduce the withholding of computer programs relating to research<sup>3</sup>. The Nature family  
of journals has published opinion pieces in favor of sharing whatever code is available,  
22 in whatever form<sup>4,5</sup>. Since October 2014, all Nature journals require papers to include a  
statement declaring *whether* the programs underlying central results in a paper are avail-  
24 able. In April 2015 *Nature Biotechnology* offered recommendations for providing code  
with papers and began asking referees to give feedback on their ability to test code that  
26 accompanies submitted manuscripts<sup>6</sup>. In July 2015 F1000Research stated that “Software  
papers describing non-open software, code and/or web tools will be rejected” ([http://  
28 f1000research.com/channels/f1000-faculty-reviews/for-authors/article-guidelines/  
software-tool-articles](http://f1000research.com/channels/f1000-faculty-reviews/for-authors/article-guidelines/software-tool-articles)). Also in July 2015, BioMed Central introduced a minimum  
30 standards of reporting checklist for BMC Neuroscience and several other journals, re-  
quiring submissions to include a code availability statement and for code to be cited  
32 using a DOI or similar unique identifier<sup>7</sup>. We believe that all journals should adopt poli-  
cies that highly encourage, or even mandate, the sharing of software relating to journal  
34 publications as this is the only practical way to check the validity of the work.

### What should be shared?

36 It may not be obvious what to share, especially for complex projects with many collabora-  
tors. As advocated by Claerbout and Donoho, for computational sciences the scholarship  
38 is not the article; the “scholarship is the complete software [...]”<sup>8,9</sup>. So, ideally, we should  
share all code and data needed to allow others to reproduce our work, but this may not

40 be possible or practical. However, it is expected that the key parts of the work should be  
shared, e.g. implementations of novel algorithms or analyses. At a minimum, we suggest  
42 following the recommendation of submission of work to ModelDB<sup>10</sup>, i.e. to share enough  
code, data and documentation to allow at least one key figure from your manuscript to  
44 be reproduced. However, by adopting appropriate software tools, as mentioned in the  
next section, it is now relatively straightforward to share the materials required to regen-  
46 erate *all* figures and tables. Code that already exists, is well tested and documented, and  
is reused in the analysis should be cited. Ideally, all other code should be communicated,  
48 including code that performs simple preprocessing or statistical tests, or code that deals  
with local computing issues such as hardware and software configurations. While this  
50 code may not be reusable, it will help others understand how analyses are performed,  
find potential mistakes, and aid reproducibility. Finally, if the work is computationally  
52 intensive and requires a long time to run (e.g. many weeks), one may prefer to provide a  
small “toy” example to demonstrate the code.

54 By getting into the habit of sharing as much as possible, not only do we help others  
who wish to reproduce our work (which is a basic tenet of the scientific method), we  
56 will be helping other members of our laboratory, or even ourselves in the future. By  
sharing our code publicly, we are more likely to write higher-quality code<sup>11</sup>, and we  
58 will know where to find it after we have moved on from the project<sup>12</sup>, rather than the  
code disappearing on a colleague’s laptop when they leave your group, or suffer some  
60 misfortune<sup>13</sup>. We also will be part of a community and benefit from the code shared by  
others, thus reducing software development time for ourselves and others.

## 62 **Simple steps to help you share code**

Once you have decided *what* to share, here are some simple guidelines for *how* to share the  
64 work. Ideally, these principles should be followed throughout the lifetime of the research  
project, not just at the end when we wish to publish our results. Guidelines similar to  
66 these have been proposed in many areas of science<sup>14–16</sup>, suggesting that they are part of  
norms that are emerging across disciplines. In the ‘further reading’ section below, we list  
68 some specific proposals from other fields that expand on the guidelines we suggest here.

**Version control** Use a version control system (such as Git) to develop the code<sup>17</sup>. The  
70 version control repository can then be easily and freely shared with others using  
sites such as <http://github.com><sup>18</sup> or <https://bitbucket.org>. These sites allow  
72 you fine control over private versus public access to your code. This means that you  
can keep your code repository private during its development, and then publicly  
74 share the repository at a later stage e.g. at the time of publication, although we  
recommend opening the code from the start of the project. It also makes it easy for  
76 others to contribute to your code, and to adapt it for their own uses.

**Persistent URLs** Generate stable URLs (such as a DOI) for key versions of your software.

78 Unique identifiers are a key element in demonstrating the integrity and repro-  
ducibility of research<sup>19</sup>, and allow referencing of the exact version of your code used  
80 to produce figures. DOIs can be obtained freely and routinely with sites such as  
<http://zenodo.org> and <http://figshare.com>. If your work includes computer  
82 models of neural systems, you may wish to consider depositing these models in es-  
tablished repositories such as ModelDB<sup>10</sup>, Open Source Brain<sup>20</sup> or NITRC<sup>21</sup>. Some  
84 of these sites allow for private sharing of repositories with anonymous peer review-  
ers. Journal articles that include a persistent URL to code deposited in a trusted  
86 repository meet the requirements of level two of the ‘analytic methods (code) trans-  
parency’ standard of the TOP guidelines<sup>14</sup>.

88 **License** Choose a suitable license for your code to assert how you wish others to reuse  
your code. For example, to maximize reuse, you may wish to use a permissive  
90 license such as MIT or BSD<sup>22</sup>. Licenses are also important to protect you from others  
misusing your code. Visit <http://choosealicense.com/> to get a simple overview  
92 of which license to choose, or [http://www.software.ac.uk/resources/guides/  
adopting-open-source-licence](http://www.software.ac.uk/resources/guides/adopting-open-source-licence) for a detailed guide.

94 **Etiquette** When working with code written by others, observe Daniel Kahneman’s ‘re-  
producibility etiquette’<sup>23</sup> and have a discussion with the authors of the code to give  
96 them a chance to fix bugs or respond to issues you have identified before you make  
any public statements. Cite their code in an appropriate fashion.

98 **Documentation** Contrary to popular expectations, you do not need to write extensive  
documentation or a user’s guide for the code to still be useful to others<sup>4</sup>. However,  
100 it is worth providing a minimal README file to describe what the code does, and  
how to run it. For example, you should provide instructions on how to regenerate  
102 key results, or a particular figure from a paper. Literate programming methods,  
where code and narrative text are interwoven in the same document, make docu-  
104 mentation semi-automatic and can save a lot of time when preparing code to ac-  
company a publication<sup>24,25</sup>. However, these methods admittedly take more time to  
106 write in the first instance, and you should be prepared to rewrite documentation  
when rewriting code. In any cases, well-documented code allows for easier re-use  
108 and checking.

**Tools** Consider using modern, widely used software tools that can help with making  
110 your computational research reproducible. Many of these tools have already been  
used in neuroscience and serve as good examples to follow, for example Org mode<sup>26</sup>,  
112 IPython/Jupyter<sup>27</sup> and Knitr<sup>28</sup>. Virtualization environments, such as VirtualBox  
appliances and Docker containers, can also be used to encapsulate or preserve all  
114 of the computational environment so that other users can run your code without  
having to install numerous dependencies<sup>29</sup>.

116 **Case studies** In addition to the examples listed above in Tools<sup>26–28</sup>, there are many prior  
examples to follow when sharing your code. For example, some prominent exam-  
118 ples of reproducible research in computational neuroscience include Vogels et al.<sup>30</sup>  
and Waskom et al.<sup>31</sup>; see <https://github.com/WagnerLabPapers> for details. The  
120 ModelDB repository contains over 1000 computational models deposited with in-  
structions for reproducing key figures to papers e.g. [https://senselab.med.yale.  
122 edu/ModelDB/showModel.cshtml?model=93321](https://senselab.med.yale.edu/ModelDB/showModel.cshtml?model=93321) for a model of activity-dependent  
conductances<sup>32</sup>.

124 **Data** Any experimental data collected alongside the software should also be released or  
made available. For small datasets, this could be stored alongside the software,  
126 although it may be preferable to store experimental data separately in an appro-  
priate repository. Both PLOS and Scientific Data maintain useful lists of subject-  
128 specific and general repositories for data storage, see [http://journals.plos.org/  
plosbiology/s/data-availability#loc-recommended-repositories](http://journals.plos.org/plosbiology/s/data-availability#loc-recommended-repositories) and [http:  
130 //www.nature.com/sdata/data-policies/repositories](http://www.nature.com/sdata/data-policies/repositories).

**Standards** Use of (community) standards, where appropriate, should be encouraged, in  
132 particular use of non-proprietary formats to enable long-term accessibility. In com-  
putational neuroscience for example, PyNN<sup>33</sup> and NeuroML<sup>34</sup> are widely used for-  
134 mats for making models more accessible and portable across multiple simulators.  
Neuroimaging data and results can be organized using BIDS<sup>35</sup>.

136 **Tests** Testing the code has long been recognized as a critical step in the software industry  
but the practice is not widely adopted yet by researchers. We recommend includ-  
138 ing test suites that demonstrate the code is producing the correct results<sup>36</sup>. These  
tests can be at a low level (testing each individual function, called unit testing) or  
140 at a higher level (e.g. testing that the program yields correct answers on simu-  
lated data)<sup>37</sup>. With public data available, it is often straightforward to have a test  
142 verifying that published results can be recomputed. Linking tests to continuous in-  
tegration services (such as Travis CI, <https://travis-ci.org>) allows these tests to  
144 be automatically run each time a change is made to the code, ensuring failing tests  
are immediately flagged and can be dealt with quickly.

146 **User support** Although some people are eager to provide support for their code after  
it has been published, others may feel that they do not want to be burdened by  
148 e.g. feature requests. One simple suggestion to avoid this is to establish a user  
community for the code<sup>38</sup>. This could be as simple as creating a mailing list or  
150 asking for issues to be posted on a github repository.

**Further reading (note to editor: please make this a box feature)**

Khodiyar, V. 2015. Code Sharing — read our tips and share your own. Scientific Data Blog, February 19, 2015. <http://blogs.nature.com/scientificdata/2015/02/19/code-sharing-tips/>

Kitzes, J., Turek, D., & Deniz, F. (Eds.). 2017. The Practice of Reproducible Research: Case Studies and Lessons from the Data-Intensive Sciences. Oakland, CA: University of California Press. <https://www.practicereproducibleresearch.org/>

Leveque, R. 2013. Top ten reasons to not share your code (and why you should anyway). SIAM News, April 2013, <https://sinews.siam.org/Details-Page/top-ten-reasons-to-not-share-your-code-and-why-you-should-anyway>

Stodden, V., M. McNutt, D. H. Bailey, E. Deelman, Y. Gil, B. Hanson, M. A. Heroux, J.P. A. Ioannidis and M. Taufer 2016. Enhancing reproducibility for computational methods. Science 354(6317):1240. DOI: <http://doi.org/10.1126/science.aah6168>

Stodden V., & Miguez, S., 2014. Best practices for computational science: software infrastructure and environments for reproducible and extensible research. Journal of Open Research Software. 2(1), p.e21. DOI: <http://doi.org/10.5334/jors.ay>

Stodden, V., Leisch, F., & Peng, R. (Eds.). 2014. Implementing reproducible research. CRC press, Chapman and Hall. <https://osf.io/s9tya/>

Halchenko, Y. O. and Hanke, M. 2015. Four aspects to make science open “by design” and not as an after-thought. GigaScience, 4. DOI: <http://doi.org/10.1186/s13742-015-0072-7>

Sandve, G. K., Nekrutenko, A., Taylor, J., & Hovig E 2013. Ten simple rules for reproducible computational research. PLoS Comput Biol 9:e1003285.

**Online communities discussing code sharing (note to editor: please make this a box feature)**

**StackExchange and related projects** StackExchange is a network of free and highly active question-and-answer websites. Two members of the network are relevant to questions of code sharing: <http://stackoverflow.com/> which is dedicated to questions about programming in any language in any context, and <http://academia.stackexchange.com/questions/tagged/reproducible-research> which is focused questions relating to reproducible research in academic context. A related project is <https://neurostars.org/> which is a similar free public Q&A website focused on neuroinformatics questions, and with many questions on software packages, etc.

152

**Scientists for Reproducible Research** This is an international multi-disciplinary email list that discusses a wide range of issues relating to code sharing: <https://groups.google.com/forum/#!forum/reproducible-research>

**GitHub** GitHub is an online repository for computer code and programs that has a large community of researchers that develop and share their code openly on the site. GitHub is the largest and most active code sharing site (others include BitBucket and GitLab) and has convenient tools for facilitating efficient collaborative coding<sup>39,40</sup>. If you are using an open source program you may find a community of users and developers active on GitHub, where you can ask questions and report problems.

**Closing remarks**

154 Changing the behaviors of neuroscientists so that they make their code more available  
will likely be resisted by those who do not see the community benefits as outweighing  
156 the personal costs of the time and effort required to share code<sup>41</sup>. The community ben-  
efits, in our view, are obvious and substantial: we can demonstrate more robustly and  
158 transparently the reliability of our results, we can more easily adapt methods developed  
by others to our data, and the impact of our work increases as others can similarly reuse  
160 our methods on their data. Thus, we will endeavor to lead by example, and follow all  
these practices as part of our future work in all scientific publications. Even if the code  
162 we produce today will not run ten years from now, it will still be a more precise and  
complete expression of our analysis than the text of the methods section in our paper.

164 However, exhortations such as this article are only a small part of making code shar-  
ing a normal part of doing neuroscience; many other activities are important. All re-  
166 searchers should be trained in sound coding principles; such training is provided by  
organizations such as Software Carpentry<sup>37</sup> or Data Carpentry and through national neu-  
168 roinformatics initiatives, e.g. <http://python.g-node.org>. Furthermore, we should re-  
quest code and data when reviewing, and submit to and review for journals that support

170 code sharing. Grant proposals should be checked for mentions of code availability, and  
we should encourage efforts toward openness in hiring, promotion, and reference let-  
172 ters<sup>42</sup>. Funding agencies and editors should also consider mandating code sharing by  
default. This combination of efforts on a variety of fronts will increase the visibility of  
174 research accompanied by open source code, and demonstrate to others in the discipline  
that code sharing is a desirable activity that helps move the field forward.

176 We believe that the sociological barriers to code sharing are harder to overcome than  
the technical ones. Currently, academic success is strongly linked to publications and  
178 there is little recognition for producing and sharing code. Code may also be seen as  
providing a private competitive advantage to researchers. We challenge this view and  
180 propose that code be regarded as part of the research products and part of the publi-  
cation in which should be shared by default, and that there should be an obligation to  
182 share code for those conducting publicly funded research. We hope the code availabil-  
ity review (*CITE JOURNAL EDITORIAL HERE*) will help establish such sharing as the  
184 norm. Moreover, we are advocating for code sharing as part of a broader culture change  
embracing transparency, reproducibility, and re-usability of research products.

## 186 Acknowledgments

This article is based upon discussions from a workshop to encourage sharing in neu-  
188 roscience, held in Cambridge, December 2014. It was financially supported and orga-  
nized by the International Neuroinformatics Coordinating Facility (<http://www.incf.org>),  
190 with additional support from the Software Sustainability institute (<http://www.software.ac.uk>).  
Michael Hanke was supported by funds from the German federal  
192 state of Saxony-Anhalt and the European Regional Development Fund (ERDF), Project:  
Center for Behavioral Brain Sciences.

## 194 References

1. Nature. *Challenges in irreproducible research* <<http://www.nature.com/nature/focus/reproducibility>> (2017).  
196
2. Vihinen, M. No more hidden solutions in bioinformatics. *Nature* **521**, 261 (2015).
- 198 3. Morin, A *et al.* Research priorities. Shining light into black boxes. *Science* **336**, 159–  
160 (2012).
- 200 4. Barnes, N. Publish your computer code: it is good enough. *Nature* **467**, 753 (2010).
5. Ince, D. C., Hatton, L. & Graham-Cumming, J. The case for open computer pro-  
202 grams. *Nature* **482**, 485–488 (2012).
6. Rebooting review. *Nature Biotech* **33**, 319–319 (2015).
- 204 7. Kenall, A. *et al.* Better reporting for better research: a checklist for reproducibility.  
*BMC Neuroscience* **16**, 1–3 (2015).



- 206 8. Claerbout, J. & Karrenbach, M. *Electronic documents give reproducible research a new meaning in Proc. 62nd Ann. Int. Meeting of the Soc. of Exploration Geophysics* (1992),  
208 601–604. <<http://library.seg.org/doi/pdf/10.1190/1.1822162>>.
9. Donoho, D. L. An invitation to reproducible computational research. *Biostatistics (Oxford, England)* **11**, 385–8 (2010).  
210
10. Hines, M. L., Morse, T., Migliore, M., Carnevale, N. T. & Shepherd, G. M. ModelDB: A Database to Support Computational Neuroscience. *Journal of Computational Neuroscience* **17**, 7–11 (2004).  
212
11. Easterbrook, S. M. Open code for open science? *Nature Geosci* **7**, 779–781 (2014).  
214
12. Halchenko, Y. O. & Hanke, M. Four aspects to make science open “by design” and not as an after-thought. *GigaScience* **4**, 31 (2015).  
216
13. Berg, J. Editorial expression of concern. *Science* **354**, 1242–1242 (2016).
14. Nosek, B. A. *et al.* Promoting an open research culture. *Science* **348**, 1422–1425 (2015).  
218
15. Miguel, E. *et al.* Promoting transparency in social science research. *Science (New York, NY)* **343**, 30 (2014).  
220
16. Stodden, V., Guo, P. & Ma, Z. *How journals are adopting open data and code policies in The First Global Thematic IASC Conference on the Knowledge Commons: Governing Pooled Knowledge Resources* (2012).  
222
17. Blischak, J. D., Davenport, E. R. & Wilson, G. A Quick Introduction to Version Control with Git and GitHub. *PLoS Comput. Biol.* **12**, e1004668 (2016).  
224
18. Ram, K. Git can facilitate greater reproducibility and increased transparency in science. *Source Code Biol. Med.* **8**, 7 (2013).  
226
19. Vasilevsky, N. A. *et al.* On the reproducibility of science: unique identification of research resources in the biomedical literature. *PeerJ* **1**, e148 (2013).  
228
20. Gleeson, P., Silver, A. & Cantarelli, M. in *Encyclopedia of Computational Neuroscience* (eds Jaeger, D. & Jung, R.) 1–3 (Springer New York, 2014).  
230
21. Poline, J.-B. & Kennedy, D. in *Encyclopedia of Computational Neuroscience* (eds Jaeger, D. & Jung, R.) (Springer, 2014).  
232
22. Stodden, V. Enabling reproducible research: Open licensing for scientific innovation. *International Journal of Communications Law and Policy* **13**, 1–25 (2009).  
234
23. Kahneman, D. A new etiquette for replication. *Soc. Psychol.* **45**, 310 (2014).  
236
24. Schulte, E., Davison, D., Dye, T. & Dominik, C. A multi-language computing environment for literate programming and reproducible research. *Journal of Statistical Software* **46**, 1–24 (2012).  
238
25. Gentleman, R. & Lang, D. T. Statistical analyses and reproducible research. *Journal of Computational and Graphical Statistics* (2012).  
240

- 242 26. Delescluse, M., Franconville, R., Joucla, S., Lieury, T. & Pouzat, C. Making neuro-  
physiological data analysis reproducible: why and how? *J. Physiol. Paris* **106**, 159–  
244 170 (2011).
27. Stevens, J.-L. R., Elver, M. & Bednar, J. A. An automated and reproducible workflow  
246 for running and analyzing neural simulations using Lancet and IPython Notebook.  
*Front. Neuroinform.* **7**, 44 (2013).
- 248 28. Eglen, S. J. *et al.* A data repository and analysis framework for spontaneous neural  
activity recordings in developing retina. *Gigascience* **3**, 3 (2014).
- 250 29. Boettiger, C. An introduction to Docker for reproducible research. *ACM SIGOPS  
Operating Systems Review* **49**, 71–79 (2015).
- 252 30. Vogels, T. P., Sprekeler, H, Zenke, F, Clopath, C & Gerstner, W. Inhibitory plastic-  
ity balances excitation and inhibition in sensory pathways and memory networks.  
254 *Science* **334**, 1569–1573 (2011).
31. Waskom, M. L., Kumaran, D., Gordon, A. M., Rissman, J. & Wagner, A. D. Fron-  
256 toparietal representations of task context support the flexible control of goal-directed  
cognition. *J. Neurosci.* **34**, 10743–10755 (2014).
- 258 32. Liu, Z, Golowasch, J, Marder, E & Abbott, L. F. A model neuron with activity-  
dependent conductances regulated by multiple calcium sensors. *J. Neurosci.* **18**, 2309–  
260 2320 (1998).
33. Davison, A. P. *et al.* PyNN: A Common Interface for Neuronal Network Simulators.  
262 *Frontiers in Neuroinformatics* **2**, 11 (2009).
34. Cannon, R. C. *et al.* LEMS: A language for expressing complex biological models in  
264 concise and hierarchical form and its use in underpinning NeuroML 2. *Frontiers in  
Neuroinformatics* **8** (2014).
- 266 35. Gorgolewski, K. J. *et al.* The brain imaging data structure, a format for organizing  
and describing outputs of neuroimaging experiments. *Sci Data* **3**, 160044 (2016).
- 268 36. Axelrod, V. Minimizing bugs in cognitive neuroscience programming. *Front. Psy-  
chol.* **5**, 1435 (2014).
- 270 37. Wilson, G. *et al.* Best practices for scientific computing. *PLoS Biol.* **12**, e1001745 (2014).
38. Gorgolewski, K. J. & Poldrack, R. A. A Practical Guide for Improving Transparency  
272 and Reproducibility in Neuroimaging Research. *PLoS Biol.* **14**, e1002506 (2016).
39. Tippmann, S. My digital toolbox: Nuclear engineer Katy Huff on version-control  
274 systems. *Nature*. <[http://www.nature.com/news/my-digital-toolbox-nuclear-  
engineer-katy-huff-on-version-control-systems-1.16014](http://www.nature.com/news/my-digital-toolbox-nuclear-engineer-katy-huff-on-version-control-systems-1.16014)> (2014).
- 276 40. Perez-Riverol, Y. *et al.* Ten Simple Rules for Taking Advantage of Git and GitHub.  
*PLoS Comput. Biol.* **12**, e1004947 (2016).

- 278 41. Stodden, V. The scientific method in practice: Reproducibility in the computational  
sciences. *MIT Sloan School Working Paper 4773-10* (2010).
- 280 42. LeVeque, R. J., Mitchell, I. M. & Stodden, V. Reproducible research for scientific com-  
puting: Tools and strategies for changing the culture. *Computing in Science and Engi-  
neering* **14**, 13 (2012).
- 282