

The Status of Spectroscopic Data for the Exoplanet Characterisation Missions

Jonathan Tennyson · Sergei N. Yurchenko

Received: January 20, 2014/ Accepted: date

Abstract The status of laboratory spectroscopic data for exoplanet characterisation missions such as EChO is reviewed. For many molecules (eg H_2O , CO , CO_2 , H_3^+ , O_2 , O_3) the data are already available. For the other species work is actively in progress constructing this data. Much of the is work is being undertaken by ExoMol project (www.exomol.com). This information will be used to construct and EChO-specific spectroscopic database.

Keywords Infrared · Molecular line lists · rotation-vibration

1 Introduction

The EChO (Exoplanet Characterisation Observatory) mission [1] aims to use spectroscopy to probe the atmospheres of a range of transiting exoplanets. To ensure the success of the EChO mission, or indeed any other mission with similar aims, it is important to have access to the necessary spectroscopic data which will provide inputs to radiative transport models used for the atmospheres of exoplanets such as implemented in the codes NEMESIS [2] and TAU [3], as well as other models such as those of Madhusudhan and Seager [4]. Codes designed to model the atmospheres of brown dwarfs and cool stars, such as ATLAS [5], MARCS [6], PHOENIX [7], BT-Settl [8] and VSTAR [9], require similar molecular data. The combination of a comprehensive spectroscopic database and a physically realistic model are essential for both interpreting the observational data and studying the evolution of the objects.

For our solar system, the spectroscopic data for modelling radiative transport in planetary atmospheres is provided by specialist data bases, such as HITRAN [10, 11] and GEISA [12], which have been compiled and refined over many years using the data recorded at or about room temperature, defined by HITRAN as 296 K. However those exoplanets that will be the subject of early characterisation studies are likely to be considerably hotter than the atmospheres of solar systems planets. Elevated

temperatures lead to both a huge increase in the number of molecular transitions that need to be considered and, possibly, changes in the atmospheric composition. It is therefore necessary to ensure that all data required for modelling such atmospheres will be in place.

There are spectroscopic databases available for hot molecules. Kurucz has compiled data sets for models of (cool) stellar atmospheres for many years [13]. However data are lacking for many species in these compilations and are approximate for others. More recently the high temperature version of HITRAN, known as HITEMP, has been updated [14]. The HITEMP data can be considered as comprehensive and reliable, but is only available for five species: water, CO₂, CO, OH and NO. The ExoMol project [15] is currently in progress and has the specific aim of providing spectroscopic data applicable for a large range of temperatures for studying exoplanet atmospheres.

Hot molecules require significantly more data to simulate spectra at high temperatures. Fig. 1 illustrates the importance of the hot transitions of CH₄ missing in HITRAN for modelling the hot ($T = 1200\text{K}$) absorption. This figure shows an absorption spectrum simulated using the HITRAN and theoretical 10to10 line lists [16]. The HITRAN spectra, being based on the room temperature data, suffers from lacking the hot transitions leading to significant underestimation of the opacity at elevated temperatures, by about 50 % at 1000 K for example.




Fig. 1 Absorption spectra of CH₄ at $T = 1200\text{ K}$ simulated using data from HITRAN 2012 [11] and the 10to10 [16] line list generated as part of the ExoMol project.

Table 1 is taken from the initial EChO proposal as submitted in the autumn of 2010 [17], see also the EChO assessment study [18]. The table summarises the main spectral features that EChO planned to probe. The status of the data for each of these species is discussed in the next section. Given the rapid progress in exoplanetary research and, in particular, the discovery of new, unanticipated classes of exoplanets, it is possible that data on further species, not anticipated in the initial proposal will also be required. The status of these data are discussed in section 3. In addition this orig-

inal compilation [18] we have also identified several potentially important spectral features for the molecules in question, listed in the last column of Table 1.

Table 1 Main spectral features between 0.4 and 16 μm . The asterisk indicates the molecular/atomic species already detected in the atmospheres of exoplanets. At wavelengths shorter than 2 μm spectroscopic data are often not complete, so that the use of this region is much more difficult for band identification and analysis. The main bands are illustrated in bold.

	0.4-1 μm	1-5 μm	5-11 μm	11-16 μm	Additional ^a
<i>R, baseline</i>	300	300	≥ 30	30	
<i>R, desired</i>	300	300	300	300	
<i>Species</i>					
C ₂ H ₂	-	1.52, 3.0	7.53	13.7	2.5
C ₂ H ₄	-	3.22 , 3.34	6.9, 10.5	-	
C ₂ H ₆	-	3.4	-	12.1	6.7
CH ₃ D	-	3.34, 4.5	6.8, 7.7 , 8.6	-	
*CH ₄	0.48, 0.57, 0.6, 0.7, 0.79, 0.86	1.65, 2.2, 2.31, 2.37, 3.3	7.7	-	6.5
*CO	-	1.57, 2.35, 4.7	-	-	1.19
*CO ₂	-	1.21, 1.57, 1.6, 2.03, 4.25	-	15.0	1.43, 2.7
FeH	0.6-1	1-2	-	-	
H ₂	-	2.12	-	-	
*H ₂ O	0.51, 0.57, 0.65, 0.72, 0.82, 0.94	1.13, 1.38, 1.9, 2.69	6.2	continuum	
H ₂ S	-	2.5 ^b , 3.8	7.7	-	1.3, 1.6, 2.0, 2.6, 4.1
H ₃ ⁺	-	2.0, 3-4.5	-	-	
HCN	-	3.0	-	14.0	7.1
HDO	-	2.7, 3.67	7.13	-	
N ₂ O	-	2.8, 3.9, 4.5	7.7, 8.5	-	
NH ₃	0.55, 0.65, 0.93	1.5, 2, 2.25, 2.9, 3.0	6.1, 10.5	-	
NO ₂	-	3.4	6.2 , 7.7	13.5	
O ₂	0.58, 0.69, 0.76, 1.27	-	-	-	1.07, 6.25
O ₃	0.45-0.75 (the Chappuis band)	4.7	9.1 ^b , 9.6	14.3	3.3
PH ₃	-	4.3	8.9, 10.1	-	
SO ₂	-	4	7.3 , 8.8	-	
TiH	0.4-1	1-1.6	-	-	
TiO	0.4-1	1-3.5	-	-	
VO	0.4-1	1-2.5	-	-	
Ca	0.8498, 0.8542, 0.8662	-	-	-	
He	-	1.083	-	-	
*K	0.76	-	-	-	
*Na	0.589	1.2	-	-	
Rayleigh	0.4-1	-	-	-	
Cloud/haze	yes	possible	silicates, etc.	-	
H H α	0.66				
H H β	0.486				

^a Additional potentially important strong features.

^b Features from from Ref. [18] to be corrected or removed.

2 Status

The spectroscopic properties of the atomic species listed in Table 1, namely Na, K, H $H\alpha$, H $H\beta$, He, Ca, are all well known and can be found in standard data sources such as NIST (see <http://www.nist.gov/pml/data/asd.cfm>).

Details of the methodology required for the construction of molecular line lists valid for extended ranges of temperatures and wavelengths has been discussed elsewhere [15, 19, 20] and will not be repeated here. Below we consider in turn each molecular species listed in Table 1.

C₂H₂: Extensive experimental work on acetylene has been performed in Brussels, see Moudens *et al.* [21] for example, and a line list based on this work is promised. Initial theoretical studies have been performed in London [22] and a full line list is planned as part of the ExoMol project. At least one line list should be available in due course.

C₂H₄: Work on a hot line list for ethylene is in progress as part of the ExoMol project [23]. A full line list should be available soon.

C₂H₆: there is no hot line list for ethane. One is planned as part of the ExoMol project and some preliminary calculations have been performed [24]. Ethane has 8 atoms and a low energy vibrational mode, so the number of lines at elevated temperatures are likely to be unmanageable. The proposal will be therefore to provide temperature-dependent cross sections [25] for ethane; these should be available in due course.

CH₃D: There are no good current line lists for singly deuterated methane and the problem is harder than methane itself. Work is planned on this both as part of the ExoMol project and elsewhere. A hot line list for CH₃D should be available in due course.

CH₄: Despite the detection of methane in HD189733b [26] and elsewhere [27, 28, 29, 30], it has been recognised that the spectroscopic data for methane was inadequate for such studies [31, 32, 33, 34]. The requirements for fully characterising the methane at the temperatures found in hot Jupiters are very demanding. A number of groups [35, 36, 37, 38, 39, 40, 41, 42] have been or are attempting to address this problem. Very recently we have computed a comprehensive line list for methane [16] which is known as 10to10 since it contains just under 10 billion lines. This line list has been demonstrated to give excellent results in detailed studies of bright T4.5 brown dwarf 2MASS 0559-14 [43]. The 10to10 line list is designed to model methane spectra for temperatures up to 1500 K but will require further work to be complete for higher temperatures and to improve the representation of the spectrum at short wavelengths.

CO: HITEMP contains an extensive CO line list constructed using laboratory and sunspot spectra. These should be sufficient for exoplanetary work. However, there has been recent work on IR spectrum [44, 45, 46] and the hot VUV spectra [47]. The

ExoMol project is planning new line lists which should both provide data for all CO isotopologues and increase the range of the line list to all bound-bound rotation-vibration transitions which is important for studies of hotter objects such as cool stars.

CO₂: HITEMP contains a comprehensive line list for carbon dioxide. However this line list has been subsequently improved and extended [48]. This new line list should be sufficient for exoplanet studies although other sources of CO₂ data have become available for both infrared [49,50,51] and ultraviolet wavelengths [52].

FeH: Experimental partial line lists are available [53], further observational data is available from high resolution studies of M-dwarf star [54,55] and sunspot [56] spectra. These data will be used by ExoMol to make a comprehensive line list.

H₂: A comprehensive line list for this molecule covering bound-bound transitions has recently been constructed [57]. A new version of the important continuum induced absorption (CIA) has also been released [58]. These datasets should be sufficient for exoplanet studies.

H₂O: The BT2 line list [59] was used to make the original identification of water in HD189733b [60]. Subsequently the BT2 line list was used as the basis for water in the HITEMP, which also made use of the available laboratory data. Although work is continuing on improving the representation of water [61,62,63], the data in HITEMP is both comprehensive and accurate, and should prove the required spectroscopic data.

H₂S: Hydrogen sulphide is being studied as part of the ExoMol project. A full, high temperature line list, which will be sufficient for exoplanetary studies, has just been completed [64].

H₃⁺: A comprehensive line list for H₃⁺ was provided some time ago [65] and has already been used for exoplanetary studies [66]. A new, upgraded line list based on an improved theoretical treatment of this molecule [67,68] is likely to become available fairly soon; however the available line list is already sufficient for exoplanet studies.

HCN: Line lists for hydrogen cyanide were some the first calculated using variational nuclear motion calculations [69,70]. However these line lists are purely *ab initio* and do not give accurate wavelengths. Harris *et al.* [71] improved their line list, which covers both HCN and HNC, using the then experimental data. Mellau subsequently performed very extensive experimental studies on both hot HCN and hot HNC [72,73]. A greatly improved version of the Harris *et al* line list has been constructed using Mellau's energy levels as part of the ExoMol project [74]. This line list should be sufficient for exoplanet studies.

HDO: The VTT line list [75] provides a line list for deuterated water of a quality similar to that of BT2. The accuracy of VTT can be further improved using experi-

mental data [76,77] but is probably already sufficient for planned exoplanet studies.

N₂O: A theoretical, approximate hot line list in the 4.5 μm region has been constructed [78]. A very comprehensive room temperature line list for N₂O is provided by the HITRAN data base [11] using laboratory covering all frequency ranges required. These data should be extended to elevated temperatures.

NH₃: Extensive line lists for ammonia are available [79,80]. The BYTe line list [80] was explicitly designed with the needs of exoplanet spectroscopy in mind. This line list has already been used for modelling spectra of brown dwarfs [9,81] and it should be sufficient for exoplanet studies.

NO₂: A room temperature line list for N₂O is provided by the HITRAN data base [11] and is constructed using laboratory covering the frequency range required EChO. These data should be extended to elevated temperatures.

O₂: Oxygen spectra have been subject to renewed experimental studied including work at higher temperatures. This work is captured in the analysis of Yu *et al.* [82], which should be sufficient for exoplanet studies.

O₃: The spectrum of ozone has been studied systematically over many years in Rheims, France. This data is captured in the SMPO (Spectroscopy & Molecular Properties of Ozone) database [83], which is also accessible as part of the VAMDC project [84]. This line list should be sufficient for exoplanet studies.

PH₃: Phosphine is being studied as part of the ExoMol project. An initial line list has recently been released [85]. A full, high temperature line list, which will be sufficient for exoplanetary studies, has just been completed [86].

SO₂: A line list for SO₂ has recently been computed at NASA Ames [87]. This line list is for temperatures appropriate to solar system planets (notably Venus). A full high temperature line list, which will be sufficient for exoplanetary studies, is being computed as a collaboration between ExoMol and NASA Ames.

TiH: A partial, empirical line list for TiH is available [88]. Work is in progress as part of the ExoMol project [89] producing a comprehensive line list which will be sufficient for exoplanet studies.

TiO: A very extensive, hot line list for TiO was constructed by Schwenke [90] using a mixture of empirical data and *ab initio* calculations. However, subsequent experimental work on this system [91,92,93] has led to the suggestion that this both this and other [94] line lists are incomplete. Although this line list has been criticized, it has so far proved sufficient for exoplanetary studies. Given the known importance of TiO in the spectra of M-dwarf stars [95], this problem probably needs to be re-visited.

VO: Partial experimental line lists are available [96,97]. Work is already under way in the ExoMol project which will use this data to make a comprehensive line list.

3 Other species

The radicals NO and OH are well-known in the Earth's atmosphere but are not considered in Table 1. Both are included in HITEMP [14] and they should be included in any comprehensive spectroscopic database.

NO: The HITEMP hot line list was constructed using laboratory (lower excitations) and extrapolated (high v, J) data. NO is characterised by absorption features at 1.1, 1.36, 1.80, 2.7, 5.3 μm . The HITEMP line list should be sufficient for exoplanet studies.

OH: OH shows absorption features at 1.0, 1.43, 2.8 μm . The HITEMP line list should be sufficient for exoplanet studies.

Apart from the molecules listed above, ExoMol is undertaking work on line lists for molecules with the potential to become important for exoplanetary atmospheric modelling. Some of such molecules are listed below.

SiO: ExoMol has released a comprehensive line list which will be sufficient for studies of the atmospheres of exoplanets and stars [98].

BeH, MgH and CaH: ExoMol has released comprehensive hot line lists for these species [99].

HCl, NaCl and KCl: are likely to be the main chlorine-bearing species in exoplanets. A new empirically-derived line list for HCl has been provided by Gordon *et al.* [100,101] which tests show is sufficient for studies at elevated temperatures. New line lists for NaCl and KCl have been constructed as part of the ExoMol project [102].

SO₃: A room temperature line list has been released by ExoMol [103] and a full, high-temperature list is nearly complete.

H₂CO: A high temperature line list for formaldehyde has just been completed as part of the ExoMol project [104].

AlH, AlO, C₂, C₃, CrH, CS, HNO₃, NaH, NiH, PN, SH, SiH: Work is under way in the ExoMol project on these molecules.

4 Conclusions

The EChO mission and other possible attempts to characterise the atmospheres of exoplanets using spectroscopy place very significant demands on the laboratory data for spectroscopic interpretation of the observations. Assembling all the required data requires considerable effort on the part of laboratory astrophysicists. Much of this data is already available and can be found on the ExoMol website (www.exomol.com). Plans for the compiling line lists for the remaining molecules on an appropriate time scale for the EChO mission are well under way. This information can be used to construct a mission-specific spectroscopic database prior to any launch. These data are available in a variety of formats [25] and can be presented in a format suitable for use in mission-specific software such as EChOSIM [105].

Acknowledgements This work was supported by ERC Advanced Investigator Project 267219 and STFC.

References

1. G. Tinetti, J. Beaulieu, T. Henning, M. Meyer, G. Micela, I. Ribas, D. Stam, M. Swain, O. Krause, M. Ollivier, E. Pace, B. Swinyard, A. Aylward, R. van Boekel, A. Coradini, T. Encrenaz, I. Snellen, M.R. Zapatero-Osorio, J. Bouwman, J.Y.K. Cho, V. Coudé du Foresto, T. Guillot, M. Lopez-Morales, I. Mueller-Wodarg, E. Palle, F. Selsis, A. Sozzetti, P.A.R. Ade, N. Achilleos, A. Adriani, C.B. Agnor, C. Afonso, C. Allende Prieto, G. Bakos, R.J. Barber, M. Barlow, V. Batista, P. Bernath, B. Bézard, P. Bordé, L.R. Brown, A. Cassan, C. Cavarroc, A. Ciaravella, C. Cockell, A. Coustenis, C. Daniel-ski, L. Decin, R. De Kok, O. Demangeon, P. Deroo, P. Doel, P. Drossart, L.N. Fletcher, M. Focardi, F. Forget, S. Fossey, P. Fouqué, J. Frith, M. Galand, P. Gaulme, J.L. González Hernández, O. Gras-set, D. Grassi, J.I. Grenfell, M. Griffin, C.A. Griffith, U. Grözinger, M. Guedel, P. Guio, O. Hain-aut, R. Hargreaves, P.H. Hauschildt, K. Heng, D. Heyrovsky, R. Hueso, P. Irwin, L. Kaltenegger, P. Kervella, D. Kipping, T.T. Koskinen, G. Kovács, A. La Barbera, H. Lammer, E. Lellouch, G. Leto, M. Lopez Morales, M.A. Lopez Valverde, M. Lopez-Puertas, C. Lovis, A. Maggio, J.P. Maillard, J. Maldonado Prado, J.B. Marquette, F. Martin-Torres, P. Maxted, S. Miller, S. Molinari, D. Montes, A. Moro-Martin, J.L. Moses, O. Mousis, N. Nguyen Tuong, R. Nelson, G.S. Orton, E. Pantin, E. Pas-cale, S. Pezzuto, D. Pinfield, E. Poretti, R. Prinja, L. Prisinzano, J.M. Rees, A. Reiners, B. Samuel, A. Sánchez-Lavega, J. Sanz Forcada, D. Sasselov, G. Savini, B. Sicardy, A. Smith, L. Stixrude, G. Strazzulla, J. Tennyson, M. Tessenyi, G. Vasisht, S. Vinatier, S. Viti, I. Waldmann, G.J. White, T. Widemann, R. Wordsworth, R. Yelle, Y. Yung, S.N. Yurchenko, *Exp. Astron.* **34**, 311 (2012)
2. P.G.J. Irwin, N.A. Teanby, R. de Kok, L.N. Fletcher, C.J.A. Howett, C.C.C. Tsang, C.F. Wilson, S.B. Calcutt, C.A. Nixon, P.D. Parrish, *J. Quant. Spectrosc. Radiat. Transf.* **109**, 1136 (2008). DOI 10.1016/j.jqsrt.2007.11.006
3. M.D.J. Hollis, M. Tessenyi, G. Tinetti, *Comput. Phys. Commun.* **184**(10), 2351 (2013). DOI 10.1016/j.cpc.2013.05.011
4. N. Madhusudhan, S. Seager, *ApJ* **707**, 24 (2009)
5. R.L. Kurucz, in *SAO Special Report*, vol. 309 (1970), vol. 309, p. 292. URL <http://kurucz.harvard.edu/papers/SA0309>
6. B. Gustafsson, B. Edvardsson, K. Eriksson, U.G. Jorgensen, A. Nordlund, B. Plez, *A&A* **486**, 951 (2008). DOI 10.1051/0004-6361:200809724
7. P.H. Hauschildt, E. Baron, *J. Comput. Appl. Math.* **109**, 41 (1999). DOI 10.1016/S0377-0427(99)00153-3
8. F. Allard, N.F. Allard, D. Homeier, J. Kielkopf, M.J. McCaughrean, F. Spiegelman, *A&A* **474**, L21 (2007). DOI 10.1051/0004-6361:20078362
9. J. Bailey, L. Kedziora-Chudczer, *MNRAS* **419**, 1913 (2012). DOI {10.1111/j.1365-2966.2011.19845.x}

10. L.S. Rothman, I.E. Gordon, A. Barbe, D.C. Benner, P.F. Bernath, M. Birk, V. Boudon, L.R. Brown, A. Campargue, J.P. Champion, K. Chance, L.H. Coudert, V. Dana, V.M. Devi, S. Fally, J.M. Flaud, R.R. Gamache, A. Goldman, D. Jacquemart, I. Kleiner, N. Lacome, W.J. Lafferty, J.Y. Mandin, S.T. Massie, S.N. Mikhailenko, C.E. Miller, N. Moazzen-Ahmadi, O.V. Naumenko, A.V. Nikitin, J. Orphal, V.I. Perevalov, A. Perrin, A. Predoi-Cross, C.P. Rinsland, M. Rotger, M. Simeckova, M.A.H. Smith, K. Sung, S.A. Tashkun, J. Tennyson, R.A. Toth, A.C. Vandaele, J. Vander Auwera, J. Quant. Spectrosc. Radiat. Transf. **110**, 533 (2009)
11. L.S. Rothman, I.E. Gordon, Y. Babikov, A. Barbe, D.C. Benner, P.F. Bernath, M. Birk, L. Bizzocchi, V. Boudon, L.R. Brown, A. Campargue, K. Chance, E.A. Cohen, L.H. Coudert, V.M. Devi, B.J. Drouin, A. Fayt, J.M. Flaud, R.R. Gamache, J.J. Harrison, J.M. Hartmann, C. Hill, J.T. Hodges, D. Jacquemart, A. Jolly, J. Lamouroux, R.J. Le Roy, G. Li, D.A. Long, O.M. Lyulin, C.J. Mackie, S.T. Massie, S. Mikhailenko, H.S.P. Miller, O.V. Naumenko, A.V. Nikitin, J. Orphal, V. Perevalov, A. Perrin, E.R. Polovtseva, C. Richard, M.A.H. Smith, E. Starikova, K. Sung, S. Tashkun, J. Tennyson, G.C. Toon, V.G. Tyuterev, G. Wagner, J. Quant. Spectrosc. Radiat. Transf. **130**, 4 (2013). DOI 10.1016/j.qsr.2013.07.002
12. N. Jacquinet-Husson, L. Crepeau, R. Armante, C. Boutammine, A. Chédin, N.A. Scott, C. Crevoisier, V. Capelle, C. Boone, N. Poulet-Crovisier, A. Barbe, A. Campargue, D.C. Benner, Y. Benilan, B. Bézard, V. Boudon, L.R. Brown, L.H. Coudert, A. Coustenis, V. Dana, V.M. Devi, S. Fally, A. Fayt, J.M. Flaud, A. Goldman, M. Herman, G.J. Harris, D. Jacquemart, A. Jolly, I. Kleiner, A. Kleinböhl, F. Kwabia-Tchana, N. Lavrentieva, N. Lacome, L.H. Xu, O.M. Lyulin, J.Y. Mandin, A. Maki, S. Mikhailenko, C.E. Miller, T. Mishina, N. Moazzen-Ahmadi, H.S.P. Müller, A. Nikitin, J. Orphal, V. Perevalov, A. Perrin, D.T. Petkie, A. Predoi-Cross, C.P. Rinsland, J.J. Remedios, M. Rotger, M.A.H. Smith, K. Sung, S. Tashkun, J. Tennyson, R.A. Toth, A.C. Vandaele, J. Vander Auwera, J. Quant. Spectrosc. Radiat. Transf. **112**, 2395 (2011)
13. R.L. Kurucz, Can. J. Phys. **89**, 417 (2011)
14. L.S. Rothman, I.E. Gordon, R.J. Barber, H. Dothe, R.R. Gamache, A. Goldman, V.I. Perevalov, S.A. Tashkun, J. Tennyson, J. Quant. Spectrosc. Radiat. Transf. **111**, 2139 (2010)
15. J. Tennyson, S.N. Yurchenko, MNRAS **425**, 21 (2012)
16. S.N. Yurchenko, J. Tennyson, MNRAS (2014)
17. The EChO Consortium, *EChO Exoplanet Characterisation Observatory: Exploring Atmospheres of Diverse Worlds Beyond our Solar System (proposal submitted to ESA on Dec. 3rd, 2010 in response to call to M3 missions)* (2010)
18. EChO Science Study Team, *EChO: Exploring the atmospheres of diverse worlds beyond our Solar System*. European Space Agency (2013)
19. L. Lodi, J. Tennyson, J. Phys. B: At. Mol. Opt. Phys. **43**, 133001 (2010)
20. J. Tennyson, WIREs Comput. Mol. Sci. **2**, 698 (2012). 10.1002/wcms.94
21. A. Moudens, R. Georges, A. Benidar, B. Amyay, M. Herman, A. Fayt, B. Plez, J. Quant. Spectrosc. Radiat. Transf. **112**(3), 540 (2011)
22. A. Urru, I.N. Kozin, G. Mulas, B.J. Braams, J. Tennyson, Mol. Phys. **108**, 1973 (2010)
23. A.I. Pavlyuchko, A. Yachmenev, J. Tennyson, S.N. Yurchenko (2014). (work in progress)
24. A.I. Pavlyuchko, J. Tennyson, S.N. Yurchenko (2014). (work in progress)
25. C. Hill, S.N. Yurchenko, J. Tennyson, Icarus **226**, 1673 (2013)
26. M.R. Swain, G. Vasisht, G. Tinetti, Nature **452**, 329 (2008)
27. M.R. Swain, G. Vasisht, G. Tinetti, Nature **452**(7185), 329 (2008). DOI 10.1038/nature06823
28. M.R. Swain, P. Deroo, C.A. Griffith, G. Tinetti, A. Thatte, G. Vasisht, P. Chen, J. Bouwman, I.J. Crossfield, D. Angerhausen, C. Afonso, T. Henning, Nature **463**, 637 (2010)
29. M. Janson, J. Carson, C. Thalmann, M.W. McElwain, M. Goto, J. Crepp, J. Wisniewski, L. Abe, W. Brandner, A. Burrows, S. Egner, M. Feldt, C.A. Grady, T. Golota, O. Guyon, J. Hashimoto, Y. Hayano, M. Hayashi, S. Hayashi, T. Henning, K.W. Hodapp, M. Ishii, M. Iye, R. Kandori, G.R. Knapp, T. Kudo, N. Kusakabe, M. Kuzuhara, T. Matsuo, S. Mayama, S. Miyama, J.I. Morino, A. Moro-Martín, T. Nishimura, T.S. Pyo, E. Serabyn, H. Suto, R. Suzuki, M. Takami, N. Takato, H. Terada, B. Tofflemire, D. Tomono, E.L. Turner, M. Watanabe, T. Yamada, H. Takami, T. Usuda, M. Tamura, ApJ **728**, 85 (2011). DOI {10.1088/0004-637X/728/2/85}
30. J.P. Beaulieu, G. Tinetti, D. Kipping, I. Ribas, R.J. Barber, J.Y.K. Cho, I. Polichtchouk, J. Tennyson, S.N. Yurchenko, C.A. Griffith, I. Waldmann, S. Miller, S. Carey, O. Mousis, S.J. Fossey, A. Aylward, ApJ **731**, 16 (2011)
31. B.M. Dinelli, S. Miller, N. Achilleos, H.A. Lam, M. Cahill, J. Tennyson, M.F. Jagod, T. Oka, J.C. Hilico, T.R. Geballe, Icarus **126**, 107 (1997)

32. C.M. Sharp, A. Burrows, *ApJS* **168**(1), 140 (2007)
33. R.S. Freedman, M.S. Marley, K. Lodders, *ApJS* **174**(2), 504 (2008). DOI 10.1086/521793
34. J. Bailey, L. Ahlsved, V.S. Meadows, *Icarus* **213**, 218 (2011). DOI {10.1016/j.icarus.2011.02.009}
35. D.W. Schwenke, H. Partridge, *Spectra Chimica Acta A* **57**, 887 (2001). DOI 10.1016/S1386-1425(00)00451-0
36. D.W. Schwenke, *Spectra Chimica Acta A* **58**, 849 (2002). DOI 10.1016/S1386-1425(01)00673-4
37. R. Warmbier, R. Schneider, A.R. Sharma, B.J. Braams, J.M. Bowman, P.H. Hauschildt, *A&A* **495**, 655 (2009). DOI 10.1051/0004-6361:200810983
38. Y.A. Ba, C. Wenger, R. Surleau, V. Boudon, M. Rotger, L. Daumont, D.A. Bonhommeau, V.G. Tyuterev, M.L. Dubernet, *J. Quant. Spectrosc. Radiat. Transf.* pp. 62–68 (2013). DOI <http://dx.doi.org/10.1016/j.jqsrt.2013.05.001>
39. X.G. Wang, T. Carrington, Jr., *J. Chem. Phys.* **138**, 104106 (2013). DOI {10.1063/1.4793474}
40. S.L. Mielke, A. Chakraborty, D.G. Truhlar, *J. Phys. Chem. A* **117**, 7327 (2013). DOI 10.1021/jp4011789
41. M. Rey, A.V. Nikitin, V.G. Tyuterev, *Phys. Chem. Chem. Phys.* **15**, 10049 (2013). DOI 10.1039/C3CP50275A
42. M. Rey, A.V. Nikitin, V.G. Tyuterev, *J. Mol. Spectrosc.* **291**, 8597 (2013). DOI 10.1016/j.jms.2013.04.003
43. S.N. Yurchenko, J. Tennyson, J. Bailey, M.D.J. Hollis, G. Tinetti, p. (submitted) (2014)
44. S.A. Tashkun, T.I. Velichko, S.N. Mikhailenko, *J. Quant. Spectrosc. Radiat. Transf.* **111**, 1106 (2010). DOI {10.1016/j.jqsrt.2010.01.026}
45. T.I. Velichko, S.N. Mikhailenko, S.A. Tashkun, *J. Quant. Spectrosc. Radiat. Transf.* **113**, 1643 (2012). DOI {10.1016/j.jqsrt.2012.04.014}
46. J.A. Coxon, P.G. Hajigeorgiou, *J. Quant. Spectrosc. Radiat. Transf.* **116**, 75 (2013). DOI {10.1016/j.jqsrt.2012.10.006}
47. A.M. Brandis, C.O. Johnston, B.A. Cruden, D.K. Prabhu, A.A. Wray, Y. Liu, D.W. Schwenke, D. Bose, *J. Quant. Spectrosc. Radiat. Transf.* **121**, 91 (2013). DOI {10.1016/j.jqsrt.2013.02.009}
48. S.A. Tashkun, V.I. Perevalov, *J. Quant. Spectrosc. Radiat. Transf.* **112**, 1403 (2011). DOI 10.1016/j.jqsrt.2011.03.005
49. X. Huang, D.W. Schwenke, S.A. Tashkun, T.J. Lee, *J. Chem. Phys.* **136**, 124311 (2012)
50. X. Huang, R.S. Freedman, S.A. Tashkun, D.W. Schwenke, T.J. Lee, *J. Quant. Spectrosc. Radiat. Transf.* **130**, 134 (2013). DOI 10.1016/j.jqsrt.2013.05.018
51. S. Stefani, G. Piccioni, M. Snels, D. Grassi, A. Adriani, *J. Quant. Spectrosc. Radiat. Transf.* **117**, 21 (2013). DOI 10.1016/j.jqsrt.2012.11.019
52. O. Venot, N. Fray, Y. Benilan, M.C. Gazeau, E. Hebrard, G. Larcher, M. Schwell, M. Dobrijevic, F. Selsis, *A&A* **551**, A131 (2013). DOI 10.1051/0004-6361/201220945
53. M. Dulick, C.W. Bauschlicher, A. Burrows, C.M. Sharp, R.S. Ram, P. Bernath, *ApJ* **594**, 651 (2003). DOI 10.1086/376791
54. R.J. Hargreaves, K.H. Hinkle, C.W. Bauschlicher, Jr., S. Wende, A. Seifahrt, P.F. Bernath, *AJ* **140**, 919 (2010). DOI 10.1088/0004-6256/140/4/919
55. S. Wende, A. Reiners, A. Seifahrt, P.F. Bernath, *A&A* **523**, A58 (2010). DOI 10.1051/0004-6361/201015220
56. D. Fawzy, *New Astron.* **14**, 708 (2009). DOI 10.1016/j.newast.2009.05.004
57. A. Campargue, S. Kassi, K. Pachucki, J. Komasa, *Phys. Chem. Chem. Phys.* **14**, 802 (2012). DOI 10.1039/c1cp22912e
58. C. Richard, I.E. Gordon, L.S. Rothman, M. Abel, L. Frommhold, M. Gustafsson, J.M. Hartmann, C. Hermans, W.J. Lafferty, G.S. Orton, K.M. Smith, H. Tran, *J. Quant. Spectrosc. Radiat. Transf.* **113**, 1276 (2012). DOI 10.1016/j.jqsrt.2011.11.004
59. R.J. Barber, J. Tennyson, G.J. Harris, R.N. Tolchenov, *MNRAS* **368**, 1087 (2006)
60. G. Tinetti, A. Vidal-Madjar, M.C. Liang, J.P. Beaulieu, Y. Yung, S. Carey, R.J. Barber, J. Tennyson, I. Ribas, N. Allard, G.E. Ballester, D.K. Sing, F. Selsis, *Nature* **448**, 169 (2007)
61. L. Lodi, J. Tennyson, O.L. Polyansky, *J. Chem. Phys.* **135**, 034113 (2011)
62. J. Tennyson, P.F. Bernath, L.R. Brown, A. Campargue, M.R. Carleer, A.G. Császár, L. Daumont, R.R. Gamache, J.T. Hodges, O.V. Naumenko, O.L. Polyansky, L.S. Rothman, A.C. Vandaele, N.F. Zobov, A.R. Al Derzi, C. Fábri, A.Z. Fazliev, T. Furtenbacher, I.E. Gordon, L. Lodi, I.I. Mizus, *J. Quant. Spectrosc. Radiat. Transf.* **117**, 29 (2013)
63. O.L. Polyansky, R.I. Ovsyannikov, A.A. Kyuberis, L. Lodi, J. Tennyson, N.F. Zobov, *J. Phys. Chem. A* **117**, 96339643 (2013). DOI 10.1021/jp312343z

64. A.A.A. Azzam, S.N. Yurchenko, J. Tennyson, MNRAS p. (in preparation) (2014)
65. L. Neale, S. Miller, J. Tennyson, ApJ **464**, 516 (1996)
66. T.T. Koskinen, A.D. Aylward, S. Miller, Nature **450**, 845 (2007)
67. M. Pavanello, L. Adamowicz, A. Alijah, N.F. Zobov, I.I. Mizus, O.L. Polyansky, J. Tennyson, T. Szidarovszky, A.G. Császár, M. Berg, A. Petrignani, A. Wolf, Phys. Rev. Lett. **108**, 023002 (2012)
68. M. Pavanello, L. Adamowicz, A. Alijah, N.F. Zobov, I.I. Mizus, O.L. Polyansky, J. Tennyson, T. Szidarovszky, A.G. Császár, J. Chem. Phys. **136**, 184303 (2012)
69. K. Eriksson, B. Gustafsson, U.G. Jørgensen, A. Nordlund, A&A **132**, 37 (1984)
70. G.J. Harris, O.L. Polyansky, J. Tennyson, ApJ **578**, 657 (2002)
71. G.J. Harris, J. Tennyson, B.M. Kaminsky, Y.V. Pavlenko, H.R.A. Jones, MNRAS **367**, 400 (2006)
72. G.C. Mellau, J. Chem. Phys. **134**, 234303 (2011)
73. G.C. Mellau, J. Mol. Spectrosc. **269**, 77 (2011)
74. R.J. Barber, J.K. Strange, C. Hill, O.L. Polyansky, G.C. Mellau, S.N. Yurchenko, J. Tennyson, MNRAS **437**, 1828 (2014). DOI 10.1093/mnras/stt2011
75. B.A. Voronin, J. Tennyson, R.N. Tolchenov, A.A. Lugovskoy, S.N. Yurchenko, MNRAS **402**, 492 (2010)
76. J. Tennyson, P.F. Bernath, L.R. Brown, A. Campargue, M.R. Carleer, A.G. Császár, L. Daumont, R.R. Gamache, J.T. Hodges, O.V. Naumenko, O.L. Polyansky, L.S. Rothman, R.A. Toth, A.C. Vandaele, N.F. Zobov, A.Z. Fazliev, T. Furtenbacher, I.E. Gordon, S.N. Mikhailenko, B.A. Voronin, J. Quant. Spectrosc. Radiat. Transf. **111**, 2160 (2010)
77. N. N.Lavrentieva, B.A. Voronin, Y.G. Borkov, A. A.Fedorova, Icarus p. (in press) (2014)
78. L. Rosenmann, B. Khalil, R. Doucen, Journal of Quantitative Spectroscopy and Radiative Transfer **57**(4), 477 (1997). DOI 10.1016/S0022-4073(96)00150-1
79. S.N. Yurchenko, R.J. Barber, A. Yachmenev, W. Thiel, P. Jensen, J. Tennyson, J. Phys. Chem. A **113**, 11845 (2009)
80. S.N. Yurchenko, R.J. Barber, J. Tennyson, MNRAS **413**, 1828 (2011)
81. P.W. Lucas, C.G. Tinney, B. Burningham, S.K. Leggett, D.J. Pinfield, R. Smart, H.R.A. Jones, F. Marocco, R.J. Barber, S.N. Yurchenko, J. Tennyson, M. Ishii, M. Tamura, A.C. Day-Jones, A. Adamson, F. Allard, D. Homeier, MNRAS **408**, L56 (2010)
82. S. Yu, C.E. Miller, B.J. Drouin, H.S.P. Mueller, J. Chem. Phys. **137**, 024304 (2012). DOI {10.1063/1.4719170}
83. Y.L. Babikov, S.N. Mikhailenko, A. Barbe, V.G. Tyuterev, J. Quant. Spectrosc. Radiat. Transf. (2014)
84. M.L. Dubernet, V. Boudon, J.L. Culhane, M.S. Dimitrijevic, A.Z. Fazliev, C. Joblin, F. Kupka, G. Leto, P. Le Sidaner, P.A. Loboda, H.E. Mason, N.J. Mason, C. Mendoza, G. Mulas, T.J. Millar, L.A. Nunez, V.I. Perevalov, N. Piskunov, Y. Ralchenko, G. Rixon, L.S. Rothman, E. Roueff, T.A. Ryabchikova, A. Ryabtsev, S. Sahal-Brechot, B. Schmitt, S. Schlemmer, J. Tennyson, V.G. Tyuterev, N.A. Walton, V. Wakelam, C.J. Zeippen, J. Quant. Spectrosc. Radiat. Transf. **111**, 2151 (2010)
85. C. Sousa-Silva, S.N. Yurchenko, J. Tennyson, J. Mol. Spectrosc. **288**, 28 (2013)
86. C. Sousa-Silva, S.N. Yurchenko, J. Tennyson, MNRAS p. (in preparation) (2014)
87. X. Huang, D.W. Schwenke, T.J. Lee, J. Chem. Phys. (2014)
88. A. Burrows, M. Dulick, C.W. Bauschlicher, P.F. Bernath, R.S. Ram, C.M. Sharp, J.A. Milsom, ApJ **624**(2, Part 1), 988 (2005). DOI 10.1086/429366
89. L. Lodi, J. Tennyson, S.N. Yurchenko (2014). (work in progress)
90. D. Schwenke, Faraday Discuss. **109**, 321 (1998). DOI 10.1039/a800070k
91. R.S. Ram, P.F. Bernath, M. Dulick, L. Wallace, ApJS **122**, 331 (1999). DOI 10.1086/313212
92. K. Kobayashi, G.E. Hall, J.T. Muckerman, T.J. Sears, A.J. Merer, J. Mol. Spectrosc. **212**, 133 (2002). DOI 10.1006/jmsp.2002.8543
93. K.C. Namiki, H. Ito, S.P. Davis, J. Mol. Spectrosc. **217** (2003). DOI 10.1016/S0022-2852(02)00027-9
94. R. Alvarez, B. Plez, A&A **330**, 1109 (1998)
95. F. Allard, P.H. Hauschildt, D. Schwenke, ApJ **540**, 1005 (2000)
96. R.S. Ram, P.F. Bernath, S.P. Davis, A.J. Merer, J. Mol. Spectrosc. **211**, 279 (2002). DOI 10.1006/jmsp.2001.8510
97. R.S. Ram, P.F. Bernath, J. Mol. Spectrosc. **229**, 57 (2005). DOI 10.1016/j.jms.2004.08.014
98. E.J. Barton, S.N. Yurchenko, J. Tennyson, MNRAS **434**, 14691475 (2013)
99. B. Yadin, T. Vaness, P. Conti, C. Hill, S.N. Yurchenko, J. Tennyson, MNRAS **425**, 34 (2012)
100. G. Li, I.E. Gordon, R.J. Le Roy, P.G. Hajigeorgiou, J.A. Coxon, P.F. Bernath, L.S. Rothman, J. Quant. Spectrosc. Radiat. Transf. **121**, 78 (2013). DOI 10.1016/j.jqsrt.2013.02.005

-
101. G. Li, I.E. Gordon, P.G. Hajigeorgiou, J.A. Coxon, L.S. Rothman, J. Quant. Spectrosc. Radiat. Transf. **130**, 284 (2013). DOI 10.1016/j.jqsrt.2013.07.019
 102. E.J. Barton, C. Chui, M. Vasilios, S.N. Yurchenko, J. Tennyson, D.J. Frohman, P.F. Bernath, MNRAS (2014)
 103. D.S. Underwood, J. Tennyson, S.N. Yurchenko, Phys. Chem. Chem. Phys. **15**, 10118 (2013)
 104. A.F. Al-Refai, S.N. Yurchenko, A. Yachmenev, J. Tennyson, MNRAS (2014)
 105. I.P. Waldmann, E. Pascale, B. Swinyard, G. Tinetti, A. Amaral-Rogers, L. Spencer, M. Tessenyi, M. Ollivier, V. Coudé du Foresto, MNRAS , (submitted) (2014)